

Biological Surface Coating and Molting Inhibition as Mechanisms of TiO₂ Nanoparticle Toxicity in *Daphnia magna*

André Dabrunz¹, Lars Duester^{1,2}, Carsten Prasse^{1,2}, Frank Seitz¹, Ricki Rosenfeldt¹, Carsten Schilde³, Gabriele E. Schaumann¹, Ralf Schulz^{1*}

1 Institute for Environmental Sciences, University of Koblenz-Landau, Landau, Germany, **2** Department of Aquatic Chemistry, Federal Institute of Hydrology, Koblenz, Germany, **3** Institute for Particle Technology, Technical University of Braunschweig, Braunschweig, Germany

Abstract

The production and use of nanoparticles (NP) has steadily increased within the last decade; however, knowledge about risks of NP to human health and ecosystems is still scarce. Common knowledge concerning NP effects on freshwater organisms is largely limited to standard short-term (≤ 48 h) toxicity tests, which lack both NP fate characterization and an understanding of the mechanisms underlying toxicity. Employing slightly longer exposure times (72 to 96 h), we found that suspensions of nanosized (~ 100 nm initial mean diameter) titanium dioxide (nTiO₂) led to toxicity in *Daphnia magna* at nominal concentrations of 3.8 (72-h EC₅₀) and 0.73 mg/L (96-h EC₅₀). However, nTiO₂ disappeared quickly from the ISO-medium water phase, resulting in toxicity levels as low as 0.24 mg/L (96-h EC₅₀) based on measured concentrations. Moreover, we showed that nTiO₂ (~ 100 nm) is significantly more toxic than non-nanosized TiO₂ (~ 200 nm) prepared from the same stock suspension. Most importantly, we hypothesized a mechanistic chain of events for nTiO₂ toxicity in *D. magna* that involves the coating of the organism surface with nTiO₂ combined with a molting disruption. Neonate *D. magna* (≤ 6 h) exposed to 2 mg/L nTiO₂ exhibited a “biological surface coating” that disappeared within 36 h, during which the first molting was successfully managed by 100% of the exposed organisms. Continued exposure up to 96 h led to a renewed formation of the surface coating and significantly reduced the molting rate to 10%, resulting in 90% mortality. Because coating of aquatic organisms by manmade NP might be ubiquitous in nature, this form of physical NP toxicity might result in widespread negative impacts on environmental health.

Citation: Dabrunz A, Duester L, Prasse C, Seitz F, Rosenfeldt R, et al. (2011) Biological Surface Coating and Molting Inhibition as Mechanisms of TiO₂ Nanoparticle Toxicity in *Daphnia magna*. PLoS ONE 6(5): e20112. doi:10.1371/journal.pone.0020112

Editor: Joel M. Schnur, George Mason University, United States of America

Received: March 10, 2011; **Accepted:** April 12, 2011; **Published:** May 27, 2011

Copyright: © 2011 Dabrunz et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: This research was financially supported by the Ministry of Science Rhineland-Palatinate research initiative INTERNANO. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests: The authors have declared that no competing interests exist.

* E-mail: R.Schulz@uni-landau.de

Introduction

The steady increase in the production and use of synthetic nanoparticles (NP) in consumer products [1], such as cosmetics or paint, is likely to result in an unintentional release of NP into the environment, causing unknown risks to human and wildlife health [2,3]. Nanosized titanium dioxide (nTiO₂) is one of the most important inorganic NP with regards to production volume and multitude of uses [4,5]. The majority of NP toxicity studies so far have been conducted with nTiO₂, its agglomerates, and the water flea *Daphnia magna* Straus, an important standard test organism in aquatic ecotoxicity testing [6]. Most of these studies found acute effect levels to be > 100 mg/L [7]. In contrast to this, Lovern and Klaper [8] reported a 48-h LC₅₀ of 5.5 mg/L; however, the NP product used and particle size distributions over the course of the experiment were not provided in the publication. Unfortunately, available nTiO₂ toxicity studies often lack information on NP characteristics and data regarding the verification of the results, e.g., particle size distribution and concentration in the test media. The only study using nTiO₂ and *D. magna* that provided both particle size distribution and concentration measurements of

nTiO₂ found a 72-h EC₅₀ of 1.62 mg/L [9]. However, the control effects in this study exceeded the maximum level of the OECD acute toxicity testing guideline 202 of 10% [10].

The recent application of probabilistic material flow analysis of engineered nanomaterials predicted maximum surface water concentrations of 0.085 $\mu\text{g/L}$ nTiO₂, which are well below those implicated in environmental risks [11]. Following another study measuring Ti in centrifuged samples taken from urban runoff, including exterior facades wash-off [12], a calculated concentration of about 0.073 $\mu\text{g/L}$ nTiO₂ (≤ 100 nm fraction) is present in the urban runoff entering a creek.

Thus far, an underlying principle in environmental risk assessment has been that the toxicity of chemicals is mainly driven by the exposure dose [13] due to a focus on test protocols originally developed for traditional chemicals, such as pesticides. However, for nanomaterials, particle size and particle surface characteristics appear to be at least as important as the available dose in driving the extent of potential toxic effects [14]. The persisting lack of understanding of NP toxicity in aquatic organisms is, to a large extent, a consequence of huge gaps in knowledge regarding the underlying mechanisms. Due to the

photocatalytic properties of nTiO₂, the formation of reactive oxygen species has been suggested as a mode of toxic action [2], although studies focusing on the photocatalytic aspects of nTiO₂ toxicity did not result in clear concentration effect relations for *D. magna* [15]. Therefore, a mechanistic approach for understanding the chemistry and mechanisms underlying the biological effects of NP is needed [16].

The present study employed *D. magna* as a representative of zooplankton, a key group for the food web structure and the matter turnover in lake ecosystems [17]. In contrast to most previous acute toxicity tests using nTiO₂ and *D. magna*, a 96-h exposure was used instead of the standard 48-h test duration, which hardly ever showed effects on *D. magna* [6]. Such a 96-h toxicity test setup with *D. magna* using mortality and growth as endpoints has previously been suggested for general chemical testing [18]. Moreover, a recent study showed an increased toxicity of nTiO₂ following an exposure of 72 h [9], illustrating the potential of a prolonged acute test duration.

Using a variety of experiments, we assessed the effects of different TiO₂ size classes (Exp. 1) and concentrations during 96-h acute toxicity testing (Exp. 2) on *D. magna*. The present study also aimed to characterize the dissipation of nTiO₂ from the water phase in order to more precisely define the exposure via the water phase throughout the test duration (Exp. 3). Additionally, the NP suspensions were characterized in the course of each experiment. Finally, we evaluated the mechanisms of toxicity by a qualitative description of NP - *Daphnia* surface interactions and by quantifying the effects of nTiO₂ on the molting of *D. magna* (Exp. 4).

Methods

Suspension and particle size characterization

Uncoated titanium dioxide nanoparticles (A-100, Crenox GmbH, Krefeld, Germany) were purchased as a powder in pure anatase form. The product had an advertised primary particle size of 6 nm, and the surface area (Brunner–Emmett–Teller; BET) was approximately 230 m²/g. From this product additive free, size homogenized, stable suspensions were obtained by stirred media milling (PM2, Bühler AG, Switzerland) followed by centrifugation to remove residual coarse material. Size distributions in undiluted, monodisperse stock suspensions showing average diameters of ~100 nm and ~200 nm were determined by dynamic light scattering (DelsaTM Nano C, Beckman Coulter, Krefeld) prior to each experiment (Table 1). Suspensions used were shown to be stable for over a month with a size variation of the average diameter below ±5% [19].

Table 1. Particle characterization of TiO₂ suspensions used in the experiments of the present study.

Number	Name of Experiment	Mean diameter	D ₁₀ ¹	D ₉₀ ¹	PI ²
Exp. 1	Size effects	101 nm	60 nm	188 nm	0.150
Exp. 1	Size effects	205 nm	107 nm	444 nm	0.234
Exp. 2	Dose effects	94 nm	59 nm	162 nm	0.126
Exp. 3	NP dissipation	94 nm	59 nm	162 nm	0.126
Exp. 4	Molting inhibition	96 nm	59 nm	167 nm	0.124

¹Values indicate 10% and 90% particle fractions below the respective size.

²Polydispersity index.

doi:10.1371/journal.pone.0020112.t001

Test organism. *D. magna* was obtained from Eurofins-GAB laboratories (Niefern-Oeschelbronn, Germany) and kept in permanent culture within climate controlled chambers at 20±1°C on a 16:8 h (light:dark) photoperiod. Animals were cultured in M4 medium [10] that was renewed three times a week. Animals were fed with green algae *Desmodesmus* sp. on a daily basis.

Acute toxicity tests (Exp. 1 and 2)

The acute tests focusing on either size- or concentration-dependent toxicity of nTiO₂ were conducted based on OECD guideline 202 with prolonged observation intervals of 72 h and 96 h. To reduce variability and ensure survival rates >90% in the control treatments even after 96 hours without feeding, neonates were fed algae with an equivalent of about 6 µg C per individual for 90 min prior to the test. Five neonate daphnids (age ≤24 h) were exposed to nTiO₂ in 150 mL glass beakers filled with 50 mL of ISO test medium (water column height: 2.7 cm). Each treatment group consisted of six replicates. Individuals that did not move following agitation of the test beakers were considered immobile, and the number of immobile individuals was recorded after 24 h and 48 h (standard design) and after 72 h and 96 h (prolonged observation intervals).

During Exp. 1, which investigated TiO₂ size-related toxicities, we investigated suspensions of ~200 nm and ~100 nm in mean diameter (Table 1) at a concentration of 2 mg/L. The examinations of concentration- and exposure time-related toxicities (Exp. 2) were performed by exposing *D. magna* to nTiO₂ (~100 nm) at 0.5, 1, 2, 4 and 8 mg/L plus control for up to 96 h.

nTiO₂ dissipation from medium (Exp. 3) and photographic monitoring

To examine the dissipation of nTiO₂ from the aqueous phase, triplicate samples from each concentration (0.5, 1, 2, 4, and 8 mg/L nTiO₂) were taken from the centre of the water column. During sampling, special attention was paid to avoid particle resuspension. Water samples obtained after 0, 1, 2, 3, 6, 12, 24, 48, 72 and 96 h were analyzed for the Ti concentration (mass 47) using a Quadropole ICP-MS (XSeries2, Thermo Fischer Scientific, Dreieich) equipped with a FAST autosampler (ESI, Thermo Fischer Scientific, Dreieich), a peek spray chamber (Thermo Fischer Scientific, Dreieich) and a robust Mira Mist peek nebuliser (Burgener, Berkshire). The instrument was run in the collision cell mode with 5 ml He/H₂ cell gas in order to avoid polyatomic interferences (e.g., PO⁺ or SiOH⁺). All results obtained were well above the limits of detection (0.05–0.38 µg Ti/L). Pictures showing biological surface coating were obtained using an A1 Axio Scope microscope (Carl Zeiss GmbH, Oberkochen) at a 50-fold magnification with an impinging light setup. SEM-EDX pictures were taken using a Quanta 250 electron microscope (FEI Company, Eindhoven) at a 1200-fold magnification.

Daphnia molting (Exp. 4)

Within the first 96 h, a juvenile *D. magna* kept at 20±1°C regularly molts once when starved [20] and up to 3 times under optimal feeding conditions (unpublished own observations). The influence of nTiO₂ (2 mg/L; ~100 nm) on the molting of *D. magna* was assessed by exposing more precisely age-synchronized neonates (age ≤6 h) to conditions similar to Exp. 1 and 2. Each beaker (n=20) contained only one specimen in order to assess molting at the individual level. The occurrence of exuvia (outer shell) and immobilization was recorded every 6 h for a total of 96 h.

Statistical analysis

Statistical analyses were carried out using the statistical software package R (version 2.10.1). EC₅₀ values were calculated using the drc package [21]. Because the data from the size and molting experiments were not normally distributed, two sided Wilcoxon rank tests were performed, and a difference was considered to be statistically significant at p-values <0.05.

Results

Particle size dependency of TiO₂ toxicity

During Exp. 1, immobilization of animals was never observed within the standard intervals of 24 h and 48 h. However, after 72 h, immobilization occurred in 3% of daphnids when exposed to TiO₂ of ~200 nm, whereas a significantly ($p = 0.0022$) higher proportion (66%) were immobilized when treated with nTiO₂ of ~100 nm (Figure 1). After 96 h, the immobilization induced by ~200 nm particles increased to 57%, while ~100 nm nTiO₂ particles caused a significantly ($p = 0.0022$) higher occurrence of immobilization (100%). No effects were observed in the control treatments.

Time and dose dependency of nTiO₂ toxicity and dissipation

Similar to Exp. 1, no toxicity was observed at standard test durations. The results of Exp. 2 displayed dose- and time-dependent toxic effects (Figure 2). The calculated 72-h and 96-h EC₅₀ values were 3.8 mg/L (95%; CI: 5.3–2.3) and 0.73 mg/L (95%; CI: 0.78–0.68), respectively.

Observations revealed a tendency for nTiO₂ to form agglomerates and bind to organic and inorganic surfaces, resulting in dissipation from the water phase. All concentrations in Exp. 3 showed a fast decline of measurable nTiO₂ concentrations from the water phase with higher initial concentrations dissipating faster than lower ones (Figure 3). None of the setups varying in initial concentration between 0.5 and 8 mg/L showed nTiO₂ contents exceeding 1.06 mg/L after 24 h or 0.32 mg/L after 48 h. On the basis of these findings, we calculated time weighted average (TWA) values in the aqueous phase and recalculated the 96-h EC₅₀ value of nTiO₂ to be 0.24 mg/L (95%; CI: 0.22–0.26), based on measured aqueous-phase concentrations. Visual observations suggested that most of the dissipation of nTiO₂ from the




Figure 1. Mean immobilization (\pm SD; $n = 6$) of *D. magna* exposed to 2 mg/L TiO₂ of different sizes. White bars: ~200 nm TiO₂; grey bars: ~100 nm nTiO₂. doi:10.1371/journal.pone.0020112.g001




Figure 2. Mean immobilization (\pm SD; $n = 6$) of daphnids after 72 and 96 h of exposure to nominal concentrations of 0, 0.5, 1, 2, 4 and 8 mg nTiO₂ (~100 nm). doi:10.1371/journal.pone.0020112.g002

aqueous phase occurred via the formation of agglomerates due to the high ionic strength of the media. The agglomerates sink to the bottom of the test beakers and form a thin layer of TiO₂.

Mechanism of toxicity – biological surface coating

During all tests, NP showed a high tendency to bind to organic surfaces, resulting in a steadily growing layer of TiO₂ on daphnids within the 96-h exposure period, resulting in a “biological surface coating” (Figure 4). The coating was visible within the first 24 h of exposure (Figure 4A) and completely disappeared with the first molting (shedding of shell). Biological surface coating reoccurred within 1 h after the first molting (4B) and continued steadily during the 96-h exposure period (Figure 4C to 4E). Because its enlarged surfaces and permanent movement caused high encounter rates with nTiO₂, the filtering apparatus showed this particle adhesion phenomenon to a greater extent (arrow in 4B). SEM-EDX images confirmed that the particles involved in the biological surface coating were TiO₂ (Figure 4F).

Mechanism of toxicity – molting inhibition

During previous experiments, we found lower numbers of exuvia in test beakers containing nTiO₂ and hypothesized an adverse effect of these NP on the molting success of *D. magna*. Hence, we conducted Exp. 4 with individually held specimens.




Figure 3. Dissipation of nTiO₂ (~100 nm) from the water phase. nTiO₂ was measured as ⁴⁷Ti, at initial concentrations of 0.5, 1, 2, 4, and 8 mg/L nTiO₂ (ISO medium; means \pm SD; $n = 3$). doi:10.1371/journal.pone.0020112.g003




Figure 4. Development of biological surface coating in a 96-h toxicity test at 2 mg/L nTiO₂ in ISO-medium. (A) 24 h, before 1st molting; (B) 25 h, about 1 h after 1st molting with arrow indicating renewed particle adhesions at filtration apparatus and the lower ventral gap; (C) 48 h; (D) 72 h; (E) 96 h; (F) ESEM-EDX picture of nTiO₂ particle agglomerates colored in red on spine of *D. magna* following 48 h of exposure to, nTiO₂ particles at 2 mg/L. doi:10.1371/journal.pone.0020112.g004

The results revealed that all animals (age ≤ 6 h at test start) completed the first molting within 36 h without any substantial differences between animals exposed to 2 mg/L nTiO₂ (~ 100 nm) and the controls (Figure 5). The second molting occurred in 100% of control animals between 66 and 78 h after the start of the test, while animals exposed to nTiO₂ showed a delay in molting and, most importantly, a significantly ($p = 0.0065$) lower molting success of only 10%. The TWA concentrations of TiO₂ in the 2 mg/L setup at the time of the first (about 24 h) and second (about 72 h) molting were 1.5 and 0.8 mg/L, respectively (Figure 3).

Discussion

Size dependency of TiO₂ toxicity

The size of the reactant surface is a key property of NP [7]. Thus, it was suggested that smaller NP are likely to cause higher toxicities at similar concentrations [22]. Nevertheless, almost no data from systematical investigations concerning particle size effects are available to date [14]. Comparing non-nanosized TiO₂ (~ 200 nm) with nTiO₂ (~ 100 nm), we showed a significantly elevated acute toxicity of nTiO₂. nTiO₂ was approximately twice as toxic within 96 h of exposure. To the best of our knowledge, this is the first study showing two different size classes of the same TiO₂ stock suspension differing significantly in their toxicity. A recent study using TiO₂ in a chronic exposure setup with *D. magna* implied that the observed effects on antioxidant enzyme activities increased with increasing particle sizes between 400 and 800 nm [23]. Drobne et al. [24] reported a higher toxicity of 25 nm versus 75 nm sized nTiO₂ in terrestrial isopods. However, the actual size distributions were not characterized, and when the two size classes were compared, they were found to differ in crystalline structure (25 nm with 100% anatase and 75 nm with a mixture of anatase and rutile). In a recent study using the algae *Pseudokirchneriella subcapitata* Korshikov and nTiO₂, no size-dependent differences in

toxicity were detected for 10, 30, and 300 nm primary particles. These particles originated from different manufactures and had differing crystalline structures [25]. Pan et al. [26] found that gold NP of around 1 nm caused a higher toxicity to human and mouse cell lines than gold particles about 15 fold larger and attributed these findings to different uptake kinetics. For 100 nm particles, such as those used in the present study, the particle surface is about four times as high as for 200 nm particles. Therefore, the small particles may attach easier and bind more strongly to the daphnids exoskeleton, resulting in higher toxicity than the larger particles. Our findings indicate a different toxic response at equal concentrations based on mass, highlighting the importance of further research on the controversial question [22] regarding the importance of surface as a metric in NP toxicity testing. Another possible reason for a higher toxicity of nano sized particles is the higher rate of formation of reactive oxygen species as a result of the higher reactivity [2]. However, previous studies have not detected clear direct photocatalytic effects of nTiO₂ on *D. magna* [15].

Time and dose dependency of nTiO₂ toxicity and dissipation

Our experiments revealed the importance of prolonging the test duration to 96 h, particularly in light of the absence of toxic effects after 48 h. For instance, in Exp. 2, we observed an immobilization rate of 100% at 2 mg/L after 96 h, while no toxicity was observed after 48 h in any concentration up to 8 mg/L. Based on the nominal concentrations, the 72- and 96-h EC₅₀ values were 3.8 mg/L and 0.73 mg/L, respectively. This is far below the values reported in the majority of available studies on nTiO₂ and *D. magna* [27]. Zhu et al. [9] found toxic effects of nTiO₂ in a similar range (72-h EC₅₀: 1.62 mg/L), although their findings are not exactly comparable with the results present in this study because they renewed their test media every 24 h and obtained a control mortality exceeding the validity criteria of the OECD standard test protocol 202 [10]. In contrast to all other studies focusing on nTiO₂, Lovern and Klaper [8] found an EC₅₀ value (48 h) of 5.5 mg/L but used a considerably smaller particle size (30 nm) than used in our study. However, no information was provided as to which primary particles were used in their study, and it remains unclear how the particle size distribution present in their toxicity tests, which was measured with transmission electron microscopy (TEM) using dried samples, varied or how strong the impact of sample preparation (airbrushing the suspension on the TEM grids) was on the TEM results.

The need for the adoption of standard tests for use with NP has often been voiced in a general way [16]. According to our results, the prolongation of the acute test duration to 96 h, as suggested for general chemical testing by Lazorchak et al. [18], would have the potential to considerably improve the assessment of acute NP toxicity.

For planktonic organisms, such as *D. magna*, it is likely that the exposure to NP takes place via the water phase. To the best of our knowledge, this is the first study reporting the temporal kinetics of NP concentrations in a test medium suspension, although the urgent requirement for better characterization of exposure during the actual test has been voiced repeatedly [28]. The observed decline of concentrations following second order kinetics is not surprising from a colloid scientific point of view, and other authors have also described nTiO₂ agglomeration effects in culture media containing ions [29]. In seawater, Keller et al. [30] showed a higher agglomeration rate of nTiO₂ at higher initial concentrations due to the increased probability of collisions between particles. From an ecotoxicological perspective, the fast aqueous




Figure 5. Molting success of juvenile *D. magna* (age ≤ 6 at 0 h) exposed to 2 mg/L nTiO₂ (~100 nm). Bars between 24 and 48 h on the left indicate the percentage of individuals passing the first molting, bars on the right, from 66 h onwards, represent those individuals passing the second molting. Black dots indicate the percentage of immobilized *D. magna* in the nTiO₂ treatment. doi:10.1371/journal.pone.0020112.g005

phase dissipation implies that the actual concentrations to which the daphnids were exposed in the water phase over the 96-h test period were considerably lower than the nominal or measured initial concentrations. To consider this phenomenon, the usual procedure is to calculate TWA concentrations. However, this concept is used in chronic rather than acute toxicity testing [31]. Based on the 96-h TWA concentrations, the respective EC₅₀ (96-h) is 0.24 mg/L, a factor of three lower than the value based on initial nominal concentrations.

This effect threshold results in a predicted no effect concentration of 0.24 $\mu\text{g/L}$, if calculated according to established procedures on risk assessment [32], including an assessment factor of 1000. Due to the fact that the maximum measured concentration of nTiO₂ in urban runoff is about 0.073 $\mu\text{g/L}$ [12] and a further dilution of urban runoff appears after entering surface water, it remains unlikely that nTiO₂ levels will exceed the acute predicted no effect concentration. Although this leads to the assumption that current usage does not result in an acute risk, this might change based on the predicted increase in production and usage [1]. Moreover, further studies on the chronic toxicity of nTiO₂ [9] may lead to lower effect thresholds.

Mechanism of nTiO₂ toxicity

As outlined previously, one of the most frequently used test organisms for nTiO₂ in aquatic ecotoxicology is *D. magna*, and it seems surprising that there is still a huge gap in the knowledge concerning the potential mechanisms of nTiO₂-mediated toxicity. Our results strongly suggest a mechanistic chain of events in NP-organism interactions, which has not been addressed thus far in the scientific literature. This chain of events involves biological surface coating in combination with a molting disruption in juvenile *D. magna*.

The coating of the daphnids' outer surfaces and filtering apparatus with TiO₂ is a rapid process, occurring within the first 24 h after birth. During the first molting at about 24 h after birth, the daphnids shed their shell and the attached TiO₂. However, only 1 h later, the progressing biological surface coating again leads to TiO₂ agglomerates being attached to surface structures, such as the filtering apparatus (arrow in Figure 4B), a process which continues throughout the 96-h exposure period. The concept of the adhesion of NP to the surface of organisms is not entirely new [33] and has already been described for TiO₂ and *D. magna* in a qualitative way [6]. However, concentrations of 40.5 mg/L TiO₂, about 20 times higher than in the present study, have been used, and the observed surface adhesion was considerably lower. Adsorption of the material to the exterior surface of the organisms can be considered as the first step in the biological uptake of any NP. Although uptake of nTiO₂ into *D. magna* has been observed [9] due to the low solubility and the low intrinsic toxic potential of titanium itself [34], it is likely that acute toxicity due to cellular, biochemical or macromolecular changes plays only a minor role. Furthermore, it has also been implied in the literature that the aggregate adhesion may cause physical effects and a loss of mobility [6]. From the results obtained in this study, it appears likely that such physical effects are of major importance. As displayed in Figure 4, substantial amounts of nTiO₂ agglomerate within short time periods on the daphnid exoskeleton. Taking into account that the biological surface coating results in the increase of both the specific weight and the physical resistance during swimming movements, it is likely that the energy demand strongly increases. However, additional experiments revealed slightly elevated levels of lipid content (9.3% average increase compared to control; n = 7; measured using sulfo-phospho-vanillin reaction) and total energy (52.6%

average increase compared to control; n=9; measured using differential scanning calorimetry) in juvenile *D. magna* after 48 h of exposure to 2 mg/L nTiO₂. It should be further noted that due to the increased probability of collisions between particles [30], the extent of biological surface coating should be even greater for smaller sized NP.

Apart from zooplankton, NP adhesion to biological surfaces has also been shown in other organisms. For instance, similar phenomena have been found for carbon nanotubes and the gill mucus of rainbow trout [35] and have also been implied for TiO₂ and rainbow trout gill surfaces [36]. Potential sorption has also been reported for phytoplankton by Aruoja et al. [37], who observed an entrapping of algae cells (*P. subcapitata*) by TiO₂ aggregates formed during the 72-h toxicity tests. Being a zooplankton filter feeder, *D. magna* relies on phytoplankton as a food source, which might lead to additional indirect negative effects. However, these effects have not been studied so far [6]. Apart from the adhesion to the exoskeleton, sublethal endpoints for ingestion and filtration rates of *D. magna* have been documented in specimens exposed to nTiO₂ for 5 h at TiO₂ concentrations of 0.5 mg/L [38]. In addition, recent publications revealed the potential of NP to be transported within the food web [39,40], leading to a dietary exposure of aquatic organisms on higher trophic levels.

Our results clearly show that a 96-h exposure to 2 mg/L of ~100 nm nTiO₂ particles significantly reduces the success of the second molting to 10%, compared to a 100% molting success in the control. This molting disruption, ultimately leading to the observed high levels of immobility and mortality, was only visible during the extended exposure period of 96 h, while no difference was detected between the TiO₂ and control setup during the first molting (within the initial 48 h of the test). This could explain why, as discussed above, so many studies did not observe any substantial toxicity of nTiO₂ to *D. magna* during the standard 48-h test duration. Apart from the initial concentration, the TWA concentration at the time of the first (1.5 mg/L) and second molting (0.8 mg/L) might have been important for the observed effects. During the second molting, the daphnids might have been particularly susceptible to nTiO₂ toxicity. A strong negative effect of NP on the molting of *D. magna* has not been reported previously

in the scientific literature. When exposing *D. magna* to different fullerene concentrations over 21 days, a slight, yet significant, molting delay was found at 2.5 mg/L [41]. However, no effect was observed during the same study at lower concentrations of 0.5 and 1 mg/L or at a higher concentration of 5 mg/L. Because the molting of *Daphnia* is intimately associated with growth and reproduction, a delay or disruption of molting translates directly into reduced reproduction rates [42].

The fact that the second molting of juvenile daphnids is disrupted, means that both the standard acute and the standard chronic *D. magna* tests are not suitable for the detection of the aquatic toxicity of nTiO₂. In the acute test, the test duration does not cover the second molting. In the chronic test, juveniles are regularly removed from the test system before they perform their second molting and only the absolute number of offspring is considered in the evaluation.

In conclusion, our study shows that slightly elongated test durations reveal toxic effects at low concentrations of nTiO₂ and thus presents a reasonable modification of standard test systems for NP. In addition, we revealed a negative impact of nTiO₂ on the molting and development of *D. magna*, which is likely to be connected to biological surface coating as a general pathway of physical NP toxicity. Because this pathway might be ubiquitous for aquatic organisms, the resulting adverse effects on food webs and ecosystems may be widespread.

Acknowledgments

We thank Denis Rakcheev and Jette Schwarz for their support with ICP-MS and DSC measurements as well as Martin Scheringer for advice on the fate data, Dörte Diehl for the BET measurements, Keriya Mam (FEI Company) for the picture courtesy of SEM-EDX images, and two anonymous reviewers for their comments.

Author Contributions

Conceived and designed the experiments: AD RS. Performed the experiments: AD FS RR. Analyzed the data: AD FS RS. Contributed reagents/materials/analysis tools: LD CP CS GES. Wrote the paper: RS AD.

References

- Scheringer M (2008) Environmental risks of nanomaterials. *Nature Nanotech* 3: 322–323.
- Nel A, Xia T, Madler L, Li N (2006) Toxic Potential of Materials at the Nanolevel. *Science* 311: 622–627.
- Scown TM, van Aerle R, Tyler CR (2010) Review: Do engineered nanoparticles pose a significant threat to the aquatic environment? *Crit Rev Toxicol* 40: 653–670.
- Hussain M, Ceccarelli R, Marchisio DL, Fino D, Russo N, et al. (2010) Synthesis, characterization, and photocatalytic application of novel TiO₂ nanoparticles. *Chem Eng J* 157: 45–51.
- Scientific Committee on Emerging or Newly-Identified Health Risks (2007) Opinion on the scientific aspects of the existing and proposed definitions relating to products of nanoscience and nanotechnologies. Available: http://ec.europa.eu/health/ph_risk/committees/04_scenihp/docs/scenihp_o_012.pdf. Accessed 2011 Apr 26.
- Baun (2008) Ecotoxicity of engineered nanoparticles to aquatic invertebrates: a brief review and recommendations for future toxicity testing. *Ecotoxicology* 17: 387–395.
- Warheit DB, Hoke RA, Finlay C, Donner EM, Reed KL, et al. (2007) Development of a base set of toxicity tests using ultrafine TiO₂ particles as a component of nanoparticle risk management. *Toxicol Lett* 171: 99–110.
- Lovern SB, Klaper R (2006) *Daphnia magna* mortality when exposed to titanium dioxide and fullerene (C₆₀) nanoparticles. *Environ Toxicol Chem* 25: 1132–1137.
- Zhu X, Chang Y, Chen Y (2010) Toxicity and bioaccumulation of TiO₂ nanoparticle aggregates in *Daphnia magna*. *Chemosphere* 78: 209–215.
- Organisation for Economic Cooperation and Development (OECD) (2004) Guideline for Testing of Chemicals 202 *Daphnia* sp., Acute Immobilisation Test. Available: <http://www.oecd-ilibrary.org/environment/>. Accessed 2011 Apr 26.
- Gottschalk F, Sonderer T, Scholz RW, Nowack B (2009) Modeled Environmental Concentrations of Engineered Nanomaterials (TiO₂, ZnO, Ag, CNT, Fullerenes) for Different Regions. *Environ Sci Technol* 43: 9216–9222.
- Kaegi R, Ulrich A, Sinnet B, Vonbank R, Wichser A, et al. (2008) Synthetic TiO₂ nanoparticle emission from exterior facades into the aquatic environment. *Environ Pollut* 156: 233–239.
- Rand G, Petrocelli S (1985) *Fundamentals of Aquatic Toxicology: Methods and applications*. New York: Hemisphere Publishing, 666 p.
- Handy R, von der Kammer F, Lead J, Hasselöv M, Owen R, et al. (2008) The ecotoxicology and chemistry of manufactured nanoparticles. *Ecotoxicology* 17: 287–314.
- Hund-Rinke K, Simon M (2006) Ecotoxic effect of photocatalytic active nanoparticles (TiO₂) on algae and daphnids. *Environ Sci Pollut Res* 13: 225–232.
- Handy RD, Owen R, Valsami-Jones E (2008) The ecotoxicology of nanoparticles and nanomaterials: current status, knowledge gaps, challenges, and future needs. *Ecotoxicology* 17: 315–325.
- Lampert W, Sommer U (2007) *Limnology*. Oxford: Oxford University Press, 324 p.
- Lazorchak JM, Smith ME, Haring HJ (2009) Development and validation of a *Daphnia magna* four-day survival and growth test method. *Environ Toxicol Chem* 28: 1028–1034.

19. Duester L, Prasse C, Vogel JV, Vink JPM, Schaumann GE (2011) Translocation of Sb and Ti in an undisturbed floodplain soil after application of Sb₂O₃ and TiO₂ nanoparticles to the surface. *J Environ Monit*. In press.
20. Smith F (1963) Population dynamics in *Daphnia magna* and a new model for population growth. *Ecology* 44: 651–663.
21. Ritz C, Streibig JC (2005) Bioassay Analysis using R. *Journal of Statistical Software* 12. Available: <http://download.nextag.com/cran/web/packages/drc/vignettes/drc.pdf>. Accessed 2011 Apr 26.
22. Oberdörster G, Oberdörster E, Oberdörster J (2007) Concepts of nanoparticle dose metric and response metric. *Environ Health Persp* 115: A290.
23. Kim KT, Klaine SJ, Cho J, Kim S-H, Kim SD (2010) Oxidative stress responses of *Daphnia magna* exposed to TiO₂ nanoparticles according to size fraction. *Sci Tot Environ* 408: 2268–2272.
24. Drobne D, Jemec A, Tkalec ZP (2009) In vivo screening to determine hazards of nanoparticles: Nanosized TiO₂. *Environ Pollut* 157: 1157–1164.
25. Hartmann NB, Von der Kammer F, Hofmann T, Baalousha M, Ottofuelling S, et al. (2010) Algal testing of titanium dioxide nanoparticles—Testing considerations, inhibitory effects and modification of cadmium bioavailability. *Toxicology* 269: 190–197.
26. Pan Y, Neuss S, Leifert A, Fischler M, Wen F, et al. (2007) Size-dependent cytotoxicity of gold nanoparticles. *Small* 3: 1941.
27. Heinlaan M, Ivask A, Blinova I, Dubourguier HC, Kahru A (2008) Toxicity of nanosized and bulk ZnO, CuO and TiO₂ to bacteria *Vibrio fischeri* and crustaceans *Daphnia magna* and *Thamnocephalus platyurus*. *Chemosphere* 71: 1308–1316.
28. Stone V, Nowack B, Baun A, van den Brink N, von der Kammer F, et al. (2010) Nanomaterials for environmental studies: Classification, reference material issues, and strategies for physico-chemical characterisation. *Sci Tot Environ* 408: 1745–1754.
29. Allouni ZE, Cimpan MR, Høi PJ, Skodvin T, Gjerdet NR (2009) Agglomeration and sedimentation of TiO₂ nanoparticles in cell culture medium. *Colloids Surf B: Biointerfaces* 68: 83–87.
30. Keller AA, Wang H, Zhou D, Lenihan HS, Cherr G, et al. (2010) Stability and aggregation of metal oxide nanoparticles in natural aqueous matrices. *Environ Sci Technol* 44: 1962–1967.
31. De Jong F, Brock T, Foekema E, Leeuwangh P (2008) Guidance for summarizing and evaluating aquatic micro-and mesocosm studies. National Institute for Public Health and the Environment (RIVM) Report 601506009: Available: <http://library.wur.nl/ebooks/1872236.pdf>. Accessed 2011 Apr 26.
32. European Chemicals Bureau (2003) Technical Guidance Document on Risk Assessment Part II. Available: http://ecb.jrc.it/documents/TECHNICAL_GUIDANCE_DOCUMENT/EDITION_2/tgdpart2_2ed.pdf. Accessed 2011 Apr 26.
33. Handy RD, Owen R, Valsami-Jones E (2008) The ecotoxicology of nanoparticles and nanomaterials: current status, knowledge gaps, challenges, and future needs. *Ecotoxicology* 17: 315–325.
34. Brunner TJ, Wick P, Manser P, Spohn P, Grass RN, et al. (2006) In vitro cytotoxicity of oxide nanoparticles: Comparison to asbestos, silica, and the effect of particle solubility. *Environ Sci Technol* 40: 4374–4381.
35. Smith CJ, Shaw BJ, Handy RD (2007) Toxicity of single walled carbon nanotubes to rainbow trout (*Oncorhynchus mykiss*): Respiratory toxicity, organ pathologies, and other physiological effects. *Aquat Toxicol* 82: 94–109.
36. Federici G, Shaw BJ, Handy RD (2007) Toxicity of titanium dioxide nanoparticles to rainbow trout (*Oncorhynchus mykiss*): Gill injury, oxidative stress, and other physiological effects. *Aquat Toxicol* 84: 415–430.
37. Aruoja V, Dubourguier HC, Kasemets K, Kahru A (2009) Toxicity of nanoparticles of CuO, ZnO and TiO₂ to microalgae *Pseudokirchneriella subcapitata*. *Sci Tot Environ* 407: 1461–1468.
38. Lovren SB, Strickler JR, Klaper R (2007) Behavioral and physiological changes in *Daphnia magna* when exposed to nanoparticle suspensions (titanium dioxide, nano-C-60, and C(60)HxC(70)Hx). *Environ Sci Technol* 41: 4465–4470.
39. Ferry JL, Craig P, Hexel C, Sisco P, Frey R, et al. (2009) Transfer of gold nanoparticles from the water column to the estuarine food web. *Nature Nanotechnol* 4: 441–444.
40. Zhu X, Wang J, Zhang X, Chang Y, Chen Y (2010) Trophic transfer of TiO₂ nanoparticles from daphnia to zebrafish in a simplified freshwater food chain. *Chemosphere* 79: 928–933.
41. Oberdörster E, Zhu S, Blickey TM, McClellan-Green P, Haasch ML (2006) Ecotoxicology of carbon-based engineered nanoparticles: Effects of fullerene (C60) on aquatic organisms. *Carbon* 44: 1112–1120.
42. Buikema A (1973) Some effects of light on the growth, molting, reproduction and survival of the cladoceran, *Daphnia pulex*. *Hydrobiologia* 41: 391–418.