

# Bistability and negative resistance in semiconductor lasers

Ch. Harder, K. Y. Lau, and A. Yariv  
 California Institute of Technology, Pasadena, California 91125

(Received 8 September 1981; accepted for publication 3 November 1981)

Experimental results of a buried heterostructure laser with a segmented contact to achieve inhomogeneous gain are presented. Measurements reveal a negative differential resistance over the absorbing section. Depending on the source impedance of the dc current source driving the absorbing section, this negative resistance can lead to (i) bistability with a very large hysteresis in the light-current characteristic *without* self-pulsation or (ii) a small hysteresis with self-pulsations at microwave frequencies. An analysis, which includes the electrical part of the device, leads to an explanation of self-pulsations in inhomogeneously pumped lasers without having to rely on a sublinear gain dependence on injected carrier concentration.

PACS numbers: 42.55.Px, 42.80.Sa, 42.82. + n

Semiconductor lasers with inhomogeneous excitation, such as the double contact structure,<sup>1</sup> have recently become objects of renewed interest as highly compact and efficient bistable optical devices. Bistable optical elements have important technological significance in the field of optoelectronic signal generation, detection, and processing. Unfortunately inhomogeneously pumped injection lasers to date showed none or only a small hysteresis.<sup>2-4</sup> In addition, these inhomogeneously pumped semiconductor lasers produced a pulsating light output<sup>5-7</sup> for reasons not well understood. Several authors<sup>5,6,8</sup> suggested a repetitively *Q*-switched mechanism by assuming a sublinear gain dependence on injected carrier concentration. The calculated<sup>9</sup> and measured<sup>10-12</sup> gain dependence in undoped or lightly doped GaAs, however, does not fulfill this necessary condition for pulsation.

In this letter we present experimental results on a bistable laser with a very large hysteresis in the light-current characteristic observed in a buried heterostructure (BH) laser with a two segment contact. This laser is identical to the one previously reported,<sup>4</sup> except that the resistance between the two segments has been substantially increased. In addition we measured a negative differential resistance which, when external biasing circuit elements are taken into account, can explain regimes of bistability with a very large hysteresis *without* self-pulsations, or a small hysteresis with self-pulsations at microwave frequencies in lasers with inhomogeneous injection and offers new insight into the statics and dynamics of nonuniformly pumped lasers.

The cw threshold current for a uniformly pumped device, 250  $\mu\text{m}$  long, is typically between 15 and 20 mA. The lasers have been fabricated by a standard process<sup>13</sup> in our laboratory. A 20  $\mu\text{m}$ -wide stripe is etched into the *p*-contact metallization before the wafer is cleaved into the single devices. The upper cladding layer of the BH laser is only slightly *p* doped in order to increase the parasitic resistance  $R_p$  between the two contact pads, measured to be around 60  $\text{k}\Omega$ . It will be shown below that a very good electrical separation between the two segments is essential for the operation of the bistable laser. Nearfield and farfield measurements show that the device is lasing over its complete operating range in the fundamental transverse mode, demonstrating the effec-

tiveness of the dielectric waveguide. The use of the BH structure makes it thus possible to isolate and study the effects of inhomogeneous excitation in the cw regime with a device whose optical and electronic properties are stable and simple.

With both sections pumped equally, the light-current characteristic is linear as shown in Fig. 1, curve (a).  $I_{th}$  is the total threshold current into both sections. For bistable operation, the absorber section (the section which is 100  $\mu\text{m}$  long) is pumped with a constant current  $I_2$  from a current source whose equivalent source impedance is  $R_2 = 400 \text{ k}\Omega$ . The light output for this operation is shown in Fig. 1 as a function of  $I_1$ , the current injected into the gain section. For  $I_2 = -110 \mu\text{A}$  the laser diode switches to the lasing state if  $I_1$  is increased above 30 mA. The light output is stable in this




FIG. 1. dc characteristic of the double contact laser. In the upper part of the figure the optical power output per mirror is plotted as a function of the drive current  $I_1$  for two different bias currents  $I_2 = -100 \mu\text{A}$  and  $I_2 = -110 \mu\text{A}$  through the absorber section. The source impedance is  $R_2 = 400 \text{ k}\Omega$  and the parasitic resistance  $R_p = 60 \text{ k}\Omega$ . Curve (a) shows for comparison the characteristic for the homogeneously pumped laser. In the lower part  $V_2$ , the voltage over the current driven absorber section is plotted as a function of  $I_1$ .

state, and no pulsation is observed. If  $I_1$  is now decreased the diode continues to lase and switches off at  $I_1 = 22$  mA. Note that  $I_2$  is negative, that is, carriers are swept out of the absorbing region. The light-current characteristic with  $I_2 = -100 \mu\text{A}$  (dashed line) is also shown in Fig. 1 and displays the sensitivity of the hysteresis on the degree of inhomogeneous injection.

The voltage  $V_2$  across the absorber section is shown in the lower part of Fig. 1. For the cycle of  $I_1$  described above, the voltage  $V_2$  increases steadily to about 0.8 V. As soon as the device starts to lase, the absorbing section becomes bleached and the voltage jumps to 1.45 V, the band-gap voltage of GaAs. Decreasing  $I_1$  causes  $V_2$  to drop at first only slightly and then to jump back to 0.2 V when the laser switches off.

The behavior of the double contact laser depends dramatically on the source impedance driving the absorber section. With a large source impedance,  $R_2 = 200 \text{ k}\Omega$ , the laser behaves as described above. If the absorber section is driven with a source impedance of  $1 \text{ k}\Omega$ , the hysteresis in the light-current characteristic is reduced drastically as shown in Fig. 2 and the light output self-pulsates at very high frequencies between 500 MHz and 2GHz depending on the pump current  $I_1$  as reported earlier.<sup>4</sup>

Another important and physically revealing observation involves the variation of the voltage  $V_2$  across the absorber section as function of  $I_2$ . The resulting characteristic is shown in Fig. 3 with  $I_1$  as parameter. For  $V_2 = 0$ , the device does not lase and the absorbing region acts as a photodiode collecting the spontaneous emission from the gain section which results in a photocurrent of  $I_2 = -100 \mu\text{A}$ . As  $V_2$  is increased, the current ( $I_2$ ) dependence is similar to an ordinary photodiode. The device starts to lase around  $V_2 = 1.0$  V and the photocurrent in the absorbing section increases. With further increase of the applied voltage  $V_2$ ,  $I_2$  is reduced




FIG. 2. Light-current characteristic as a function of  $I_1/I_{th}$  for two different source impedances  $R_2$ . The parasitic resistance between the two sections is  $R_p = 60 \text{ k}\Omega$ .  $I_{th}$  is the threshold of the homogeneously pumped laser as defined in Fig. 1.




FIG. 3. Current-voltage characteristic of the absorber section for different pump currents in the gain section  $I_1/I_{th}$ .

and becomes positive for  $V_2 \geq 1.4$  V. The group of curves in Fig. 3 has a region of negative differential resistance between  $V_2 = 1.0$  V and 1.2 V, very similar to a tunnel diode.

We shall now show how this observed  $I-V$  characteristic of the absorbing section, when combined with those of the external bias circuit, can explain the different regimes of bistability or self-pulsation. The  $I-V$  characteristic of the absorber section is shown again in Fig. 4 together with the characterization of the source driving this section, which is given by the load line. This line shows the voltage available to the absorber section as a function of the current through it. The state of the system satisfying all circuit equations is given by the intersection of the load line with the  $I-V$  characteristic of the absorber section.  $R_L$  is the effective resistance loading the absorbing section. The bias point  $P_1$  corresponds to the case when the absorbing section is biased by a source  $V = -1$  V with an effective resistance of  $20 \text{ k}\Omega$ , and the gain section is pumped with  $I_1/I_{th} = 1.29$ . Increasing  $I_1$  causes the state of the absorbing section to move along the load line from  $P_1$  to  $P_2$  and at  $I_1/I_{th} > 1.56$  to jump to  $P_3$ , since this is the only intersection of the load line and the absorber section characteristic. At this point the laser is switched on. A decrease of  $I_1$  causes the state to move back to




FIG. 4. Current-voltage characteristic of the absorber section for different pump currents in the gain section  $I_1/I_{th}$ . The dashed line represents the load line for a voltage source of  $V = -1$  V with  $20 \text{ k}\Omega$  effective load impedance; the dotted one is the load line for a voltage source of  $V = +1.05$  V and  $250 \Omega$  effective load impedance.

$P_4$  and then to jump to  $P_5$ , which switches the laser off.

Biasing the absorbing section with a much lower impedance, for instance  $R_L = 250 \Omega$ , forces the absorbing section to operate in a region of negative differential resistance. The resulting operating point  $Q$  is shown in Fig. 4 as the intersection of the dashed load line and the characteristic curve. This negative resistance leads to high frequency electrical oscillation and a concomitant light intensity pulsation. Since this negative resistance is not frequency selective, the pulsation takes place at the resonance frequency of a frequency selective element coupled to the negative resistance. Experiments show<sup>4</sup> that the light output oscillates around the relaxation frequency of the diode. The importance of having a large parasitic resistance  $R_p$  can now be appreciated, since the effective load resistance  $R_L = R_p R_2 / (R_p + R_2)$  ( $R_2$  in parallel with  $R_p$ ) is always smaller than  $R_2$  or  $R_p$ .

A set of three rate equations, one for the electrons in the gain region, another one for those in the absorbing region, a third one for the photons with a *linear* gain dependence on carrier density and equations characterizing the electrical circuit, has been used to calculate the steady-state characteristics of the double contact laser. The calculated hysteresis and negative resistance are in reasonable agreement with our measured results and will be published in a forthcoming paper. A small signal analysis shows that two of the three zeroes of the characteristic equation are confined to the complex left half-plane. One real zero moves through the origin into the right half-plane at the switching point from the off to the on state. Since a zero at the origin corresponds to an infinite response time this device is expected to display critical slowing down. This has been observed and will be discussed separately.<sup>14</sup>

In conclusion, we have shown that a double contact laser can be made to display a large hysteresis in the light-current characteristics when the gain and loss section are electrically insulated. This bistable device does not pulsate intrinsically, indicating that the absorber does not saturate much more easily than the gain, in agreement with measure-

ments.<sup>12</sup> We measured a negative differential resistance in the absorber section. In addition it has been demonstrated that the device can be forced into a bistable state, a very high differential quantum efficiency state or a self-pulsating regime, depending on the choice of the load impedance at the absorber section. The inclusion of the electrical aspect of the semiconductor laser makes it possible to explain the observed self-pulsations in inhomogeneously pumped lasers without having to rely on an unrealistic sublinear gain dependence on injected carrier concentration.

This bistable device should find applications in the field of electro-optical signal processing and we will report separately on the important issues of the optical and electronic switching.<sup>14</sup> Although the emphasis in this letter is on the laser performance, the device may find application as a three terminal negative resistance circuit element.<sup>14</sup>

This research was supported by the Office of Naval Research, the National Science Foundation under the Optical Communication Program, and by the Army Research Office.

<sup>1</sup>M. I. Nathan, J. C. Marinace, R. F. Rutz, A. E. Michel, and G. J. Lasher, *J. Appl. Phys.* **36**, 473 (1965).

<sup>2</sup>H. Kawaguchi and G. Iwane, *Electron. Lett.* **17**, 167 (1981).

<sup>3</sup>J. K. Carney and C. G. Fonstad, *Appl. Phys. Lett.* **38**, 303 (1981).

<sup>4</sup>Ch. Harder, K. Y. Lau, and A. Yariv, *Appl. Phys. Lett.* **39**, 382 (1981).

<sup>5</sup>N. G. Basov, *IEEE J. Quantum Electron.* **QE-4**, 855 (1968).

<sup>6</sup>T. P. Lee and R. H. R. Roldan, *IEEE J. Quantum Electron.* **QE-6**, 339 (1970).

<sup>7</sup>K. Hanamitsu, T. Fujiwara, and M. Takusagawa, *Appl. Phys. Lett.* **39**, 14 (1981).

<sup>8</sup>T. Ohmi and S. Yamazaki, *IEEE J. Quantum Electron.* **QE-9**, 366 (1973).

<sup>9</sup>F. Stern, *J. Appl. Phys.* **47**, 5382 (1976).

<sup>10</sup>B. W. Hakki and T. L. Paoli, *J. Appl. Phys.* **46**, 1299 (1975).

<sup>11</sup>J. Bakker and G. A. Acket, *IEEE J. Quantum Electron.* **QE-13**, 567 (1977).

<sup>12</sup>C. H. Henry, R. A. Logan, and F. R. Merritt, *J. Appl. Phys.* **51**, 3042 (1980).

<sup>13</sup>N. Bar-Chaim, J. Katz, I. Ury, and A. Yariv, *Electron. Lett.* **17**, 108 (1981).

<sup>14</sup>K. Y. Lau, Ch. Harder, and A. Yariv (unpublished).