

Electron Impact Ionization Cross-  
Sections and Ionization Rate Co-  
efficients for Atoms and Ions from  
Hydrogen to Calcium

Wolfgang Lotz

IPP 1/62

May 1967

**MAX-PLANCK-INSTITUT FÜR PLASMAPHYSIK**  
**GARCHING BEI MÜNCHEN**

**I N S T I T U T F Ü R P L A S M A P H Y S I K**  
**G A R C H I N G B E I M U N C H E N**

Electron Impact Ionization Cross-  
Sections and Ionization Rate Co-  
efficients for Atoms and Ions from  
Hydrogen to Calcium

Wolfgang Lotz

IPP 1/62

May 1967

*Die nachstehende Arbeit wurde im Rahmen des Vertrages zwischen dem Institut für Plasmaphysik GmbH und der Europäischen Atomgemeinschaft über die Zusammenarbeit auf dem Gebiete der Plasmaphysik durchgeführt.*

IPP 1/62

W. Lotz

Electron Impact Ionization Cross-  
Sections and Ionization Rate  
Coefficients for Atoms and Ions  
from Hydrogen to Calcium.

(in English)

Abstract:

Using the empirical formula recently proposed, electron impact ionization cross-sections for single ionization from the ground state are given for free atoms and for all ionization stages from hydrogen to calcium ( $Z = 20$ ). For these species ionization rate coefficients are given under the assumption of a Maxwellian distribution of the impacting electrons. Lowering of ionization potential, collision limit, or multiple ionization are not taken into account.

## Introduction

In a recent paper<sup>1</sup> the author attempted to predict ionization cross-sections hitherto unknown in the triangle H I - Na I and Na XI on an empirical basis after certain regularities had been discovered.

In the meantime an empirical formula has been proposed<sup>2</sup> with the help of which experimentally determined cross-section curves have been approximated within experimental error. The question then arose if this formula could be used for predictions of yet unknown cross-sections.

### The Formula used

gold subshell

For predictions Formula 4 of Reference 2 seems to be the most versatile and is used here:

$$\sigma = \sum_{i=1}^N a_i \zeta_i \frac{\ln E/x_i}{E \cdot x_i} \left\{ 1 - b_i \exp [-c_i(E/x_i - 1)] \right\}. \quad (1)$$

E is the energy of the impacting electron;  $x_i$  is the binding energy of electrons in the i-th subshell;  $\zeta_i$  is the number of equivalent electrons in this subshell;  $a_i$ ,  $b_i$ , and  $c_i$  are individual constants, which have to be determined by a reasonable guess. In the cases under consideration the two outermost subshells only need to be considered, N can be set equal to 2.

In Table 1 all quantities needed for the above formula are tabulated for the first few ionization stages of hydrogen through calcium; as far as experimentally known cross-sections are concerned, the above Formula agrees with them within experimental error, in most cases even within 10 %. For the species not mentioned (four times and higher ionized ions) I assumed that  $a_i = 4.5 \times 10^{-14} \text{ cm}^2 (\text{eV})^2$ ,  $b_i = 0$ , and  $c_i = 0$ ; this assumption agrees with the theoretical calculations of Rudge and Schwartz<sup>3</sup> for a hydrogen-like ion with high Z-number, its validity for ions not hydrogen-like might be questioned but no better approximation is known.

In Table 2 the ionization potential for electrons in the outermost subshell<sup>4</sup> is given, in Table 3 the binding energy of electrons in the next inner subshell<sup>5,6</sup>.

### Cross-Sections and Rate Coefficients

With the data of Table 1 cross-section curves for free atoms and for singly charged ions have been drawn (Fig. 1 through 24). I estimate the error of these cross-sections to be not higher than  $\pm 40\%$  (two times probable error).

For cross-sections of atoms and ions known experimentally the respective curves can be found in References 1 or 2 and are not reproduced here. Hitherto unknown cross-sections of Reference 1 have been recalculated and are repeated here as they are more or less different.

Formula 1 can be folded with a Maxwellian electron distribution

$$f_{\text{Maxwell}} \cdot 4\pi u^2 du = \frac{dn}{n} = \frac{2}{kT} \left( \frac{E}{\pi kT} \right)^{1/2} \exp(-E/kT) dE \quad (2)$$

$$= \sqrt{\frac{8}{\pi}} \left( \frac{1}{kT} \right)^{1/2} \int_0^\infty \exp(-E/kT) \frac{E}{kT} dE \quad \text{wegen } u = \sqrt{2E/kT}$$

and yields the following rate coefficient (in  $\text{cm}^3/\text{s}$ ):

$$\langle \sigma u \rangle = S = 6.7 \times 10^7 \sum_{i=1}^N \frac{a_i c_i}{T^{3/2}} \left\{ \frac{1}{X_i/T} \int_{X_i/T}^{\infty} \frac{\exp(-x)}{x} dx - \frac{b_i \exp c_i}{X_i/T + c_i} \int_{X_i/T + c_i}^{\infty} \frac{\exp(-y)}{y} dy \right\}. \quad (3) \text{ cm}^3/\text{sec}$$

$$d^3u = 4\pi u^2 du = 2\pi \left( \frac{2}{m} \right)^{3/2} \sqrt{E} dE \quad (\text{Becher p. 73}) \quad \text{mit } E = \frac{1}{2} m u^2 \quad \left\{ \begin{array}{l} \text{Maxwell} \\ \text{d}^3u = \frac{2}{hT} \left( \frac{E}{\pi hT} \right)^{1/2} e^{-E/hT} dE \end{array} \right. \quad (4)$$

$$S^M = \left( \frac{m}{2\pi hT} \right)^{3/2} e^{-E/hT}$$

$$\text{Check: } \langle E \rangle := \int_0^\infty E f^M d^3u = \frac{3}{2} hT \quad (\text{Becher p. 73})$$

$$\text{Beweis: } \int_0^\infty E f^M d^3u = \int_0^\infty \frac{2}{(\pi hT)^{3/2}} \int_0^\infty E^{3/2} e^{-E/hT} dE = 2C \int_0^\infty u^{4/2} e^{-u^2/hT} du = 2C \cdot \frac{3\sqrt{\pi}}{2} \cdot \frac{2^3 \left( \frac{1}{hT} \right)^{5/2}}{hT} = 2 \cdot \frac{2}{hT} \cdot \frac{3\sqrt{\pi}}{2} \cdot \frac{8 \cdot \left( \frac{1}{hT} \right)^{5/2}}{hT} = \frac{3}{2} hT \quad (OK)$$

This rate coefficient has been computed with the data of Table 1 through 3 for a number of discrete electron temperatures between 1 and  $10^4$  eV. The results are given in Table 4 numerically and in Fig. 25 through 44 graphically.

These rate coefficients give a lower limit to the true value, the rate might be increased by the following effects:

1. Multiple ionization,
2. Lowering of ionization potential<sup>7</sup>, or
3. A "collision limit" lower than the ionization potential<sup>8</sup> (ionization from excited levels).

In cases 2 and 3 the ionization potential of Table 2 is to be replaced by the lowered ionization potential or by the value of the collision limit. It should still be possible then to use Formula 1 and 3 after these corrections to the ionization potential have been applied, though it is not known whether the form of the cross section curve is changed drastically or not.

As the lowering of the ionization potential and the collision limit depend on electron density, no general conclusions can be drawn, but for electron temperatures small compared to the ionization potential the deviations to be expected may be as large as an order of magnitude.

References

- <sup>1</sup> W. Lotz, *Astrphys.J. Suppl.* 14, No. 128 (1967).
- <sup>2</sup> W. Lotz, Report IPP 1/50, to be published in *Astrophys.J.* (1967).
- <sup>3</sup> M. R. H. Rudge and S. E. Schwartz, *Proc. Phys. Soc.* 88, 563 (1966).
- <sup>4</sup> W. Lotz, Report IPP 1/49, *J. Opt. Soc. Am.*, in press (1967).
- <sup>5</sup> W. Lotz, Report IPP 1/54 (1966).
- <sup>6</sup> W. Lotz, Report IPP 1/56 (1967).
- <sup>7</sup> J. C. Stewart and K. D. Pyatt, *Astrophys.J.* 144, 1203 (1966).
- <sup>8</sup> H. R. Griem, in Plasma Spectroscopy, McGraw-Hill Book Company, New York 1964, p. 159.

Table 1: Relevant data for the first few ionization stages of the elements under consideration.  
 $a_1$  and  $a_2$  are given in  $10^{-14} \text{ cm}^2(\text{eV})^2$ .

Con-	$\zeta_1$	$\zeta_2$	Spe-	$a_1$	$a_2$	$b_1$	$b_2$	$c_1$	$c_2$	Spe-	$a_1$	$a_2$	$b_1$	$b_2$	$c_1$	$c_2$	Spe-	$a_1$	$a_2$	$b_1$	$b_2$	$c_1$	$c_2$
fig.			cies							cies							cies						
1s	1	0	H I	4.0	-	0.60	-	0.56	-	He II	4.4	-	0.38	-	0.60	-	Li III	4.5	-	0.2	-	0.6	-
1s <sup>2</sup>	2	0	He I	4.0	-	0.75	-	0.46	-	Li II	4.0	-	0.48	-	0.60	-	Be III	4.5	-	0.3	-	0.6	-
2s	1	2	Li I	4.0	4.4	0.70	0.6	2.4	0.6	Be II	4.4	4.5	0	0.4	0	0.6	B III	4.5	4.5	0	0.2	0	0.6
2s <sup>2</sup>	2	2	Be I	4.0	4.4	0.7	0.6	0.5	0.6	B II	4.4	4.5	0.4	0.4	0.6	0.6	C III	4.5	4.5	0.2	0.2	0.6	0.6
2p	1	2	B I	3.8	4.0	0.7	0.7	0.4	0.5	C II	4.2	4.4	0.4	0.4	0.6	0.6	N III	4.5	4.5	0.2	0.2	0.6	0.6
2p <sup>2</sup>	2	2	C I	3.5	4.0	0.7	0.7	0.4	0.5	N II	3.9	4.4	0.46	0.4	0.62	0.6	O III	4.5	4.5	0.3	0.2	0.6	0.6
2p <sup>3</sup>	3	2	N I	3.2	4.0	0.83	0.7	0.22	0.5	O II	3.7	4.4	0.6	0.4	0.5	0.6	P III	4.5	4.5	0.4	0.2	0.6	0.6
2p <sup>4</sup>	4	2	O I	2.8	4.0	0.74	0.7	0.24	0.5	P II	3.5	4.4	0.6	0.4	0.5	0.6	Ne III	4.0	4.5	0.4	0.2	0.6	0.6
2p <sup>5</sup>	5	2	F I	2.7	4.0	0.90	0.7	0.20	0.5	Ne II	3.2	4.4	0.83	0.4	0.48	0.6	Na III	4.0	4.5	0.6	0.2	0.5	0.6
2p <sup>6</sup>	6	2	Ne I	2.6	4.0	0.92	0.7	0.19	0.5	Na II	3.4	4.4	0.84	0.4	0.32	0.6	Mg III	4.0	4.5	0.6	0.2	0.5	0.6
3s	1	6	Na I	4.0	3.4	0	0.84	0	0.32	Mg II	4.4	4.0	0	0.6	0	0.5	Al III	4.5	4.5	0	0.4	0	0.6
3s <sup>2</sup>	2	6	Mg I	4.0	3.4	0.4	0.84	0.6	0.32	Al II	4.4	4.0	0.2	0.6	0.6	0.5	Si III	4.5	4.5	0	0.4	0	0.6
3p	1	2	Al I	4.0	4.0	0.3	0.4	0.6	0.6	Si II	4.4	4.4	0.2	0.2	0.6	0.6	P III	4.5	4.5	0	0	0	0
3p <sup>2</sup>	2	2	Si I	4.0	4.0	0.3	0.4	0.6	0.6	P II	4.4	4.4	0.2	0.2	0.6	0.6	S III	4.5	4.5	0	0	0	0
3p <sup>3</sup>	3	2	P I	4.0	4.0	0.4	0.4	0.6	0.6	S II	4.4	4.4	0.3	0.2	0.6	0.6	O I III	4.5	4.5	0.2	0	0	0
3p <sup>4</sup>	4	2	S I	4.0	4.0	0.4	0.4	0.6	0.6	O I II	4.4	4.4	0.3	0.2	0.6	0.6	A III	4.5	4.5	0.2	0	0	0
3p <sup>5</sup>	5	2	Cl I	4.0	4.0	0.6	0.4	0.5	0.6	A II	4.2	4.4	0.3	0.2	0.6	0.6	K III	4.5	4.5	0.3	0	0.6	0
3p <sup>6</sup>	6	2	A I	4.0	4.0	0.62	0.4	0.40	0.6	K II	4.0	4.4	0.3	0.2	0.6	0.6	Ca III	4.5	4.5	0.3	0	0.6	0
4s	1	6	K I	4.0	4.0	0	0.5	0	0.6	Ca II	4.4	4.4	0	0.3	0	0.6	-	-	-	-	-	-	
4s <sup>2</sup>	2	6	Ca I	4.0	4.0	0.4	0.5	0.6	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 2: Binding energy  $\chi_1$  (ionization potential) of electrons in the outermost shell in eV.

Z	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV	XV	XVI	XVII	XVIII	XIX	XX
1 H	13.6																			
2 He	24.6	54.4																		
3 Li	5.39	75.6	122																	
4 Be	9.32	18.2	154	218																
5 B	8.30	25.2	37.9	259	340															
6 C	11.3	24.4	47.9	64.5	392	490														
7 N	14.5	29.6	47.4	77.5	97.9	552	667													
8 O	13.6	35.1	54.9	77.4	114	138	739	871												
9 F	17.4	35.0	62.7	87.1	114	157	185	954	1103											
10 Ne	21.6	41.1	63.5	97.1	126	158	207	239	1196	1362										
11 Na	5.14	47.3	71.7	98.9	138	172	208	264	300	1465	1649									
12 Mg	7.65	15.0	80.1	109	141	187	225	266	328	367	1762	1963								
13 Al	5.99	18.8	28.4	120	154	190	241	285	330	399	442	2086	2304							
14 Si	8.15	16.3	33.5	45.1	167	205	246	303	351	401	476	523	2438	2673						
15 P	10.5	19.7	30.2	51.5	65.0	220	263	309	372	424	480	561	612	2817	3070					
16 S	10.4	23.4	35.0	47.3	72.7	88.1	281	328	379	447	505	564	652	707	3224	3493				
17 Cl	13.0	23.8	39.9	53.5	67.6	97.0	114	348	400	456	529	592	656	750	809	3658	3946			
18 Ar	15.8	27.6	40.9	59.7	75.2	91.2	125	143	423	479	539	618	686	755	855	918	4121	4426		
19 Kr	4.34	31.7	45.8	61.1	82.7	100	118	155	176	504	565	629	715	787	861	968	1034	4611	4934	
20 Ca	6.11	11.9	51.2	67.3	84.5	109	128	148	189	211	592	657	727	818	894	974	1087	1157	5129	5470

Table 1: Relevant data for the atomic ionization

Z	1	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV	XV	XVI	XVII	XVIII
3	Li	57																
4	Be	115	125															
5	B	12.9	206	220														
6	C	16.6	30.9	325	343													
7	N	20.3	36.7	55.8	471	493												
8	O	28.5	42.6	63.8	87.6	644	670											
9	F	37.8	53.8	71.9	97.8	126	845	875										
10	Ne	48.5	66.4	86.2	108	139	172	1073	1107									
11	Na	34	80.1	102	126	151	186	224	1328	1366								
12	Mg	54	65	119	144	172	201	241	283	1611	1653							
13	Al	10.6	90	103	164	194	225	258	302	350	1921	1967						
14	Si	13.5	22.9	133	148	217	250	285	321	371	423	2259	2309					
15	P	16.2	26.8	38.6	183	199	277	313	352	392	446	502	2624	2678				
16	S	20.2	30.7	43.8	57.6	239	257	343	384	426	469	528	589	3017	3075			
17	Cl	24.5	36.0	48.9	64.1	79.8	303	322	417	461	507	553	617	683	3437	3499		
18	A	29.2	41.7	55.5	70.4	87.6	105	373	394	498	545	594	644	713	784	3885	3951	
19	K	18.7	47.9	62.4	78.0	95.1	114	134	450	473	585	636	689	742	815	891	4361	4431
20	Ca	28	37	70.1	86.4	104	123	144	165	534	559	680	734	790	847	925	1006	4865

Table 3: Binding energy  $\chi_2$  of electrons in the next inner subshell in eV.

&lt; 6 w &gt;

Table 4: Ionization rate coefficients for single ionization from the ground state by electron impact.  
 (Maxwellian distribution, no lowering of ionization potential, no collision limit.)  
 $E^{-8} = 10^{-8}$  etc.;  $T_e$  in eV;  $S = \langle Gv \rangle$  in  $\text{cm}^3/\text{s}$ ; error approx. +40% -30%  
 Hydrogen, Helium, Lithium, Beryllium, Boron, Nitrogen, Oxygen.

T	H I	He I	He II	Li I	Li II	Li III	Be I	Be II	Be III	Be IV
1.0	7.48E-15	4.89E-20	1.46E-33	2.36E-10	0.	0.	1.85E-12	1.05E-16	0.	0.
1.5	8.66E-13	2.24E-16	1.33E-25	1.84E-09	7.74E-32	0.	5.23E-11	5.44E-14	0.	0.
2.0	9.76E-12	1.60E-14	1.33E-21	5.31E-09	2.65E-26	7.30E-37	2.94E-10	1.28E-12	0.	0.
3.0	1.17E-10	1.23E-12	1.41E-17	1.58E-08	9.64E-21	6.02E-28	1.77E-09	3.12E-11	1.55E-32	0.
4.0	4.25E-10	1.14E-11	1.50E-15	2.78E-08	6.06E-18	1.80E-23	4.55E-09	1.58E-10	6.70E-27	2.67E-34
5.0	9.44E-10	4.49E-11	2.54E-14	3.91E-08	2.97E-16	8.92E-21	8.22E-09	4.25E-10	1.65E-23	1.61E-29
7.0	2.44E-09	2.27E-10	6.67E-13	5.79E-08	2.65E-14	1.11E-17	1.68E-08	1.34E-09	1.29E-19	4.86E-24
10	5.16E-09	8.13E-10	8.10E-12	7.79E-08	8.07E-13	2.45E-15	2.96E-08	3.22E-09	1.12E-16	6.55E-20
15	9.61E-09	2.36E-09	5.95E-11	9.74E-08	1.23E-11	1.71E-13	4.76E-08	6.49E-09	2.30E-14	1.13E-16
20	1.33E-08	4.17E-09	1.67E-10	1.08E-07	4.97E-11	1.48E-12	6.09E-08	9.26E-09	3.41E-13	4.83E-15
30	1.87E-08	7.69E-09	4.84E-10	1.19E-07	2.12E-10	1.33E-11	7.83E-08	1.33E-08	5.31E-12	2.16E-13
40	2.22E-08	1.07E-08	8.46E-10	1.23E-07	4.51E-10	4.10E-11	8.83E-08	1.59E-08	2.16E-11	1.49E-12
50	2.45E-08	1.30E-08	1.19E-09	1.25E-07	7.22E-10	8.16E-11	9.45E-08	1.77E-08	5.11E-11	4.79E-12
70	2.72E-08	1.65E-08	1.79E-09	1.25E-07	1.26E-09	1.83E-10	1.01E-07	1.99E-08	1.40E-10	1.87E-11
100	2.90E-08	1.97E-08	2.45E-09	1.23E-07	1.96E-09	3.41E-10	1.04E-07	2.16E-08	3.07E-10	5.28E-11
150	2.98E-08	2.23E-08	3.13E-09	1.18E-07	2.79E-09	5.64E-10	1.04E-07	2.28E-08	5.79E-10	1.21E-10
200	2.97E-08	2.34E-08	3.53E-09	1.14E-07	3.33E-09	7.28E-10	1.02E-07	2.31E-08	8.05E-10	1.85E-10
300	2.87E-08	2.41E-08	3.92E-09	1.06E-07	3.95E-09	9.41E-10	9.78E-08	2.31E-08	1.13E-09	2.84E-10
400	2.77E-08	2.39E-08	4.08E-09	1.00E-07	4.26E-09	1.06E-09	9.35E-08	2.27E-08	1.33E-09	3.52E-10
500	2.67E-08	2.36E-08	4.14E-09	9.57E-08	4.43E-09	1.14E-09	8.98E-08	2.22E-08	1.47E-09	3.99E-10
700	2.51E-08	2.27E-08	4.14E-09	8.84E-08	4.57E-09	1.22E-09	8.38E-08	2.13E-08	1.63E-09	4.59E-10
1000	2.32E-08	2.15E-08	4.05E-09	8.07E-08	4.58E-09	1.27E-09	7.71E-08	2.01E-08	1.74E-09	5.04E-10
1500	2.10E-08	1.98E-08	3.86E-09	7.21E-08	4.45E-09	1.27E-09	6.95E-08	1.85E-08	1.79E-09	5.33E-10
2000	1.55E-08	1.86E-08	3.09E-09	6.63E-08	4.30E-09	1.25E-09	6.42E-08	1.74E-08	1.78E-09	5.40E-10
3000	1.73E-08	1.68E-08	3.41E-09	5.86E-08	4.03E-09	1.20E-09	5.71E-08	1.57E-08	1.73E-09	5.34E-10
4000	1.59E-08	1.55E-08	3.19E-09	5.34E-08	3.81E-09	1.15E-09	5.23E-08	1.46E-08	1.67E-09	5.22E-10
5000	1.49E-08	1.46E-08	3.03E-09	4.97E-08	3.63E-09	1.10E-09	4.87E-08	1.37E-08	1.62E-09	5.08E-10
7000	1.33E-08	1.32E-08	2.77E-09	4.44E-08	3.35E-09	1.03E-09	4.37E-08	1.24E-08	1.52E-09	4.83E-10
10000	1.19E-08	1.18E-08	2.51E-09	3.93E-08	3.06E-09	9.49E-10	3.88E-08	1.11E-08	1.41E-09	4.52E-10
I	B I	B II	B III	B IV	B V	C I	C II	C III	C IV	C V
1.0	3.01E-12	6.28E-20	7.10E-26	0.	0.	1.45E-13	7.13E-20	3.26E-30	6.94E-38	0.
1.5	6.21E-11	3.41E-16	2.63E-20	0.	0.	7.98E-12	3.01E-16	3.41E-23	1.84E-28	0.
2.0	3.05E-10	2.62E-14	1.66E-17	0.	0.	6.31E-11	2.09E-14	1.15E-19	9.81E-24	0.
3.0	1.68E-09	2.12E-12	1.10E-14	0.	0.	5.51E-10	1.62E-12	4.07E-16	5.53E-19	0.
4.0	4.25E-09	1.98E-11	2.94E-13	1.34E-38	0.	1.74E-09	1.55E-11	2.51E-14	1.36E-16	0.
5.0	7.70E-09	7.75E-11	2.14E-12	6.29E-33	0.	3.62E-09	6.28E-11	3.05E-13	3.77E-15	0.
7.0	1.60E-08	3.81E-10	2.13E-11	1.98E-26	5.44E-32	8.78E-09	3.30E-10	5.44E-12	1.74E-13	4.88E-35
10	2.91E-08	1.31E-09	1.23E-10	1.55E-21	1.37E-25	1.81E-08	1.22E-09	4.91E-11	3.18E-12	1.14E-27
15	4.85E-08	3.56E-09	4.94E-10	1.05E-17	1.39E-20	3.34E-08	3.56E-09	2.84E-10	3.18E-11	6.55E-22
20	6.36E-08	6.01E-09	1.01E-09	8.91E-16	4.57E-18	4.66E-08	6.26E-09	6.98E-10	1.03E-10	5.15E-19
30	8.44E-08	1.04E-08	2.08E-09	7.93E-14	1.58E-15	6.62E-08	1.13E-08	1.77E-09	3.40E-10	4.24E-16
40	9.73E-08	1.37E-08	3.02E-09	7.70E-13	3.03E-14	7.93E-08	1.54E-08	2.85E-09	6.26E-10	1.26E-14
50	1.05E-07	1.63E-08	3.78E-09	3.06E-12	1.82E-13	8.82E-08	1.87E-08	3.83E-09	9.10E-10	9.79E-14
70	1.15E-07	1.99E-08	4.90E-09	4.90E-11	1.52E-11	1.44E-12	9.91E-08	2.32E-08	5.39E-09	1.40E-09
100	1.20E-07	2.30E-08	5.97E-09	5.15E-11	7.00E-12	1.07E-07	2.72E-08	7.00E-09	1.96E-09	6.41E-12
150	1.21E-07	2.54E-08	6.94E-09	1.37E-10	2.46E-11	1.10E-07	3.04E-08	8.56E-09	2.55E-09	2.70E-11
200	1.20E-07	2.64E-08	7.45E-09	2.25E-10	4.68E-11	1.10E-07	3.18E-08	9.42E-09	2.91E-09	5.62E-11
300	1.15E-07	2.69E-08	7.93E-09	3.73E-10	9.02E-11	1.07E-07	3.25E-08	1.03E-08	3.32E-09	1.19E-10
400	1.10E-07	2.67E-08	8.09E-09	4.81E-10	1.26E-10	1.04E-07	3.23E-08	1.06E-08	3.52E-09	1.75E-10
500	1.05E-07	2.63E-08	8.13E-09	5.61E-10	1.54E-10	1.00E-07	3.18E-08	1.07E-08	3.64E-09	2.20E-10
700	9.82E-08	2.54E-08	8.06E-09	6.65E-10	1.94E-10	9.41E-08	3.07E-08	1.07E-08	3.73E-09	2.87E-10
1000	9.04E-08	2.41E-08	7.84E-09	7.49E-10	2.28E-10	8.71E-08	2.91E-08	1.04E-08	3.74E-09	3.48E-10
1500	8.14E-08	2.24E-08	7.45E-09	8.08E-10	2.57E-10	7.89E-08	2.69E-08	9.94E-09	3.66E-09	4.01E-10
2000	7.51E-08	2.10E-08	7.11E-09	8.29E-10	2.69E-10	7.31E-08	2.53E-08	9.50E-09	3.55E-09	4.26E-10
3000	6.67E-08	1.91E-08	6.58E-09	8.32E-10	2.77E-10	6.51E-08	2.29E-08	8.80E-09	3.35E-09	4.45E-10
4000	6.10E-08	1.77E-08	6.17E-09	8.19E-10	2.76E-10	5.98E-08	2.12E-08	8.26E-09	3.18E-09	4.48E-10
5000	5.69E-08	1.67E-08	5.85E-09	8.02E-10	2.73E-10	5.58E-08	1.99E-08	7.84E-09	3.04E-09	4.45E-10
7000	5.10E-08	1.52E-08	5.37E-09	7.67E-10	2.64E-10	5.01E-08	1.81E-08	7.20E-09	2.82E-09	4.34E-10
10000	4.52E-08	1.36E-08	4.87E-09	7.22E-10	2.52E-10	4.46E-08	1.62E-08	6.53E-09	2.59E-09	4.15E-10
I	C VI	N I	N II	N III	N IV	N V	N VI	N VII	N I	N II
1.0	0.	2.82E-15	4.51E-22	2.75E-30	0.	0.	0.	0.	1.34E-14	1.40E-24
1.5	0.	4.51E-13	1.07E-17	2.44E-23	4.40E-32	1.72E-38	0.	0.	1.54E-12	2.08E-19
2.0	0.	6.14E-12	1.74E-15	7.69E-20	2.05E-26	2.40E-31	0.	0.	1.73E-11	8.51E-17
3.0	0.	9.34E-11	3.11E-13	2.67E-16	1.01E-20	3.56E-24	0.	0.	2.08E-10	3.81E-14
4.0	0.	3.96E-10	4.47E-12	1.71E-14	7.37E-18	1.42E-20	0.	0.	7.59E-10	8.69E-13
5.0	0.	5.84E-10	2.30E-11	2.18E-13	3.93E-16	2.10E-18	0.	0.	1.70E-09	5.91E-12
7.0	0.	2.98E-09	1.58E-10	4.29E-12	3.81E-14	6.58E-16	0.	0.	4.50E-09	5.64E-11
10	2.04E-09	7.36E-09	7.18E-10	4.30E-11	1.22E-12	5.09E-14	6.54E-35	0.	9.96E-09	3.28E-10
15	3.07E-09	1.60E-08	2.47E-09	2.75E-10	1.90E-11	1.57E-12	7.78E-27	1.25E-30	1.98E-08	1.38E-09
20	1.24E-09	2.46E-08	4.73E-09	7.20E-10	7.65E-11	8.95E-12	8.82E-23	9.67E-26	2.91E-08	2.95E-09
30	5.24E-10	3.92E-08	9.37E-09	1.95E-09	3.17E-10	5.26E-11	1.05E-18	7.86E-21	4.45E-08	6.57E-09
40	3.53E-10	5.05E-08	1.34E-08	3.26E-09	6.56E-10	1.30E-10	1.19E-16	2.32E-18	5.60E-08	1.00E-08
50	4.50E-10	5.91E-08	1.67E-08	4.47E-09	1.02E-09	2.26E-10	2.07E-15	7.2UE-17	6.48E-08	1.31E-08
70	8.49E-10	7.09E-09	2.16E-08	6.48E-09	1.71E-09	4.29E-10	5.59E-14	3.76E-15	7.67E-08	1.78E-08
100	7.95E-10	8.10E-08	2.61E-08	8.60E-09	2.53E-09	7.01E-10	6.84E-13	7.58E-14	8.68E-08	2.26E-08
150	4.68E-10	8.85E-08	3.00E-08	1.07E-08	3.44E-09	1.04E-09	4.98E-12	8.15E-13	9.40E-08	2.70E-08
200	1.16E-11	9.11E-08	3.18E-08	1.18E-08	4.01E-09	1.27E-09	1.37E-11	2.73E-12	9.64E-08	2.93E-08
300	2.92E-11	9.16E-08	3.31E-08	1.30E-08	4.64E-09	1.56E-09	3.86E-11	9.40E-12	9.65E-08	3.13E-08
400	4.68E-11	8.99E-08	3.32E-08	1.34E-08	4.96E-09	1.73E-09	6.54E-11	1.77E-11	9.46E-08	3.18E-08
500	6.24E-11	8.78E-08</								

Table 4: (Continued) Oxygen, Fluorine, Neon, Sodium.

T	O III	O IV	O V	O VI	O VII	O VIII	F I	F II	F III	F IV
1.0	1.99E-33	0.	0.	0.	0.	0.	9.42E-17	1.96E-24	8.10E-37	0.
1.5	2.16E-25	2.36E-32	0.	0.	0.	0.	4.01E-14	2.81E-19	1.18E-27	5.80E-35
2.0	2.36E-21	1.05E-26	1.13E-34	0.	0.	0.	8.81E-13	1.11E-16	4.74E-23	1.35E-28
3.0	2.79E-17	5.52E-21	2.46E-26	2.83E-30	0.	0.	2.12E-11	4.71E-14	2.05E-18	3.35E-22
4.0	3.24E-15	4.25E-18	3.76E-22	3.20E-25	0.	0.	1.11E-10	1.02E-12	4.53E-16	5.61E-19
5.0	5.45E-14	2.42E-16	1.25E-19	3.53E-22	0.	0.	3.13E-10	6.61E-12	1.20E-14	5.01E-17
7.0	1.70E-12	2.65E-14	9.81E-17	1.10E-18	0.	0.	1.10E-09	5.94E-11	5.41E-13	9.06E-15
10	2.28E-11	5.73E-13	1.52E-14	4.76E-16	0.	0.	3.07E-09	3.31E-10	1.00E-11	4.78E-13
15	1.83E-10	1.73E-11	8.04E-13	5.63E-14	1.68E-32	9.16E-37	7.56E-09	1.36E-09	1.05E-10	1.12E-11
20	5.37E-10	7.54E-11	6.01E-12	6.32E-13	4.32E-27	2.12E-30	1.25E-08	2.91E-09	3.51E-10	5.62E-11
30	1.64E-C9	3.41E-10	4.66E-11	7.34E-12	1.17E-21	5.18E-24	2.22E-08	6.51E-09	1.23E-09	2.92E-10
40	2.52E-C9	7.40E-10	1.32L-10	2.56L-11	6.29E-19	8.41E-21	3.05E-08	1.00E-08	2.36E-09	6.81E-10
50	4.17E-09	1.19E-09	2.50E-10	5.48E-11	2.80E-17	7.25E-19	3.75E-08	1.31E-08	3.53E-09	1.14E-09
70	6.35E-09	2.06E-09	5.23E-10	1.33E-10	2.21E-15	1.22E-16	4.80E-08	1.81E-08	5.67E-09	2.08E-09
100	8.76E-09	3.14E-09	9.22E-10	2.62E-10	6.08E-14	5.93E-15	5.83E-08	2.32E-08	8.20E-09	3.30E-09
150	1.13E-08	4.36E-C9	1.45E-09	4.5C1-10	8.34E-13	1.27E-13	6.74E-08	2.8CE-08	1.10E-08	4.73E-09
200	1.27E-08	5.12E-C9	1.81E-C9	5.94E-10	3.16E-12	6.03E-13	7.17E-08	3.05E-08	1.27E-08	5.66E-09
300	1.42E-08	5.97E-C9	2.27E-09	7.90E-10	1.23E-11	2.99E-12	7.47E-08	3.28E-08	1.45E-08	6.73E-09
400	1.48E-08	6.39E-C9	2.54E-09	9.14E-10	2.47E-11	6.64E-12	7.49E-08	3.34E-08	1.53E-08	7.27E-09
500	1.51E-C8	6.61E-09	2.70E-09	9.97E-10	3.77E-11	1.09E-11	7.40E-08	3.35E-08	1.57E-08	7.56E-09
700	1.51E-C8	6.77E-C9	2.88E-09	1.10E-09	6.17E-11	1.93E-11	7.16E-08	3.30E-08	1.59E-08	7.81E-09
1000	1.48E-08	6.76E-C9	2.98E-09	1.17E-09	8.96E-11	3.00E-11	6.78E-08	3.18E-08	1.58E-08	7.86E-09
1500	1.42E-C8	6.58E-C9	2.99E-09	1.22E-09	1.2CE-10	4.22E-11	6.26E-08	2.94E-08	1.52E-08	7.69E-09
2000	1.36E-08	6.36E-09	2.95E-09	1.22E-C9	1.38E-10	5.00E-11	5.86E-08	2.83E-08	1.46E-08	7.46E-09
3000	1.26E-08	5.96E-09	2.84E-09	1.20E-09	1.57E-10	5.88E-11	5.29E-08	2.59E-08	1.36E-08	7.02E-09
4000	1.18E-08	5.64E-09	2.72E-09	1.17E-09	1.66E-10	6.31E-11	4.89E-08	2.41E-08	1.28E-08	6.66E-09
5000	1.12E-08	5.38E-C9	2.63E-09	1.14E-09	1.7CE-10	6.55E-11	4.59E-08	2.28E-08	1.21E-08	6.36E-09
7000	1.03E-08	4.97E-C9	2.46E-09	1.08E-09	1.73E-10	6.73E-11	4.15E-08	2.07E-08	1.12E-08	5.89E-09
10000	9.32E-09	4.54E-C9	2.28E-09	1.01E-09	1.71E-10	6.75E-11	3.71E-08	1.87E-08	1.01E-08	5.39E-09
T	F V	F VI	F VII	F VIII	F IX	NE I	NE II	NE III	NE IV	NE V
1.0	C.	0.	0.	0.	0.	8.54E-19	1.66E-27	4.2CE-37	0.	0.
1.5	0.	0.	0.	0.	0.	1.48E-15	1.87E-21	8.01E-28	7.16E-38	0.
2.0	5.70E-35	0.	0.	0.	0.	6.57E-14	2.11E-18	3.65E-23	8.83E-31	2.31E-37
3.0	1.27L-26	7.78E-23	2.48E-37	0.	0.	3.2CE-12	2.58E-15	1.76E-18	4.47E-20	1.59E-23
4.0	2.44E-22	4.29E-27	1.41E-30	0.	0.	2.40E-11	9.64E-14	1.08E-14	6.57E-18	9.87E-21
5.0	7.17E-20	1.22E-23	1.64E-26	0.	0.	8.39E-11	8.81E-13	4.82E-13	2.09E-15	1.64E-17
7.0	6.36E-17	1.13E-19	7.48E-22	0.	0.	3.76E-10	1.19E-11	8.88E-12	1.69E-13	4.62E-15
10	1.14E-14	1.11E-16	2.45E-18	0.	0.	1.27E-09	9.16E-11	9.27E-11	5.52E-12	4.02E-13
15	7.00E-13	2.48E-14	1.40E-15	6.05E-39	0.	3.65E-09	5.02E-10	3.14E-10	3.28E-11	3.92E-12
20	5.74E-12	3.82E-13	3.45E-14	5.55E-32	1.22E-35	6.61E-09	1.26E-09	1.12E-09	2.03E-10	4.00E-11
30	4.92E-11	6.13E-12	8.85E-13	5.45E-25	1.42E-27	1.29E-08	3.38E-09	2.19E-09	5.19E-10	1.31E-10
40	1.48E-10	2.51E-11	4.61E-12	1.77E-21	1.60E-23	1.88E-08	5.76E-09	3.32E-09	9.22E-10	2.70E-10
50	2.89E-10	5.94E-11	1.26E-11	2.31E-19	4.41E-21	2.40E-08	8.0RE-09	1.80E-09	6.29E-10	
70	6.32E-10	1.61E-10	4.02E-11	6.25E-17	2.81E-18	3.24E-08	1.21E-08	5.44E-09	3.03E-09	1.20E-09
100	1.15E-C9	3.46E-10	9.83E-11	4.35E-15	3.71E-16	4.13E-08	1.67E-08	7.99E-09	4.58E-09	2.01E-09
150	1.85E-C9	6.37E-10	2.00E-10	1.23E-13	1.73E-14	5.00E-08	2.14E-08	1.09E-08	5.63E-09	2.61E-09
200	2.35E-C9	8.68E-10	2.88E-10	6.73E-13	1.22E-13	5.48E-08	2.41E-08	1.26E-08	6.90E-09	3.37E-09
300	2.58E-09	1.19E-09	4.19E-10	3.79E-12	8.85E-13	5.90E-08	2.68E-08	1.46E-08	8.17E-09	3.81E-09
400	3.33E-C9	1.39E-09	5.08E-10	9.17E-12	2.43E-12	6.02E-08	2.79E-08	1.55E-08	7.58E-09	4.09E-09
500	3.54E-C9	1.52E-09	5.72E-10	1.57E-11	4.51E-12	6.02E-08	2.83E-08	1.59E-08	7.97F-09	4.09E-09
700	3.76E-09	1.68E-09	6.55E-10	2.94E-11	9.24E-12	5.91E-08	2.82E-08	1.62E-08	8.35E-09	4.38E-09
1000	3.87E-09	1.80E-09	7.22E-10	4.74E-11	1.60E-11	5.67E-08	2.75E-08	1.61E-08	8.49E-09	4.55E-09
1500	3.87E-09	1.86E-09	7.72E-10	6.90E-11	2.47E-11	5.29E-08	2.61E-08	1.56E-08	8.38E-09	4.57E-09
2000	3.79E-09	1.86E-C9	7.85E-10	8.32E-11	3.07E-11	4.98E-08	2.49E-08	1.50F-08	8.17E-09	4.50E-09
3000	3.62E-09	1.82E-C9	7.92E-10	9.96E-11	3.79E-11	4.53E-08	2.29E-08	1.40E-08	7.73E-09	4.14E-09
4000	3.46E-C9	1.77E-C9	7.80E-10	1.08E-10	4.19E-11	4.20E-C8	2.14E-08	1.32E-08	7.36E-09	4.14E-09
5000	3.32E-09	1.72E-C9	7.65E-10	1.12E-10	4.42E-11	3.95E-C8	2.03E-08	1.25E-08	7.04E-09	3.98E-09
7000	3.10E-09	1.63E-09	7.34E-10	1.17E-10	4.65E-11	3.58E-08	1.85E-08	1.15E-08	6.54E-09	3.72E-09
10000	2.86E-C9	1.52E-C9	6.93E-10	1.18E-10	4.74E-11	3.21E-08	1.68E-08	1.05E-08	6.00E-09	3.43E-09
T	NE VI	NE VII	NE VIII	NE IX	NE X	NA I	NA II	NA III	NA IV	NA V
1.0	0.	0.	0.	0.	0.	5.08E-10	2.94E-30	0.	0.	0.
1.5	0.	C.	0.	0.	0.	3.25E-09	2.59E-23	2.24E-30	2.77E-38	0.
2.0	0.	C.	0.	0.	0.	8.38E-C9	8.09E-20	4.03E-25	4.60E-31	0.
3.0	2.80E-33	0.	0.	0.	0.	2.20E-08	2.73E-16	7.68E-20	8.06E-24	8.54E-30
4.0	1.74E-27	9.26E-33	1.17E-36	0.	0.	3.61E-08	1.68E-14	3.51E-17	3.51E-20	9.81E-25
5.0	5.46E-24	3.22E-28	2.01E-31	0.	0.	4.88E-08	2.06E-13	1.42E-15	5.49E-18	1.10E-21
7.0	5.93E-20	5.18E-23	2.02E-25	0.	0.	6.91E-08	3.84E-12	1.03E-13	1.84E-15	3.57E-18
10	7.2CE-17	4.35E-19	6.69E-21	0.	0.	8.98E-08	3.76E-11	2.71E-12	1.52E-13	1.65E-15
15	1.91E-14	5.18E-16	2.32E-17	0.	0.	1.10E-07	2.47E-10	3.79E-11	5.08E-12	2.09E-13
20	3.31E-13	1.85E-14	1.41E-15	1.98E-37	0.	1.22E-07	6.80E-10	1.50E-10	3.07E-11	2.45E-12
30	6.6CE-12	6.88E-13	9.00E-14	1.09E-28	1.67E-31	1.34E-07	3.72E-09	1.37E-09	5.12E-10	1.08E-10
40	2.67E-11	4.31E-12	7.39E-13	2.67E-24	1.63E-26	1.41E-07	5.47E-09	2.22E-09	9.25E-10	2.36E-10
50	6.60E-11	1.31E-11	2.65E-12	1.17E-21	1.64E-23	1.45E-07	5.47E-09	3.94E-09	1.85E-09	5.87E-10
70	1.89E-10	4.80E-11	1.17E-11	1.27E-18	4.60E-20	1.49E-07	8.76E-09	6.23E-09	3.17E-09	1.18E-09
100	4.24E-10	1.29E-10	3.64E-11	2.50E-16	1.85E-17	1.50E-07	1.28E-08	9.03E-09	4.88E-09	2.05E-09
150	8.07E-10	2.85E-10	8.58E-11	1.60E-14	2.06E-15	1.49E-07	1.75E-08	1.09E-08	6.07E-09	2.72E-09
200	1.12E-09	4.27E-10	1.43E-10	1.31E-13	2.24E-14	1.47E-07	2.06E-08	1.31E-08	7.52E-09	3.59E-09
300	1.55E-C9	6.43E-10	2.29E-10	1.12E-12	2.53E-13	1.41E-07	2.39E-08	1.43E-08	8.32E-09	4.12E-09
400	1.83E-09	7.91E-10	2.93E-10	3.33E-12	8.68E-13	1.35E-07	2.56E-08	1.49E-08	8.79E-09	4.45E-09
500	2.00E-09	8.95E-10	3.40E-10	6.48E-12	1.84E-12	1.30E-07	2.64E-08	1.55E-08	9.25E-09	4.81E-09
700	2.21E-C9	1.03E-09	4.05E-10	1.41E-11	4.41E-12	1.22E-07	2.69E-08	1.56E-08	9.44E-09	5.03E-09
1000	2.35E-09	1.13E-09	4.62E-10	2.54E-11	8.62E-12	1.12E-07	2.66E-08	1.56E-08	9.35E-09	5.09E-09
1500	2.41E-09	1.21E-09	5.09E-10	4.06E-11						

Table 4: (Continued) Sodium, Magnesium, Aluminum.

T	NA VI	NA VII	NA VIII	NA IX	NA X	NA XI	MG I	MG II	MG III	MG IV
1.0	0.	0.	0.	0.	0.	0.	2.55E-11	3.77E-15	0.	0.
1.5	C.	C.	0.	0.	0.	C.	3.95E-10	6.67E-13	7.97E-33	0.
2.0	0.	0.	0.	0.	0.	0.	1.61E-09	9.15E-05	5.80E-27	2.30E-33
3.0	4.41E-35	C.	0.	0.	0.	0.	6.86E-05	1.30E-10	4.48E-21	2.18E-25
4.0	8.65E-29	3.68E-33	3.70E-39	0.	0.	0.	1.46E-08	5.04E-10	4.12E-18	2.21E-21
5.0	5.36E-25	1.40E-28	2.23E-33	6.45E-37	0.	0.	2.33E-08	1.15E-09	2.54E-16	5.75E-19
7.0	1.23E-20	2.61E-23	9.32E-27	2.11E-29	0.	0.	4.04E-08	2.99E-09	2.95E-14	3.44E-16
10	2.51E-17	2.63E-19	9.04E-22	9.60E-24	0.	C.	6.23E-08	6.22E-09	1.11E-12	4.41E-14
15	1.02E-14	3.83E-16	7.22E-18	2.55E-19	0.	0.	8.81E-08	1.12E-08	2.02E-11	2.07E-12
20	2.17E-13	1.55E-14	6.69E-16	4.31E-17	0.	0.	1.05E-07	1.52E-08	9.09E-11	1.50E-11
30	4.83E-12	6.65E-13	6.47E-14	7.63E-15	9.34E-33	8.02E-36	1.25E-07	2.11E-08	4.4CE-10	1.15E-10
40	2.35E-11	4.51E-12	6.56E-13	1.05E-13	2.15E-27	8.55E-30	1.35E-07	2.52E-08	1.02E-09	3.34E-10
50	6.16E-11	1.45E-11	2.67E-12	5.12E-13	3.62E-24	3.62E-26	1.42E-07	2.83E-08	1.71E-09	6.44E-10
70	1.89E-10	5.60E-11	1.36E-11	3.22E-12	1.83E-20	5.24E-22	1.48E-07	3.26E-08	3.22E-09	1.40E-09
100	4.47E-10	1.58E-10	4.74E-11	1.31E-11	1.15E-17	7.23E-19	1.51E-07	3.66E-08	5.31E-09	2.58E-09
150	8.87E-10	3.62E-10	1.28E-10	4.01E-11	1.80E-15	2.11E-16	1.50E-07	4.01E-08	8.00E-09	4.23E-09
200	1.26E-09	5.53E-10	2.12E-10	7.11E-11	2.33E-14	3.71E-15	1.47E-07	4.18E-08	9.88E-09	5.45E-09
300	1.79E-09	8.49E-10	3.56E-10	1.28E-10	3.13E-13	6.79E-14	1.41E-07	4.30E-08	1.22E-08	7.03E-09
400	2.13E-09	1.05E-09	4.63E-10	1.73E-10	1.17E-12	2.98E-13	1.36E-07	4.30E-08	1.34E-08	7.95E-09
500	2.35E-09	1.19E-09	5.43E-10	2.08E-10	2.63E-12	7.33E-13	1.31E-07	4.26E-08	1.42E-08	8.52E-09
700	2.62E-09	1.37E-09	6.50E-10	2.58E-10	6.69E-12	2.08E-12	1.23E-07	4.14E-08	1.48E-08	9.12E-09
1000	2.81E-09	1.51E-09	7.42E-10	3.05E-10	1.37E-11	4.65E-12	1.13E-07	3.95E-08	1.51E-08	9.44E-09
1500	2.90E-09	1.59E-09	8.15E-10	3.46E-10	2.42E-11	8.79E-12	1.03E-07	3.69E-08	1.49E-08	9.46E-09
2000	2.91E-09	1.62E-09	8.45E-10	3.67E-10	3.24E-11	1.22E-11	9.51E-08	3.44E-08	1.45E-08	9.29E-09
3000	2.84E-09	1.60E-09	8.61E-10	3.84E-10	4.31E-11	1.68E-11	8.48E-08	3.17E-08	1.36E-08	8.88E-09
4000	2.75E-09	1.56E-09	8.56E-10	3.88E-10	4.96E-11	1.97E-11	7.78E-08	2.94E-08	1.30E-08	8.49E-09
5000	2.66E-09	1.52E-09	8.45E-10	3.87E-10	5.37E-11	2.16E-11	7.26E-08	2.77E-08	1.24E-08	8.15E-09
7000	2.51E-09	1.45E-09	8.16E-10	5.83E-11	2.38E-11	6.52E-08	2.52E-08	1.15E-08	7.60E-09	
10000	2.34E-09	1.35E-09	7.76E-10	3.06E-10	6.11E-11	2.53E-11	5.80E-08	2.27E-08	1.05E-08	7.00E-09
T	MG V	MG VI	MG VII	MG VIII	MG IX	MG X	MG XI	MG XII	AL I	AL II
1.0	0.	0.	C.	0.	0.	0.	0.	0.	1.23E-10	8.82E-17
1.5	0.	0.	0.	0.	0.	0.	0.	0.	1.10E-09	5.60E-14
2.0	0.	0.	0.	0.	0.	0.	0.	0.	3.46E-09	1.46E-12
3.0	3.99E-30	3.77E-37	0.	0.	0.	0.	0.	0.	1.17E-08	4.00E-11
4.0	5.80E-25	2.56E-30	8.86E-35	0.	0.	0.	0.	0.	2.25E-08	2.15E-10
5.0	7.43E-22	3.34E-26	7.73E-30	7.79E-34	4.00E-39	0.	0.	0.	3.40E-08	6.02E-10
7.0	2.75E-18	1.78E-21	3.66E-24	3.99E-27	6.49E-31	9.89E-34	0.	0.	5.63E-08	1.99E-09
10	1.37E-15	6.73E-18	7.19E-20	4.83E-22	9.80E-25	7.94E-27	0.	0.	8.42E-08	5.03E-09
15	1.85E-13	4.41E-15	1.73E-16	4.89E-18	6.63E-20	1.97E-21	0.	0.	1.17E-07	1.06E-08
20	2.24E-12	1.18E-13	8.92E-15	5.24E-16	1.79E-17	1.02E-18	0.	0.	1.38E-07	1.56E-08
30	2.87E-11	3.32E-12	4.88E-13	5.99E-14	5.05E-15	5.54E-16	3.25E-37	0.	1.63E-07	2.33E-08
40	1.06E-10	1.82E-11	3.73E-12	6.65E-13	8.77E-14	1.33E-14	8.89E-31	2.36E-33	1.76E-07	2.87E-08
50	2.36E-10	5.11E-11	1.29E-11	2.87E-12	4.94E-13	9.15E-14	6.63E-27	4.81E-29	1.83E-07	3.26E-08
70	6.01E-10	1.70E-10	5.43E-11	1.57E-11	3.65E-12	8.49E-13	1.83E-22	4.19E-24	1.89E-07	3.79E-08
100	1.23E-09	4.28E-10	1.63E-10	5.75E-11	1.69E-11	4.64E-12	4.10E-19	2.23E-20	1.89E-07	4.24E-08
150	2.19E-09	8.93E-10	3.93E-10	1.62E-10	5.68E-11	1.79E-11	1.74E-16	1.85E-07	4.61E-08	
200	2.93E-09	1.30E-09	6.17E-10	2.75E-10	1.06E-10	3.58E-11	3.71E-15	5.53E-16	1.79E-07	4.77E-08
300	3.92E-09	1.90E-09	9.73E-10	4.71E-10	2.0CE-1C	7.25E-11	8.23E-14	1.72E-14	1.68E-07	4.87E-08
400	4.52E-09	2.29E-09	1.22E-09	6.19E-10	2.76E-10	1.04E-10	3.97E-13	9.83E-14	1.59E-07	4.85E-08
500	4.91E-09	2.56E-09	1.40E-09	7.29E-10	3.36E-10	1.30E-10	1.04E-12	2.84E-13	1.51E-07	4.80E-08
700	5.34E-09	2.88E-09	1.63E-09	8.76E-10	4.21E-10	1.69E-10	3.15E-12	9.73E-13	1.40E-07	4.65E-08
1000	5.60E-09	3.11E-09	1.8CE-09	9.97E-10	4.99E-10	2.07E-10	7.39E-12	2.50E-12	1.28E-07	4.43E-08
1500	5.69E-09	3.24E-09	1.92E-09	1.09E-09	5.65E-10	2.43E-10	1.46E-11	5.30E-12	1.14E-07	4.12E-08
2000	5.64E-09	3.26E-09	1.96E-09	1.12E-09	5.96E-10	2.62E-10	2.06E-11	7.77E-12	1.05E-07	3.88E-08
3000	5.44E-09	3.20E-09	1.95E-09	1.13E-09	6.20E-10	2.80E-10	2.91E-11	1.14E-11	9.29E-08	3.53E-08
4000	5.24E-09	3.10E-09	1.90E-09	1.12E-09	6.24E-10	2.86E-10	3.46E-11	1.39E-11	8.48E-08	3.29E-08
5000	5.05E-09	3.01E-09	1.86E-09	1.09E-09	6.20E-10	2.88E-10	3.82E-11	1.55E-11	7.88E-08	3.09E-08
7000	4.74E-09	2.85E-09	1.77E-09	1.05E-09	6.05E-10	2.85E-10	4.25E-11	1.76E-11	7.04E-08	2.81E-08
10000	4.39E-09	2.66E-09	1.66E-09	9.91E-10	5.81E-10	2.77E-10	4.54E-11	1.90E-11	6.23E-08	2.53E-08
T	AL III	AL IV	AL V	AL VI	AL VII	AL VIII	AL IX	AL X	AL XI	AL XII
1.0	1.68E-21	0.	0.	0.	0.	0.	0.	0.	0.	0.
1.5	2.61E-17	0.	0.	0.	0.	0.	0.	0.	0.	0.
2.0	3.38E-15	9.30E-36	0.	0.	0.	0.	0.	0.	0.	0.
3.0	4.57E-13	5.52E-27	5.49E-32	1.78E-37	0.	0.	0.	0.	C.	
4.0	5.48E-12	1.40E-22	2.36E-26	1.54E-30	2.11E-36	0.	0.	0.	0.	0.
5.0	2.47E-11	6.31E-20	5.79E-23	2.29E-26	4.06E-31	2.96E-35	0.	0.	0.	0.
7.0	1.42E-10	7.08E-17	4.50E-19	1.39E-21	4.70E-25	4.30E-28	2.66E-31	1.73E-35	1.52E-38	0.
10	5.38E-10	1.45E-14	3.90E-16	5.70E-18	1.79E-20	1.11E-22	4.92E-25	5.49E-28	3.04E-30	0.
15	1.56E-05	9.70E-13	7.99E-14	3.93E-15	7.12E-17	1.97E-18	4.21E-20	3.97E-22	9.23E-24	0.
20	2.70E-09	8.33E-12	1.19E-12	1.08E-13	4.72E-15	2.79E-16	1.32E-17	3.50E-19	1.67E-20	0.
30	4.82E-09	7.64E-11	1.88E-11	3.17E-12	3.31E-13	4.18E-14	4.48E-15	3.25E-16	3.17E-17	0.
40	6.61E-09	2.41E-10	7.69E-11	1.78E-11	2.87E-12	5.32E-13	8.59E-14	1.02E-14	1.43E-15	1.93E-34
50	8.12E-09	4.92E-10	1.82E-10	5.11E-11	1.07E-11	2.49E-12	5.16E-13	8.23E-14	1.43E-14	7.28E-30
70	1.05E-08	1.14E-09	5.00E-10	1.75E-10	4.9CE-11	1.49E-11	4.12E-12	9.19E-13	2.05E-13	1.28E-24
100	1.30E-08	2.21E-09	1.09E-09	4.50E-10	1.58E-10	5.88E-11	2.02E-11	5.78E-12	1.56E-12	1.16E-20
150	1.57E-08	3.79E-09	2.02E-09	9.58E-10	4.00E-10	1.75E-10	7.15E-11	2.49E-11	7.78E-12	1.45E-17
200	1.73E-08	5.01E-09	2.78E-09	1.41E-09	6.44E-10	3.07E-10	1.36E-10	5.26E-11	1.77E-11	5.32E-16
300	1.90E-08	6.63E-09	3.82E-09	2.08E-09	1.05E-09	5.42E-10	2.64E-10	1.13E-10	4.10E-11	2.03E-14
400	1.98E-08	7.61E-09	4.46E-09	2.53E-09	1.33E-09	7.23E-10	3.70E-10	1.67E-10	6.31E-11	1.29E-13
500	2.01E-08	8.23E-09	4.88E-09	2.84E-09	1.54E-09	8.59E-10	4.53E-10	2.11E-10	8.22E-11	3.97E-13
700	2.02E-08	8.92E-09	5.37E-09	3.22E-09	1.81E-09	1.04E-09	5.70E-10	2.78E-10	1.12E-10	1.46E-12
1000	1.59E-08	9.32E-09	5.69E-09	3.49E-09	2.03E-09	1.20E-09	6.74E-10	3.42E-10	1.42E-10	3.97E-12
1500	1.50E-08	9.41E-09	5.83E-09	3.65E-09	2.18E-09	1.32E-09	7.59E-10	4.0CE-10	1.72E-10	8.80E-12
2000	1.83E-08	9.29E-09	5.80E-09	3.68E-09	2.22E-09	1.37E-09	7.96E-10	4.30E-10	1.90E-10	1.32E-11
3000	1.69E-08	8.93E-09	5.63E-09	3.62E						

Table 4: (Continued) Aluminum, Silicium, Phosphorus.

T	AL XIII	SI I	SI II	SI III	SI IV	SI V	SI VI	SI VII	SI VIII	SI IX
1.0	0.	1.55E-11	7.12E-16	1.48E-23	3.76E-29	0.	0.	0.	0.	0.
1.5	0.	2.83E-10	1.98E-13	1.26E-18	1.54E-22	0.	0.	0.	0.	0.
2.0	0.	1.26E-09	3.49E-12	3.82E-16	3.24E-19	0.	0.	0.	0.	0.
3.0	0.	5.96E-09	6.74E-11	1.21E-13	7.15E-16	7.37E-34	0.	0.	0.	0.
4.0	0.	1.35E-08	3.17E-10	2.23E-12	3.47E-14	9.36E-28	3.89E-32	7.66E-37	0.	0.
5.0	0.	2.26E-08	8.31E-10	1.30E-11	3.64E-13	4.40E-24	1.22E-27	1.88E-31	1.06E-36	0.
7.0	0.	4.17E-08	2.62E-09	1.01E-10	5.49E-12	7.18E-20	1.76E-22	2.81E-25	4.24E-29	2.23E-32
10	0.	6.79E-08	6.51E-09	4.78E-10	4.33E-11	1.09E-16	1.36E-18	1.27E-20	2.30E-23	9.63E-26
15	0.	1.01E-07	1.37E-08	1.65E-09	2.23E-10	3.41E-14	1.53E-15	5.66E-17	7.25E-19	1.55E-20
20	0.	1.24E-07	2.03E-08	3.12E-09	5.18E-10	6.29E-13	5.35E-14	3.97E-15	1.36E-16	6.60E-18
30	0.	1.53E-07	3.03E-08	5.99E-09	1.24E-09	1.22E-11	1.99E-12	2.98E-13	2.70E-14	3.01E-15
40	3.41E-37	1.69E-07	3.72E-08	8.40E-09	1.97E-09	5.55E-11	1.26E-11	3.87E-11	1.03E-11	2.01E-12
50	3.82E-32	1.78E-07	4.20E-08	1.04E-08	2.65E-09	1.40E-10	4.89E-11	1.33E-11	3.89E-12	
70	2.34E-26	1.87E-07	4.81E-08	1.33E-08	3.86E-09	4.13E-10	1.44E-10			
100	5.38E-22	1.90E-07	5.26E-08	1.62E-08	5.29E-09	9.52E-10	3.96E-10	1.62E-10	5.63E-11	2.06E-11
150	1.40E-18	1.88E-07	5.55E-08	1.91E-08	6.97E-09	1.86E-09	8.88E-10	4.23E-10	1.78E-10	7.75E-11
200	7.38E-17	1.84E-07	5.61E-08	2.08E-08	8.10E-09	2.61E-09	1.34E-09	6.91E-10	3.20E-10	1.53E-10
300	4.07E-15	1.74E-07	5.54E-08	2.24E-08	9.43E-09	3.68E-09	2.05E-09	1.14E-09	5.84E-10	3.05E-10
400	3.10E-14	1.66E-07	5.39E-08	2.31E-08	1.02E-08	4.36E-09	2.52E-09	1.47E-09	7.91E-10	4.34E-10
500	1.07E-13	1.59E-07	5.25E-08	2.33E-08	1.06E-08	4.81E-09	2.86E-09	1.71E-09	9.50E-10	5.37E-10
700	4.47E-13	1.47E-07	4.98E-08	2.33E-08	1.05E-08	5.35E-09	3.20E-09	2.02E-09	1.17E-09	6.85E-10
1000	1.34E-12	1.35E-07	4.65E-08	2.26E-08	1.10E-08	5.72E-09	3.59E-09	2.27E-09	1.36E-09	8.18E-10
1500	3.20E-12	1.21E-07	4.25E-08	2.17E-08	1.08E-08	5.90E-09	3.79E-09	2.45E-09	1.50E-09	9.28E-10
2000	5.00E-12	1.12E-07	3.96E-08	2.08E-08	1.05E-08	5.90E-09	3.84E-09	2.51E-09	1.56E-09	9.78E-10
3000	7.87E-12	9.90E-08	3.56E-08	1.93E-08	9.95E-09	5.76E-09	3.79E-09	2.52E-09	1.59E-09	1.01E-09
4000	9.87E-12	9.06E-08	3.28E-08	1.81E-08	9.45E-09	5.57E-09	3.70E-09	2.48E-09	1.58E-09	1.01E-09
5000	1.13E-11	8.43E-08	3.07E-08	1.72E-08	9.04E-09	5.40E-09	3.61E-09	2.42E-09	1.56E-09	1.00E-09
7000	1.31E-11	7.55E-08	2.77E-08	1.58E-08	8.39E-09	5.09E-09	3.43E-09	2.32E-09	1.50E-09	9.75E-10
10000	1.45E-11	6.69E-08	2.47E-08	1.43E-08	7.69E-09	4.74E-09	3.21E-09	2.18E-09	1.42E-09	9.30E-10
T	SI X	SI XI	SI XII	SI XIII	SI XIV	P I	P II	P III	P IV	P V
1.0	0.	0.	0.	0.	0.	1.18E-12	3.27E-17	2.45E-22	9.60E-32	4.15E-38
1.5	0.	0.	0.	0.	0.	4.78E-11	2.82E-14	7.00E-18	3.33E-24	1.30E-28
2.0	0.	C.	0.	0.	0.	3.18E-10	8.65E-13	1.24E-15	2.03E-20	7.53E-24
3.0	0.	C.	0.	0.	0.	2.25E-09	2.85E-11	2.40E-13	1.31E-16	4.61E-19
4.0	0.	0.	0.	0.	0.	6.27E-09	1.72E-10	3.58E-12	1.09E-14	1.18E-16
5.0	0.	0.	0.	0.	0.	1.19E-08	5.22E-10	1.90E-11	1.57E-13	3.36E-15
7.0	6.55E-36	C.	0.	0.	0.	2.55E-08	1.94E-09	1.35E-10	3.42E-12	1.59E-13
10	2.67E-28	1.75E-31	6.62E-34	0.	0.	4.66E-08	5.40E-09	6.23E-10	3.57E-11	2.98E-12
15	2.43E-22	1.65E-24	2.59E-26	0.	0.	7.67E-08	1.25E-08	2.15E-09	2.29E-10	3.03E-11
20	2.51E-19	5.27E-21	2.09E-22	0.	0.	9.95E-08	1.93E-08	4.08E-09	5.91E-10	9.88E-11
30	2.81E-16	1.77E-17	1.54E-18	0.	0.	1.29E-07	3.04E-08	7.90E-09	1.56E-09	3.32E-10
40	9.82E-15	1.06E-15	1.36E-16	2.14E-38	0.	1.47E-07	3.83E-08	1.11E-08	2.58E-09	6.27E-10
50	8.47E-14	1.26E-14	2.05E-15	4.69E-33	1.78E-35	1.59E-07	4.40E-08	1.36E-08	3.52E-09	9.38E-10
70	1.03E-12	2.19E-13	4.68E-14	6.18E-27	8.98E-29	1.71E-07	5.14E-08	1.72E-08	5.11E-09	1.55E-09
100	6.89E-12	1.93E-12	5.06E-13	2.52E-22	1.00E-23	1.78E-07	5.72E-08	2.03E-08	6.88E-09	2.36E-09
150	3.13E-11	1.08E-11	3.34E-12	1.03E-18	8.95E-20	1.79E-07	6.12E-08	2.30E-08	8.84E-09	3.43E-09
200	6.79E-11	2.62E-11	8.73E-12	6.77E-17	8.75E-18	1.76E-07	6.24E-08	2.41E-08	1.01E-08	4.20E-09
300	1.50E-10	6.44E-11	2.34E-11	4.67E-15	8.95E-16	1.69E-07	6.22E-08	2.49E-08	1.15E-08	5.20E-09
400	2.24E-10	1.02E-10	3.87E-11	3.99E-14	9.33E-15	1.62E-07	6.09E-08	2.49E-08	1.22E-08	5.80E-09
500	2.86E-10	1.35E-10	5.26E-11	1.47E-13	3.87E-14	1.55E-07	5.95E-08	2.46E-08	1.26E-08	6.17E-09
700	3.79E-10	1.87E-10	7.54E-11	6.66E-13	2.01E-13	1.45E-07	5.67E-08	2.39E-08	1.30E-08	6.56E-09
1000	4.67E-10	2.39E-10	9.98E-11	2.12E-12	7.09E-13	1.34E-07	5.31E-08	2.27E-08	1.30E-08	6.78E-09
1500	5.43E-10	2.90E-10	1.25E-10	5.31E-12	1.93E-12	1.21E-07	4.88E-08	2.12E-08	1.27E-08	6.81E-09
2000	5.8CE-10	3.17E-10	1.40E-10	8.50E-12	3.23E-12	1.11E-07	4.55E-08	1.99E-08	1.23E-08	6.70E-09
3000	6.1CE-10	3.44E-10	1.56E-10	1.37E-11	5.44E-12	9.91E-08	4.10E-08	1.82E-08	1.16E-08	6.43E-09
4000	6.16E-10	3.54E-10	1.64E-10	1.74E-11	7.08E-12	9.08E-08	3.79E-08	1.69E-08	1.10E-08	6.16E-09
5000	6.14E-10	3.58E-10	1.68E-10	2.01E-11	8.29E-12	8.47E-08	3.55E-08	1.59E-08	1.05E-08	5.93E-09
7000	6.00E-10	3.57E-10	1.70E-10	2.36E-11	9.89E-12	7.60E-08	3.21E-08	1.45E-08	9.72E-09	5.55E-09
10000	5.76E-10	3.49E-10	1.69E-10	2.63E-11	1.12E-11	6.75E-08	2.87E-08	1.30E-08	8.90E-09	5.13E-09
T	P VI	P VII	P VIII	P IX	P X	P XI	P XII	P XIII	P XIV	P XV
1.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
1.5	0.	0.	C.	0.	0.	0.	0.	0.	0.	0.
2.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
3.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
4.0	9.54E-34	1.20E-38	0.	0.	0.	0.	0.	0.	0.	0.
5.0	6.36E-29	6.85E-23	4.02E-37	0.	0.	0.	0.	0.	0.	0.
7.0	2.15E-23	2.71E-26	2.21E-29	1.46E-33	4.49E-37	0.	0.	0.	0.	0.
10	3.16E-19	2.52E-21	1.48E-23	1.52E-26	4.40E-29	6.95E-32	2.58E-35	6.61E-38	0.	0.
15	5.83E-16	1.96E-17	5.40E-19	4.79E-21	8.04E-23	8.86E-25	4.14E-27	5.81E-29	0.	0.
20	2.61E-14	1.81E-15	1.09E-16	2.84E-18	1.16E-19	3.42E-21	5.45E-23	1.79E-24	0.	0.
30	1.23E-12	1.78E-13	2.33E-14	1.80E-15	1.80E-16	1.43E-17	7.55E-19	5.82E-20	0.	0.
40	8.77E-12	1.83E-12	3.58E-13	4.70E-14	7.41E-15	9.71E-16	9.21E-17	1.09E-17	0.	0.
50	2.90E-11	7.60E-12	1.88E-12	3.40E-13	7.05E-14	1.25E-14	1.68E-15	2.56E-16	1.80E-36	4.81E-39
70	1.17E-10	3.57E-11	1.30E-11	3.36E-12	9.54E-13	2.39E-13	4.76E-14	9.73E-15	2.07E-29	2.35E-31
100	3.44E-10	1.42E-10	5.71E-11	1.93E-11	6.96E-12	2.26E-12	6.07E-13	1.55E-13	4.29E-24	1.44E-25
150	8.13E-10	3.92E-10	1.86E-10	7.78E-11	3.38E-11	1.35E-11	4.55E-12	1.38E-12	6.18E-20	4.84E-21
200	1.26E-09	6.60E-10	3.41E-10	1.58E-10	7.58E-11	3.35E-11	1.27E-11	4.21E-12	7.69E-18	9.19E-19
300	1.98E-09	1.12E-09	6.34E-10	3.28E-10	1.73E-10	8.51E-11	3.64E-11	1.32E-11	1.00E-15	1.83E-16
400	2.48E-09	1.47E-09	8.68E-10	4.75E-10	2.64E-10	1.37E-10	6.22E-11	2.36E-11	1.18E-14	2.66E-15
500	2.84E-09	1.73E-09	1.05E-09	5.94E-10	3.41E-10	1.83E-10	8.64E-11	3.37E-11	5.25E-14	1.35E-14
700	3.29E-09	2.07E-09	1.30E-09	7.68E-10	4.57E-10	2.55E-10	1.26E-10	5.11E-11	2.97E-13	8.82E-14
1000	3.64E-09	2.35E-09	1.52E-09	9.26E-10	5.68E-10	3.28E-10	1.69E-10	7.05E-11	1.12E-12	3.71E-13
1500	3.87E-09	2.56E-09	1.69E-09	1.06E-09	6.67E-10	3.95E-10	2.12E-10	9.15E-11	3.20E-12	1.16E-12
2000	3.94E-09	2.64E-09	1.76E-09	1.12E-09	7.17E-10	4.31E-10	2.37E-10	1.05E-10	5.49E-12	2.09E-12
3000	3.92E-09	2.66E-09	1							

Table 4: (Continued) Sulfur, Chlorine.

T	S I	S II	S III	S IV	S V	S VI	S VII	S VIII	S IX	S X
1.0	1.78E-12	7.63E-19	3.02E-24	3.79E-30	0.	0.	0.	0.	0.	0.
1.5	6.90E-11	2.27E-15	4.27E-19	3.24E-23	1.22E-30	1.45E-35	0.	0.	0.	0.
2.0	4.47E-10	1.29E-13	1.67E-16	9.89E-20	2.57E-25	3.98E-29	0.	0.	0.	0.
3.0	3.05E-09	7.89E-12	7.00E-14	3.27E-16	5.68E-20	1.15E-22	0.	0.	0.	0.
4.0	8.27E-09	6.50E-11	1.51E-12	2.02E-14	2.77E-17	2.03E-19	0.	0.	0.	0.
5.0	1.54E-08	2.37E-10	9.90E-12	2.51E-13	1.16E-15	1.84E-17	1.97E-34	10.00E-39	0.	0.
7.0	3.21E-08	1.09E-09	8.87E-11	4.82E-12	8.56E-14	3.27E-15	2.18E-27	1.62E-30	6.68E-34	2.18E-38
10	5.76E-08	3.57E-C9	4.84E-10	4.75E-11	2.24E-12	1.66E-13	4.38E-22	2.45E-24	9.01E-27	5.78E-30
15	9.33E-08	9.41E-C9	1.50E-09	3.01E-10	2.95E-11	3.68E-12	6.20E-18	1.67E-19	3.39E-21	2.21E-23
20	1.20E-07	1.56E-C8	3.84E-09	7.81E-10	1.09E-10	1.78E-11	7.67E-16	4.55E-17	2.19E-18	4.59E-20
30	1.55E-07	2.64E-C8	7.92E-09	2.08E-09	4.18E-10	8.86E-11	1.01E-13	1.32E-14	1.51E-15	1.02E-16
40	1.76E-07	3.46E-C8	1.15E-08	3.45E-09	8.32E-10	2.03E-10	1.20E-12	2.35E-13	4.17E-14	5.01E-15
50	1.89E-07	4.08E-C8	1.44E-08	4.70E-09	1.27E-09	3.40E-10	5.41E-12	1.35E-12	3.13E-13	5.30E-14
70	2.03E-07	4.52E-C8	1.86E-08	6.71E-09	2.11E-09	6.38E-10	3.13E-11	1.04E-11	3.24E-12	8.09E-13
100	2.11E-07	5.62E-08	2.25E-08	8.78E-09	3.16E-C9	1.08E-09	1.20E-10	4.93E-11	1.94E-11	6.48E-12
150	2.12E-07	6.14E-08	2.59E-08	1.08E-08	4.46E-C9	1.72E-09	3.54E-10	1.72E-10	8.10E-11	3.38E-11
200	2.09E-07	6.34E-08	2.74E-08	1.18E-08	5.36E-09	2.24E-09	6.16E-10	3.25E-10	1.68E-10	7.86E-11
300	2.00E-07	6.40E-08	2.86E-08	1.28E-C8	6.48E-09	2.76E-09	1.08E-09	6.26E-10	3.56E-10	1.86E-10
400	1.91E-07	6.31E-C8	2.87E-C8	1.32E-08	7.13E-09	3.43E-09	1.44E-09	8.73E-10	5.21E-10	2.89E-10
500	1.84E-07	6.19E-C8	2.65E-C8	1.33E-08	7.52E-09	3.74E-09	1.72E-09	1.07E-09	6.56E-10	3.78E-10
700	1.72E-07	5.93E-C8	2.78E-08	1.32E-08	7.93E-09	4.12E-09	2.08E-09	1.34E-09	8.55E-10	5.14E-10
1000	1.58E-07	5.59E-08	2.66E-08	1.28E-08	8.13E-09	4.37E-09	2.39E-09	1.58E-09	1.04E-09	6.46E-10
1500	1.43E-07	5.16E-C8	2.49E-08	1.21E-08	8.11E-09	4.50E-09	2.63E-09	1.78E-09	1.20E-09	7.66E-10
2000	1.32E-C7	4.83E-C8	2.35E-08	1.16E-08	7.96E-C9	4.50E-C9	2.72E-09	1.87E-09	1.27E-09	8.27E-10
3000	1.17E-C7	4.36E-C8	2.14E-08	1.07E-08	7.60E-C9	4.39E-09	2.76E-09	1.92E-09	1.33E-09	8.79E-10
4000	1.07E-C7	4.03E-08	2.00E-08	9.99E-09	7.27E-09	4.25E-09	2.73E-09	1.92E-09	1.34E-09	8.93E-10
5000	1.00E-07	3.79E-08	1.88E-08	9.46E-09	6.99E-09	4.11E-09	2.69E-09	1.90E-09	1.33E-09	8.93E-10
7000	8.58E-08	3.43E-08	1.71E-08	8.67E-09	6.53E-09	3.88E-09	2.58E-09	1.84E-09	1.30E-09	8.78E-10
10000	7.58E-08	3.07E-08	1.54E-08	7.85E-09	6.02E-09	3.61E-09	2.44E-09	1.75E-09	1.24E-09	8.46E-10
T	S XI	S XII	S XIII	S XIV	S XV	S XVI	CL I	CL II	CL III	CL IV
1.0	0.	0.	0.	0.	0.	0.	7.39E-14	6.59E-19	2.10E-26	1.20E-32
1.5	0.	0.	0.	0.	0.	0.	6.98E-12	2.23E-15	1.52E-20	8.14E-25
2.0	0.	0.	0.	0.	0.	0.	7.10E-11	1.35E-13	1.36E-17	6.96E-21
3.0	0.	0.	0.	0.	0.	0.	7.71E-10	8.61E-12	1.29E-14	6.36E-17
4.0	0.	0.	0.	0.	0.	0.	2.66E-09	7.17E-11	4.21E-13	6.42E-15
5.0	0.	0.	0.	0.	0.	0.	5.76E-09	2.62E-10	3.52E-12	1.06E-13
7.0	0.	0.	0.	0.	0.	0.	1.45E-08	1.20E-09	4.18E-11	2.76E-12
10	9.37E-33	1.09E-35	2.13E-39	0.	0.	0.	3.04E-C8	3.93E-09	2.83E-10	3.39E-11
15	2.55E-25	2.26E-27	7.13E-30	7.76E-32	0.	0.	5.66E-08	1.04E-08	1.32E-09	2.53E-10
20	1.42E-21	3.54E-23	4.28E-25	1.17E-26	0.	0.	7.87E-08	1.73E-08	2.92E-09	7.11E-10
30	8.55E-18	6.08E-19	2.71E-20	1.85E-21	0.	0.	1.11E-07	2.94E-08	6.65E-09	2.06E-09
40	6.94E-16	8.39E-17	7.07E-18	7.63E-19	0.	0.	1.33E-07	3.87E-08	1.02E-08	3.56E-09
50	9.94E-15	1.65E-15	2.03E-16	2.89E-17	0.	0.	1.47E-07	4.58E-08	1.32E-08	4.97E-09
70	2.15E-13	5.17E-14	9.74E-15	1.90E-15	4.73E-32	4.26E-34	1.65E-07	5.54E-08	1.78E-08	7.31E-09
100	2.24E-12	7.10E-13	1.84E-13	4.55E-14	5.61E-26	1.61E-27	1.77E-07	6.36E-08	2.23E-08	9.79E-09
150	1.44E-11	5.66E-12	1.88E-12	5.60E-13	3.15E-21	2.22E-22	1.83E-07	6.97E-08	2.64E-08	1.22E-08
200	3.71E-11	1.63E-11	6.15E-12	2.01E-12	7.73E-19	8.57E-20	1.82E-07	7.21E-08	2.84E-08	1.36E-08
300	9.79E-11	4.83E-11	2.06E-11	7.42E-12	1.99E-16	3.47E-17	1.78E-07	7.3CE-08	3.01E-08	1.49E-08
400	1.61E-10	8.39E-11	3.82E-11	1.45E-11	3.29E-15	7.19E-16	1.71E-07	7.21E-08	3.06E-08	1.54E-08
500	2.17E-10	1.18E-10	5.57E-11	2.17E-11	1.81E-14	4.52E-15	1.66E-07	7.08E-08	3.06E-08	1.56E-08
700	3.08E-10	1.74E-10	8.63E-11	3.49E-11	1.29E-13	3.78E-14	1.56E-07	6.79E-08	3.00E-08	1.56E-08
1000	3.59E-10	2.33E-10	1.21E-10	5.05E-11	5.82E-13	1.92E-13	1.44E-07	6.41E-08	2.89E-08	1.52E-08
1500	4.66E-10	2.92E-10	1.57E-10	6.79E-11	1.92E-12	6.96E-13	1.31E-07	5.92E-08	2.71E-08	1.45E-08
2000	5.33E-10	3.24E-10	1.79E-10	7.92E-11	3.55E-12	1.35E-12	1.21E-07	5.54E-08	2.57E-08	1.38E-08
3000	5.75E-10	3.56E-10	2.03E-10	9.24E-11	6.62E-12	2.64E-12	1.08E-07	5.01E-08	2.35E-08	1.28E-08
4000	5.89E-10	3.68E-10	2.14E-10	9.95E-11	9.09E-12	3.72E-12	9.96E-08	4.64E-08	2.20E-08	1.20E-08
5000	5.93E-10	3.72E-10	2.20E-10	1.04E-10	1.10E-11	4.57E-12	9.30E-08	4.35E-08	2.07E-08	1.14E-08
7000	5.87E-10	3.71E-10	2.24E-10	1.07E-10	1.36E-11	5.78E-12	8.36E-08	3.94E-08	1.89E-08	1.04E-08
10000	5.69E-10	3.63E-10	2.23E-10	1.09E-10	1.60E-11	6.86E-12	7.44E-08	3.54E-08	1.71E-08	9.46E-09
T	CL V	CL VI	CL VII	CL VIII	CL IX	CL X	CL XI	CL XII	CL XIII	CL XIV
1.0	2.85E-39	0.	0.	0.	0.	0.	0.	0.	0.	0.
1.5	2.12E-29	6.37E-28	C.	0.	0.	0.	0.	0.	0.	0.
2.0	1.90E-24	7.68E-31	5.67E-35	0.	0.	0.	0.	0.	0.	0.
3.0	1.04E-19	9.78E-24	1.23E-26	0.	0.	0.	0.	0.	0.	0.
4.0	6.11E-17	3.62E-20	1.88E-22	0.	0.	0.	0.	0.	0.	0.
5.0	2.09E-15	5.13E-18	6.24E-20	0.	0.	0.	0.	0.	0.	0.
7.0	1.28E-13	1.52E-15	4.91E-17	9.95E-32	3.74E-35	7.73E-39	0.	0.	0.	0.
10	3.06E-12	1.13E-13	7.59E-15	3.54E-25	1.24E-27	2.03E-30	1.12E-33	1.12E-36	0.	0.
15	3.91E-11	3.39E-12	4.02E-13	4.68E-20	9.29E-22	1.38E-23	6.61E-26	5.53E-28	3.52E-30	7.85E-33
20	1.45E-10	1.90E-11	3.01E-12	1.77E-17	8.41E-19	3.22E-20	5.38E-22	1.31E-23	2.56E-25	2.42E-27
30	5.61E-10	1.10E-10	2.33E-11	7.11E-15	8.12E-16	8.05E-17	4.71E-18	3.39E-19	2.05E-20	7.85E-22
40	1.12E-09	2.71E-10	6.64E-11	1.48E-13	2.64E-14	4.23E-15	4.60E-16	5.71E-17	6.13E-18	4.64E-19
50	1.72E-09	4.70E-10	1.27E-10	9.41E-13	2.19E-13	4.68E-14	7.37E-15	1.27E-15	1.93E-16	2.18E-17
70	2.81E-09	9.01E-10	2.74E-10	8.03E-12	2.54E-12	7.58E-13	1.81E-13	4.54E-14	1.03E-14	1.83E-15
100	4.10E-09	1.51E-09	5.17E-10	4.16E-11	1.66E-11	6.36E-12	2.07E-12	6.92E-13	2.11E-13	5.29E-14
150	5.50E-C9	2.33E-C9	9.05E-10	1.55E-10	7.43E-11	3.46E-11	1.43E-11	5.98E-12	2.31E-12	7.54E-13
200	6.34E-09	2.96E-09	1.24E-09	3.04E-10	1.60E-10	8.24E-11	3.85E-11	1.80E-11	7.81E-12	2.91E-12
300	7.25E-09	3.80E-09	1.76E-09	6.05E-10	3.51E-10	2.00E-10	1.06E-10	5.54E-11	2.71E-11	1.16E-11
400	7.67E-09	4.32E-09	2.11E-09	8.60E-10	5.25E-10	3.15E-10	1.77E-10	9.84E-11	5.13E-11	2.34E-11
500	7.87E-09	4.67E-09	2.37E-09	1.06E-09	6.70E-10	4.15E-10	2.42E-10	1.40E-10	7.57E-11	3.60E-11
700	8.00E-09	5.07E-09	2.69E-09	1.36E-09	8.86E-10	5.71E-10	3.48E-10	2.09E-10	1.19E-10	5.93E-11
1000	7.93E-09	5.33E-09	2.54E-09	1.62E-09	1.09E-09	7.23E-10	4.57E-10	2.84E-10	1.67E-10	8.69E-11
1500	7.66E-09	5.44E-C9	3.11E-09	1.84E-09	1.27E-09	8.63E-10	5.62E-10	3.60E-10	2.17E-10	1.18E-10
2000	7.37E-09	5.41E-C9	3.15E-09	1.94						

Table 4: (Continued) Chlorine, Argon, Potassium.

T	CL XV	CL XVI	CL XVII	A I	A II	A III	A IV	A V	A VI	A VII
1.0	0.	0.	0.	3.42E-15	1.13E-20	9.80E-27	2.95E-35	0.	0.	0.
1.5	0.	0.	0.	8.17E-13	1.37E-16	9.92E-21	1.57E-26	2.16E-31	1.72E-36	0.
2.0	0.	0.	0.	1.32E-11	1.57E-14	1.04E-17	3.79E-22	6.89E-26	7.90E-30	3.86E-37
3.0	0.	0.	0.	2.27E-10	1.90E-12	1.15E-14	9.68E-18	2.34E-20	3.87E-23	5.24E-28
4.0	0.	0.	0.	9.88E-10	2.19E-11	3.97E-13	1.63E-15	1.44E-17	9.14E-20	2.01E-23
5.0	0.	0.	0.	2.46E-09	9.71E-11	3.42E-12	3.63E-14	7.00E-16	1.01E-17	1.15E-20
7.0	0.	0.	0.	7.26E-09	5.57E-10	4.18E-11	1.33E-12	6.32E-14	2.38E-15	1.70E-17
10	0.	0.	0.	1.73E-08	2.18E-09	2.88E-10	2.08E-11	1.99E-12	1.58E-13	4.23E-15
15	6.62E-35	0.	0.	3.57E-08	6.64E-09	1.37E-09	1.88E-10	3.11E-11	4.52E-12	3.24E-13
20	5.45E-29	0.	0.	5.29E-08	1.19E-08	3.07E-09	5.81E-10	1.28E-10	2.53E-11	2.92E-12
30	4.73E-23	0.	0.	8.03E-08	2.21E-08	7.11E-09	1.85E-09	5.43E-10	1.48E-10	2.72E-11
40	4.58E-20	0.	0.	10.00E-08	3.05E-08	1.10E-08	3.35E-09	1.14E-09	3.67E-10	8.50E-11
50	2.89E-18	0.	0.	1.14E-07	3.72E-08	1.44E-08	4.82E-09	1.80E-09	6.39E-10	1.70E-10
70	3.41E-16	7.47E-35	5.25E-37	1.33E-07	4.67E-08	1.96E-08	7.34E-09	3.06E-09	1.22E-09	3.85E-10
100	1.27E-14	5.70E-28	1.38E-29	1.47E-07	5.53E-08	2.47E-08	1.01E-08	4.59E-09	2.00E-09	7.32E-10
150	2.21E-13	1.36E-22	8.60E-24	1.57E-07	6.22E-08	2.95E-08	1.29E-08	6.29E-09	2.96E-09	1.25E-09
200	9.43E-13	6.90E-20	7.05E-21	1.59E-07	6.53E-08	3.19E-08	1.45E-08	7.35E-09	3.60E-09	1.68E-09
300	4.15E-12	3.67E-17	6.07E-18	1.57E-07	6.71E-08	3.40E-08	1.61E-08	8.50E-09	4.34E-09	2.29E-09
400	8.83E-12	8.75E-16	1.64E-16	1.53E-07	6.69E-08	3.46E-08	1.68E-08	9.06E-09	4.74E-09	2.71E-09
500	1.40E-11	5.97E-15	1.45E-15	1.49E-07	6.60E-08	3.46E-08	1.71E-08	9.35E-09	4.96E-09	3.00E-09
700	2.40E-11	5.49E-14	1.58E-14	1.41E-07	6.38E-08	3.41E-08	1.72E-08	9.55E-09	5.16E-09	3.36E-09
1000	3.64E-11	2.99E-13	9.75E-14	1.32E-07	6.06E-08	3.29E-08	1.68E-08	9.52E-09	5.22E-09	3.63E-09
1500	5.09E-11	1.15E-12	4.14E-13	1.20E-07	5.62E-08	3.09E-08	1.61E-08	9.23E-09	5.14E-09	3.79E-09
2000	6.66E-11	2.29E-12	8.67E-13	1.12E-07	5.28E-08	2.93E-08	1.54E-08	8.91E-09	5.00E-09	3.82E-09
3000	7.23E-11	4.62E-12	1.85E-12	1.00E-07	4.79E-08	2.69E-08	1.43E-08	8.34E-09	4.72E-09	3.77E-09
4000	7.89E-11	6.61E-12	2.71E-12	9.23E-08	4.44E-08	2.51E-08	1.34E-08	7.88E-09	4.49E-09	3.67E-09
5000	8.29E-11	8.21E-12	3.42E-12	8.64E-08	4.18E-08	2.37E-08	1.28E-08	7.51E-09	4.30E-09	3.57E-09
7000	8.69E-11	1.05E-11	4.47E-12	7.78E-08	3.79E-08	2.16E-08	1.17E-08	6.94E-09	3.99E-09	3.39E-09
10000	8.88E-11	1.26E-11	5.44E-12	6.94E-08	3.40E-08	1.95E-08	1.06E-08	6.33E-09	3.66E-09	3.17E-09
T	A VIII	A IX	A X	A XI	A XII	A XIII	A XIV	A XV	A XVI	A XVII
1.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
1.5	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
2.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
3.0	4.98E-31	0.	0.	0.	0.	0.	0.	0.	0.	0.
4.0	8.55E-26	0.	0.	0.	0.	0.	0.	0.	0.	0.
5.0	1.21E-22	0.	0.	0.	0.	0.	0.	0.	0.	0.
7.0	5.00E-19	1.50E-36	0.	0.	0.	0.	0.	0.	0.	0.
10	2.65E-16	1.33E-28	3.21E-31	5.04E-34	1.12E-37	0.	0.	0.	0.	0.
15	3.77E-14	2.15E-22	3.36E-24	3.92E-26	1.27E-28	7.70E-31	3.52E-33	5.52E-36	3.60E-38	0.
20	4.60E-13	2.84E-19	1.13E-20	3.62E-22	4.56E-24	8.77E-26	1.33E-27	9.79E-30	1.82E-31	0.
30	5.82E-12	3.98E-16	4.09E-17	3.62E-18	1.76E-19	1.09E-20	5.60E-22	1.83E-23	9.75E-25	0.
40	2.12E-11	1.56E-14	2.57E-15	3.81E-16	3.64E-17	4.03E-18	3.84E-19	2.60E-20	2.34E-21	0.
50	4.68E-11	1.44E-13	3.17E-14	6.40E-15	9.12E-16	1.44E-16	1.99E-17	2.07E-18	2.56E-19	0.
70	1.19E-10	1.90E-12	5.82E-13	1.67E-13	3.75E-14	8.87E-15	1.88E-15	3.18E-16	5.63E-17	7.91E-38
100	2.53E-10	1.37E-11	5.38E-12	2.02E-12	6.33E-13	2.03E-13	5.95E-14	1.44E-14	3.35E-15	4.39E-30
150	4.88E-10	6.60E-11	3.16E-11	1.46E-11	5.94E-12	2.42E-12	9.13E-13	2.93E-13	8.42E-14	4.92E-24
200	7.07E-10	1.48E-10	7.82E-11	4.03E-11	1.86E-11	8.57E-12	3.67E-12	1.35E-12	4.33E-13	5.40E-21
300	1.07E-09	3.38E-10	1.98E-10	1.13E-10	5.97E-11	3.11E-11	1.52E-11	6.44E-12	2.29E-12	6.23E-18
400	1.34E-09	5.16E-10	3.18E-10	1.93E-10	1.08E-10	6.02E-11	3.13E-11	1.43E-11	5.37E-12	2.19E-16
500	1.54E-09	6.67E-10	4.25E-10	2.66E-10	1.56E-10	8.99E-11	4.87E-11	2.32E-11	9.04E-12	1.88E-15
700	1.81E-09	8.96E-10	5.93E-10	3.87E-10	2.37E-10	1.43E-10	8.14E-11	4.09E-11	1.66E-11	2.27E-14
1000	2.04E-09	1.12E-09	7.61E-10	5.12E-10	3.26E-10	2.04E-10	1.20E-10	6.30E-11	2.64E-11	1.51E-13
1500	2.21E-09	1.31E-09	9.18E-10	6.34E-10	4.16E-10	2.69E-10	1.63E-10	8.88E-11	3.84E-11	6.82E-13
2000	2.77E-09	1.41E-09	1.00E-09	7.01E-10	4.68E-10	3.07E-10	1.89E-10	1.06E-10	4.67E-11	1.47E-12
3000	2.29E-09	1.49E-09	1.07E-09	7.64E-10	5.19E-10	3.46E-10	2.18E-10	1.25E-10	5.71E-11	3.23E-12
4000	2.26E-09	1.51E-09	1.10E-09	7.87E-10	5.41E-10	3.64E-10	2.31E-10	1.36E-10	6.31E-11	4.83E-12
5000	2.22E-09	1.51E-09	1.10E-09	7.95E-10	5.50E-10	3.72E-10	2.38E-10	1.42E-10	6.69E-11	6.15E-12
7000	2.13E-09	1.48E-09	1.09E-09	7.91E-10	5.51E-10	3.76E-10	2.42E-10	1.48E-10	7.10E-11	8.13E-12
10000	2.01E-09	1.42E-09	1.05E-09	7.77E-10	5.41E-10	3.71E-10	2.40E-10	1.50E-10	7.33E-11	9.99E-12
T	A XVIII	K I	K II	K III	K IV	K V	K VI	K VII	K VIII	K IX
1.0	C.	1.55E-C9	1.63E-22	6.40E-29	9.27E-36	0.	0.	0.	0.	0.
1.5	0.	7.54E-C9	7.73E-18	3.33E-22	7.88E-27	1.81E-33	8.11E-39	0.	0.	0.
2.0	0.	1.69E-08	1.75E-15	7.91E-19	2.39E-22	2.01E-27	1.61E-31	7.17E-36	0.	0.
3.0	0.	3.87E-08	4.21E-13	1.98E-15	7.64E-18	2.38E-21	3.41E-24	3.05E-27	1.55E-32	5.51E-36
4.0	0.	5.93E-08	6.80E-12	1.04E-13	1.42E-15	2.71E-18	1.65E-20	6.65E-23	7.26E-27	1.48E-29
5.0	0.	7.74E-C8	3.70E-11	1.14E-12	3.34E-14	1.91E-16	2.78E-18	2.79E-20	1.87E-23	1.09E-25
7.0	0.	1.07E-07	2.68E-10	1.85E-11	1.29E-12	2.61E-14	1.03E-15	3.00E-17	1.54E-19	2.99E-21
10	0.	1.39E-07	1.24E-09	1.58E-10	2.10E-11	1.11E-12	9.45E-14	6.27E-15	1.39E-16	6.63E-18
15	0.	1.75E-07	4.36E-09	8.90E-10	1.94E-10	2.18E-11	3.43E-12	4.44E-13	2.90E-14	2.80E-15
20	0.	1.99E-C7	8.41E-09	2.14E-09	6.11E-10	1.00E-10	2.15E-11	3.94E-12	4.33E-13	5.94E-14
30	0.	2.28E-C7	1.68E-08	5.58E-09	1.98E-09	4.78E-10	1.41E-10	3.68E-11	6.71E-12	1.31E-12
40	0.	2.44E-C7	2.41E-08	9.09E-09	3.64E-09	1.06E-09	3.70E-10	1.16E-10	2.71E-11	6.33E-12
50	0.	2.54E-07	3.02E-08	1.23L-08	5.27E-09	1.74E-09	6.67E-10	2.34E-10	6.33E-11	1.65E-11
70	0.	2.63E-07	3.91E-08	1.75E-08	8.12E-09	3.07E-09	1.33E-09	5.29E-10	1.71E-10	5.08E-11
100	9.93E-32	2.66E-07	4.75E-08	2.28E-08	1.13E-08	4.75E-09	2.25E-09	9.91E-10	3.70E-10	1.23E-10
150	2.8CE-25	2.62E-07	5.47E-08	2.80E-08	1.45E-08	6.68E-09	3.40E-09	1.63E-09	7.02E-10	2.65E-10
200	5.11E-22	2.55E-07	5.81E-C8	3.09E-08	1.64E-08	7.91E-09	4.19E-09	2.1CE-09	9.93E-10	4.07E-10
300	9.81E-19	2.42E-07	6.06E-08	3.35E-08	1.83E-08	9.29E-09	5.14E-09	2.69E-09	1.45E-09	6.59E-10
400	4.44E-17	2.30E-07	6.09E-08	3.44E-08	1.91E-08	9.97E-09	5.65E-09	3.03E-09	1.77E-09	8.59E-10
500	4.46E-16	2.20E-C7	6.04E-C8	3.46E-08	1.95E-08	1.03E-08	5.94E-09	3.24E-09	2.00E-09	1.02E-09
700	6.41E-15	2.05E-C7	5.88E-08	3.43E-C8	1.96E-08	1.06E-08	6.22E-09	3.46E-09	2.31E-09	1.24E-09
1000	4.88E-14	1.88E-C7	5.61E-08	3.33E-08	1.92E-08	1.07E-08	6.33E-09	3.58E-09	2.56E-09	1.44E-09
1500	2.44E-13	1.69E-07	5.23E-08	3.15E-08	1.84E-08	1.04E-08	6.25E-09	3.58E-09	2.74E-09	1.60E-09
2000	5.57E-13	1.56E-07	4.93E-08	3.00E-08	1.77E-08	1.00E-08	6.10E-09			

Table 4: (Continued) Potassium, Calcium.

T	K X	K XI	K XII	K XIII	K XIV	K XV	K XVI	K XVII	K XVIII	K XIX
1.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
1.5	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
2.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
3.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
4.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
5.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
7.0	0.	O.	0.	0.	0.	0.	0.	0.	0.	0.
10	2.86E-32	4.26E-25	4.57E-38	0.	0.	0.	0.	0.	0.	0.
15	6.66E-25	7.83E-27	7.14E-29	1.47E-31	6.93E-34	2.29E-36	2.31E-39	0.	0.	0.
20	3.50E-21	1.11E-22	2.96E-24	2.66E-26	4.25E-28	5.07E-30	2.69E-32	4.36E-34	0.	0.
30	1.90E-17	1.68E-18	1.32E-19	5.20E-21	2.84E-22	1.25E-23	3.32E-25	1.61E-26	0.	0.
40	1.46E-15	2.17E-16	2.95E-17	2.41E-18	2.45E-19	2.08E-20	1.21E-21	1.02E-22	0.	0.
50	2.03E-14	4.11E-15	7.77E-16	9.84E-17	1.45E-17	1.84E-18	1.70E-19	1.99E-20	0.	0.
70	4.27E-13	1.24E-13	3.41E-14	7.07E-15	1.60E-15	3.19E-16	4.98E-17	8.53E-18	0.	0.
100	4.37E-12	1.66E-12	6.10E-13	1.82E-13	5.69E-14	1.60E-14	3.67E-15	8.37E-16	2.62E-32	4.53E-34
150	2.79E-11	1.31E-11	6.01E-12	2.37E-12	9.57E-13	3.52E-13	1.09E-13	3.10E-14	1.50E-25	7.64E-27
200	7.21E-11	3.78E-11	1.93E-11	8.78E-12	4.02E-12	1.69E-12	6.11E-13	1.94E-13	3.74E-22	3.26E-23
300	1.95E-10	1.11E-10	6.39E-11	3.33E-11	1.74E-11	8.41E-12	3.52E-12	1.25E-12	9.78E-19	1.46E-19
400	3.13E-10	1.94E-10	1.18E-10	6.60E-11	3.68E-11	1.91E-11	8.63E-12	3.25E-12	5.17E-17	1.01E-17
500	4.24E-10	2.71E-10	1.71E-10	1.00E-10	5.81E-11	3.14E-11	1.49E-11	5.81E-12	5.70E-16	1.31E-16
700	6.02E-10	4.01E-10	2.64E-10	1.62E-10	9.87E-11	5.61E-11	2.81E-11	1.14E-11	9.11E-15	2.53E-15
1000	7.83E-10	5.39E-10	3.66E-10	2.34E-10	1.48E-10	8.74E-11	4.57E-11	1.92E-11	7.51E-14	2.40E-14
1500	9.54E-10	6.74E-10	4.71E-10	3.11E-10	2.03E-10	1.24E-10	6.73E-11	2.92E-11	4.01E-13	1.43E-13
2000	1.05E-09	7.50E-10	5.31E-10	3.57E-10	2.36E-10	1.47E-10	8.19E-11	3.63E-11	9.43E-13	3.56E-13
3000	1.13E-09	8.23E-10	5.92E-10	4.06E-10	2.73E-10	1.73E-10	9.96E-11	4.54E-11	2.26E-12	9.02E-13
4000	1.16E-09	8.52E-10	6.18E-10	4.28E-10	2.91E-10	1.86E-10	1.09E-10	5.09E-11	3.53E-12	1.45E-12
5000	1.17E-09	8.62E-10	6.29E-10	4.39E-10	3.00E-10	1.93E-10	1.15E-10	5.44E-11	4.63E-12	1.94E-12
7000	1.16E-09	8.66E-10	6.32E-10	4.45E-10	3.06E-10	1.99E-10	1.21E-10	5.84E-11	6.32E-12	2.70E-12
10000	1.12E-09	8.40E-10	6.21E-10	4.40E-10	3.05E-10	1.99E-10	1.24E-10	6.09E-11	7.98E-12	3.47E-12
T	CA I	CA II	CA III	CA IV	CA V	CA VI	CA VII	CA VIII	CA IX	CA X
1.0	2.08E-10	1.31E-13	2.78E-31	1.56E-38	0.	0.	0.	0.	0.	0.
1.5	1.95E-09	8.21E-12	8.75E-24	1.05E-28	6.96E-34	0.	0.	0.	0.	0.
2.0	5.92E-09	6.68E-11	5.11E-20	8.98E-24	1.05E-27	2.27E-33	8.22E-38	0.	0.	0.
3.0	1.51E-08	5.63E-10	3.16E-16	8.10E-19	1.66E-21	2.14E-25	1.85E-28	8.83E-32	1.26E-37	0.
4.0	3.51E-08	1.67E-09	2.58E-14	2.53E-16	2.17E-18	2.19E-21	9.18E-24	2.34E-26	9.98E-31	1.64E-33
5.0	5.11E-08	3.25E-09	3.72E-13	8.16E-15	1.65E-16	5.73E-19	6.24E-21	4.38E-23	1.41E-26	6.97E-29
7.0	7.98E-08	7.10E-09	8.16E-12	4.50E-13	2.42E-14	3.51E-16	1.14E-17	2.62E-19	8.10E-22	1.41E-23
10	1.14E-07	1.32E-08	8.74E-11	9.62E-12	1.08E-12	4.63E-14	3.48E-15	1.98E-16	3.15E-18	1.41E-19
15	1.52E-07	2.27E-08	5.88E-10	1.11E-10	2.21E-11	2.21E-12	3.23E-13	3.85E-14	2.05E-15	1.91E-16
20	1.77E-07	3.07E-08	1.58E-09	3.92E-10	1.04E-10	1.59E-11	3.26E-12	5.69E-13	5.41E-14	7.29E-15
30	2.08E-07	4.32E-08	4.42E-09	1.44E-09	5.07E-10	1.20E-10	3.47E-11	8.90E-12	1.49E-12	2.90E-13
40	2.25E-07	5.21E-08	7.55E-09	2.83E-09	1.15E-09	3.36E-10	1.16E-10	3.63E-11	8.01E-12	1.88E-12
50	2.35E-07	5.88E-08	1.05E-08	4.28E-09	1.89E-09	6.31E-10	2.43E-10	8.58E-11	2.23E-11	5.86E-12
70	2.45E-07	6.77E-08	1.55E-08	6.97E-09	3.38E-09	1.31E-09	5.76E-10	2.33E-10	7.34E-11	2.20E-11
100	2.49E-07	7.51E-08	2.09E-08	1.01E-08	5.28E-09	2.31E-09	1.12E-09	5.03E-10	1.84E-10	6.19E-11
150	2.47E-07	8.05E-08	2.63E-08	1.36E-08	7.5CE-09	3.61E-09	1.89E-09	9.28E-10	3.93E-10	1.48E-10
200	2.42E-07	8.25E-08	2.93E-08	1.57E-08	8.92E-09	4.51E-09	2.46E-09	1.27E-09	5.91E-10	2.41E-10
300	2.30E-07	8.27E-08	3.23E-08	1.80E-08	1.05E-08	5.62E-09	3.21E-09	1.73E-09	9.19E-10	4.17E-10
400	2.19E-07	8.14E-08	3.34E-08	1.91E-08	1.13E-08	6.23E-09	3.64E-09	2.02E-09	1.17E-09	5.66E-10
500	2.10E-07	7.97E-08	3.39E-08	1.96E-08	1.18E-08	6.59E-09	3.91E-09	2.20E-09	1.35E-09	6.88E-10
700	1.96E-07	7.62E-08	3.38E-08	1.99E-08	1.22E-08	6.96E-09	4.21E-09	2.41E-09	1.61E-09	8.68E-10
1000	1.80E-07	7.18E-08	3.30E-08	1.97E-08	1.22E-08	7.12E-09	4.37E-09	2.55E-09	1.84E-09	1.04E-09
1500	1.62E-07	6.61E-08	3.14E-08	1.90E-08	1.19E-08	7.07E-09	4.40E-09	2.60E-09	2.02E-09	1.19E-09
2000	1.5CE-07	6.18E-08	2.99E-08	1.83E-08	1.15E-08	6.92E-09	4.34E-09	2.59E-09	2.09E-09	1.26E-09
3000	1.33E-07	5.58E-08	2.76E-08	1.71E-08	1.09E-08	6.58E-09	4.17E-09	2.51E-09	2.13E-09	1.32E-09
4000	1.22E-07	5.16E-08	2.59E-08	1.61E-08	1.03E-08	6.28E-09	4.00E-09	2.42E-09	2.11E-09	1.33E-09
5000	1.14E-07	4.84E-08	2.45E-08	1.53E-08	9.82E-09	6.02E-09	3.85E-09	2.34E-09	2.08E-09	1.32E-09
7000	1.02E-07	4.39E-08	2.25E-08	1.41E-08	9.10E-09	5.61E-09	3.60E-09	2.20E-09	2.01E-09	1.29E-09
10000	9.03E-08	3.93E-08	2.04E-08	1.28E-08	8.32E-09	5.16E-09	3.33E-09	2.04E-09	1.90E-09	1.24E-09
T	CA XI	CA XII	CA XIII	CA XIV	CA XV	CA XVI	CA XVII	CA XVIII	CA XIX	CA XX
1.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
1.5	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
2.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
3.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
4.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
5.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
7.0	0.	C.	0.	0.	0.	0.	0.	0.	0.	0.
10	3.13E-36	3.19E-39	0.	0.	0.	0.	0.	0.	0.	0.
15	1.41E-27	1.26E-29	7.79E-32	1.16E-34	4.20E-37	0.	0.	0.	0.	0.
20	3.13E-23	8.27E-25	1.65E-26	1.17E-28	1.53E-30	1.36E-32	5.58E-35	7.45E-37	0.	0.
30	7.25E-19	5.79E-20	3.78E-21	1.27E-22	6.10E-24	2.21E-25	5.00E-27	2.14E-28	0.	0.
40	1.18E-16	1.61E-17	1.91E-18	1.40E-19	1.29E-20	9.48E-22	4.92E-23	3.78E-24	0.	0.
50	2.55E-15	4.84E-16	8.23E-17	9.57E-18	1.31E-18	1.48E-19	1.25E-20	1.36E-21	0.	0.
70	8.88E-14	2.47E-14	6.35E-15	1.24E-15	2.68E-16	4.94E-17	7.26E-18	1.18E-18	0.	0.
100	1.33E-12	4.96E-13	1.73E-13	5.00E-14	1.51E-14	4.04E-15	8.94E-16	1.97E-16	1.19E-34	1.74E-36
150	1.15E-11	5.36E-12	2.39E-12	9.25E-13	3.66E-13	1.31E-13	3.96E-14	1.10E-14	3.86E-27	1.75E-28
200	3.46E-11	1.81E-11	5.19E-12	4.08E-12	1.85E-12	7.63E-13	2.71E-13	8.50E-14	2.28E-23	1.82E-24
300	1.07E-10	3.26E-11	3.56E-11	1.86E-11	9.63E-12	4.60E-12	1.92E-12	6.77E-13	1.41E-19	2.00E-20
400	1.91E-10	1.18E-10	7.17E-11	4.02E-11	2.24E-11	1.15E-11	5.20E-12	1.95E-12	1.15E-17	2.17E-18
500	2.71E-10	1.75E-10	1.10E-10	6.45E-11	3.74E-11	2.02E-11	9.56E-12	3.72E-12	1.65E-16	3.68E-17
700	4.08E-10	2.74E-10	1.48E-10	1.12E-10	6.81E-11	3.87E-11	1.94E-11	7.88E-12	3.55E-15	9.65E-16
1000	5.55E-10	3.86E-10	2.63E-10	1.69E-10	1.07E-10	6.36E-11	3.34E-11	1.40E-11	3.67E-14	1.16E-14
1500	7.03E-10	5.02E-10	3.52E-10	2.35E-10	1.54E-10	9.41E-11	5.14E-11	2.23E-11	2.34E-13	8.28E-14
2000	7.87E-10	5.70E-10	4.06E-10	2.76E-10	1.84E-10	1.14E-10	6.40E-11	2.84E-11	6.02E-13	2.26E-13
3000	8.70E-10	6.41E-10	4.64E-10	3.21E-10	2.18E-10	1.38E-10	7.99E-11	3.64E-11	1.58E-12	6.30E-13
4000	9.44E-10	6.71E-10	4.90E-10	3.43E-10	2.35E-10	1.51E-10	8.90E-11	4.13E-11	2.59E-12	1.06E-12
5000	9.17E-10	6.85E-10	5.03E-10	3.54E-10	2.44E-10	1.58E-10	9.46E-11	4.46E-11	3.49E-12	1.46E-12
7000	9.18E-10	6.91E-10	5.11E-10	3.63E-10	2.52E-10	1.64E-				

Fig. 1

Beryllium  
 $\text{Be I} \rightarrow \text{Be II}$




Fig. 2

Beryllium




Fig. 3

Boron

$B\text{I} \rightarrow B\text{II}$




Fig. 4

Boron  
 $B\text{II} \rightarrow B\text{III}$




Fig. 5

Carbon  
 $\text{CI} \rightarrow \text{CII}$




Fig. 6

Carbon  
 $C\text{II} \rightarrow C\text{III}$





Fig. 7

Oxygen  
 $O\text{I} \rightarrow O\text{III}$







Fig. 9

Fluorine

$F\text{II} \rightarrow F\text{III}$






Fig. 10

Magnesium  
 $Mg\text{ I} \rightarrow Mg\text{ II}$




Fig. 11

Magnesium  
 $Mg\text{ II} \rightarrow Mg\text{ III}$




Fig. 12

Aluminum

Al I  $\rightarrow$  Al II




Fig. 13

Aluminum  
 $\text{Al II} \rightarrow \text{Al III}$




Fig. 14

Silicon  
 $\text{Si I} \rightarrow \text{Si II}$




Fig. 15

Silicon  
 $\text{SiII} \rightarrow \text{SiIII}$




Fig. 16

Phosphorus  
 $P\text{I} \rightarrow P\text{II}$




Fig. 17

Phosphorus  
 $P\text{II} \rightarrow P\text{III}$





Fig. 18

Sulphur  
 $\text{SI} \rightarrow \text{SII}$







Fig. 20

Chlorine  
 $\text{Cl I} \rightarrow \text{Cl II}$






Fig. 22

Argon  
 $A\text{II} \rightarrow A\text{III}$




Fig. 23





Fig. 24

Calcium  
 $\text{Ca II} \rightarrow \text{Ca III}$






Fig. 25  
Hydrogen




Fig. 26  
Helium





Fig. 27  
**Lithium**



**Fig. 28**  
**Beryllium**




Fig. 29  
Boron




Fig. 30  
 Carbon




Fig. 31  
Nitrogen





Fig. 32  
Oxygen



**Fig. 33**  
**Fluorine**




Fig. 34

**Neon**




Fig. 35  
Sodium




Fig. 36  
Magnesium




Fig. 37  
Aluminum




Fig. 38  
Silicon




Fig. 39  
**Phosphorus**





Fig. 40  
 Sulfur






Fig. 42  
Argon





Fig. 43  
**Potassium**



**Fig. 44**  
**Calcium**