




Defense Nuclear Agency
Alexandria, VA 22310-3398



2

AD-A246 065

DNA-TR-90-209



Franck-Condon Factors, *R*-Centroids, Electronic Transition Moments, and Einstein Coefficients for Many Nitrogen and Oxygen Band Systems

F. R. Gilmore
R. R. Laher
Logicon R&D Associates
P.O. Box 92500
Los Angeles, CA 90009

P. J. Espy
Utah State University
P.O. Box 109
Logan, UT 84321

February 1992

Technical Report

**DTIC
ELECTE
FEB 18 1992
S B D**

CONTRACT No. DNA 001-88-C-0046

Approved for public release;
distribution is unlimited.

92-03561



92 2 12 040

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY,
ATTN: CSTI, 6801 TELEGRAPH ROAD, ALEXANDRIA, VA
22310-3398, IF YOUR ADDRESS IS INCORRECT, IF YOU
WISH IT DELETED FROM THE DISTRIBUTION LIST, OR
IF THE ADDRESSEE IS NO LONGER EMPLOYED BY YOUR
ORGANIZATION.



DISTRIBUTION LIST UPDATE

This mailer is provided to enable DNA to maintain current distribution lists for reports. We would appreciate your providing the requested information.

- Add the individual listed to your distribution list.
- Delete the cited organization/individual.
- Change of address.

NOTE:
Please return the mailing label from the document so that any additions, changes, corrections or deletions can be made more easily.

NAME: _____

ORGANIZATION: _____

OLD ADDRESS

CURRENT ADDRESS

TELEPHONE NUMBER: () _____

SUBJECT AREA(S) OF INTEREST:

DNA OR OTHER GOVERNMENT CONTRACT NUMBER: _____

CERTIFICATION OF NEED-TO-KNOW BY GOVERNMENT SPONSOR (if other than DNA):

SPONSORING ORGANIZATION: _____

CONTRACTING OFFICER OR REPRESENTATIVE: _____

SIGNATURE: _____

CUT HERE AND RETURN



Director
Defense Nuclear Agency
ATTN: TITL
Washington, DC 20305-1000

Director
Defense Nuclear Agency
ATTN: TITL
Washington, DC 20305-1000

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 920201	3. REPORT TYPE AND DATES COVERED Technical 891201 - 910930	
4. TITLE AND SUBTITLE Franck-Condon Factors, R-Centroids, Electronic Transition Moments, and Einstein Coefficients for Many Nitrogen and Oxygen Band Systems			5. FUNDING NUMBERS C - DNA 001-88-C-0046 PE - 62715H PR - RD TA - RC WU - DH880046	
6. AUTHOR(S) F.R. Gilmore, R.R. Laher (Logicon R&D Associates), and P.J. Espy (Utah State University)				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Logicon R&D Associates P.O. Box 92500 Los Angeles, CA 90009			8. PERFORMING ORGANIZATION REPORT NUMBER Utah State University P.O. Box 109 Logan, UT 84321 RDA-TR-0226129003-002	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Defense Nuclear Agency 6801 Telegraph Road Alexandria, VA 22310-3398 RAAE/Schwartz			10. SPONSORING/MONITORING AGENCY REPORT NUMBER DNA-TR-90-209	
11. SUPPLEMENTARY NOTES This work was sponsored by the Defense Nuclear Agency under RDT&E RMC Code B4662D RD RC 00016 DFPR 1910A 25904D.				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (<i>Maximum 200 words</i>) Air fluorescence models require accurate Franck-Condon factors and Einstein coefficients for analyzing the intensities of N₂, N₂⁺, and O₂⁺ emissions produced by electron bombardment of air, such as in the aurora, high-altitude nuclear explosions, and rocket-borne electron gun experiments. In our previous report, improved vibrational and rotational constants based on the latest available spectroscopic measurements for several excited and ionic states important in air fluorescence modeling were derived. These constants have been used in the present work to calculate band origins, Franck-Condon factors, and r-centroids for many band systems of nitrogen and oxygen. These results, together with electronic transition moments obtained from published papers or derived here from published emission data and measured upper-state lifetimes, have been used to compute Einstein coefficients by the r-centroid method. Einstein coefficients by integration of the product of the electronic transition moment function and vibrational wavefunctions have also been computed for comparison. For band systems involving "perturbed" electronic states, Einstein coefficients have been derived by simply normalizing published emission data to measured upper-state lifetimes. In this report, tables of band origin wavelengths and wavenumbers, Franck-Condon factors, r-cent-				
14. SUBJECT TERMS Franck-Condon Factors Einstein Coefficients Nitrogen Electronic Transition Moments R-Centroids Oxygen			15. NUMBER OF PAGES 130	
			16. PHICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR	

CLASSIFIED BY:

N/A since Unclassified.

DECLASSIFY ON:

N/A since Unclassified.

14. (ABSTRACT (Continued))

troids, electronic transition moments, and Einstein coefficients are presented for 17 N_2 , N_2^+ , and O_2^+ band systems. Plots of most of the electronic transition moment functions used in these calculations are also given. In addition, tables of Franck-Condon factors only are presented for 16 other band systems of nitrogen and oxygen, and tables of band wavelengths and Einstein coefficients are presented for 3 band systems having "perturbed" upper states.

PREFACE

The authors are grateful to J. M. Ajello, D. J. Burns, L. A. Collins, P. C. Cosby, G. K. James, S. R. Langhoff, B. Liu, H. Partridge, and J.-Y. Roncin for helpful discussions and correspondence and for providing reprints used as reference material in this report.



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification _____	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

CONVERSION TABLE

Conversion factors for U.S. customary to metric (SI) units of measurement

(Symbols of SI units given in parentheses in middle column)

To convert from	To	Multiply by
angstrom (Å)	meters (m)	$1.000\ 000 \times 10^{-10}$
atmosphere (normal)	kilo pascal (kPa)	$1.013\ 25 \times 10^2$
bar	kilo pascal (kPa)	$1.000\ 000 \times 10^2$
barn	meters (m ²)	$1.000\ 000 \times 10^{-28}$
British thermal unit (thermochemical)	joule (J)	$1.054\ 350 \times 10^3$
calorie (thermochemical)	joule (J)	4.184 000
cal (thermochemical)/cm ²	mega joule/m ² (MJ/m ²)	$4.184\ 000 \times 10^{-2}$
curie	giga Becquerel (GBq)*	$3.700\ 000 \times 10^1$
degree (angle)	radian (rad)	$1.745\ 329 \times 10^{-2}$
degree Fahrenheit (°F)	degree kelvin (K)	$T_K = (T_F + 459.67)/1.8$
electron volt	joule (J)	$1.602\ 19 \times 10^{-19}$
erg	joule (J)	$1.000\ 000 \times 10^{-7}$
erg/second	watt (W)	$1.000\ 000 \times 10^{-7}$
foot	meter (m)	$3.048\ 000 \times 10^{-1}$
foot-pound-force	joule (J)	1.355 818
gallon (U.S. liquid)	meter ³ (m ³)	$3.785\ 412 \times 10^{-3}$
inch	meter (m)	$2.540\ 000 \times 10^{-2}$
jerk	joule (J)	$1.000\ 000 \times 10^9$
joule/kilogram (J/kg) (radiation dose absorbed)	Gray (Gy)**	1.000 000
kilotons	tera joules	4.183
kip (1000 lbf)	newton (N)	$4.448\ 222 \times 10^3$
kip/inch ² (ksi)	kilo pascal (kPa)	$6.894\ 757 \times 10^3$
ktap	newton-second/m ² (N-s/m ²)	$1.000\ 000 \times 10^2$
micron	meter (m)	$1.000\ 000 \times 10^{-6}$
mil	meter (m)	$2.540\ 000 \times 10^{-5}$
mile (international)	meter (m)	$1.609\ 344 \times 10^3$
ounce	kilogram (kg)	$2.834\ 952 \times 10^{-2}$
pound-force (lbf avoirdupois)	newton (N)	4.448 222
pound-force inch	newton-meter (N-m)	$1.129\ 848 \times 10^{-1}$
pound-force/inch	newton/meter (N/m)	$1.751\ 268 \times 10^2$
pound-force/foot ²	kilo pascal (kPa)	$4.788\ 026 \times 10^{-2}$
pound-force/inch ² (psi)	kilo pascal (kPa)	6.894 757
pound-mass (lbm avoirdupois)	kilogram (kg)	$4.535\ 924 \times 10^{-1}$
pound-mass-foot ² (moment of inertia)	kilogram-meter ² (kg-m ²)	$4.214\ 011 \times 10^{-2}$
pound-mass/foot ³	kilogram/meter ³ (kg/m ³)	$1.601\ 846 \times 10^1$
rad (radiation dose absorbed)	Gray (Gy)**	$1.000\ 000 \times 10^{-2}$
roentgen	coulomb/kilogram (C/kg)	$2.579\ 760 \times 10^{-4}$
shake	second (s)	$1.000\ 000 \times 10^{-8}$
slug	kilogram (kg)	$1.459\ 390 \times 10^1$
torr (mm Hg, 0° C)	kilo pascal (kPa)	$1.333\ 22 \times 10^{-1}$

* The Becquerel (Bq) is the SI unit of radioactivity; 1 Bq = 1 event/s.

** The Gray (Gy) is the SI unit of absorbed radiation.

TABLE OF CONTENTS

Section	Page
PREFACE	iii
CONVERSION TABLE	iv
LIST OF ILLUSTRATIONS	vi
LIST OF TABLES	vii
1 INTRODUCTION	1
2 METHODS OF CALCULATION	4
2.1 RKR Internuclear Potential Energy Functions	4
2.2 Wave Functions, <i>R</i> -centroids, and Franck-Condon Factors	6
2.3 Electronic Transition Moments and Einstein Coefficients	7
2.4 Treatment of Transitions Involving "Perturbed" Electronic States	10
3 RESULTS FOR ELECTRONIC TRANSITION MOMENTS	11
4 BAND-ARRAY RESULTS	14
5 LIST OF REFERENCES	17

LIST OF ILLUSTRATIONS

Figure		Page
1	Electronic transition moment data and fit for the N_2 $B^3\Pi_g-A^3\Sigma_u^+$ band system	21
2	Electronic transition moment data and fit for the N_2 $W^3\Delta_u-B^3\Pi_g$ band system	22
3	Electronic transition moment data and fit for the N_2 $B'^3\Sigma_u^-B^3\Pi_g$ band system	23
4	Electronic transition moment data and fit for the N_2 $a^1\Pi_g-a'^1\Sigma_u^-$ band system	24
5	Electronic transition moment data and fit for the N_2 $w^1\Delta_u-a^1\Pi_g$ band system	25
6	Electronic transition moment data and fit for the N_2 $C^3\Pi_u-B^3\Pi_g$ band system	26
7	Electronic transition moment data and fit for the N_2 $E^3\Sigma_g^+-A^3\Sigma_u^+$ band system	27
8	Electronic transition moment data and fit for the N_2 $D^3\Sigma_u^+-B^3\Pi_g$ band system	28
9	Electronic transition moment data and fit for the N_2^+ $A^2\Pi_u-X^2\Sigma_g^+$ band system	29
10	Electronic transition moment data and fit for the N_2^+ $B^2\Sigma_u^+-X^2\Sigma_g^+$ band system	30
11	Electronic transition moment data and fit for the N_2^+ $C^2\Sigma_u^+-X^2\Sigma_g^+$ band system	31
12	Electronic transition moment data and fit for the O_2^+ $A^2\Pi_u-X^2\Pi_g$ band system	32
13	Electronic transition moment data and fit for the O_2^+ $b^4\Sigma_g^-a^4\Pi_u$ band system	33

LIST OF TABLES

Table		Page
1	Coefficients of analytic fits to the electronic transition moments of N_2 , N_2^+ , and O_2^+ band systems	34
2	Radiative transition parameters for N_2 A $^3\Sigma_u^+ - X$ $^1\Sigma_g^+$	36
3	Radiative transition parameters for N_2 B $^3\Pi_g - A$ $^3\Sigma_u^+$	42
4	Radiative transition parameters for N_2 W $^3\Delta_u - B$ $^3\Pi_g$	48
5	Radiative transition parameters for N_2 B' $^3\Sigma_u^- - B$ $^3\Pi_g$	54
6	Radiative transition parameters for N_2 a $^1\Pi_g - X$ $^1\Sigma_g^+$	60
7	Radiative transition parameters for N_2 a $^1\Pi_g - a'$ $^1\Sigma_u^-$	66
8	Radiative transition parameters for N_2 w $^1\Delta_u - a$ $^1\Pi_g$	72
9	Radiative transition parameters for N_2 C $^3\Pi_u - B$ $^3\Pi_g$	76
10	Radiative transition parameters for N_2 E $^3\Sigma_g^+ - A$ $^3\Sigma_u^+$	78
11	Radiative transition parameters for N_2 E $^3\Sigma_g^+ - B$ $^3\Pi_g$	78
12	Radiative transition parameters for N_2 E $^3\Sigma_g^+ - C$ $^3\Pi_u$	79
13	Radiative transition parameters for N_2 D $^3\Sigma_u^+ - B$ $^3\Pi_g$	79
14	Radiative transition parameters for N_2^+ A $^2\Pi_u - X$ $^2\Sigma_g^+$	80
15	Radiative transition parameters for N_2^+ B $^2\Sigma_u^+ - X$ $^2\Sigma_g^+$	86
16	Radiative transition parameters for N_2^+ C $^2\Sigma_u^+ - X$ $^2\Sigma_g^+$	89
17	Radiative transition parameters for O_2^+ A $^2\Pi_u - X$ $^2\Pi_g$	92
18	Radiative transition parameters for O_2^+ b $^4\Sigma_g^- - a$ $^4\Pi_u$	98
19	Calculated radiative lifetimes (s) of N_2 , N_2^+ , and O_2^+ states as a function of vibrational level	102
20	Franck-Condon factors for N_2 B $^3\Pi_g - X$ $^1\Sigma_g^+$	104

LIST OF TABLES (Continued)

Table		Page
21	Franck-Condon factors for N_2 $W^3\Delta_u-X^1\Sigma_g^+$	105
22	Franck-Condon factors for N_2 $B'^3\Sigma_u^- - X^1\Sigma_g^+$	106
23	Franck-Condon factors for N_2 $a'^1\Sigma_u^- - X^1\Sigma_g^+$	107
24	Franck-Condon factors for N_2 $w^1\Delta_u - X^1\Sigma_g^+$	108
25	Franck-Condon factors for N_2 $C^3\Pi_u - X^1\Sigma_g^+$	109
26	Franck-Condon factors for N_2 $E^3\Sigma_g^+ - X^1\Sigma_g^+$	109
27	Franck-Condon factors for N_2 $D^3\Sigma_u^+ - X^1\Sigma_g^+$	109
28	Franck-Condon factors for $N_2^+ X^2\Sigma_g^+ - N_2 X^1\Sigma_g^+$	110
29	Franck-Condon factors for $N_2^+ A^2\Pi_u - N_2 X^1\Sigma_g^+$	111
30	Franck-Condon factors for $N_2^+ B^2\Sigma_u^+ - N_2 X^1\Sigma_g^+$	112
31	Franck-Condon factors for $N_2^+ C^2\Sigma_u^+ - N_2 X^1\Sigma_g^+$	113
32	Franck-Condon factors for $O_2^+ X^2\Pi_g - O_2 X^3\Sigma_g^-$	114
33	Franck-Condon factors for $O_2^+ a^4\Pi_u - O_2 X^3\Sigma_g^-$	115
34	Franck-Condon factors for $O_2^+ A^2\Pi_u - O_2 X^3\Sigma_g^-$	116
35	Franck-Condon factors for $O_2^+ b^4\Sigma_g^- - O_2 X^3\Sigma_g^-$	117
36	Band origin wavelengths and Einstein coefficients for $N_2 b^1\Pi_u - X^1\Sigma_g^+$	118
37	Band origin wavelengths and Einstein coefficients for $N_2 c'_4^1\Sigma_u^+ - X^1\Sigma_g^+$	119
38	Band head wavelengths and Einstein coefficients for $N_2 c'_4^1\Sigma_u^+ - a^1\Pi_g$	120

SECTION 1

INTRODUCTION

Einstein coefficients (radiative transition probabilities) for molecular nitrogen and oxygen bands are useful for calculating the emission spectra produced by electron bombardment of air, such as occurs, for example, in the aurora (Meier, 1987), high-altitude nuclear explosions (Boquist and Snyder, 1967), and rocket-borne electron gun experiments (O'Neil *et al.*, 1978a; 1978b). Accurate values of these coefficients are required for predicting the intensities of N_2 , N_2^+ , and O_2^+ emissions, which dominate the air fluorescence spectrum. They are also useful for other applications, such as calculating the radiation from high-temperature air (Landshoff and Magee, 1969; Avilova *et al.*, 1969), and analyzing the emissions from gas discharges (Cramarossa *et al.*, 1974) and afterglows (Golde and Thrush, 1973).

It is possible to measure Einstein coefficients in the laboratory; however, because there are so many bands of interest, with wavelengths ranging from extreme ultraviolet to far infrared, it is impractical to measure them all individually. Instead, simplifying theoretical relations can be combined with limited experimental data to calculate Einstein coefficients for the large number of bands required. Such calculations are often based on the r -centroid approximation (e.g., Nicholls and Stewart, 1962). Einstein coefficients of different bands in a given band system are related to the vibrational overlap integrals, or Franck-Condon factors, and to the electronic transition moment, which can be approximated as a function of the expectation value of the internuclear distance, or r -centroid. The latter function can be derived from measured transition probabilities or band strengths of a few of the bands in the system. Franck-Condon factors are also useful for calculating the branching ratios for populating various vibrational levels when an electronic state is excited from the ground state by electron impact. This is based on the close relationship between transition probabilities in electron impact at high energies and radiation absorption for optically-allowed transitions (Lassette, 1965; Lassette *et al.*, 1965).

It is also possible to derive electronic transition moments from quantum-mechanical calculations, without use of band strength measurements. Such calculations are difficult, but have very recently attained an accuracy comparable to that of many band intensity measurements. They usually cover a wider range of internuclear distances than covered by the r -centroid method. Their accuracy can sometimes be

increased by multiplying the calculated transition moment by a constant correction factor based on a measurement of one band intensity or radiative lifetime.

Many Einstein coefficients, Franck-Condon factors, and r -centroids for nitrogen and oxygen band systems have been published previously. In a monograph on the spectrum of molecular oxygen, Krupenie (1972) compiled from various sources and tabulated many of these quantities for several oxygen band systems, including the $A-X$ and $b-a$ band systems of O_2^+ , and several ionization systems of O_2 . In a similar monograph on molecular nitrogen, Lofthus and Krupenie (1977) compiled and presented many of these quantities for several band systems of N_2 and N_2^+ . More recently, Slanger (1986) tabulated Morse-potential Franck-Condon factors for the N_2 c'_4-a band system. James *et al.* (1988) tabulated Morse-potential Franck-Condon factors for the O_2^+ $A-X$ band system and O_2^+ $A-O_2$ X ionization system. Green *et al.* (1988) tabulated RKR Franck-Condon factors and r -centroids for the N_2 $B-A$ band system. Piper *et al.* (1989) tabulated Einstein coefficients for the N_2 $B-A$ band system, which they calculated from their measured electronic transition moment function. Marinelli *et al.* (1988) tabulated Einstein coefficients for the N_2 $a-X$ and $a-a'$ band systems; however, later measurements of the a state lifetime by Marinelli *et al.* (1989) indicated that their $a-X$ Einstein coefficients should be increased by about 35%. Ajello *et al.* (1989) tabulated Morse-potential Franck-Condon factors for the N_2 c'_4-X band system, and RKR Franck-Condon factors for several N_2 $b'-X$ bands. Allen and Lin (1989) listed both RKR and Morse-potential Franck-Condon factors for a few N_2 c'_4-X bands. And finally, Allen *et al.* (1990) tabulated both RKR and Morse-potential Franck-Condon factors for the N_2 $x-a'$, $y-a'$, and $y-w$ band systems.

However, the published literature falls far short of providing complete and accurate sets of radiative parameters for all of the band systems that contribute significantly to air fluorescence. In particular, values of Einstein coefficients and r -centroids are available for fewer than half of the band systems of interest. Moreover, many of the published values are based on older spectroscopic constants or radiative lifetimes that have been superseded by more recent measurements. In a previous report (Laher and Gilmore, 1991), the spectroscopic constants of the pertinent nitrogen and oxygen states were reviewed, and new constants for many of these states were derived. In the present work, these improved values have been employed to calculate new RKR potential curves and, thence, improved Franck-Condon factors and

r-centroids. Also, the available information on electronic transition moments has been examined, the best values determined or newly derived, and these used to calculate Einstein coefficients. The results from calculations employing both *r*-centroid and direct methods of computing Einstein coefficients are presented.

In addition, three band systems with "perturbed" upper electronic states are considered in this report. Einstein coefficients for these transitions cannot be calculated as simply as is possible for transitions involving unperturbed states. In these cases, the most practical alternative to a complex theoretical calculation is to derive Einstein coefficients from measured band intensities and radiative lifetimes. This is the approach that has been taken here.

SECTION 2

METHODS OF CALCULATION

2.1 RKR INTERNUCLEAR POTENTIAL ENERGY FUNCTIONS.

In the Rydberg-Klein-Rees (RKR) method of determining potential energy curves for diatomic molecules (Rydberg, 1931; Klein, 1932; Rees, 1947), the classical turning points are computed from experimental vibrational and rotational spectroscopic term values through the equations:

$$f(v) = \frac{h}{2\pi\sqrt{2\mu}} \int_{-1/2}^v [G(v) - G(v')]^{-1/2} dv', \quad (1)$$

and

$$g(v) = \frac{2\pi\sqrt{2\mu}}{h} \int_{-1/2}^v B_{v'} [G(v) - G(v')]^{-1/2} dv', \quad (2)$$

with the internuclear distances of the inner and outer turning points given by:

$$r_{\text{inner}}, r_{\text{outer}} = (f/g + f^2)^{1/2} \mp f. \quad (3)$$

In the above equations, h is Planck's constant, μ is the reduced mass of the molecule, and $G(v)$ and B_v are mathematical expressions involving tabulated spectroscopic constants which give the experimentally determined vibrational energy and rotational constant at each vibrational quantum number v . In order to maintain high accuracy and remove the singularity that occurs at $v' = v$, the above equations have been integrated using a 16 point Gauss-Jacobi quadrature (Stroud and Secrest, 1966), as detailed by Tellinghuisen (1972).

These integrations yield the turning points at the value of the potential energy function $U(r)$ corresponding to the energy $G(v)$. As a result, $U(r)$ is determined at unequally-spaced values of internuclear distance r . In order to use this potential to calculate wave functions, it is necessary to interpolate it to equally-spaced values of r . In addition, it may be necessary to extrapolate the potential beyond the region derived from experimental data. Frequently, the interpolation is done with a high-order Lagrange polynomial (Zare, 1964), which, although cumbersome and computationally expensive, is stable for interpolation. Functional forms for

the repulsive and attractive potential segments may then be smoothly joined to the experimentally determined curve in order to extrapolate the potential energy into regions where the wave function becomes small. Typically the wave functions derived from the potential are not very sensitive to the choice of extrapolation segments used.

In the present work, an interpolation and extrapolation method based upon a Morse-type function has been used. This method has been found to yield results in excellent agreement with those produced by a seventh-order Lagrange interpolating polynomial, with a reduction in computation time by a factor of 3. The Morse potential function is given by:

$$U(r) = D_e \{1 - \exp[-\beta(r - r_e)]\}^2, \quad (4)$$

where D_e is the dissociation energy, β is a constant, and r_e is the equilibrium internuclear distance. Equation (4) can be inverted to yield an expression for the exponent:

$$L(r) \equiv -\beta(r - r_e) = \ln \left[1 \pm \sqrt{U(r)/D_e} \right], \quad (5)$$

where the upper sign is for $r < r_e$ and the lower for $r > r_e$. Substitution of the RKR values of $U(r)$ in equation (5) yields a set of values for β and, hence, through equation (4), a set of Morse potentials, each of which passes through one of the RKR points and has the correct curve minimum and dissociation limit. If the entire RKR curve agreed with a Morse potential, these calculated Morse potentials would coincide, and $L(r)$ would be a linear function of r . Due to deviations from the Morse potential, the calculated $L(r)$ behavior is not exactly linear, but its variation is gradual enough that linear interpolation between successive RKR values provides excellent accuracy. Similarly, linear extrapolation of $L(r)$ provides reasonable extensions of the RKR potential to somewhat larger and smaller internuclear separations.

For the calculations presented in this report, the molecular constants tabulated by Laher and Gilmore (1991) were used to compute r_e , T_e , $G(v)$, and B_v . The dissociation energy, D_e , for each state was determined by subtracting T_e from the energy of the dissociation limit. For most of the states of N_2 and N_2^+ , and all of the states of O_2^+ , this limit energy was calculated by adding the T_0 and D^0 values listed by Lofthus and Krupenie (1977) and Krupenie (1972), respectively.

However, for two of the higher states of N_2 and one of N_2^+ the listed D^0 values correspond to the onset of predissociation due to the "avoided crossing" of another potential curve (see Herzberg, 1950, p. 296). In employing equation (5) to calculate a potential curve below the avoided crossing, it is better to use a D_e value based on the noninteracting "diabatic" curve that goes to a higher dissociation limit. The molecular orbital configurations of these three states (Lofthus and Krupenie, 1977) suggest that the appropriate limits and energies (in cm^{-1}) are: $N_2 C^3\Pi_u$, $^4S^0 + 2s2p^4\ ^4P$, 166850; $N_2 E^3\Sigma_g^+$, $^4S^0 + 3s\ ^4P$, 162054; $N_2^+ C^2\Sigma_u^+$, $^4S^0 + 2p^3\ ^5S^0$, 242725. Similarly, for the $N_2 D^3\Sigma_u^+$ state, whose dissociation energy is not listed by Lofthus and Krupenie, the appropriate limit is $^4S^0 + 3s\ ^4P$, 162054.

2.2 WAVE FUNCTIONS, R -CENTROIDS, AND FRANCK-CONDON FACTORS.

The RKR potential energy derived above was used in the radial Schrödinger equation to solve for the rotationless vibrational wavefunctions, $\psi(r)$, where r is the internuclear distance. The numerical method of solution of the radial Schrödinger equation has been described by Cooley (1961); it employs the Numerov (1933) method of integration. Cooley's procedure also uses an improved formula for the correction of trial eigenvalues, based upon the second-order iteration-variation method of Löwdin (1958). Since the accuracy of this predictor-corrector formula does not depend critically upon a small step size being used in the radial coordinate, relatively few potential energy steps (1024) were used in the integration. A brief description of the Cooley method as well as an assessment of its accuracy and numerical stability may be found in the work of Cashion (1963). Using the computed vibrational wavefunctions, the Franck-Condon factors, $q_{v'v''}$, and r -centroids, $\bar{r}_{v'v''}$, were then calculated from their defining integrals (Fraser, 1954; Nicholls and Stewart, 1962):

$$q_{v'v''} = \left[\int \psi_{v'}^* \psi_{v''} dr \right]^2, \quad (6)$$

$$\bar{r}_{v'v''} = \int \psi_{v'}^* r \psi_{v''} dr / \int \psi_{v'}^* \psi_{v''} dr, \quad (7)$$

by Simpson's rule integration, where the primes and double primes denote upper and lower states, respectively. Equation (7) shows that $\bar{r}_{v'v''}$ is a weighted mean of the internuclear distance for the ($v'-v''$) band, with the weighting function $\psi_{v'}^* \psi_{v''}$. However, unlike conventional weighting functions, $\psi_{v'}^* \psi_{v''}$ can change sign over the

integration range. Consequently, the denominator of equation (7) can become very small even when the numerator is not so small, so that the r -centroid can become very large, lying beyond the range of r where the wavefunctions are appreciable. For similar reasons, the r -centroid can also go negative. However, such large or negative values occur only when the denominator is quite small. In such a situation, the Franck-Condon factor, which equals the square of the denominator, is very small, and the band is correspondingly very weak and usually of little practical importance. Moreover, in such cases, the Franck-Condon factor and intensity often vary significantly with rotational quantum number, a variation which is conventionally neglected.

2.3 ELECTRONIC TRANSITION MOMENTS AND EINSTEIN COEFFICIENTS.

A diatomic electronic-vibrational transition may be expressed as

$${}^{2S'+1}\Lambda'(v') \longrightarrow {}^{2S''+1}\Lambda''(v''), \quad (8)$$

where S is the spin quantum number, and Λ is the electronic angular momentum quantum number (Λ values of 0, 1, 2, ... are indicated by the state symbols Σ , Π , Δ , ...).

In accordance with the definition established by Schadee (1978) and Whiting *et al.* (1980) for the electronic transition moment, the Einstein coefficient, $A_{v'v''}$ (in s^{-1}), for a transition in which $S' = S''$ is related to the electronic transition moment, $R_e(r)$ (in electric dipole moment atomic units), by

$$A_{v'v''} = (2.026 \times 10^{-6}) \frac{(2 - \delta_{0,\Lambda'+\Lambda''})}{(2 - \delta_{0,\Lambda'})} \nu_{v'v''}^3 \left[\int \psi_{v'}^* R_e(r) \psi_{v''} dr \right]^2, \quad (9)$$

where $\nu_{v'v''}$ is the band origin wavenumber (in cm^{-1}) and $\delta_{0,\Lambda}$ is the Kronecker delta, which equals 1 if $\Lambda = 0$ and equals 0 otherwise. For an electronic transition involving a change in spin, the corresponding relation is often more complicated, involving several independent transition moments (Whiting *et al.*, 1973). However, only one such spin-forbidden transition has been observed in air fluorescence, the N_2 $A^3\Sigma_u^+ - X^1\Sigma_g^+$ Vegard-Kaplan band system. For this system the relation is simple; the fraction involving the Kronecker delta in equation (9) is just replaced by 2/3.

If the transition moment function, $R_e(r)$, for a band system is known from quantum-mechanical calculations, the Einstein coefficients for the bands can be calculated from equation (9). If, however, only experimental band strengths for some of the bands are known, equation (9) must first be inverted to solve for R_e in terms of the band strengths. The derived $R_e(r)$ can then be used to calculate the strengths or lifetimes of the other bands. The simplest method of performing this inversion is the r -centroid method (Fraser, 1954; Nicholls and Stewart, 1962). This method can be derived from a power series expansion of $R_e(r)$:

$$R_e(r) = a + br + cr^2 + \dots \quad (10)$$

The integral in equation (9) can then be written

$$\begin{aligned} \int \psi_{v'}^* R_e(r) \psi_{v''} dr &= a \int \psi_{v'}^* \psi_{v''} dr + b \int \psi_{v'}^* r \psi_{v''} dr + c \int \psi_{v'}^* r^2 \psi_{v''} dr + \dots \\ &= q_{v'v''}^{1/2} \left[a + b\bar{r}_{v'v''} + c\bar{r}_{v'v''}^2 Y_{v'v''}^{(2)} + \dots \right], \end{aligned} \quad (11)$$

where

$$Y_{v'v''}^{(2)} = \frac{\int \psi_{v'}^* r^2 \psi_{v''} dr / \int \psi_{v'}^* \psi_{v''} dr}{\bar{r}_{v'v''}^2} = \frac{\overline{r_{v'v''}^2}}{\bar{r}_{v'v''}^2}. \quad (12)$$

For many band systems $R_e(r)$ can be well approximated by either a constant or a linear function of r , at least over the range of r important for the stronger bands. In this case the cr^2 term and higher terms in equation (10) can be dropped, and equation (11) becomes simply

$$\int \psi_{v'}^* R_e(r) \psi_{v''} dr = q_{v'v''}^{1/2} R_e(\bar{r}_{v'v''}). \quad (13)$$

This is the r -centroid approximation.

Even when $R_e(r)$ is significantly nonlinear, equation (13) is a good approximation if the quantity $Y_{v'v''}^{(2)}$ in equations (11) and (12), and similar higher-order quantities, $Y_{v'v''}^{(3)} = \overline{r^3}/\bar{r}^3$, etc., are near unity. McCallum *et al.* (1972) have presented extensive tables of $Y_{v'v''}^{(2)}$ and $Y_{v'v''}^{(3)}$ for a number of N_2 band systems. For all except a small fraction of the bands, these quantities are within 10 percent of unity. Those bands having greater deviations from unity all have Franck-Condon factors less than 0.03, so they are relatively weak. However, there is a general tendency for the $Y_{v'v''}^{(3)}$ values to deviate more from unity than the $Y_{v'v''}^{(2)}$ values, so if still higher-order terms in the

power series representation of $R_e(r)$ are important the r -centroid approximation is likely to be less accurate.

A more direct method of determining the typical accuracy of the r -centroid approximation is to calculate both sides of equation (13) independently, for a number of bands and band systems, and compare the results. A small calculation of this type was made by Fraser (1954) for the N_2 B - A band system, assuming three different exponential-power-law variations in $R_e(r)$. However, he treated only $v' = 0$, $v'' = 0-2$, where the Franck-Condon factors are all greater than 0.16, so it is not surprising that he found that equation (13) was an excellent approximation.

In the course of the present work, we computed both sides of equation (13) for 15 band systems of N_2 and N_2^+ and 2 band systems of O_2^+ , many with $v', v'' = 0-21$. Our results show that the r -centroid approximation is generally accurate for the stronger bands in a band system, which are usually the bands whose intensities can be most accurately measured experimentally. This justifies the standard r -centroid method of deducing $R_e(r)$ from band intensity measurements [e.g., Hartmann and Johnson (1978); Piper *et al.* (1989)]. Briefly, $R_e(r)$ is replaced by $R_e(\bar{r}_{v',v''})$ and equation (9) is rearranged to give

$$R_e(\bar{r}_{v',v''}) = \left[\frac{\text{const.} \times A_{v',v''}}{\nu_{v',v''}^3 q_{v',v''}} \right]^{1/2}, \quad (14)$$

where the constant can be obtained from equation (9). Sometimes, absolute values of the Einstein coefficients, $A_{v',v''}$, can be obtained from band absorption measurements, utilizing the well-known relationship between absorption and emission coefficients, or from emission measurements, if the population of the emitting level can be determined by other means. More often, emission measurements give only relative values of $A_{v',v''}$ and, hence, of $R_e(\bar{r}_{v',v''})$. These relative values are placed on an absolute scale by a measurement of the radiative lifetime of one of the emitting levels. The resulting values then determine the function $R_e(\bar{r})$ with an accuracy that is usually limited only by the accuracy of the band intensity measurements and the number and range of the $\bar{r}_{v',v''}$ values covered, rather than by the accuracy of the r -centroid approximation. In the present work, this method of deriving transition moments has been utilized for a few band systems for which published results are either unavailable or have been superseded by better intensity measurements.

2.4 TREATMENT OF TRANSITIONS INVOLVING "PERTURBED" ELECTRONIC STATES.

Significant fluorescent radiation is known to be emitted by some high-lying states of N_2 that have irregularly-spaced vibrational levels due to strong perturbations by nearby states of the same type (Herzberg, 1950). Typical effects of such perturbations on the vibrational and rotational levels of several high N_2 states are illustrated in a paper by Carroll *et al.* (1970). These perturbations also cause irregularities in the intensities of the various bands, as shown, for example, by the recent extensive measurements of Ajello *et al.* (1989) on the N_2 c'_4-X and $b'-X$ bands.

When two or more nearby electronic states of the same type interact strongly, it is possible to treat the resulting vibrational and rotational levels as mixtures of two or more "deperturbed" or "adiabatic" electronic states. This has been done by Stahel *et al.* (1983) for three $^1\Sigma_u^+$ and three $^1\Pi_u$ states of N_2 lying in the 12–14 eV region. In such situations, the proportions of the mixture vary with the vibrational level, so the conventional Born-Oppenheimer separation of electronic and nuclear motion is no longer valid. Consequently, the concept of an electronic transition moment as a function of internuclear distance is no longer applicable. It is still possible, in principle, to calculate the intensities of the bands in a band system using a coupled-state approach, as used by Stahel *et al.* However, the computations become quite complex even when just two or three coupled states are involved. The perturbed N_2 states of present interest lie in an energy region where, as one goes to higher vibrational levels, more and more coupled states must be included in the calculation.

In the present situation, the most practical method for deriving the Einstein coefficients of bands involving perturbed states is to use measured relative emission intensities, normalized by radiative lifetime measurements or absolute absorption measurements. This method has been applied here to the N_2 $b-X$, c'_4-X , and c'_4-a band systems. It should be noted, however, that the strength of a perturbation can change with the rotational level in a given vibrational level. Hence, the Einstein coefficients of the individual rotational lines in a perturbed band may differ. Consequently, the mean Einstein coefficient for a perturbed band may vary with temperature, since changing the temperature changes the relative contributions of the different rotational lines in a band.

SECTION 3

RESULTS FOR ELECTRONIC TRANSITION MOMENTS

Electronic transition moment functions for many of the N_2 , N_2^+ , and O_2^+ band systems considered in this report have been published or may be derived from published data using the method described in Section 2.3. Some of these band systems have been studied extensively, while for others little information is available. In the present work, an effort has been made to identify the most accurate electronic transition moments from the choices available; usually this involved selecting the most recent work. The recent advances in the quantum-mechanical calculation of diatomic dipole moments are demonstrated by the selection of such theoretical values as the best available values for eleven of the band systems treated, while values derived by the r -centroid method were selected for only four systems.

The best available $R_e(r)$ data for most of the band systems treated are plotted in Figures 1 through 13. Some of these figures also include, for comparison, other data not used in the subsequent calculations because they are known to be or appear to be less accurate than the data used. No figures are presented for two band systems for which similar figures in the original references are adequate, or for two band systems where no information on the variation of R_e with r is available.

As a convenience in making subsequent calculations of Einstein coefficients, we have derived mathematical fits to the preferred transition moments, of the form

$$R_e(r) = a + br + cr^2 + d \exp[-f(r - g)^2], \quad (15)$$

where a, \dots, g are constant coefficients, $R_e(r)$ is in electric dipole moment atomic units, and r is in Å. These units are consistent with equation (9) for computing Einstein coefficients in units of s^{-1} . Our fits are indicated and plotted in Figures 1-13, and their coefficients are also listed in Table 1. The dipole moment functions for over half of the band systems treated could be satisfactorily fit with just a Gaussian term, i.e., the last term in equation (15). This expression has the advantage that it remains bounded everywhere and approaches zero for large values of r , which is known theoretically to be the correct behavior for most of the transitions considered. The dipole moment functions of the remaining band systems were fit with constant, linear, or quadratic expressions, corresponding to the first three terms on the right-hand side of equation (15), except for the $O_2^+ A-X$ system, where a constant plus

a Gaussian term was found necessary to obtain a good fit. Generally, in the ranges of r of practical interest, all of the fits appear to be essentially as accurate as the basic data that they fit.

Figures 1–13 and Table 1 are generally self-explanatory, except for one N_2^+ and two O_2^+ band systems. For the N_2^+ $A-X$ band system, Figure 9 shows two fairly recent quantum-mechanical results, and one semi-empirical curve deduced by Gattinger and Vallance Jones (1981) from measured relative band intensities, using the r -centroid method. The two theoretical $R_e(r)$ functions have similar shapes and agree within 10 percent. Probably the more recent one, from Langhoff *et al.* (1987), is more accurate. The semi-empirical curve was derived only over a limited range of r , and has a different shape, which gives unreasonable values of $R_e(r)$ if extrapolated very far. Gattinger and Vallance Jones' Figure 4 shows that this curve fits their data points quite well. However, when their data are corrected for the improved Franck-Condon factors calculated in the present work, and additional points are added from their tables and references, the data become more scattered, and do not fit their curve as well as they do the theoretical curves.

For the O_2^+ $A-X$ and $b-a$ band systems, the recent quantum-mechanical results of Blomberg and Liu (1988) for both systems, and of Langhoff *et al.* (1989) for the latter system, appear to be quite accurate. This conclusion is supported by the excellent agreement between the two calculations for the $b-a$ system, as shown in Figure 13. Blomberg and Liu's results for the $A-X$ system also agree reasonably well with the results of the somewhat more-approximate calculations of Wetmore *et al.* (1984) (see Figure 12). Accordingly, the most recent theoretical results have been fit as shown in Figures 12–13 and Table 1, for use in our subsequent calculations.

A semi-empirical $A-X$ curve deduced by Erman and Larsson (1977) from their measured lifetimes for $A(v = 0-7)$ is also included in Figure 12. This curve differs significantly from the two theoretical curves, particularly at large internuclear separations, where the theoretical curves approach a linear variation, as expected theoretically for this transition. Moreover, using Erman and Larsson's curve, we calculated A -state lifetimes about 20 percent shorter than they measured. Erman and Larsson also presented a transition moment curve for the $b-a$ system, based on their measured lifetimes for $b(v = 0-7)$. This curve has not been included in our Figure 13 because later measurements by Moseley *et al.* (1979) show that the

higher levels, $b(v > 3)$, have very short lifetimes due to predissociation, and all emissions observed by Erman and Larsson originated from $b(v = 0-3)$. This correction, combined with Erman and Larsson's listing of b -state lifetimes that increase by 22 percent from $v = 3$ to " $v = 7$," also indicates that their accuracy estimate of about ± 7 percent is overly optimistic.

In addition, we made an attempt to apply the r -centroid method to the recent relative intensity measurements on the $O_2^+ A-X$ bands by Schappe *et al.* (1988). However, the relative $R_e(r)$ values derived from their published intensities were widely scattered. Further study suggested that they probably had a bigger problem with overlapping bands than they assumed. For example, the (0-6) and (4-8) bands are nearly coincident, and so are the (0-7) and (6-10) bands, but Schappe *et al.* attributed the measured intensities entirely to the first band of each pair.

SECTION 4

BAND-ARRAY RESULTS

In this section, tables of calculated radiative transition parameters are presented for the 38 band systems considered in this report. Tables 2 through 18 give a complete set of radiative transition parameters for 17 N_2 , N_2^+ , and O_2^+ band systems that are important in emission. With the exception of Tables 6, 11, and 12, these tables include seven quantities for each $v'-v''$ band; they are (as ordered in the tables):

1. Band origin wavelength, $\lambda_{v'v''}$ (μm);
2. Band origin wavenumber, $\nu_{v'v''}$ (cm^{-1});
3. Franck-Condon factor, $q_{v'v''}$;
4. R -centroid, $\bar{r}_{v'v''}$ (\AA);
5. Electronic transition moment, $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units);
6. Einstein coefficient, $A_{v'v''}$ (s^{-1}), calculated by the r -centroid method;
7. Einstein coefficient, $A_{v'v''}$ (s^{-1}), calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

The last two items are Einstein coefficients calculated by the r -centroid approximation and by direct integration. Since the latter is the more accurate of the two values, it is placed at the end of the list so that it can be read from the tables more easily.

In Tables 6, 11, and 12, item #6 has been omitted. This is because these three band systems have constant $R_e(r)$ functions, and, as shown in Section 2, the r -centroid approximation is exact for $R_e(r)$ functions that are constant or vary linearly with internuclear distance. Thus, the two different methods of calculating Einstein coefficients yield the same result for these cases, as we have verified numerically for many bands in these three systems, as well as for a test case involving a linear variation.

For more than half of the band systems in Tables 2-18, radiative transition parameters are presented for $v', v'' = 0-21$. The exceptions include the band systems that involve the $N_2 w^1\Delta_u$, $C^3\Pi_u$, $E^3\Sigma_g^+$, and $D^3\Sigma_u^+$ states, for which the available spectroscopic data are insufficient to permit reliable extrapolation to $v = 21$ (see Laher and Gilmore, 1991). In addition, results for the $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$ system are limited to $v' = 0-10$, since the unusual behavior of the energy levels and potential curve of the B state prevent an adequate fit by the usual spectroscopic power series beyond $v = 8$ or 10 (Laher and Gilmore, 1991). It would be possible to extend the present $B-X$ calculations to higher vibrational levels by using a numerical RKR method, but since these levels are not significant in air fluorescence, this was not done.

For some of the bands in Tables 2-18, the wavelengths, wavenumbers, and Einstein coefficients have negative signs in front of their numerical values. This is to indicate that the transition is reversed. The $N_2 B-A$ (0-8) band at $8.85 \mu\text{m}$ in Table 3 is an example. Since the A ($v'' = 8$) state is higher in energy than the B ($v' = 0$) state, the transition proceeds from the A state to the B state. Such cases are known as reverse bands.

The calculated strengths of bands with small Franck-Condon factors are often less accurate than those with larger Franck-Condon factors. Accordingly, in Tables 2-18, the Einstein coefficients calculated by direct integration are marked with asterisks if the corresponding Franck-Condon factors are less than 0.01. There are two situations in which small Franck-Condon factors arise. The first is when the wavefunctions of the upper and lower states overlap very little; in this case, the calculated band strength is usually quite accurate. The second is when the wavefunctions do overlap but, because of a near cancellation between similar contributions of positive and negative values of $\psi_v^* \psi_{v''}$, the resulting overlap integral is small. In this case, the overlap integral is sensitive to small variations in the potential energy curves, especially for high vibrational levels, and the resulting Franck-Condon factor may not be very accurate.

It is also interesting to note for which bands in the tables the Einstein coefficients calculated by the two methods disagree significantly. Accordingly, when the two values differ by more than 10%, the r -centroid value in the tables has been

enclosed in parentheses. Such disagreement tends to occur when $R_e(r)$ is significantly nonlinear and the Franck-Condon factor is small.

The radiative lifetimes of 14 N_2 , N_2^+ , and O_2^+ states have also been calculated and are presented in Table 19 as a function of vibrational level. These quantities were obtained by taking the inverse of the sum of the Einstein coefficients (calculated by direct integration) for transitions from a given upper level to all possible lower levels, which may include more than one electronic state. For example, the radiative lifetime for a given v' of the N_2 A state was found by summing over v'' all $A_{v',v''}$ values for the $A-X$ and $B-A$ -reverse band systems. The calculated lifetimes are generally in good agreement with the best available measurements, which can be verified by consulting the references given in Table 1. It should be noted, however, that radiative lifetimes for most of the levels listed in Table 19 have never been measured.

Tables 20 through 35 present tables of Franck-Condon factors for transitions between the upper states covered in the previous tables and the ground state, except for the N_2 $A-X$ and $a-X$ band systems, where Franck-Condon factors have already been presented in Tables 2 and 6. Eight of these tables cover N_2 band systems for which insufficient information is available to calculate accurate Einstein coefficients, generally because they are very weak ("forbidden") transitions. In addition, eight nitrogen and oxygen ionization systems are included for application to photoionization and electron-impact ionization problems. The Franck-Condon factors presented in these tables are generally more accurate than those in previously published work because the RKR potential energy curves used in the present calculations are based on spectroscopic constants that are valid to higher vibrational levels.

Tables 36 through 38 cover three N_2 band systems with perturbed upper states. As discussed in Section 2.4, perturbations involve mixing between electronic states, so the relations derived earlier for Franck-Condon factors, Einstein coefficients, etc., are no longer applicable. Consequently, Tables 36-38 simply list band origin or band head wavelengths derived from spectroscopic measurements, and Einstein coefficients derived from measurements of absolute absorption band intensities, relative emission band intensities and upper-state lifetimes. The sources and limitations of the basic data are indicated on the tables.

SECTION 5

LIST OF REFERENCES

- Ajello, J. M., G. K. James, B. O. Franklin, and D. E. Shemansky (1989), *Phys. Rev. A* **40**, 3524.
- Allen, J. S. and C. C. Lin (1989), *Phys. Rev. A* **39**, 383.
- Allen, J. S., S. Chung, and C. C. Lin (1990), *Phys. Rev. A* **41**, 1324.
- Avilova, I. V., L. H. Biberman, V. S. Vorobev, V. M. Zamalin, G. A. Kobzev, A. N. Lagarkov, A. Kh. Mnatsakanian, and G. E. Norman (1969), *J. Quant. Spectrosc. Radiat. Transfer* **9**, 89.
- Blomberg, M. R. A. and B. Liu, Transition probabilities of oxygen molecular cation, *Research Report RJ 6080 (60213)*, IBM Research Division, San Jose, CA, February 9, 1988.
- Boquist, W. P. and J. W. Snyder, Conjugate auroral measurements from the 1962 U.S. high altitude nuclear test series, *Aurora and Airglow*, B. M. McCormac, ed., Reinhold, New York, 1967.
- Borst, W. L. and E. C. Zipf (1971), *Phys. Rev. A* **3**, 979.
- Carroll, P. K. and C. P. Collins (1969), *Can. J. Phys.* **47**, 563.
- Carroll, P. K., C. P. Collins, and K. Yoshino (1970), *J. Phys. B* **3**, L127.
- Cashion, J. K. (1963), *J. Chem. Phys.* **39**, 1872.
- Collins, L. A., D. C. Cartwright, and W. R. Wadt (1980), *J. Phys. B* **13**, L613.
- Cooley, J. W. (1961), *Mathematical Computations* **15**, 363.
- Cramarossa, F., G. Ferraro, and E. Molinari (1974), *J. Quant. Spectrosc. Radiat. Transfer* **14**, 419.
- Dahl, F. and J. Oddershede (1986), *Physica Scripta* **33**, 135.
- Erman, P. and M. Larsson (1977), *Physica Scripta* **15**, 335.
- Filippelli, A. R., S. Chung, and C. C. Lin (1984), *Phys. Rev. A* **29**, 1709.
- Fraser, P. A. (1954), *Can. J. Phys.* **32**, 515.
- Freund, R. S. (1969), *J. Chem. Phys.* **50**, 3734.
- Gattinger, R. L. and A. Vallance Jones (1981), *Can. J. Phys.* **59**, 480.
- Golde, M. F. and B. A. Thrush (1973), *Rep. Prog. Phys.* **36**, 1285.

- Green, B. D., B. L. Upschulte, W. J. Marinelli, L. G. Piper, K. L. Holtzclaw, J. C. Person, M. E. Fraser, W. J. Kessler, H. C. Murphy, A. T. Lintz, *AFGL-TR-88-0186*, Physical Sciences, Inc., Andover, MA, 1988.
- Hartmann, G. and P. C. Johnson (1978), *J. Phys. B* **11**, 1597.
- Herzberg, G., *Molecular Spectra and Molecular Structure, I. Spectra of Diatomic Molecules*, Van Nostrand Reinhold, New York, 1950.
- James, G. K., J. M. Ajello, D. E. Shemansky, B. Franklin, D. Siskind, and T. G. Slanger (1988), *J. Geophys. Res.* **93**, 9893.
- James, G. K., J. M. Ajello, B. Franklin, and D. E. Shemansky (1990), *J. Phys. B* **23**, 2055.
- Klein, O. (1932), *Z. Phys.* **76**, 226.
- Krupenie, P. H. (1972), *J. Phys. Chem. Ref. Data* **1**, 423.
- Kurzweg, L., G. T. Egbert, and D. J. Burns (1973), *J. Chem. Phys.* **59**, 2641.
- Laher, R. R. and F. R. Gilmore (1991), *J. Phys. Chem. Ref. Data* **20**, 685.
- Landshoff, R. K. M. and J. L. Magee, eds., *Thermal Radiation Phenomena, vol. 1, Radiation Properties of Air*, IFI/Plenum, New York, 1969.
- Langhoff, S. R. and C. W. Bauschlicher, Jr. (1988), *J. Chem. Phys.* **88**, 329.
- Langhoff, S. R., C. W. Bauschlicher, Jr., and H. Partridge (1987), *J. Chem. Phys.* **87**, 4716.
- Langhoff, S. R., H. Partridge, and C. W. Bauschlicher, Jr. (1989), *J. Mol. Spectrosc.* **138**, 123.
- Lassettre, E. N. (1965), *J. Chem. Phys.* **43**, 4479.
- Lassettre, E. N., V. D. Meyer, and M. S. Longmire (1965), *J. Chem. Phys.* **42**, 807.
- Lofthus, A. and P. H. Krupenie (1977), *J. Phys. Chem. Ref. Data* **6**, 113.
- Löwdin, P. O., *Technical Note No. 11*, Quantum Chemistry group, Uppsala University, Uppsala, Sweden, 1958.
- Marinelli, W. J., B. D. Green, M. A. DeFaccio, and W. A. M. Blumberg (1988), *J. Phys. Chem.* **92**, 3429.
- Marinelli, W. J., W. J. Kessler, and B. D. Green, and W. A. M. Blumberg (1989), *J. Chem. Phys.* **91**, 701.
- McCallum, J. C., W. R. Jarman, and R. W. Nicholls, *Spectroscopic Report No. 3*, Centre for Research in Experimental Space Science, York University, March 1972.
- Meier, R. R. (1987), *Rev. Geophys.* **25**, 471.
- Moseley, J. T., P. C. Cosby, J.-B. Ozenne, and J. Durup (1979), *J. Chem. Phys.* **70**, 1474.

- Nicholls, R. W. and A. L. Stewart, *Atomic and Molecular Processes*, D. R. Bates, ed., Academic Press, New York, 1962.
- Numerov, B. (1933), *Publs. observatoire central astrophys. Russ.* **2**, 188.
- Oertel, H., M. Kratzat, J. Imschweiler, and T. Noll (1981), *Chem. Phys. Lett.* **82**, 552.
- O'Neil, R. R., F. Bien, D. Burt, J. A. Sandock, and A. T. Stair, Jr. (1978a), *J. Geophys. Res.* **83**, 3273.
- O'Neil, R. R., O. Shepard, W. P. Reidy, J. W. Carpenter, T. N. Davis, D. Newell, J. C. Ulwick, and A. T. Stair, Jr. (1978b), *J. Geophys. Res.* **83**, 3281.
- Piper, L. G., K. W. Holtzclaw, B. D. Green, and W. A. M. Blumberg (1989), *J. Chem. Phys.* **90**, 5337.
- Rees, A. L. G. (1947), *Proc. Phys. Soc. A* **59**, 998.
- Rizzo, A., R. L. Graham, and D. L. Yeager (1988), *J. Chem. Phys.* **89**, 1533.
- Roncin, J.-Y., F. Launay, and K. Yoshino (1987), *Planet. Space Sci.* **35**, 267.
- Rydberg, R. (1931), *Z. Phys.* **73**, 376.
- Schadee, A. (1978), *J. Quant. Spectrosc. Radiat. Transfer* **19**, 451.
- Schappe, R. S., M. B. Schulman, F. A. Sharpton, and C. C. Lin (1988), *Phys. Rev. A* **38**, 4537.
- Schmoranzer, H., P. Hartmetz, D. Marger, and J. Dudda (1989), *J. Phys. B* **22**, 1761.
- Shemansky, D. E. (1969a), *J. Chem. Phys.* **51**, 689.
- Shemansky, D. E. (1969b), *J. Chem. Phys.* **51**, 5487.
- Skubenich, V. V. and I. P. Zapesochnyi (1975), *High Energy Chem.* **9**, 339.
- Slanger, T. G. (1986), *Planet. Space Sci.* **34**, 399.
- Stahel, D., M. Leoni, and K. Dressler (1983), *J. Chem. Phys.* **79**, 2541.
- Stroud, A. H. and D. Secrest, *Gaussian Quadrature Formulas*, Chapter 2, Prentice Hall, Englewood Cliffs, New Jersey, 1966.
- Tellinghuisen, J. (1972), *J. Mol. Spectrosc.* **44**, 194.
- Werner, H.-J., J. Kalcher, and E.-A. Reinsch (1984), *J. Chem. Phys.* **81**, 2420.
- Wetmore, R. W., J. L. Fox, and A. Dalgarno (1984), *Planet. Space Sci.* **32**, 1111.
- Whiting, E. E., J. A. Paterson, I. Kovács, and R. W. Nicholls (1973), *J. Mol. Spectrosc.* **47**, 84.
- Whiting, E. E., A. Schadee, J. B. Tatum, J. T. Hougen, and R. W. Nicholls (1980), *J. Mol. Spectrosc.* **80**, 249.

Yeager, D. L. and V. McKoy (1977), *J. Chem. Phys.* **67**, 2473.

Yoshino, K. and Y. Tanaka (1977), *J. Mol. Spectrosc.* **66**, 219.

Zare, R. N. (1964), *J. Chem. Phys.* **40**, 1934.




Figure 1. Electronic transition moment data and fit for the $N_2 B^3\Pi_g - A^3\Sigma_u^+$ band system.




Figure 2. Electronic transition moment data and fit for the $N_2 W^3\Delta_u - B^3\Pi_g$ band system.




Figure 3. Electronic transition moment data and fit for the $N_2 B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$ band system.




Figure 4. Electronic transition moment data and fit for the $N_2 a' {}^1\Pi_g - a' {}^1\Sigma_u^-$ band system.




Figure 5. Electronic transition moment data and fit for the $N_2 w^1\Delta_u - a^1\Pi_g$ band system.




Figure 6. Electronic transition moment data and fit for the $N_2 C^3\Pi_u - B^3\Pi_g$ band system.




Figure 7. Electronic transition moment data and fit for the $N_2 E^3\Sigma_g^+ - A^3\Sigma_u^+$ band system.




Figure 8. Electronic transition moment data and fit for the $N_2 D^3\Sigma_u^+ - B^3\Pi_g$ band system.




Figure 9. Electronic transition moment data and fit for the $N_2^+ A^2\Pi_u-X^2\Sigma_g^+$ band system.




Figure 10. Electronic transition moment data and fit for the $N_2^+ B \ ^2\Sigma_u^+ - X \ ^2\Sigma_g^+$ band system.




Figure 11. Electronic transition moment data and fit for the $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$ band system.




Figure 12. Electronic transition moment data and fit for the $O_2^+ A^2\Pi_u - X^2\Pi_g$ band system.




Figure 13. Electronic transition moment data and fit for the $O_2^+ b \ ^4\Sigma_g^- - a \ ^4\Pi_u$ band system.

Table 1. Coefficients of analytic fits to the electronic transition moments of N_2 , N_2^+ , and O_2^+ band systems.

$$R_e(r) = a + br + cr^2 + d \exp[-f(r-g)^2] \quad (R_e \text{ is in electric dipole moment atomic units; } r \text{ is in \AA.})$$

Band system	a	b	c	d	f	g	References
N_2 $A^3\Sigma_u^+ - X^1\Sigma_g^+$	0.00119	-0.00117	0.000139				Shemansky (1969a), renormalized to give mean Einstein coefficients, averaged over substrates.
$B^3\Pi_g - A^3\Sigma_u^+$				0.323	0.90	0.80	Fit to geometric mean of theoretical values of Werner <i>et al.</i> (1984) and Rizzo <i>et al.</i> (1988) (see Fig. 1).
$W^3\Delta_u - B^3\Pi_g$				0.344	1.45	0.90	Fit to theoretical values of Werner <i>et al.</i> (1984) (see Fig. 2).
$B'^3\Sigma_u^- - B^3\Pi_g$				0.208	1.40	0.90	Fit to geometric mean of theoretical values of Werner <i>et al.</i> (1984) and Rizzo <i>et al.</i> (1988) (see Fig. 3).
$a^1\Pi_g - X^1\Sigma_g^+$	0.00588						$R_e = \text{constant}$ from Shemansky (1969b), renormalized to give a $\nu = 0$ lifetime of 58 μs (Marinelli <i>et al.</i> , 1989). This includes a little contribution from electric quadrupole radiation; see Dahl and Oddershede (1986).
$a^1\Pi_g - a'^1\Sigma_u^-$				0.346	1.15	0.60	Fit to theoretical values of Yeager and McKoy (1977) (see Fig. 4).
$w^1\Delta_u - a^1\Pi_g$				0.266	1.85	0.90	Fit to theoretical values of Yeager and McKoy (1977) (see Fig. 5).
$C^3\Pi_u - B^3\Pi_g$				0.887	3.30	0.95	Fit to theoretical values of Werner <i>et al.</i> (1984) (see Fig. 6).

Table 1. Coefficients of analytic fits to the electronic transition moments of N_2 , N_2^+ , and O_2^+ band systems. - Continued

$$R_e(r) = a + br + cr^2 + d \exp[-f(r-g)^2] \quad (R_e \text{ is in electric dipole moment atomic units; } r \text{ is in } \text{\AA}.)$$

Band system	a	b	c	d	f	g	References
N_2	$E^3\Sigma_g^+ - A^3\Sigma_u^+$	0.00185		0.0173	106	1.25	Fit to relative $R_e(\bar{r})$ values derived from spectral measurements on the EXCEDE rocket-lofted electron-gun experiment (furnished by W. Reidy, private communication, 1986) (see Fig. 7); $R_e = \text{constant}$ is assumed for the $E-B$ and $E-C$ transitions. Absolute normalization from E -state lifetime of 190 μs (Borst and Zipf, 1971) and relative radiation rates of the three band systems (Freund, 1969).
	$E^3\Sigma_g^+ - B^3\Pi_g$	0.0414					
	$E^3\Sigma_g^+ - C^3\Pi_u$						
$D^3\Sigma_u^+ - B^3\Pi_g$				0.794	9.25	1.33	Fit to relative $R_e(\bar{r})$ values derived from emission data of Filippelli <i>et al.</i> (1984) (see Fig. 8); normalized to give a $v = 0$ lifetime of 14.1 ns (Kurzweg <i>et al.</i> , 1973).
N_2^+	$A^2\Pi_u - X^2\Sigma_g^+$			0.288	1.35	0.85	Fit to theoretical values of Langhoff <i>et al.</i> (1987) (see Fig. 9).
	$B^2\Sigma_u^+ - X^2\Sigma_g^+$	1.051	0.2033	-0.4646			Fit to theoretical values of Langhoff and Bauschlicher (1988) (see Fig. 10). Calculation using this fit yields a $v = 0$ lifetime of 62.3 ns, which is within 2% of the measurement of Schmoranz <i>et al.</i> (1989) (see Table 19).
O_2^+	$C^2\Sigma_u^+ - X^2\Sigma_g^+$			0.315	13.5	1.45	Fit to theoretical values of Langhoff and Bauschlicher (1988) (see Fig. 11).
	$A^2\Pi_u - X^2\Pi_g$	0.120		1.72	1.26	2.83	Fit to theoretical values of Blomberg and Liu (1988) (see Fig. 12).
$b^4\Sigma_g^- - a^4\Pi_u$				0.290	2.43	0.96	Fit to theoretical values of Blomberg and Liu (1988) and Langhoff <i>et al.</i> (1989) (see Fig. 13).

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2010 49754.8 9.74E-04 1.1850 -1.26E-06 (2.58E-07) 1.97E-07*	.2109 47424.4 8.13E-03 1.2019 -1.54E-05 2.79E-04 2.75E-04*	.2216 45122.9 3.21E-02 1.2193 -2.99E-05 3.57E-03 3.54E-03	.2334 42850.0 7.98E-02 1.2372 -4.48E-05 1.70E-02 1.69E-02	.2463 40606.0 1.40E-01 1.2555 -5.98E-05 4.54E-02 4.53E-02	.2605 38390.7 1.85E-01 1.2744 -7.53E-05 8.01E-02 8.01E-02	.2762 36204.2 1.91E-01 1.2939 -9.12E-05 1.02E-01 1.02E-01	.2937 34046.6 1.57E-01 1.3141 -1.07E-04 9.68E-02 9.69E-02	.3133 31917.9 1.06E-01 1.3350 -1.24E-04 7.16E-02 7.17E-02	.3354 29818.2 5.85E-02 1.3566 -1.41E-04 4.19E-02 4.20E-02	.3604 27747.4 2.70E-02 1.3791 -1.59E-04 1.97E-02 1.98E-02
1	.1954 51187.7 5.18E-03 1.1746 7.49E-06 5.27E-05 5.47E-05*	.2047 48857.3 3.21E-02 1.1911 -6.38E-06 2.06E-04 1.97E-04	.2148 46555.8 8.69E-02 1.2079 -2.04E-05 4.95E-03 4.91E-03	.2258 44282.9 1.31E-01 1.2251 -3.47E-05 1.85E-02 1.85E-02	.2379 42038.9 1.10E-01 1.2426 -4.92E-05 2.69E-02 2.69E-02	.2511 39823.6 4.02E-02 1.2597 -6.33E-05 1.37E-02 1.38E-02	.2657 37637.1 2.17E-05 1.1668 -7.11E-05 (3.10E-07) 3.01E-09*	.2819 35479.5 3.66E-02 1.3034 -9.88E-05 2.16E-02 2.14E-02	.2998 33350.8 1.09E-01 1.3223 -1.14E-04 7.13E-02 7.12E-02	.3200 31251.1 1.50E-01 1.3428 -1.30E-04 1.05E-01 1.05E-01	.3427 29180.3 1.35E-01 1.3643 -1.48E-04 9.87E-02 9.87E-02
2	.1901 52592.9 1.47E-02 1.1646 1.59E-05 7.36E-04 7.45E-04	.1990 50262.6 6.59E-02 1.1806 2.44E-06 6.72E-05 6.97E-05	.2085 47961.0 1.14E-01 1.1969 -1.12E-05 2.14E-03 2.14E-03	.2189 45688.2 8.27E-02 1.2133 -2.49E-05 6.63E-03 6.66E-03	.2302 43444.1 1.13E-02 1.2275 -3.67E-05 1.69E-03 1.73E-03	.2425 41228.8 1.49E-02 1.2537 -5.84E-05 4.81E-03 4.73E-03	.2561 39042.4 7.76E-02 1.2693 -7.11E-05 3.16E-02 3.15E-02	.2711 36884.8 8.15E-02 1.2871 -8.56E-05 4.05E-02 4.06E-02	.2877 34756.1 2.20E-02 1.3039 -9.92E-05 1.23E-02 1.24E-02	.3062 32656.3 3.62E-03 1.3396 -1.28E-04 2.79E-03 2.73E-03*	.3270 30585.6 6.18E-02 1.3518 -1.38E-04 4.53E-02 4.51E-02
3	.1853 53970.4 2.99E-02 1.1551 2.40E-05 3.65E-03 3.70E-03	.1936 51640.1 9.32E-02 1.1706 1.09E-05 2.05E-03 2.06E-03	.2027 49338.5 9.01E-02 1.1863 -2.36E-06 8.11E-05 8.19E-05	.2125 47065.7 1.50E-02 1.2003 -1.41E-05 4.18E-04 4.40E-04	.2231 44821.6 1.53E-02 1.2242 -3.40E-05 2.15E-03 2.10E-03	.2347 42606.3 7.20E-02 1.2388 -4.61E-05 1.60E-02 1.60E-02	.2474 40419.9 4.55E-02 1.2550 -5.94E-05 1.43E-02 1.44E-02	.2614 38262.3 3.10E-05 1.1644 1.61E-05 (6.08E-07) 2.86E-09*	.2768 36133.5 4.24E-02 1.2969 -9.36E-05 2.37E-02 2.36E-02	.2938 34033.8 8.11E-02 1.3145 -1.08E-04 5.01E-02 5.02E-02	.3129 31963.1 3.68E-02 1.3325 -1.22E-04 2.42E-02 2.43E-02
4	.1808 55320.1 4.85E-02 1.1459 3.18E-05 1.12E-02 1.13E-02	.1887 52989.7 1.00E-01 1.1610 1.90E-05 7.27E-03 7.29E-03	.1973 50688.1 4.16E-02 1.1756 6.65E-06 3.23E-04 3.06E-04	.2065 48415.3 2.89E-03 1.2012 -1.48E-05 (9.77E-05) 8.56E-05*	.2166 46171.3 5.90E-02 1.2110 -2.30E-05 4.16E-03 4.11E-03	.2275 43956.0 4.13E-02 1.2260 -3.55E-05 5.57E-03 6.03E-03	.2394 41769.5 3.61E-04 1.2755 -7.62E-05 (2.06E-04) 1.87E-04*	.2524 39611.9 4.89E-02 1.2650 -6.76E-05 1.88E-02 1.86E-02	.2668 37483.2 5.34E-02 1.2811 -8.08E-05 2.48E-02 2.49E-02	.2826 35383.4 2.41E-03 1.2876 -8.60E-05 1.07E-03 1.11E-03*	.3002 33312.7 3.05E-02 1.3251 -1.16E-04 2.06E-02 2.04E-02
5	.1765 56641.8 6.70E-02 1.1371 3.93E-05 2.54E-02 2.55E-02	.1841 54311.4 8.56E-02 1.1517 2.69E-05 1.34E-02 1.34E-02	.1923 52009.8 6.49E-03 1.1632 1.71E-05 3.62E-04 3.39E-04*	.2011 49737.0 3.28E-02 1.1854 -1.60E-06 (1.39E-05) 1.05E-05	.2106 47492.9 5.30E-02 1.1996 -1.35E-05 1.40E-03 1.41E-03	.2209 45277.7 9.37E-04 1.2003 -1.41E-05 (2.33E-05) 3.08E-05*	.2321 43091.2 3.81E-02 1.2362 -4.39E-05 7.95E-03 7.86E-03	.2443 40933.6 4.48E-02 1.2510 -5.61E-05 1.31E-02 1.31E-02	.2577 38804.9 1.15E-04 1.2095 -2.18E-05 (4.31E-06) 7.97E-06*	.2724 36705.1 4.08E-02 1.2914 -8.91E-05 2.16E-02 2.15E-02	.2887 34634.4 5.10E-02 1.3076 -1.02E-04 2.99E-02 3.00E-02
6	.1726 57935.3 8.19E-02 1.1286 4.66E-05 4.67E-02 4.68E-02	.1798 55605.0 5.81E-02 1.1426 3.46E-05 1.62E-02 1.61E-02	.1876 53303.4 1.55E-03 1.1681 1.30E-05 (5.36E-05) 6.35E-05*	.1960 51030.5 5.49E-02 1.1749 7.24E-06 5.17E-04 5.24E-04	.2050 48786.5 1.62E-02 1.1876 -3.45E-06 (3.02E-05) 3.79E-05	.2147 46571.2 1.69E-02 1.2105 -2.26E-05 1.17E-03 1.13E-03	.2253 44384.8 4.82E-02 1.2236 -3.35E-05 6.39E-03 6.42E-03	.2368 42227.1 1.91E-03 1.2280 -3.72E-05 2.68E-04 2.92E-04*	.2494 40098.4 3.32E-02 1.2615 -6.48E-05 1.21E-02 1.20E-02	.2632 37998.7 4.04E-02 1.2761 -7.67E-05 1.76E-02 1.77E-02	.2783 35928.0 2.23E-06 1.7893 -4.58E-04 (2.94E-05) 2.63E-05*
7	.1689 59200.5 9.11E-02 1.1205 5.35E-05 7.31E-02 7.33E-02	.1758 56870.2 2.97E-02 1.1336 4.23E-05 1.32E-02 1.31E-02	.1833 54568.6 1.82E-02 1.1525 2.62E-05 2.74E-03 2.81E-03	.1912 52295.8 4.74E-02 1.1651 1.55E-05 2.21E-03 2.19E-03	.1998 50051.7 2.93E-05 1.2652 -6.78E-05 (2.28E-05) 1.68E-05*	.2090 47836.4 4.33E-02 1.1984 -1.25E-05 1.00E-03 9.83E-04	.2191 45650.0 1.44E-02 1.2106 -2.27E-05 9.50E-04 9.87E-04	.2299 43492.4 1.62E-02 1.2350 -4.29E-05 3.32E-03 3.25E-03	.2418 41363.6 4.21E-02 1.2478 -5.35E-05 1.15E-02 1.16E-02	.2547 39263.9 4.27E-04 1.2341 -6.22E-05 (6.22E-05) 7.46E-05*	.2689 37193.2 3.65E-02 1.2868 -8.54E-05 1.85E-02 1.84E-02

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
0	.3890	.4221	.4606	.5062	.5608	.6274	.7106	.8171	.9584	1.1548	1.4460
	25705.8	23693.4	21710.3	19756.6	17832.4	15937.9	14073.2	12238.4	10433.8	8659.5	6915.7
	1.04E-02	3.35E-03	9.06E-04	2.06E-04	3.90E-05	6.17E-06	8.06E-07	8.62E-08	7.47E-09	5.17E-10	2.71E-11
	1.4025	1.4270	1.4527	1.4797	1.5083	1.5386	1.5711	1.6062	1.6440	1.6849	1.7367
	-1.78E-04	-1.97E-04	-2.16E-04	-2.37E-04	-2.58E-04	-2.81E-04	-3.05E-04	-3.31E-04	-3.58E-04	-3.87E-04	-4.23E-04
	7.50E-03	2.32E-03	5.86E-04	1.20E-04	2.00E-05	2.67E-06	2.82E-07	2.33E-08	1.47E-09	6.78E-11	2.16E-12
	7.52E-03	2.33E-03*	5.88E-04*	1.21E-04*	2.01E-05*	2.68E-06*	2.84E-07*	2.34E-08*	1.48E-09*	6.82E-11*	2.18E-12*
1	.3685	.3980	.4321	.4719	.5191	.5757	.6449	.7315	.8427	.9908	1.1978
	27138.7	25126.3	23143.2	21189.5	19265.3	17370.8	15506.1	13671.3	11866.7	10092.4	8348.6
	8.97E-02	4.62E-02	1.90E-02	6.30E-03	1.71E-03	3.80E-04	6.91E-05	1.02E-05	1.23E-06	1.18E-07	8.99E-09
	1.3867	1.4101	1.4346	1.4603	1.4874	1.5160	1.5465	1.5791	1.6143	1.6526	1.6940
	-1.65E-04	-1.83E-04	-2.02E-04	-2.22E-04	-2.43E-04	-2.64E-04	-2.87E-04	-3.11E-04	-3.37E-04	-3.64E-04	-3.93E-04
	6.60E-02	3.33E-02	1.30E-02	4.00E-03	9.73E-04	1.88E-04	2.87E-05	3.42E-06	3.14E-07	2.17E-08	1.09E-09
	6.61E-02	3.33E-02	1.30E-02	4.01E-03*	9.76E-04*	1.89E-04*	2.88E-05*	3.43E-06*	3.16E-07*	2.18E-08*	1.10E-09*
2	.3503	.3769	.4074	.4426	.4838	.5326	.5913	.6633	.7535	.8697	1.0252
	28544.0	26531.5	24548.4	22594.7	20670.5	18776.0	16911.3	15076.6	13272.0	11497.6	9753.8
	1.27E-01	1.37E-01	1.00E-01	5.38E-02	2.23E-02	7.30E-03	1.91E-03	4.01E-04	6.76E-05	9.11E-06	9.71E-07
	1.3724	1.3946	1.4179	1.4423	1.4681	1.4952	1.5239	1.5545	1.5872	1.6225	1.6610
	-1.54E-04	-1.71E-04	-1.89E-04	-2.08E-04	-2.28E-04	-2.49E-04	-2.70E-04	-2.93E-04	-3.17E-04	-3.42E-04	-3.70E-04
	9.45E-02	1.02E-01	7.18E-02	3.64E-02	1.38E-02	4.04E-03	9.10E-04	1.59E-04	2.14E-05	2.19E-06	1.67E-07
	9.43E-02	1.02E-01	7.18E-02	3.64E-02	1.39E-02	4.05E-03*	9.13E-04*	1.60E-04*	2.15E-05*	2.20E-06*	1.67E-07*
3	.3342	.3583	.3857	.4171	.4536	.4962	.5468	.6078	.6826	.7767	.8984
	29921.5	27909.0	25925.9	23972.2	22048.0	20153.5	18288.8	16454.1	14649.4	12875.1	11131.3
	9.23E-05	4.58E-02	1.16E-01	1.35E-01	9.96E-02	5.28E-02	2.11E-02	6.56E-03	1.60E-03	3.07E-04	4.65E-05
	1.4392	1.3821	1.4030	1.4260	1.4503	1.4760	1.5032	1.5319	1.5626	1.5954	1.6310
	-2.06E-04	-1.62E-04	-1.78E-04	-1.96E-04	-2.14E-04	-2.34E-04	-2.55E-04	-2.76E-04	-2.99E-04	-3.23E-04	-3.49E-04
	1.42E-04	3.51E-02	8.66E-02	9.60E-02	6.63E-02	3.20E-02	1.13E-02	3.01E-03	6.05E-04	9.22E-05	1.05E-05
	1.30E-04*	3.49E-02	8.64E-02	9.59E-02	6.64E-02	3.21E-02	1.14E-02	3.02E-03*	6.07E-04*	9.26E-05*	1.06E-05*
4	.3198	.3418	.3666	.3949	.4274	.4650	.5092	.5617	.6250	.7030	.8012
	31271.1	29258.7	27275.6	25321.9	23397.7	21503.2	19638.5	17803.7	15999.1	14224.8	12481.0
	7.61E-02	3.80E-02	5.32E-05	4.65E-02	1.17E-01	1.31E-01	9.26E-02	4.63E-02	1.72E-02	4.89E-03	1.08E-03
	1.3425	1.3608	1.5097	1.4129	1.4346	1.4586	1.4842	1.5113	1.5402	1.5709	1.6039
	-1.30E-04	-1.45E-04	-2.60E-04	-1.86E-04	-2.02E-04	-2.21E-04	-2.40E-04	-2.61E-04	-2.82E-04	-3.05E-04	-3.29E-04
	5.33E-02	2.69E-02	9.83E-05	3.51E-02	8.29E-02	8.59E-02	5.47E-02	2.40E-02	7.58E-03	1.77E-03	3.06E-04
	5.33E-02	2.70E-02	8.94E-05*	3.50E-02	8.27E-02	8.59E-02	5.48E-02	2.40E-02	7.60E-03	1.77E-03*	3.07E-04*
5	.3068	.3270	.3497	.3753	.4045	.4381	.4771	.5229	.5773	.6432	.7245
	32592.8	30580.4	28597.3	26643.5	24719.4	22824.8	20960.1	19125.4	17320.8	15546.5	13802.6
	2.16E-03	3.15E-02	7.33E-02	3.06E-02	1.36E-03	5.83E-02	1.24E-01	1.25E-01	8.05E-02	3.65E-02	1.22E-02
	1.3121	1.3533	1.3711	1.3894	1.4444	1.4444	1.4673	1.4927	1.5197	1.5486	1.5794
	-1.06E-04	-1.39E-04	-1.53E-04	-1.67E-04	-2.10E-04	-2.10E-04	-2.27E-04	-2.47E-04	-2.67E-04	-2.89E-04	-3.11E-04
	1.13E-03	2.34E-02	5.41E-02	2.19E-02	1.23E-03	4.12E-02	7.98E-02	7.21E-02	4.03E-02	1.54E-02	4.20E-03
	1.18E-03*	2.33E-02	5.41E-02	2.20E-02	1.19E-03*	4.11E-02	7.97E-02	7.21E-02	4.04E-02	1.55E-02	4.22E-03
6	.2951	.3137	.3346	.3579	.3844	.4146	.4494	.4897	.5372	.5938	.6624
	33886.3	31873.9	29890.8	27937.1	26012.9	24118.4	22253.7	20419.0	18614.3	16840.0	15096.2
	4.25E-02	4.38E-02	1.98E-04	4.06E-02	6.93E-02	1.81E-02	8.03E-03	7.85E-02	1.31E-01	1.14E-01	6.47E-02
	1.3180	1.3343	1.2937	1.3817	1.4003	1.4175	1.4612	1.4770	1.5015	1.5284	1.5572
	-1.11E-04	-1.24E-04	-9.10E-05	-1.61E-04	-1.76E-04	-1.89E-04	-2.23E-04	-2.35E-04	-2.53E-04	-2.74E-04	-2.95E-04
	2.73E-02	2.93E-02	(5.91E-05)	3.11E-02	5.09E-02	1.23E-02	5.93E-03	4.98E-02	7.35E-02	5.52E-02	2.61E-02
	2.72E-02	2.94E-02	6.97E-05*	3.09E-02	5.09E-02	1.24E-02	5.86E-03*	4.96E-02	7.35E-02	5.53E-02	2.62E-02
7	.2845	.3018	.3210	.3424	.3666	.3940	.4252	.4612	.5030	.5523	.6112
	35151.6	33139.1	31156.0	29202.3	27278.1	25383.6	23518.9	21684.2	19879.5	18105.2	16361.4
	3.15E-02	1.64E-03	4.87E-02	3.17E-02	1.64E-03	5.44E-02	5.91E-02	5.24E-03	2.49E-02	1.03E-01	1.33E-01
	1.3014	1.3434	1.3449	1.3611	1.4105	1.4107	1.4301	1.4406	1.4896	1.5111	1.5375
	-9.72E-05	-1.31E-04	-1.32E-04	-1.45E-04	-1.84E-04	-1.84E-04	-1.99E-04	-2.07E-04	-2.44E-04	-2.61E-04	-2.80E-04
	1.75E-02	1.38E-03	3.47E-02	2.24E-02	1.52E-03	4.06E-02	4.11E-02	3.09E-03	1.58E-02	5.62E-02	6.20E-02
	1.76E-02	1.33E-03*	3.47E-02	2.25E-02	1.48E-03*	4.05E-02	4.12E-02	3.14E-03*	1.57E-02	5.61E-02	6.20E-02

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
8	.1655 60437.1 9.39E-02 1.1126 6.03E-05 1.02E-01 1.02E-01	.1721 58106.8 9.34E-03 1.1241 5.04E-05 6.30E-03 6.21E-03*	.1792 55805.2 3.82E-02 1.1430 3.43E-05 1.05E-02 1.06E-02	.1868 53532.4 2.33E-02 1.1552 2.39E-05 2.76E-03 (1.07E-04)	.1950 51288.3 1.39E-02 1.1758 6.48E-06 1.07E-04 1.20E-04	.2038 49073.0 3.76E-02 1.1877 -3.53E-06 7.49E-05 (9.93E-05)	.2133 46886.6 5.31E-04 1.2274 -3.67E-05 (9.93E-05)	.2236 44729.0 4.05E-02 1.2219 1.2274 5.02E-03	.2347 42600.3 7.66E-03 1.2322 -3.21E-05 5.04E-03	.2469 40500.5 2.22E-02 1.2590 -6.27E-05 7.84E-03	.2602 38429.8 3.36E-02 1.2721 -7.34E-05 9.02E-03 1.40E-02
9	.1622 61644.8 9.10E-02 1.1051 6.68E-05 1.28E-01 1.28E-01	.1686 59314.4 5.11E-04 1.1059 6.61E-05 6.29E-04 5.96E-04*	.1754 57012.9 4.84E-02 1.1344 4.16E-05 2.10E-02 2.10E-02	.1827 54740.0 4.15E-03 1.1430 3.43E-05 1.08E-03 1.03E-03*	.1905 52496.0 3.37E-02 1.1653 1.54E-05 1.55E-03 (7.89E-05)	.1989 50280.7 1.32E-02 1.1765 5.89E-06 6.76E-05	.2079 48094.3 1.88E-02 1.1984 -1.25E-05 4.41E-04 4.20E-04	.2177 45936.6 2.71E-02 1.2103 -2.24E-05 1.79E-03	.2283 43807.9 4.21E-03 1.2374 -4.49E-05 9.65E-04 9.22E-04*	.2398 41708.2 3.79E-02 1.2456 -5.17E-05 9.93E-03	.2523 39637.5 1.35E-03 1.2443 -5.06E-05 2.68E-04 2.93E-04*
10	.1592 62823.2 8.40E-02 1.0979 7.30E-05 1.50E-01 1.50E-01	.1653 60492.8 1.93E-03 1.1189 5.49E-05 1.74E-03 1.80E-03*	.1718 58191.2 4.56E-02 1.1263 4.86E-05 2.86E-02 (6.68E-05)	.1788 55918.4 5.96E-04 1.1577 2.18E-05 6.68E-05 7.96E-05*	.1863 53674.3 3.88E-02 1.1561 2.31E-05 4.34E-03 (4.69E-05)	.1943 51459.1 1.31E-04 1.1315 4.41E-05 4.69E-05 3.62E-05*	.2030 49272.6 3.75E-02 1.1876 -3.45E-06 6.66E-05 (4.93E-05)	.2122 47115.0 2.69E-02 1.1950 -9.65E-06 3.29E-03	.2223 44986.3 1.43E-02 1.2212 -3.15E-05 3.29E-03	.2332 42886.5 1.43E-02 1.2322 -4.06E-05 2.52E-03	.2450 40815.8 1.35E-02 1.2578 -6.17E-05 4.73E-03 4.65E-03
11	.1563 63971.7 7.44E-02 1.0910 7.90E-05 1.64E-01 1.64E-01	.1622 61641.4 9.94E-03 1.1078 6.45E-05 1.31E-02 1.32E-02*	.1685 59339.8 3.38E-02 1.1185 5.52E-05 2.91E-02 2.90E-02	.1752 57066.9 9.69E-03 1.1373 3.91E-05 3.73E-03 3.80E-03*	.1824 54822.9 2.79E-02 1.1472 3.07E-05 5.85E-03 5.80E-03	.1901 52607.6 6.79E-03 1.1684 1.27E-05 2.16E-04 2.39E-04*	.1983 50421.2 2.86E-02 1.1777 4.88E-06 1.18E-04 (1.21E-04)	.2072 48263.5 2.78E-03 1.2037 -1.69E-05 1.1777	.2168 46134.8 3.14E-02 1.2101 -2.23E-05 2.07E-03 (6.56E-05)	.2271 44035.1 5.46E-05 1.3074 -1.02E-04 3.24E-03	.2383 41964.4 3.23E-02 1.2442 5.05E-05 8.23E-03 8.20E-03
12	.1536 65089.9 6.38E-02 1.0844 8.47E-05 1.71E-01 1.70E-01	.1593 62759.5 2.05E-02 1.1000 7.12E-05 3.47E-02 3.49E-02	.1654 60458.0 1.95E-02 1.1108 6.19E-05 2.23E-02 2.21E-02	.1719 58185.1 2.24E-02 1.1284 4.68E-05 1.31E-02 1.32E-02	.1788 55941.1 1.21E-02 1.1379 3.86E-05 4.25E-03 4.17E-03	.1861 53725.8 2.12E-02 1.1576 2.19E-05 4.25E-03 2.17E-03	.1940 51539.3 1.13E-02 1.1673 1.37E-05 2.13E-03 3.64E-04	.2025 49381.7 1.82E-02 1.1886 -4.29E-06 3.91E-04 (5.45E-05)	.2116 47253.0 1.42E-02 1.1989 -1.29E-05 3.38E-04	.2215 45153.3 1.33E-02 1.2219 -3.21E-05 1.70E-03	.2321 43082.6 2.02E-02 1.2322 -4.06E-05 3.60E-03 3.65E-03
13	.1511 66177.1 5.32E-02 1.0780 9.03E-05 1.70E-01 1.70E-01	.1566 63846.7 3.05E-02 1.0929 7.73E-05 6.41E-02 6.43E-02	.1625 61545.1 7.87E-03 1.1029 6.87E-05 1.17E-02 1.16E-02*	.1687 59272.3 3.12E-02 1.1207 5.34E-05 2.50E-02 2.51E-02	.1754 57028.2 1.72E-03 1.1241 5.04E-05 1.10E-03 1.05E-03*	.1824 54813.0 2.95E-02 1.1490 2.92E-05 5.59E-03 (1.30E-04)	.1900 52626.5 6.09E-04 1.1446 3.29E-05 5.59E-03 (1.30E-04)	.1981 50468.9 2.81E-02 1.1788 3.95E-06 7.62E-05 (4.88E-06)	.2069 48340.2 7.24E-04 1.1756 6.65E-06 7.62E-05 (4.88E-06)	.2163 46240.4 2.69E-02 1.2105 -2.26E-06 1.83E-03 (1.44E-04)	.2264 44169.7 1.99E-03 1.2133 -2.49E-05 1.83E-03 (1.44E-04)
14	.1487 67232.4 4.35E-02 1.0720 9.55E-05 1.63E-01 1.63E-01	.1541 64902.1 3.81E-02 1.0864 8.30E-05 9.68E-02 9.70E-02	.1597 62600.5 1.35E-03 1.0924 7.78E-05 2.71E-03 2.64E-03*	.1658 60327.7 3.29E-02 1.1135 5.95E-05 3.46E-02 (1.80E-04)	.1722 58083.6 6.16E-04 1.1442 3.33E-05 1.80E-04 2.01E-04*	.1790 55868.4 2.69E-02 1.1409 3.61E-05 8.24E-03 (1.51E-04)	.1863 53681.9 2.79E-03 1.1644 1.61E-05 8.24E-03 (1.51E-04)	.1941 51524.3 2.33E-02 1.1697 1.16E-05 5.82E-04 (4.31E-05)	.2024 49395.6 3.91E-03 1.1933 -8.23E-06 5.82E-04 (4.31E-05)	.2114 47295.8 2.23E-02 1.2004 -1.42E-05 6.40E-04	.2211 45225.1 3.46E-03 1.2264 -3.58E-05 5.54E-04 5.20E-04*
15	.1465 68255.1 3.49E-02 1.0661 1.01E-04 1.52E-01 1.52E-01	.1517 65924.8 4.26E-02 1.0802 8.84E-05 1.29E-01 1.29E-01	.1572 63623.2 1.40E-04 1.1136 5.95E-05 1.72E-04 1.91E-04*	.1630 61350.4 2.83E-02 1.1068 6.53E-05 3.77E-02 3.76E-02	.1692 59106.3 6.45E-03 1.1256 4.92E-05 4.35E-03 4.44E-03*	.1758 56891.1 1.72E-02 1.1330 4.28E-05 7.83E-03 7.76E-03	.1828 54704.6 1.23E-02 1.1523 2.64E-05 1.90E-03 1.95E-03	.1903 52547.0 1.09E-02 1.1603 1.96E-05 8.22E-04 (1.19E-05)	.1983 50418.3 1.55E-02 1.1810 -5.04E-06 3.16E-05	.2070 48318.5 8.17E-03 1.1895 -2.39E-05 3.99E-05*	.2162 46247.8 1.67E-02 1.2120 -2.39E-05 1.23E-03

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r-centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
8	.2748 36388.2 6.54E-04 1.3213 -1.13E-04 5.46E-04 5.15E-04*	.2909 34375.7 4.24E-02 1.3124 -1.06E-04 2.62E-02 2.61E-02	.3087 32392.6 1.87E-02 1.3262 -1.17E-04 1.18E-02 1.19E-02	.3285 30438.9 9.29E-03 1.3598 -1.44E-04 7.33E-03 7.22E-03*	.3507 28514.7 5.30E-02 1.3723 -1.54E-04 3.93E-02 3.93E-02	.3757 26620.2 1.58E-02 1.3869 -1.65E-04 1.10E-02 1.11E-02	.4040 24755.5 1.20E-02 1.4256 -1.95E-04 9.39E-03 9.29E-03	.4363 22920.8 6.64E-02 1.4407 -2.07E-04 4.63E-02 4.63E-02	.4736 21116.2 4.01E-02 1.4602 -2.22E-04 2.51E-02 2.52E-02	.5170 19341.8 1.09E-04 1.6217 -3.42E-04 1.25E-04 1.17E-04*	.5682 17598.0 5.40E-02 1.5221 -2.69E-04 2.87E-02 2.86E-02
9	.2660 37595.8 3.14E-02 1.2832 -8.25E-05 1.53E-02 1.53E-02	.2810 35583.4 2.08E-02 1.2961 -9.29E-05 1.09E-02 1.11E-02	.2976 33600.3 7.40E-03 1.3276 -1.18E-04 3.05E-03 5.21E-03*	.3160 31646.6 4.42E-02 1.3384 -1.27E-04 3.05E-02 3.05E-02	.3364 29722.4 5.47E-03 1.3469 -1.34E-04 3.47E-03 3.54E-03*	.3594 27827.9 2.47E-02 1.3845 -1.63E-04 1.92E-02 1.91E-02	.3852 25963.2 4.83E-02 1.4002 -1.76E-04 3.52E-02 3.53E-02	.4144 24128.4 2.42E-03 1.4014 -1.77E-04 1.43E-03 1.48E-03*	.4480 22323.8 3.28E-02 1.4527 -2.16E-04 2.30E-02 2.29E-02	.4866 20549.5 6.75E-02 1.4716 -2.31E-04 4.22E-02 4.22E-02	.5318 18805.7 1.65E-02 1.4883 -2.43E-04 8.76E-03 8.83E-03
10	.2579 38774.2 3.00E-02 1.2692 -7.11E-05 1.19E-02 1.20E-02	.2720 36761.8 1.06E-03 1.3116 -1.05E-04 7.91E-04 7.52E-04*	.2875 34778.6 3.79E-02 1.3080 -1.03E-04 2.26E-02 2.26E-02	.3046 32824.9 6.76E-03 1.3172 -1.10E-04 3.90E-03 3.98E-03*	.3236 30900.8 2.18E-02 1.3506 -1.37E-04 1.62E-02 1.61E-02	.3448 29006.2 3.59E-02 1.3645 -1.48E-04 2.58E-02 2.59E-02	.3684 27141.5 8.18E-05 1.5028 -2.54E-04 1.43E-04 1.30E-04*	.3952 25306.8 4.26E-02 1.4117 -1.85E-04 3.18E-02 3.17E-02	.4255 23502.2 3.13E-02 1.4280 -1.97E-04 2.13E-02 2.14E-02	.4602 21727.9 2.10E-03 1.4834 -2.40E-04 1.67E-03 1.63E-03*	.5004 19984.0 5.66E-02 1.4828 -2.39E-04 3.49E-02 3.48E-02
11	.2505 39922.7 2.92E-03 1.2487 -5.42E-05 7.40E-04 7.81E-04*	.2638 37910.3 2.60E-02 1.2807 -8.04E-05 1.24E-02 1.23E-02	.2783 35927.2 1.56E-02 1.2920 -8.96E-05 7.86E-03 7.96E-03	.2943 33973.5 1.11E-02 1.3217 -1.14E-04 7.55E-03 7.45E-03	.3120 32049.3 3.41E-02 1.3330 -1.23E-04 2.28E-02 2.29E-02	.3316 30154.8 1.11E-06 2.2446 -7.36E-04 2.22E-05 2.27E-05*	.3535 28290.1 3.72E-02 1.3763 -1.57E-04 2.80E-02 2.79E-02	.3780 26455.4 1.78E-02 1.3896 -1.67E-04 1.25E-02 1.26E-02	.4057 24650.7 1.02E-02 1.4278 -1.97E-04 7.98E-03 7.89E-03	.4371 22876.4 5.06E-02 1.4403 -2.07E-04 3.50E-02 3.50E-02	.4732 21132.6 9.39E-03 1.4519 -2.16E-04 5.57E-03 5.63E-03*
12	.2437 41040.9 6.60E-03 1.2587 -6.25E-05 2.40E-03 2.34E-03*	.2562 39028.5 2.80E-02 1.2673 -6.95E-05 1.08E-02 1.09E-02	.2699 37045.4 7.44E-04 1.3134 -1.07E-04 5.83E-04 5.50E-04*	.2850 35091.7 3.29E-02 1.3047 -9.99E-05 1.91E-02 1.91E-02	.3015 33167.5 2.38E-02 1.3066 -1.01E-04 1.20E-03 1.25E-03*	.3198 31273.0 2.69E-02 1.3452 -1.32E-04 1.95E-02 1.94E-02	.3400 29408.3 1.86E-02 1.3573 -1.42E-04 1.29E-02 1.30E-02	.3627 27573.5 8.48E-03 1.3927 -1.70E-04 6.93E-03 6.84E-03*	.3881 25768.9 4.06E-02 1.4032 -1.78E-04 2.98E-02 2.98E-02	.4168 23994.6 1.90E-03 1.3997 -1.75E-04 1.09E-03 1.13E-03*	.4494 22250.8 3.24E-02 1.4529 -2.16E-04 2.26E-02 2.25E-02
13	.2374 42128.1 2.49E-02 1.2439 -5.03E-05 6.36E-03 6.31E-03	.2493 40115.7 5.76E-03 1.2512 -5.63E-05 1.59E-03 1.64E-03*	.2622 38132.6 2.03E-02 1.2794 -7.94E-05 9.55E-03 9.47E-03	.2764 36178.8 1.38E-02 1.2894 -8.75E-05 6.74E-03 6.83E-03	.2919 34254.7 1.16E-02 1.3184 -1.11E-04 7.77E-03 7.67E-03	.3090 32360.2 2.58E-02 1.3289 -1.19E-04 1.68E-02 1.69E-02	.3279 30495.5 1.97E-03 1.3708 -1.53E-04 1.76E-03 1.71E-03*	.3489 28660.7 3.52E-02 1.3705 -1.52E-04 2.60E-02 2.60E-02	.3724 26856.1 2.63E-03 1.3711 -1.53E-04 1.61E-03 1.65E-03*	.3987 25081.8 2.80E-02 1.4160 -1.88E-04 2.11E-02 2.10E-02	.4285 23337.9 2.57E-02 1.4298 -1.99E-04 1.74E-02 1.75E-02
14	.2316 43183.5 2.36E-02 1.2326 -4.10E-05 4.30E-03 4.34E-03	.2429 41171.1 1.81E-03 1.2654 -6.79E-05 7.87E-04 7.47E-04*	.2552 39187.9 2.63E-02 1.2665 -6.88E-05 1.01E-02 1.01E-02	.2686 37234.2 1.52E-04 1.3450 -1.32E-04 1.85E-04 1.67E-04*	.2832 35310.0 2.85E-02 1.3026 -9.82E-05 1.63E-02 1.63E-02	.2993 33415.5 1.14E-03 1.2969 -9.36E-05 5.05E-04 5.37E-04*	.3169 31550.8 2.66E-02 1.3415 -1.29E-04 1.89E-02 1.89E-02	.3365 29716.1 8.99E-03 1.3506 -1.37E-04 5.95E-03 6.03E-03*	.3583 27911.5 1.70E-02 1.3844 -1.63E-04 1.34E-02 1.33E-02	.3826 26137.2 2.56E-02 1.3960 -1.72E-04 1.83E-02 1.84E-02	.4099 24393.3 2.94E-03 1.4414 -2.08E-04 2.49E-03 2.43E-03*
15	.2262 44206.2 7.85E-03 1.2204 -3.08E-05 8.72E-04 9.12E-04*	.2370 42193.8 1.62E-02 1.2449 -5.11E-05 4.29E-03 4.23E-03	.2487 40210.6 9.70E-03 1.2531 -5.79E-05 2.85E-03 2.92E-03*	.2614 38256.9 1.41E-02 1.2796 -7.95E-05 6.74E-03 6.65E-03	.2752 36332.8 1.40E-02 1.2884 -8.67E-05 6.81E-03 6.89E-03	.2904 34438.2 9.89E-03 1.3170 -1.10E-04 6.58E-03 6.49E-03*	.3070 32573.5 2.09E-02 1.3262 -1.17E-04 1.34E-02 1.35E-02	.3253 30738.8 4.00E-03 1.3612 -1.45E-04 3.30E-03 3.23E-03*	.3456 28934.2 2.90E-02 1.3663 -1.49E-04 2.11E-02 2.11E-02	.3682 27159.9 1.53E-05 1.6553 -3.66E-04 5.54E-05 4.95E-05*	.3935 25416.0 3.23E-02 1.4095 -1.83E-04 2.40E-02 2.40E-02

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.1444 69244.2 2.76E-02 1.0606 1.05E-04 1.38E-01 1.38E-01	.1494 66913.8 4.41E-02 1.0743 9.35E-05 1.56E-01 1.56E-01	.1548 64612.2 2.97E-03 1.0912 7.88E-05 6.71E-03 6.83E-03*	.1604 62339.4 2.03E-02 1.1004 7.08E-05 3.34E-02 3.32E-02	.1664 60095.3 1.45E-02 1.1173 5.63E-05 1.35E-02 1.36E-02	.1728 57880.1 7.01E-03 1.1244 5.02E-05 4.63E-03 4.54E-03*	.1796 55693.6 2.06E-02 1.1440 3.34E-05 5.38E-03 5.42E-03	.1868 53536.0 1.69E-03 1.1457 3.20E-05 3.58E-04 3.30E-04*	.1945 51407.3 2.25E-02 1.1722 9.52E-06 3.75E-04 (2.24E-05) 3.83E-04	.2028 49307.5 1.92E-04 1.1517 2.69E-05 2.24E-05 1.52E-05*	.2117 47236.8 2.28E-02 1.2022 -1.57E-05 7.97E-04 7.96E-04
17	.1425 70198.4 2.16E-02 1.0552 1.10E-04 1.23E-01 1.22E-01	.1473 67868.0 4.32E-02 1.0687 9.84E-05 1.77E-01 1.77E-01	.1525 65566.4 8.08E-03 1.0836 8.54E-05 2.24E-02 2.26E-02*	.1580 63293.6 1.20E-02 1.0942 7.62E-05 2.38E-02 2.36E-02	.1638 61049.6 2.08E-02 1.1105 6.21E-05 2.47E-02 2.49E-02	.1700 58834.3 1.00E-03 1.1100 6.26E-05 1.08E-03 1.03E-03*	.1765 56647.8 2.28E-02 1.1367 3.97E-05 8.80E-03 (9.72E-06) 8.80E-03	.1835 54490.2 4.91E-04 1.1722 9.52E-06 1.49E-05*	.1910 52361.5 2.00E-02 1.1640 1.65E-05 1.05E-03 (6.28E-06) 1.04E-03	.1990 50261.8 3.24E-03 1.1761 -3.36E-06 6.28E-06 3.24E-06*	.2075 48191.0 1.66E-02 1.1931 -8.06E-06 1.63E-04 1.72E-04
18	.1406 71116.5 1.68E-02 1.0501 1.15E-04 1.07E-01 1.07E-01	.1454 68786.1 4.06E-02 1.0634 1.03E-04 1.89E-01 1.89E-01	.1504 66484.6 1.39E-02 1.0775 9.07E-05 4.53E-02 4.56E-02	.1557 64211.7 5.30E-03 1.0882 8.14E-05 1.26E-02 1.24E-02*	.1614 61967.7 2.35E-02 1.1043 6.75E-05 3.43E-02 (1.27E-04) 3.44E-02	.1674 59752.4 3.15E-04 1.1394 3.74E-05 1.27E-04 1.43E-04*	.1737 57565.9 1.89E-02 1.1298 4.56E-05 1.01E-02 1.01E-02	.1805 55408.3 5.54E-03 1.1502 2.82E-05 1.01E-03 1.05E-03*	.1877 53279.6 1.17E-02 1.1557 2.35E-05 1.31E-03 (8.07E-05) 1.27E-03	.1954 51179.9 1.15E-02 1.1761 6.23E-06 8.07E-05 8.99E-05	.2036 49109.1 6.18E-03 1.1829 5.03E-07 2.50E-07 2.41E-08*
19	.1389 71997.1 1.29E-02 1.0453 1.19E-04 9.22E-02 9.21E-02	.1435 69666.7 3.69E-02 1.0583 1.07E-04 1.95E-01 1.95E-01	.1484 67365.1 1.92E-02 1.0719 9.56E-05 7.23E-02 7.25E-02	.1536 65092.3 1.31E-03 1.0818 8.70E-05 3.69E-03 3.61E-03*	.1591 62848.3 2.23E-02 1.0986 7.24E-05 3.92E-02 3.91E-02	.1649 60633.0 3.56E-03 1.1176 5.60E-05 3.36E-03 3.44E-03*	.1711 58446.5 1.20E-02 1.1231 5.13E-05 8.53E-03 8.45E-03	.1777 56288.9 1.21E-02 1.1417 3.54E-05 3.66E-03 3.71E-03	.1846 54160.2 3.74E-03 1.1457 3.20E-05 8.21E-04 7.84E-04*	.1921 52060.5 1.73E-02 1.1681 1.30E-05 5.55E-04 (3.19E-05) 5.69E-04	.2000 49989.7 3.17E-04 1.1546 2.44E-05 3.19E-05 2.36E-05*
20	.1373 72838.6 9.93E-03 1.0406 1.23E-04 7.84E-02 7.82E-02*	.1418 70508.2 3.27E-02 1.0535 1.12E-04 1.93E-01 1.93E-01	.1466 68206.6 2.32E-02 1.0667 1.00E-04 9.98E-02 (1.98E-05) 1.00E-01	.1517 65933.8 3.28E-06 1.0384 1.25E-04 1.98E-05 1.39E-05*	.1570 63689.7 1.85E-02 1.0934 7.69E-05 3.81E-02 3.81E-02	.1627 61474.5 8.38E-03 1.1098 6.27E-05 1.03E-02 1.05E-02*	.1687 59288.0 5.46E-03 1.1159 5.75E-05 5.08E-03 4.99E-03*	.1750 57130.4 1.64E-02 1.1349 4.12E-05 6.99E-03 (1.32E-04) 7.02E-03	.1818 55001.7 1.32E-04 1.1052 6.67E-05 1.32E-04 1.15E-04*	.1890 52901.9 1.72E-02 1.1608 1.92E-05 1.27E-03 (3.15E-06) 1.26E-03	.1967 50831.2 1.50E-03 1.1876 -3.45E-06 3.15E-06 1.12E-06*
21	.1358 73639.2 7.58E-03 1.0362 1.27E-04 6.58E-02 6.57E-02*	.1402 71308.8 2.83E-02 1.0489 1.16E-04 1.86E-01 1.86E-01	.1449 69007.3 2.58E-02 1.0619 1.04E-04 1.25E-01 1.25E-01	.1498 66734.4 8.27E-04 1.0764 9.17E-05 2.79E-03 2.87E-03*	.1551 64490.4 1.35E-02 1.0885 8.11E-05 3.22E-02 3.20E-02	.1606 62275.1 1.27E-02 1.1038 6.79E-05 1.91E-02 1.92E-02	.1664 60088.6 1.29E-03 1.1060 5.60E-05 1.65E-03 1.59E-03*	.1726 57931.0 1.68E-02 1.1289 4.63E-05 9.48E-03 (1.39E-04) 9.48E-03	.1792 55802.3 1.10E-03 1.1561 2.31E-05 1.39E-04 1.55E-04*	.1862 53702.6 1.26E-02 1.1539 2.50E-05 1.65E-03 (6.94E-05) 1.62E-03	.1937 51631.8 6.64E-03 1.1746 7.49E-06 6.94E-05 7.99E-05*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 2. Radiative transition parameters for $N_2 A^3\Sigma_u^+ - X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
16	.2213	.2316	.2427	.2548	.2679	.2823	.2980	.3152	.3342	.3553	.3787
	45195.2	43182.8	41199.7	39246.0	37321.8	35427.3	33562.6	31727.8	29923.2	28148.9	26405.0
	2.40E-07	2.29E-02	1.66E-07	2.37E-02	1.10E-04	2.45E-02	1.15E-03	2.40E-02	4.97E-03	2.01E-02	1.40E-02
	.1252	1.2339	2.8299	1.2670	1.2132	1.3019	1.2959	1.3394	1.3450	1.3802	1.3898
	1.05E-03	-4.20E-05	-1.01E-03	-6.93E-05	-2.49E-05	-9.76E-05	-9.28E-05	-1.28E-04	-1.32E-04	-1.60E-04	-1.68E-04
(3.27E-05)	4.41E-03	(1.60E-05)	9.26E-03	(4.78E-06)	1.40E-02	5.04E-04	1.69E-02	3.14E-03	1.55E-02	9.79E-03
	1.62E-05*	4.41E-03	2.13E-05*	9.25E-03	8.78E-06*	1.40E-02	5.35E-04*	1.68E-02	3.21E-03*	1.54E-02	9.88E-03
17	.2167	.2266	.2372	.2488	.2613	.2749	.2897	.3060	.3239	.3436	.3655
	46149.4	44137.0	42153.9	40200.2	38276.0	36381.5	34516.8	32682.0	30877.4	29103.1	27359.3
	5.95E-03	1.44E-02	7.55E-03	1.40E-02	7.84E-03	1.54E-02	6.72E-03	1.87E-02	4.15E-03	2.37E-02	1.01E-03
	1.2160	1.2237	1.2480	1.2554	1.2819	1.2889	1.3180	1.3251	1.3589	1.3638	1.4168
	-2.72E-05	-3.36E-05	-5.37E-05	-5.97E-05	-8.14E-05	-8.71E-05	-1.11E-04	-1.16E-04	-1.43E-04	-1.47E-04	-1.89E-04
	5.84E-04	1.98E-04	2.20E-03	4.39E-03	3.94E-03	7.62E-03	4.56E-03	1.19E-02	3.38E-03	1.19E-02	9.98E-04
	5.52E-04*	1.93E-03	2.14E-03*	4.45E-03	3.86E-03*	7.69E-03	4.48E-03*	1.20E-02	3.31E-03*	1.71E-02	9.62E-04*
18	.2125	.2220	.2322	.2432	.2551	.2681	.2822	.2976	.3145	.3331	.3536
	47067.5	45055.1	43072.0	41118.3	39194.1	37299.6	35434.9	33600.1	31795.5	30021.2	28277.4
	1.55E-02	3.14E-03	1.77E-02	1.83E-03	1.91E-02	1.54E-03	2.00E-02	2.08E-03	2.03E-02	3.94E-03	1.91E-02
	1.2051	1.2105	1.2363	1.2371	1.2688	1.2661	1.3027	1.3022	1.3390	1.3429	1.3782
	-1.81E-05	-2.26E-05	-4.40E-05	-4.47E-05	-7.07E-05	-6.85E-05	-9.83E-05	-9.79E-05	-1.27E-04	-1.31E-04	-1.58E-04
	7.14E-04	1.89E-04	3.70E-03	3.44E-04	7.75E-03	5.07E-04	1.16E-02	1.02E-03	1.43E-02	2.46E-03	1.47E-02
	6.97E-04	2.19E-04*	3.67E-03	3.71E-04*	7.71E-03	5.39E-04*	1.15E-02	1.06E-03*	1.42E-02	2.51E-03*	1.46E-02
19	.2086	.2177	.2275	.2381	.2495	.2619	.2754	.2900	.3060	.3236	.3430
	47948.1	45935.7	43952.6	41998.9	40074.7	38180.2	36315.5	34480.7	32676.1	30901.8	29158.0
	1.85E-02	2.31E-04	1.79E-02	1.40E-03	1.70E-02	2.55E-03	1.70E-02	3.08E-03	1.81E-02	2.71E-03	2.05E-02
	1.1966	1.2442	1.2269	1.2586	1.2583	1.2892	1.2908	1.3231	1.3257	1.3613	1.3631
	-1.10E-05	-5.05E-05	-3.62E-05	-6.24E-05	-6.21E-05	-8.73E-05	-8.86E-05	-1.15E-04	-1.17E-04	-1.45E-04	-1.47E-04
	3.34E-04	(7.73E-05)	2.69E-03	5.45E-04	5.72E-03	1.46E-03	8.65E-03	2.25E-03	1.16E-02	2.27E-03	1.47E-02
	3.31E-04	6.48E-05*	2.70E-03	5.13E-04*	5.75E-03	1.41E-03*	8.70E-03	2.19E-03*	1.17E-02	2.22E-03*	1.48E-02
20	.2050	.2138	.2232	.2334	.2444	.2563	.2691	.2831	.2984	.3150	.3333
	48789.6	46777.2	44794.1	42840.4	40916.2	39021.7	37157.0	35322.2	33517.6	31743.3	29999.4
	1.39E-02	5.46E-03	9.80E-03	9.30E-03	6.75E-03	1.22E-02	4.98E-03	1.43E-02	4.32E-03	1.56E-02	4.73E-03
	1.1885	1.2108	1.2176	1.2405	1.2470	1.2723	1.2768	1.3053	1.3091	1.3404	1.3450
	-4.20E-06	-2.29E-05	-2.85E-05	-4.75E-05	-5.28E-05	-7.36E-05	-7.73E-05	-1.00E-04	-1.03E-04	-1.29E-04	-1.32E-04
	3.85E-05	3.94E-04	9.68E-04	2.23E-03	1.74E-03	5.31E-03	2.06E-03	8.57E-03	2.35E-03	1.11E-02	3.01E-03
	4.20E-05	3.68E-04*	9.99E-04*	2.18E-03*	1.79E-03*	5.26E-03	2.11E-03*	8.51E-03	2.41E-03*	1.11E-02	3.07E-03*
21	.2017	.2102	.2193	.2291	.2397	.2511	.2635	.2768	.2914	.3073	.3247
	49590.2	47577.8	45594.7	43641.0	41716.8	39822.3	37957.6	36122.8	34318.2	32543.9	30800.1
	6.43E-03	1.20E-02	2.13E-03	1.51E-02	2.93E-04	1.65E-02	2.42E-05	1.70E-02	3.97E-04	1.76E-02	7.66E-04
	1.1798	1.2014	1.2049	1.2311	1.2140	1.2623	1.4159	1.2943	1.3493	1.3281	1.3758
	3.11E-06	-1.50E-05	-1.79E-05	-3.97E-05	-2.55E-05	-6.54E-05	-1.88E-04	-9.15E-05	-1.36E-04	-1.19E-04	-1.57E-04
(1.03E-05)	3.94E-04	(8.79E-05)	2.68E-03	(1.87E-05)	6.01E-03	(6.30E-05)	9.08E-03	3.98E-04	1.16E-02	7.41E-04
	7.14E-06*	3.78E-04	1.01E-04*	2.67E-03	2.55E-05*	6.00E-03	5.45E-05*	9.09E-03	3.75E-04*	1.16E-02	7.10E-04*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 3. Radiative transition parameters for $N_2 B^3\Pi_g - A^3\Sigma_u^+$. For each $v' - v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.0469 9552.0 4.01E-01 1.2534 2.68E-01 5.09E+04 5.08E+04	1.2317 8119.1 3.30E-01 1.2160 2.76E-01 2.73E+04 2.73E+04	1.4895 6713.8 1.66E-01 1.1827 2.83E-01 8.15E+03 8.16E+03	1.8739 5336.3 6.72E-02 1.1526 2.88E-01 1.72E+03 1.73E+03	2.5084 3986.7 2.41E-02 1.1253 2.93E-01 2.66E+02 2.68E+02	3.7523 2665.0 8.09E-03 1.1002 2.97E-01 2.75E+01 2.76E+01*	7.2916 1371.4 2.62E-03 1.0772 3.01E-01 1.24E+00 1.25E+00*	94.1292 106.2 8.31E-04 1.0558 3.04E-01 2.4E+00 1.88E-04*	-8.8467 -1130.4 2.63E-04 1.0360 3.07E-01 -1.45E-01 -1.46E-01*	-4.2771 -2338.0 8.36E-05 1.0175 3.09E-01 -4.14E-01 -4.18E-01*	-2.8438 -3516.4 2.69E-05 1.0004 3.11E-01 -4.59E-01 -4.64E-01*
1	.8883 11257.3 4.00E-01 1.2979 2.58E-01 7.70E+04 7.70E+04	1.0179 9824.4 2.87E-03 1.3088 2.56E-01 3.60E+02 3.45E+02*	1.1878 8419.1 1.59E-01 1.2273 2.74E-01 1.44E+04 1.43E+04	1.4201 7041.6 1.96E-01 1.1920 2.81E-01 1.09E+04 1.09E+04	1.7569 5692.0 1.30E-01 1.1613 2.87E-01 4.00E+02 4.01E+03	2.2882 4370.3 6.57E-02 1.1336 2.92E-01 9.46E+02 9.49E+02	3.2502 3076.8 2.86E-02 1.1085 2.96E-01 1.48E+02 1.48E+02	5.5202 1811.5 1.14E-02 1.0854 3.00E-01 1.23E+01 1.24E+01	17.3933 574.9 4.31E-03 1.0854 3.03E-01 1.52E-01 1.54E-01*	-15.8042 -632.7 1.59E-03 1.0443 3.06E-01 -1.52E-01 -1.54E-01*	-5.5215 -1811.1 5.78E-04 1.0259 3.08E-01 -1.32E+00 -1.33E+00*
2	.7732 12933.5 1.61E-01 1.3475 2.46E-01 4.28E+04 4.29E+04	.8695 11500.7 2.77E-01 1.3087 2.56E-01 5.55E+04 5.54E+04	.9905 10095.4 6.90E-02 1.2571 2.67E-01 1.03E+04 1.03E+04	1.1471 8717.9 2.19E-02 1.2486 2.69E-01 2.13E+03 2.10E+03	1.3572 7368.3 1.24E-01 1.2027 2.79E-01 7.82E+03 7.79E+03	1.6538 6046.6 1.43E-01 1.1705 2.85E-01 5.19E+03 5.19E+03	2.1039 4753.0 1.07E-01 1.1424 2.90E-01 1.85E+03 1.85E+03	2.8671 3487.8 5.63E-02 1.1170 2.95E-01 4.20E+02 4.22E+02	4.4420 2251.2 2.74E-02 1.0938 2.98E-01 5.63E+01 5.66E+01	9.5828 1043.5 1.22E-02 1.0725 3.02E-01 2.57E+00 2.58E+00	-74.1757 -134.8 5.20E-03 1.0528 3.05E-01 -4.79E-03 -4.83E-03*
3	.6858 14580.8 3.39E-02 1.4035 2.32E-01 1.15E+04 1.16E+04	.7606 13147.9 2.77E-01 1.3567 2.44E-01 7.61E+04 7.61E+04	.8516 11742.7 9.61E-02 1.3235 2.52E-01 2.00E+04 1.99E+04	.9648 10365.2 1.52E-01 1.2708 2.64E-01 2.39E+04 2.40E+04	1.1092 9015.6 5.19E-03 1.1981 2.80E-01 6.02E+02 6.24E+02*	1.2997 7693.9 4.22E-02 1.2175 2.76E-01 2.96E+03 2.93E+03	1.5624 6400.3 1.07E-01 1.1808 2.83E-01 4.58E+03 4.56E+03	1.9474 5135.1 1.11E-01 1.1516 2.89E-01 2.54E+03 2.54E+03	2.5651 3898.5 8.00E-02 1.1258 2.93E-01 8.26E+02 8.28E+02	3.7163 2690.8 4.73E-02 1.1025 2.97E-01 1.65E+02 1.66E+02	6.6117 1512.5 2.49E-02 1.0811 3.00E-01 1.58E+01 1.58E+01
4	.6173 16199.1 4.04E-03 1.4684 2.16E-01 1.62E+03 1.63E+03*	.6772 14766.2 9.67E-02 1.4124 2.30E-01 3.34E+04 3.35E+04	.7484 13361.0 2.98E-01 1.3666 2.42E-01 8.41E+04 8.40E+04	.8345 11983.5 7.60E-03 1.3676 2.41E-01 1.54E+03 1.50E+03*	.9404 10633.9 1.51E-01 1.2827 2.62E-01 2.52E+04 2.52E+04	1.0739 9312.2 5.12E-02 1.2353 2.72E-01 6.20E+03 6.26E+03	1.2471 8018.6 2.19E-03 1.2740 2.64E-01 1.59E+02 1.50E+02*	1.4807 6753.4 5.47E-02 1.1933 2.81E-01 2.69E+03 2.67E+03	1.8126 5516.8 9.36E-02 1.1617 2.87E-01 2.62E+03 2.61E+03	2.3207 4309.1 8.96E-02 1.1352 2.92E-01 1.23E+03 1.23E+03	3.1941 3130.8 6.49E-02 1.1116 2.96E-01 3.53E+02 3.54E+02
5	.5622 17788.4 2.74E-04 1.5458 1.96E-01 1.19E+02 1.20E+02*	.6114 16355.5 1.62E-02 1.4772 1.96E-01 6.57E+03 6.59E+03	.6689 14950.3 1.69E-01 1.4215 2.28E-01 5.93E+04 5.95E+04	.7368 13572.8 2.44E-01 1.3775 2.39E-01 7.05E+04 7.03E+04	.8181 12223.1 1.04E-02 1.2875 2.60E-01 2.62E+03 2.69E+03	.9173 10901.5 9.55E-02 1.2959 2.59E-01 1.68E+04 1.66E+04	1.0408 9607.9 9.48E-02 1.2492 2.69E-01 1.23E+04 1.24E+04	1.1987 8342.7 8.77E-03 1.1919 2.81E-01 2.69E+03 8.37E+02*	1.4072 7106.1 1.39E-02 1.2143 2.76E-01 7.74E+02 7.58E+02	1.6954 5898.4 5.93E-02 1.1733 2.85E-01 2.00E+03 1.98E+03	2.1186 4720.1 8.09E-02 1.1453 2.90E-01 1.45E+03 1.45E+03
6	.5168 19348.6 1.01E-05 1.6441 1.70E-01 4.26E+00 4.23E+00*	.5582 17915.7 1.43E-03 1.5549 1.93E-01 6.20E+02 6.22E+02*	.6057 16510.5 3.89E-02 1.4862 2.11E-01 1.58E+04 1.59E+04	.6608 15133.0 2.30E-01 1.4310 2.25E-01 8.19E+04 8.21E+04	.7255 13783.3 1.57E-01 1.3903 2.36E-01 4.62E+04 4.60E+04	.8025 12461.7 5.81E-02 1.3214 2.53E-01 1.45E+04 1.47E+04	.8954 11168.1 3.55E-02 1.3149 2.54E-01 6.46E+03 6.37E+03	1.0098 9902.9 1.04E-01 1.2614 2.66E-01 1.46E+04 1.46E+04	1.1539 8666.3 3.95E-02 1.2181 2.76E-01 3.95E+03 3.99E+03	1.3407 7458.6 1.75E-08 22.1050 0.00E+00 0.00E+00 6.68E-01*	1.5923 6280.3 2.48E-02 1.1888 2.82E-01 9.86E+02 9.72E+02
7	.4789 20879.7 1.74E-07 1.7837 1.35E-01 5.85E-02 5.58E-02*	.5142 19446.8 6.42E-05 1.6539 1.67E-01 2.68E+01 2.66E+01*	.5543 18041.6 4.32E-03 1.5641 1.91E-01 1.87E+03 1.87E+03*	.6001 16664.1 7.16E-02 1.4954 2.09E-01 2.93E+04 2.93E+04	.6530 15314.4 2.66E-01 1.4410 2.23E-01 9.60E+04 9.61E+04	.7147 13992.7 7.47E-02 1.4071 2.32E-01 2.22E+04 2.20E+04	.7875 12699.2 1.06E-01 1.3368 2.49E-01 2.72E+04 2.73E+04	.8746 11434.0 3.08E-03 1.3797 2.38E-01 5.30E+02 5.02E+02*	.9806 10197.4 8.16E-02 1.2744 2.63E-01 1.22E+04 1.21E+04	1.1124 8989.7 6.78E-02 1.2324 2.73E-01 7.42E+03 7.44E+03	1.2802 7811.3 1.08E-02 1.1840 2.83E-01 8.34E+02 8.54E+02

Table 3. Radiative transition parameters for $N_2 B^3\Pi_g-A^3\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
0	-2.1436 -4665.0 8.85E-06 .9847 3.13E-01 -3.56E-01 -3.61E-01*	-1.7292 -5783.1 2.99E-06 .9706 3.14E-01 -2.31E-01 -2.34E-01*	-1.4555 -6870.3 1.04E-06 .9581 3.15E-01 -1.36E-01 -1.38E-01*	-1.2617 -7925.7 3.78E-07 .9475 3.16E-01 -7.63E-02 -7.73E-02*	-1.1175 -8948.4 1.43E-07 .9387 3.17E-01 -4.16E-02 -4.21E-02*	-1.0063 -9937.4 5.61E-08 .9318 3.18E-01 -2.25E-02 -2.27E-02*	-.9181 -10891.6 2.29E-08 .9263 3.18E-01 -1.21E-02 -1.22E-02*	-.8468 -11809.7 9.63E-09 .9215 3.18E-01 -6.52E-03 -6.57E-03*	-.7880 -12690.3 4.12E-09 .9164 3.19E-01 -3.47E-03 -3.49E-03*	-.7390 -13531.8 1.76E-09 .9096 3.19E-01 -1.80E-03 -1.81E-03*	-.6977 -14332.4 7.24E-10 .8987 3.20E-01 -8.83E-04 -8.90E-04*
1	-3.3788 -2959.6 2.10E-04 1.0090 3.10E-01 -2.12E+00 -2.15E+00*	-2.4523 -4077.8 7.71E-05 .9934 3.12E-01 -2.06E+00 -2.09E+00*	-1.9361 -5165.0 2.88E-05 .9792 3.13E-01 -1.58E+00 -1.60E+00*	-1.6076 -6220.4 1.10E-05 .9665 3.15E-01 -1.06E+00 -1.07E+00*	-1.3806 -7243.1 4.31E-06 .9553 3.16E-01 -6.61E-01 -6.69E-01*	-1.2148 -8232.1 1.74E-06 .9456 3.17E-01 -3.94E-01 -3.99E-01*	-1.0886 -9186.3 7.25E-07 .9373 3.17E-01 -2.29E-01 -2.32E-01*	-.9897 -10104.4 3.10E-07 .9300 3.18E-01 -1.31E-01 -1.32E-01*	-.9103 -10985.0 1.35E-07 .9231 3.18E-01 -7.36E-02 -7.43E-02*	-.8456 -11826.5 5.94E-08 .9159 3.19E-01 -4.04E-02 -4.08E-02*	-.7919 -12627.1 2.57E-08 .9067 3.19E-01 -2.14E-02 -2.16E-02*
2	-7.7920 -1283.4 2.15E-03 1.0345 3.07E-01 -1.74E+00 -1.75E+00*	-4.1640 -2401.6 8.77E-04 1.0177 3.09E-01 -4.70E+00 -4.75E+00*	-2.8664 -3488.7 3.57E-04 1.0021 3.11E-01 -5.94E+00 -6.00E+00*	-2.2007 -4544.1 1.46E-04 .9879 3.13E-01 -5.44E+00 -5.50E+00*	-1.7964 -5566.8 6.08E-05 .9750 3.14E-01 -4.19E+00 -4.24E+00*	-1.5254 -6555.8 2.57E-05 .9634 3.15E-01 -2.92E+00 -2.95E+00*	-1.3316 -7510.0 1.11E-05 .9530 3.16E-01 -1.90E+00 -1.93E+00*	-1.1865 -8428.2 4.90E-06 .9436 3.17E-01 -1.19E+00 -1.21E+00*	-1.0743 -9308.7 2.20E-06 .9349 3.17E-01 -7.23E-01 -7.32E-01*	-.9852 -10150.2 9.93E-07 .9262 3.18E-01 -4.26E-01 -4.31E-01*	-.9132 -10950.8 4.47E-07 .9166 3.19E-01 -2.41E-01 -2.44E-01*
3	27.4786 363.9 1.22E-02 1.0615 3.03E-01 1.09E-01 1.10E-01	-13.2578 -754.3 5.68E-03 1.0433 3.06E-01 -9.24E-01 -9.31E-01*	-5.4305 -1841.4 2.58E-03 1.0266 3.08E-01 -6.20E+00 -6.26E+00*	-3.4521 -2896.8 1.16E-03 1.0111 3.10E-01 -1.10E+01 -1.11E+01*	-2.5513 -3919.5 5.21E-04 .9968 3.12E-01 -1.23E+01 -1.25E+01*	-2.0373 -4908.5 2.35E-04 .9838 3.13E-01 -1.10E+01 -1.11E+01*	-1.7057 -5862.7 1.07E-04 .9718 3.14E-01 -8.62E+00 -8.72E+00*	-1.4747 -6780.9 4.93E-05 .9608 3.15E-01 -6.18E+00 -6.26E+00*	-1.3052 -7661.5 2.30E-05 .9505 3.16E-01 -4.18E+00 -4.23E+00*	-1.1761 -8502.9 1.08E-05 .9406 3.17E-01 -2.70E+00 -2.73E+00*	-1.0749 -9303.6 5.06E-06 .9304 3.18E-01 -1.67E+00 -1.69E+00*
4	5.0449 1982.2 4.02E-02 1.0901 2.99E-01 5.67E+01 5.69E+01	11.5737 864.0 2.25E-02 1.0705 3.02E-01 2.68E+00 2.70E+00	-44.8147 -223.1 1.18E-02 1.0523 3.05E-01 -4.95E-02 -4.98E-02	-7.8216 -1278.5 5.99E-03 1.0356 3.07E-01 -4.78E+00 -4.82E+00*	-4.3455 -2301.2 2.96E-03 1.0202 3.09E-01 -1.40E+01 -1.41E+01*	-3.0393 -3290.2 1.45E-03 1.0059 3.11E-01 -2.02E+01 -2.04E+01*	-2.3560 -4244.5 7.07E-04 .9927 3.12E-01 -2.13E+01 -2.16E+01*	-1.9370 -5162.6 3.46E-04 .9805 3.13E-01 -1.89E+01 -1.91E+01*	-1.6548 -6043.2 1.70E-04 .9690 3.14E-01 -1.50E+01 -1.52E+01*	-1.4525 -6884.6 8.35E-05 .9580 3.15E-01 -1.10E+01 -1.11E+01*	-1.3012 -7685.3 4.11E-05 .9471 3.16E-01 -7.56E+00 -7.65E+00*
5	2.7999 3571.5 7.35E-02 1.1211 2.94E-01 5.87E+02 5.87E+02	4.0761 2453.3 5.39E-02 1.0995 2.98E-01 1.43E+02 1.43E+02	7.3199 1366.1 3.47E-02 1.0798 3.01E-01 1.62E+01 1.63E+01	32.1787 310.8 2.05E-02 1.0616 3.03E-01 1.15E-01 1.16E-01	-14.0462 -711.9 1.15E-02 1.0449 3.06E-01 -1.58E+00 -1.59E+00	-5.8790 -1701.0 6.28E-03 1.0295 3.08E-01 -1.18E+01 -1.19E+01*	-3.7662 -2655.2 3.34E-03 1.0152 3.09E-01 -2.43E+01 -2.45E+01*	-2.7985 -3573.3 1.76E-03 1.0019 3.11E-01 -3.15E+01 -3.18E+01*	-2.2452 -4453.9 9.22E-04 .9894 3.12E-01 -3.22E+01 -3.25E+01*	-1.8884 -5295.4 4.81E-04 .9776 3.14E-01 -2.85E+01 -2.88E+01*	-1.6404 -6096.0 2.50E-04 .9661 3.15E-01 -2.27E+01 -2.30E+01*
6	1.9487 5131.7 5.83E-02 1.1565 2.88E-01 1.32E+03 1.31E+03	2.4916 4013.5 6.96E-02 1.1313 2.92E-01 7.78E+02 7.77E+02	3.4172 2926.4 6.14E-02 1.1093 2.96E-01 2.73E+02 2.73E+02	5.3448 1871.0 4.57E-02 1.0894 2.99E-01 5.43E+01 5.45E+01	11.7886 848.3 3.06E-02 1.0712 3.02E-01 3.45E+00 3.47E+00	-71.0500 -140.7 1.91E-02 1.0545 3.04E-01 -2.00E-02 -2.01E-02	-9.1328 -1095.0 1.14E-02 1.0391 3.06E-01 -5.69E+00 -5.73E+00	-4.9675 -2013.1 6.60E-03 1.0248 3.08E-01 -2.07E+01 -2.09E+01*	-3.4558 -2893.7 3.75E-03 1.0114 3.10E-01 -3.54E+01 -3.57E+01*	-2.6773 -3735.1 2.10E-03 .9987 3.11E-01 -4.30E+01 -4.34E+01*	-2.2047 -4535.8 1.17E-03 .9866 3.13E-01 -4.31E+01 -4.36E+01*
7	1.5009 6662.8 3.69E-03 1.2253 2.74E-01 1.66E+02 1.59E+02*	1.8036 5544.6 3.10E-02 1.1702 2.85E-01 8.69E+02 8.60E+02	2.2434 4457.4 5.42E-02 1.1425 2.90E-01 8.19E+02 8.15E+02	2.9394 3402.1 5.97E-02 1.1197 2.94E-01 4.13E+02 4.12E+02	4.2028 2379.4 5.22E-02 1.0995 2.98E-01 1.26E+02 1.26E+02	7.1926 1390.3 3.97E-02 1.0812 3.00E-01 1.95E+01 1.96E+01	22.9296 436.1 2.76E-02 1.0644 3.03E-01 4.26E-01 4.28E-01	-20.7470 -482.0 1.81E-02 1.0490 3.05E-01 -7.66E-01 -7.70E-01	-7.3390 -1362.6 1.14E-02 1.0346 3.07E-01 -1.10E+01 -1.11E+01	-4.5371 -2204.1 6.99E-03 1.0211 3.09E-01 -2.89E+01 -2.91E+01*	-3.3281 -3004.7 4.20E-03 1.0084 3.10E-01 -4.44E+01 -4.48E+01*

Table 3. Radiative transition parameters for $N_2 B^3\Pi_g-A^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
8	.4468 22381.5 1.00E-09 2.0299 8.27E-02 (1.56E-04) 1.06E-04*	.4774 20948.6 1.30E-06 1.7952 1.32E-01 4.25E-01 4.03E-01*	.5117 19543.4 2.33E-04 1.6639 1.65E-01 9.59E+01 9.51E+01*	.5505 18165.9 9.90E-03 1.5736 1.88E-01 4.26E+03 4.27E+03*	.5947 16816.2 1.12E-01 1.5050 2.06E-01 4.58E+04 4.60E+04	.6454 15494.6 2.71E-01 1.4515 2.20E-01 9.91E+04 9.91E+04	.7042 14201.0 2.01E-02 1.4385 2.24E-01 5.82E+03 5.71E+03	.7730 12935.8 1.28E-01 1.3499 2.46E-01 3.39E+04 3.40E+04	.8548 11699.2 4.74E-03 1.2500 2.69E-01 1.11E+03 1.16E+03*	.9532 10491.5 4.46E-02 1.2902 2.60E-01 7.05E+03 6.97E+03	1.0737 9313.2 7.74E-02 1.2452 2.70E-01 9.22E+03 9.22E+03
9	.4192 23854.0 2.04E-13 3.7747 1.12E-04 (7.06E-14) 5.74E-07*	.4460 22421.1 8.27E-09 2.0514 7.88E-02 (1.17E-03) 7.61E-04*	.4758 21015.8 5.45E-06 1.8078 1.29E-01 1.71E+00 1.62E+00*	.5092 19638.3 6.34E-04 1.6741 1.62E-01 2.56E+02 2.54E+02*	.5468 18288.7 1.91E-02 1.5834 1.86E-01 8.15E+03 8.15E+03	.5894 16967.0 1.55E-01 1.5148 2.04E-01 6.38E+04 6.40E+04	.6380 15673.4 2.49E-01 1.4629 2.17E-01 9.16E+04 9.15E+04	.6940 14408.2 1.90E-04 1.8640 1.16E-01 (1.56E+01) 1.02E+01*	.7592 13171.6 1.20E-01 1.3630 2.43E-01 3.27E+04 3.26E+04	.8358 11964.0 2.93E-02 1.2982 2.58E-01 6.77E+03 6.86E+03	.9272 10785.6 1.35E-02 1.3170 2.54E-01 2.20E+03 2.15E+03
10	.3953 25296.8 5.36E-14 1.5997 1.81E-01 (5.79E-08) 4.86E-08*	.4190 23864.0 6.22E-14 14.5540 0.00E+00 (0.00E+00) 1.31E-05*	.4453 22458.7 3.77E-08 2.0733 7.50E-02 (4.86E-03) 2.96E-03*	.4744 21081.2 1.68E-05 1.8205 1.26E-01 5.11E+00 4.81E+00*	.5068 19731.6 1.43E-03 1.6846 1.60E-01 5.67E+02 5.61E+02*	.5432 18409.9 3.25E-02 1.5934 1.83E-01 1.38E+04 1.38E+04	.5842 17116.3 1.98E-01 1.5251 2.01E-01 8.11E+04 8.13E+04	.6309 15851.1 2.06E-01 1.4753 2.14E-01 7.60E+04 7.59E+04	.6843 14614.5 1.02E-02 1.3519 2.45E-01 3.90E+03 3.99E+03	.7459 13406.8 8.96E-02 1.3774 2.39E-01 2.50E+04 2.48E+04	.8178 12228.5 5.92E-02 1.3171 2.54E-01 1.41E+04 1.42E+04
11	.3744 26710.0 1.70E-15 1.0771 3.01E-01 5.95E-09 5.75E-09*	.3956 25277.1 3.22E-14 2.8846 6.46E-03 (4.39E-11) 4.35E-08*	.4189 23871.9 2.97E-13 14.6460 0.00E+00 (0.00E+00) 6.01E-05*	.4446 22494.4 1.26E-07 2.0949 7.13E-02 (1.48E-02) 8.36E-03*	.4729 21144.7 4.28E-05 1.8336 1.23E-01 1.25E+01 1.17E+01*	.5045 19823.1 2.84E-03 1.6953 1.57E-01 1.09E+03 1.09E+03*	.5397 18529.5 5.04E-02 1.6037 1.80E-01 2.11E+04 2.12E+04	.5792 17264.3 2.34E-01 1.5357 1.98E-01 9.57E+04 9.58E+04	.6239 16027.7 1.52E-01 1.4895 2.10E-01 5.59E+04 5.58E+04	.6748 14820.0 3.88E-02 1.3934 2.35E-01 1.41E+04 1.43E+04	.7330 13641.7 5.15E-02 1.3953 2.35E-01 1.46E+04 1.44E+04
12	.3560 28093.2 4.85E-14 1.2610 2.66E-01 1.55E-07 1.52E-07*	.3751 26660.3 1.61E-14 1.8337 1.23E-01 (9.40E-09) 1.40E-08*	.3960 25255.1 1.99E-15 -14.2460 0.00E+00 (0.00E+00) 1.45E-06*	.4188 23877.6 5.12E-14 -58.5080 0.00E+00 (0.00E+00) 2.44E-04*	.4439 22528.0 3.44E-07 2.1151 6.80E-02 (3.69E-02) 1.94E-02*	.4716 21206.3 9.49E-05 1.8470 1.20E-01 2.65E+01 2.47E+01*	.5022 19912.7 5.10E-03 1.7063 1.54E-01 1.94E+03 1.91E+03*	.5363 18647.5 7.29E-02 1.6143 1.78E-01 3.02E+04 3.02E+04	.5744 17410.9 2.60E-01 1.5467 1.95E-01 1.06E+05 1.06E+05	.6172 16203.2 9.69E-02 1.5069 2.06E-01 3.54E+04 3.52E+04	.6656 15024.9 7.25E-02 1.4139 2.30E-01 2.63E+04 2.64E+04
13	.3396 29446.3 2.38E-14 1.2347 2.72E-01 9.12E-08 8.97E-08*	.3570 28013.4 3.88E-14 1.1724 2.85E-01 1.40E-07 1.29E-07*	.3758 26608.2 7.27E-14 .6158 3.13E-01 (2.72E-07) 4.31E-07*	.3963 25230.7 7.16E-13 -5336 6.51E-02 (9.87E-08) 1.38E-05*	.4187 23881.0 1.17E-11 -5.3319 6.49E-16 (1.36E-34) 8.62E-04*	.4433 22559.3 8.14E-07 2.1350 6.49E-02 (7.97E-02) 3.89E-02*	.4702 21265.8 1.90E-04 1.8608 1.17E-01 5.07E+01 4.70E+01*	.5000 20000.6 8.50E-03 1.7175 1.51E-01 3.15E+03 3.11E+03*	.5329 18764.0 9.94E-02 1.6252 1.75E-01 4.06E+04 4.06E+04	.5696 17556.3 2.73E-01 1.5583 1.92E-01 1.11E+05 1.11E+05	.6106 16377.9 5.03E-02 1.5307 2.00E-01 1.78E+04 1.77E+04
14	.3250 30768.9 1.39E-15 1.5158 2.03E-01 (3.40E-09) 3.88E-09*	.3409 29336.0 1.03E-13 1.2370 2.72E-01 3.89E-07 3.72E-07*	.3580 27930.7 2.00E-13 1.0240 3.08E-01 8.41E-07 8.16E-07*	.3766 26553.2 1.44E-12 .8833 3.21E-01 (5.61E-06) 6.41E-06*	.3968 25203.6 7.24E-12 1.627 2.24E-01 (1.18E-05) 7.56E-05*	.4187 23881.9 8.94E-11 -2.4150 2.94E-05 (2.13E-12) 2.45E-03*	.4427 22588.4 1.73E-06 2.1558 6.17E-02 (1.53E-01) 6.82E-02*	.4690 21323.1 3.49E-04 1.8749 1.14E-01 8.93E+01 8.22E+01*	.4978 20086.5 1.33E-02 1.7290 1.48E-01 4.82E+03 4.75E+03	.5297 18878.9 1.29E-01 1.6365 1.72E-01 5.20E+04 5.20E+04	.5650 17700.5 2.73E-01 1.5706 1.89E-01 1.09E+05 1.10E+05
15	.3119 32060.7 2.13E-14 1.3336 2.50E-01 8.85E-08 9.02E-08*	.3265 30627.8 1.90E-14 1.0659 3.03E-01 1.01E-07 9.98E-08*	.3422 29222.6 2.58E-13 1.0815 3.00E-01 1.18E-06 1.14E-06*	.3591 27845.1 1.53E-12 1.0411 3.06E-01 6.28E-06 6.10E-06*	.3774 26495.4 5.93E-12 .8420 3.22E-01 (2.32E-05) 2.77E-05*	.3972 25173.7 3.04E-11 .3094 2.60E-01 (6.63E-05) 2.67E-04*	.4188 23880.2 3.62E-10 1.4002 4.14E-03 (1.71E-07) 5.91E-03*	.4422 22615.0 3.37E-06 2.1759 5.87E-02 (2.72E-01) 1.10E-01*	.4678 21378.4 6.04E-04 1.8893 1.11E-01 1.47E+02 1.35E+02*	.4958 20170.7 1.99E-02 1.7408 1.45E-01 7.00E+03 6.90E+03	.5265 18992.4 1.61E-01 1.6482 1.69E-01 6.36E+04 6.36E+04

Table 3. Radiative transition parameters for $N_2 B^3\Pi_g - A^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
8	1.2248 8164.6 3.35E-02 1.2061 2.78E-01 2.86E+03 2.89E+03	1.4192 7046.4 1.16E-03 1.1146 2.95E-01 7.13E+01 7.71E+01*	1.6781 5959.2 9.35E-03 1.1918 2.81E-01 3.16E+02 3.09E+02*	2.0392 4903.9 3.29E-02 1.1554 2.88E-01 6.52E+02 6.47E+02	2.5765 3881.2 4.89E-02 1.1309 2.92E-01 4.95E+02 4.93E+02	3.4576 2892.1 5.16E-02 1.1101 2.96E-01 2.21E+02 2.21E+02	5.1601 1937.9 4.52E-02 1.0916 2.99E-01 5.95E+01 5.96E+01	9.8056 1019.8 3.53E-02 1.0747 3.01E-01 6.89E+00 6.91E+00	71.8231 139.2 2.55E-02 1.0592 3.04E-01 1.29E-02 1.29E-02	-54.2399 -702.3 1.75E-02 1.0447 3.06E-01 -2.30E+00 -2.31E+00	-6.6539 -1502.9 1.16E-02 1.0312 3.07E-01 -1.51E+01 -1.52E+01
9	1.0377 9637.0 6.59E-02 1.2585 2.67E-01 8.51E+03 8.47E+03	1.1739 8518.9 5.32E-02 1.2208 2.75E-01 5.04E+03 5.06E+03	1.3456 7431.7 1.34E-02 1.1803 2.83E-01 8.96E+02 9.13E+02	1.5683 6376.3 1.73E-04 1.3620 2.43E-01 5.37E+00 4.45E+00*	1.8679 5353.6 1.34E-02 1.1728 2.85E-01 3.37E+02 3.31E+02	2.2912 4364.6 3.22E-02 1.1435 2.90E-01 4.56E+02 4.53E+02	2.9322 3410.4 4.34E-02 1.1214 2.94E-01 3.01E+02 3.00E+02	4.0124 2492.3 4.49E-02 1.1024 2.97E-01 1.24E+02 1.24E+02	6.2048 1611.7 3.98E-02 1.0853 3.00E-01 3.03E+01 3.04E+01	12.9839 770.2 3.20E-02 1.0697 3.02E-01 2.70E+00 2.71E+00	-328.5799 -30.4 2.40E-02 1.0552 3.04E-01 -2.54E-04 -2.55E-04
10	.9025 11079.9 2.18E-04 1.5735 1.88E-01 (2.13E+01) 1.69E+01*	1.0038 9961.7 4.15E-02 1.2741 2.64E-01 5.77E+03 5.71E+03	1.1268 8874.6 5.98E-02 1.2344 2.72E-01 6.27E+03 6.27E+03	1.2789 7819.2 3.11E-02 1.1998 2.79E-01 2.35E+03 2.38E+03	1.4713 6796.5 3.11E-03 1.1513 2.89E-01 2.24E+02 2.33E+02*	1.7219 5807.5 1.81E-03 1.2152 2.76E-01 5.47E+01 5.17E+01*	2.0605 4853.3 1.52E-02 1.1588 2.87E-01 2.92E+02 2.87E+02	2.5412 3935.2 3.00E-02 1.1337 2.92E-01 3.15E+02 3.13E+02	3.2738 3054.6 3.84E-02 1.1138 2.95E-01 1.93E+02 1.92E+02	4.5186 2213.1 3.95E-02 1.0963 2.98E-01 7.71E+01 7.70E+01	7.0798 1412.5 3.57E-02 1.0805 3.01E-01 1.84E+01 1.84E+01
11	.8004 12493.1 7.96E-02 1.3320 2.50E-01 1.97E+04 1.97E+04	.8791 11374.9 6.40E-03 1.2510 2.69E-01 1.38E+03 1.43E+03*	.9720 10287.7 1.68E-02 1.2971 2.58E-01 2.47E+03 2.42E+03	1.0831 9232.4 5.13E-02 1.2489 2.69E-01 5.92E+03 5.89E+03	1.2181 8209.7 4.43E-02 1.2151 2.76E-01 3.79E+03 3.80E+03	1.3849 7220.6 1.67E-02 1.1821 2.83E-01 1.02E+03 1.04E+03	1.5958 6266.4 8.82E-04 1.1076 2.96E-01 3.86E+01 4.19E+01*	1.8697 5348.3 3.50E-03 1.1847 2.82E-01 8.64E+01 8.31E+01*	2.2383 4467.7 1.55E-02 1.1477 2.89E-01 2.35E+02 2.31E+02	2.7577 3626.2 2.72E-02 1.1257 2.93E-01 2.26E+02 2.24E+02	3.5390 2825.6 3.39E-02 1.1076 2.96E-01 1.36E+02 1.36E+02
12	.7207 13876.3 1.95E-02 1.4236 2.27E-01 5.45E+03 5.34E+03	.7838 12758.1 8.29E-02 1.3461 2.47E-01 2.12E+04 2.12E+04	.8568 11671.0 2.51E-02 1.2885 2.60E-01 5.48E+03 5.56E+03	.9420 10615.6 2.03E-03 1.3684 2.41E-01 2.87E+02 2.69E+02*	1.0424 9592.9 3.30E-02 1.2660 2.65E-01 4.15E+03 4.11E+03	1.1623 8603.9 4.67E-02 1.2302 2.73E-01 4.49E+03 4.49E+03	1.3072 7649.7 3.00E-02 1.2002 2.79E-01 2.12E+03 2.14E+03	1.4855 6731.5 8.63E-03 1.1685 2.85E-01 4.35E+02 4.45E+02*	1.7091 5851.0 4.38E-05 .9347 3.17E-01 1.79E+00 2.59E+00*	1.9962 5009.5 4.53E-03 1.1662 2.86E-01 9.44E+01 9.13E+01*	2.3759 4208.9 1.48E-02 1.1382 2.91E-01 1.90E+02 1.87E+02
13	.6566 15229.4 9.99E-02 1.4302 2.26E-01 3.64E+04 3.65E+04	.7087 14111.2 2.15E-03 1.5231 2.02E-01 4.97E+02 4.66E+02*	.7678 13024.0 6.96E-02 1.3610 2.43E-01 1.84E+04 1.83E+04	.8355 11968.6 4.58E-02 1.3077 2.56E-01 1.04E+04 1.05E+04	.9136 10945.9 1.54E-03 1.1828 2.83E-01 3.28E+02 3.53E+02*	1.0043 9956.9 1.38E-02 1.2915 2.60E-01 1.86E+03 1.82E+03	1.1108 9002.7 3.77E-02 1.2468 2.70E-01 4.05E+03 4.03E+03	1.2369 8084.6 3.71E-02 1.2167 2.76E-01 3.02E+03 3.03E+03	1.3881 7204.0 1.96E-02 1.1903 2.81E-01 1.18E+03 1.19E+03	1.5717 6362.5 4.40E-03 1.1616 2.87E-01 1.89E+02 1.96E+02*	1.7979 5561.9 5.90E-05 1.2723 2.84E-01 (1.43E+00) 1.00E+00*
14	.6042 16552.0 1.76E-02 1.5740 1.88E-01 5.72E+03 5.68E+03	.6479 15433.8 1.14E-01 1.4455 2.22E-01 4.17E+04 4.17E+04	.6970 14346.6 1.96E-03 1.2663 2.65E-01 8.26E+02 8.82E+02*	.7524 13291.2 4.64E-02 1.3782 2.99E-01 1.26E+04 1.24E+04	.8151 12268.5 5.90E-02 1.3235 2.52E-01 1.40E+04 1.40E+04	.8866 11279.5 1.30E-02 1.2643 2.66E-01 2.67E+03 2.72E+03	.9685 10325.3 1.82E-03 1.3695 2.41E-01 2.36E+02 2.22E+02*	1.0630 9407.2 2.23E-02 1.2679 2.65E-01 2.64E+03 2.61E+03	1.1728 8526.6 3.47E-02 1.2343 2.72E-01 3.23E+03 3.23E+03	1.3012 7685.1 2.77E-02 1.2088 2.78E-01 1.96E+03 1.97E+03	1.4525 6884.5 1.28E-02 1.1869 2.82E-01 6.74E+02 6.85E+02
15	.5604 17843.8 2.59E-01 1.5837 1.86E-01 1.03E+05 1.03E+05	.5979 16725.6 1.67E-03 1.7615 1.40E-01 3.12E+02 3.00E+02*	.6394 15638.4 1.12E-01 1.4611 2.18E-01 4.10E+04 4.10E+04	.6857 14583.1 1.57E-02 1.3682 2.41E-01 5.75E+03 5.85E+03	.7374 13560.4 2.23E-02 1.4015 2.33E-01 6.10E+03 5.99E+03	.7955 12571.3 5.97E-02 1.3389 2.48E-01 1.48E+04 1.48E+04	.8608 11617.1 2.95E-02 1.2896 2.60E-01 6.33E+03 6.38E+03	.9347 10699.0 1.11E-03 1.1472 2.89E-01 2.30E+02 2.50E+02*	1.0185 9818.4 7.78E-03 1.3044 2.57E-01 9.82E+02 9.60E+02*	1.1140 8976.9 2.44E-02 1.2557 2.68E-01 2.56E+03 2.55E+03	1.2230 8176.3 2.86E-02 1.2283 2.74E-01 2.37E+03 2.38E+03

Table 3. Radiative transition parameters for $N_2 B^3\Pi_g - A^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.3001	.3136	.3280	.3436	.3603	.3783	.3978	.4188	.4417	.4666	.4938
	33321.5	31888.6	30483.4	29105.9	27756.2	26434.5	25141.0	23875.8	22639.2	21431.5	20253.1
	7.87E-15	3.69E-15	1.82E-13	9.07E-13	4.86E-12	1.89E-11	1.33E-10	1.10E-09	6.17E-06	9.92E-04	2.85E-02
	1.3359	1.9280	1.0855	1.0262	.9992	.7982	.5433	-.8678	2.1957	1.9038	1.7529
	2.49E-01	1.03E-01	3.00E-01	3.08E-01	3.11E-01	3.23E-01	3.04E-01	2.64E-02	5.59E-02	1.08E-01	1.42E-01
	3.66E-08 (2.55E-09)	9.38E-07	4.30E-06	2.04E-05 (7.36E-05)	(3.95E-04)	(2.12E-05)	(4.53E-01)	(2.30E+02	(4.53E-01)	(2.30E+02	(9.74E+03
	3.75E-08*	4.19E-09*	9.17E-07*	4.23E-06*	2.01E-05*	9.30E-05*	8.84E-04*	1.27E-02*	1.65E-01*	2.09E+02*	9.59E+03
17	.2894	.3020	.3153	.3296	.3450	.3615	.3792	.3983	.4190	.4413	.4655
	34550.8	33117.9	31712.7	30335.2	28985.6	27663.9	26370.3	25105.1	23868.5	22660.8	21482.5
	2.81E-15	2.57E-15	5.85E-14	3.72E-13	2.66E-12	1.73E-11	5.59E-11	4.15E-10	2.57E-09	1.07E-05	1.56E-03
	1.2393	1.8350	1.0224	.9826	.9897	1.0157	.7801	.6605	-.6298	2.2150	1.9185
	2.71E-01	1.23E-01	3.09E-01	3.13E-01	3.12E-01	3.09E-01	3.22E-01	3.17E-01	5.12E-02	5.32E-02	1.05E-01
	1.72E-08 (2.86E-09)	3.60E-07	2.06E-06	1.28E-05	7.08E-05 (2.16E-04)	(1.34E-03)	(1.86E-04)	(7.16E-01)	(3.44E+02)	(7.16E-01)	(3.44E+02)
	1.69E-08*	4.35E-09*	3.58E-07*	2.07E-06*	1.27E-05*	6.90E-05*	2.81E-04*	2.35E-03*	2.40E-02*	2.34E-01*	3.11E+02*
18	.2797	.2914	.3039	.3171	.3313	.3465	.3627	.3802	.3989	.4191	.4409
	35748.4	34315.5	32910.3	31532.8	30183.1	28861.4	27567.9	26302.7	25066.1	23858.4	22680.0
	2.15E-14	8.68E-15	3.34E-15	1.01E-13	1.21E-12	8.52E-12	3.91E-11	1.27E-10	1.09E-09	4.70E-09	1.79E-05
	1.2759	1.2126	.5808	.8938	.9714	.9964	.9679	.7334	.7539	-.5988	2.2337
	2.63E-01	2.77E-01	3.09E-01	3.20E-01	3.14E-01	3.12E-01	3.15E-01	3.21E-01	3.22E-01	5.55E-02	5.07E-02
	1.38E-07	5.45E-08 (2.30E-08)	6.55E-07	6.67E-06	4.03E-05	1.64E-04 (4.85E-04)	(3.59E-03)	(3.98E-04)	(1.09E+00)	(3.98E-04)	(1.09E+00)
	1.37E-07*	5.20E-08*	3.53E-08*	6.85E-07*	6.67E-06*	3.95E-05*	1.64E-04*	6.73E-04*	5.37E-03*	4.02E-02*	3.19E-01*
19	.2709	.2818	.2935	.3058	.3190	.3330	.3480	.3641	.3812	.3996	.4194
	36913.8	35480.9	34075.6	32698.1	31348.5	30026.8	28733.3	27468.0	26231.4	25023.8	23845.4
	1.58E-14	2.85E-14	2.32E-15	1.49E-14	4.32E-13	2.68E-12	1.81E-11	7.74E-11	2.45E-10	2.48E-09	6.94E-09
	1.2783	1.3289	1.6956	.6887	.9482	.9069	.9691	.9351	.6760	.8372	-.7560
	2.63E-01	2.51E-01	1.57E-01	3.19E-01	3.16E-01	3.19E-01	3.14E-01	3.17E-01	3.18E-01	3.22E-01	3.65E-02
	1.11E-07	1.62E-07 (4.56E-09)	(1.08E-07)	2.70E-06	1.50E-05	8.59E-05	3.27E-04 (9.09E-04)	(8.17E-03)	(2.54E-04)	(8.17E-03)	(2.54E-04)
	1.11E-07*	1.59E-07*	7.23E-09*	1.35E-07*	2.70E-06*	1.56E-05*	8.47E-05*	3.34E-04*	1.38E-03*	1.08E-02*	6.06E-02*
20	.2628	.2731	.2840	.2956	.3079	.3209	.3348	.3496	.3654	.3823	.4003
	38046.5	36613.6	35208.4	33830.9	32481.2	31159.6	29866.0	28600.8	27364.2	26156.5	24978.2
	4.34E-16	7.75E-15	4.45E-15	4.00E-16	8.14E-14	6.57E-13	5.59E-12	3.13E-11	1.28E-10	4.26E-10	5.19E-09
	1.2702	1.3785	1.3429	-.3399	.8656	.8393	.9208	.9430	.8916	.6251	.9261
	2.64E-01	2.39E-01	2.47E-01	1.00E-01	3.21E-01	3.22E-01	3.18E-01	3.17E-01	3.20E-01	3.14E-01	3.18E-01
	3.39E-09	4.39E-08	2.41E-08 (3.15E-10)	5.84E-07	4.18E-06	3.06E-05	1.49E-04	5.43E-04 (1.52E-03)	(1.66E-02)	(1.52E-03)	(1.66E-02)
	3.38E-09*	4.35E-08*	2.64E-08*	7.52E-09*	6.01E-07*	4.49E-06*	3.08E-05*	1.47E-04*	5.73E-04*	2.54E-03*	1.96E-02*
21	.2555	.2652	.2754	.2863	.2978	.3100	.3229	.3367	.3513	.3669	.3835
	39146.2	37713.3	36308.0	34930.5	33580.9	32259.2	30965.7	29700.4	28463.8	27256.2	26077.8
	7.68E-15	5.12E-15	1.38E-15	7.89E-16	9.58E-17	7.83E-14	7.45E-13	7.07E-12	4.30E-11	1.71E-10	6.13E-10
	1.2794	1.2644	1.1271	1.3948	5.4900	.8176	.7645	.8653	.9074	.8234	.5337
	2.62E-01	2.66E-01	2.93E-01	2.35E-01	8.15E-10	3.23E-01	3.22E-01	3.21E-01	3.19E-01	3.22E-01	3.03E-01
	6.43E-08	3.93E-08	1.15E-08 (3.75E-09)	(4.88E-27)	5.54E-07	4.65E-06	3.88E-05	2.05E-04 (7.31E-04)	(2.02E-03)	(7.31E-04)	(2.02E-03)
	6.42E-08*	3.91E-08*	1.23E-08*	5.38E-09*	4.02E-10*	5.37E-07*	5.14E-06*	3.95E-05*	2.03E-04*	8.22E-04*	4.02E-03*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 3. Radiative transition parameters for $N_2 B^3\Pi_g - A^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
16	.5234	.5560	.5917	.6312	.6747	.7230	.7765	.8361	.9026	.9768	1.0596
	19104.6	17986.4	16899.2	15843.8	14821.1	13832.1	12877.9	11959.8	11079.2	10237.7	9437.1
	1.93E-01	2.33E-01	2.22E-03	9.54E-02	3.65E-02	5.30E-03	4.84E-02	4.28E-02	1.03E-02	3.50E-04	1.15E-02
	1.6604	1.5979	1.2989	1.4782	1.3988	1.4502	1.3550	1.3079	1.2495	1.5266	1.2878
	1.66E-01	1.82E-01	2.58E-01	2.13E-01	2.34E-01	2.21E-01	2.44E-01	2.56E-01	2.69E-01	2.01E-01	2.60E-01
	7.49E+04	9.08E+04	1.44E+03	3.49E+04	1.32E+04	1.38E+03	1.25E+04	9.70E+03	2.05E+03	3.06E+01	1.32E+03
	7.49E+04	9.11E+04	1.48E+03*	3.48E+04	1.33E+04	1.32E+03*	1.24E+04	9.72E+03	2.09E+03	2.80E+01*	1.31E+03
17	.4918	.5204	.5516	.5857	.6230	.6639	.7089	.7582	.8124	.8721	.9375
	20333.9	19215.7	18128.6	17073.2	16050.5	15061.5	14107.3	13189.1	12308.6	11467.1	10666.5
	3.94E-02	2.24E-01	1.98E-01	1.64E-02	6.99E-02	5.65E-02	3.73E-05	3.04E-02	4.71E-02	2.38E-02	2.52E-03
	1.7653	1.6731	1.6134	1.4512	1.4983	1.4201	.5731	1.3737	1.3246	1.2786	1.1778
	1.39E-01	1.62E-01	1.78E-01	2.20E-01	2.08E-01	2.28E-01	3.08E-01	2.40E-01	2.52E-01	2.63E-01	2.84E-01
	1.31E+04	8.51E+04	7.55E+04	8.01E+03	2.53E+04	2.04E+04	(2.01E+01)	8.12E+03	1.13E+04	5.01E+03	4.99E+02
	1.29E+04	8.52E+04	7.58E+04	8.00E+03	2.52E+04	2.05E+04	5.28E+01*	8.00E+03	1.12E+04	5.04E+03	5.21E+02*
18	.4644	.4899	.5174	.5473	.5798	.6150	.6534	.6951	.7404	.7896	.8429
	21531.5	20413.3	19326.1	18270.8	17248.1	16259.0	15304.8	14386.7	13506.1	12664.6	11864.0
	2.38E-03	5.29E-02	2.53E-01	1.57E-01	3.94E-02	4.19E-02	6.89E-02	6.43E-03	1.27E-02	4.09E-02	3.47E-02
	1.9332	1.7781	1.6863	1.6309	1.4939	1.5245	1.4395	1.3475	1.3995	1.3413	1.2990
	1.02E-01	1.36E-01	1.59E-01	1.73E-01	2.09E-01	2.01E-01	2.23E-01	2.46E-01	2.33E-01	2.48E-01	2.58E-01
	(4.96E+02)	1.70E+04	9.36E+04	5.82E+04	1.79E+04	1.48E+04	2.49E+04	2.36E+03	3.46E+03	1.03E+04	7.80E+03
	4.46E+02*	1.67E+04	9.38E+04	5.86E+04	1.79E+04	1.47E+04	2.50E+04	2.44E+03*	3.36E+03	1.02E+04	7.79E+03
19	.4406	.4634	.4880	.5145	.5431	.5739	.6072	.6430	.6816	.7231	.7675
	22696.9	21578.7	20491.5	19436.1	18413.4	17424.4	16470.2	15552.1	14671.5	13830.0	13029.4
	2.91E-05	3.52E-03	6.93E-02	2.77E-01	1.14E-01	6.56E-02	1.80E-02	7.01E-02	2.04E-02	1.82E-03	2.73E-02
	2.2510	1.9478	1.7912	1.7002	1.6514	1.5204	1.5669	1.4594	1.3910	1.4652	1.3593
	4.85E-02	9.86E-02	1.33E-01	1.56E-01	1.68E-01	2.02E-01	1.90E-01	2.18E-01	2.36E-01	2.17E-01	2.43E-01
	(1.62E+00)	(6.96E+02)	2.14E+04	9.96E+04	4.08E+04	2.88E+04	5.87E+03	2.54E+04	7.25E+03	4.57E+02	7.26E+03
	4.29E-01*	6.22E+02*	2.11E+04	1.00E+05	4.12E+04	2.86E+04	5.84E+03	2.54E+04	7.36E+03	4.20E+02*	7.13E+03
20	.4196	.4403	.4624	.4862	.5116	.5389	.5681	.5993	.6327	.6683	.7061
	23829.6	22711.4	21624.2	20568.9	19546.2	18557.1	17602.9	16684.8	15804.2	14962.7	14162.1
	7.50E-09	4.62E-05	5.09E-03	8.85E-02	2.95E-01	7.40E-02	8.91E-02	3.27E-03	6.02E-02	3.56E-02	7.94E-02
	-1.3019	2.2669	1.9625	1.8048	1.7149	1.6772	1.5420	1.6887	1.4820	1.4176	1.2792
	6.05E-03	4.65E-02	9.56E-02	1.30E-01	1.52E-01	1.61E-01	1.97E-01	1.58E-01	2.12E-01	2.29E-01	2.62E-01
	(7.53E-06)	(2.37E+00)	(9.53E+02)	2.64E+04	1.03E+05	2.50E+04	3.80E+04	7.72E+02	2.17E+04	1.27E+04	(3.14E+02)
	8.09E-02*	5.79E-01*	8.47E+02*	2.60E+04	1.03E+05	2.53E+04	3.79E+04	7.62E+02*	2.16E+04	1.28E+04	3.52E+02*
21	.4011	.4200	.4401	.4615	.4844	.5087	.5347	.5623	.5916	.6226	.6552
	24929.3	23811.1	22723.9	21668.5	20645.8	19656.8	18702.6	17784.5	16903.9	16062.4	15261.8
	9.58E-09	5.78E-09	7.19E-05	7.21E-03	1.11E-01	3.05E-01	4.04E-02	1.04E-01	4.50E-04	4.25E-02	4.58E-02
	1.0010	-2.5718	2.2823	1.9774	1.8191	1.7307	1.7140	1.5613	1.0296	1.5099	1.4420
	3.11E-01	1.16E-05	4.47E-02	9.26E-02	1.27E-01	1.48E-01	1.52E-01	1.91E-01	3.08E-01	2.05E-01	2.23E-01
	2.91E-02	(2.13E-11)	(3.41E+00)	(1.28E+03)	3.17E+04	1.03E+05	1.24E+04	4.36E+04	(4.17E+02)	1.50E+04	1.64E+04
	3.16E-02*	9.80E-02*	7.73E-01*	1.13E+03*	3.12E+04	1.04E+05	1.27E+04	4.34E+04	4.79E+02*	1.49E+04	1.64E+04

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}^*$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	136.1044	-6.1281	-3.0229	-2.0180	-1.5212	-1.2250	-1.0285	-0.8886	-0.7839	-0.7028	-0.6381
	73.5	-1631.8	-3308.1	-4955.4	-6573.7	-8163.0	-9723.2	-11254.3	-12756.1	-14228.5	-15671.4
	4.67E-01	3.88E-01	1.24E-01	1.95E-02	1.55E-03	5.70E-05	7.17E-07	2.83E-10	6.25E-11	1.79E-13	1.93E-14
	1.2504	1.2982	1.3528	1.4177	1.4990	1.6124	1.8164	3.5359	1.5555	2.6617	1.4711
	2.88E-01	2.73E-01	2.56E-01	2.33E-01	2.04E-01	1.65E-01	1.02E-01	1.45E-05	1.84E-01	3.82E-03	2.14E-01
	3.11E-02	-2.55E+02	-5.95E+02	-2.61E+02	-3.72E+01	-1.71E+00	(-1.38E-02)(-1.71E-13)	(-8.94E-06)(-1.52E-11)	(-6.92E-09)		
	3.10E-02	-2.55E+02	-5.98E+02	-2.63E+02	-3.74E+01*	-1.67E+00*	-1.04E-02*	-2.05E-04*	-6.21E-06*	-6.83E-08*	-4.15E-09*
1	6.4311	-66.5097	-5.4745	-2.8786	-1.9638	-1.4967	-1.2133	-1.0232	-0.8869	-0.7845	-0.7047
	1554.9	-150.4	-1826.6	-3473.9	-5092.2	-6681.5	-8241.7	-9772.8	-11274.6	-12747.0	-14189.9
	3.23E-01	2.73E-02	3.43E-01	2.42E-01	5.93E-02	6.36E-03	2.91E-04	4.09E-06	4.91E-10	5.99E-10	6.99E-13
	1.2089	1.2757	1.3083	1.3617	1.4265	1.5085	1.6243	1.8408	5.4968	1.6163	3.3927
	3.00E-01	2.80E-01	2.70E-01	2.53E-01	2.30E-01	2.01E-01	1.61E-01	9.53E-02	1.70E-14	1.63E-01	4.20E-05
	2.20E+02	-1.48E-02	-3.09E+02	-1.31E+03	-8.40E+02	-1.56E+02	-8.52E+00	(-7.03E-02)(-4.11E-31)	(-6.72E-05)(-7.15E-15)		
	2.21E+02	-1.44E-02	-3.08E+02	-1.31E+03	-8.46E+02	-1.56E+02*	-8.33E+00*	-4.96E-02*	-1.92E-03*	-4.42E-05*	-1.11E-06*
2	3.3206	7.6556	-27.0233	-4.9570	-2.7506	-1.9139	-1.4738	-1.2025	-1.0185	-0.8857	-0.7853
	3011.5	1306.2	-370.1	-2017.3	-3635.6	-5224.9	-6785.1	-8316.2	-9818.0	-11290.5	-12733.4
	1.39E-01	2.11E-01	2.39E-02	1.92E-01	3.05E-01	1.12E-01	1.57E-02	8.60E-04	1.31E-05	2.39E-11	3.07E-09
	1.1727	1.2189	1.2372	1.3208	1.3711	1.4355	1.5182	1.6367	1.8683	-35.1380	1.6765
	3.09E-01	2.97E-01	2.92E-01	2.66E-01	2.49E-01	2.27E-01	1.98E-01	1.57E-01	8.83E-02	0.00E+00	1.44E-01
	7.36E+02	8.40E+01	-2.09E-01	-2.26E+02	-1.85E+03	-1.67E+03	-3.88E+02	-2.46E+01	(-1.97E-01)(0.00E+00)	(-2.64E-04)	
	7.39E+02	8.37E+01	-2.15E-01	-2.24E+02	-1.85E+03	-1.68E+03	-3.90E+02	-2.39E+01*	-1.26E-01*	-9.67E-03*	-1.59E-04*
3	2.2505	3.6522	9.4180	-17.0795	-4.5376	-2.6364	-1.8680	-1.4526	-1.1924	-1.0143	-0.8848
	4443.4	2738.1	1061.8	-585.5	-2203.8	-3793.1	-5353.3	-6884.4	-8386.2	-9858.6	-11301.5
	4.91E-02	1.95E-01	6.89E-02	1.07E-01	6.86E-02	3.11E-01	1.69E-01	3.01E-02	1.93E-03	3.11E-05	9.53E-09
	1.1405	1.1809	1.2330	1.2590	1.3397	1.3812	1.4448	1.5281	1.6496	1.8995	-1.2926
	3.16E-01	3.07E-01	2.93E-01	2.85E-01	2.60E-01	2.46E-01	2.24E-01	1.94E-01	1.52E-01	8.08E-02	3.23E-04
	8.73E+02	7.62E+02	1.43E+01	-3.54E+00	-1.00E+02	-2.08E+03	-2.62E+03	-7.49E+02	-5.36E+01	(-3.94E-01)(-2.91E-09)	
	8.79E+02	7.63E+02	1.41E+01	-3.57E+00	-9.87E+01	-2.08E+03	-2.64E+03	-7.52E+02	-5.19E+01*	-2.19E-01*	-3.48E-02*
4	1.7092	2.4124	4.0502	12.1693	-12.5540	-4.1914	-2.5342	-1.8258	-1.4329	-1.1832	-1.0107
	5850.6	4145.3	2469.0	821.7	-796.6	-2385.8	-3946.1	-5477.1	-6978.9	-8451.4	-9894.3
	1.55E-02	1.07E-01	1.62E-01	4.31E-03	1.54E-01	8.57E-03	2.75E-01	2.21E-01	4.93E-02	3.65E-03	6.00E-05
	1.1115	1.1480	1.1899	1.2842	1.2708	1.3962	1.3922	1.4545	1.5383	1.6631	1.9357
	3.22E-01	3.15E-01	3.05E-01	2.78E-01	2.82E-01	2.41E-01	2.42E-01	2.20E-01	1.91E-01	1.48E-01	7.26E-02
	6.53E+02	1.52E+03	4.57E+02	3.74E-01	-1.26E+01	-1.37E+01	-2.01E+03	-3.56E+03	-1.23E+03	-9.75E+01	(-6.21E-01)
	6.60E+02	1.53E+03	4.55E+02	3.46E-01*	-1.26E+01	-1.29E+01*	-2.00E+03	-3.58E+03	-1.24E+03	-9.41E+01*	-2.74E-01*
5	1.3825	1.8090	2.5962	4.5362	17.0594	-9.9691	-3.9012	-2.4424	-1.7869	-1.4147	-1.1749
	7233.4	5528.1	3851.8	2204.5	586.2	-1003.1	-2563.3	-4094.4	-5596.2	-7068.6	-8511.5
	4.61E-03	4.60E-02	1.37E-01	9.29E-02	9.44E-03	1.49E-01	2.90E-03	2.17E-01	2.63E-01	7.27E-02	6.09E-03
	1.0850	1.1187	1.1559	1.2005	1.1959	1.2819	1.2027	1.4047	1.4665	1.5688	1.6773
	3.27E-01	3.21E-01	3.13E-01	3.02E-01	3.03E-01	2.78E-01	3.01E-01	2.38E-01	2.17E-01	1.87E-01	1.43E-01
	3.79E+02	1.62E+03	1.55E+03	1.84E+02	3.53E-01	-2.36E+01	-8.98E+00	-1.70E+03	-4.38E+03	-1.82E+03	-1.56E+02
	3.83E+02*	1.63E+03	1.55E+03	1.82E+02	3.72E-01*	-2.35E+01	-9.97E+00*	-1.69E+03	-4.40E+03	-1.82E+03	-1.50E+02*
6	1.1639	1.4521	1.9193	2.8067	5.1426	28.1484	-8.2991	-3.6549	-2.3597	-1.7512	-1.3980
	8591.7	6886.4	5210.1	3562.8	1944.5	355.3	-1205.0	-2736.0	-4237.8	-5710.3	-7153.2
	1.33E-03	1.74E-02	7.90E-02	1.31E-01	3.34E-02	4.59E-02	1.10E-01	2.91E-02	1.52E-01	2.92E-01	9.92E-02
	1.0607	1.0921	1.1260	1.1642	1.2162	1.2258	1.2940	1.2989	1.4195	1.4750	1.5596
	3.31E-01	3.26E-01	3.19E-01	3.11E-01	2.98E-01	2.95E-01	2.75E-01	2.73E-01	2.33E-01	2.13E-01	1.83E-01
	1.87E+02	1.22E+03	2.31E+03	1.16E+03	4.41E+01	3.63E-01	-2.94E+01	-9.01E+01	-1.27E+03	-5.00E+03	-2.46E+03
	1.90E+02*	1.24E+03	2.32E+03	1.16E+03	4.30E+01	3.69E-01	-2.91E+01	-9.25E+01	-1.26E+03	-5.02E+03	-2.47E+03
7	1.0075	1.2165	1.5281	2.0421	3.0501	5.9196	77.4629	-7.1328	-3.4438	-2.2851	-1.7185
	9925.8	8220.5	6544.2	4896.9	3278.6	1689.3	129.1	-1402.0	-2903.8	-4376.2	-5819.1
	3.78E-04	6.09E-03	3.73E-02	1.01E-01	9.83E-02	3.44E-03	8.13E-02	6.27E-02	6.56E-02	9.47E-02	3.08E-01
	1.0384	1.0677	1.0992	1.1337	1.1734	1.2656	1.2393	1.3090	1.3215	1.4384	1.4860
	3.35E-01	3.30E-01	3.25E-01	3.18E-01	3.09E-01	2.83E-01	2.91E-01	2.70E-01	2.66E-01	2.26E-01	2.09E-01
	8.38E+01	7.48E+02	2.23E+03	2.43E+03	6.68E+02	2.70E+00	3.00E-02	-2.55E+01	-2.30E+02	-8.21E+02	-5.38E+03
	8.53E+01*	7.58E+02*	2.25E+03	2.44E+03	6.64E+02	2.47E+00*	3.03E-02	-2.50E+01	-2.33E+02	-8.12E+02	-5.39E+03

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}^*$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'\backslash v''$	11	12	13	14	15	16	17	18	19	20	21	
0	-.5853 -17084.6 1.36E-16 2.3841 1.41E-02 (-2.74E-13)	-.5415 -18467.8 2.82E-17 1.3515 2.56E-01 (-2.36E-11)	-.5045 -19820.8 1.19E-17 1.8307 9.80E-02 (-1.80E-12)	-.4730 -21143.4 1.30E-17 1.1748 3.08E-01 (-2.37E-11)	-.4457 -22435.3 1.15E-16 1.4071 2.37E-01 (-1.47E-10)	-.4220 -23696.1 1.98E-17 1.7176 1.30E-01 (-9.09E-12)	-.4012 -24925.4 1.23E-16 1.1610 3.12E-01 (-3.74E-10)	-.3828 -26123.0 4.55E-16 1.2731 2.81E-01 (-1.30E-09)	-.3665 -27288.3 2.75E-16 1.3329 2.62E-01 (-7.77E-10)	-.3519 -28421.1 2.71E-19 -1.4147 1.45E-04 (-2.66E-19)	-.3387 -29520.7 3.55E-16 1.2060 3.00E-01 (-1.30E-11)	-1.42E-11* -1.46E-12* -2.66E-11* -1.57E-10* -1.28E-11* -3.77E-10* -1.30E-09*
1	-.6409 -15603.1 2.78E-13 1.5623 1.82E-01 (-7.08E-08)	-.5887 -16986.3 4.33E-17 7.2107 2.87E-26 (0.00E+00)	-.5453 -18339.4 3.55E-15 1.4228 2.31E-01 -2.37E-09	-.5086 -19662.0 7.72E-16 1.3136 2.68E-01 -8.57E-10	-.4772 -20953.8 2.81E-16 1.1617 3.11E-01 -5.07E-10	-.4502 -22214.6 1.89E-15 1.2070 3.00E-01 -3.78E-09	-.4265 -23443.9 1.67E-15 1.2128 2.98E-01 -3.88E-09	-.4058 -24641.5 2.88E-16 1.2404 2.91E-01 -7.37E-10	-.3875 -25806.9 1.57E-16 1.1221 3.20E-01 -5.60E-10	-.3712 -26939.6 1.18E-15 1.1690 3.10E-01 -4.47E-09	-.3566 -28039.3 1.71E-15 1.1817 3.07E-01 -7.17E-09	-3.97E-08* -1.25E-09* -2.33E-09* -9.42E-10* -4.65E-10* -3.72E-09* -3.88E-09* -7.51E-10* -5.57E-10* -4.46E-09* -7.13E-09*
2	-.7069 -14146.5 4.14E-13 7.2072 3.06E-26 (0.00E+00)	-.6439 -15529.7 1.52E-12 1.6800 1.42E-01 (-2.33E-07)	-.5923 -16882.8 1.82E-15 -.8581 3.89E-03 (-2.69E-13)	-.5493 -18205.4 8.53E-16 2.3934 1.36E-02 (-1.92E-12)	-.5129 -19497.2 1.45E-15 1.0616 3.31E-01 -2.38E-09	-.4817 -20758.0 4.43E-15 1.2007 3.02E-01 -7.31E-09	-.4548 -21987.3 2.48E-15 1.2332 2.93E-01 -4.57E-09	-.4313 -23184.9 1.70E-17 1.7327 1.26E-01 (-6.82E-12)	-.4107 -24350.3 1.89E-15 1.1577 3.12E-01 -5.39E-09	-.3924 -25483.0 4.77E-15 1.1787 3.07E-01 -1.51E-08	-.3762 -26582.7 4.15E-15 1.1715 3.09E-01 -1.51E-08	-8.76E-06* -9.08E-08* -1.57E-08* -1.06E-10* -2.30E-09* -6.96E-09* -4.48E-09* -1.12E-11* -5.32E-09* -1.49E-08* -1.48E-08*
3	-.7865 -12714.7 1.12E-08 1.7371 1.25E-01 (-7.21E-04)	-.7093 -14097.9 1.95E-12 -3.5191 1.73E-13 (-3.33E-31)	-.6472 -15450.9 7.31E-12 1.7557 1.19E-01 (-7.74E-07)	-.5962 -16773.5 1.28E-13 .8232 3.41E-01 (-1.42E-07)	-.5535 -18065.4 1.62E-15 -.7847 5.61E-03 (-6.12E-13)	-.5174 -19326.1 1.79E-15 .9097 3.44E-01 (-3.10E-09)	-.4865 -20555.5 5.51E-17 1.2572 2.86E-01 (-7.93E-11)	-.4597 -21753.1 1.53E-15 1.1105 3.23E-01 -3.31E-09	-.4363 -22918.4 4.92E-15 1.1109 3.23E-01 -1.25E-08	-.4158 -24051.2 6.49E-15 1.0994 3.25E-01 -1.93E-08	-.3976 -25150.8 5.41E-15 1.0831 3.28E-01 -1.87E-08	-3.78E-04* -4.44E-05* -2.10E-07* -1.97E-07* -1.92E-08* -3.58E-09* -2.82E-11* -3.68E-09* -1.25E-08* -1.91E-08* -1.85E-08*
4	-.8844 -11307.4 9.05E-08 .2061 1.71E-01 (-7.76E-03)	-.7880 -12690.7 3.18E-08 1.8022 1.06E-01 (-1.47E-03)	-.7121 -14043.7 5.50E-11 -.0527 9.23E-02 (-2.63E-06)	-.6508 -15366.3 2.59E-11 1.8454 9.41E-02 (-1.68E-06)	-.6003 -16658.1 7.91E-13 1.0576 3.32E-01 (-8.16E-07)	-.5581 -17918.9 8.98E-16 6.7755 6.27E-23 (0.00E+00)	-.5222 -19148.3 8.00E-15 1.5286 1.94E-01 -4.28E-09	-.4915 -20345.8 9.78E-15 1.1170 3.21E-01 -1.72E-08	-.4649 -21511.2 1.21E-14 1.0403 3.34E-01 -2.72E-08	-.4416 -22643.9 1.37E-14 1.0218 3.37E-01 -3.66E-08	-.4212 -23743.6 1.45E-14 1.0196 3.37E-01 -4.46E-08	-1.00E-01* -5.99E-04* -1.67E-04* -1.65E-07* -7.40E-07* -2.91E-08* -4.58E-09* -1.88E-08* -2.90E-08* -3.78E-08* -4.50E-08*
5	-1.0076 -9924.7 9.93E-05 1.9786 6.37E-02 (-7.97E-01)	-.8843 -11307.9 4.43E-07 1.7464 3.32E-01 (-1.43E-01)	-.7898 -12661.0 7.49E-08 1.8745 8.68E-02 (-2.32E-03)	-.7151 -13983.6 4.51E-10 .7151 3.27E-01 (-2.68E-04)	-.6546 -15275.4 6.57E-11 1.9845 6.25E-02 (-1.85E-06)	-.6047 -16536.2 3.15E-12 1.2415 2.90E-01 (-2.44E-06)	-.5629 -17765.5 1.56E-14 3.5411 1.39E-05 (-3.45E-17)	-.5273 -18963.1 6.48E-14 1.4036 2.38E-01 (-5.08E-08)	-.4968 -20128.5 5.47E-14 1.0737 3.29E-01 -9.80E-08	-.4703 -21261.2 5.83E-14 1.0056 3.38E-01 -1.30E-07	-.4472 -22360.9 6.74E-14 1.0046 3.39E-01 -1.75E-07	-2.29E-01* -2.43E-01* -5.50E-04* -5.16E-04* -2.47E-07* -1.74E-06* -5.07E-08* -4.45E-08* -1.02E-07* -1.39E-07* -1.81E-07*
6	-1.1674 -8566.3 9.29E-03 1.6923 1.38E-01 -2.27E+02 -2.16E+02*	-1.0051 -9949.6 1.44E-04 2.0310 5.38E-02 (-8.35E-01)	-.8848 -11302.6 1.55E-06 1.0316 3.35E-01 -5.12E-01	-.7921 -12625.2 1.50E-07 1.9584 6.78E-02 (-2.81E-03)	-.7185 -13917.0 2.30E-09 1.0624 3.31E-01 -1.38E-03	-.6589 -15177.8 1.30E-10 2.1819 3.18E-02 (-9.25E-07)	-.6095 -16407.2 1.16E-11 1.4170 2.33E-01 (-5.67E-06)	-.5680 -17604.7 3.46E-14 3.5677 1.14E-05 (-4.93E-17)	-.5328 -18770.1 3.40E-13 1.3506 2.56E-01 (-2.99E-07)	-.5024 -19902.8 3.24E-13 1.0726 3.29E-01 -5.62E-07	-.4761 -21002.5 3.39E-13 1.0176 3.37E-01 -7.24E-07	-2.16E+02* -8.28E-02* -5.17E-01* -1.04E-04* -1.35E-03* -8.58E-06* -3.38E-06* -1.14E-07* -2.41E-07* -5.62E-07* -7.53E-07*
7	-1.3827 -7232.3 1.28E-01 1.5708 1.79E-01 -3.14E+03 -3.14E+03*	-1.1607 -8615.5 1.32E-02 1.7081 1.33E-01 (-3.04E+02)	-1.0032 -9968.6 1.86E-04 2.0976 4.30E-02 (-6.91E-01)	-.8856 -11291.1 4.40E-06 1.2131 2.98E-01 (-1.14E+00)	-.7947 -12583.0 2.56E-07 2.0635 4.83E-02 (-2.41E-03)	-.7223 -13843.8 8.78E-09 1.2702 2.82E-01 (-3.75E-03)	-.6634 -15073.1 1.83E-10 2.5240 7.51E-03 (-7.18E-08)	-.6146 -16270.7 3.57E-11 1.5880 1.73E-01 (-9.34E-06)	-.5735 -17436.1 7.44E-14 3.1578 2.12E-04 (-3.59E-14)	-.5385 -18568.8 1.63E-12 1.3087 2.70E-01 (-1.54E-06)	-.5084 -19668.4 1.60E-12 1.0827 3.28E-01 -2.65E-06	-3.14E+03* -2.88E+02* -8.19E-03* -9.78E-01* -5.67E-04* -3.00E-03* -6.42E-05* -4.24E-06* -1.20E-07* -1.21E-06* -2.55E-06*

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
8	.8900 11235.6 1.07E-04 1.0177 3.37E-01 3.51E+01 3.57E+01*	1.0493 9530.3 2.04E-03 1.0453 3.34E-01 3.99E+02 4.05E+02*	1.2732 7854.0 1.56E-02 1.0747 3.29E-01 1.66E+03 1.68E+03	1.6112 6206.7 5.92E-02 1.1065 3.23E-01 3.00E+03 3.02E+03	2.1794 4588.4 1.05E-01 1.1416 3.16E-01 2.06E+03 2.06E+03	3.3343 2999.1 5.73E-02 1.1844 3.06E-01 2.93E+02 2.89E+02	6.9497 1438.9 2.81E-03 1.1449 3.15E-01 1.69E+00 1.86E+00*	-108.4975 -92.2 9.88E-02 1.2503 2.88E-01 -1.30E-02 -1.30E-02	-6.2736 -1594.0 2.48E-02 1.3328 2.62E-01 -4.40E-01 -1.35E+01	-3.2611 -3066.4 9.74E-02 1.3358 2.61E-01 -3.88E-02 -3.91E+02	-2.2176 -4509.3 4.98E-02 1.4658 2.16E-01 -4.33E+02 -4.26E+02
9	.7986 12521.2 3.07E-05 .9986 3.39E-01 1.41E+01 1.43E+01*	.9246 10815.9 6.68E-04 1.0246 3.36E-01 1.94E+02 1.97E+02*	1.0941 9139.6 6.10E-03 1.0523 3.33E-01 1.04E+03 1.06E+03*	1.3347 7492.3 2.94E-02 1.0819 3.28E-01 2.70E+03 2.72E+03	1.7024 5874.0 7.66E-02 1.1140 3.22E-01 1.45E+03 3.27E+03	2.3339 4284.7 9.22E-02 1.1501 3.14E-01 1.45E+03 1.45E+03	3.6704 2724.5 2.31E-02 1.2001 3.02E-01 8.61E+01 8.36E+01	8.3791 1193.4 2.06E-02 1.1958 3.03E-01 6.52E+00 6.73E+00	-32.4286 -308.4 9.57E-02 1.2610 2.85E-01 -4.61E-01 -4.59E-01	-5.6154 -1780.8 4.10E-03 1.4012 2.39E-01 -2.68E+00 -2.44E+00*	-3.1020 -3223.7 1.17E-01 1.3478 2.57E-01 -5.25E+02 -5.26E+02
10	.7255 13782.6 8.89E-06 .9809 3.41E-01 5.48E+00 5.60E+00*	.8280 12077.3 2.16E-04 1.0054 3.39E-01 8.85E+01 9.02E+01*	.9614 10401.1 2.28E-03 1.0315 3.35E-01 5.84E+02 5.94E+02*	1.1424 8753.8 1.32E-02 1.0593 3.32E-01 1.98E+03 2.00E+03	1.4014 7135.5 4.50E-02 1.0891 3.27E-01 3.54E+03 3.56E+03	1.8030 5546.2 8.45E-02 1.1217 3.20E-01 3.00E+03 3.00E+03	2.5088 3986.0 6.78E-02 1.1594 3.12E-01 8.47E+02 8.39E+02	4.0735 2454.9 3.79E-03 1.2400 2.91E-01 9.61E+00 8.86E+00*	10.4922 953.1 4.37E-02 1.2122 2.99E-01 6.84E+00 6.95E+00	-19.2549 -519.3 7.76E-02 1.2725 2.81E-01 -1.74E+00 -1.73E+00	-5.0962 -1962.2 5.15E-04 1.0226 3.37E-01 (-8.94E-01) -1.23E+00*
11	.6658 15020.0 2.62E-06 .9645 3.42E-01 2.10E+00 2.15E+00*	.7511 13314.7 7.00E-05 .9876 3.40E-01 3.87E+01 3.95E+01*	.8592 11638.4 8.27E-04 1.0122 3.38E-01 3.02E+02 3.07E+02*	1.0009 9991.1 5.60E-03 1.0385 3.35E-01 1.27E+03 1.28E+03*	1.1943 8372.8 2.33E-02 1.0664 3.30E-01 3.02E+03 3.05E+03	1.4742 6783.5 5.89E-02 1.0965 3.25E-01 3.94E+03 3.96E+03	1.9145 5223.3 8.13E-02 1.1298 3.19E-01 2.38E+03 2.38E+03	2.7084 3692.2 4.06E-02 1.1705 3.09E-01 3.97E+02 (1.26E+00) 3.90E+02	4.5654 2190.4 5.35E-04 1.0506 3.33E-01 1.26E+00 1.59E+00*	13.9282 718.0 6.20E-02 1.2241 2.95E-01 4.06E+00 4.09E+00	-13.7945 -724.9 5.29E-02 1.2857 2.77E-01 -3.14E+00 -3.08E+00
12	.6160 16233.1 7.83E-07 .9490 3.43E-01 7.97E-01 8.16E-01*	.6883 14527.8 2.27E-05 .9709 3.41E-01 1.65E+01 1.68E+01*	.7781 12851.6 2.96E-04 .9943 3.40E-01 1.47E+02 1.50E+02*	.8925 11204.3 2.27E-03 1.0191 3.37E-01 7.34E+02 7.46E+02*	1.0432 9586.0 1.11E-02 1.0455 3.34E-01 2.20E+03 2.22E+03	1.2505 7996.7 3.48E-02 1.0736 3.29E-01 3.91E+03 3.95E+03	1.5536 6436.5 6.76E-02 1.1041 3.24E-01 3.83E+03 3.84E+03	2.0386 4905.4 6.85E-02 1.1383 3.17E-01 1.64E+03 1.63E+03	2.9381 3403.6 1.79E-02 1.1857 3.06E-01 1.34E+02 1.29E+02	5.1783 1931.1 9.27E-03 1.1677 3.10E-01 1.30E+01 1.37E+01*	20.4814 488.2 7.03E-02 1.2347 2.92E-01 1.42E+00 1.42E+00
13	.5740 17422.2 2.38E-07 .9342 3.43E-01 3.00E-01 3.08E-01*	.6363 15716.8 7.42E-06 .9552 3.42E-01 6.85E+00 7.01E+00*	.7122 14040.6 1.06E-04 .9775 3.41E-01 6.88E+01 7.03E+01*	.8069 12393.3 8.95E-04 1.0011 3.39E-01 7.34E+02 4.04E+02*	.9281 10775.0 4.97E-03 1.0261 3.36E-01 1.42E+03 1.45E+03*	1.0886 9185.7 1.86E-02 1.0526 3.33E-01 3.23E+03 3.26E+03	1.3114 7625.5 4.59E-02 1.0810 3.28E-01 4.44E+03 4.47E+03	1.6408 6094.4 6.94E-02 1.1119 3.22E-01 3.30E+03 3.31E+03	2.1774 4592.6 5.01E-02 1.1477 3.15E-01 9.73E+02 9.62E+02	3.2050 3120.2 4.05E-03 1.2182 2.97E-01 2.20E+01 2.04E+01*	5.9621 1677.3 2.38E-02 1.1890 3.05E-01 2.11E+01 2.17E+01
14	.5380 18587.0 7.30E-08 .9193 3.44E-01 1.12E-01 1.15E-01*	.5924 16881.7 2.44E-06 .9401 3.43E-01 2.80E+00 2.87E+00*	.6577 15205.4 3.75E-05 .9616 3.42E-01 3.12E+01 3.20E+01*	.7376 13558.1 3.48E-04 .9842 3.40E-01 2.04E+02 2.08E+02*	.8375 11939.8 2.15E-03 1.0079 3.38E-01 8.49E+02 8.64E+02*	.9661 10350.5 9.23E-03 1.0331 3.35E-01 2.33E+03 2.36E+03*	1.1376 8790.3 2.74E-02 1.0598 3.31E-01 4.15E+03 4.19E+03	1.3776 7259.2 5.43E-02 1.0884 3.27E-01 4.49E+03 4.51E+03	1.7369 5757.4 6.38E-02 1.1200 3.21E-01 2.54E+03 2.53E+03	2.3337 4285.0 3.07E-02 1.1586 3.12E-01 4.77E+02 (3.34E-02) 4.68E+02	3.5186 2842.1 1.37E-05 .3696 2.29E-01 3.34E-02 3.25E-01*
15	.5069 19727.5 2.25E-08 .9037 3.44E-01 4.14E-02 4.26E-02*	.5549 18022.2 8.07E-07 .9251 3.44E-01 1.13E+00 1.16E+00*	.6118 16345.9 1.33E-05 .9463 3.43E-01 1.39E+01 1.42E+01*	.6803 14698.7 1.34E-04 .9681 3.42E-01 1.00E+02 1.03E+02*	.7645 13080.4 9.09E-04 .9909 3.40E-01 4.76E+02 4.85E+02*	.8702 11491.1 4.37E-03 1.0149 3.37E-01 1.53E+03 1.55E+03*	1.0070 9930.9 1.50E-02 1.0402 3.34E-01 3.34E+03 3.38E+03	1.1905 8399.8 3.64E-02 1.0671 3.30E-01 4.77E+03 4.80E+03	1.4497 6898.0 5.83E-02 1.0960 3.25E-01 4.10E+03 4.11E+03	1.8431 5425.5 5.26E-02 1.1285 3.19E-01 1.73E+03 1.72E+03	2.5109 3982.6 1.45E-02 1.1731 3.09E-01 1.77E+02 1.71E+02

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \backslash v''$	11	12	13	14	15	16	17	18	19	20	21
8	-1.6885	-1.3688	-1.1549	-1.0019	-.8871	-.7978	-.7266	-.6684	-.6201	-.5794	-.5447
	-5922.5	-7305.7	-8658.8	-9981.3	-11273.2	-12534.0	-13763.3	-14960.9	-16126.2	-17259.0	-18358.6
	3.12E-01	1.57E-01	1.76E-02	2.13E-04	1.07E-05	3.68E-07	2.74E-08	1.37E-10	8.94E-11	9.58E-14	5.88E-12
	1.4977	1.5824	1.7250	2.1871	1.3432	2.2075	1.4174	3.4454	1.7769	2.4432	1.2793
	2.05E-01	1.75E-01	1.28E-01	3.11E-02	2.59E-01	2.88E-02	2.33E-01	2.86E-05	1.13E-01	1.09E-02	2.79E-01
	-5.51E+03	-3.80E+03	-3.80E+02	(-4.17E-01)	(-2.07E+00)	(-1.22E-03)	(-7.89E-03)	(-7.59E-13)	(-9.67E-06)	(-1.18E-10)	(-5.75E-06)
	-5.53E+03	-3.80E+03	-3.57E+02	-4.83E-01*	-1.67E+00*	-7.90E-03*	-5.73E-03*	-3.01E-04*	-1.60E-06*	-7.38E-09*	-4.50E-06*
9	-2.1566	-1.6611	-1.3563	-1.1500	-1.0012	-.8890	-.8014	-.7312	-.6738	-.6260	-.5857
	-4636.9	-6020.1	-7373.1	-8695.7	-9987.6	-11248.3	-12477.7	-13675.3	-14840.6	-15973.4	-17073.0
	2.01E-02	3.06E-01	1.86E-01	2.23E-02	2.13E-04	2.28E-05	4.26E-07	7.29E-08	1.16E-12	1.84E-10	1.84E-15
	1.5147	1.5102	1.5944	1.7431	2.3165	1.4446	2.4332	1.5347	33.3270	2.0076	-7.5240
	1.99E-01	2.00E-01	1.71E-01	1.23E-01	1.88E-02	2.24E-01	1.14E-02	1.92E-01	0.00E+00	5.81E-02	1.40E-05
	-1.60E+02	-5.44E+03	-4.41E+03	-4.48E+02	(-1.51E-01)	(-3.30E+00)	(-2.17E-04)	(-1.39E-02)	(0.00E+00)	(-5.13E-06)	(0.00E+00)
	-1.56E+02	-5.46E+03	-4.42E+03	-4.17E+02	-2.42E+00*	-2.59E+00*	-3.85E-02*	-9.27E-03*	-1.07E-03*	-2.52E-06*	-4.28E-07*
10	-2.9626	-2.1014	-1.6362	-1.3451	-1.1460	-1.0013	-.8916	-.8056	-.7364	-.6797	-.6324
	-3375.4	-4758.6	-6111.7	-7434.3	-8726.1	-9986.9	-11216.2	-12413.8	-13579.2	-14711.9	-15811.6
	1.22E-01	4.35E-03	2.93E-01	2.14E-01	2.71E-02	1.78E-04	4.41E-05	3.52E-07	1.68E-07	6.43E-10	2.95E-10
	1.3590	1.6521	1.5236	1.6069	1.7627	2.5273	1.5295	2.8784	1.6382	-.3616	2.3409
	2.53E-01	1.51E-01	1.96E-01	1.67E-01	1.17E-01	7.40E-03	1.94E-01	1.18E-03	1.56E-01	3.42E-02	1.69E-02
	-6.12E+02	-2.18E+01	-5.20E+03	-4.95E+03	-4.99E+02	(-1.96E-02)	(-4.73E+00)	(-1.90E-06)	(-2.08E-02)	(-4.85E-06)	(-6.79E-07)
	-6.10E+02	-2.02E+01*	-5.22E+03	-4.96E+03	-4.58E+02	-7.27E+00*	-3.63E+00*	-1.28E-01*	-1.22E-02*	-3.07E-03*	-6.51E-05*
11	-4.6771	-2.8398	-2.0516	-1.6137	-1.3353	-1.1429	-1.0021	-.8947	-.8103	-.7421	-.6861
	-2138.1	-3521.3	-4874.4	-6196.9	-7488.8	-8749.6	-9978.9	-11176.5	-12341.8	-13474.6	-14574.2
	9.60E-03	1.16E-01	2.83E-06	2.76E-01	2.41E-01	3.16E-02	1.10E-04	7.76E-05	1.30E-07	3.38E-07	5.96E-09
	1.2505	1.3700	-8.1663	1.5380	1.6200	1.7841	2.9491	1.6050	4.3788	1.7389	.7487
	2.88E-01	2.50E-01	0.00E+00	1.91E-01	1.62E-01	1.11E-01	7.81E-04	1.67E-01	8.23E-09	1.24E-01	3.33E-01
	-1.58E+01	-6.37E+02	(0.00E+00)	-4.84E+03	-5.40E+03	(-5.26E+02)	(-1.35E-04)	(-6.15E+00)	(-3.35E-17)	(-2.57E-02)	(-4.14E-03)
	-1.66E+01*	-6.33E+02	-9.38E+00*	-4.87E+03	-5.41E+03	-4.75E+02	-1.70E+01*	-4.59E+00*	-3.37E-01*	-1.18E-02*	-7.40E-03*
12	-10.8118	-4.3325	-2.7314	-2.0065	-1.5935	-1.3269	-1.1408	-1.0037	-.8986	-.8156	-.7484
	-924.9	-2308.1	-3661.2	-4983.8	-6275.6	-7536.4	-8765.7	-9963.3	-11128.7	-12261.4	-13361.1
	2.92E-02	2.54E-02	1.01E-01	3.62E-03	2.57E-01	2.66E-01	3.55E-02	3.36E-05	1.25E-04	1.68E-08	5.89E-07
	1.3030	1.2844	1.3814	1.1526	1.5537	1.6336	1.8077	4.3055	1.6762	-8.0302	1.8477
	2.72E-01	2.78E-01	2.46E-01	3.14E-01	1.85E-01	1.58E-01	1.04E-01	1.71E-08	1.44E-01	0.00E+00	9.35E-02
	-3.46E+00	-4.87E+01	-6.04E+02	-8.92E+01	-4.42E+03	-5.74E+03	(-5.25E+02)	(-1.97E-14)	(-7.22E+00)	(0.00E+00)	(-2.49E-02)
	-3.36E+00	-5.01E+01	-5.98E+02	-9.84E+01*	-4.46E+03	-5.76E+03	-4.62E+02	-3.38E+01*	-5.13E+00*	-7.57E-01*	-5.91E-03*
13	37.8656	-8.9355	-4.0450	-2.6352	-1.9659	-1.5755	-1.3198	-1.1397	-1.0061	-.9031	-.8216
	264.1	-1119.1	-2472.2	-3794.8	-5086.6	-6367.4	-7576.7	-8774.3	-9939.7	-11072.4	-12172.1
	6.80E-02	1.16E-02	4.24E-02	8.14E-02	1.19E-02	2.39E-01	2.90E-01	3.83E-02	1.01E-06	1.86E-04	9.38E-07
	1.2452	1.3317	1.3023	1.3936	1.2779	1.5708	1.6479	1.8343	-15.1450	1.7477	.0993
	2.89E-01	2.63E-01	2.72E-01	2.42E-01	2.80E-01	1.79E-01	1.53E-01	9.70E-02	0.00E+00	1.21E-01	1.36E-01
	2.13E-01	-2.26E+00	-9.60E+01	-5.26E+02	-2.48E+02	-3.97E+03	-5.97E+03	(-4.93E+02)	(0.00E+00)	(-7.53E+00)	(-6.32E-02)
	2.12E-01	-2.15E+00	-9.75E+01	-5.19E+02	-2.54E+02	-4.02E+03	-6.01E+03	-4.19E+02	-6.01E+01*	-4.86E+00*	-1.49E+00*
14	6.9984	218.9094	-7.6490	-3.8024	-2.5499	-1.9295	-1.5596	-1.3141	-1.1396	-1.0093	-.9085
	1428.9	45.7	-1307.4	-2629.9	-3921.8	-5182.6	-6411.9	-7609.5	-8774.8	-9907.6	-11007.2
	3.82E-02	5.76E-02	2.01E-03	5.66E-02	6.15E-02	2.20E-02	2.22E-01	3.12E-01	3.97E-02	1.03E-04	2.52E-04
	1.2022	1.2562	1.4175	1.3154	1.4070	1.3215	1.5893	1.6629	1.8648	-.1021	1.8247
	3.01E-01	2.86E-01	2.33E-01	2.68E-01	2.37E-01	2.66E-01	1.73E-01	1.48E-01	8.92E-02	8.02E-02	9.96E-02
	2.05E+01	9.11E-04	(-4.94E-01)	-1.50E+02	-4.22E+02	-4.38E+02	-3.54E+03	-6.09E+03	(-4.32E+02)	(-1.30E+00)	(-6.74E+00)
	2.08E+01	9.02E-04	-4.33E-01*	-1.51E+02	-4.14E+02	-4.40E+02	-3.61E+03	-6.14E+03	-3.48E+02	-9.73E+01*	-3.56E+00*
15	3.8919	8.4300	-59.9535	-6.7142	-3.5955	-2.4740	-1.8970	-1.5459	-1.3099	-1.1406	-1.0135
	2569.5	1186.2	-166.8	-1489.4	-2781.2	-4042.0	-5271.4	-6468.9	-7634.3	-8767.0	-9866.7
	4.10E-03	4.83E-02	4.29E-02	1.86E-04	6.61E-02	4.33E-02	3.18E-02	2.09E-01	3.32E-01	3.92E-02	4.75E-04
	1.1402	1.2132	1.2684	.8542	1.3265	1.4223	1.3429	1.6095	1.6787	1.9008	.8300
	3.16E-01	2.98E-01	2.83E-01	3.43E-01	2.64E-01	2.32E-01	2.59E-01	1.66E-01	1.43E-01	8.05E-02	3.42E-01
	1.41E+01	1.46E+01	-3.22E-02	(-1.47E-01)	-2.01E+02	-3.11E+02	-6.33E+02	-3.15E+03	-6.10E+03	(-3.47E+02)	(-1.08E+02)
	1.52E+01*	1.47E+01	-3.16E-02	-2.74E-01*	-2.02E+02	-3.03E+02	-6.30E+02	-3.23E+03	-6.18E+03	-2.57E+02	-1.46E+02*

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.4798 20843.8 6.87E-09 .8856 3.44E-01 1.49E-02 1.54E-02*	.5225 19138.5 2.66E-07 .9094 3.44E-01 4.48E-01 4.60E-01*	.5727 17462.2 4.72E-06 .9311 3.44E-01 6.01E+00 6.16E+00*	.6323 15814.9 5.10E-05 .9526 3.43E-01 4.80E+01 4.91E+01*	.7044 14196.6 3.77E-04 .9747 3.41E-01 2.54E+02 2.60E+02*	.7932 12607.3 2.00E-03 .9977 3.39E-01 9.34E+02 9.51E+02*	.9052 11047.1 7.76E-03 1.0219 3.37E-01 2.40E+03 2.44E+03*	1.0509 9516.0 2.20E-02 1.0473 3.33E-01 4.26E+03 4.31E+03	1.2478 8014.2 4.39E-02 1.0744 3.29E-01 4.96E+03 4.99E+03	1.5286 6541.8 5.70E-02 1.1039 3.24E-01 3.39E+03 3.39E+03	1.9612 5098.9 3.84E-02 1.1379 3.17E-01 1.03E+03 1.02E+03
17	.4559 21935.6 2.03E-09 .8628 3.43E-01 5.13E-03 5.35E-03*	.4943 20230.3 8.68E-08 .8917 3.44E-01 1.72E-01 1.78E-01*	.5390 18554.0 1.66E-06 .9153 3.44E-01 2.54E+00 2.61E+00*	.5915 16906.7 1.93E-05 .9373 3.43E-01 2.23E+01 2.29E+01*	.6541 15288.4 1.54E-04 .9591 3.42E-01 1.31E+02 1.34E+02*	.7300 13699.2 8.92E-04 .9815 3.41E-01 5.39E+02 5.50E+02*	.8238 12138.9 3.84E-03 1.0047 3.39E-01 1.59E+03 1.62E+03*	.9427 10607.9 1.24E-02 1.0290 3.36E-01 3.37E+03 3.41E+03	1.0982 9106.0 2.92E-02 1.0546 3.32E-01 4.94E+03 4.98E+03	1.3100 7633.6 4.87E-02 1.0819 3.28E-01 4.72E+03 4.73E+03	1.6153 6190.7 5.10E-02 1.1120 3.22E-01 2.54E+03 2.53E+03
18	.4347 23002.9 5.63E-10 .8298 3.42E-01 1.62E-03 1.72E-03*	.4695 21297.6 2.74E-08 .8698 3.44E-01 6.33E-02 6.59E-02*	.5096 19621.3 5.76E-07 .8978 3.44E-01 1.04E+00 1.08E+00*	.5564 17974.1 7.24E-06 .9214 3.44E-01 1.01E+01 1.03E+01*	.6114 16355.8 6.23E-05 .9436 3.43E-01 6.49E+01 6.65E+01*	.6772 14766.5 3.90E-04 .9657 3.42E-01 2.97E+02 3.04E+02*	.7572 13206.3 1.84E-03 .9883 3.40E-01 9.92E+02 1.01E+03*	.8565 11675.2 6.59E-03 1.0117 3.38E-01 2.42E+03 2.46E+03*	.9830 10173.4 1.79E-02 1.0361 3.35E-01 4.28E+03 4.33E+03	1.1493 8700.9 3.58E-02 1.0619 3.31E-01 5.24E+03 5.28E+03	1.3778 7258.0 4.98E-02 1.0896 3.27E-01 4.11E+03 4.12E+03
19	.4159 24045.6 1.36E-10 .7738 3.36E-01 (4.31E-04) 4.81E-04*	.4476 22340.3 8.13E-09 .8392 3.42E-01 2.15E-02 2.27E-02*	.4839 20664.0 1.93E-07 .8765 3.44E-01 4.08E-01 4.24E-01*	.5259 19016.8 2.66E-06 .9040 3.44E-01 4.39E+00 4.53E+00*	.5748 17398.5 2.48E-05 .9277 3.44E-01 3.12E+01 3.20E+01*	.6325 15809.2 1.67E-04 .9502 3.43E-01 1.58E+02 1.61E+02*	.7018 14249.0 8.57E-04 .9725 3.41E-01 5.86E+02 5.98E+02*	.7863 12717.9 3.38E-03 .9952 3.40E-01 1.62E+03 1.65E+03*	.8916 11216.1 1.03E-02 1.0187 3.37E-01 3.34E+03 3.39E+03	1.0263 9743.6 2.38E-02 1.0433 3.34E-01 4.98E+03 5.03E+03	1.2047 8300.7 4.07E-02 1.0693 3.30E-01 5.13E+03 5.16E+03
20	.3990 25063.6 2.36E-11 .6471 3.14E-01 (7.41E-05) 9.84E-05*	.4281 23358.2 2.13E-09 .7892 3.38E-01 6.27E-03 6.90E-03*	.4612 21682.0 6.11E-08 .8477 3.43E-01 1.48E-01 1.56E-01*	.4991 20034.7 9.47E-07 .8834 3.44E-01 1.83E+00 1.89E+00*	.5430 18416.4 9.64E-06 .9105 3.44E-01 1.44E+01 1.49E+01*	.5943 16827.1 7.06E-05 .9343 3.43E-01 8.04E+01 8.25E+01*	.6550 15266.9 3.91E-04 .9569 3.42E-01 3.30E+02 3.38E+02*	.7280 13735.8 1.68E-03 .9793 3.41E-01 1.02E+03 1.04E+03*	.8174 12234.0 5.64E-03 1.0022 3.39E-01 2.40E+03 2.44E+03*	.9292 10761.6 1.48E-02 1.0259 3.36E-01 4.21E+03 4.27E+03	1.0731 9318.7 2.95E-02 1.0506 3.33E-01 5.36E+03 5.40E+03
21	.3838 26056.6 1.27E-12 .0136 1.10E-01 (5.54E-07) 7.13E-06*	.4107 24351.3 4.23E-10 .6835 3.21E-01 (1.28E-03) 1.60E-03*	.4410 22675.0 1.73E-08 .8025 3.39E-01 4.69E-02 5.11E-02*	.4756 21027.7 3.19E-07 .8563 3.43E-01 7.07E-01 7.43E-01*	.5152 19409.4 3.63E-06 .8905 3.44E-01 6.37E+00 6.60E+00*	.5612 17820.1 2.91E-05 .9173 3.44E-01 3.94E+01 4.06E+01*	.6150 16259.9 1.74E-04 .9410 3.43E-01 1.79E+02 1.83E+02*	.6789 14728.8 8.12E-04 .9637 3.42E-01 6.15E+02 6.28E+02*	.7560 13227.0 2.98E-03 .9863 3.40E-01 1.62E+03 1.65E+03*	.8507 11754.6 8.66E-03 1.0094 3.38E-01 3.26E+03 3.30E+03*	.9698 10311.7 1.97E-02 1.0332 3.35E-01 4.92E+03 4.97E+03

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 4. Radiative transition parameters for $N_2 W^3\Delta_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
16	2.7132 3685.7 4.06E-03 1.2003 3.02E-01 3.76E+01 3.49E+01*	4.3431 2302.5 1.31E-02 1.1690 3.10E-01 3.10E+01 3.22E+01	10.5325 949.4 5.23E-02 1.2235 2.96E-01 7.92E+00 7.93E+00	-26.7994 -373.1 2.77E-02 1.2831 2.78E-01 -2.25E-01 -2.19E-01	-6.0061 -1665.0 4.27E-03 1.2084 3.00E-01 -3.58E+00 -3.90E+00*	-3.4179 -2925.8 7.02E-02 1.3367 2.61E-01 -2.43E+02 -2.42E+02	-2.4067 -4155.1 2.83E-02 1.4407 2.25E-01 -2.08E+02 -2.01E+02	-1.8682 -5352.7 4.00E-02 1.3539 2.55E-01 -8.09E+02 -7.99E+02	-1.5342 -6518.0 2.00E-01 1.6311 1.58E-01 -2.81E+03 -2.91E+03	-1.3071 -7650.8 3.51E-01 1.6953 1.37E-01 -6.01E+03 -6.11E+03	-1.1428 -8750.4 3.67E-02 1.9452 7.06E-02 (-2.48E+02) -1.56E+02
17	2.0931 4777.5 2.40E-02 1.1485 3.15E-01 5.24E+02 5.12E+02	2.9461 3394.3 7.61E-05 1.4673 2.16E-01 2.81E-01 1.41E-01*	4.8989 2041.3 2.35E-02 1.1842 3.06E-01 3.78E+01 3.87E+01	13.9141 718.7 5.02E-02 1.2338 2.93E-01 3.23E+00 3.22E+00	-17.4475 -573.1 1.48E-02 1.3033 2.72E-01 -4.17E-01 -4.00E-01	-5.4528 -1833.9 1.18E-02 1.2529 2.87E-01 -1.22E+01 -1.27E+01	-3.2645 -3063.3 6.95E-02 1.3464 2.58E-01 -2.69E+02 -2.68E+02	-2.3470 -4260.8 1.68E-02 1.4642 2.17E-01 -1.24E+02 -1.18E+02	-1.8429 -5426.2 4.57E-02 1.3577 2.54E-01 -9.53E+02 -9.35E+02	-1.5246 -6559.0 1.95E-01 1.6540 1.51E-01 -2.54E+03 -2.65E+03	-1.3057 -7658.6 3.67E-01 1.7130 1.32E-01 -5.82E+03 -5.93E+03
18	1.7109 5844.9 4.14E-02 1.1205 3.21E-01 1.72E+03 1.70E+03	2.2413 4461.6 1.20E-02 1.1621 3.11E-01 2.09E+02 2.01E+02	3.2169 3108.6 1.73E-03 1.1120 3.06E-01 1.09E+01 1.22E+01*	5.5990 1786.0 3.23E-02 1.1959 3.03E-01 3.42E+01 3.47E+01	20.2357 494.2 4.34E-02 1.2445 2.90E-01 8.90E-01 8.82E-01	-13.0447 -766.6 5.78E-03 1.3384 2.60E-01 -3.58E-01 -3.34E-01*	-5.0101 -1996.0 2.06E-02 1.2740 2.81E-01 -2.62E+01 -2.69E+01	-3.1313 -3193.5 6.52E-02 1.3559 2.54E-01 -2.79E+02 -2.76E+02	-2.2942 -4358.9 8.84E-03 1.4964 2.05E-01 -6.26E+01 -5.83E+01*	-1.8210 -5491.6 4.84E-02 1.3543 2.55E-01 -1.06E+03 -1.03E+03	-1.5172 -6591.3 1.97E-01 1.6780 1.43E-01 -2.34E+03 -2.47E+03
19	1.4519 6887.6 4.71E-02 1.0974 3.25E-01 3.30E+03 3.29E+03	1.8167 5504.3 3.01E-02 1.1296 3.19E-01 1.03E+03 1.02E+03	2.4089 4151.3 3.89E-03 1.1851 3.06E-01 5.27E+01 4.90E+01*	3.5352 2828.7 7.22E-03 1.1523 3.14E-01 3.26E+01 3.43E+01*	6.5067 1536.9 3.79E-02 1.2063 3.00E-01 2.51E+01 2.53E+01	36.2190 276.1 3.41E-02 1.2561 2.86E-01 1.19E-01 1.17E-01	-10.4903 -953.3 1.03E-03 1.4453 2.24E-01 (-9.05E-02) -7.62E-02*	-4.6494 -2150.8 2.89E-02 1.2833 2.76E-01 -4.44E+01 -4.52E+01	-3.0155 -3316.2 5.85E-02 1.3656 2.51E-01 -2.73E+02 -2.70E+02	-2.2477 -4448.9 3.81E-03 1.5459 1.88E-01 (-2.40E+01) -2.12E+01*	-1.8023 -5548.6 4.77E-02 1.3404 2.60E-01 -1.11E+03 -1.07E+03
20	1.2649 7905.5 4.30E-02 1.0769 3.29E-01 4.65E+03 4.66E+03	1.5332 6522.3 4.12E-02 1.1055 3.24E-01 2.42E+03 2.41E+03	1.9345 5169.2 1.91E-02 1.1399 3.16E-01 5.34E+02 5.21E+02	2.5997 3846.6 2.74E-04 1.2905 2.76E-01 2.40E+00 1.78E+00*	3.9142 2554.8 1.44E-02 1.1697 3.10E-01 4.66E+01 4.81E+01	7.7278 1294.0 3.95E-02 1.2164 2.98E-01 1.54E+01 1.54E+01	154.6312 64.7 2.41E-02 1.2694 2.82E-01 1.05E-03 1.03E-03	-8.8270 -1132.9 6.86E-05 .6154 3.06E-01 (-1.89E-02) -6.59E-02*	-4.3511 -2298.3 3.53E-02 1.2993 2.73E-01 -6.48E+01 -6.55E+01	-2.9146 -3431.0 5.08E-02 1.3761 2.48E-01 -2.55E+02 -2.51E+02	-2.2072 -4530.7 1.07E-03 1.6392 1.56E-01 (-4.88E+00) -3.46E+00*
21	1.1238 8898.5 3.41E-02 1.0580 3.32E-01 5.36E+03 5.39E+03	1.3306 7515.3 4.24E-02 1.0845 3.27E-01 3.91E+03 3.91E+03	1.6228 6162.2 3.30E-02 1.1139 3.16E-01 1.62E+03 1.60E+03	2.0663 4839.6 9.88E-03 1.1526 3.14E-01 2.23E+02 2.14E+02*	2.8186 3547.8 6.70E-04 1.0807 3.28E-01 (6.53E+00) 7.79E+00*	4.3725 2287.0 2.13E-02 1.1821 3.07E-01 4.86E+01 4.96E+01	9.4547 1057.7 3.76E-02 1.2264 2.95E-01 7.82E+00 7.80E+00	-71.4868 -139.9 1.51E-02 1.2860 2.77E-01 -6.43E-03 -6.22E-03	-7.6613 -1305.3 1.94E-03 1.1643 3.11E-01 (-8.46E-01) -9.54E-01*	-4.1017 -2438.0 3.95E-02 1.3081 2.70E-01 -8.48E+01 -8.53E+01	-2.8267 -3537.7 4.32E-02 1.3889 2.43E-01 -2.29E+02 -2.25E+02

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 5. Radiative transition parameters for $N_2 B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.5280 6544.5 4.81E-01 1.2498 1.75E-01 1.68E+04 1.67E+04	2.0664 4839.2 3.84E-01 1.2983 1.67E-01 4.89E+03 4.90E+03	3.1616 3163.0 1.17E-01 1.3542 1.56E-01 3.65E+02 3.66E+02	6.5977 1515.7 1.71E-02 1.4215 1.42E-01 4.87E+00 4.92E+00	-97.4459 -102.6 1.22E-03 1.5083 1.24E-01 -4.10E-05 -4.13E-05*	-5.9105 -1691.9 3.72E-05 1.6375 9.72E-02 -3.44E-03 -3.36E-03*	-3.0749 -3252.1 2.83E-07 1.9315 4.69E-02 (-4.35E-05) -1.96E-05*	-2.0907 -4783.2 4.27E-10 .4620 1.59E-01 (-2.40E-06) -1.08E-05*	-1.5911 -6285.0 6.55E-11 1.7599 7.39E-02 (-1.80E-07) -1.01E-07*	-1.2891 -7757.4 2.11E-14 -1.4747 7.75E-05 (-1.20E-16) -1.24E-08*	-1.0869 -9200.3 3.16E-14 1.6706 9.06E-02 (-4.10E-10) -2.16E-10*
1	1.2442 8037.2 3.20E-01 1.2074 1.82E-01 2.24E+04 2.24E+04	1.5793 6331.9 3.57E-02 1.2732 1.71E-01 1.08E+03 1.05E+03	2.1479 4655.6 3.55E-01 1.3083 1.65E-01 3.94E+03 3.93E+03	3.3241 3008.3 2.32E-01 1.3630 1.54E-01 6.08E+02 6.11E+02	7.1941 1390.0 5.24E-02 1.4303 1.40E-01 1.12E+01 1.13E+01	-50.1875 -199.3 5.00E-03 1.5182 1.22E-01 -1.19E-03 -1.20E-03*	-5.6835 -1759.5 1.85E-04 1.6516 9.44E-02 -1.82E-02 -1.76E-02*	-3.0390 -3290.5 1.46E-06 1.9797 4.07E-02 (-1.75E-04) -4.87E-05*	-2.0867 -4792.4 6.03E-09 .8399 2.07E-01 (-5.77E-05) -8.85E-05*	-1.5962 -6264.8 5.38E-10 1.8265 6.26E-02 (-1.05E-06) -4.47E-07*	-1.2974 -7707.7 1.18E-12 .3626 1.35E-01 (-1.99E-08) -1.53E-07*
2	1.0520 9505.8 1.34E-01 1.1706 1.88E-01 1.64E+04 1.65E+04	1.2820 7800.5 2.21E-01 1.2170 1.81E-01 1.39E+04 1.38E+04	1.6329 6124.3 1.66E-02 1.2285 1.79E-01 4.94E+02 5.12E+02	2.2337 4477.0 2.14E-01 1.3205 1.62E-01 2.05E+03 2.04E+03	3.4981 2858.7 3.01E-01 1.3724 1.52E-01 6.61E+02 6.63E+02	7.8778 1269.4 1.00E-01 1.4394 1.38E-01 6.61E+02 1.60E+01	-34.3849 -290.8 1.23E-02 1.5284 1.20E-01 -8.79E-03 -8.83E-03	-5.4888 -1821.9 5.34E-04 1.6666 9.14E-02 -5.47E-02 -5.28E-02*	-3.0087 -3323.7 4.16E-06 2.0398 3.38E-02 (-3.52E-04) -2.50E-05*	-2.0850 -4796.2 4.05E-08 1.0630 2.01E-01 -3.64E-04 -3.96E-04*	-1.6028 -6239.0 2.35E-09 1.9018 5.11E-02 (-3.01E-06) -6.82E-07*
3	.9132 10950.7 4.57E-02 1.1379 1.92E-01 8.99E+03 9.06E+03	1.0816 9245.4 9.25E-01 1.1784 1.87E-01 2.15E+04 2.15E+04	1.3212 7569.1 8.12E-02 1.2302 1.79E-01 4.55E+03 4.49E+03	1.6887 5921.8 9.44E-02 1.2555 1.74E-01 2.41E+03 2.44E+03	2.3237 4303.5 8.94E-02 1.3379 1.59E-01 7.30E+02 7.19E+02	3.6843 2714.2 3.19E-01 1.3823 1.50E-01 5.84E+02 5.84E+02	8.6653 1154.0 1.53E-01 1.4488 1.37E-01 1.78E+01 1.79E+01	-26.5222 -377.0 2.35E-02 1.5388 1.18E-01 -3.53E-02 -3.54E-02	-5.3224 -1878.9 1.17E-03 1.6825 8.83E-02 -1.22E-01 -1.17E-01*	-2.9839 -3351.3 8.42E-06 2.1182 2.61E-02 (-4.36E-04) -3.33E-05*	-2.0859 -4794.2 1.82E-07 1.2145 1.81E-01 -1.33E-03 -1.27E-03*
4	.8083 12372.0 1.40E-02 1.1085 1.96E-01 4.13E+03 4.17E+03	.9375 10666.7 1.01E-01 1.1451 1.91E-01 1.82E+04 1.83E+04	1.1123 8990.4 1.67E-01 1.1870 1.85E-01 1.69E+04 1.69E+04	1.3618 7343.1 9.15E-03 1.2656 1.73E-01 4.37E+02 4.15E+02*	1.7468 5724.8 1.48E-01 1.2675 1.72E-01 3.34E+03 3.35E+03	2.4181 4135.5 1.91E-02 1.3767 1.51E-01 1.25E+02 1.21E+02	3.8831 2575.3 2.96E-01 1.3931 1.48E-01 4.50E+02 4.49E+02	9.5765 1044.2 2.04E-01 1.4584 1.34E-01 1.70E+01 1.71E+01	-21.8531 -457.6 3.85E-02 1.5496 1.15E-01 -9.94E-02 -9.97E-02	-5.1812 -1930.0 2.14E-03 1.6995 8.50E-02 -2.25E-01 -2.14E-01*	-2.9648 -3372.9 1.33E-05 2.2268 1.77E-02 (-3.23E-04) -9.01E-04*
5	.7262 13769.8 4.06E-03 1.0817 1.99E-01 1.70E+03 1.72E+03*	.8289 12064.5 4.22E-02 1.1154 1.95E-01 1.14E+04 1.15E+04	.9626 10388.2 1.34E-01 1.1526 1.90E-01 2.20E+04 2.21E+04	1.1440 8740.9 1.04E-01 1.1969 1.84E-01 9.52E+03 9.43E+03	1.4040 7122.6 4.21E-03 1.1699 1.88E-01 2.18E+02 2.36E+02*	1.8072 5533.4 1.53E-01 1.2782 1.70E-01 3.05E+03 3.05E+03	2.5169 3973.1 1.62E-05 -.6362 7.65E-03 2.41E-04 1.76E+00*	4.0949 2442.1 2.50E-01 1.4051 1.46E-01 3.12E+02 3.11E+02	10.6355 940.2 2.48E-01 1.4685 1.32E-01 1.47E+01 1.47E+01	-18.7903 -532.2 5.68E-02 1.5608 1.13E-01 -2.21E-01 -2.22E-01	-5.0631 -1975.1 3.45E-03 1.7179 8.16E-02 -3.59E-01 -3.37E-01*
6	.6603 15144.4 1.14E-03 1.0571 2.01E-01 6.48E+02 6.58E+02*	.7441 13439.1 1.55E-02 1.0884 1.98E-01 5.97E+03 6.03E+03	.8501 11762.8 7.40E-02 1.1224 1.94E-01 1.84E+04 1.85E+04	.9886 10115.5 1.33E-01 1.1604 1.89E-01 2.00E+04 1.99E+04	1.1769 8497.2 4.41E-02 1.2105 1.82E-01 3.62E+03 3.55E+03	1.4476 6908.0 3.43E-02 1.2180 1.81E-01 1.49E+03 1.53E+03	1.8699 5347.7 1.24E-01 1.2894 1.68E-01 2.18E+03 2.16E+03	2.6201 3816.7 1.46E-02 1.2703 1.72E-01 9.72E+01 1.02E+02	4.3199 2314.9 1.93E-01 1.4189 1.43E-01 1.98E+02 1.97E+02	11.8707 842.4 2.84E-01 1.4789 1.30E-01 1.16E+01 1.17E+01	-16.6533 -600.5 7.75E-02 1.5723 1.11E-01 -4.15E-01 -4.16E-01
7	.6062 16495.9 3.16E-04 1.0344 2.03E-01 2.36E+02 2.40E+02*	.6761 14790.6 5.26E-03 1.0637 2.00E-01 2.77E+03 2.81E+03*	.7625 13114.3 3.37E-02 1.0952 1.97E-01 1.20E+04 1.21E+04	.8721 11467.0 9.72E-02 1.1296 1.93E-01 2.22E+04 2.23E+04	1.0154 9848.7 1.06E-01 1.1690 1.88E-01 1.45E+04 1.44E+04	1.2107 8259.5 8.54E-03 1.2407 1.77E-01 6.10E+02 5.78E+02*	1.4927 6699.2 6.95E-02 1.2329 1.78E-01 2.69E+03 2.72E+03	1.9349 5168.2 8.15E-02 1.3025 1.66E-01 1.25E+03 1.24E+03	2.7275 3666.4 4.45E-02 1.3065 1.65E-01 2.42E+02 2.47E+02	4.5581 2193.9 1.38E-01 1.4355 1.39E-01 1.15E+02 1.13E+02	13.3152 751.0 3.09E-01 1.4899 1.28E-01 8.67E+00 8.70E+00

Table 5. Radiative transition parameters for $N_2 B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
0	-0.9422	-0.8336	-0.7491	-0.6816	-0.6264	-0.5806	-0.5419	-0.5089	-0.4804	-0.4556	-0.4338
	-10613.5	-11996.7	-13349.8	-14672.4	-15964.2	-17225.0	-18454.3	-19651.9	-20817.3	-21950.0	-23049.7
	1.57E-16	4.06E-16	4.26E-16	1.35E-16	1.85E-18	1.80E-16	3.85E-16	2.81E-16	2.93E-17	8.80E-17	4.23E-16
	.6392	1.3247	1.1838	1.2125	.4912	1.1217	1.1830	1.2364	1.4039	1.1080	1.1938
	1.89E-01	1.62E-01	1.86E-01	1.82E-01	1.65E-01	1.94E-01	1.86E-01	1.78E-01	1.46E-01	1.96E-01	1.84E-01
	(-1.36E-11)	-3.71E-11	-7.09E-11	-2.85E-11	(-4.13E-13)	-7.02E-11	-1.70E-10	-1.36E-10	-1.14E-11	-7.23E-11	-3.57E-10
	-3.22E-11*	-3.45E-11*	-7.23E-11*	-2.93E-11*	-1.28E-12*	-7.16E-11*	-1.70E-10*	-1.36E-10*	-1.20E-11*	-7.43E-11*	-3.57E-10*
1	-1.0964	-0.9520	-0.8434	-0.7587	-0.6910	-0.6356	-0.5896	-0.5507	-0.5175	-0.4888	-0.4639
	-9120.9	-10504.1	-11857.1	-13179.7	-14471.6	-15732.3	-16961.7	-18159.2	-19324.6	-20457.4	-21557.0
	2.59E-13	5.62E-16	3.86E-15	9.24E-16	2.83E-16	2.34E-15	2.48E-15	6.07E-16	1.18E-16	3.19E-15	2.17E-15
	1.8395	.122	1.4212	1.3088	1.1227	1.1911	1.2091	1.2376	1.1261	1.1916	1.2025
	6.05E-02	1.85E-01	1.42E-01	1.65E-01	1.94E-01	1.85E-01	1.82E-01	1.77E-01	1.94E-01	1.85E-01	1.83E-01
	(-1.46E-09)	(-4.53E-11)	-2.64E-10	-1.16E-10	-6.55E-11	-6.30E-10	-8.13E-10	-2.32E-10	-6.48E-11	-8.69E-10	-1.48E-09
	-2.67E-10*	-9.68E-11*	-2.47E-10*	-1.21E-10*	-6.27E-11*	-6.24E-10*	-8.10E-10*	-2.31E-10*	-6.56E-11*	-8.66E-10*	-1.47E-09*
2	-1.3068	-1.1068	-0.9626	-0.8539	-0.7691	-0.7011	-0.6455	-0.5991	-0.5600	-0.5266	-0.4978
	-7652.2	-9035.4	-10388.5	-11711.1	-13002.9	-14263.7	-15493.0	-16690.6	-17856.0	-18988.7	-20088.4
	1.67E-11	1.15E-12	2.25E-14	4.26E-16	1.58E-15	5.14E-15	3.06E-15	1.59E-16	9.56E-16	3.19E-15	3.27E-15
	.8689	2.0223	1.1617	3.0134	1.0104	1.1914	1.2019	1.2372	1.1735	1.1830	1.1822
	2.08E-01	3.57E-02	1.89E-01	4.01E-04	2.05E-01	1.85E-01	1.83E-01	1.77E-01	1.87E-01	1.86E-01	1.86E-01
	(-6.55E-07)	(-2.20E-09)	(-1.83E-09)	(-2.22E-16)	-2.94E-10	-1.03E-09	-7.74E-10	-4.71E-11	-3.87E-10	-1.53E-09	-1.86E-09
	-9.80E-07*	-5.42E-10*	-1.44E-09*	-5.28E-11*	-3.23E-10*	-9.95E-10*	-7.58E-10*	-4.62E-11*	-3.87E-10*	-1.52E-09*	-1.84E-09*
3	-1.6110	-1.3174	-1.1181	-0.9741	-0.8652	-0.7801	-0.7118	-0.6559	-0.6093	-0.5700	-0.5364
	-6207.4	-7590.6	-8943.6	-10266.2	-11558.1	-12818.8	-14048.2	-15245.7	-16411.1	-17543.9	-18643.5
	7.05E-09	1.22E-10	4.20E-12	3.78E-13	6.92E-15	2.14E-15	5.72E-16	1.63E-16	1.74E-15	3.08E-15	2.89E-15
	1.9936	1.1292	2.1613	1.3305	.2516	.7327	1.0612	1.1581	1.1346	1.1285	1.1211
	3.90E-02	1.93E-01	2.24E-02	1.61E-01	1.16E-01	2.00E-01	2.01E-01	1.90E-01	1.93E-01	1.93E-01	1.94E-01
	(-5.20E-06)	-4.02E-06	(-3.07E-09)	(-2.13E-08)	(-2.89E-10)	(-3.66E-10)	(-1.29E-10)	(-4.21E-11)	-5.79E-10	-1.26E-09	-1.43E-09
	-6.04E-08*	-4.09E-06*	-1.51E-08*	-1.60E-08*	-3.16E-09*	-6.70E-10*	-1.15E-10*	-5.05E-11*	-5.90E-10*	-1.26E-09*	-1.41E-09*
4	-2.0894	-1.6209	-1.3294	-1.1306	-0.9865	-0.8774	-0.7920	-0.7234	-0.6671	-0.6202	-0.5806
	-4786.1	-6169.3	-7522.4	-8845.0	-10136.8	-11397.6	-12626.9	-13824.5	-14989.9	-16122.6	-17222.3
	6.23E-07	1.58E-08	6.01E-10	9.90E-12	1.91E-12	1.48E-14	2.31E-15	2.68E-15	2.74E-15	3.15E-15	3.78E-15
	1.3276	2.1171	1.3002	2.4054	1.4546	.0149	2.2855	1.2908	1.0640	1.0125	1.0123
	1.61E-01	2.62E-02	1.66E-01	8.72E-03	1.35E-01	6.95E-02	1.42E-02	1.68E-01	2.00E-01	2.04E-01	2.04E-01
	(-3.59E-03)	(-5.16E-06)	(-1.43E-05)	(-1.05E-09)	(-7.39E-08)	(-2.15E-10)	(-1.89E-12)	-4.05E-10	(-7.52E-10)	-1.12E-09	-1.64E-09
	-3.22E-03*	-3.93E-06*	-1.26E-05*	-1.57E-07*	-4.96E-08*	-8.08E-09*	-1.23E-11*	-4.48E-10*	-8.37E-10*	-1.19E-09*	-1.68E-09*
5	-2.9514	-2.0958	-1.6328	-1.3428	-1.1443	-1.0000	-0.8905	-0.8047	-0.7357	-0.6791	-0.6319
	-3388.3	-4771.5	-6124.5	-7447.1	-8738.9	-9999.7	-11229.1	-12426.6	-13592.0	-14724.7	-15824.4
	1.66E-05	1.76E-06	2.72E-08	2.34E-09	1.18E-11	6.72E-12	6.74E-14	1.74E-14	1.32E-14	1.05E-14	1.45E-14
	2.3913	1.4181	2.3000	1.4300	3.0719	1.5917	.4101	1.9827	1.2386	.9779	.9687
	9.25E-03	1.43E-01	1.34E-02	1.40E-01	2.82E-04	1.07E-01	1.49E-01	4.03E-02	1.77E-01	2.06E-01	2.07E-01
	(-1.12E-04)	(-7.90E-03)	(-2.27E-06)	(-3.85E-05)	(-1.26E-12)	(-1.54E-07)	(-4.28E-09)	(-1.10E-10)	-2.12E-09	(-2.90E-09)	-4.98E-09
	-5.22E-03*	-6.87E-03*	-4.99E-05*	-3.13E-05*	-1.10E-06*	-8.43E-08*	-2.20E-08*	-1.17E-11*	-2.05E-09*	-3.31E-09*	-5.42E-09*
6	-4.9661	-2.9439	-2.1053	-1.6468	-1.3579	-1.1594	-1.0148	-0.9048	-0.8185	-0.7491	-0.6921
	-2013.6	-3396.9	-4749.9	-6072.5	-7364.3	-8625.1	-9854.5	-11052.0	-12217.4	-13350.1	-14449.8
	5.06E-03	1.58E-05	4.25E-06	3.39E-08	7.43E-09	2.11E-12	2.01E-11	4.57E-13	5.99E-14	8.88E-14	9.05E-14
	1.7378	2.6785	1.4952	2.6195	1.5382	7.7851	1.7316	.9264	1.9274	1.2141	1.0253
	7.79E-02	2.48E-03	1.27E-01	3.32E-03	1.18E-01	3.13E-30	7.90E-02	2.08E-01	4.75E-02	1.81E-01	2.04E-01
	-5.08E-01	(-7.73E-06)	(-1.48E-02)	(-1.69E-07)	(-8.33E-05)	(0.00E+00)	(-2.43E-07)	(-5.40E-08)	(-4.99E-10)	(-1.41E-08)	-2.29E-08
	-4.70E-01*	-1.86E-02*	-1.26E-02*	-2.71E-04*	-6.28E-05*	-5.15E-06*	-8.40E-08*	-6.39E-08*	-4.67E-11*	-1.25E-08*	-2.40E-08*
7	-15.1024	-4.8891	-2.9426	-2.1182	-1.6631	-1.3748	-1.1761	-1.0309	-0.9203	-0.8334	-0.7635
	-662.1	-2045.4	-3398.4	-4721.0	-6012.8	-7273.6	-8503.0	-9700.5	-10865.9	-11998.6	-13098.3
	9.98E-02	6.86E-03	9.78E-06	9.06E-06	2.48E-08	1.99E-08	2.92E-11	4.76E-11	2.04E-12	2.54E-13	5.30E-13
	1.5842	1.7597	3.3355	1.5643	3.4033	1.6374	-1.0751	1.9032	1.2600	1.7283	1.2087
	1.08E-01	7.39E-02	5.15E-05	1.12E-01	3.22E-05	9.72E-02	8.84E-04	5.09E-02	1.74E-01	7.96E-02	1.82E-01
	-6.86E-01	(-6.50E-0)	(-2.06E-09)	(-2.43E-02)	(-1.14E-11)	(-1.46E-04)	(-2.84E-11)	(-2.28E-07)	(-1.60E-07)	(-5.64E-09)	(-8.00E-08)
	-6.86E-01*	-5.90E-01*	-5.10E-02*	-2.02E-02*	-1.01E-03*	-9.91E-05*	-1.84E-05*	-4.05E-09*	-1.23E-07*	-2.50E-09*	-6.85E-08*

Table 5. Radiative transition parameters for $N_2 B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10	
8	.5610 17824.4 8.73E-05 1.0135 2.04E-01 8.37E+01 8.52E+01*	.6204 16119.1 1.71E-03 1.0410 2.02E-01 1.19E+03 1.21E+03*	.6924 14442.9 1.36E-02 1.0704 2.00E-01 6.65E+03 6.73E+03	.7815 12795.6 5.44E-02 1.1021 1.97E-01 1.78E+04 1.80E+04	.8947 11177.3 1.05E-01 1.1371 1.92E-01 2.19E+04 2.20E+04	1.0430 9588.0 6.80E-02 1.1789 1.87E-01 8.46E+03 8.36E+03	1.2457 8027.8 2.62E-04 1.1789 2.06E-01 (2.34E+01) 3.37E+01*	1.5392 6496.7 9.24E-02 .9752 1.76E-01 3.19E+03 3.21E+03	1.5392 6496.7 9.24E-02 1.2438 1.76E-01 5.59E+02 5.45E+02	2.0021 4994.9 4.19E-02 1.3202 1.62E-01 3.50E+02 3.55E+02	2.8389 3522.4 7.55E-02 1.3237 1.62E-01 3.50E+02 3.55E+02	4.8087 2079.5 9.05E-02 1.4569 1.35E-01 5.99E+01 5.92E+01
9	.5227 19130.1 2.43E-05 .9942 2.06E-01 2.91E+01 2.97E+01*	.5739 17424.8 5.45E-04 1.0201 2.04E-01 4.86E+02 4.95E+02*	.6350 15748.5 5.16E-03 1.0477 2.02E-01 3.33E+03 3.37E+03*	.7092 14101.2 2.60E-02 1.0772 1.99E-01 1.17E+04 1.19E+04	.8011 12482.9 7.21E-02 1.1092 1.96E-01 2.18E+04 2.19E+04	.9180 10893.6 9.62E-02 1.1449 1.91E-01 1.85E+04 1.84E+04	1.0714 9333.4 3.30E-02 1.1919 1.85E-01 3.71E+03 3.63E+03	1.2817 7802.4 1.16E-02 1.1802 1.86E-01 7.75E+02 8.11E+02	1.5872 6300.5 9.76E-02 1.2538 1.75E-01 3.02E+03 3.01E+03	2.0712 4828.1 1.45E-02 1.3520 1.56E-01 1.62E+02 1.54E+02	2.9540 3385.2 9.96E-02 1.3361 1.59E-01 3.98E+02 4.00E+02	
10	.4899 20413.0 6.87E-06 .9765 2.06E-01 1.01E+01 1.03E+01*	.5345 18707.7 1.72E-04 1.0007 2.05E-01 1.92E+02 1.96E+02*	.5872 17031.4 1.87E-03 1.0267 2.03E-01 1.55E+03 1.57E+03*	.6500 15384.1 1.13E-02 1.0544 2.01E-01 6.76E+03 6.85E+03	.7264 13765.8 4.05E-02 1.0840 1.98E-01 1.69E+04 1.70E+04	.8213 12176.5 8.20E-02 1.1164 1.95E-01 2.28E+04 2.29E+04	.9419 10616.3 7.59E-02 1.1534 1.90E-01 1.33E+04 1.32E+04	1.1007 9085.3 9.61E-03 1.2154 1.81E-01 9.57E+02 9.11E+02*	1.3187 7583.4 3.17E-02 1.2017 1.83E-01 1.88E+03 1.92E+03	1.6364 6111.0 8.76E-02 1.2640 1.73E-01 2.42E+03 2.40E+03	2.1422 4668.1 1.58E-03 1.4789 1.30E-01 (1.10E+01) 9.35E+00*	
11	.4614 21673.2 1.98E-06 .9602 2.07E-01 3.50E+00 3.58E+00*	.5008 19967.9 5.42E-05 .9829 2.06E-01 7.42E+01 7.57E+01*	.5467 18291.6 6.60E-04 1.0073 2.05E-01 6.86E+02 6.98E+02*	.6008 16644.3 4.62E-03 1.0333 2.03E-01 3.56E+03 3.61E+03*	.6655 15026.0 2.01E-02 1.0611 2.01E-01 1.11E+04 1.13E+04	.7442 13436.7 5.41E-02 1.0909 1.98E-01 2.08E+04 2.09E+04	.8420 11876.5 8.22E-02 1.1238 1.94E-01 2.10E+04 2.10E+04	.9666 10345.5 5.08E-02 1.1631 1.89E-01 8.13E+03 8.03E+03	1.1308 8843.6 2.92E-04 1.3905 1.49E-01 (1.81E+01) 1.33E+01*	1.3566 7371.2 5.11E-02 1.2143 1.81E-01 2.72E+03 2.76E+03	1.6868 5928.3 6.85E-02 1.2749 1.71E-01 1.69E+03 1.67E+03	
12	.4365 22910.8 5.82E-07 .9453 2.08E-01 1.22E+00 1.25E+00*	.4716 21205.4 1.72E-05 .9664 2.07E-01 2.84E+01 2.90E+01*	.5121 19529.2 2.30E-04 1.0138 2.06E-01 2.94E+02 3.00E+02*	.5592 17881.9 1.82E-03 1.0138 2.04E-01 1.76E+03 1.79E+03*	.6149 16263.6 9.22E-03 1.0400 2.02E-01 6.59E+03 6.68E+03*	.6815 14674.3 3.06E-02 1.0679 2.00E-01 1.57E+04 1.58E+04	.7625 13114.1 6.40E-02 1.0980 1.97E-01 2.27E+04 2.28E+04	.8633 11583.0 7.33E-02 1.1316 1.93E-01 1.72E+04 1.71E+04	.9919 10081.2 2.75E-02 1.1752 1.87E-01 4.00E+03 3.90E+03	1.1616 8608.8 3.08E-03 1.1317 1.93E-01 2.96E+02 3.25E+02*	1.3955 7165.9 6.40E-02 1.2245 1.80E-01 3.08E+03 3.10E+03	
13	.4145 24125.7 1.75E-07 .9316 2.08E-01 4.31E-01 4.41E-01*	.4460 22420.4 5.52E-06 .9512 2.07E-01 1.08E+01 1.11E+01*	.4821 20744.1 8.00E-05 1.0138 2.07E-01 1.24E+02 1.26E+02*	.5236 19096.8 6.98E-04 1.0333 2.05E-01 8.31E+02 8.47E+02*	.5721 17478.5 4.01E-03 1.0204 2.04E-01 3.61E+03 3.67E+03*	.6294 15889.3 1.57E-02 1.0466 2.02E-01 1.04E+04 1.05E+04	.6979 14329.1 4.12E-02 1.0747 1.99E-01 1.95E+04 1.97E+04	.7814 12798.0 6.81E-02 1.1052 1.96E-01 2.23E+04 2.23E+04	.8853 11296.2 5.81E-02 1.1400 1.92E-01 1.25E+04 1.24E+04	1.0179 9823.7 1.04E-02 1.1942 1.84E-01 1.36E+03 1.30E+03	1.1932 8380.8 1.35E-02 1.1719 1.88E-01 1.13E+03 1.18E+03	
14	.3950 25318.1 5.39E-08 .9186 2.08E-01 1.53E-01 1.57E-01*	.4235 23612.8 1.80E-06 .9372 2.08E-01 4.14E+00 4.23E+00*	.4559 21936.5 2.79E-05 .9573 2.07E-01 5.12E+01 5.23E+01*	.4929 20289.2 2.65E-04 1.0204 2.06E-01 3.81E+02 3.89E+02*	.5356 18670.9 1.69E-03 1.0023 2.05E-01 1.87E+03 1.90E+03*	.5854 17081.7 7.53E-03 1.0270 2.03E-01 6.29E+03 6.38E+03*	.6443 15521.4 2.36E-02 1.0533 2.01E-01 1.45E+04 1.46E+04	.7148 13990.4 5.00E-02 1.0816 1.99E-01 2.19E+04 2.21E+04	.8007 12488.6 6.58E-02 1.1126 1.98E-01 1.98E+04 1.98E+04	.9078 11016.1 4.03E-02 1.1493 1.91E-01 7.95E+03 7.83E+03	1.0446 9573.2 1.51E-03 1.2519 1.75E-01 (1.64E+02) 1.45E+02*	
15	.3775 26487.9 1.69E-08 .9060 2.08E-01 5.50E-02 5.63E-02*	.4035 24782.6 5.94E-07 .9239 2.08E-01 1.58E+00 1.62E+00*	.4328 23106.3 9.80E-06 1.0229 2.08E-01 2.11E+01 2.16E+01*	.4660 21459.1 9.97E-05 1.0334 2.07E-01 1.71E+02 1.75E+02*	.5040 19840.8 6.94E-04 1.0888 2.06E-01 9.32E+02 9.50E+02*	.5479 18251.5 3.45E-03 1.0337 2.05E-01 3.56E+03 3.62E+03*	.5991 16691.3 1.24E-02 1.0337 2.03E-01 9.63E+03 9.76E+03	.6596 15160.2 3.18E-02 1.0601 2.01E-01 1.81E+04 1.83E+04	.7322 13658.4 5.55E-02 1.0886 1.98E-01 2.25E+04 2.25E+04	.8206 12185.9 5.78E-02 1.1203 1.96E-01 1.60E+04 1.59E+04	.9308 10743.0 2.36E-02 1.1606 1.89E-01 4.25E+03 4.15E+03	

Table 5. Radiative transition parameters for $N_2 B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
8	15.0065 666.4	-13.9500 -716.8	-4.8312 -2069.9	-2.9477 -3392.5	-2.1348 -4684.3	-1.6821 -5945.1	-1.3938 -7174.4	-1.1945 -8372.0	-1.0485 -9537.4	-0.9372 -10670.1	-0.8496 -11769.8
	3.25E-01	1.23E-01	8.69E-03	1.70E-06	1.73E-05	2.31E-09	4.54E-08	4.57E-10	8.22E-11	7.00E-12	7.52E-13
	1.5014	1.5966	1.7842	6.6440	1.6297	9.9711	1.7366	.6182	2.1699	1.5494	1.5562
	1.25E-01	1.05E-01	6.97E-02	1.81E-21	9.87E-02	0.00E+00	7.81E-02	1.86E-01	2.18E-02	1.15E-01	1.14E-01
	6.13E+00	-1.02E+00	(-7.57E-01)	(-4.40E-43)	(-3.51E-02)	(0.00E+00)	(-2.07E-04)	(-1.89E-05)	(-6.84E-08)	(-2.29E-07)	(-3.22E-08)
	6.15E+00	-1.02E+00	-6.70E-01*	-1.16E-01*	-2.81E-02*	-2.97E-03*	-1.13E-04*	-5.37E-05*	-4.43E-07*	-1.31E-07*	-1.92E-08*
9	5.0709 1972.0	16.9831 588.8	-13.0852 -764.2	-4.7920 -2086.8	-2.9598 -3378.6	-2.1554 -4639.4	-1.7039 -5868.8	-1.4152 -7066.3	-1.2148 -8231.7	-1.0679 -9364.5	-0.9556 -10464.1
	5.37E-02	3.34E-01	1.46E-01	1.04E-02	2.95E-06	2.97E-05	3.66E-08	8.85E-08	2.71E-09	8.71E-11	2.02E-11
	1.4865	1.5135	1.6096	1.8118	-2.8422	1.6948	-1.1831	1.8455	1.0805	2.7312	1.8300
	1.29E-01	1.23E-01	1.03E-01	6.50E-02	6.36E-10	8.59E-02	4.79E-04	5.95E-02	1.99E-01	1.90E-03	6.20E-02
	2.76E+01	4.17E+00	-1.40E+00	(-8.05E-01)	(-9.33E-20)	(-4.44E-02)	(-3.43E-09)	(-2.24E-04)	-1.21E-04	(-5.25E-10)	(-1.81E-07)
	2.71E+01	4.18E+00	-1.40E+00	-6.87E-01	-2.32E-01*	-3.35E-02*	-7.33E-03*	-7.14E-05*	-1.31E-04*	-5.05E-06*	-2.56E-08*
10	3.0723 3254.9	5.3427 1871.7	19.2800 518.7	-12.4391 -803.9	-4.7715 -2095.8	-2.9793 -3356.5	-2.1806 -4585.9	-1.7291 -5783.5	-1.4391 -6948.8	-1.2374 -8081.6	-1.0892 -9181.2
	1.13E-01	2.79E-02	3.37E-01	1.68E-01	1.16E-02	3.76E-05	4.62E-05	3.78E-07	1.45E-07	1.08E-08	2.01E-11
	1.3466	1.5328	1.5263	1.6231	1.8439	.2172	1.7636	.5325	1.9803	1.3185	5.8073
	1.57E-01	1.19E-01	1.20E-01	1.00E-01	5.98E-02	1.08E-01	7.33E-02	1.72E-01	4.06E-02	1.63E-01	4.75E-16
	3.92E+02	1.05E+01	2.75E+00	-1.78E+00	(-7.76E-01)	(-3.38E-02)	(-4.85E-02)	(-4.40E-03)	(-1.62E-04)	(-3.05E-04)	(-7.09E-36)
	3.93E+02	1.02E+01	2.76E+00	-1.78E+00	-6.25E-01	-4.15E-01*	-3.28E-02*	-1.56E-02*	-1.39E-06*	-2.63E-04*	-2.60E-05*
11	2.2148 4515.1	3.1929 3131.9	5.6215 1778.9	21.9162 456.3	-11.9680 -835.6	-4.7702 -2096.3	-3.0069 -3325.7	-2.2108 -4523.3	-1.7579 -5688.6	-1.4660 -6821.4	-1.2625 -7921.0
	1.10E-03	1.17E-01	1.18E-02	3.36E-01	1.89E-01	1.23E-02	1.46E-04	6.47E-05	1.64E-06	1.88E-07	3.31E-08
	1.0952	1.3562	1.6178	1.5399	1.6373	1.8822	.8577	1.8412	1.0191	2.1767	1.4822
	1.97E-01	1.56E-01	1.01E-01	1.17E-01	9.72E-02	5.39E-02	2.08E-01	6.02E-02	2.04E-01	2.12E-02	1.29E-01
	(1.60E+01)	3.51E+02	2.76E+00	1.78E+00	-2.12E+00	(-6.70E-01)	(-4.69E-01)	(-4.40E-02)	(-2.54E-02)	(-5.47E-05)	(-5.58E-04)
	1.99E+01*	3.50E+02	2.65E+00	1.79E+00	-2.12E+00	-4.90E-01	-6.74E-01*	-2.35E-02*	-2.91E-02*	-1.90E-04*	-6.29E-04*
12	1.7383 5752.7	2.2886 4369.5	3.3152 3016.4	5.9037 1693.8	24.8754 402.0	-11.6445 -858.8	-4.7890 -2088.1	-3.0435 -3285.7	-2.2467 -4451.1	-1.7909 -5583.8	-1.4962 -6683.5
	4.66E-02	9.14E-03	1.12E-01	3.38E-03	3.34E-01	2.09E-01	1.22E-02	3.86E-04	8.01E-05	4.97E-06	1.70E-07
	1.2876	1.2417	1.3653	1.8278	1.5544	1.6522	1.9296	1.1450	1.9367	1.2655	2.5510
	1.69E-01	1.77E-01	1.54E-01	6.24E-02	1.14E-01	9.42E-02	4.72E-02	1.91E-01	4.62E-02	1.73E-01	4.58E-03
	1.02E+03	9.65E+01	2.93E+02	(2.59E-01)	1.15E+00	-2.38E+00	(-5.02E-01)	-1.02E+00	(-3.06E-02)	-5.23E-02	(-2.16E-06)
	1.00E+03	1.03E+02*	2.92E+02	1.96E-01*	1.16E+00	-2.38E+00	-3.07E-01	-1.01E+00*	-8.41E-03*	-4.76E-02*	-1.54E-03*
13	1.4352 6967.7	1.7907 5584.4	2.3633 4231.4	3.4378 2908.8	6.1844 1617.0	28.0746 356.2	-11.4526 -873.2	-4.8292 -2070.7	-3.0901 -3236.1	-2.2889 -4368.8	-1.8287 -5468.5
	6.84E-02	2.69E-02	2.14E-02	1.01E-01	2.49E-04	3.32E-01	2.26E-01	1.12E-02	8.29E-04	8.50E-05	1.22E-05
	1.2340	1.3041	1.2747	1.3740	3.0467	1.5698	1.6680	1.9916	1.3151	2.0685	1.4272
	1.78E-01	1.66E-01	1.71E-01	1.52E-01	3.28E-04	1.11E-01	9.11E-02	3.92E-02	1.63E-01	3.08E-02	1.41E-01
	2.97E+03	5.19E+02	1.92E+02	2.33E+02	(4.60E-07)	7.50E-01	-2.53E+00	(-3.11E-01)	(-1.52E+00)	(-1.36E-02)	(-8.01E-02)
	2.97E+03	5.03E+02	1.99E+02	2.30E+02	1.78E-01*	7.58E-01	-2.53E+00	-1.25E-01	-1.38E+00*	-1.35E-04*	-6.79E-02*
14	1.2255 8160.1	1.4756 6776.8	1.8437 5423.8	2.4383 4101.2	3.5595 2809.4	6.4575 1548.6	31.3255 319.2	-11.3852 -878.3	-4.8931 -2043.7	-3.1482 -3176.4	-2.3386 -4276.1
	2.66E-02	6.47E-02	1.21E-02	3.45E-02	8.73E-02	3.23E-04	3.33E-01	2.40E-01	9.26E-03	1.55E-03	7.13E-05
	1.1881	1.2433	1.3297	1.2922	1.3823	-.1219	1.5860	1.6848	2.0790	1.4332	2.2864
	1.85E-01	1.76E-01	1.61E-01	1.68E-01	1.50E-01	4.82E-02	1.08E-01	8.79E-02	2.97E-02	1.40E-01	1.41E-02
	2.01E+03	2.54E+03	2.03E+02	2.71E+02	1.77E+02	(1.13E-02)	5.08E-01	-2.55E+00	(-1.41E-01)	(-1.96E+00)	(-2.25E-03)
	2.06E+03	2.53E+03	1.92E+02	2.77E+02	1.75E+02	1.06E+00*	5.15E-01	-2.55E+00	-1.04E-02*	-1.75E+00*	-2.61E-02*
15	1.0718 9329.9	1.2584 7946.7	1.5166 6593.6	1.8972 5271.0	2.5131 3979.2	3.6786 2718.4	6.7157 1489.1	34.3066 291.5	-11.4432 -873.9	-4.9835 -2006.6	-3.2193 -3106.3
	3.98E-04	3.85E-02	5.54E-02	3.37E-03	4.59E-02	7.26E-02	1.86E-03	3.36E-01	2.51E-01	6.54E-03	2.59E-03
	1.0182	1.1994	1.2530	1.3876	1.3046	1.3900	.7195	1.6030	1.7027	2.2181	1.5253
	2.04E-01	1.84E-01	1.75E-01	1.49E-01	1.65E-01	1.49E-01	1.99E-01	1.04E-01	8.44E-02	1.83E-02	1.20E-01
	(5.46E+01)	2.64E+03	1.97E+03	(4.45E+01)	3.21E+02	1.31E+02	(9.82E-01)	3.66E-01	-2.42E+00	-3.58E-02	(-2.28E+00)
	7.10E+01*	2.67E+03	1.95E+03	4.01E+01*	3.25E+02	1.28E+02	2.05E+00*	3.73E-01	-2.43E+00	-3.71E-02*	-2.02E+00*

Table 5. Radiative transition parameters for $N_2 B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.3619	.3857	.4123	.4424	.4765	.5155	.5606	.6132	.6754	.7500	.8410
	27635.2	25929.9	24253.6	22606.3	20988.0	19398.7	17838.5	16307.4	14805.6	13333.2	11890.3
	5.35E-09	1.99E-07	3.46E-06	3.76E-05	2.82E-04	1.54E-03	6.19E-03	1.84E-02	3.94E-02	5.67E-02	4.61E-02
	.8930	.9110	.9294	.9488	.9696	.9918	1.0154	1.0403	1.0669	1.0957	1.1285
	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.07E-01	2.06E-01	2.04E-01	2.02E-01	2.00E-01	1.97E-01	1.93E-01
	1.98E-02	6.08E-01	8.65E+00	7.57E+01	4.51E+02	1.92E+03	5.94E+03	1.33E+04	2.08E+04	2.12E+04	1.18E+04
	2.03E-02*	6.22E-01*	8.85E+00*	7.73E+01*	4.60E+02*	1.96E+03*	6.03E+03*	1.34E+04	2.09E+04	2.12E+04	1.16E+04
17	.3477	.3696	.3940	.4214	.4522	.4872	.5273	.5737	.6277	.6917	.7683
	28759.8	27054.5	25378.2	23730.9	22112.6	20523.4	18963.1	17432.1	15930.2	14457.8	13014.9
	1.70E-09	6.70E-08	1.23E-06	1.42E-05	1.14E-04	6.70E-04	2.37E-03	9.97E-03	2.50E-02	4.50E-02	5.35E-02
	.8786	.8979	.9162	.9350	.9548	.9759	.9983	1.0220	1.0470	1.0738	1.1030
	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.04E-01	2.02E-01	1.99E-01	1.96E-01
	7.08E-03	2.33E-01	3.54E+00	3.31E+01	2.14E+02	1.00E+03	3.46E+03	8.89E+03	1.67E+04	2.19E+04	1.84E+04
	7.28E-03*	2.39E-01*	3.62E+00*	3.39E+01*	2.18E+02*	1.02E+03*	3.52E+03*	9.01E+03*	1.68E+04	2.20E+04	1.84E+04
18	.3349	.3552	.3776	.4027	.4308	.4624	.4984	.5395	.5871	.6427	.7084
	29861.8	28156.5	26480.2	24832.9	23214.6	21625.3	20065.1	18534.0	17032.2	15559.8	14116.9
	5.34E-10	2.26E-08	4.40E-07	5.36E-06	4.56E-05	2.88E-04	1.39E-03	5.15E-03	1.46E-02	3.13E-02	4.78E-02
	.8613	.8837	.9028	.9215	.9408	.9610	.9823	1.0048	1.0286	1.0537	1.0807
	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.03E-01	2.01E-01	1.99E-01
	2.48E-03	8.83E-02	1.44E+00	1.44E+01	9.97E+01	5.06E+02	1.93E+03	5.58E+03	1.21E+04	1.94E+04	2.16E+04
	2.57E-03*	9.07E-02*	1.47E+00*	1.47E+01*	1.02E+02*	5.17E+02*	1.97E+03*	5.66E+03*	1.23E+04	1.95E+04	2.16E+04
19	.3232	.3420	.3629	.3859	.4116	.4404	.4729	.5099	.5521	.6010	.6581
	30941.0	29235.7	27559.4	25912.2	24293.9	22704.6	21144.4	19613.3	18111.5	16639.0	15196.1
	1.62E-10	7.50E-09	1.57E-07	2.02E-06	1.83E-05	1.23E-04	6.36E-04	2.57E-03	8.12E-03	1.99E-02	3.65E-02
	.8384	.8667	.8884	.9079	.9270	.9467	.9672	.9887	1.0113	1.0352	1.0605
	2.07E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.07E-01	2.06E-01	2.05E-01	2.03E-01	2.01E-01
	8.34E-04	3.28E-02	5.75E-01	6.17E+00	4.59E+01	2.51E+02	1.04E+03	3.33E+03	8.18E+03	1.53E+04	2.09E+04
	8.70E-04*	3.38E-02*	5.91E-01*	6.33E+00*	4.69E+01*	2.56E+02*	1.06E+03*	3.39E+03*	8.30E+03*	1.54E+04	2.11E+04
20	.3125	.3301	.3495	.3708	.3945	.4209	.4504	.4838	.5217	.5651	.6153
	31997.5	30292.2	28615.9	26968.6	25350.3	23761.0	22200.8	20669.7	19167.9	17695.5	16252.6
	4.58E-11	2.40E-09	5.48E-08	7.58E-07	7.27E-06	5.20E-05	2.87E-04	1.25E-03	4.33E-03	1.18E-02	2.51E-02
	.8041	.8443	.8716	.8935	.9133	.9328	.9527	.9735	.9952	1.0179	1.0419
	2.05E-01	2.07E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.07E-01	2.05E-01	2.04E-01	2.02E-01
	2.56E-04	1.16E-02	2.25E-01	2.61E+00	2.08E+01	1.22E+02	5.47E+02	1.91E+03	5.21E+03	1.11E+04	1.79E+04
	2.73E-04*	1.21E-02*	2.32E-01*	2.68E+00*	2.13E+01*	1.25E+02*	5.59E+02*	1.95E+03*	5.30E+03*	1.12E+04	1.81E+04
21	.3027	.3192	.3373	.3571	.3790	.4033	.4304	.4608	.4950	.5339	.5785
	33031.0	31325.7	29649.4	28002.1	26383.8	24794.6	23234.3	21703.3	20201.5	18729.0	17286.1
	1.10E-11	7.16E-10	1.86E-08	2.79E-07	2.87E-06	2.18E-05	1.28E-04	5.98E-04	2.23E-03	6.71E-03	1.60E-02
	.7424	.8108	.8499	.8769	.8988	.9189	.9387	.9589	.9799	1.0017	1.0245
	2.01E-01	2.06E-01	2.07E-01	2.08E-01	2.08E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.05E-01	2.04E-01
	(6.52E-05)	3.78E-03	8.42E-02	1.07E+00	9.25E+00	5.82E+01	2.81E+02	1.06E+03	3.18E+03	7.51E+03	1.39E+04
	7.34E-05*	4.02E-03*	8.77E-02*	1.11E+00*	9.50E+00*	5.97E+01*	2.87E+02*	1.08E+03*	3.23E+03*	7.63E+03*	1.41E+04

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 5. Radiative transition parameters for $N_2 B' \ ^3\Sigma_u^- - B \ ^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_v^* R_e(r) \psi_{v'} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
16	.9545	1.0996	1.2918	1.5581	1.9507	2.5869	3.7932	6.9506	36.5813	-11.6363	-5.1046
	10477.1	9093.9	7740.9	6418.3	5126.4	3865.7	2636.3	1438.7	273.4	-859.4	-1959.0
	1.06E-02	5.12E-03	4.65E-02	4.32E-02	9.67E-05	5.43E-02	5.85E-02	3.56E-03	3.44E-01	2.57E-01	3.48E-03
	1.1765	1.1400	1.2090	1.2634	1.9243	1.3147	1.3966	.8595	1.6208	1.7221	2.4940
	1.87E-01	1.92E-01	1.82E-01	1.73E-01	4.79E-02	1.64E-01	1.47E-01	2.08E-01	1.01E-01	8.08E-02	5.93E-03
	1.73E+03	5.75E+02	2.90E+03	1.39E+03 (1.21E-01)	3.40E+02	9.43E+01 (1.85E+00)	2.88E-01	-2.16E+00 (-1.87E-03)	
	1.66E+03	6.14E+02*	2.92E+03	1.36E+03	5.46E-05*	3.43E+02	9.21E+01	2.83E+00*	2.95E-01	-2.17E+00	-2.71E-01*
17	.8619	.9786	1.1280	1.3258	1.5997	2.0039	2.6589	3.9011	7.1531	37.6997	-11.9846
	11601.7	10218.5	8865.5	7542.9	6251.1	4990.3	3760.9	2563.4	1398.0	265.3	-834.4
	3.29E-02	2.76E-02	1.31E-02	4.97E-02	3.06E-02	1.08E-03	5.94E-02	4.59E-02	4.59E-03	3.58E-01	2.58E-01
	1.1375	1.2100	1.1638	1.2179	1.2753	1.1015	1.3235	1.4014	.8609	1.6392	1.7433
	1.92E-01	1.82E-01	1.89E-01	1.81E-01	1.71E-01	1.97E-01	1.62E-01	1.46E-01	2.08E-01	9.68E-02	7.69E-02
	7.71E+03	3.94E+02	1.32E+03	2.82E+03	8.85E+02 (2.11E+01)	3.36E+02	6.71E+01 (2.19E+00)	2.54E-01	-1.80E+00
	7.59E+03	3.61E+02*	1.36E+03	2.83E+03	8.65E+02	2.58E+01*	3.38E+02	6.51E+01	3.29E+00*	2.61E-01	-1.80E+00
18	.7872	.8834	1.0033	1.1568	1.3600	1.6414	2.0564	2.7283	4.0001	7.3141	37.3734
	12703.7	11320.5	9967.5	8644.9	7353.0	6092.3	4862.9	3665.3	2500.0	1367.2	267.6
	4.66E-02	2.05E-02	1.89E-05	2.17E-02	4.85E-02	1.95E-02	4.82E-03	6.15E-02	3.51E-02	4.51E-03	3.79E-01
	1.1106	1.1479	1.8154	1.1773	1.2266	1.2898	1.2078	1.3316	1.4027	.7645	1.6581
	1.96E-01	1.91E-01	6.44E-02	1.87E-01	1.79E-01	1.68E-01	1.82E-01	1.60E-01	1.46E-01	2.03E-01	9.31E-02
	1.48E+04	4.39E+03 (3.14E-01)	1.99E+03	2.51E+03	5.06E+02	7.46E+01	3.15E+02	4.74E+01 (1.92E+00)	2.55E-01
	1.47E+04	4.29E+03	1.17E-03*	2.03E+03	2.50E+03	4.89E+02	8.09E+01*	3.16E+02	4.55E+01	3.45E+00*	2.64E-01
19	.7255	.8065	.9052	1.0284	1.1859	1.3944	1.6829	2.1077	2.7939	4.0875	7.4249
	13783.0	12399.7	11046.7	9724.1	8432.3	7171.5	5942.1	4744.6	3579.2	2446.5	1346.8
	4.75E-02	3.74E-02	1.04E-02	1.54E-03	2.92E-02	4.39E-02	1.08E-02	9.88E-03	6.12E-02	2.61E-02	3.23E-03
	1.0878	1.1186	1.1617	1.0975	1.1877	1.2353	1.3096	1.2408	1.3396	1.3973	.4922
	1.98E-01	1.95E-01	1.89E-01	1.97E-01	1.85E-01	1.78E-01	1.65E-01	1.77E-01	1.59E-01	1.47E-01	1.65E-01
	1.98E+04	1.10E+04	2.04E+03 (2.23E+02)	2.44E+03	2.07E+03	2.48E+02	1.34E+02	2.86E+02	3.36E+01 (8.69E-01)
	1.98E+04	1.08E+04	1.96E+03	2.51E+02*	2.48E+03	2.06E+03	2.36E+02	1.41E+02*	2.86E+02	3.18E+01	3.33E+00*
20	.6739	.7432	.8262	.9276	1.0539	1.2154	1.4289	1.7238	2.1572	2.8548	4.1610
	14839.4	13456.2	12103.2	10780.6	9488.7	8227.9	6998.6	5801.0	4635.7	3502.9	2403.3
	4.00E-02	4.40E-02	2.74E-02	3.70E-03	5.91E-03	3.43E-02	3.71E-02	4.82E-03	1.51E-02	5.92E-02	1.86E-02
	1.0674	1.0950	1.1272	1.1849	1.1398	1.1967	1.2443	1.3415	1.2580	1.3482	1.3772
	2.00E-01	1.97E-01	1.94E-01	1.86E-01	1.92E-01	1.84E-01	1.76E-01	1.58E-01	1.74E-01	1.57E-01	1.51E-01
	2.12E+04	1.69E+04	7.37E+03	6.48E+02	7.54E+02	2.62E+03	1.60E+03	9.57E+01	1.85E+02	2.54E+02	2.40E+01
	2.13E+04	1.69E+04	7.25E+03	6.04E+02*	7.98E+02*	2.65E+03	1.58E+03	8.86E+01*	1.92E+02	2.54E+02	2.24E+01
21	.6300	.6901	.7612	.8464	.9504	1.0797	1.2450	1.4632	1.7639	2.2044	2.9097
	15873.0	14489.7	13136.7	11814.1	10522.3	9261.5	8032.1	6834.6	5669.2	4536.5	3436.8
	2.98E-02	4.11E-02	3.82E-02	1.78E-02	4.38E-04	1.16E-02	3.66E-02	2.95E-02	1.40E-03	1.97E-02	5.65E-02
	1.0486	1.0743	1.1025	1.1370	1.2692	1.1573	1.2051	1.2539	1.4128	1.2681	1.3594
	2.02E-01	1.99E-01	1.96E-01	1.92E-01	1.72E-01	1.90E-01	1.83E-01	1.75E-01	1.44E-01	1.72E-01	1.55E-01
	1.97E+04	2.02E+04	1.35E+04	4.41E+03 (6.12E+01)	1.34E+03	2.57E+03	1.16E+03 (2.15E+01)	2.21E+02	2.23E+02
	1.98E+04	2.02E+04	1.34E+04	4.30E+03	4.93E+01*	1.39E+03	2.58E+03	1.14E+03	1.86E+01*	2.27E+02	2.22E+02

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 6. Radiative transition parameters for $N_2 a^1\Pi_g-X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.1450 68951.3 4.28E-02 1.1578 5.88E-03 9.83E+02	.1501 66620.9 1.51E-01 1.1807 5.88E-03 3.14E+03	.1555 64319.3 2.48E-01 1.2043 5.88E-03 4.63E+03	.1612 62046.5 2.50E-01 1.2287 5.88E-03 4.19E+03	.1672 59802.4 1.75E-01 1.2541 5.88E-03 2.60E+03	.1736 57587.2 8.77E-02 1.2806 5.88E-03 1.17E+03	.1805 55400.7 3.35E-02 1.3083 5.88E-03 3.99E+02	.1878 53243.1 9.88E-03 1.3373 5.88E-03 1.04E+02*	.1956 51114.4 2.28E-03 1.3680 5.88E-03 2.13E+01*	.2040 49014.6 4.12E-04 1.4005 5.88E-03 3.40E+00*	.2130 46943.9 5.88E-05 1.4351 5.88E-03 4.26E-01*
1	.1416 70617.6 1.15E-01 1.1414 5.88E-03 2.85E+03	.1464 68287.2 1.93E-01 1.1633 5.88E-03 4.31E+03	.1515 65985.6 8.09E-02 1.1849 5.88E-03 1.63E+03	.1570 63712.8 4.22E-04 1.2447 5.88E-03 7.65E+00*	.1627 61468.8 8.85E-02 1.2374 5.88E-03 1.44E+03	.1688 59253.5 1.87E-01 1.2618 5.88E-03 2.72E+03	.1752 57067.0 1.76E-01 1.2880 5.88E-03 2.28E+03	.1821 54909.4 1.02E-01 1.3155 5.88E-03 1.19E+03	.1895 52780.7 4.14E-02 1.3445 5.88E-03 4.27E+02	.1973 50681.0 1.23E-02 1.3751 5.88E-03 1.12E+02	.2057 48610.2 2.75E-02 1.4076 5.88E-03 2.21E+01*
2	.1384 72256.1 1.70E-01 1.1258 5.88E-03 4.50E+03	.1430 69925.8 9.74E-02 1.1463 5.88E-03 2.33E+03	.1479 67624.2 3.15E-03 1.1809 5.88E-03 6.83E+01*	.1530 65351.3 1.08E-01 1.1939 5.88E-03 2.10E+03	.1585 63107.3 8.58E-02 1.2157 5.88E-03 1.51E+03	.1642 60892.0 6.97E-04 1.2091 5.88E-03 1.10E+01*	.1703 58705.6 6.68E-02 1.2709 5.88E-03 9.47E+02	.1768 56547.9 1.67E-01 1.2958 5.88E-03 2.11E+03	.1838 54419.2 1.61E-01 1.3230 5.88E-03 1.82E+03	.1911 52319.5 9.23E-02 1.3518 5.88E-03 9.26E+02	.1990 50248.8 3.56E-02 1.3824 5.88E-03 3.16E+02
3	.1354 73866.9 1.83E-01 1.1109 5.88E-03 5.16E+03	.1398 71536.5 1.26E-02 1.1278 5.88E-03 3.22E+02	.1444 69234.9 7.50E-02 1.1553 5.88E-03 1.74E+03	.1493 66962.1 6.95E-02 1.1750 5.88E-03 1.46E+03	.1545 64718.1 3.72E-03 1.2126 5.88E-03 7.06E+01*	.1600 62502.8 9.59E-02 1.2247 5.88E-03 1.64E+03	.1658 60316.3 6.48E-02 1.2465 5.88E-03 9.96E+02	.1719 58158.7 3.37E-04 1.3311 5.88E-03 4.65E+00*	.1785 56030.0 8.24E-02 1.3047 5.88E-03 1.02E+03	.1854 53930.2 1.66E-01 1.3308 5.88E-03 1.83E+03	.1928 51859.5 1.42E-01 1.3594 5.88E-03 1.39E+03
4	.1325 75449.9 1.60E-01 1.0966 5.88E-03 4.82E+03	.1368 73119.6 6.01E-03 1.1238 5.88E-03 1.65E+02*	.1412 70818.0 9.66E-02 1.1387 5.88E-03 2.40E+03	.1459 68545.2 6.19E-04 1.1333 5.88E-03 1.40E+01*	.1508 66301.1 7.76E-02 1.1843 5.88E-03 1.58E+03	.1560 64085.9 3.69E-02 1.2032 5.88E-03 6.79E+02	.1616 61899.4 1.78E-02 1.2370 5.88E-03 2.96E+02	.1674 59741.8 9.74E-02 1.2558 5.88E-03 1.45E+03	.1736 57613.1 3.41E-02 1.2768 5.88E-03 4.57E+02	.1801 55513.3 1.12E-02 1.3197 5.88E-03 1.35E+02	.1871 53442.6 1.14E-01 1.3393 5.88E-03 1.22E+03
5	.1299 77005.4 1.22E-01 1.0830 5.88E-03 3.90E+03	.1339 74675.1 4.61E-02 1.1053 5.88E-03 1.34E+03	.1382 72373.5 4.72E-02 1.1226 5.88E-03 1.25E+03	.1427 70100.6 3.36E-02 1.1485 5.88E-03 8.10E+02	.1474 67856.6 5.67E-02 1.1659 5.88E-03 1.24E+03	.1523 65641.3 8.64E-03 1.1985 5.88E-03 1.71E+02*	.1576 63454.9 7.89E-02 1.2132 5.88E-03 1.41E+03	.1631 61297.2 7.10E-03 1.2262 5.88E-03 1.15E+02*	.1690 59168.5 4.92E-02 1.2658 5.88E-03 7.14E+02	.1752 57068.8 8.44E-02 1.2873 5.88E-03 1.10E+03	.1818 54998.1 6.09E-03 1.3002 5.88E-03 7.10E+01*
6	.1273 78533.3 8.34E-02 1.0698 5.88E-03 2.83E+03	.1312 76203.0 8.45E-02 1.0909 5.88E-03 2.62E+03	.1353 73901.4 4.80E-03 1.1031 5.88E-03 1.36E+02*	.1396 71628.6 7.26E-02 1.1317 5.88E-03 1.87E+03	.1441 69384.5 2.81E-03 1.1396 5.88E-03 6.58E+01*	.1489 67169.2 6.36E-02 1.1754 5.88E-03 1.35E+03	.1539 64982.8 1.43E-02 1.1905 5.88E-03 2.74E+02	.1592 62825.2 4.17E-02 1.2234 5.88E-03 7.25E+02	.1648 60696.5 5.36E-02 1.2420 5.88E-03 8.40E+02	.1707 58596.7 2.90E-03 1.2904 5.88E-03 4.09E+01*	.1769 56526.0 8.13E-02 1.2967 5.88E-03 1.03E+03
7	.1249 80033.8 5.28E-02 1.0572 5.88E-03 1.90E+03	.1287 77703.5 9.92E-02 1.0776 5.88E-03 3.26E+03	.1326 75401.9 5.47E-03 1.1038 5.88E-03 1.64E+02*	.1367 73129.1 5.67E-02 1.1165 5.88E-03 1.55E+03	.1411 70885.0 1.71E-02 1.1427 5.88E-03 4.26E+02	.1456 68669.7 4.67E-02 1.1578 5.88E-03 1.06E+03	.1504 66483.3 1.33E-02 1.1879 5.88E-03 2.73E+02	.1555 64325.7 5.68E-02 1.2027 5.88E-03 1.06E+03	.1608 62197.0 1.47E-03 1.2533 5.88E-03 2.48E+01*	.1664 60097.2 6.84E-02 1.2519 5.88E-03 1.04E+03	.1723 58026.5 1.31E-02 1.2671 5.88E-03 1.80E+02

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 6. Radiative transition parameters for N_2 $a^1\Pi_g-X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
0	.2227	.2332	.2445	.2567	.2701	.2846	.3006	.3181	.3375	.3590	.3830
	44902.3	42889.9	40906.7	38953.0	37028.9	35134.3	33269.6	31434.9	29630.3	27856.0	26112.1
	6.59E-06	5.75E-07	3.86E-08	1.95E-09	7.20E-11	1.85E-12	2.18E-14	3.24E-16	4.19E-16	2.46E-16	3.30E-17
	1.4724	1.5129	1.5575	1.6076	1.6641	1.7306	1.9218	1.8591	1.2575	1.2008	1.2536
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	4.18E-02*	3.18E-03*	1.85E-04*	8.06E-06*	2.56E-07*	5.63E-09*	5.62E-11*	7.06E-13*	7.64E-13*	3.72E-13*	4.12E-14*
1	.2147	.2244	.2349	.2462	.2584	.2717	.2862	.3021	.3195	.3387	.3600
	46568.6	44556.2	42573.1	40619.4	38695.2	36800.7	34936.0	33101.2	31296.6	29522.3	27778.5
	4.69E-04	6.14E-05	6.15E-06	4.66E-07	2.62E-08	1.06E-09	2.92E-11	5.03E-13	3.06E-15	7.35E-17	1.74E-17
	1.4423	1.4797	1.5203	1.5651	1.6155	1.6739	1.7440	1.8331	2.1335	1.6000	1.2260
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	3.32E+00*	3.81E-01*	3.32E-02*	2.19E-03*	1.06E-04*	3.69E-06*	8.73E-08*	1.28E-09*	6.57E-12*	1.32E-13*	2.61E-14*
2	.2074	.2165	.2262	.2366	.2479	.2602	.2734	.2879	.3036	.3209	.3399
	48207.1	46194.7	44211.6	42257.9	40333.7	38439.2	36574.5	34739.8	32935.1	31160.8	29417.0
	9.83E-03	2.00E-03	3.06E-04	3.50E-05	2.99E-06	1.86E-07	8.24E-09	2.45E-10	4.61E-12	4.03E-14	4.97E-16
	1.4149	1.4496	1.4871	1.5278	1.5729	1.6236	1.6828	1.7551	1.8384	2.0007	.8867
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	7.72E+01*	1.38E+01*	1.85E+00*	1.85E-01*	1.37E-02*	7.42E-04*	2.82E-05*	7.18E-07*	1.15E-08*	8.54E-11*	8.86E-13*
3	.2007	.2092	.2182	.2280	.2384	.2497	.2619	.2751	.2895	.3051	.3223
	49817.9	47805.5	45822.4	43868.7	41944.5	40050.0	38185.3	36350.5	34545.9	32771.6	31027.7
	7.25E-02	2.49E-02	6.07E-03	1.08E-03	1.41E-04	1.35E-05	9.32E-07	4.51E-08	1.43E-09	2.74E-11	2.80E-13
	1.3898	1.4223	1.4571	1.4946	1.5355	1.5808	1.6320	1.6916	1.7658	1.8618	1.9756
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	6.28E+02	1.91E+02	4.09E+01*	6.38E+00*	7.29E-01*	6.07E-02*	3.64E-03*	1.52E-04*	4.14E-06*	6.76E-08*	5.85E-10*
4	.1945	.2025	.2109	.2200	.2297	.2402	.2515	.2636	.2768	.2911	.3066
	51401.0	49388.6	47405.4	45451.7	43527.5	41633.0	39768.3	37933.6	36129.0	34354.7	32610.8
	1.64E-01	1.15E-01	4.97E-02	1.46E-02	3.01E-03	4.49E-04	4.82E-05	3.68E-06	1.93E-07	6.61E-09	1.29E-10
	1.3672	1.3975	1.4299	1.4647	1.5023	1.5434	1.5889	1.6405	1.7008	1.7759	1.8609
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	1.56E+03	9.71E+02	3.71E+02	9.58E+01	1.74E+01*	2.27E+00*	2.12E-01*	1.41E-02*	6.39E-04*	1.88E-05*	3.14E-07*
5	.1888	.1963	.2042	.2127	.2218	.2315	.2420	.2532	.2654	.2785	.2927
	52956.4	50944.0	48960.9	47007.2	45083.0	43188.5	41323.8	39489.1	37684.4	35910.1	34166.3
	4.48E-02	1.46E-01	1.49E-01	8.26E-02	2.93E-02	7.08E-03	1.20E-03	1.44E-04	1.21E-05	6.93E-07	2.52E-08
	1.3497	1.3755	1.4054	1.4377	1.4725	1.5101	1.5514	1.5972	1.6492	1.7105	1.7871
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	4.66E+02	1.35E+03	1.22E+03	6.01E+02	1.88E+02	3.99E+01*	5.94E+00*	6.22E-01*	4.55E-02*	2.25E-03*	7.05E-05*
6	.1835	.1906	.1981	.2060	.2145	.2236	.2334	.2438	.2550	.2671	.2802
	54484.4	52471.9	50488.8	48535.1	46610.9	44716.4	42851.7	41017.0	39212.4	37438.0	35694.2
	4.77E-02	3.37E-03	9.6E-02	1.60E-01	1.18E-01	5.10E-02	1.45E-02	2.80E-03	3.77E-04	3.49E-05	2.15E-06
	1.3186	1.3761	1.3846	1.4135	1.4456	1.4804	1.5181	1.5595	1.6056	1.6582	1.7204
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	5.40E+02	3.41E+01*	8.69E+02	1.28E+03	8.35E+02	3.19E+02	7.97E+01	1.35E+01*	1.59E+00*	1.28E-01*	6.86E-03*
7	.1786	.1853	.1923	.1999	.2079	.2164	.2255	.2352	.2456	.2568	.2689
	55984.9	53972.4	51989.3	50035.6	48111.4	46216.9	44352.2	42517.5	40712.9	38938.5	37194.7
	3.63E-02	8.24E-02	8.31E-03	4.05E-02	1.43E-01	1.46E-01	7.87E-02	2.63E-02	5.83E-03	8.78E-04	8.92E-05
	1.3077	1.3288	1.3429	1.3958	1.4221	1.4538	1.4885	1.5263	1.5678	1.6142	1.6673
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	4.46E+02	9.08E+02	8.18E+01*	3.55E+02	1.12E+03	1.01E+03	4.81E+02	1.42E+02	2.76E+01*	3.63E+00*	3.22E-01*

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 6. Radiative transition parameters for $N_2 a^1\Pi_g-X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	0	1	2	3	4	5	6	7	8	9	10
8	.1227 81507.0 3.15E-02 1.0450 5.88E-03 1.20E+03	.1263 79176.6 9.21E-02 1.0648 5.88E-03 3.20E+03	.1301 76875.0 3.30E-02 1.0865 5.88E-03 1.05E+03	.1340 74602.2 1.86E-02 1.1009 5.88E-03 5.40E+02	.1382 72358.1 5.32E-02 1.1256 5.88E-03 1.41E+03	.1426 70142.9 4.12E-03 1.1347 5.88E-03 9.96E+01*	.1472 67956.4 5.46E-02 1.1674 5.88E-03 1.20E+03	.1520 65798.8 4.27E-03 1.1756 5.88E-03 8.52E+01*	.1571 63670.1 5.14E-02 1.2126 5.88E-03 9.29E+02	.1624 61570.3 1.59E-02 1.2272 5.88E-03 2.59E+02	.1681 59499.6 3.42E-02 1.2628 5.88E-03 5.05E+02
9	.1206 82952.9 1.79E-02 1.0333 5.88E-03 7.17E+02	.1240 80622.5 7.37E-02 1.0527 5.88E-03 2.71E+03	.1277 78320.9 6.04E-02 1.0730 5.88E-03 2.03E+03	.1315 76048.1 1.69E-04 1.0522 5.88E-03 5.20E+00*	.1355 73804.1 5.48E-02 1.1109 5.88E-03 1.54E+03	.1397 71588.8 9.31E-03 1.1380 5.88E-03 2.39E+02*	.1441 69402.3 3.93E-02 1.1505 5.88E-03 9.20E+02	.1487 67244.7 1.66E-02 1.1791 5.88E-03 3.53E+02	.1536 65116.0 3.76E-02 1.1930 5.88E-03 7.28E+02	.1587 63016.3 1.32E-02 1.2258 5.88E-03 2.31E+02	.1641 60945.5 4.94E-02 1.2397 5.88E-03 7.84E+02
10	.1185 84371.6 9.85E-03 1.0220 5.88E-03 4.14E+02*	.1219 82041.3 5.32E-02 1.0409 5.88E-03 2.06E+03	.1254 79739.7 7.34E-02 1.0606 5.88E-03 2.61E+03	.1291 77466.9 9.44E-03 1.0840 5.88E-03 3.07E+02*	.1329 75222.8 2.81E-02 1.0965 5.88E-03 8.37E+02	.1370 73007.6 3.92E-02 1.1202 5.88E-03 1.07E+03	.1412 70821.1 4.85E-03 1.1293 5.88E-03 1.21E+02*	.1456 68663.5 4.77E-02 1.1603 5.88E-03 1.08E+03	.1503 66534.8 6.68E-04 1.1476 5.88E-03 1.38E+01*	.1552 64435.0 4.98E-02 1.2033 5.88E-03 9.33E+02	.1603 62364.3 1.16E-03 1.1953 5.88E-03 1.96E+01*
11	.1166 85763.4 5.26E-03 1.0111 5.88E-03 2.32E+02*	.1199 83433.1 3.56E-02 1.0297 5.88E-03 1.45E+03	.1233 81131.5 7.15E-02 1.0489 5.88E-03 2.68E+03	.1268 78858.6 3.15E-02 1.0695 5.88E-03 1.08E+03	.1305 76614.6 4.64E-03 1.0794 5.88E-03 1.46E+02*	.1344 74399.3 4.91E-02 1.1059 5.88E-03 1.42E+03	.1385 72212.9 5.11E-03 1.1346 5.88E-03 1.35E+02*	.1427 70055.3 3.39E-02 1.1441 5.88E-03 8.16E+02	.1472 67926.5 1.84E-02 1.1716 5.88E-03 4.04E+02	.1519 65826.8 2.38E-02 1.1841 5.88E-03 4.76E+02	.1568 63756.1 2.45E-02 1.2145 5.88E-03 4.45E+02
12	.1148 87128.3 2.75E-03 1.0005 5.88E-03 1.27E+02*	.1179 84797.9 2.26E-02 1.0188 5.88E-03 9.64E+02	.1212 82496.4 6.05E-02 1.0376 5.88E-03 2.38E+03	.1247 80223.5 5.06E-02 1.0572 5.88E-03 1.83E+03	.1282 77979.5 1.10E-03 1.0897 5.88E-03 3.67E+01*	.1320 75764.2 3.29E-02 1.0924 5.88E-03 1.00E+03	.1359 73577.7 2.89E-02 1.1156 5.88E-03 8.06E+02	.1400 71420.1 5.42E-03 1.1245 5.88E-03 1.38E+02*	.1443 69291.4 4.20E-02 1.1541 5.88E-03 9.78E+02	.1488 67191.7 2.81E-02 1.1627 5.88E-03 5.98E+02*	.1536 65120.9 4.31E-02 1.1951 5.88E-03 8.33E+02
13	.1130 88466.4 1.41E-03 .9903 5.88E-03 6.86E+01*	.1161 86136.1 1.37E-02 1.0084 5.88E-03 6.13E+02	.1193 83834.5 4.64E-02 1.0268 5.88E-03 1.92E+03	.1226 81561.6 5.93E-02 1.0458 5.88E-03 2.25E+03	.1261 79317.6 1.38E-02 1.0673 5.88E-03 4.82E+02	.1297 77102.3 1.09E-02 1.0781 5.88E-03 3.49E+02	.1335 74915.9 4.24E-02 1.1017 5.88E-03 1.25E+03	.1374 72758.2 2.59E-03 1.1332 5.88E-03 7.00E+01*	.1416 70629.5 3.00E-02 1.1386 5.88E-03 7.39E+02	.1459 68529.8 1.88E-02 1.1653 5.88E-03 4.24E+02	.1505 66459.1 1.48E-02 1.1759 5.88E-03 3.05E+02
14	.1114 89777.9 7.19E-04 .9805 5.88E-03 3.65E+01*	.1144 87447.6 8.05E-03 .9983 5.88E-03 3.77E+02*	.1174 85146.0 3.32E-02 1.0163 5.88E-03 1.43E+03	.1207 82873.1 5.79E-02 1.0349 5.88E-03 2.31E+03	.1240 80629.1 3.12E-02 1.0547 5.88E-03 1.14E+03	.1275 78413.8 2.50E-04 1.0398 5.88E-03 8.44E+00*	.1312 76227.4 3.46E-02 1.0888 5.88E-03 1.07E+03	.1350 74069.7 2.10E-02 1.1119 5.88E-03 5.97E+02	.1390 71941.0 6.07E-03 1.1205 5.88E-03 1.58E+02*	.1432 69841.3 3.71E-02 1.1488 5.88E-03 8.86E+02	.1476 67770.6 3.79E-04 1.2111 5.88E-03 8.26E+00*
15	.1098 91062.9 3.63E-04 .9710 5.88E-03 1.92E+01*	.1127 88732.6 4.61E-03 .9885 5.88E-03 2.26E+02*	.1157 86431.0 2.24E-02 1.0063 5.88E-03 1.01E+03	.1188 84158.2 5.00E-02 1.0245 5.88E-03 2.09E+03	.1221 81914.1 4.42E-02 1.0435 5.88E-03 1.70E+03	.1255 79698.8 4.29E-03 1.0677 5.88E-03 1.52E+02*	.1290 77512.4 1.65E-02 1.0758 5.88E-03 5.38E+02	.1327 75354.8 3.57E-02 1.0983 5.88E-03 1.07E+03	.1366 73226.1 1.04E-03 1.1358 5.88E-03 2.87E+01*	.1406 71126.3 2.72E-02 1.1340 5.88E-03 6.85E+02	.1448 69055.6 1.81E-02 1.1599 5.88E-03 4.18E+02

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 6. Radiative transition parameters for $N_2 \alpha^1\Pi_g - \lambda^1\Sigma_g^+$. For each $v' - v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
8	.1740 57458.0 5.11E-02 1.2809 5.88E-03 6.79E+02	.1804 55445.6 2.34E-03 1.3373 5.88E-03 2.79E+01*	.1870 53462.5 7.72E-02 1.3385 5.88E-03 8.27E+02	.1941 51508.8 4.34E-02 1.3604 5.88E-03 4.15E+02	.2017 49584.6 5.16E-03 1.4199 5.88E-03 4.41E+01*	.2097 47690.1 1.03E-01 1.4315 5.88E-03 7.82E+02	.2182 45825.4 1.59E-01 1.4623 5.88E-03 1.07E+03	.2273 43990.6 1.09E-01 1.4968 5.88E-03 6.51E+02	.2370 42186.0 4.34E-02 1.5346 5.88E-03 2.28E+02	.2475 40411.7 1.10E-02 1.5763 5.88E-03 5.10E+01	.2586 38667.8 1.86E-03 1.6230 5.88E-03 7.53E+00*
9	.1698 58903.9 2.26E-03 1.2902 5.88E-03 3.24E+01*	.1758 56891.5 6.43E-02 1.2912 5.88E-03 8.29E+02	.1821 54908.4 8.99E-03 1.3033 5.88E-03 1.04E+02*	.1888 52954.7 4.11E-02 1.3496 5.88E-03 4.28E+02	.1960 51030.5 7.55E-02 1.3712 5.88E-03 7.03E+02	.2035 49136.0 3.34E-03 1.3729 5.88E-03 2.77E+01*	.2115 47271.3 5.45E-02 1.4424 5.88E-03 4.03E+02	.2201 45436.5 1.52E-01 1.4712 5.88E-03 9.97E+02	.2292 43631.9 1.37E-01 1.5053 5.88E-03 7.97E+02	.2389 41857.6 6.56E-02 1.5431 5.88E-03 3.37E+02	.2493 40113.8 1.92E-02 1.5850 5.88E-03 8.69E+01
10	.1658 60322.7 5.07E-02 1.2500 5.88E-03 7.79E+02	.1715 58310.3 8.93E-03 1.2611 5.88E-03 1.24E+02*	.1775 56327.1 4.01E-02 1.3020 5.88E-03 5.02E+02	.1839 54373.4 4.03E-02 1.3199 5.88E-03 4.54E+02	.1907 52449.3 7.48E-03 1.3691 5.88E-03 7.56E+01*	.1978 50554.7 8.02E-02 1.3813 5.88E-03 7.26E+02	.2054 48690.0 2.85E-02 1.4019 5.88E-03 2.30E+02	.2134 46855.3 1.59E-02 1.4590 5.88E-03 1.15E+02	.2220 45050.7 1.24E-01 1.4806 5.88E-03 7.97E+02	.2311 43276.4 1.56E-01 1.5141 5.88E-03 8.87E+02	.2408 41532.5 9.15E-02 1.5518 5.88E-03 4.59E+02
11	.1620 61714.4 2.46E-02 1.2279 5.88E-03 4.05E+02	.1675 59702.0 2.15E-02 1.2621 5.88E-03 3.21E+02	.1733 57718.9 3.78E-02 1.2768 5.88E-03 5.09E+02	.1793 55765.2 8.48E-03 1.3193 5.88E-03 1.03E+02*	.1857 53841.0 6.08E-02 1.3309 5.88E-03 6.64E+02	.1925 51946.5 1.67E-03 1.3197 5.88E-03 1.64E+01*	.1997 50081.8 5.64E-02 1.3920 5.88E-03 4.96E+02	.2073 48247.1 6.07E-02 1.4143 5.88E-03 4.78E+02	.2153 46442.4 1.42E-04 1.6356 5.88E-03 9.96E-01*	.2239 44668.1 8.45E-02 1.4911 5.88E-03 5.27E+02	.2330 42924.3 1.62E-01 1.5233 5.88E-03 8.97E+02
12	.1585 63079.3 1.15E-03 1.2472 5.88E-03 2.02E+01*	.1638 61066.9 4.51E-02 1.2393 5.88E-03 7.20E+02	.1693 59083.8 5.86E-04 1.3127 5.88E-03 8.47E+00*	.1750 57130.1 5.12E-02 1.2877 5.88E-03 6.68E+02	.1811 55205.9 1.19E-03 1.2724 5.88E-03 1.40E+01*	.1876 53311.4 5.17E-02 1.3417 5.88E-03 5.49E+02	.1944 51446.7 2.27E-02 1.3578 5.88E-03 2.17E+02	.2016 49611.9 2.27E-02 1.4059 5.88E-03 1.95E+02	.2092 47807.3 7.92E-02 1.4250 5.88E-03 6.07E+02	.2172 46033.0 9.30E-03 1.4362 5.88E-03 6.36E+01*	.2258 44289.2 4.35E-02 1.5041 5.88E-03 2.65E+02
13	.1552 64417.4 3.06E-02 1.2058 5.88E-03 5.73E+02	.1602 62405.0 8.52E-03 1.2148 5.88E-03 1.45E+02*	.1655 60421.9 3.59E-02 1.2502 5.88E-03 5.54E+02	.1710 58468.2 9.56E-03 1.2598 5.88E-03 1.34E+02*	.1769 56544.0 3.54E-02 1.2990 5.88E-03 4.48E+02	.1830 54649.5 2.06E-02 1.3126 5.88E-03 2.35E+02	.1894 52784.8 2.38E-02 1.3547 5.88E-03 2.45E+02	.1963 50950.1 4.91E-02 1.3709 5.88E-03 4.55E+02	.2035 49145.4 1.76E-03 1.4484 5.88E-03 1.46E+01*	.2111 47371.1 7.40E-02 1.4357 5.88E-03 5.51E+02	.2192 45627.3 3.48E-02 1.4564 5.88E-03 2.32E+02
14	.1521 65728.9 3.54E-02 1.1879 5.88E-03 7.04E+02	.1569 63716.5 6.22E-03 1.2221 5.88E-03 1.13E+02*	.1620 61733.4 3.12E-02 1.2296 5.88E-03 5.15E+02	.1673 59779.7 1.09E-02 1.2648 5.88E-03 1.63E+02	.1728 57855.5 3.29E-02 1.2751 5.88E-03 4.46E+02	.1787 55961.0 9.66E-03 1.3154 5.88E-03 1.19E+02*	.1849 54096.3 4.33E-02 1.3256 5.88E-03 4.80E+02	.1913 52261.6 2.41E-03 1.3872 5.88E-03 2.41E+01*	.1982 50456.9 5.87E-02 1.3821 5.88E-03 5.29E+02	.2054 48682.6 4.64E-03 1.3834 5.88E-03 3.75E+01*	.2130 46938.8 4.94E-02 1.4473 5.88E-03 3.58E+02
15	.1492 67014.0 9.41E-03 1.1685 5.88E-03 1.98E+02*	.1538 65001.5 3.21E-02 1.1987 5.88E-03 6.17E+02	.1587 63018.4 1.53E-03 1.1925 5.88E-03 2.69E+01*	.1638 61064.7 3.81E-02 1.2407 5.88E-03 6.08E+02	.1691 59140.5 8.47E-05 1.1331 5.88E-03 1.23E+00*	.1747 57246.0 4.20E-02 1.2865 5.88E-03 5.53E+02	.1806 55381.3 1.89E-04 1.2083 5.88E-03 2.25E+00*	.1868 53546.6 4.66E-02 1.3369 5.88E-03 5.02E+02	.1933 51742.0 3.75E-03 1.3358 5.88E-03 3.64E+01*	.2001 49967.6 4.53E-02 1.3938 5.88E-03 3.96E+02	.2074 48223.8 2.56E-02 1.4093 5.88E-03 2.01E+02

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 6. Radiative transition parameters for N_2 $a^1\Pi_g-X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.1083 92321.6 1.82E-04 .9618 5.88E-03 1.01E+01*	.1111 89991.3 2.59E-03 .9791 5.88E-03 1.32E+02*	.1140 87689.7 1.46E-02 .9966 5.88E-03 6.88E+02	.1171 85416.9 3.97E-02 1.0145 5.88E-03 1.73E+03	.1202 83172.8 4.96E-02 1.0329 5.88E-03 2.00E+03	.1235 80957.5 1.68E-02 1.0532 5.88E-03 6.23E+02	.1270 78771.1 2.93E-03 1.0593 5.88E-03 1.00E+02*	.1305 76613.5 3.41E-02 1.0859 5.88E-03 1.07E+03	.1343 74484.8 1.47E-02 1.1090 5.88E-03 4.24E+02	.1382 72385.0 6.94E-03 1.1173 5.88E-03 1.84E+02*	.1422 70314.3 3.30E-02 1.1443 5.88E-03 8.04E+02
17	.1069 93554.2 9.16E-05 .9530 5.88E-03 5.25E+00*	.1096 91223.8 1.44E-03 .9700 5.88E-03 7.66E+01*	.1125 88922.2 9.17E-03 .9873 5.88E-03 4.52E+02*	.1154 86649.4 2.96E-02 1.0049 5.88E-03 1.35E+03	.1185 84405.4 4.80E-02 1.0229 5.88E-03 2.02E+03	.1217 82190.1 2.99E-02 1.0420 5.88E-03 1.16E+03	.1250 80003.6 4.20E-04 1.0821 5.88E-03 1.51E+01*	.1285 77846.0 2.08E-02 1.0737 5.88E-03 6.89E+02	.1321 75717.3 2.91E-02 1.0956 5.88E-03 8.84E+02	.1358 73617.6 2.02E-04 1.1563 5.88E-03 5.64E+00*	.1398 71546.8 2.53E-02 1.1302 5.88E-03 6.49E+02
18	.1055 94760.7 4.61E-05 .9445 5.88E-03 2.75E+00*	.1082 92430.4 7.92E-04 .9613 5.88E-03 4.38E+01*	.1110 90128.8 5.64E-03 .9783 5.88E-03 2.89E+02*	.1138 87856.0 2.10E-02 .9956 5.88E-03 9.98E+02	.1168 85611.9 4.20E-02 1.0133 5.88E-03 1.85E+03	.1199 83396.6 3.88E-02 1.0317 5.88E-03 1.58E+03	.1231 81210.2 7.19E-03 1.0534 5.88E-03 2.70E+02*	.1265 79052.6 7.11E-03 1.0605 5.88E-03 2.46E+02*	.1300 76923.9 3.20E-02 1.0836 5.88E-03 1.02E+03	.1336 74824.1 9.54E-03 1.1072 5.88E-03 2.80E+02*	.1375 72753.4 8.08E-03 1.1148 5.88E-03 2.18E+02*
19	.1042 95941.5 2.32E-05 .9363 5.88E-03 1.44E+00*	.1068 93611.1 4.34E-04 .9528 5.88E-03 2.49E+01*	.1095 91309.5 3.40E-03 .9696 5.88E-03 1.82E+02*	.1123 89036.7 1.44E-02 .9867 5.88E-03 7.11E+02	.1152 86792.6 3.42E-02 1.0041 5.88E-03 1.56E+03	.1182 84577.4 4.21E-02 1.0220 5.88E-03 1.78E+03	.1214 82390.9 1.79E-02 1.0415 5.88E-03 7.01E+02	.1246 80233.3 3.42E-04 1.0291 5.88E-03 1.24E+01*	.1280 78104.6 2.37E-02 1.0721 5.88E-03 7.91E+02	.1316 76004.8 2.27E-02 1.0936 5.88E-03 6.98E+02	.1353 73934.1 1.62E-05 .9604 5.88E-03 4.59E-01*
20	.1030 97096.5 1.18E-05 .9285 5.88E-03 7.57E-01*	.1055 94766.2 2.37E-04 .9448 5.88E-03 1.41E+01*	.1081 92464.6 2.03E-03 .9613 5.88E-03 1.12E+02*	.1109 90191.8 9.57E-03 .9781 5.88E-03 4.92E+02*	.1137 87947.7 2.63E-02 .9952 5.88E-03 1.25E+03	.1166 85732.5 4.05E-02 1.0128 5.88E-03 1.79E+03	.1197 83546.0 2.77E-02 1.0312 5.88E-03 1.13E+03	.1229 81388.4 1.84E-03 1.0581 5.88E-03 6.95E+01*	.1262 79259.7 1.16E-02 1.0604 5.88E-03 4.05E+02	.1296 77159.9 2.87E-02 1.0820 5.88E-03 9.22E+02	.1332 75089.2 5.46E-03 1.1068 5.88E-03 1.62E+02*
21	.1018 98226.2 6.04E-06 .9211 5.88E-03 4.01E-01*	.1043 95895.8 1.29E-04 .9370 5.88E-03 7.99E+00*	.1068 93594.2 1.20E-03 .9533 5.88E-03 6.89E+01*	.1095 91321.4 6.23E-03 .9698 5.88E-03 3.33E+02*	.1123 89077.4 1.94E-02 .9867 5.88E-03 9.63E+02	.1151 86862.1 3.58E-02 1.0039 5.88E-03 1.64E+03	.1181 84675.6 3.38E-02 1.0218 5.88E-03 1.44E+03	.1212 82518.0 8.81E-03 1.0423 5.88E-03 3.47E+02*	.1244 80389.3 2.70E-03 1.0455 5.88E-03 9.84E+01*	.1277 78289.6 2.49E-02 1.0711 5.88E-03 8.38E+02	.1312 76218.8 1.66E-02 1.0925 5.88E-03 5.16E+02

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 6. Radiative transition parameters for $N_2 \alpha^1\Pi_g-X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
16	.1465	.1509	.1556	.1605	.1656	.1709	.1766	.1825	.1887	.1952	.2021
	68272.7	66260.3	64277.1	62323.4	60399.2	58504.7	56640.0	54805.3	53000.7	51226.3	49482.5
	8.64E-04	2.87E-02	1.12E-02	1.86E-02	2.19E-02	1.28E-02	2.81E-02	1.34E-02	2.89E-02	2.31E-02	2.03E-02
	1.1907	1.1817	1.2121	1.2205	1.2527	1.2617	1.2984	1.3080	1.3493	1.3618	1.4083
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	1.93E+01*	5.84E+02	2.09E+02	3.15E+02	3.38E+02	1.80E+02	3.57E+02	1.55E+02	3.02E+02	2.18E+02	1.73E+02
17	.1439	.1482	.1526	.1573	.1623	.1674	.1728	.1785	.1844	.1906	.1972
	69505.2	67492.8	65509.7	63556.0	61631.8	59737.3	57872.6	56037.8	54233.2	52458.9	50715.1
	1.67E-02	6.36E-03	3.09E-02	2.41E-10	3.30E-02	3.12E-03	3.14E-02	7.16E-03	3.31E-02	7.32E-03	4.20E-02
	1.1555	1.1619	1.1926	-63.3420	1.2326	1.2755	1.2757	1.3164	1.3227	1.3690	1.3752
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	3.93E+02	1.37E+02*	6.08E+02	4.33E-06*	5.42E+02	4.66E+01*	4.27E+02	8.82E+01*	3.70E+02	7.40E+01*	3.84E+02
18	.1414	.1456	.1499	.1544	.1591	.1641	.1693	.1747	.1804	.1863	.1926
	70711.8	68699.3	66716.2	64762.5	62838.3	60943.8	59079.1	57244.4	55439.8	53665.4	51921.6
	2.93E-02	1.09E-03	2.35E-02	1.44E-02	9.98E-03	2.73E-02	2.37E-03	3.45E-02	3.06E-04	3.93E-02	2.20E-04
	1.1406	1.1827	1.1765	1.2052	1.2116	1.2442	1.2400	1.2874	1.2306	1.3347	1.2471
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	7.27E+02	2.47E+01*	4.89E+02	2.74E+02	1.73E+02*	4.34E+02	3.42E+01*	4.53E+02	3.65E+00*	4.26E+02	2.16E+00*
19	.1391	.1431	.1473	.1516	.1562	.1610	.1659	.1712	.1766	.1823	.1883
	71892.5	69880.1	67897.0	65943.2	64019.1	62124.6	60259.8	58425.1	56620.5	54846.2	53102.3
	2.40E-02	1.47E-02	4.78E-03	2.85E-02	6.91E-04	2.60E-02	9.44E-03	1.77E-02	1.97E-02	1.21E-02	2.69E-02
	1.1271	1.1521	1.1566	1.1877	1.2440	1.2256	1.2592	1.2653	1.3003	1.3072	1.3474
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	6.24E+02	3.51E+02	1.05E+02*	5.73E+02	1.27E+01*	4.37E+02	1.45E+02*	2.47E+02	2.51E+02	1.39E+02	2.83E+02
20	.1369	.1408	.1448	.1490	.1534	.1580	.1628	.1678	.1731	.1786	.1843
	73047.6	71035.2	69052.0	67098.3	65174.1	63279.6	61414.9	59580.2	57775.6	56001.3	54257.4
	9.51E-03	2.60E-02	9.87E-04	2.00E-02	1.58E-02	5.09E-03	2.80E-02	4.22E-06	3.02E-02	3.34E-03	2.85E-02
	1.1130	1.1377	1.1796	1.1722	1.1999	1.2026	1.2373	1.8198	1.2782	1.3242	1.3223
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	2.60E+02*	6.52E+02	2.28E+01*	4.22E+02	3.05E+02	9.03E+01*	4.54E+02	6.26E-02*	4.09E+02	4.11E+01*	3.19E+02
21	.1348	.1386	.1425	.1466	.1508	.1553	.1599	.1647	.1698	.1750	.1805
	74177.2	72164.8	70181.7	68228.0	66303.8	64409.3	62544.6	60709.8	58905.2	57130.9	55387.1
	5.12E-04	2.30E-02	1.23E-02	4.13E-03	2.59E-02	1.77E-02	1.98E-02	1.44E-02	7.95E-03	2.63E-02	1.35E-03
	1.0820	1.1249	1.1496	1.1528	1.1837	1.2250	1.2196	1.2506	1.2543	1.2904	1.2740
	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03	5.88E-03
	1.46E+01*	6.05E+02	2.98E+02	9.19E+01*	5.29E+02	3.30E+01*	3.39E+02	2.25E+02	1.14E+02*	3.44E+02	1.61E+01*

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 7. Radiative transition parameters for N_2 a $^1\Pi_g - a' ^1\Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	8.2515 1211.9 6.01E-01 1.2527 2.12E-01 9.74E-01 9.74E+01	-33.9751 -294.3 2.81E-01 1.2008 2.28E-01 -1.51E+00 -1.51E+00	-5.6281 -1776.8 8.75E-02 1.1576 2.42E-01 -1.16E+02 -1.17E+02	-3.0905 -3235.7 2.32E-02 1.1203 2.53E-01 -2.04E+02 -2.05E+02	-2.1408 -4671.3 5.70E-03 1.0876 2.63E-01 -1.63E+02 -1.64E+02	-1.6437 -6083.7 1.36E-03 1.0583 2.72E-01 -9.13E+01 -9.20E+01	-1.3381 -7473.3 3.19E-04 1.0318 2.79E-01 -4.21E+01 -4.25E+01	-1.1312 -8840.2 7.55E-05 1.0078 2.86E-01 -1.73E+01 -1.75E+01	-9.9819 -10184.6 1.81E-05 .9659 2.92E-01 -6.59E+00 -6.67E+00	-.8691 -11506.7 4.42E-06 .9657 2.97E-01 -2.40E+00 -2.43E+00	-.7808 -12806.7 1.11E-06 -0.73 3.01E-01 -8.53E-01 -8.66E-01
1	3.4743 2878.2 3.30E-01 1.3101 1.94E-01 5.98E+02 5.98E+02	7.2886 1372.0 1.47E-01 1.2688 2.07E-01 3.30E+01 3.30E+01	-90.5412 -110.4 2.78E-01 1.2095 2.26E-01 -7.74E-02 -7.74E-02	-6.3721 -1569.3 1.57E-01 1.1648 2.40E-01 -1.41E+02 -1.41E+02	-3.3279 -3004.9 6.04E-02 1.1269 2.51E-01 -4.20E+02 -4.21E+02	-2.2638 -4417.4 1.95E-02 1.0938 2.61E-01 -4.66E+02 -4.67E+02	-1.7221 -5807.0 5.75E-03 1.0643 2.70E-01 -3.33E+02 -3.35E+02	-1.3940 -7173.9 1.62E-03 1.0378 2.78E-01 -1.87E+02 -1.88E+02	-1.1739 -8518.3 4.45E-04 1.0137 2.84E-01 -9.01E+01 -9.10E+01	-1.0162 -9840.4 1.22E-04 .9917 2.90E-01 -3.95E+01 -4.00E+01	-.8976 -11140.3 3.34E-05 -0.75 2.95E-01 -1.63E+01 -1.65E+01
2	2.2140 4516.8 6.39E-02 1.3798 1.72E-01 3.52E+02 3.51E+02	3.3217 3010.5 4.06E-01 1.3196 1.91E-01 8.17E+02 8.17E+02	6.5442 1528.1 8.92E-03 1.3294 1.88E-01 2.27E+00 2.28E+00	144.5651 69.2 1.85E-01 1.2196 2.23E-01 6.14E-03 6.13E-03	-7.3185 -1366.4 1.80E-01 1.1723 2.37E-01 -1.05E+02 -1.05E+02	-3.5986 -2778.9 9.62E-02 1.1336 2.49E-01 -5.20E+02 -5.21E+02	-2.3990 -4168.4 3.95E-02 1.1001 2.60E-01 -7.80E+02 -7.83E+02	-1.8066 -5535.3 1.41E-02 1.0705 2.68E-01 -6.96E+02 -7.00E+02	-1.4535 -6879.7 4.64E-03 1.0438 2.76E-01 -4.66E+02 -4.69E+02	-1.2192 -8201.8 1.46E-03 1.0196 2.83E-01 -2.61E+02 -2.64E+02	-1.0524 -9501.8 4.50E-04 .9975 2.88E-01 -1.30E+02 -1.32E+02
3	1.6320 6127.5 5.25E-03 1.4705 1.45E-01 5.13E+01 5.03E+01	2.1639 4621.3 1.48E-01 1.3885 1.69E-01 8.45E+02 8.43E+02	3.1859 3138.8 3.60E-01 1.3300 1.87E-01 7.92E+02 7.94E+02	5.9526 1679.9 1.23E-02 1.2070 2.26E-01 6.06E+00 6.03E+00	40.9231 244.4 9.04E-02 1.2329 2.18E-01 1.27E-01 1.27E-01	-8.5609 -1168.1 1.63E-01 1.1804 2.35E-01 -5.81E+01 -5.80E+01	-3.9098 -2557.7 1.19E-01 1.1406 2.47E-01 -4.95E+02 -4.95E+02	-2.5481 -3924.6 6.11E-02 1.1066 2.58E-01 -9.92E+02 -9.95E+02	-1.8979 -5269.0 2.59E-02 1.0766 2.66E-01 -1.09E+03 -1.10E+03	-1.5172 -6591.1 9.88E-03 1.0498 2.74E-01 -8.61E+02 -8.67E+02	-1.2673 -7891.1 3.53E-03 1.0255 2.81E-01 -5.54E+02 -5.59E+02
4	1.2969 7710.6 1.69E-04 1.6063 1.08E-01 (1.83E+00) 1.66E+00	1.6118 6204.4 1.77E-02 1.4796 1.42E-01 1.73E+02 1.70E+02	2.1178 4721.9 2.26E-01 1.3974 1.67E-01 1.34E+03 1.34E+03	3.0647 3263.0 2.68E-01 1.3421 1.84E-01 6.37E+02 6.40E+02	5.4722 1827.4 6.19E-02 1.2483 2.13E-01 3.48E+01 3.47E+01	24.0982 415.0 2.82E-02 1.2562 2.11E-01 1.82E-01 1.81E-01	-10.2605 -974.6 1.24E-01 1.1895 2.32E-01 -2.51E+01 -2.50E+01	-4.2708 -2341.5 1.26E-01 1.1478 2.45E-01 -3.92E+02 -3.92E+02	-2.7130 -3685.9 7.94E-02 1.1131 2.56E-01 -1.05E+03 -1.05E+03	-1.9968 -5008.0 3.97E-02 1.0829 2.65E-01 -1.41E+03 -1.42E+03	-1.5853 -6308.0 1.73E-02 1.0559 2.72E-01 -1.31E+03 -1.31E+03
5	1.0792 9266.1 1.25E-06 1.9156 4.73E-02 (4.50E-03) 7.14E-04	1.2887 7759.8 7.29E-04 1.6185 1.05E-01 (7.60E+00) 6.85E+00	1.5930 6277.4 3.73E-02 1.4890 1.39E-01 3.63E+02 3.56E+02	2.0753 4818.5 2.88E-01 1.4067 1.64E-01 1.75E+03 1.75E+03	2.9560 3382.9 1.74E-01 1.3570 1.79E-01 4.38E+02 4.41E+02	5.0750 1970.4 1.11E-01 1.2637 2.08E-01 7.47E+01 7.45E+01	17.2160 580.9 2.10E-03 1.3609 1.78E-01 2.63E-02 2.58E-02	-12.7221 -786.0 7.97E-02 1.2003 2.29E-01 -8.20E+00 -8.16E+00	-4.6939 -2130.4 1.16E-01 1.1554 2.43E-01 -2.69E+02 -2.68E+02	-2.8964 -3452.5 9.11E-02 1.1199 2.54E-01 -9.76E+02 -9.77E+02	-2.1041 -4752.5 5.32E-02 1.0892 2.63E-01 -1.60E+03 -1.60E+03
6	.9264 10794.0 1.42E-09 .3303 3.18E-01 (3.67E-04) 5.40E-04	1.0767 9287.8 6.01E-06 1.9519 4.23E-02 (1.75E-02) 1.02E-03	1.2812 7805.3 1.88E-03 1.6311 1.02E-01 (1.88E+01) 1.69E+01	1.5757 6346.4 6.27E-02 1.4985 1.37E-01 6.07E+02 5.97E+02	2.0363 4910.8 3.29E-01 1.4164 1.61E-01 2.04E+03 2.04E+03	2.8585 3498.4 9.70E-02 1.3771 1.73E-01 2.51E+02 2.55E+02	4.7421 2108.8 1.41E-01 1.2751 2.05E-01 1.13E+02 1.12E+02	13.4790 741.9 3.49E-03 1.1300 2.50E-01 -1.81E-01 1.83E-01	-16.5974 -602.5 4.14E-02 1.2146 2.24E-01 -1.84E+00 -1.83E+00	-5.1959 -1924.6 9.65E-02 1.1636 2.40E-01 -1.61E+02 -1.60E+02	-3.1012 -3224.6 9.43E-02 1.1268 2.51E-01 -8.10E+02 -8.09E+02
7	.8134 12294.5 1.40E-10 1.8458 5.81E-02 (1.78E-06) 1.70E-09	.9269 10788.2 1.52E-08 .6611 3.45E-01 (4.59E-03) 3.61E-03	1.0746 9305.8 1.66E-05 1.9935 3.71E-02 (3.73E-02) 4.48E-06	1.2744 7846.9 3.78E-03 1.6442 9.87E-02 (3.61E+01) 3.21E+01	1.5597 6411.3 9.25E-02 1.5083 1.34E-01 8.87E+02 8.72E+02	2.0005 4998.9 3.49E-01 1.4266 1.58E-01 2.19E+03 2.20E+03	2.7706 3609.3 4.35E-02 1.4093 1.63E-01 1.10E+02 1.13E+02	4.4595 2242.4 1.50E-01 1.2855 2.02E-01 1.39E+02 1.39E+02	11.1360 898.0 2.07E-02 1.1988 2.29E-01 1.59E+00 1.59E+00	-23.5783 -424.1 1.51E-02 1.2390 2.16E-01 -2.19E-01 -2.16E-01	-5.8001 -1724.1 7.15E-02 1.1728 2.37E-01 -8.36E-01 -8.32E-01

Table 7. Radiative transition parameters for $N_2 a^1\Pi_g - a'^1\Sigma_u^-$. For each $v' - v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	-.7100	-.6518	-.6033	-.5621	-.5268	-.4962	-.4694	-.4458	-.4248	-.4061	-.3892
	-14084.7	-15341.0	-16575.8	-17789.0	-18981.0	-20151.8	-21301.6	-22430.6	-23538.8	-24626.3	-25693.3
	2.84E-07	7.48E-08	2.03E-08	5.69E-09	1.64E-09	4.84E-10	1.47E-10	4.54E-11	1.43E-11	4.52E-12	1.39E-12
	.9304	.9149	.9007	.8876	.8753	.8634	.8520	.8408	.8298	.8171	.7981
	3.05E-01	3.09E-01	3.12E-01	3.15E-01	3.17E-01	3.19E-01	3.22E-01	3.24E-01	3.26E-01	3.28E-01	3.31E-01
	-2.99E-01	-1.04E-01	-3.65E-02	-1.28E-02	-4.56E-03	-1.64E-03	-5.94E-04	-2.17E-04	-8.01E-05	-2.94E-05	-1.05E-05
	-3.04E-01*	-1.06E-01*	-3.71E-02*	-1.31E-02*	-4.65E-03*	-1.67E-03*	-6.05E-04*	-2.22E-04*	-8.17E-05*	-3.00E-05*	-1.07E-05*
1	-.8053	-.7313	-.6707	-.6202	-.5775	-.5410	-.5093	-.4816	-.4572	-.4355	-.4162
	-12418.4	-13674.7	-14909.4	-16122.7	-17314.7	-18485.5	-19635.3	-20764.2	-21872.4	-22960.0	-24027.0
	9.25E-06	2.61E-06	7.49E-07	2.20E-07	6.61E-08	2.04E-08	6.40E-09	2.05E-09	6.67E-10	2.18E-10	7.12E-11
	.9530	.9359	.9203	.9059	.8927	.8804	.8687	.8571	.8449	.8313	.8151
	3.00E-01	3.04E-01	3.07E-01	3.11E-01	3.14E-01	3.16E-01	3.18E-01	3.21E-01	3.23E-01	3.25E-01	3.28E-01
	-6.46E+00	-2.49E+00	-9.51E-01	-3.61E-01	-1.37E-01	-5.20E-02	-1.99E-02	-7.65E-03	-2.95E-03	-1.13E-03	-4.31E-04
	-6.55E+00*	-2.53E+00*	-9.66E-01*	-3.67E-01*	-1.39E-01*	-5.30E-02*	-2.03E-02*	-7.80E-03*	-3.01E-03*	-1.16E-03*	-4.42E-04*
2	-.9277	-.8308	-.7535	-.6904	-.6379	-.5936	-.5557	-.5229	-.4942	-.4690	-.4467
	-10779.9	-12036.2	-13270.9	-14484.2	-15676.1	-16847.0	-17996.8	-19125.7	-20233.9	-21321.4	-22388.4
	1.37E-04	4.19E-05	1.29E-05	4.01E-06	1.27E-06	4.07E-07	1.33E-07	4.43E-08	1.50E-08	5.14E-09	1.77E-09
	.9773	.9587	.9416	.9258	.9113	.8978	.8852	.8732	.8615	.8496	.8364
	2.94E-01	2.98E-01	3.03E-01	3.06E-01	3.10E-01	3.12E-01	3.15E-01	3.18E-01	3.20E-01	3.22E-01	3.24E-01
	-6.02E+01	-2.64E+01	-1.12E+01	-4.63E+00	-1.89E+00	-7.70E-01	-3.12E-01	-1.27E-01	-5.15E-02	-2.09E-02	-8.46E-03
	-6.09E+01*	-2.67E+01*	-1.13E+01*	-4.70E+00*	-1.92E+00*	-7.83E-01*	-3.18E-01*	-1.29E-01*	-5.25E-02*	-2.13E-02*	-8.65E-03*
3	-1.0906	-.9592	-.8576	-.7768	-.7110	-.6563	-.6103	-.5709	-.5370	-.5073	-.4813
	-9169.1	-10425.4	-11660.1	-12873.4	-14065.4	-15236.2	-16386.0	-17515.0	-18623.1	-19710.7	-20777.7
	1.21E-03	4.08E-04	1.36E-04	4.54E-05	1.52E-05	5.14E-06	1.76E-06	6.11E-07	2.15E-07	7.65E-08	2.75E-08
	1.0034	.9831	.9645	.9473	.9314	.9167	.9030	.8902	.8781	.8662	.8540
	2.87E-01	2.92E-01	2.97E-01	3.01E-01	3.05E-01	3.08E-01	3.11E-01	3.14E-01	3.17E-01	3.19E-01	3.21E-01
	-3.12E+02	-1.60E+02	-7.71E+01	-3.56E+01	-1.59E+01	-7.01E+00	-3.04E+00	-1.31E+00	-5.64E-01	-2.42E-01	-1.03E-01
	-3.15E+02*	-1.62E+02*	-7.81E+01*	-3.61E+01*	-1.62E+01*	-7.12E+00*	-3.09E+00*	-1.33E+00*	-5.74E-01*	-2.46E-01*	-1.05E-01*
4	-1.3182	-1.1309	-.9924	-.8857	-.8011	-.7324	-.6755	-.6277	-.5869	-.5516	-.5210
	-7586.1	-8842.4	-10077.1	-11290.3	-12482.3	-13653.1	-14802.9	-15931.9	-17040.1	-18127.6	-19194.6
	6.95E-03	2.65E-03	9.77E-04	3.54E-04	1.27E-04	4.58E-05	1.65E-05	6.01E-06	2.21E-06	8.17E-07	3.05E-07
	1.0315	1.0093	.9889	.9702	.9529	.9370	.9221	.9083	.8954	.8830	.8709
	2.79E-01	2.85E-01	2.91E-01	2.96E-01	3.00E-01	3.04E-01	3.07E-01	3.10E-01	3.13E-01	3.16E-01	3.18E-01
	-9.59E+02	-6.04E+02	-3.42E+02	-1.80E+02	-9.03E+01	-4.36E+01	-2.05E+01	-9.48E+00	-4.33E+00	-1.96E+00	-8.85E-01
	-9.66E+02*	-6.09E+02*	-3.46E+02*	-1.83E+02*	-9.15E+01*	-4.42E+01*	-2.08E+01*	-9.63E+00*	-4.40E+00*	-2.00E+00*	-9.01E-01*
5	-1.6582	-1.3723	-1.1735	-1.0272	-.9152	-.8266	-.7549	-.6956	-.6458	-.6034	-.5669
	-6030.6	-7286.9	-8521.6	-9734.9	-10926.8	-12097.7	-13247.5	-14376.4	-15484.6	-16572.1	-17639.2
	2.64E-02	1.18E-02	4.96E-03	2.00E-03	7.83E-04	3.03E-04	1.16E-04	4.47E-05	1.72E-05	6.66E-06	2.59E-06
	1.0620	1.0375	1.0152	.9948	.9760	.9586	.9426	.9276	.9137	.9006	.8880
	2.71E-01	2.78E-01	2.84E-01	2.89E-01	2.94E-01	2.98E-01	3.02E-01	3.06E-01	3.09E-01	3.12E-01	3.15E-01
	-1.72E+03	-1.43E+03	-1.00E+03	-6.24E+02	-3.58E+02	-1.94E+02	-1.00E+02	-5.03E+01	-2.47E+01	-1.19E+01	-5.70E+00
	-1.73E+03*	-1.44E+03*	-1.01E+03*	-6.30E+02*	-3.62E+02*	-1.96E+02*	-1.02E+02*	-5.10E+01*	-2.51E+01*	-1.21E+01*	-5.80E+00*
6	-2.2209	-1.7364	-1.4299	-1.2185	-1.0640	-.9461	-.8533	-.7783	-.7165	-.6647	-.6207
	-4502.7	-5759.0	-6993.7	-8206.9	-9398.9	-10569.7	-11719.6	-12848.5	-13956.7	-15044.2	-16111.2
	6.44E-02	3.61E-02	1.80E-02	8.26E-03	3.61E-03	1.53E-03	6.33E-04	2.59E-04	1.05E-04	4.28E-05	1.74E-05
	1.0956	1.0682	1.0435	1.0211	1.0006	.9818	.9644	.9482	.9332	.9191	.9059
	2.61E-01	2.69E-01	2.76E-01	2.82E-01	2.88E-01	2.93E-01	2.97E-01	3.01E-01	3.05E-01	3.08E-01	3.11E-01
	-1.62E+03	-2.02E+03	-1.90E+03	-1.47E+03	-1.01E+03	-6.26E+02	-3.64E+02	-2.02E+02	-1.08E+02	-5.60E+01	-2.85E+01
	-1.62E+03*	-2.03E+03*	-1.91E+03*	-1.48E+03*	-1.01E+03*	-6.32E+02*	-3.68E+02*	-2.04E+02*	-1.09E+02*	-5.68E+01*	-2.90E+01*
7	-3.3309	-2.3483	-1.8204	-1.4911	-1.2661	-1.1026	-.9786	-.8812	-.8028	-.7383	-.6844
	-3002.2	-4258.5	-5493.2	-6706.4	-7898.4	-9069.2	-10219.1	-11348.0	-12456.2	-13543.7	-14610.7
	8.94E-02	7.15E-02	4.53E-02	2.49E-02	1.25E-02	5.92E-03	2.69E-03	1.19E-03	5.17E-04	2.23E-04	9.54E-05
	1.1340	1.1022	1.0744	1.0496	1.0271	1.0065	.9876	.9701	.9539	.9388	.9246
	2.49E-01	2.59E-01	2.67E-01	2.74E-01	2.81E-01	2.86E-01	2.91E-01	2.96E-01	3.00E-01	3.03E-01	3.07E-01
	-6.09E+02	-1.50E+03	-2.17E+03	-2.79E+03	-1.97E+03	-1.46E+03	-9.85E+02	-6.15E+02	-3.63E+02	-2.06E+02	-1.13E+02
	-6.08E+02*	-1.50E+03*	-2.18E+03*	-2.30E+03*	-1.98E+03*	-1.48E+03*	-9.95E+02*	-6.22E+02*	-3.68E+02*	-2.09E+02*	-1.15E+02*

Table 7. Radiative transition parameters for $N_2 a^1\Pi_g - a'^1\Sigma_u^-$. For each $v' - v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	0	1	2	3	4	5	6	7	8	9	10
8	.7263	.8156	.9277	1.0730	1.2683	1.5451	1.9676	2.6914	4.2174	9.5326	-39.8459
	13767.6	12261.4	10778.9	9320.0	7884.5	6472.0	5082.4	3715.5	2371.1	1049.0	-251.0
	8.90E-13	9.87E-10	8.36E-08	3.42E-05	6.48E-03	1.25E-01	3.52E-01	1.28E-02	1.41E-01	4.34E-02	2.13E-03
	.8519	1.9181	.8785	2.0421	1.6578	1.5184	1.4373	1.4805	1.2958	1.2196	1.3203
	3.22E-01	4.69E-02	3.16E-01	3.17E-02	9.56E-02	1.31E-01	1.55E-01	1.42E-01	1.98E-01	2.23E-01	1.91E-01
	(4.87E-07)	(8.11E-06)	(2.12E-02)	(5.62E-02)	(5.88E+01)	1.18E+03	2.23E+03	2.67E+01	1.49E+02	5.03E+00	-4.95E-03
	3.21E-07*	1.05E-06*	1.35E-02*	6.69E-03*	5.18E+01*	1.16E+03	2.25E+03	2.81E+01	1.49E+02	5.02E+00	-4.81E-03*
9	.6573	.7295	.8180	.9289	1.0718	1.2630	1.5318	1.9374	2.6198	4.0081	8.3686
	15213.5	13707.3	12224.8	10765.9	9330.4	7917.9	6528.3	5161.4	3817.0	2494.9	1194.9
	1.77E-14	1.22E-11	3.78E-09	3.22E-07	5.81E-05	9.99E-03	1.58E-01	3.41E-01	7.54E-04	1.20E-01	6.43E-02
	2.3696	1.0336	2.0006	1.0362	2.1001	1.6719	1.5287	1.4488	1.9240	1.3066	1.2327
	9.44E-03	2.79E-01	3.63E-02	2.78E-01	2.60E-02	9.23E-02	1.28E-01	1.51E-01	4.61E-02	1.95E-01	2.18E-01
	(1.13E-11)	(4.93E-06)	1.84E-05	(6.28E-02)	(6.47E-02)	(8.56E+01)	1.47E+03	2.17E+03	(1.81E-01)	1.44E+02	1.06E+01
	3.64E-09*	2.89E-06*	2.02E-05*	3.72E-02*	5.65E-02*	7.47E+01*	1.45E+03	2.19E+03	5.72E-02*	1.44E+02	1.06E+01
10	.6012	.6611	.7329	.8207	.9303	1.0710	1.2583	1.5197	1.9099	2.5551	3.8260
	16632.3	15126.1	13643.6	12184.7	10749.1	9336.7	7947.1	6580.2	5235.8	3913.7	2613.7
	3.93E-17	6.19E-14	7.94E-11	1.02E-08	9.75E-07	8.52E-05	1.42E-02	1.91E-01	3.22E-01	2.20E-03	9.48E-02
	2.5371	3.2137	1.1629	2.1031	1.1572	2.1709	1.6867	1.5394	1.4611	1.0159	1.3185
	4.62E-03	1.34E-04	2.40E-01	2.57E-02	2.42E-01	2.03E-02	8.90E-02	1.25E-01	1.47E-01	2.84E-01	1.91E-01
	(7.83E-15)	(7.80E-15)	(2.36E-05)	(2.48E-05)	(1.44E-01)	(5.76E-02)	(1.14E+02)	1.74E+03	2.04E+03	(2.15E+01)	1.25E+02
	1.02E-10*	8.16E-08*	1.29E-05*	1.55E-04*	8.34E-02*	2.31E-01*	9.88E+01	1.72E+03	2.07E+03	1.94E+01*	1.25E+02
11	.5548	.6054	.6651	.7366	.8237	.9321	1.0708	1.2544	1.5088	1.8848	2.4966
	18024.1	16517.8	15035.4	13576.5	12140.9	10728.4	9338.9	7972.0	6627.6	5305.5	4005.5
	1.32E-15	8.13E-15	2.00E-13	3.62E-10	2.14E-08	2.50E-06	1.10E-04	1.90E-02	2.23E-01	2.97E-01	1.21E-02
	1.3209	1.7196	3.8656	1.2709	2.2336	1.2552	2.2607	1.7021	1.5503	1.4744	1.2161
	1.90E-01	8.19E-02	1.63E-06	2.06E-01	1.61E-02	2.11E-01	1.45E-02	8.56E-02	1.22E-01	1.44E-01	2.24E-01
	5.69E-10	(4.97E-10)	(3.68E-18)	(7.81E-05)	(2.01E-05)	(2.78E-01)	(3.83E-02)	(1.43E+02)	1.98E+03	1.85E+03	7.87E+01
	5.90E-10*	1.87E-11*	5.19E-07*	4.01E-05*	7.42E-04*	1.61E-01*	6.76E-01*	1.22E+02	1.96E+03	1.89E+03	7.31E+01
12	.5158	.5592	.6097	.6693	.7404	.8269	.9343	1.0710	1.2512	1.4992	1.8621
	19388.9	17882.7	16400.3	14941.4	13505.8	12093.3	10703.7	9336.9	7992.5	6670.3	5370.4
	1.46E-16	1.71E-16	7.81E-14	1.28E-13	1.30E-09	3.63E-08	5.60E-06	1.27E-04	2.43E-02	2.54E-01	2.69E-01
	1.2686	.9205	1.7458	7.7711	1.3647	2.4136	1.3378	2.3796	1.7183	1.5615	1.4889
	2.07E-01	3.07E-01	7.65E-02	7.17E-27	1.77E-01	7.88E-03	1.85E-01	9.06E-03	8.21E-02	1.19E-01	1.39E-01
	9.22E-11	(1.87E-10)	(4.08E-09)	(0.00E+00)	(2.03E-04)	(8.07E-06)	(4.76E-01)	(1.72E-02)	(1.69E+02)	2.18E+03	1.64E+03
	8.79E-11*	1.37E-10*	4.79E-11*	2.66E-06*	9.70E-05*	2.68E-03*	2.74E-01*	1.61E+00*	1.42E+02	2.16E+03	1.69E+03
13	.4825	.5203	.5637	.6143	.6737	.7445	.8304	.9368	1.0717	1.2487	1.4907
	20727.1	19220.8	17738.4	16279.5	14843.9	13431.4	12041.9	10675.0	9330.6	8008.5	6708.5
	4.61E-16	1.45E-16	1.93E-16	2.83E-13	1.52E-13	3.87E-09	4.92E-08	1.13E-05	1.29E-04	2.97E-02	2.82E-01
	1.2920	1.2086	.7697	1.9307	-9.2188	1.4500	2.6883	1.4100	2.5474	1.7353	1.5731
	1.99E-01	2.26E-01	3.35E-01	4.52E-02	0.00E+00	1.51E-01	2.30E-03	1.63E-01	4.42E-03	7.86E-02	1.16E-01
	3.31E-10	(1.06E-10)	(2.45E-10)	(5.05E-09)	(0.00E+00)	(4.32E-04)	(9.17E-07)	(7.38E-01)	(4.13E-03)	(1.91E+02)	2.34E+03
	3.35E-10*	1.21E-10*	7.63E-11*	1.26E-08*	1.03E-05*	1.86E-04*	7.95E-03*	4.20E-01*	3.35E+00*	1.57E+02	2.33E+03
14	.4538	.4870	.5249	.5685	.6190	.6783	.7489	.8343	.9397	1.0730	1.2469
	22038.6	20532.3	19049.9	17591.0	16155.4	14742.9	13353.4	11986.5	10642.1	9320.0	8020.0
	8.68E-16	2.03E-17	1.42E-15	8.40E-16	9.92E-13	6.28E-12	9.95E-09	5.03E-08	2.09E-05	1.12E-04	3.51E-02
	1.2782	1.4596	1.3200	1.2259	2.0684	-1.3137	1.5307	3.1814	1.4752	2.8062	1.7533
	2.04E-01	1.48E-01	1.91E-01	2.21E-01	2.90E-02	5.13E-03	1.28E-01	1.63E-04	1.43E-01	1.28E-03	7.50E-02
	7.82E-10	(7.78E-12)	(7.23E-10)	(4.51E-10)	(7.12E-09)	(1.07E-09)	(7.84E-04)	(4.64E-09)	(1.05E+00)	(3.03E-04)	(2.06E+02)
	7.84E-10*	1.00E-11*	6.49E-10*	2.64E-12*	1.04E-07*	3.26E-05*	2.88E-04*	2.02E-02*	5.85E-01*	6.24E+00*	1.66E+02
15	.4288	.4584	.4918	.5298	.5734	.6239	.6831	.7535	.8384	.9430	1.0747
	23323.6	21817.3	20334.9	18876.0	17440.4	16028.0	14638.4	13271.5	11927.1	10605.0	9305.0
	9.57E-17	9.50E-17	1.04E-15	2.66E-15	1.69E-14	2.62E-12	5.24E-11	2.25E-08	3.16E-08	3.59E-05	7.91E-05
	1.2719	1.1722	1.1845	1.3548	1.4690	2.2611	-.0113	1.6098	4.3896	1.5358	3.2694
	2.06E-01	2.37E-01	2.34E-01	1.80E-01	1.45E-01	1.45E-02	2.25E-01	1.07E-01	2.33E-08	1.26E-01	9.55E-05
	1.04E-10	1.13E-10	9.70E-10	(1.17E-09)	(3.83E-09)	(4.59E-09)	(1.69E-05)	(1.22E-03)	(5.87E-17)	(1.39E+00)	(1.18E-06)
	1.05E-10*	1.10E-10*	9.00E-10*	1.04E-09*	6.38E-11*	6.19E-07*	8.86E-05*	3.38E-04*	4.56E-02*	7.42E-01*	1.07E+01*

Table 7. Radiative transition parameters for $N_2 a^1\Pi_g - a'^1\Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
8	-6.5401 -1529.0 4.67E-02 1.1837 2.34E-01 -3.70E+01 -3.67E+01	-3.5902 -2785.3 7.82E-02 1.1417 2.47E-01 -4.17E+02 -4.16E+02	-2.4875 -4020.0 7.38E-02 1.1089 2.57E-01 -1.28E+03 -1.28E+03	-1.9108 -5233.3 5.27E-02 1.0807 2.65E-01 -2.15E+03 -2.16E+03	-1.5564 -6425.3 3.20E-02 1.0557 2.72E-01 -2.56E+03 -2.57E+03	-1.3165 -7596.1 1.75E-02 1.0331 2.79E-01 -2.42E+03 -2.43E+03	-1.1434 -8745.9 8.94E-03 1.0124 2.85E-01 -1.96E+03 -1.98E+03*	-1.0127 -9874.9 4.35E-03 .9934 2.90E-01 -1.42E+03 -1.44E+03*	-0.9105 -10983.0 2.05E-03 .9759 2.94E-01 -9.51E+02 -9.61E+02*	-0.8285 -12070.6 9.44E-04 .9596 2.98E-01 -5.98E+02 -6.05E+02*	-0.7612 -13137.6 4.29E-04 .9444 3.02E-01 -3.59E+02 -3.64E+02*
9	-120.3022 -83.1 5.58E-04 .9748 2.94E-01 -1.13E-04 -1.21E-04*	-7.4659 -1339.4 2.57E-02 1.1981 2.29E-01 -1.32E+01 -1.30E+01	-3.8848 -2574.1 6.31E-02 1.1499 2.44E-01 -2.60E+02 -2.59E+02	-2.6403 -3787.4 7.12E-02 1.1158 2.55E-01 -1.02E+03 -1.02E+03	-2.0083 -4979.4 5.76E-02 1.0871 2.63E-01 -2.00E+03 -2.00E+03	-1.6260 -6150.2 3.86E-02 1.0618 2.71E-01 -2.67E+03 -2.67E+03	-1.3699 -7300.0 2.29E-02 1.0391 2.77E-01 -2.78E+03 -2.79E+03	-1.1864 -8429.0 1.26E-02 1.0183 2.83E-01 -2.45E+03 -2.46E+03	-1.0485 -9537.1 6.54E-03 .9993 2.88E-01 -1.91E+03 -1.92E+03*	-0.9412 -10624.7 3.27E-03 .9817 2.93E-01 -1.36E+03 -1.38E+03*	-0.8553 -11691.7 1.59E-03 .9653 2.97E-01 -9.10E+02 -9.20E+02*
10	7.4870 1335.7 7.94E-02 1.2432 2.15E-01 1.77E+01 1.77E+01	126.0224 79.4 7.09E-03 1.1493 2.45E-01 4.29E-04 4.33E-04*	-8.6554 -1155.4 1.08E-02 1.2211 2.22E-01 -3.33E+00 -3.28E+00	-4.2219 -2368.6 4.66E-02 1.1591 2.42E-01 -1.46E+02 -1.45E+02	-2.8085 -3560.6 6.45E-02 1.1230 2.53E-01 -7.52E+02 -7.50E+02	-2.1135 -4731.4 5.93E-02 1.0937 2.61E-01 -1.74E+03 -1.74E+03	-1.7003 -5881.2 4.38E-02 1.0681 2.69E-01 -2.61E+03 -2.62E+03	-1.4265 -7010.2 2.83E-02 1.0451 2.76E-01 -3.00E+03 -3.01E+03	-1.2318 -8118.4 1.67E-02 1.0242 2.81E-01 -2.86E+03 -2.88E+03	-1.0863 -9205.9 9.25E-03 1.0051 2.86E-01 -2.40E+03 -2.42E+03*	-0.9734 -10272.9 4.90E-03 .9875 2.91E-01 -1.83E+03 -1.84E+03*
11	3.6665 2727.4 6.89E-02 1.3323 1.87E-01 9.87E+01 9.88E+01	6.7976 1471.1 8.71E-02 1.2527 2.12E-01 2.52E+01 2.51E+01	42.2994 236.4 1.81E-02 1.1807 2.35E-01 2.67E-02 2.68E-02	-10.2369 -976.9 2.42E-03 1.2801 2.03E-01 -3.78E-01 -3.66E-01*	-4.6108 -2168.8 3.10E-02 1.1700 2.38E-01 -7.27E+01 -7.20E+01	-2.9943 -3339.7 5.48E-02 1.1307 2.50E-01 -5.18E+02 -5.16E+02	-2.2274 -4489.5 5.79E-02 1.1004 2.59E-01 -1.43E+03 -1.43E+03	-1.7799 -5618.4 4.73E-02 1.0743 2.67E-01 -2.43E+03 -2.43E+03	-1.4866 -6726.6 3.31E-02 1.0512 2.74E-01 -3.06E+03 -3.07E+03	-1.2797 -7814.1 1.01E-02 1.0302 2.80E-01 -3.17E+03 -3.18E+03	-1.1260 -8881.1 1.24E-02 1.0110 2.85E-01 -2.85E+03 -2.87E+03
12	2.4436 4092.3 2.62E-02 1.2687 2.07E-01 1.56E+02 1.47E+02	3.5261 2836.0 4.58E-02 1.3492 1.81E-01 6.96E+01 6.98E+01	6.2450 1601.3 8.77E-02 1.2618 2.09E-01 3.19E+01 3.18E+01	25.7719 388.0 3.04E-02 1.1970 2.30E-01 1.90E-01 1.90E-01	-12.4385 -804.0 3.37E-06 -1.4890 2.29E-03 (-3.72E-08) -9.55E-03*	-5.0638 -1974.8 1.80E-02 1.1840 2.34E-01 -3.06E+01 -3.02E+01	-3.2004 -3124.6 4.36E-02 1.1389 2.48E-01 -3.31E+02 -3.29E+02	-2.3510 -4253.5 5.36E-02 1.1073 2.57E-01 -1.11E+03 -1.11E+03	-1.8651 -5361.7 4.86E-02 1.0807 2.65E-01 -2.14E+03 -2.14E+03	-1.5506 -6449.3 3.70E-02 1.0573 2.72E-01 -2.97E+03 -2.98E+03	-1.3304 -7516.3 2.51E-02 1.0362 2.78E-01 -3.33E+03 -3.35E+03
13	1.8415 5430.4 2.41E-01 1.5047 1.35E-01 1.43E+03 1.48E+03	2.3957 4174.1 4.15E-02 1.2949 1.99E-01 2.41E+02 2.29E+02	3.4021 2939.4 2.72E-02 1.3720 1.74E-01 4.26E+01 4.28E+01	5.7933 1726.1 8.26E-02 1.2709 2.06E-01 3.66E+01 3.65E+01	18.7209 534.2 4.17E-02 1.2088 2.26E-01 6.57E-01 6.56E-01	-15.7068 -636.7 2.28E-03 1.0903 2.62E-01 -1.64E-01 -1.69E-01*	-5.5976 -1786.5 8.36E-03 1.2054 2.27E-01 -9.95E+00 -9.77E+00*	-3.4300 -2915.4 3.23E-02 1.1481 2.45E-01 -1.94E+02 -1.93E+02	-2.4853 -4023.6 4.72E-02 1.1144 2.55E-01 -8.12E+02 -8.09E+02	-1.9565 -5111.1 4.78E-02 1.0872 2.63E-01 -1.79E+03 -1.79E+03	-1.6186 -6178.1 3.95E-02 1.0635 2.70E-01 -2.76E+03 -2.76E+03
14	1.4833 6741.9 3.08E-01 1.5851 1.13E-01 2.46E+03 2.46E+03	1.8230 5485.6 2.15E-01 1.5220 1.30E-01 1.22E+03 1.28E+03	2.3524 4250.9 5.58E-02 1.3113 1.93E-01 3.25E+02 3.10E+02	3.2920 3037.6 1.38E-02 1.4070 1.64E-01 2.10E+01 2.12E+01	5.4181 1845.7 7.36E-02 1.2802 2.03E-01 3.87E+01 3.85E+01	14.8185 674.8 5.04E-02 1.2185 2.23E-01 1.56E+00 1.55E+00	-21.0533 -475.0 7.70E-03 1.1436 2.46E-01 -2.03E-01 -2.05E-01*	-6.2347 -1603.9 2.50E-03 1.2512 2.12E-01 -1.88E+00 -1.82E+00*	-3.6872 -2712.1 2.18E-02 1.1588 2.42E-01 -1.03E+02 -1.02E+02	-2.6318 -3799.6 3.94E-02 1.1220 2.53E-01 -5.61E+02 -5.58E+02	-2.0548 -4866.6 4.50E-02 1.0939 2.61E-01 -1.43E+03 -1.43E+03
15	1.2458 8026.9 4.03E-02 1.7725 7.12E-02 (2.14E+02) 1.68E+02	1.4770 6770.6 3.32E-01 1.5974 1.10E-01 2.54E+03 2.55E+03	1.8064 5535.9 1.91E-01 1.5410 1.25E-01 1.02E+03 1.09E+03	2.3134 4322.7 6.79E-02 1.3230 1.90E-01 4.00E+02 3.82E+02	3.1942 3130.7 5.28E-03 1.4743 1.44E-01 6.77E+00 6.87E+00*	5.1024 1959.9 6.23E-02 1.2900 2.00E-01 3.81E+01 3.79E+01	12.3451 810.0 5.58E-02 1.2273 2.20E-01 2.91E+00 2.90E+00	-31.3580 -318.9 1.47E-02 1.1655 2.40E-01 -1.11E-01 -1.12E-01	-7.0073 -1427.1 1.17E-04 1.5746 1.16E-01 (-1.85E-02) -1.23E-02*	-3.9767 -2514.6 1.31E-02 1.1724 2.37E-01 -4.75E+01 -4.68E+01	-2.7920 -3581.6 3.11E-02 1.1303 2.50E-01 -3.63E+02 -3.60E+02

Table 7. Radiative transition parameters for N_2 $a^1\Pi_g - a'^1\Sigma_g^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{r'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.4068 24582.3 2.62E-16 1.2692 2.07E-01 3.37E-10 3.37E-10*	.4333 23076.1 2.89E-16 1.2151 2.24E-01 3.61E-10 3.58E-10*	.4631 21593.6 1.18E-16 .9797 2.93E-01 2.07E-10 2.02E-10*	.4967 20134.7 7.78E-16 1.0836 2.64E-01 8.99E-10 7.54E-10*	.5348 18699.1 5.14E-15 1.4165 1.61E-01 1.76E-09 1.68E-09*	.5785 17286.7 8.51E-14 1.6464 9.82E-02 8.60E-09 7.12E-10*	.6290 15897.1 5.36E-12 2.5477 4.41E-03 8.49E-10 2.83E-06*	.6882 14530.2 2.59E-10 .5253 3.44E-01 8.49E-10 2.09E-04*	.7584 13185.8 4.57E-08 1.6911 8.80E-02 1.64E-03 2.57E-04*	.8429 11863.7 3.22E-09 13.2760 0.00E+00 0.00E+00 9.29E-02*	.9466 10563.7 5.77E-05 1.5937 1.11E-01 1.70E+00 8.51E-01*
17	.3874 25814.8 7.23E-16 1.2646 2.08E-01 1.09E-09 1.09E-09*	.4114 24308.6 1.60E-16 1.2050 2.27E-01 2.40E-10 2.39E-10*	.4381 22826.1 4.84E-17 1.6131 1.06E-01 1.32E-11 1.27E-11*	.4680 21367.2 1.86E-17 -.0693 2.07E-01 1.57E-11 1.19E-10*	.5017 19931.7 3.65E-15 1.1383 2.48E-01 3.60E-09 3.00E-09*	.5400 18519.2 1.22E-14 1.4180 1.60E-01 4.02E-09 4.70E-09*	.5838 17129.6 3.80E-13 1.7754 7.06E-02 1.93E-08 1.22E-08*	.6344 15762.7 8.58E-12 2.9954 4.71E-04 1.51E-11 1.03E-05*	.6936 14418.3 9.72E-10 .8326 3.25E-01 6.24E-04 4.35E-04*	.7636 13096.2 8.35E-08 1.7781 7.01E-02 1.87E-03 5.37E-05*	.8477 11796.2 2.80E-08 -3.4871 1.57E-09 2.30E-19 1.73E-01*
18	.3701 27021.4 2.83E-16 1.2560 2.11E-01 5.04E-10 5.04E-10*	.3919 25515.1 3.27E-16 1.0007 2.88E-01 9.11E-12 9.16E-12*	.4161 24032.7 1.07E-16 1.3781 1.72E-01 8.97E-11 9.21E-11*	.4430 22573.8 2.31E-18 3.7180 4.83E-06 1.25E-21 1.32E-11*	.4731 21138.2 9.99E-16 .9330 3.05E-01 1.77E-09 1.65E-09*	.5070 19725.8 1.07E-14 1.1628 2.40E-01 9.63E-09 7.95E-09*	.5454 18336.2 1.03E-14 1.4552 1.49E-01 2.87E-09 5.71E-09*	.5893 16969.3 1.41E-12 1.8799 5.26E-02 3.86E-08 8.53E-08*	.6400 15624.9 8.93E-12 3.9652 7.64E-07 4.03E-17 3.18E-05*	.6992 14302.8 3.02E-09 1.0398 2.77E-01 1.37E-03 8.03E-04*	.7691 13002.8 1.38E-07 1.8762 5.32E-02 1.73E-03 1.16E-04*
19	.3546 28202.1 1.33E-17 1.3176 1.91E-01 2.21E-11 2.22E-11*	.3746 26695.9 5.73E-17 1.2702 2.06E-01 9.41E-11 9.46E-11*	.3966 25213.4 6.40E-18 1.2304 2.19E-01 9.98E-12 1.06E-11*	.4210 23754.5 2.02E-17 .9280 3.06E-01 5.12E-11 4.98E-11*	.4480 22318.9 2.47E-16 .8345 3.25E-01 5.87E-10 6.01E-10*	.4783 20906.5 2.42E-15 .9305 3.05E-01 4.17E-09 3.74E-09*	.5124 19516.9 1.91E-14 1.2053 2.27E-01 1.48E-08 1.17E-08*	.5510 18150.0 7.07E-16 1.5658 1.18E-01 1.20E-10 4.97E-09*	.5950 16805.6 4.19E-12 1.9958 3.68E-02 5.47E-08 4.62E-07*	.6458 15483.5 3.10E-12 8.1076 2.45E-29 0.00E+00 8.61E-05*	.7050 14183.5 8.08E-09 1.1962 2.30E-01 2.47E-03 1.31E-03*
20	.3406 29357.2 3.77E-16 1.2695 2.07E-01 8.26E-10 8.26E-10*	.3591 27851.0 1.16E-16 1.2324 2.18E-01 2.42E-10 2.42E-10*	.3792 26368.5 3.45E-17 1.3889 1.69E-01 3.66E-11 3.58E-11*	.4015 24909.6 9.85E-17 1.2556 2.11E-01 1.37E-10 1.33E-10*	.4260 23474.0 4.87E-17 .8717 3.18E-01 1.29E-10 1.27E-10*	.4533 22061.6 2.39E-16 .6258 3.46E-01 6.21E-10 7.44E-10*	.4837 20672.0 4.67E-15 .9750 2.94E-01 7.24E-09 5.94E-09*	.5180 19305.1 3.14E-14 1.2939 1.99E-01 1.81E-08 1.41E-08*	.5568 17960.7 3.60E-14 1.5092 1.34E-01 7.55E-09 2.21E-09*	.6010 16638.6 1.07E-11 2.1233 2.40E-02 5.73E-08 1.94E-06*	.6519 15338.6 3.60E-12 -7.6198 6.23E-35 0.00E+00 2.07E-04*
21	.3280 30486.8 4.62E-16 1.2609 2.09E-01 1.16E-09 1.16E-09*	.3451 28980.6 6.24E-17 1.2021 2.28E-01 1.60E-10 1.60E-10*	.3637 27498.1 5.56E-17 1.3469 1.82E-01 7.78E-11 7.72E-11*	.3840 26039.2 5.69E-17 1.3093 1.94E-01 7.66E-11 7.47E-11*	.4064 24603.7 2.17E-18 1.5010 1.36E-01 1.21E-12 2.03E-12*	.4312 23191.2 9.20E-18 2.2595 1.46E-02 4.94E-14 2.89E-13*	.4587 21801.6 3.51E-16 .6710 3.44E-01 8.71E-10 8.80E-10*	.4894 20434.7 7.85E-15 1.0745 2.67E-01 9.69E-09 6.89E-09*	.5238 19090.3 2.74E-14 1.4712 1.45E-01 8.06E-09 5.93E-09*	.5628 17768.2 4.66E-13 1.5530 1.22E-01 7.86E-08 1.97E-10*	.6072 16468.2 2.29E-11 2.2826 1.33E-02 3.69E-08 6.90E-06*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 7. Radiative transition parameters for $N_2 a^1\Pi_g - a'^1\Sigma_u^-$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
16	1.0769	1.2454	1.4718	1.7917	2.2782	3.1070	4.8338	10.6405	-59.3916	-7.9623	-4.3049
	9285.6	8029.3	6794.6	5581.4	4389.4	3218.6	2068.7	939.8	-168.4	-1255.9	-2322.9
	3.70E-05	4.50E-02	3.54E-01	1.70E-01	7.71E-02	9.90E-04	5.03E-02	5.80E-02	2.20E-02	6.31E-04	6.56E-03
	4.3673	1.7929	1.6101	1.5620	1.3316	1.6900	1.3006	1.2356	1.1795	1.0017	1.1924
	2.82E-08	6.74E-02	1.07E-01	1.19E-01	1.87E-01	8.82E-02	1.97E-01	2.17E-01	2.35E-01	2.87E-01	2.31E-01
	(4.79E-14)	(2.14E+02)	(2.58E+03)	(8.51E+02)	(4.62E+02)	(5.21E-01)	(3.50E+01)	(4.61E+00)	(-2.36E-02)	(-4.18E-01)	(-1.78E+01)
	1.71E+01*	1.62E+02	2.60E+03	9.15E+02	4.41E+02	4.46E-01*	3.48E+01	4.59E+00	-2.36E-02	-4.48E-01*	-1.74E+01*
17	.9507	1.0797	1.2458	1.4676	1.7787	2.2466	3.0291	4.6033	9.3970	-427.9173	-9.1712
	10518.2	9261.9	8027.2	6813.9	5621.9	4451.1	3301.3	2172.4	1064.2	-23.4	-1090.4
	8.71E-05	4.25E-06	4.90E-02	3.75E-01	1.52E-01	8.33E-02	3.17E-05	3.88E-02	5.71E-02	2.86E-02	3.27E-03
	1.6507	10.6530	1.8148	1.6232	1.5849	1.3380	-.7378	1.3124	1.2436	1.1902	1.1054
	9.72E-02	0.00E+00	6.34E-02	1.04E-01	1.13E-01	1.85E-01	4.42E-02	1.93E-01	2.15E-01	2.32E-01	2.58E-01
	(1.94E+00)	(0.00E+00)	(2.06E+02)	(2.59E+03)	(7.01E+02)	(5.09E+02)	(4.51E-03)	(3.00E+01)	(6.44E+00)	(-7.96E-05)	(-1.14E+00)
	8.70E-01*	2.58E+01*	1.50E+02	2.62E+03	7.66E+02	4.85E+02	1.44E+00*	2.99E+01	6.41E+00	-7.96E-05	-1.17E+00*
18	.8529	.9553	1.0830	1.2468	1.4645	1.7675	2.2184	2.9595	4.4039	8.4518	86.0763
	11724.7	10468.4	9233.7	8020.5	6828.5	5657.7	4507.8	3378.9	2270.7	1183.2	116.2
	2.77E-07	1.24E-04	1.06E-05	5.21E-02	3.94E-01	1.37E-01	8.67E-02	1.48E-03	2.85E-02	5.40E-02	3.39E-02
	-.3929	1.7083	-4.6256	1.8386	1.6368	1.6098	1.3425	1.0305	1.3261	1.2515	1.1993
	1.11E-01	8.43E-02	7.96E-15	5.93E-02	1.01E-01	1.07E-01	1.84E-01	2.80E-01	1.89E-01	2.12E-01	2.29E-01
	(1.12E-02)	(2.05E+00)	(1.07E-27)	(1.91E+02)	(2.57E+03)	(5.75E+02)	(5.42E+02)	(9.02E+00)	(2.41E+01)	(8.17E+00)	(5.65E-03)
	2.99E-01*	7.66E-01*	3.70E+01*	1.31E+02	2.62E+03	6.40E+02	5.14E+02	8.67E+00*	2.40E+01	8.13E+00	5.64E-03
19	.7749	.8584	.9602	1.0868	1.2486	1.4623	1.7579	2.1932	2.8973	4.2303	7.7107
	12905.5	11649.2	10414.5	9201.2	8009.2	6838.4	5688.6	4559.6	3451.4	2363.9	1296.9
	2.04E-07	1.11E-06	1.67E-04	9.86E-05	5.41E-02	4.12E-01	1.25E-01	8.75E-02	4.48E-03	1.98E-02	4.92E-02
	1.9938	.4202	1.7684	-.5650	1.8646	1.6507	1.6367	1.3451	1.1657	1.3428	1.2594
	3.71E-02	3.33E-01	7.20E-02	7.26E-02	5.50E-02	9.72E-02	1.01E-01	1.83E-01	2.39E-01	1.83E-01	2.10E-01
	(1.22E-03)	(3.95E-01)	(1.98E+00)	(8.21E-01)	(1.70E+02)	(2.52E+03)	(4.72E+02)	(5.61E+02)	(2.14E+01)	(1.78E+01)	(9.57E+00)
	1.75E-03*	4.79E-01*	5.38E-01*	5.07E+01*	1.07E+02	2.59E+03	5.35E+02	5.29E+02	2.05E+01*	1.78E+01	9.52E+00
20	.7112	.7810	.8643	.9656	1.0912	1.2510	1.4612	1.7499	2.1708	2.8417	4.0783
	14060.5	12804.2	11569.5	10356.3	9164.3	7993.5	6843.7	5714.7	4606.5	3519.0	2452.0
	1.92E-08	2.68E-07	3.16E-06	2.13E-04	3.24E-04	5.48E-02	4.29E-01	1.17E-01	8.62E-02	8.35E-03	1.29E-02
	1.3245	2.1460	.8075	1.8333	.3625	1.8934	1.6651	1.6651	1.3455	1.2189	1.3646
	1.89E-01	2.21E-02	3.29E-01	6.02E-02	3.24E-01	5.05E-02	9.39E-02	9.39E-02	1.83E-01	2.23E-01	1.77E-01
	(3.88E-03)	(5.60E-04)	(1.07E+00)	(1.73E+00)	(5.31E+01)	(1.45E+02)	(2.46E+03)	(3.88E+02)	(5.69E+02)	(3.65E+01)	(1.20E+01)
	1.87E-03*	8.01E-03*	7.17E-01*	2.42E-01*	6.65E+01*	8.10E+01	2.54E+03	4.49E+02	5.33E+02	3.54E+01*	1.20E+01
21	.6583	.7177	.7875	.8706	.9714	1.0961	1.2542	1.4411	1.7433	2.1512	2.7920
	15190.2	13933.9	12699.2	11485.9	10293.9	9123.1	7973.3	6844.3	5736.2	4648.6	3581.6
	9.40E-11	4.12E-08	3.02E-07	7.42E-06	2.55E-04	7.54E-04	5.40E-02	4.46E-01	1.11E-01	8.30E-02	1.26E-02
	-1.0060	1.4376	2.3649	1.0422	1.9062	.7826	1.9259	1.6800	1.6947	1.3431	1.2505
	1.78E-02	1.54E-01	9.62E-03	2.76E-01	4.86E-02	3.33E-01	4.58E-02	9.05E-02	8.72E-02	1.83E-01	2.13E-01
	(2.12E-07)	(5.39E-03)	(1.16E-04)	(1.74E+00)	(1.33E+00)	(1.29E+02)	(1.16E+02)	(2.37E+03)	(3.23E+02)	(5.68E+02)	(5.29E+01)
	4.46E-04*	2.25E-03*	2.48E-02	1.00E+00*	1.83E-02*	8.41E+01*	5.44E+01	2.48E+03	3.82E+02	5.26E+02	5.16E+01

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text)

Table 8. Radiative transition parameters for N_2 $w^1\Delta_u - a^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	3.6400 2747.3	9.2512 1080.9	-17.9347 -557.6	-4.6118 -2168.3	-2.6657 -3751.4	-1.8843 -5306.9	-1.4631 -6834.8	-1.1997 -8335.3	-1.0195 -9808.5	-0.8885 -11254.4	-0.7891 -12673.1
	6.77E-01 1.2493	2.82E-01 1.3140	3.87E-02 1.3963	1.95E-03 1.5138	2.64E-05 1.7438	4.22E-10 11.7050	2.84E-09 1.5962	2.06E-12 -0.8297	3.83E-13 2.0385	6.43E-15 1.3095	2.20E-16 1.4561
	2.12E-01 1.28E+03	1.94E-01 2.71E+01	1.69E-01 -3.86E-01	1.32E-01 -7.09E-01	7.13E-02 (-1.44E-02)	0.00E+00 (0.00E+00)	1.09E-01 (-2.16E-05)	1.05E-03 (-2.66E-12)	2.42E-02 (-4.28E-10)	1.95E-01 (-7.07E-10)	1.50E-01 (-2.05E-11)
	1.28E+03	2.73E+01	-3.90E-01	-7.04E-01*	-9.27E-03*	-1.14E-03*	-9.09E-06*	-2.06E-06*	-1.10E-08*	-6.41E-10*	-8.46E-13*
1	2.3348 4283.0	3.8217 2616.6	10.2240 978.1	-15.8060 -632.7	-4.5131 -2215.7	-2.6517 -3771.2	-1.8871 -5299.1	-1.4707 -6799.6	-1.2088 -8272.8	-1.0289 -9718.7	-0.8979 -11137.5
	2.44E-01 1.1897	2.55E-01 1.2634	3.98E-01 1.3232	9.56E-02 1.4050	6.78E-03 1.5241	1.11E-04 1.7653	2.76E-09 -7.6412	1.93E-08 1.6464	3.72E-11 .0045	2.89E-12 2.2033	3.57E-14 1.5287
	2.28E-01 2.02E+03	2.08E-01 4.02E+02	1.91E-01 2.75E+01	1.66E-01 -1.35E+00	1.29E-01 -2.50E+00	6.66E-02 (-5.36E-02)	0.00E+00 (0.00E+00)	9.49E-02 (-1.11E-04)	6.03E-02 (-1.55E-07)	1.15E-02 (-7.08E-10)	1.28E-01 (-1.64E-09)
	2.03E+03	3.97E+02	2.76E+01	-1.36E+00	-2.48E+00*	-3.14E-02*	-6.95E-03*	-3.57E-05*	-1.66E-05*	-1.83E-07*	-7.86E-10*
2	1.7256 5795.0	2.4221 4128.7	4.0158 2490.2	11.3714 879.4	-14.2110 -703.7	-4.4265 -2259.1	-2.6406 -3787.1	-1.8912 -5287.6	-1.4791 -6760.7	-1.2185 -8206.6	-1.0389 -9625.4
	6.16E-02 1.1419	2.87E-01 1.1976	6.46E-02 1.2892	4.14E-01 1.3330	1.58E-01 1.4140	1.47E-02 1.5346	2.79E-04 1.7886	7.91E-08 -1.4596	7.39E-08 1.6985	3.09E-10 .4532	1.16E-11 2.4129
	2.39E-01 1.38E+03	2.26E-01 2.09E+03	2.01E-01 8.16E+01	1.88E-01 2.02E+01	1.63E-01 -2.96E+00	1.26E-01 -5.49E+00	6.17E-02 (-1.17E-01)	8.94E-06 (-1.89E-12)	8.18E-02 (-3.09E-04)	1.84E-01 (-1.17E-05)	3.85E-03 (-3.10E-10)
	1.40E+03	2.08E+03	7.90E+01	2.02E+01	-2.99E+00	-5.42E+00	-5.98E-02*	-2.42E-02*	-6.32E-05*	-7.38E-05*	-1.44E-06*
3	1.3729 7283.8	1.7802 5617.4	2.5133 3978.9	4.2227 2368.1	12.7379 785.1	-12.9802 -770.4	-4.3510 -2298.3	-2.6324 -3798.8	-1.8968 -5272.0	-1.4886 -6717.9	-1.2290 -8136.7
	1.36E-02 1.1014	1.23E-01 1.1684	2.39E-01 1.2064	3.46E-03 1.4228	3.77E-01 1.3438	2.17E-01 1.4232	2.56E-02 1.5454	5.41E-04 1.8142	5.50E-07 -0.1812	2.08E-07 1.7536	1.66E-09 .7315
	2.47E-01 6.48E+02	2.37E-01 2.49E+03	2.24E-01 1.53E+03	1.60E-01 (2.39E+00)	1.85E-01 1.26E+01	1.60E-01 -5.17E+00	1.23E-01 -9.54E+00	5.67E-02 (-1.93E-01)	3.06E-02 (-1.53E-04)	6.91E-02 (-6.09E-04)	2.52E-01 (-1.15E-04)
	6.60E+02	2.51E+03	1.52E+03	2.04E+00*	1.26E+01	-5.21E+00	-9.41E+00	-8.10E-02*	-6.32E-02*	-4.69E-05*	-2.37E-04*
4	1.1429 8749.4	1.4118 7083.1	1.8367 5444.6	2.6084 3833.8	4.4430 2250.7	14.3828 695.3	-12.0097 -832.7	-4.2860 -2333.2	-2.6272 -3806.3	-1.9040 -5252.2	-1.4990 -6671.0
	2.85E-03 1.0662	3.84E-02 1.1075	1.60E-01 1.1552	1.65E-01 1.2166	8.04E-03 1.1570	3.16E-01 1.3558	2.69E-01 1.4328	3.90E-02 1.5565	8.89E-04 1.8425	2.29E-06 .3789	4.74E-07 1.8139
	2.53E-01 2.47E+02	2.46E-01 1.67E+03	2.36E-01 2.91E+03	2.21E-01 9.18E+02	2.35E-01 1.03E+01	1.81E-01 7.07E+00	1.57E-01 -7.80E+00	1.20E-01 -1.44E+01	5.14E-02 (-2.63E-01)	1.61E-01 (-1.74E-02)	5.67E-02 (-9.17E-04)
	2.53E+02*	1.70E+03	2.93E+03	9.06E+02	1.14E+01*	7.03E+00	-7.86E+00	-1.42E+01	-8.17E-02*	-1.37E-01*	-3.60E-09*
5	.9811 10192.3	1.1729 8526.0	1.4519 6887.5	1.8951 5276.7	2.7074 3693.6	4.6769 2138.2	16.3871 610.2	-11.2327 -890.3	-4.2312 -2363.4	-2.6252 -3809.3	-1.9127 -5228.1
	5.89E-04 1.0352	1.04E-02 1.0721	6.70E-02 1.1136	1.70E-01 1.1624	9.51E-02 1.2295	3.96E-02 1.2236	2.49E-01 1.3696	3.13E-01 1.4427	5.43E-02 1.5679	1.30E-03 1.8742	7.10E-06 .6970
	2.57E-01 8.35E+01	2.52E-01 8.31E+02	2.44E-01 2.65E+03	2.34E-01 2.77E+03	2.18E-01 4.60E+02	2.19E-01 3.77E+01	1.77E-01 3.59E+00	1.54E-01 -1.06E+01	1.17E-01 -1.97E+01	4.60E-02 (-3.07E-01)	2.46E-01 (-1.25E-01)
	8.59E+01*	8.49E+02	2.69E+03	2.77E+03	4.48E+02	3.91E+01	3.56E+00	-1.07E+01	-1.94E+01	-5.69E-02*	-2.59E-01*
6	.8611 11612.7	1.0054 9946.4	1.2037 8307.9	1.4932 6697.1	1.9554 5114.0	2.8101 3558.6	4.9246 2030.6	18.8635 530.1	-10.6042 -943.0	-4.1860 -2388.9	-2.6263 -3807.7
	1.23E-04 1.0078	2.65E-03 1.0410	2.27E-02 1.0780	9.22E-02 1.1199	1.56E-01 1.1700	4.36E-02 1.2488	7.65E-02 1.2446	1.86E-01 1.3860	3.47E-01 1.4529	7.10E-02 1.5796	1.74E-03 1.9102
	2.60E-01 2.64E+01	2.56E-01 3.48E+02	2.51E-01 1.66E+03	2.43E-01 3.32E+03	2.32E-01 2.29E+03	2.12E-01 1.80E+02	2.14E-01 5.91E+01	1.72E-01 1.66E+00	1.51E-01 -1.35E+01	1.13E-01 -2.51E+01	4.03E-02 (-3.15E-01)
	2.72E+01*	3.57E+02*	1.69E+03	3.35E+03	2.28E+03	1.72E+02	6.03E+01	1.64E+00	-1.36E+01	-2.46E+01	-1.87E-02*
7	.7686 13010.9	.8815 11344.5	1.0303 9706.0	1.2353 8095.2	1.5356 6512.2	2.0175 4956.7	2.9165 3428.8	5.1860 1928.3	21.9722 455.1	-10.0931 -990.8	-4.1502 -2409.6
	2.62E-05 .9837	6.57E-04 1.0136	6.91E-03 1.0468	3.80E-02 1.0839	1.09E-01 1.1263	1.29E-01 1.1782	1.30E-02 1.2881	1.07E-01 1.2576	1.31E-01 1.4061	3.73E-01 1.4635	8.85E-02 1.5917
	2.63E-01 8.07E+00	2.60E-01 1.31E+02	2.56E-01 8.36E+02	2.50E-01 2.55E+03	2.42E-01 3.57E+03	2.31E-01 1.70E+03	2.01E-01 4.32E+01	2.10E-01 6.88E+01	1.66E-01 8.88E-01	1.48E-01 -1.61E+01	1.10E-01 -3.02E+01
	8.35E+00*	1.35E+02*	8.57E+02*	2.60E+03	3.60E+03	1.68E+03	3.97E+01	6.95E+01	6.78E-01	-1.62E+01	-2.96E+01

Table 8. Radiative transition parameters for $N_2 w^1\Delta_u - a^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	- .7110 -14064.9 1.20E-15 1.1606 2.35E-01 (-3.72E-10) -2.96E-10*	- .6481 -15429.8 1.20E-15 1.1534 2.36E-01 (-4.97E-10) -4.65E-10*	- .5964 -16767.9 2.65E-16 1.0886 2.49E-01 (-1.57E-10) -1.52E-10*	- .5531 -18079.4 2.21E-17 1.6056 1.06E-01 (-2.97E-12) -5.17E-12*	- .5164 -19364.4 1.90E-16 1.2963 1.99E-01 (-1.11E-10) -1.17E-10*	- .4849 -20623.1 8.24E-17 1.2379 2.15E-01 (-6.79E-11) -7.11E-11*	- .4575 -21855.6 1.97E-18 1.5063 1.35E-01 (-7.58E-13) -6.50E-13*	- .4336 -23062.1 7.35E-17 1.2736 2.05E-01 (-7.71E-11) -7.64E-11*	- .4125 -24242.8 7.24E-17 1.2397 2.15E-01 (-9.64E-11) -9.66E-11*	- .3937 -25397.7 9.51E-18 1.1672 2.33E-01 (-1.71E-11) -1.78E-11*	- .3770 -26526.8 9.96E-18 1.3105 1.95E-01 (-1.43E-11) -1.38E-11*
1	- .7981 -12529.2 8.32E-15 1.3186 1.92E-01 (-1.23E-09) -3.08E-10*	- .7197 -13894.1 6.39E-15 1.0968 2.48E-01 (-2.13E-09) -1.53E-09*	- .6565 -15232.2 2.85E-15 1.0415 2.56E-01 (-1.34E-09) -1.22E-09*	- .6045 -16543.7 7.38E-16 .9941 2.62E-01 (-4.64E-10) -4.44E-10*	- .5609 -17828.7 2.02E-17 .3451 1.50E-01 (-5.26E-12) -3.06E-11*	- .5239 -19087.4 5.15E-17 1.5566 1.20E-01 (-1.04E-11) -1.97E-11*	- .4921 -20320.0 4.50E-17 1.3845 1.72E-01 (-2.27E-11) -2.98E-11*	- .4645 -21526.5 2.43E-20 1.7536 1.72E-01 (-2.34E-15) -1.34E-13*	- .4404 -22707.1 2.54E-17 1.3159 6.91E-02 (-2.25E-11) -2.22E-11*	- .4191 -23862.0 2.64E-17 1.3513 1.93E-01 (-2.42E-11) -2.65E-11*	- .4001 -24991.1 7.45E-19 2.0731 2.09E-02 (-1.02E-14) -9.35E-14*
2	- .9077 -11017.2 2.65E-13 1.6888 8.41E-02 (-5.09E-09) -2.95E-10*	- .8076 -12382.0 4.02E-14 1.3113 1.95E-01 (-5.85E-09) -1.38E-09*	- .7289 -13720.1 3.29E-14 1.1059 2.46E-01 (-1.04E-08) -6.79E-09*	- .6653 -15031.7 1.22E-14 1.0055 2.61E-01 (-5.72E-09) -5.08E-09*	- .6129 -16316.7 3.21E-15 .9294 2.66E-01 (-1.99E-09) -2.01E-09*	- .5690 -17575.4 3.92E-16 .7070 2.48E-01 (-2.66E-10) -3.98E-10*	- .5317 -18807.9 1.84E-19 1.1370 2.48E-01 (0.00E+00) -1.05E-11*	- .4996 -20014.4 3.37E-17 1.5052 0.00E+00 (-9.99E-12) -2.17E-11*	- .4718 -21155.0 4.00E-17 1.0964 2.48E-01 (-4.73E-11) -5.52E-11*	- .4474 -22362.0 4.52E-17 .8822 2.66E-01 (-7.23E-11) -9.11E-11*	- .4259 -23479.1 8.51E-17 .8671 2.65E-01 (-1.57E-10) -1.91E-10*
3	-1.0495 -9528.4 3.13E-11 2.7026 6.52E-04 (-2.33E-11) -7.44E-06*	- .9180 -10893.3 1.40E-12 1.8185 5.59E-02 (-1.15E-08) -4.38E-09*	- .8176 -12231.4 1.38E-13 1.2876 2.01E-01 (-2.07E-08) -5.20E-09*	- .7384 -13542.9 1.34E-13 1.1181 2.44E-01 (-4.00E-08) -2.41E-08*	- .6744 -14827.9 4.21E-14 .9719 2.63E-01 (-1.93E-08) -1.69E-08*	- .6216 -16086.6 9.85E-15 .8602 2.65E-01 (-5.84E-09) -6.39E-09*	- .5774 -17319.2 1.80E-15 .7754 2.58E-01 (-1.27E-09) -1.56E-09*	- .5398 -18525.7 9.08E-17 .5457 2.11E-01 (-5.20E-11) -8.86E-11*	- .5075 -19706.3 2.64E-16 1.1498 2.37E-01 (-2.30E-10) -2.89E-10*	- .4794 -20861.2 1.45E-15 1.0746 2.51E-01 (-1.68E-09) -1.74E-09*	- .4547 -21990.3 2.77E-15 1.0548 2.54E-01 (-3.87E-09) -3.86E-09*
4	-1.2403 -8062.7 6.67E-09 .9251 2.66E-01 (-5.00E-04) -6.10E-04*	-1.0607 -9427.6 5.85E-11 3.1882 1.65E-05 (-2.71E-14) -2.97E-05*	- .9289 -10765.7 5.75E-12 1.9389 3.61E-02 (-1.90E-08) -1.02E-07*	- .8280 -12077.2 2.86E-13 1.2246 2.19E-01 (-4.89E-08) -1.26E-08*	- .7484 -13362.3 3.97E-13 1.1284 2.42E-01 (-1.12E-07) -6.09E-08*	- .6839 -14621.0 1.25E-13 .9723 2.63E-01 (-5.51E-08) -4.53E-08*	- .6308 -15853.5 2.78E-14 .8672 2.65E-01 (-1.58E-08) -1.63E-08*	- .5862 -17060.0 3.01E-15 .7588 2.56E-01 (-1.99E-09) -2.29E-09*	- .5482 -18240.6 7.74E-16 1.2849 2.02E-01 (-3.89E-10) -6.44E-10*	- .5156 -19395.5 9.36E-15 1.0941 2.48E-01 (-8.52E-09) -8.92E-09*	- .4872 -20524.6 2.10E-14 1.0743 2.51E-01 (-2.33E-08) -2.33E-08*
5	-1.5106 -6619.8 9.23E-07 1.8817 4.47E-02 (-1.09E-03) -2.54E-04*	-1.2524 -7984.7 2.19E-08 1.0713 2.52E-01 (-1.44E-03) -1.32E-03*	-1.0726 -9322.8 7.01E-11 4.2019 4.63E-10 (-2.47E-23) -9.70E-05*	- .9403 -10634.3 1.94E-11 1.2246 2.0545 (-2.41E-08) -7.97E-07*	- .8390 -11919.4 3.53E-13 1.0627 2.53E-01 (-7.78E-08) -2.46E-08*	- .7588 -13178.1 9.36E-13 1.1507 2.37E-01 (-2.43E-07) -1.14E-07*	- .6939 -14410.6 2.81E-13 .9896 2.62E-01 (-1.17E-07) -8.45E-08*	- .6403 -15617.1 3.53E-14 .8134 2.62E-01 (-1.88E-08) -1.87E-08*	- .5953 -16797.7 1.43E-15 1.7442 7.12E-02 (-6.95E-11) -6.28E-10*	- .5570 -17952.6 4.03E-14 1.1191 2.43E-01 (-2.80E-08) -2.98E-08*	- .5241 -19081.7 9.79E-14 1.0722 2.52E-01 (-8.73E-08) -8.83E-08*
6	-1.9233 -5199.5 1.82E-05 .9056 2.66E-01 (-3.67E-01) -4.42E-01*	-1.5234 -6564.3 1.58E-06 1.9606 3.32E-02 (-9.97E-04) -1.96E-03*	-1.2654 -7902.5 6.17E-08 1.1888 2.28E-01 (-3.20E-03) -2.48E-03*	-1.0853 -9214.0 3.22E-11 7.9958 9.36E-02 (0.00E+00) -2.71E-04*	- .9525 -10499.0 5.58E-11 2.1710 1.34E-02 (-2.35E-08) -4.01E-06*	- .8505 -11757.7 8.27E-14 .0002 5.95E-02 (-9.63E-10) -3.24E-08*	- .7698 -12990.2 1.51E-12 1.1879 2.28E-01 (-3.50E-07) -1.19E-07*	- .7044 -14196.7 3.49E-13 1.0057 2.61E-01 (-1.37E-07) -7.19E-08*	- .6503 -15377.3 5.92E-16 -1.4622 8.74E-06 (-3.33E-19) -1.28E-10*	- .6049 -16532.2 1.23E-13 1.1520 2.37E-01 (-6.29E-08) -7.10E-08*	- .5662 -17661.4 3.65E-13 1.0717 2.52E-01 (-2.58E-07) -2.65E-07*
7	-2.6307 -3801.3 2.15E-03 1.9516 3.44E-02 (-2.83E-01) -6.03E-04*	-1.9357 -5166.2 4.08E-05 1.0555 2.54E-01 (-6.71E-04) -6.91E-01*	-1.5374 -6504.3 2.40E-06 2.0566 2.24E-02 (-6.71E-04) -7.86E-03*	-1.2795 -7815.8 1.53E-07 1.2884 2.01E-01 (-5.99E-03) -4.07E-03*	-1.0988 -9100.8 1.36E-11 -13.7450 0.00E+00 (0.00E+00) -6.67E-04*	- .9653 -10359.5 1.41E-10 2.2879 7.54E-03 (-1.81E-08) -1.53E-05*	- .8627 -11592.0 7.94E-13 2.2527 9.01E-03 (-2.03E-10) -1.52E-08*	- .7813 -12798.6 1.27E-12 1.2791 2.04E-01 (-2.25E-07) -1.61E-08*	- .7153 -13979.2 1.19E-13 1.1032 2.46E-01 (-3.99E-08) -1.48E-10*	- .6608 -15134.1 2.57E-13 1.1641 2.34E-01 (-9.86E-08) -1.44E-07*	- .6149 -16263.2 1.18E-12 1.0785 2.51E-01 (-6.44E-07) -6.77E-07*

Table 8. Radiative transition parameters for $N_2 w^1\Delta_u - a^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r-centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

v'/v''	0	1	2	3	4	5	6	7	8	9	10	
8	.6951 14387.0 5.82E-06 .9631 2.64E-01 2.45E+00 2.53E+00*	.7861 12720.7 1.63E-04 .9895 2.62E-01 4.66E+01 4.81E+01*	.9023 11082.2 1.99E-03 1.0193 2.59E-01 3.69E+02 3.79E+02*	1.0558 9471.4 1.36E-02 1.0526 2.55E-01 1.52E+03 1.55E+03	1.2677 7888.3 5.40E-02 1.0900 2.49E-01 3.32E+03 3.37E+03	1.5791 6332.9 1.16E-01 1.1330 2.41E-01 3.45E+03 3.46E+03	2.0812 4804.9 9.69E-02 1.1876 2.28E-01 1.13E+03 1.12E+03	3.0262 3304.4 8.09E-04 1.5145 1.32E-01 1.03E+00 6.49E-01*	5.4606 1831.3 1.28E-01 1.2679 2.07E-01 6.84E+01 6.86E+01	25.9469 385.4 8.77E-02 1.4321 1.58E-01 2.53E-01 2.48E-01	25.9469 385.4 8.77E-02 1.4321 1.58E-01 2.53E-01 2.48E-01	-9.6771 -1033.4 3.92E-01 1.4746 1.44E-01 -1.83E+01 -1.85E+01
9	.6353 15741.5 1.36E-06 .9462 2.65E-01 7.53E-01 7.79E-01*	.7105 14075.2 4.11E-05 .9688 2.64E-01 1.61E+01 1.67E+01*	.8041 12436.7 5.64E-04 .9952 2.62E-01 1.50E+02 1.55E+02*	.9237 10825.9 4.50E-03 1.0251 2.58E-01 7.73E+02 7.94E+02*	1.0819 9242.8 2.24E-02 1.0585 2.54E-01 2.31E+03 2.35E+03	1.3008 7687.4 6.81E-02 1.0961 2.48E-01 3.85E+03 3.89E+03	1.6235 6159.4 1.13E-01 1.1399 2.39E-01 3.05E+03 3.05E+03	2.1464 4658.9 6.51E-02 1.1989 2.25E-01 6.78E+02 6.60E+02	3.1389 3185.8 2.17E-03 1.0484 2.55E-01 9.25E+00 1.18E+01*	5.7475 1739.9 1.30E-01 1.2769 2.05E-01 6.16E+01 6.15E+01	31.1413 321.1 5.48E-02 1.4679 1.44E-01 7.89E-02 7.75E-02	31.1413 321.1 5.48E-02 1.4679 1.44E-01 7.89E-02 7.75E-02
10	.5857 17074.6 3.38E-07 .9334 2.65E-01 2.40E-01 2.47E-01*	.6490 15408.3 1.08E-05 .9517 2.65E-01 5.59E+00 5.77E+00*	.7262 13769.7 1.60E-04 .9745 2.63E-01 5.87E+01 6.07E+01*	.8224 12159.0 1.44E-03 1.0010 2.61E-01 3.57E+02 3.67E+02*	.9455 10575.9 8.41E-03 1.0309 2.58E-01 1.34E+03 1.37E+03*	1.1086 9020.4 3.24E-02 1.0644 2.53E-01 3.09E+03 3.14E+03	1.3347 7492.5 7.85E-02 1.1023 2.47E-01 4.07E+03 4.10E+03	1.6689 5992.0 1.02E-01 1.1473 2.38E-01 2.51E+03 2.49E+03	2.2129 4518.9 3.83E-02 1.2136 2.22E-01 3.52E+02 3.38E+02	3.2542 3073.0 1.21E-02 1.1579 2.35E-01 3.93E+01 4.28E+01	6.0453 1654.2 1.38E-01 1.2852 2.02E-01 5.19E+01 5.15E+01	6.0453 1654.2 1.38E-01 1.2852 2.02E-01 5.19E+01 5.15E+01
11	.5439 18386.5 9.04E-08 .9251 2.66E-01 8.04E-02 8.24E-02*	.5981 16720.2 2.96E-06 .9385 2.65E-01 1.97E+00 2.03E+00*	.6631 15081.7 4.66E-05 .9572 2.64E-01 2.26E+01 2.34E+01*	.7423 13470.9 4.55E-04 1.0068 2.63E-01 1.56E+02 1.61E+02*	.8412 11887.8 3.00E-03 1.0368 2.60E-01 6.93E+02 7.12E+02*	.9678 10332.4 1.37E-02 1.0368 2.57E-01 2.02E+03 2.07E+03	1.1358 8804.4 4.26E-02 1.0704 2.52E-01 3.74E+03 3.80E+03	1.3691 7303.9 8.39E-02 1.1087 2.45E-01 3.99E+03 4.01E+03	1.7150 5830.8 8.58E-02 1.1552 2.36E-01 1.92E+03 1.89E+03	2.2806 4384.9 1.84E-02 1.2362 2.16E-01 1.46E+02 1.37E+02	3.3714 2966.1 2.62E-02 1.1883 2.28E-01 7.21E+01 7.57E+01	3.3714 2966.1 2.62E-02 1.1883 2.28E-01 7.21E+01 7.57E+01
12	.5082 19677.6 2.63E-08 .9212 2.66E-01 2.87E-02 2.92E-02*	.5552 18011.2 8.67E-07 .9295 2.66E-01 7.24E-01 7.43E-01*	.6108 16372.7 1.41E-05 .9437 2.65E-01 8.79E+00 9.06E+00*	.6774 14762.0 1.46E-04 .9628 2.64E-01 6.62E+01 6.83E+01*	.7588 13178.9 1.05E-03 1.0126 2.62E-01 3.35E+02 3.45E+02*	.8603 11623.4 5.42E-03 1.0126 2.60E-01 1.16E+03 1.20E+03*	.9905 10095.5 2.01E-02 1.0426 2.56E-01 2.75E+03 2.61E+03	1.1635 8595.0 5.17E-02 1.0764 2.51E-01 4.19E+03 4.25E+03	1.4041 7121.8 8.42E-02 1.1153 2.44E-01 3.67E+03 3.68E+03	1.7618 5675.9 6.72E-02 1.1641 2.34E-01 1.36E+03 1.34E+03	2.3490 4257.2 6.03E-03 1.2830 2.03E-01 3.88E+01 3.45E+01*	2.3490 4257.2 6.03E-03 1.2830 2.03E-01 3.88E+01 3.45E+01*
13	.4774 20948.0 8.39E-09 .9211 2.66E-01 1.10E-02 1.12E-02*	.5186 19281.7 2.73E-07 .9248 2.66E-01 2.80E-01 2.86E-01*	.5668 17643.2 4.48E-06 .9342 2.65E-01 3.51E+00 3.61E+00*	.6237 16032.4 4.80E-05 .9489 2.65E-01 2.81E+01 2.89E+01*	.6921 14449.3 3.67E-04 .9683 2.64E-01 1.56E+02 1.61E+02*	.7756 12893.9 2.08E-03 .9917 2.62E-01 6.20E+02 6.37E+02*	.8798 11365.9 8.77E-03 1.0184 2.59E-01 1.75E+03 1.80E+03*	1.0136 9865.4 2.71E-02 1.0485 2.55E-01 3.44E+03 3.51E+03	1.1916 8392.3 5.87E-02 1.0825 2.50E-01 4.40E+03 4.44E+03	1.4396 6946.4 7.96E-02 1.1222 2.43E-01 3.19E+03 3.18E+03	1.8091 5527.6 4.87E-02 1.1744 2.31E-01 8.92E+02 8.68E+02	1.8091 5527.6 4.87E-02 1.1744 2.31E-01 8.92E+02 8.68E+02
14	.4505 22198.2 2.93E-09 .9240 2.66E-01 4.59E-03 4.61E-03*	.4870 20531.8 9.34E-08 .9238 2.66E-01 1.16E-01 1.17E-01*	.5293 18893.3 1.52E-06 .9286 2.66E-01 1.47E+00 1.50E+00*	.5786 17282.5 1.65E-05 .9389 2.65E-01 1.22E+01 1.25E+01*	.6370 15699.5 1.31E-04 .9542 2.65E-01 7.20E+01 7.42E+01*	.7070 14144.0 7.92E-04 .9740 2.63E-01 3.15E+02 3.24E+02*	.7926 12616.1 3.67E-03 .9974 2.61E-01 1.02E+03 1.05E+03*	.8996 11115.6 1.30E-02 1.0242 2.59E-01 2.41E+03 2.47E+03	1.0371 9642.4 3.41E-02 1.0545 2.55E-01 4.02E+03 4.08E+03	1.2200 8196.5 6.30E-02 1.0888 2.49E-01 4.36E+03 4.39E+03	1.4754 6777.8 7.12E-02 1.1295 2.41E-01 2.62E+03 2.60E+03	1.4754 6777.8 7.12E-02 1.1295 2.41E-01 2.62E+03 2.60E+03
15	.4268 23428.2 1.12E-09 .9288 2.66E-01 2.06E-03 2.06E-03*	.4595 21761.9 3.47E-08 .9257 2.66E-01 5.11E-02 5.15E-02*	.4969 20123.4 5.54E-07 .9266 2.66E-01 6.46E-01 6.55E-01*	.5402 18512.6 6.01E-06 .9326 2.65E-01 5.44E+00 5.56E+00*	.5907 16929.5 4.86E-05 .9437 2.65E-01 3.36E+01 3.45E+01*	.6504 15374.0 3.06E-04 .9596 2.64E-01 1.57E+02 1.62E+02*	.7222 13846.1 1.51E-03 .9796 2.63E-01 5.63E+02 5.79E+02*	.8100 12345.6 5.90E-03 1.0032 2.61E-01 1.53E+03 1.57E+03*	.9198 10872.5 1.78E-02 1.0301 2.58E-01 3.09E+03 3.15E+03	1.0608 9426.6 4.04E-02 1.0605 2.54E-01 4.41E+03 4.48E+03	1.2488 8007.8 6.41E-02 1.0952 2.48E-01 4.10E+03 4.11E+03	1.2488 8007.8 6.41E-02 1.0952 2.48E-01 4.10E+03 4.11E+03

Table 8. Radiative transition parameters for N_2 $w^1\Delta_u - a^1\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
8	-4.1235 -2425.1 1.06E-01 1.6041 1.06E-01 -3.47E+01 -3.39E+01	-2.6385 -3790.0 2.49E-03 2.0005 2.83E-02 (-2.20E-01) -6.09E-02*	-1.9500 -5128.1 8.21E-05 1.1705 2.32E-01 (-1.21E+00) -1.00E+00*	-1.5529 -6439.6 3.24E-06 2.1802 1.28E-02 (-2.88E-04) -2.33E-02*	-1.2946 -7724.7 3.41E-07 1.3764 1.75E-01 (-9.74E-03) -5.86E-03*	-1.1132 -8983.4 5.80E-10 -1.8714 1.79E-07 (-2.74E-17) -1.46E-03*	-0.9789 -10215.9 3.16E-10 2.4129 3.85E-03 (-1.01E-08) -4.82E-05*	-0.8755 -11422.4 1.31E-11 1.7809 6.33E-02 (-1.59E-07) -3.69E-09*	-0.7935 -12603.0 3.95E-14 2.7810 3.82E-04 (-2.34E-14) -2.61E-07*	-0.7269 -13757.9 3.47E-13 .8241 2.63E-01 (-1.27E-07) -4.98E-07*	-0.6717 -14887.0 3.14E-12 1.0572 2.54E-01 (-1.35E-06) -1.62E-06*
9	-9.3402 -1070.6 4.04E-01 1.4861 1.41E-01 -2.00E+01 -2.02E+01	-4.1059 -2435.5 1.24E-01 1.6169 1.03E-01 -3.84E+01 -3.74E+01	-2.6500 -3773.6 2.71E-03 2.0597 2.21E-02 (-1.44E-01) -2.80E-01*	-1.9665 -5085.1 1.52E-04 1.2633 2.08E-01 (-1.76E+00) -1.37E+00*	-1.5698 -6370.2 3.83E-06 2.3516 5.39E-03 (-5.84E-05) -5.73E-02*	-1.3108 -7628.9 6.94E-07 1.4579 1.50E-01 (-1.40E-02) -7.29E-03*	-1.1285 -8861.4 3.78E-09 -3.022 1.83E-02 (-1.80E-06) -2.89E-03*	-0.9933 -10067.9 6.21E-10 2.5607 1.62E-03 (-3.36E-09) -1.31E-04*	-0.8890 -11248.5 7.98E-11 1.6724 8.82E-02 (-1.79E-06) -1.94E-07*	-0.8062 -12403.4 5.65E-12 .9060 2.66E-01 (-1.55E-06) -3.47E-06*	-0.7390 -13532.6 7.90E-12 .9222 2.66E-01 (-2.80E-06) -4.92E-06*
10	38.1060 262.4 3.14E-02 1.5209 1.30E-01 1.96E-02 1.91E-02	-9.0707 -1102.4 4.13E-01 1.4981 1.37E-01 -2.11E+01 -2.14E+01	-4.0974 -2440.6 1.41E-01 1.6301 9.92E-02 -4.10E+01 -3.99E+01	-2.6652 -3752.1 2.75E-03 2.1338 1.59E-02 (-7.46E-02) -7.56E-01*	-1.9853 -5037.1 2.62E-04 1.3413 1.86E-01 (-2.33E+00) -1.75E+00*	-1.5884 -6295.8 3.85E-06 2.6168 1.14E-03 (-2.53E-06) -1.23E-01*	-1.3283 -7528.3 1.30E-06 1.5363 1.26E-01 (-1.78E-02) -7.53E-03*	-1.1448 -8734.8 1.52E-08 .3383 1.48E-01 (-4.52E-04) -5.18E-03*	-1.0085 -9915.5 1.06E-09 2.7504 4.72E-04 (-4.68E-10) -3.18E-04*	-0.9033 -11070.3 3.28E-10 1.6310 9.90E-02 (-8.83E-06) -1.13E-06*	-0.8197 -12199.5 5.99E-11 1.0395 2.57E-01 (-1.45E-05) -1.83E-05*
11	6.3518 1574.4 1.31E-01 1.2931 2.00E-01 4.15E+01 4.10E+01	47.7377 209.5 1.60E-02 1.6079 1.05E-01 3.29E-03 3.12E-03	-8.8602 -1128.6 4.18E-01 1.5106 1.33E-01 -2.17E+01 -2.21E+01	-4.0981 -2440.1 1.58E-01 1.6438 2.2307 -4.24E+01 -4.13E+01	-2.6844 -3725.2 2.61E-03 2.2307 1.01E-02 (-2.76E-02) -1.60E+00*	-2.0065 -4983.9 4.25E-04 1.4092 1.65E-01 (-2.89E+00) -2.11E+00*	-1.6087 -6216.4 3.01E-06 3.1058 3.28E-05 (-1.57E-09) -2.39E-01*	-1.3472 -7422.9 2.25E-06 1.6151 1.03E-01 (-1.99E-02) -5.84E-03*	-1.1623 -8603.5 4.77E-08 .7013 2.47E-01 (-3.76E-03) -8.44E-03*	-1.0248 -9758.4 1.54E-09 3.0297 6.04E-05 (-1.05E-11) -6.95E-04*	-0.9185 -10887.6 1.05E-09 1.6175 1.03E-01 (-2.91E-05) -3.54E-06*
12	3.4899 2865.4 4.11E-02 1.2049 2.24E-01 9.84E+01 1.02E+02	6.6643 1500.5 1.20E-01 1.3007 1.98E-01 3.20E+01 3.14E+01	61.5707 162.4 6.63E-03 1.7750 6.45E-02 (-2.40E-04) 1.59E-04*	-8.7025 -1149.1 4.21E-01 1.5237 1.30E-01 -2.17E+01 -2.22E+01	-4.1083 -2434.1 1.73E-01 1.6580 9.19E-02 -4.27E+01 -4.15E+01	-2.7080 -3692.8 2.26E-03 2.3655 5.00E-03 (-5.76E-03) -2.90E+00*	-2.0303 -4925.3 6.56E-04 1.4700 1.46E-01 (-3.38E+00) -2.40E+00*	-1.6308 -6131.8 1.40E-06 4.3941 4.13E-11 (-1.12E-21) -4.27E-01*	-1.3675 -7312.5 3.62E-06 1.6977 8.20E-02 (-1.93E-02) -2.43E-03*	-1.1810 -8467.4 1.27E-07 .9457 2.65E-01 (-1.10E-02) -1.25E-02*	-1.0420 -9596.5 1.71E-09 3.5372 6.87E-07 (-1.45E-15) -1.39E-03*
13	2.4179 4135.9 5.49E-04 1.5120 1.33E-01 1.39E+00 8.27E-01*	3.6088 2771.0 5.46E-02 1.2166 2.21E-01 1.15E+02 1.17E+02	6.9790 1432.9 1.05E-01 1.3082 1.95E-01 2.39E+01 2.33E+01	82.3968 121.4 1.83E-03 2.2061 1.13E-02 (-8.50E-07) 3.74E-05*	-8.5936 -1163.7 4.23E-01 1.5373 1.25E-01 -2.13E+01 -2.19E+01	-4.1282 -2422.4 1.87E-01 1.6727 8.81E-02 -4.18E+01 -4.06E+01	-2.7361 -3654.9 1.73E-03 2.5704 1.52E-03 (-3.99E-04) -4.75E+00*	-2.0570 -4861.4 9.64E-04 1.5262 1.29E-01 (-3.72E+00) -2.56E+00*	-1.6551 -6042.0 4.57E-08 20.6440 0.00E+00 (-1.12E-21) -7.08E-01*	-1.3895 -7196.9 5.38E-06 1.7885 6.17E-02 (-1.55E-02) -6.45E-11*	-1.2011 -8326.0 3.00E-07 1.1295 2.41E-01 (-2.04E-02) -1.66E-02*
14	1.8567 5386.0 3.20E-02 1.1872 2.28E-01 5.29E+02 5.09E+02	2.4869 4021.1 6.74E-04 .9086 2.66E-01 (6.28E+00) 1.01E+01*	3.7272 2683.0 6.55E-02 1.2259 2.19E-01 1.22E+02 1.24E+02	7.2914 1371.5 8.90E-02 1.3154 1.93E-01 1.74E+01 1.68E+01	115.6524 86.5 1.03E-04 5.1641 6.55E-16 (5.78E-35) 1.21E-04*	-8.5307 -1172.2 4.25E-01 1.5515 1.21E-01 -2.04E+01 -2.12E+01	-4.1584 -2404.8 1.99E-01 1.6881 8.43E-02 -3.99E+01 -3.86E+01	-2.7691 -3611.3 1.11E-03 2.9285 1.31E-04 (-1.82E-06) -7.20E+00*	-2.0869 -4791.9 1.35E-03 1.5794 1.13E-01 (-3.87E+00) -2.54E+00*	-1.6816 -5946.8 1.66E-06 -2.1756 6.68E-09 (-3.15E-17) -1.10E+00*	-1.4132 -7075.9 7.36E-06 1.8941 4.27E-02 (-9.65E-03) -5.92E-03*
15	1.5115 6616.0 6.02E-02 1.1374 2.40E-01 2.03E+03 2.01E+03	1.9043 5251.2 1.85E-02 1.2049 2.24E-01 2.72E+02 2.57E+02	2.5556 3913.0 4.87E-03 1.0952 2.48E-01 (3.63E+01) 4.16E+01*	3.8439 2601.5 7.25E-02 1.2339 2.16E-01 1.21E+02 1.22E+02	7.5958 1316.5 7.33E-02 1.3223 1.91E-01 1.24E+01 1.19E+01	172.9475 57.8 2.74E-04 -1.1354 1.25E-04 (1.67E-12) 8.75E-05*	-8.5128 -1174.7 4.29E-01 1.5662 1.17E-01 -1.93E+01 -2.02E+01	-4.1996 -2381.2 2.09E-01 1.7041 8.04E-02 (-1.93E+01) -3.58E+01	-2.8075 -3561.8 4.92E-04 3.7446 8.39E-08 (-3.17E-13) -1.02E+01*	-2.1201 -4716.7 1.82E-03 1.6312 9.89E-02 (-3.80E+00) -2.32E+00*	-1.7106 -5845.9 1.18E-05 -.0402 5.18E-02 (-1.28E-02) -1.62E+00*

Table 9. Radiative transition parameters for $N_2 C^3\Pi_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.3370	.3576	.3804	.4058	.4343	.4665	.5032	.5452	.5938	.6507	.7181
	29671.2	27965.8	26289.6	24642.3	23024.0	21434.7	19874.5	18343.4	16841.6	15369.2	13926.3
	4.54E-01	3.27E-01	1.45E-01	5.12E-02	1.58E-02	4.50E-03	1.22E-03	3.23E-04	8.44E-05	2.20E-05	5.71E-06
	1.1843	1.1466	1.1135	1.0830	1.0545	1.0277	1.0025	.9788	.9568	.9359	.9150
	7.40E-01	7.81E-01	8.12E-01	8.37E-01	8.56E-01	8.70E-01	8.79E-01	8.85E-01	8.87E-01	8.86E-01	8.83E-01
	1.32E+07	8.84E+06	3.53E+06	1.09E+06	2.86E+05	6.78E+04	1.50E+04	3.16E+03	6.42E+02	1.27E+02	2.44E+01
	1.31E+07	8.84E+06	3.56E+06	1.10E+06	2.92E+05	6.98E+04*	1.55E+04*	3.29E+03*	6.74E+02*	1.34E+02*	2.59E+01*
1	.3158	.3338	.3536	.3754	.3997	.4268	.4573	.4917	.5309	.5759	.6281
	31665.6	29960.2	28284.0	26636.7	25018.4	23429.1	21868.9	20337.8	18836.0	17363.6	15920.7
	3.92E-01	3.42E-02	2.05E-01	1.98E-01	1.10E-01	4.68E-02	1.71E-02	5.68E-03	1.78E-03	5.36E-04	1.59E-04
	1.2285	1.2098	1.1550	1.1211	1.0904	1.0619	1.0354	1.0103	.9864	.9639	.9428
	6.87E-01	7.10E-01	7.72E-01	8.05E-01	8.31E-01	8.51E-01	8.66E-01	8.76E-01	8.83E-01	8.86E-01	8.87E-01
	1.19E+07	6.19E+05	5.60E+06	4.93E+06	2.41E+06	8.84E+05	2.72E+05	7.44E+04	1.88E+04	4.47E+03	1.02E+03
	1.19E+07	5.87E+05	5.54E+06	4.93E+06	2.43E+06	8.98E+05	2.78E+05	7.68E+04*	1.95E+04*	4.68E+03*	1.07E+03*
2	.2976	.3135	.3309	.3499	.3709	.3942	.4200	.4489	.4813	.5180	.5599
	33606.3	31901.0	30224.8	28577.5	26959.2	25369.9	23809.7	22278.6	20776.8	19304.3	17861.5
	1.33E-01	3.42E-01	2.36E-02	6.42E-02	1.61E-01	1.39E-01	7.91E-02	3.62E-02	1.44E-02	5.28E-03	1.82E-03
	1.2784	1.2395	1.1679	1.1652	1.1288	1.0976	1.0689	1.0424	1.0177	.9940	.9711
	6.21E-01	6.73E-01	7.58E-01	7.61E-01	7.98E-01	8.25E-01	8.47E-01	8.62E-01	8.74E-01	8.81E-01	8.86E-01
	3.94E+06	1.02E+07	7.58E+05	1.76E+06	4.07E+06	3.13E+06	1.55E+06	6.02E+05	2.30E+05	5.97E+04	1.65E+04
	3.97E+06	1.01E+07	7.99E+05	1.71E+06	4.04E+06	3.14E+06	1.57E+06	6.14E+05	2.06E+05	6.19E+04*	1.72E+04*
3	.2818	.2961	.3115	.3284	.3468	.3671	.3894	.4140	.4415	.4722	.5067
	35480.4	33775.1	32098.8	30451.5	28833.2	27243.9	25683.7	24152.6	22650.8	21178.4	19735.5
	2.02E-02	2.53E-01	2.11E-01	8.90E-02	5.00E-03	9.36E-02	1.31E-01	9.87E-02	5.53E-02	2.61E-02	1.10E-02
	1.3415	1.2894	1.2551	1.1835	1.1893	1.1362	1.1047	1.0755	1.0487	1.0243	1.0012
	5.35E-01	6.07E-01	6.52E-01	7.41E-01	7.34E-01	7.91E-01	8.20E-01	8.42E-01	8.59E-01	8.71E-01	8.79E-01
	5.23E+05	7.25E+06	6.01E+06	2.79E+06 (1.31E+05)	2.40E+06	3.02E+06	2.00E+06	9.61E+05	3.82E+05	1.33E+05
	5.28E+05	7.30E+06	5.94E+06	2.85E+06	1.15E+05*	2.35E+06	3.00E+06	2.01E+06	9.76E+05	3.91E+05	1.37E+05
4	.2684	.2812	.2952	.3102	.3266	.3445	.3641	.3856	.4093	.4355	.4648
	37261.7	35556.3	33880.1	32232.8	30614.5	29025.2	27465.0	25933.9	24432.1	22959.7	21516.8
	9.50E-04	5.37E-02	3.30E-01	1.19E-01	1.16E-01	3.48E-03	4.02E-02	1.01E-01	1.01E-01	6.80E-02	3.72E-02
	1.4568	1.3575	1.3027	1.2802	1.1862	1.1370	1.1423	1.1110	1.0818	1.0543	1.0295
	3.80E-01	5.13E-01	5.88E-01	6.19E-01	7.38E-01	7.90E-01	7.85E-01	8.14E-01	8.38E-01	8.56E-01	8.69E-01
	1.44E+04	1.29E+06	8.99E+06	3.09E+06	3.66E+06 (1.08E+05)	1.04E+06	2.37E+06	2.09E+06	1.22E+06	5.66E+05
	1.38E+04*	1.30E+06	9.03E+06	3.02E+06	3.71E+06	1.24E+05*	9.98E+05	2.33E+06	2.09E+06	1.23E+06	5.78E+05

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 9. Radiative transition parameters for $N_2 C^3\Pi_u-B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	.7992	.8985	1.0228	1.1828	1.3962	1.6944	2.1403	2.8779	4.3302	8.4991	129.9646
	12513.1	11129.9	9776.8	8454.2	7162.4	5901.6	4672.3	3474.7	2309.3	1176.6	76.9
	1.46E-06	3.68E-07	8.99E-08	2.11E-08	4.65E-09	9.03E-10	1.19E-10	7.67E-13	2.08E-11	5.49E-11	7.33E-11
	.8925	.8670	.8369	.8004	.7541	.6853	.5188	-2.3476	1.3805	1.1507	1.0892
	8.77E-01	8.67E-01	8.50E-01	8.24E-01	7.81E-01	7.04E-01	4.80E-01	2.31E-16	4.81E-01	7.77E-01	8.32E-01
	4.47E+00	7.73E-01	(1.23E-01)	(1.75E-02)	(2.12E-03)	(1.86E-04)	(5.65E-06)	(3.48E-39)	(1.20E-07)	(1.09E-07)	(4.69E-11)
	4.80E+00*	8.44E-01*	1.38E-01*	2.06E-02*	2.67E-03*	2.71E-04*	1.49E-05*	1.14E-09*	5.27E-07*	1.54E-07*	5.42E-11*
1	.6893	.7619	.8495	.9571	1.0921	1.2665	1.5000	1.8285	2.3236	3.1536	4.8278
	14507.5	13124.3	11771.2	10448.6	9156.8	7896.0	6666.7	5469.1	4303.7	3171.0	2071.3
	4.62E-05	1.33E-05	3.74E-06	1.02E-06	2.63E-07	6.18E-08	1.19E-08	1.38E-09	2.11E-12	2.39E-10	5.17E-10
	.9224	.9013	.8782	.8515	.8176	.7675	.6761	.4290	-7.5517	1.4627	1.1828
	8.85E-01	8.80E-01	8.72E-01	8.59E-01	8.37E-01	7.95E-01	6.92E-01	3.62E-01	0.00E+00	3.73E-01	7.42E-01
	2.24E+02	4.71E+01	9.39E+00	1.74E+00	(2.87E-01)	(3.89E-02)	(3.42E-03)	(6.00E-05)	(0.00E+00)	(2.14E-06)	(5.12E-06)
	2.37E+02*	5.03E+01*	1.02E+01*	1.92E+00*	3.29E-01*	4.85E-02*	5.42E-03*	3.13E-04*	1.60E-07*	1.59E-05*	8.44E-06*
2	.6080	.6638	.7293	.8071	.9011	1.0166	1.1618	1.3495	1.6014	1.9563	2.4924
	16448.3	15065.1	13712.0	12389.4	11097.6	9836.8	8607.5	7409.9	6244.5	5111.8	4012.1
	6.03E-04	1.96E-04	6.21E-05	1.91E-05	5.70E-06	1.61E-06	4.21E-07	9.26E-08	1.33E-08	2.81E-10	8.61E-10
	.9497	.9295	.9092	.8866	.8604	.8288	.7860	.7107	.5141	-1.1337	1.7548
	8.87E-01	8.86E-01	8.82E-01	8.75E-01	8.64E-01	8.45E-01	8.12E-01	7.34E-01	4.74E-01	5.31E-07	1.05E-01
	4.28E+03	1.06E+03	2.52E+02	5.65E+01	1.18E+01	(2.22E+00)	(3.58E-01)	(4.12E-02)	(1.48E-03)	(2.14E-17)	(1.23E-06)
	4.49E+03*	1.12E+03*	2.68E+02*	6.08E+01*	1.29E+01*	2.52E+00*	4.32E-01*	5.88E-02*	4.80E-03*	3.58E-05*	1.11E-04*
3	.5458	.5904	.6416	.7011	.7709	.8539	.9541	1.0771	1.2317	1.4315	1.6989
	18322.3	16939.1	15586.1	14263.5	12971.6	11710.8	10481.5	9283.9	8118.6	6985.8	5886.2
	4.30E-03	1.58E-03	5.64E-04	1.96E-04	6.62E-05	2.14E-05	6.51E-06	1.84E-06	4.71E-07	9.77E-08	1.09E-08
	.9785	.9562	.9355	.9161	.8955	.8701	.8367	.7939	.7359	.6319	.2939
	8.85E-01	8.87E-01	8.86E-01	8.84E-01	8.78E-01	8.68E-01	8.50E-01	8.18E-01	7.62E-01	6.35E-01	2.14E-01
	4.19E+04	1.23E+04	3.40E+03	9.00E+02	2.26E+02	5.25E+01	(1.10E+01)	(2.00E+00)	(2.97E-01)	(2.72E-02)	(2.07E-04)
	4.36E+04*	1.29E+04*	3.59E+03*	9.55E+02*	2.42E+02*	5.72E+01*	1.25E+01*	2.43E+00*	4.02E-01*	4.96E-02*	2.80E-03*
4	.4974	.5342	.5758	.6233	.6778	.7412	.8155	.9037	1.0101	1.1406	1.3042
	20103.6	18720.4	17367.3	16044.7	14752.9	13492.1	12262.8	11065.2	9899.8	8767.1	7667.4
	1.79E-02	7.80E-03	3.17E-03	1.22E-03	4.58E-04	1.68E-04	5.96E-05	2.00E-05	6.13E-06	1.69E-06	4.09E-07
	1.0071	.9855	.9632	.9409	.9201	.9012	.8810	.8530	.8099	.7459	.6554
	8.78E-01	8.83E-01	8.86E-01	8.87E-01	8.84E-01	8.80E-01	8.73E-01	8.60E-01	8.31E-01	7.73E-01	6.66E-01
	2.26E+05	8.09E+04	2.65E+04	8.05E+03	2.33E+03	6.47E+02	1.70E+02	4.06E+01	(8.33E+00)	(1.38E+00)	(1.66E-01)
	2.32E+05*	8.37E+04*	2.76E+04*	8.50E+03*	2.48E+03*	6.91E+02*	1.83E+02*	4.47E+01*	9.85E+00*	1.88E+00*	2.97E-01*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 10. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - A^3\Sigma_u^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2173	.2243	.2316	.2392	.2472	.2555	.2643	.2734	.2830	.2930	.3035
	46019.7	44586.8	43181.6	41804.1	40454.5	39132.8	37839.2	36574.0	35337.4	34129.7	32951.4
	3.98E-03	1.72E-02	4.02E-02	6.78E-02	9.24E-02	1.08E-01	1.13E-01	1.08E-01	9.71E-02	8.24E-02	6.70E-02
	1.1969	1.1845	1.1727	1.1615	1.1508	1.1406	1.1309	1.1216	1.1127	1.1042	1.0960
	1.28E-02	1.10E-02	9.16E-03	7.52E-03	6.07E-03	4.84E-03	3.82E-03	2.99E-03	2.33E-03	1.80E-03	1.39E-03
(1.29E+02)	3.71E+02	5.51E+02	(5.67E+02)	(4.57E+02)	(3.08E+02)	(1.82E+02)	9.64E+01	(4.71E+01)	(2.16E+01)	(9.34E+00)
	1.14E+02*	3.59E+02	5.77E+02	6.32E+02	5.28E+02	3.58E+02	2.04E+02	9.95E+01	4.22E+01	1.56E+01	4.96E+00
1	.2074	.2138	.2204	.2273	.2345	.2420	.2498	.2580	.2665	.2754	.2846
	48204.7	46771.8	45366.6	43989.1	42639.5	41317.8	40024.2	38759.0	37522.4	36314.7	35136.4
	2.67E-02	7.81E-02	1.18E-01	1.18E-01	8.55E-02	4.27E-02	1.14E-02	9.06E-05	5.64E-03	2.00E-02	3.56E-02
	1.2159	1.2027	1.1901	1.1782	1.1666	1.1553	1.1431	1.0924	1.1337	1.1221	1.1128
	1.53E-02	1.36E-02	1.18E-02	1.00E-02	8.25E-03	6.66E-03	5.13E-03	1.23E-03	4.10E-03	3.03E-03	2.33E-03
(1.42E+03)	3.01E+03	3.11E+03	2.04E+03	9.15E+02	2.71E+02	(3.91E+01)	(1.62E-02)	(1.02E+01)	(1.79E+01)	(1.71E+01)
	1.19E+03	2.75E+03	3.07E+03	2.12E+03	9.54E+02	2.48E+02	1.73E+01	8.68E+00*	3.79E+01*	4.52E+01	3.43E+01

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 11. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2742	.2877	.3022	.3181	.3353	.3542	.3749	.3978	.4230	.4511	.4826
	36467.8	34762.5	33086.2	31438.9	29820.6	28231.3	26671.1	25140.0	23638.2	22165.8	20722.9
	1.43E-01	2.43E-01	2.35E-01	1.70E-01	1.03E-01	5.54E-02	2.75E-02	1.29E-02	5.77E-03	2.52E-03	1.07E-03
	1.1653	1.1431	1.1224	1.1031	1.0848	1.0675	1.0512	1.0357	1.0209	1.0069	.9934
	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03
	9.63E+01	1.42E+02	1.18E+02	7.32E+01	3.78E+01	1.73E+01	7.23E+00	2.83E+00	1.06E+00*	3.80E-01*	1.33E-01*
1	.2587	.2707	.2835	.2974	.3124	.3288	.3465	.3660	.3872	.4107	.4365
	38652.8	36947.5	35271.2	33623.9	32005.6	30416.3	28856.1	27325.0	25823.2	24350.8	22907.9
	3.11E-01	1.26E-01	7.28E-04	4.83E-02	1.16E-01	1.31E-01	1.06E-01	7.16E-02	4.27E-02	2.34E-02	1.21E-02
	1.1937	1.1683	1.1115	1.1324	1.1112	1.0924	1.0749	1.0585	1.0429	1.0282	1.0142
	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03	1.85E-03
	2.49E+02	8.80E+01	4.43E-01*	2.55E+01	5.26E+01	5.10E+01	3.54E+01	2.03E+01	1.02E+01	4.68E+00	2.01E+00

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 12. Radiative transition parameters for $N_2 E^3\Sigma_g^+ - C^3\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4
0	1.4713	2.0824	3.4947	10.1275	-12.5965
	6796.6	4802.2	2861.4	987.4	-793.9
	7.75E-01	1.87E-01	3.20E-02	5.01E-03	7.94E-04
	1.1359	1.0720	1.0185	.9741	.9362
	4.14E-02	4.14E-02	4.14E-02	4.14E-02	4.14E-02
	1.69E+03	1.44E+02	5.20E+00	3.35E-02*	-1.38E-03*
1	1.1134	1.4312	1.9816	3.1522	7.1884
	8981.6	6987.2	5046.4	3172.4	1391.1
	2.05E-01	4.23E-01	2.72E-01	7.73E-02	1.75E-02
	1.2059	1.1460	1.0810	1.0273	.9838
	4.14E-02	4.14E-02	4.14E-02	4.14E-02	4.14E-02
	1.03E+03	1.00E+03	2.43E+02	1.71E+01	3.27E-01

*The Einstein coefficient for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 13. Radiative transition parameters for $N_2 D^3\Sigma_u^+ - B^3\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2259	.2350	.2446	.2549	.2658	.2776	.2901	.3036	.3181	.3338	.3506
	44264.1	42558.8	40882.6	39235.3	37617.0	36027.7	34467.5	32936.4	31434.6	29962.1	28519.3
	9.71E-02	1.93E-01	2.17E-01	1.83E-01	1.30E-01	8.14E-02	4.69E-02	2.55E-02	1.32E-02	6.67E-03	3.29E-03
	1.1608	1.1403	1.1215	1.1040	1.0876	1.0722	1.0576	1.0439	1.0310	1.0187	1.0071
	6.09E-01	5.69E-01	5.31E-01	4.95E-01	4.61E-01	4.29E-01	4.00E-01	3.72E-01	3.47E-01	3.24E-01	3.03E-01
	1.27E+07	1.95E+07	1.70E+07	1.10E+07	5.95E+06	2.84E+06	1.24E+06	5.11E+05	2.01E+05	7.63E+04	2.83E+04
	1.25E+07	1.94E+07	1.70E+07	1.10E+07	5.96E+06	2.84E+06	1.24E+06	5.07E+05	1.98E+05	7.46E+04*	2.74E+04*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u-X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v'v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.1092 9015.6 4.81E-01 1.1491 2.55E-01 4.65E+04 4.64E+04	1.4618 6840.7 3.78E-01 1.1924 2.46E-01 1.48E+04 1.48E+04	2.1284 4698.4 1.20E-01 1.2406 2.34E-01 1.38E+03 1.39E+03	3.8625 2589.0 1.95E-02 1.2954 2.20E-01 3.34E+01 3.36E+01	19.5110 512.5 1.73E-03 1.3612 2.02E-01 1.93E-02 1.95E-02*	-6.5328 -1530.7 7.89E-05 1.4468 1.78E-01 -3.64E-02 -3.67E-02*	-2.8244 -3540.5 1.54E-06 1.5782 1.41E-01 -5.50E-03 -5.42E-03*	-1.8127 -5516.6 5.96E-09 1.9443 5.72E-02 (-1.33E-05) -3.47E-06*	-1.3407 -7458.6 4.07E-11 1.0324 2.75E-01 (-5.19E-06) -6.07E-06*	-1.0677 -9366.2 1.63E-12 1.7225 1.03E-01 (-5.77E-08) -3.71E-08*	-1.8898 -11239.1 2.57E-14 .9275 2.86E-01 (-1.20E-08) -1.54E-08*
1	.9183 10889.2 3.24E-01 1.1118 2.63E-01 5.84E+04 5.85E+04	1.1475 8714.3 3.45E-02 1.1669 2.51E-01 2.93E+03 2.87E+03	1.5216 6572.0 3.41E-01 1.2010 2.44E-01 1.17E+04 1.16E+04	2.2409 4462.6 2.33E-01 1.2484 2.32E-01 2.27E+03 2.28E+03	4.1909 2386.1 5.94E-02 1.3033 2.18E-01 7.79E+01 7.84E+01	29.1662 342.9 7.10E-03 1.3696 2.00E-01 2.32E-02 2.34E-02*	-5.9990 -1666.9 4.01E-04 1.4569 1.75E-01 -2.31E-01 -2.33E-01*	-2.7450 -3643.0 8.92E-06 1.5946 1.36E-01 -3.25E-02 -3.17E-02*	-1.7905 -5585.0 3.08E-08 2.0361 4.31E-02 (-4.04E-05) -9.82E-08*	-1.3346 -7492.6 4.86E-10 1.1718 2.50E-01 (-2.90E-07) -5.41E-05*	-1.0678 -9365.5 1.26E-11 1.8097 8.31E-02 (-2.90E-07) -1.26E-07*
2	.7854 12732.8 1.33E-01 1.0783 2.68E-01 4.02E+04 4.04E+04	.9472 10557.8 2.28E-01 1.1203 2.61E-01 3.70E+04 3.68E+04	1.1883 8415.6 1.87E-02 1.1401 2.57E-01 1.49E+03 1.53E+03	1.5858 6306.1 1.95E-01 1.2113 2.41E-01 5.77E+03 5.73E+03	2.3643 4229.7 2.95E-01 1.2567 2.30E-01 2.40E+03 2.40E+03	4.5737 2186.4 1.12E-01 1.3113 2.16E-01 1.11E+02 1.11E+02	56.6248 176.6 1.74E-02 1.3782 1.98E-01 7.60E-03 7.67E-03	-5.5572 -1799.5 1.18E-03 1.4674 1.72E-01 -8.27E-01 -8.34E-01*	-2.6728 -3741.5 2.91E-05 1.6126 1.31E-01 -1.07E-01 -1.03E-01*	-1.7702 -5649.1 8.11E-08 2.1725 2.72E-02 (-4.37E-05) -8.56E-05*	-1.3294 -7521.9 2.99E-09 1.2772 2.25E-01 (-2.61E-04) -2.58E-04*
3	.6875 14546.3 4.39E-02 1.0480 2.73E-01 2.04E+04 2.06E+04	.8083 12371.3 1.97E-01 1.0858 2.67E-01 5.40E+04 5.41E+04	.9776 10229.1 8.34E-02 1.1315 2.59E-01 1.21E+04 1.20E+04	1.2316 8119.6 1.01E-01 1.1592 2.53E-01 6.99E+03 7.05E+03	1.6548 6043.2 7.14E-02 1.2258 2.38E-01 1.81E+03 1.78E+03	2.5001 3999.9 3.00E-01 1.2655 2.28E-01 2.02E+03 2.02E+03	5.0249 1990.1 1.68E-01 1.3197 2.14E-01 1.94E+02 1.23E+02	712.1493 14.0 3.32E-02 1.3871 1.95E-01 7.09E-06 7.15E-06	-5.1868 -1928.0 2.64E-03 1.4785 1.69E-01 -2.19E+00 -2.21E+00*	-2.6072 -3835.6 7.01E-05 1.6326 1.26E-01 (-2.54E-01) -2.44E-01*	-1.7518 -5708.4 1.34E-07 2.4033 1.11E-02 (-1.25E-05) -1.13E-03*
4	.6124 16329.7 1.29E-02 1.0202 2.77E-01 8.70E+03 8.78E+03	.7065 14154.8 1.01E-01 1.0552 2.72E-01 4.30E+04 4.32E+04	.8325 12012.5 1.74E-01 1.0939 2.66E-01 4.33E+04 4.32E+04	1.0098 9903.1 8.57E-03 1.1601 2.53E-01 1.08E+03 1.03E+03*	1.2777 7826.6 1.54E-01 1.1694 2.51E-01 9.39E+03 9.41E+03	1.7291 5783.4 9.50E-03 1.2647 2.28E-01 1.94E+02 1.84E+02*	2.6500 3773.6 2.63E-01 1.2752 2.26E-01 1.46E+03 1.45E+03	5.5633 1797.5 2.18E-01 1.3285 2.11E-01 1.15E+02 1.15E+02	-69.2094 -144.5 5.41E-02 1.3964 1.92E-01 -2.45E-02 -2.47E-02	-4.8731 -2052.1 4.96E-03 1.4902 1.66E-01 -4.77E+00 -4.79E+00*	-2.5478 -3925.0 1.38E-04 1.6551 1.20E-01 -4.87E-01 -4.62E-01*
5	.5530 18083.2 3.53E-03 .9948 2.80E-01 3.32E+03 3.35E+03*	.6286 15908.2 4.04E-02 1.0273 2.76E-01 2.51E+04 2.53E+04	.7264 13766.0 1.37E-01 1.0627 2.71E-01 5.32E+04 5.33E+04	.8579 11656.5 1.09E-01 1.1032 2.64E-01 2.43E+04 2.41E+04	1.0438 9580.1 5.69E-03 1.0980 2.65E-01 7.12E+02 7.55E+02*	1.3268 7536.8 1.53E-01 1.1789 2.49E-01 8.24E+03 8.21E+03	1.8093 5527.0 2.57E-03 1.1286 2.59E-01 5.90E+01 6.57E+01*	2.8161 3551.0 2.04E-01 1.2860 2.23E-01 9.19E+02 9.13E+02	6.2152 1609.0 2.57E-01 1.3376 2.09E-01 9.47E+01 9.49E+01	-33.4835 -298.7 7.91E-02 1.4060 1.90E-01 -3.07E-01 -3.09E-01	-4.6051 -2171.5 8.23E-03 1.5025 1.62E-01 -8.98E+00 -9.02E+00*
6	.5049 19806.6 9.44E-04 .9717 2.82E-01 1.18E+03 1.20E+03*	.5672 17631.7 1.42E-02 1.0019 2.79E-01 1.23E+04 1.24E+04	.6456 15489.4 7.35E-02 1.0346 2.75E-01 4.19E+04 4.21E+04	.7474 13380.0 1.39E-01 1.0706 2.70E-01 4.89E+04 4.89E+04	.8847 11303.5 4.47E-02 1.1156 2.62E-01 8.97E+03 8.81E+03	1.0799 9260.2 6.03E-02 1.1298 2.59E-01 4.35E+03 4.43E+03	1.3792 7250.4 1.17E-01 1.1891 2.47E-01 5.48E+03 5.43E+03	1.8960 5274.4 2.87E-02 1.2030 2.43E-01 5.05E+02 5.19E+02	3.0009 3332.4 1.40E-01 1.2988 2.19E-01 5.07E+02 5.01E+02	7.0187 1424.8 2.83E-01 1.3473 2.06E-01 7.04E+01 7.05E+01	-22.3168 -448.1 1.07E-01 1.4160 1.87E-01 -1.36E+00 -1.37E+00
7	.4651 21500.0 2.52E-04 .9510 2.84E-01 4.09E+02 4.15E+02*	.5175 19325.1 4.62E-03 .9787 2.82E-01 5.36E+03 5.42E+03*	.5820 17182.8 3.22E-02 1.0091 2.78E-01 2.56E+04 2.59E+04	.6634 15073.4 9.93E-02 1.0421 2.74E-01 5.17E+04 5.19E+04	.7694 12996.9 1.11E-01 1.0791 2.68E-01 3.55E+04 3.53E+04	.9129 10953.7 7.41E-03 1.1434 2.56E-01 1.30E+03 1.23E+03*	1.1181 8943.9 7.86E-02 1.1620 2.57E-01 7.50E+03 7.57E+03	1.4352 6967.8 6.86E-02 1.2012 2.44E-01 2.80E+03 2.75E+03	1.9897 5025.8 6.58E-02 1.2209 2.39E-01 9.69E+02 9.83E+02	3.2070 3118.2 8.41E-02 1.3151 2.15E-01 2.39E+02 2.35E+02	8.0300 1245.3 2.94E-01 1.3574 2.03E-01 4.77E+01 4.77E+01

Table 14. Radiative transition parameters for N₂⁺ A ²Π_u-X ²Σ_g⁺. For each v'-v'' band, the listed quantities are λ_{v'v''} (μm), ν_{v'v''} (cm⁻¹), q_{v'v''}, r̄_{v'v''} (Å), R_e(r̄_{v'v''}) (electric dipole moment atomic units), A_{v'v''} (s⁻¹) calculated by the r-centroid method, and A_{v'v''} (s⁻¹) calculated by integrating ∫ ψ_{v'}^{*}R_e(r)ψ_{v''}dr. - Continued

v' \ v''	11	12	13	14	15	16	17	18	19	20	21
0	- .7647 -13076.8 7.61E-17 -1.2837 6.17E-04 (-2.62E-16) -5.40E-10*	- .6721 -14879.1 1.70E-18 4.2135 6.71E-08 (-1.02E-25) -3.11E-13*	- .6008 -16645.3 4.72E-17 1.4356 1.81E-01 (-2.90E-11) -4.83E-11*	- .5442 -18375.2 6.30E-19 3.0535 4.10E-04 (-2.66E-18) -4.15E-14*	- .4983 -20068.0 1.00E-16 1.0337 2.75E-01 -2.48E-10 -2.37E-10*	- .4603 -21723.1 2.41E-16 1.0886 2.67E-01 -7.12E-10 -6.93E-10*	- .4285 -23339.9 1.57E-16 1.0873 2.67E-01 -5.76E-10 -5.64E-10*	- .4013 -24917.5 1.80E-17 1.0171 2.77E-01 -8.69E-11 -8.53E-11*	- .3780 -26455.3 1.57E-17 1.2225 2.39E-01 -6.72E-11 -7.10E-11*	- .3578 -27952.5 7.02E-17 1.1519 2.55E-01 -4.03E-10 -4.08E-10*	- .3400 -29408.6 6.75E-17 1.1283 2.59E-01 -4.68E-10 -4.72E-10*
1	- .8926 -11203.2 3.28E-13 1.0566 2.72E-01 -1.38E-07 -1.49E-07*	- .7689 -13005.5 1.47E-16 -5.2039 9.37E-23 (0.00E+00) -4.79E-09*	- .6770 -14771.7 4.52E-16 .3229 1.98E-01 (-2.31E-10) -8.38E-10*	- .6060 -16501.6 1.06E-15 .8980 2.87E-01 -1.59E-09 -1.46E-09*	- .5496 -18194.4 1.16E-15 .9546 2.84E-01 -2.28E-09 -2.18E-09*	- .5038 -19849.5 9.23E-16 .9754 2.82E-01 -2.32E-09 -2.26E-09*	- .4658 -21466.3 4.87E-16 .9758 2.82E-01 -1.55E-09 -1.51E-09*	- .4340 -23043.9 1.33E-16 .9411 2.85E-01 -5.36E-10 -5.22E-10*	- .4068 -24581.7 2.68E-18 .4251 2.26E-01 (-8.23E-12) -1.67E-11*	- .3835 -26078.9 3.16E-17 1.2104 2.42E-01 (-1.33E-10) -1.52E-10*	- .3632 -27535.0 8.60E-17 1.1392 2.57E-01 -4.82E-10 -5.04E-10*
2	-1.0684 -9359.7 4.80E-11 1.9307 5.95E-02 (-5.65E-07) -4.05E-08*	- .8959 -11161.9 2.62E-12 1.1746 2.50E-01 -9.20E-07 -8.90E-07*	- .7735 -12928.2 1.69E-14 - .3734 3.82E-02 (-2.15E-10) -6.30E-08*	- .6822 -14658.0 1.21E-14 .6427 2.72E-01 (-1.14E-08) -1.79E-08*	- .6116 -16350.8 1.24E-14 .9225 2.86E-01 -1.79E-08 -1.67E-08*	- .5554 -18006.0 6.32E-15 .9056 2.87E-01 -1.23E-08 -1.20E-08*	- .5096 -19622.7 2.72E-15 .8734 2.88E-01 -6.90E-09 -7.00E-09*	- .4717 -21200.4 1.21E-15 .8827 2.88E-01 -3.86E-09 -3.83E-09*	- .4398 -22738.1 4.52E-16 .9032 2.87E-01 -1.77E-09 -1.67E-09*	- .4126 -24235.3 5.50E-17 .7732 2.86E-01 -2.59E-10 -2.45E-10*	- .3892 -25691.4 2.87E-17 1.4509 1.77E-01 (-6.16E-11) -1.15E-10*
3	-1.3252 -7546.2 1.25E-08 1.3634 2.02E-01 -8.89E-04 -8.53E-04*	-1.0697 -9348.4 1.14E-10 2.1111 3.36E-02 (-4.29E-07) -6.75E-07*	- .8997 -11114.7 1.44E-11 1.2696 2.27E-01 (-4.14E-06) -3.73E-06*	- .7785 -12844.5 2.28E-13 .2921 1.89E-01 (-7.01E-08) -4.47E-07*	- .6879 -14537.3 6.58E-14 .5781 2.62E-01 (-5.64E-08) -1.05E-07*	- .6176 -16192.5 5.11E-14 .8680 2.88E-01 -7.29E-08 -7.16E-08*	- .5615 -17809.2 2.62E-14 .8777 2.88E-01 -4.97E-08 -4.86E-08*	- .5158 -19386.9 1.24E-14 .8741 2.88E-01 -3.03E-08 -2.99E-08*	- .4779 -20924.6 5.30E-15 .8741 2.88E-01 -1.63E-08 -1.59E-08*	- .4460 -22421.8 1.47E-15 .8096 2.88E-01 -5.56E-09 -5.60E-09*	- .4188 -23877.9 1.01E-16 .2840 1.87E-01 (-1.94E-10) -6.39E-10*
4	-1.7353 -5762.7 1.35E 07 2.8971 1.01E-03 (-1.06E-07) -6.56E-03*	-1.3219 -7565.0 4.05E-08 1.4389 1.80E-01 -2.31E-03 -2.17E-03*	-1.0717 -9331.2 1.66E-10 2.4594 8.73E-03 (-4.15E-08) -1.31E-05*	- .9041 -11061.1 5.80E-11 1.3526 2.05E-01 (-1.33E-05) -1.14E-05*	- .7841 -12753.9 1.56E-12 .5781 2.61E-01 (-8.92E-07) -2.11E-06*	- .6940 -14409.0 2.61E-13 .8260 2.50E-01 (-1.98E-07) -4.53E-07*	- .6240 -16025.8 1.81E-13 .8229 2.88E-01 -2.50E-07 -2.61E-07*	- .5681 -17603.4 9.95E-14 .8671 2.88E-01 -1.82E-07 -1.78E-07*	- .5224 -19141.2 4.78E-14 .8740 2.88E-01 -1.12E-07 -1.10E-07*	- .4845 -20638.4 1.92E-14 .8468 2.88E-01 -5.68E-08 -5.62E-08*	- .4526 -22094.5 5.16E-15 .7513 2.84E-01 -1.82E-08 -1.97E-08*
5	-2.4942 -4009.3 2.34E-04 1.6808 1.13E-01 -7.87E-01 -7.30E-01*	-1.7207 -5811.5 4.77E-08 4.8365 1.39E-10 (-7.29E-22) -2.54E-02*	-1.3196 -7577.8 1.07E-07 1.5095 1.60E-01 -4.82E-03 -4.41E-03*	-1.0744 -9307.6 9.55E-11 3.6226 8.96E-06 (-2.51E-14) -8.79E-05*	- .9091 -11000.4 1.82E-10 1.4312 1.83E-01 (-3.27E-05) -2.63E-05*	- .7902 -12655.5 7.86E-12 .7737 2.86E-01 (-5.27E-06) -7.76E-06*	- .7007 -14272.3 9.36E-13 .5022 2.45E-01 (-6.60E-07) -1.66E-06*	- .6309 -15850.0 5.69E-13 .7809 2.86E-01 (-7.51E-07) -8.47E-07*	- .5751 -17387.7 3.35E-13 .8611 2.88E-01 -5.92E-07 -5.77E-07*	- .5295 -18884.9 1.59E-13 .8601 2.88E-01 -3.61E-07 -3.52E-07*	- .4916 -20341.0 5.96E-14 .8176 2.88E-01 -1.68E-07 -1.70E-07*
6	-4.3747 -2285.8 1.24E-02 1.5156 1.58E-01 -1.51E+01 -1.51E+01*	-2.4461 -4088.1 3.51E-04 1.7108 1.06E-01 (-1.09E+00) -9.82E-01*	-1.7081 -5854.4 2.37E-08 -4.7547 1.10E-19 (-2.34E-40) -7.62E-02*	-1.3185 -7584.2 2.36E-07 1.5800 1.40E-01 (-8.21E-03) -7.25E-03*	-1.0779 -9277.0 1.71E-11 -6.0921 1.60E-29 0.00E+00 -3.77E-04*	- .9147 -10932.1 4.58E-10 1.5117 1.59E-01 (-6.16E-05) -4.55E-05*	- .7969 -12548.9 3.21E-11 .9278 2.86E-01 (-2.09E-05) -2.36E-05*	- .7079 -14126.5 3.27E-12 .5385 2.53E-01 (-2.39E-06) -5.51E-06*	- .6384 -15664.3 1.60E-12 .7371 2.83E-01 (-1.99E-06) -2.47E-06*	- .5827 -17161.5 9.45E-13 .8428 2.88E-01 (-1.60E-06) -1.59E-06*	- .5371 -18617.6 4.47E-13 .8456 2.88E-01 -9.69E-07 -9.47E-07*
7	-16.8796 -592.4 1.36E-01 1.4265 1.84E-01 -3.88E+00 -3.90E+00*	-4.1759 -2394.7 1.74E-02 1.5296 1.54E-01 -2.31E+01 -2.32E+01*	-2.4033 -4160.9 4.73E-04 1.7467 9.73E-02 (-1.31E+00) -1.12E+00*	-1.6976 -5890.8 6.80E-07 .0566 1.23E-01 (-8.54E-03) -1.89E-01*	-1.3186 -7583.6 4.46E-07 1.6556 1.20E-01 (-1.13E-02) -9.35E-03*	-1.0824 -9238.7 1.29E-09 .3154 1.96E-01 (-1.59E-04) -1.20E-03*	- .9212 -10855.5 9.29E-10 1.6018 1.34E-01 (-8.68E-05) -5.47E-05*	- .8043 -12433.1 1.09E-10 1.0540 2.72E-01 (-6.27E-05) -6.00E-05*	- .7158 -13970.9 1.09E-11 .6153 2.67E-01 (-8.61E-06) -1.63E-05*	- .6465 -15668.1 4.10E-12 .6963 2.79E-01 (-4.78E-06) -6.56E-06*	- .5909 -16924.2 2.32E-12 .8128 2.87E-01 -3.76E-06 -3.89E-06*

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u-X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
8	.4317	.4765	.5306	.5975	.6821	.7926	.9427	1.1586	1.4949	2.0913	3.4379
	23163.4	20988.5	18846.2	16736.8	14660.3	12617.1	10607.3	8631.2	6689.2	4781.6	2908.7
	6.81E-05	1.45E-03	1.26E-02	5.39E-02	1.09E-01	6.99E-02	9.28E-04	1.01E-01	2.85E-02	9.83E-02	4.18E-02
	.9328	.9579	.9859	1.0165	1.0499	1.0889	1.0196	1.1519	1.2189	1.2330	1.3389
	2.85E-01	2.84E-01	2.81E-01	2.77E-01	2.73E-01	2.67E-01	2.77E-01	2.55E-01	2.40E-01	2.36E-01	2.09E-01
	1.40E+02	2.19E+03	1.35E+04	3.94E+04	5.17E+04	2.02E+04	(1.72E+02)	8.50E+03	9.93E+02	1.22E+03	9.06E+01
	1.42E+02*	2.22E+03*	1.36E+04	3.97E+04	5.18E+04	2.00E+04	2.01E+02*	8.52E+03	9.63E+02	1.23E+03	8.83E+01
9	.4033	.4420	.4883	.5444	.6137	.7017	.8169	.9742	1.2015	1.5588	2.2016
	24796.8	22621.9	20479.7	18370.2	16293.8	14250.5	12240.7	10264.6	8322.6	6415.0	4542.2
	1.90E-05	4.54E-04	4.63E-03	2.51E-02	7.33E-02	1.00E-01	3.19E-02	1.64E-02	1.01E-01	5.45E-03	1.18E-01
	.9172	.9394	.9649	.9932	1.0241	1.0582	1.1019	1.1013	1.1615	1.2623	1.2435
	2.86E-01	2.85E-01	2.83E-01	2.80E-01	2.76E-01	2.72E-01	2.64E-01	2.64E-01	2.53E-01	2.29E-01	2.34E-01
	4.81E+01	8.65E+02	6.44E+03	2.47E+04	4.91E+04	4.34E+04	8.29E+03	2.51E+03	7.55E+03	1.53E+02	1.23E+03
	4.89E+01*	8.78E+02*	6.52E+03*	2.49E+04	4.93E+04	4.33E+04	8.12E+03	2.59E+03	7.53E+03	1.42E+02*	1.23E+03
10	.3788	.4128	.4528	.5007	.5587	.6308	.7223	.8426	1.0074	1.2671	1.6272
	26400.3	24225.4	22083.1	19973.7	17897.2	15853.9	13844.1	11868.1	9926.1	8018.5	6145.6
	5.52E-06	1.43E-04	1.65E-03	1.06E-02	4.03E-02	8.48E-02	7.80E-02	7.56E-03	4.04E-02	8.49E-02	2.21E-04
	.9043	.9234	.9462	.9721	1.0006	1.0318	1.0671	1.1269	1.1178	1.1714	.8923
	2.87E-01	2.86E-01	2.84E-01	2.82E-01	2.79E-01	2.75E-01	2.70E-01	2.60E-01	2.61E-01	2.51E-01	2.87E-01
	1.69E+01	3.37E+02	2.91E+03	1.37E+04	3.65E+04	5.19E+04	3.06E+04	1.73E+03	5.47E+03	5.56E+03	(8.58E+00)
	1.72E+01*	3.43E+02*	2.95E+03*	1.38E+04	3.68E+04	5.21E+04	3.04E+04	1.64E+03*	5.56E+03	5.52E+03	1.36E+01*
11	.3575	.3876	.4227	.4641	.5136	.5738	.6486	.7440	.8696	1.0425	1.2955
	27973.7	25798.8	23656.6	21547.1	19470.7	17427.4	15417.6	13441.5	11499.5	9591.9	7719.1
	1.68E-06	4.62E-05	5.82E-04	4.28E-03	1.96E-02	5.51E-02	8.53E-02	5.02E-02	2.24E-06	6.15E-02	6.01E-02
	.8937	.9097	.9297	.9531	.9794	1.0082	1.0399	1.0774	-.8789	1.1290	1.1825
	2.87E-01	2.87E-01	2.86E-01	2.84E-01	2.82E-01	2.78E-01	2.74E-01	2.69E-01	5.09E-03	2.59E-01	2.48E-01
	6.15E+00	1.32E+02	1.27E+03	7.00E+03	2.33E+04	4.58E+04	4.77E+04	1.78E+04	(1.79E-04)	7.39E+03	3.44E+03
	6.24E+00*	1.34E+02*	1.29E+03*	7.09E+03*	2.35E+04	4.61E+04	4.76E+04	1.76E+04	7.07E+00*	7.46E+03	3.39E+03
12	.3388	.3657	.3968	.4331	.4759	.5271	.5896	.6673	.7667	.8980	1.0796
	29517.2	27342.3	25200.0	23090.6	21014.1	18970.9	16961.1	14985.0	13043.0	11135.4	9262.5
	5.36E-07	1.54E-05	2.07E-04	1.68E-03	8.91E-03	3.08E-02	6.61E-02	7.52E-02	2.48E-02	6.37E-03	7.31E-02
	.8851	.8984	.9155	.9363	.9602	.9868	1.0159	1.0484	1.0905	1.0713	1.1389
	2.88E-01	2.87E-01	2.86E-01	2.85E-01	2.83E-01	2.81E-01	2.77E-01	2.73E-01	2.66E-01	2.70E-01	2.57E-01
	2.31E+00	5.26E+01	5.51E+02	3.42E+03	1.34E+04	3.36E+04	5.03E+04	3.82E+04	7.91E+03	1.30E+03	7.79E+03
	2.34E+00*	5.33E+01*	5.59E+02*	3.46E+03*	1.36E+04*	3.39E+04	5.05E+04	3.81E+04	7.73E+03	1.37E+03*	7.81E+03
13	.3223	.3466	.3743	.4064	.4439	.4882	.5413	.6061	.6870	.7906	.9280
	31030.7	28855.8	26713.6	24604.1	22527.6	20484.4	18474.6	16498.5	14556.5	12648.9	10776.0
	1.79E-07	5.31E-06	7.52E-05	6.58E-04	3.88E-03	1.57E-02	4.23E-02	7.05E-02	5.78E-02	7.47E-03	2.06E-02
	.8780	.8890	.9034	.9215	.9430	.9674	.9943	1.0239	1.0576	1.1133	1.0959
	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.85E-01	2.83E-01	2.80E-01	2.76E-01	2.72E-01	2.62E-01	2.65E-01
	8.95E-01	2.14E+01	2.39E+02	1.63E+03	7.28E+03	2.18E+04	4.23E+04	4.90E+04	2.67E+04	2.11E+03	3.68E+03
	9.06E-01*	2.16E+01*	2.42E+02*	1.65E+03*	7.37E+03*	2.20E+04	4.26E+04	4.91E+04	2.65E+04	2.01E+03*	3.77E+03
14	.3076	.3296	.3546	.3833	.4165	.4552	.5010	.5561	.6234	.7076	.8157
	32514.3	30339.4	28197.1	26087.7	24011.2	21968.0	19958.1	17982.1	16040.1	14132.5	12259.6
	6.20E-08	1.90E-06	2.79E-05	2.59E-04	1.66E-03	7.52E-03	2.41E-02	5.19E-02	6.74E-02	3.79E-02	2.83E-04
	.8715	.8810	.8932	.9088	.9278	.9499	.9747	1.0020	1.0322	1.0681	1.2589
	2.88E-01	2.88E-01	2.87E-01	2.87E-01	2.86E-01	2.84E-01	2.82E-01	2.79E-01	2.75E-01	2.70E-01	2.30E-01
	3.58E-01	8.88E+00	1.05E+02	7.65E+02	3.79E+03	1.30E+04	3.08E+04	4.76E+04	4.28E+04	1.58E+04	(5.58E+01)
	3.62E-01*	9.00E+00*	1.06E+02*	7.76E+02*	3.84E+03*	1.32E+04*	3.11E+04	4.79E+04	4.27E+04	1.56E+04	4.37E+01*
15	.2944	.3145	.3373	.3631	.3927	.4270	.4670	.5145	.5716	.6416	.7292
	33967.9	31793.0	29650.8	27541.3	25464.9	23421.6	21411.8	19435.7	17493.7	15586.1	13713.3
	2.22E-08	7.00E-07	1.06E-05	1.03E-04	7.04E-04	3.50E-03	1.27E-02	3.31E-02	5.76E-02	5.79E-02	2.00E-02
	.8651	.8739	.8844	.8978	.9144	.9342	.9569	.9821	1.0098	1.0408	1.0811
	2.88E-01	2.88E-01	2.88E-01	2.87E-01	2.86E-01	2.85E-01	2.84E-01	2.81E-01	2.78E-01	2.74E-01	2.68E-01
	1.46E-01	3.78E+00	4.65E+01	3.60E+02	1.93E+03	7.41E+03	2.04E+04	3.89E+04	4.84E+04	3.34E+04	7.50E+03
	1.48E-01*	3.82E+00*	4.71E+01*	3.65E+02*	1.96E+03*	7.51E+03*	2.06E+04	3.92E+04	4.85E+04	3.32E+04	7.32E+03

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
8	9.3372	-13.6752	-4.0040	-2.3655	-1.6891	-1.3201	-1.0879	-.9285	-.8125	-.7244	-.6553
	1071.0	-731.3	-2497.5	-4227.4	-5920.1	-7575.3	-9192.0	-10769.7	-12307.5	-13804.6	-15260.8
	2.94E-01	1.65E-01	2.30E-02	5.75E-04	3.45E-06	7.21E-07	8.78E-09	1.48E-09	3.10E-10	3.43E-11	9.95E-12
	1.3683	1.4374	1.5446	1.7912	.7608	1.7437	.9535	1.7167	1.1627	.7175	.6642
	2.00E-01	1.81E-01	1.50E-01	8.71E-02	2.85E-01	9.80E-02	2.84E-01	1.04E-01	2.52E-01	2.81E-01	2.75E-01
	2.94E+01	-8.56E+00	-3.28E+01	(-1.34E+00)	(-2.35E-01)	(-1.22E-02)	(-2.23E-03)	(-8.15E-05)	(-1.49E-04)	(-2.89E-05)	(-1.08E-05)
2.94E+01	-8.60E+00	-3.27E+01	-1.05E+00*	-4.04E-01*	-8.57E-03*	-3.08E-03*	-3.34E-05*	-1.28E-04*	-4.33E-05*	-1.63E-05*	
9	3.6977	11.0844	-11.5727	-3.8552	-2.3328	-1.6830	-1.3230	-1.0945	-.9369	-.8216	-.7338
	2704.4	902.2	-864.1	-2593.9	-4286.7	-5941.9	-7558.6	-9136.3	-10674.0	-12171.2	-13627.3
	1.50E-02	2.85E-01	1.94E-01	2.88E-02	6.28E-04	1.08E-05	9.78E-07	3.39E-08	1.68E-09	7.50E-10	1.02E-10
	1.3833	1.3799	1.4489	1.5608	1.8491	1.0550	1.8577	1.2199	1.8971	1.2600	.8320
	1.96E-01	1.97E-01	1.77E-01	1.46E-01	7.48E-02	2.72E-01	7.31E-02	2.39E-01	6.55E-02	2.30E-01	2.88E-01
	2.31E+01	1.65E+01	-1.59E+01	-4.32E+01	(-1.12E+00)	(-6.82E-01)	(-9.15E-03)	-6.00E-03	(-3.55E-05)	(-2.89E-05)	(-8.64E-05)
2.21E+01	1.65E+01	-1.60E+01	-4.31E+01	-7.33E-01*	-7.59E-01*	-3.89E-03*	-6.44E-03*	-6.58E-08*	-2.27E-04*	-1.04E-04*	
10	2.3213	3.9911	13.5258	-10.0960	-3.7268	-2.3050	-1.6792	-1.3275	-1.1025	-.9463	-.8317
	4307.8	2505.6	739.3	-990.5	-2683.3	-4338.4	-5955.2	-7532.8	-9070.6	-10567.8	-12023.9
	1.24E-01	2.27E-03	2.70E-01	2.20E-01	3.44E-02	6.06E-04	2.63E-05	1.06E-06	9.59E-08	1.01E-09	1.53E-09
	1.2535	1.5362	1.3923	1.4609	1.5785	1.9293	1.2249	2.0287	1.3849	2.3294	1.3510
	2.31E-01	1.53E-01	1.94E-01	1.74E-01	1.41E-01	5.98E-02	2.38E-01	4.41E-02	1.96E-01	1.50E-02	2.05E-01
	1.07E+03	(1.68E+00)	8.29E+00	-2.63E+01	-5.33E+01	(-7.16E-01)	-1.28E+00	(-3.59E-03)	-1.11E-02	(-1.08E-06)	(-4.54E-04)
1.07E+03	1.47E+00*	8.27E+00	-2.64E+01	-5.30E+01	-2.82E-01*	-1.27E+00*	-2.75E-05*	-1.10E-02*	-1.15E-04*	-3.24E-04*	
11	1.7003	2.4515	4.3238	17.1539	-9.0103	-3.6167	-2.2822	-1.6780	-1.3338	-1.1118	-.9569
	5881.3	4079.1	2312.8	583.0	-1109.8	-2765.0	-4381.7	-5959.4	-7497.2	-8994.3	-10450.5
	8.46E-03	1.17E-01	3.29E-04	2.52E-01	2.45E-01	3.93E-02	4.99E-04	5.37E-05	8.16E-07	2.16E-07	8.16E-12
	1.1637	1.2636	.6776	1.4058	1.4736	1.5980	2.0524	1.3423	2.3559	1.5144	14.1990
	2.52E-01	2.29E-01	2.77E-01	1.90E-01	1.70E-01	1.35E-01	4.09E-02	2.08E-01	1.35E-02	1.59E-01	0.00E+00
	2.22E+02	8.42E+02	(6.32E-01)	3.65E+00	-3.94E+01	-6.17E+01	(-2.85E-01)	-1.98E+00	(-2.53E-04)	-1.60E-02	(0.00E+00)
2.35E+02*	8.39E+02	1.45E+00*	3.64E+00	-3.96E+01	-6.12E+01	-9.33E-04*	-1.89E+00*	-1.46E-02*	-1.51E-02*	-7.83E-04*	
12	1.3468	1.7786	2.5932	4.7027	23.0606	-8.1867	-3.5233	-2.2645	-1.6796	-1.3421	-1.1227
	7424.8	5622.5	3856.3	2126.4	433.6	-1221.5	-2838.3	-4415.9	-5933.7	-7450.9	-8907.0
	3.51E-02	2.40E-02	1.03E-01	5.44E-03	2.34E-01	2.68E-01	4.32E-02	3.22E-04	9.50E-05	2.73E-07	3.96E-07
	1.1960	1.1923	1.2739	1.1564	1.4203	1.4870	1.6196	2.2759	1.4344	3.4458	1.6373
	2.45E-01	2.46E-01	2.26E-01	2.54E-01	1.86E-01	1.67E-01	1.29E-01	1.85E-02	1.82E-01	3.23E-05	1.25E-01
	1.75E+03	5.22E+02	6.09E+02	6.83E+00	1.33E+00	-5.48E+01	-6.70E+01	(-3.85E-02)	-2.68E+00	(-4.77E-10)	(-1.76E-02)
1.70E+03	5.38E+02	6.04E+02	7.49E+00*	1.33E+00	-5.51E+01	-6.61E+01	-4.21E-01*	-2.50E+00*	-8.45E-02*	-1.52E-02*	
13	1.1188	1.4013	1.8623	2.7473	5.1357	34.2438	-7.5486	-3.4454	-2.2522	-1.6843	-1.3525
	8938.3	7136.1	5369.8	3640.0	1947.2	292.0	-1324.7	-2902.4	-4440.2	-5937.3	-7393.5
	7.35E-02	1.55E-02	4.11E-02	8.43E-02	1.42E-02	2.18E-01	2.88E-01	4.54E-02	1.26E-04	1.49E-04	3.68E-08
	1.1485	1.2159	1.2075	1.2849	1.2207	1.4361	1.5011	1.6441	2.8493	1.5149	-4.9646
	2.55E-01	2.40E-01	2.42E-01	2.23E-01	2.39E-01	1.81E-01	1.62E-01	1.23E-01	1.31E-03	1.59E-01	4.33E-21
	6.93E+03	6.61E+02	7.58E+02	4.10E+02	1.21E+01	3.62E-01	-7.17E+01	-6.80E+01	(-7.60E-05)	-3.17E+00	(-1.13E-42)
6.92E+03	6.34E+02	7.72E+02	4.05E+02	1.27E+01	3.61E-01	-7.20E+01	-6.66E+01	-2.24E+00*	-2.90E+00*	-2.64E-01*	
14	.9595	1.1601	1.4591	1.9518	2.9148	5.6319	62.9628	-7.0481	-3.3823	-2.2453	-1.6921
	10421.9	8619.6	6853.3	5123.5	3430.7	1775.6	158.8	-1418.8	-2956.6	-4453.8	-5909.9
	3.63E-02	6.48E-02	3.91E-03	5.59E-02	6.55E-02	2.38E-02	2.06E-01	3.07E-01	4.57E-02	4.33E-06	2.06E-04
	1.1093	1.1583	1.2597	1.2189	1.2966	1.2475	1.4529	1.5160	1.6723	9.0788	1.5924
	2.63E-01	2.53E-01	2.30E-01	2.40E-01	2.20E-01	2.33E-01	1.76E-01	1.58E-01	1.16E-01	5.75E-41	1.37E-01
	5.75E+03	5.40E+03	1.34E+02	8.74E+02	2.60E+02	1.46E+01	5.19E-02	-8.89E+01	-6.40E+01	(0.00E+00)	(-3.23E+00)
5.84E+03	5.36E+03	1.23E+02*	8.85E+02	2.55E+02	1.51E+01	5.18E-02	-8.94E+01	-6.19E+01	-6.14E+00*	-2.85E+00*	
15	.8421	.9927	1.2038	1.5204	2.0473	3.0967	6.2017	287.2655	-6.6535	-3.3332	-2.2440
	11875.5	10073.3	8307.0	6577.2	4884.4	3229.2	1612.5	34.8	-1503.0	-3000.1	-4456.3
	2.17E-03	4.86E-02	5.09E-02	2.28E-05	6.62E-02	4.86E-02	3.26E-02	1.98E-01	3.24E-01	4.38E-02	8.73E-05
	1.0341	1.1200	1.1688	2.1459	1.2288	1.3095	1.2619	1.4708	1.5317	1.7056	-.1720
	2.75E-01	2.61E-01	2.51E-01	2.98E-02	2.37E-01	2.17E-01	2.29E-01	1.71E-01	1.54E-01	1.07E-01	7.03E-02
	5.59E+02	6.85E+03	3.73E+03	(1.17E-02)	8.79E+02	1.56E+02	1.45E+01	4.95E-04	-1.05E+02	-5.50E+01	(-1.55E-01)
6.13E+02*	6.91E+03	3.68E+03	1.71E-01*	8.86E+02	1.52E+02	1.49E+01	4.94E-04	-1.06E+02	-5.22E+01	-1.25E+01*	

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.2826 35391.7 8.12E-09 .8578 2.88E-01 6.05E-02 6.11E-02*	.3011 33216.8 2.65E-07 .8669 2.88E-01 1.63E+00 1.65E+00*	.3218 31074.5 4.16E-06 .8766 2.88E-01 2.09E+01 2.12E+01*	.3452 28965.1 4.18E-05 .8883 2.87E-01 1.70E+02 1.73E+02*	.3719 26888.6 3.00E-04 .9028 2.87E-01 9.73E+02 9.87E+02*	.4025 24845.3 1.60E-03 .9204 2.86E-01 4.07E+03 4.13E+03*	.4379 22835.5 6.43E-03 .9409 2.85E-01 1.26E+04 1.27E+04*	.4794 20859.5 1.92E-02 .9641 2.83E-01 2.83E+04 2.86E+04	.5286 18917.5 4.12E-02 .9897 2.81E-01 4.44E+04 4.47E+04	.5879 17009.9 5.83E-02 1.0179 2.77E-01 4.47E+04 4.47E+04	.6606 15137.0 4.44E-02 1.0501 2.73E-01 2.32E+04 2.30E+04
17	.2718 36785.6 2.99E-09 .8490 2.88E-01 2.50E-02 2.53E-02*	.2889 34610.6 1.02E-07 .8595 2.88E-01 7.09E-01 7.17E-01*	.3080 32468.4 1.66E-06 .8691 2.88E-01 9.51E+01 9.63E+00*	.3294 30358.9 1.72E-05 .8797 2.88E-01 8.09E+01 8.20E+01*	.3536 28282.5 1.29E-04 .8925 2.87E-01 4.88E+02 4.95E+02*	.3811 26239.2 7.28E-04 .9081 2.87E-01 2.19E+03 2.22E+03*	.4127 24229.4 3.16E-03 .9266 2.86E-01 7.44E+03 7.54E+03*	.4494 22253.3 1.05E-02 .9478 2.84E-01 1.90E+04 1.92E+04	.4923 20311.4 2.63E-02 .9714 2.82E-01 3.56E+04 3.59E+04	.5434 18403.7 4.70E-02 .9974 2.80E-01 4.64E+04 4.66E+04	.6049 16530.9 5.40E-02 1.0262 2.76E-01 3.77E+04 3.76E+04
18	.2621 38149.6 1.09E-09 .8375 2.88E-01 1.02E-02 1.03E-02*	.2780 35974.7 3.93E-08 .8506 2.88E-01 3.07E-01 3.11E-01*	.2956 33832.5 6.67E-07 .8612 2.88E-01 4.34E+00 4.39E+00*	.3152 31723.0 7.21E-06 .8716 2.88E-01 3.86E+01 3.91E+01*	.3373 29646.5 5.60E-05 .8833 2.88E-01 2.44E+02 2.48E+02*	.3623 27603.3 3.31E-04 .8971 2.87E-01 1.16E+03 1.18E+03*	.3907 25593.5 1.53E-03 .9137 2.86E-01 4.27E+03 4.33E+03*	.4234 23617.4 5.56E-03 .9330 2.85E-01 1.21E+04 1.22E+04*	.4614 21675.4 1.56E-02 .9548 2.84E-01 2.60E+04 2.63E+04	.5059 19767.8 3.31E-02 .9788 2.82E-01 4.11E+04 4.14E+04	.5588 17895.0 4.95E-02 1.0053 2.79E-01 4.47E+04 4.48E+04
19	.2533 39484.0 3.85E-10 .8211 2.88E-01 3.97E-03 4.06E-03*	.2680 37309.0 1.50E-08 .8391 2.88E-01 1.31E-01 1.33E-01*	.2844 35166.8 2.69E-07 .8521 2.88E-01 1.96E+00 1.99E+00*	.3025 33057.3 3.03E-06 .8633 2.88E-01 1.84E+01 1.86E+01*	.3228 30980.9 2.45E-05 .8745 2.88E-01 1.22E+02 1.24E+02*	.3456 28937.6 1.51E-04 .8872 2.87E-01 6.14E+02 6.22E+02*	.3714 26927.8 7.37E-04 .9021 2.87E-01 2.40E+03 2.44E+03*	.4008 24951.8 2.87E-03 .9196 2.86E-01 7.39E+03 7.49E+03*	.4346 23009.8 8.86E-03 .9396 2.85E-01 1.77E+04 1.80E+04*	.4739 21102.2 2.13E-02 .9619 2.83E-01 3.26E+04 3.28E+04	.5200 19229.3 3.85E-02 .9864 2.81E-01 4.38E+04 4.40E+04
20	.2452 40788.6 1.26E-10 .7957 2.87E-01 1.43E-03 1.47E-03*	.2590 38613.7 5.51E-09 .8231 2.88E-01 5.32E-02 5.43E-02*	.2742 36471.5 1.07E-07 .8407 2.88E-01 8.69E-01 8.83E-01*	.2910 34362.0 1.27E-06 .8539 2.88E-01 8.67E+00 8.79E+00*	.3097 32285.6 1.07E-05 .8657 2.88E-01 6.07E+01 6.15E+01*	.3307 30242.3 6.92E-05 .8778 2.88E-01 3.21E+02 3.25E+02*	.3542 28232.5 3.53E-04 .8915 2.87E-01 1.33E+03 1.35E+03*	.3809 26256.4 1.45E-03 .9074 2.87E-01 4.39E+03 4.45E+03*	.4113 24314.4 4.85E-03 .9258 2.86E-01 1.15E+04 1.17E+04*	.4463 22406.8 1.29E-02 .9464 2.84E-01 2.38E+04 2.41E+04	.4870 20534.0 2.69E-02 .9692 2.83E-01 3.77E+04 3.80E+04
21	.2377 42063.8 3.55E-11 .7501 2.84E-01 4.32E-04 4.61E-04*	.2507 39888.8 1.88E-09 .7983 2.87E-01 1.99E-02 2.06E-02*	.2649 37746.6 4.08E-08 .8249 2.88E-01 3.68E-01 3.76E-01*	.2806 35637.2 5.25E-07 .8424 2.88E-01 3.99E+00 4.05E+00*	.2980 33560.7 4.68E-06 .8559 2.88E-01 2.97E+01 3.02E+01*	.3173 31517.4 3.16E-05 .8684 2.88E-01 1.66E+02 1.68E+02*	.3389 29507.6 1.69E-04 .8815 2.88E-01 7.26E+02 7.36E+02*	.3632 27531.6 7.31E-04 .8962 2.87E-01 2.55E+03 2.59E+03*	.3908 25589.6 2.59E-03 .9131 2.86E-01 7.23E+03 7.33E+03*	.4223 23682.0 7.52E-03 .9321 2.85E-01 1.65E+04 1.67E+04*	.4585 21809.1 1.75E-02 .9533 2.84E-01 2.96E+04 2.99E+04

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 14. Radiative transition parameters for $N_2^+ A^2\Pi_u - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
16	.7519	.8698	1.0277	1.2499	1.5853	2.1492	3.2936	6.8561	-126.2308	-6.3436	-3.2976
	13299.2	11497.0	9730.7	8000.9	6308.1	4653.0	3036.2	1458.6	-79.2	-1576.4	-3032.5
	7.22E-03	1.01E-02	5.50E-02	3.56E-02	2.13E-03	7.16E-02	3.47E-02	3.92E-02	1.95E-01	3.38E-01	3.94E-02
	1.1016	1.0753	1.1298	1.1806	1.1035	1.2379	1.3238	1.2695	1.4896	1.5483	1.7465
	2.64E-01	2.69E-01	2.59E-01	2.48E-01	2.64E-01	2.35E-01	2.13E-01	2.27E-01	1.66E-01	1.49E-01	9.73E-02
	2.40E+03	2.25E+03	6.89E+03	2.28E+03 (7.56E+01)	8.07E+02	8.91E+01	1.27E+01	-1.08E-02	-1.19E+02	-4.22E+01	-4.22E+01
	2.30E+03*	2.34E+03	6.91E+03	2.24E+03	8.53E+01*	8.10E+02	8.66E+01	1.30E+01	-1.08E-02	-1.20E+02	-3.87E+01
17	.6806	.7757	.8989	1.0644	1.2984	1.6538	2.2573	3.5058	7.6065	-54.7909	-6.1027
	14693.1	12890.9	11124.6	9394.8	7702.0	6046.9	4430.1	2852.4	1314.7	-182.5	-1638.6
	2.97E-02	8.71E-04	2.05E-02	5.53E-02	2.19E-02	7.93E+03	7.27E-02	2.40E-02	4.33E-02	1.97E-01	3.50E-01
	1.0605	1.1686	1.0921	1.1394	1.1950	1.1582	1.2465	1.3396	1.2719	1.5089	1.5659
	2.71E-01	2.51E-01	2.66E-01	2.57E-01	2.45E-01	2.53E-01	2.33E-01	2.08E-01	2.26E-01	1.60E-01	1.44E-01
	1.41E+04 (2.38E+02)	4.05E+03	6.14E+03	1.22E+03	2.28E+02	6.95E+02	4.90E+01	1.02E+01	-1.25E-01	-1.30E+02	-1.30E+02
	1.38E+04	2.08E+02*	4.15E+03	6.13E+03	1.18E+03	2.41E+02*	6.95E+02	4.72E+01	1.04E+01	-1.25E-01	-1.31E+02
18	.6228	.7015	.8007	.9295	1.1030	1.3494	1.7259	2.3716	3.7331	8.4634	-36.4224
	16057.2	14255.0	12488.7	10758.9	9066.1	7410.9	5794.2	4216.5	2678.7	1181.6	-274.6
	4.57E-02	1.67E-02	4.72E-04	3.03E-02	5.06E-02	1.13E-02	1.53E-02	7.07E-02	1.63E-02	4.46E-02	2.06E-01
	1.0349	1.0730	.9632	1.1041	1.1491	1.2146	1.1796	1.2547	1.3571	1.2688	1.5283
	2.75E-01	2.69E-01	2.83E-01	2.64E-01	2.55E-01	2.41E-01	2.49E-01	2.31E-01	2.04E-01	2.27E-01	1.55E-01
	2.90E+04	7.11E+03 (1.49E+02)	5.33E+03	4.98E+03	5.41E+02	3.72E+02	5.72E+02	2.62E+01	7.70E+00	-4.14E-01	-4.14E-01
	2.88E+04	6.94E+03	1.83E+02*	5.41E+03	4.95E+03	5.17E+02	3.86E+02	5.71E+02	2.50E+01	7.81E+00	-4.17E-01
19	.5750	.6415	.7234	.8269	.9615	1.1435	1.4028	1.8015	2.4919	3.9747	9.4359
	17391.5	15589.3	13823.0	12093.2	10400.4	8745.3	7128.5	5550.8	4013.1	2515.9	1059.8
	4.84E-02	3.52E-02	7.10E-03	4.42E-03	3.75E-02	4.29E-02	4.46E-03	2.25E-02	6.66E-02	1.09E-02	4.34E-02
	1.0133	1.0441	1.0906	1.0541	1.1145	1.1591	1.2476	1.1932	1.2625	1.3757	1.2595
	2.78E-01	2.74E-01	2.66E-01	2.72E-01	2.62E-01	2.53E-01	2.33E-01	2.46E-01	2.29E-01	1.98E-01	2.30E-01
	3.98E+04	2.02E+04	2.70E+03	1.17E+03	5.87E+03	3.73E+03	1.77E+02	4.70E+02	4.57E+02	1.39E+01	5.52E+00
	3.98E+04	2.00E+04	2.58E+03*	1.25E+03*	5.92E+03	3.69E+03	1.65E+02*	4.83E+02	4.55E+02	1.31E+01	5.60E+00
20	.5349	.5919	.6610	.7464	.8543	.9950	1.1858	1.4587	1.8805	2.6174	4.2293
	18696.2	16894.0	15127.7	13397.9	11705.1	10049.9	8433.2	6855.5	5317.8	3820.6	2364.5
	4.18E-02	4.39E-02	2.43E-02	1.62E-03	1.07E-02	4.12E-02	3.40E-02	9.43E-04	2.87E-02	6.16E-02	7.49E-03
	.9941	1.0216	1.0541	1.1290	1.0767	1.1243	1.1698	1.3366	1.2036	1.2698	1.3946
	2.80E-01	2.77E-01	2.72E-01	2.59E-01	2.69E-01	2.60E-01	2.51E-01	2.09E-01	2.43E-01	2.27E-01	1.93E-01
	4.34E+04	3.29E+04	1.26E+04 (5.29E+02)	2.51E+03	5.74E+03	2.60E+03 (2.69E+01)	5.17E+02	3.58E+02	7.47E+00	7.47E+00	7.47E+00
	4.35E+04	3.27E+04	1.24E+04	4.81E+02*	2.59E+03	5.77E+03	2.56E+03	2.30E+01*	5.27E+02	3.56E+02	6.92E+00*
21	.5007	.5504	.6097	.6815	.7704	.8830	1.0300	1.2299	1.5168	1.9624	2.7476
	19971.3	18169.1	16402.8	14673.0	12980.2	11325.1	9708.3	8130.6	6592.9	5095.7	3639.6
	3.17E-02	4.24E-02	3.71E-02	1.47E-02	6.08E-07	1.74E-02	4.17E-02	2.53E-02	7.32E-07	3.34E-02	5.62E-02
	.9765	1.0019	1.0301	1.0655	-1.9170	1.0906	1.1337	1.1814	-4.2799	1.2124	1.2764
	2.82E-01	2.79E-01	2.76E-01	2.70E-01	9.34E-06	2.66E-01	2.58E-01	2.48E-01	1.07E-16	2.41E-01	2.25E-01
	4.07E+04	4.02E+04	2.52E+04	6.89E+03 (2.35E-10)	3.64E+03	5.16E+03	1.70E+03 (4.89E-33)	5.20E+02	2.79E+02	2.79E+02	2.79E+02
	4.09E+04	4.02E+04	2.50E+04	6.71E+03	5.72E+00*	3.72E+03	5.17E+03	1.67E+03	2.06E+00*	5.28E+02	2.76E+02

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 15. Radiative transition parameters for $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.3912	.4275	.4706	.5225	.5861	.6659	.7687	.9064	1.1000	1.3922	1.8832
	25564.7	23389.8	21247.6	19138.1	17061.7	15018.4	13008.6	11032.5	9090.5	7182.9	5310.1
	6.63E-01	2.53E-01	6.58E-02	1.45E-02	2.98E-03	6.04E-04	1.26E-04	2.78E-05	6.71E-06	1.82E-06	5.67E-07
	1.0995	1.0508	1.0113	.9762	.9450	.9179	.8953	.8778	.8659	.8598	.8593
	7.13E-01	7.52E-01	7.81E-01	8.07E-01	8.28E-01	8.46E-01	8.61E-01	8.71E-01	8.79E-01	8.82E-01	8.83E-01
	1.14E+07	3.71E+06	7.81E+05	1.34E+05	2.06E+04	2.97E+03	4.15E+02	5.74E+01	7.89E+00	1.06E+00	1.34E-01
	1.14E+07	3.71E+06	7.84E+05	1.35E+05	2.07E+04*	2.99E+03*	4.18E+02*	5.77E+01*	7.93E+00*	1.07E+00*	1.34E-01*
1	.3580	.3882	.4234	.4649	.5146	.5750	.6502	.7460	.8724	1.0466	1.3018
	27936.3	25761.3	23619.1	21509.6	19433.2	17389.9	15380.1	13404.0	11462.0	9554.4	7681.6
	2.92E-01	2.37E-01	2.87E-01	1.29E-01	4.07E-02	1.10E-02	2.76E-03	6.91E-04	1.79E-04	4.99E-05	1.54E-05
	1.1527	1.1115	1.0567	1.0169	.9818	.9508	.9238	.9012	.8836	.8716	.8653
	6.68E-01	7.03E-01	7.47E-01	7.77E-01	8.03E-01	8.24E-01	8.42E-01	8.57E-01	8.68E-01	8.75E-01	8.79E-01
	5.75E+06	4.06E+06	4.27E+06	1.57E+06	3.90E+05	7.94E+04	1.45E+04	2.48E+03	4.12E+02	6.76E+01	1.09E+01
	5.76E+06	4.03E+06	4.28E+06	1.57E+06	3.92E+05	7.99E+04	1.46E+04*	2.49E+03*	4.14E+02*	6.79E+01*	1.10E+01*
2	.3305	.3561	.3855	.4197	.4597	.5074	.5650	.6360	.7257	.8423	1.0000
	30254.5	28079.5	25937.3	23827.9	21751.4	19708.1	17698.3	15722.3	13780.3	11872.6	9999.8
	4.31E-02	4.02E-01	5.72E-02	2.30E-01	1.63E-01	6.97E-02	2.37E-02	7.23E-03	2.13E-03	6.39E-04	2.03E-04
	1.2191	1.1609	1.1357	1.0628	1.0224	.9873	.9565	.9297	.9072	.8897	.8776
	6.08E-01	6.61E-01	6.83E-01	7.42E-01	7.73E-01	7.99E-01	8.20E-01	8.38E-01	8.53E-01	8.64E-01	8.72E-01
	8.94E+05	7.88E+06	9.43E+05	3.48E+06	2.04E+06	6.90E+05	1.79E+05	4.00E+04	8.22E+03	1.62E+03	3.12E+02
	9.02E+05	7.88E+06	9.27E+05	3.47E+06	2.04E+06	6.93E+05	1.80E+05	4.02E+04*	8.27E+03*	1.63E+03*	3.14E+02*
3	.3076	.3296	.3546	.3833	.4165	.4552	.5011	.5561	.6234	.7076	.8157
	32514.1	30339.2	28197.0	26087.5	24011.0	21967.8	19958.0	17981.9	16039.9	14132.3	12259.4
	2.14E-03	1.01E-01	4.19E-01	3.52E-03	1.53E-01	1.67E-01	9.32E-02	3.89E-02	1.41E-02	4.84E-03	1.66E-03
	1.3210	1.2284	1.1702	1.2654	1.0689	1.0279	.9925	.9620	.9355	.9132	.8958
	5.09E-01	6.00E-01	6.53E-01	5.64E-01	7.37E-01	7.69E-01	7.95E-01	8.17E-01	8.35E-01	8.49E-01	8.60E-01
	3.86E+04	2.06E+06	8.10E+06	4.03E+04	2.33E+06	2.13E+06	9.49E+05	3.06E+05	8.22E+04	1.99E+04	4.58E+03
	3.98E+04*	2.08E+06	8.09E+06	3.77E+04*	2.32E+06	2.13E+06	9.52E+05	3.07E+05	8.26E+04	2.01E+04*	4.61E+03*
4	.2881	.3074	.3290	.3536	.3816	.4139	.4514	.4956	.5484	.6125	.6919
	34708.5	32533.6	30391.3	28281.9	26205.4	24162.2	22152.4	20176.3	18234.3	16326.7	14453.8
	7.48E-06	6.26E-03	1.60E-01	3.95E-01	4.21E-03	8.62E-02	1.50E-01	1.07E-01	5.36E-02	2.28E-02	8.97E-03
	1.8293	1.3401	1.2386	1.1808	.9370	1.0751	1.0335	.9975	.9673	.9411	.9192
	-1.32E-01	4.89E-01	5.90E-01	6.43E-01	8.34E-01	7.33E-01	7.65E-01	7.91E-01	8.13E-01	8.31E-01	8.45E-01
	(1.10E+01)	1.04E+05	3.17E+06	7.50E+06	1.07E+05	1.32E+06	1.93E+06	1.11E+06	4.35E+05	1.39E+05	3.92E+04
	2.21E-01*	1.08E+05*	3.19E+06	7.46E+06	1.19E+05*	1.31E+06	1.93E+06	1.11E+06	4.37E+05	1.39E+05	3.94E+04*
5	.2715	.2886	.3076	.3289	.3530	.3805	.4120	.4485	.4913	.5421	.6033
	36829.5	34654.6	32512.4	30402.9	28326.4	26283.2	24273.4	22297.3	20355.3	18447.7	16574.8
	2.34E-06	3.94E-06	1.10E-02	2.13E-01	3.63E-01	2.07E-02	3.99E-02	1.21E-01	1.08E-01	6.50E-02	3.20E-02
	1.1665	2.8861	1.3640	1.2496	1.1932	1.0168	1.0807	1.0394	1.0021	.9724	.9465
	6.56E-01	-2.23E+00	4.64E-01	5.80E-01	6.32E-01	7.77E-01	7.28E-01	7.60E-01	7.88E-01	8.09E-01	8.27E-01
	1.02E+02	(1.65E+03)	1.64E+05	4.07E+06	6.68E+06	4.59E+05	6.12E+05	1.57E+06	1.15E+06	5.42E+05	2.02E+05
	1.10E+02*	3.49E+02*	1.72E+05	4.09E+06	6.63E+06	4.83E+05	6.07E+05	1.56E+06	1.15E+06	5.43E+05	2.03E+05
6	.2573	.2725	.2894	.3082	.3293	.3531	.3801	.4109	.4466	.4881	.5373
	38867.8	36692.9	34550.6	32441.2	30364.7	28321.5	26311.7	24335.6	22393.6	20486.0	18613.1
	8.84E-08	1.79E-05	1.34E-05	1.43E-02	2.56E-01	3.39E-01	3.44E-02	1.32E-02	8.91E-02	1.00E-01	7.11E-02
	1.5229	1.2327	-.0984	1.3958	1.2617	1.2077	1.0192	1.0817	1.0467	1.0062	.9774
	2.83E-01	5.96E-01	1.03E+00	4.30E-01	5.68E-01	6.19E-01	7.76E-01	7.27E-01	7.55E-01	7.85E-01	8.06E-01
	(8.43E-01)	6.35E+02	(1.18E+03)	1.82E+05	4.69E+06	5.97E+06	7.64E+05	2.03E+05	1.15E+06	1.08E+06	6.03E+05
	1.13E+00*	6.74E+02*	4.15E+03*	1.94E+05	4.72E+06	5.90E+06	8.01E+05	2.01E+05	1.15E+06	1.08E+06	6.05E+05
7	.2450	.2588	.2740	.2908	.3095	.3304	.3539	.3805	.4109	.4458	.4864
	40812.9	38637.9	36495.7	34386.3	32309.8	30266.5	28256.7	26280.7	24338.7	22431.1	20558.2
	5.82E-09	2.53E-07	6.98E-05	2.64E-04	1.44E-02	2.90E-01	3.30E-01	3.84E-02	1.56E-03	6.09E-02	8.50E-02
	1.0638	1.7456	1.2920	.8674	1.4437	1.2751	1.2243	.9936	1.0398	1.0575	1.0091
	7.41E-01	-9.81E-03	5.38E-01	8.78E-01	3.76E-01	5.55E-01	6.04E-01	7.94E-01	7.60E-01	7.46E-01	7.83E-01
	(4.41E-01)	(2.84E-03)	1.99E+03	(1.68E+04)	1.39E+05	5.02E+06	5.50E+06	8.90E+05	2.63E+04	7.76E+05	9.18E+05
	4.98E-01*	3.18E-01*	2.11E+03*	2.04E+04*	1.54E+05	5.04E+06	5.42E+06	9.44E+05	2.64E+04*	7.68E+05	9.19E+05

Table 15. Radiative transition parameters for $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. -Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	2.8799 3472.3 2.05E-07 .8633 8.80E-01 1.35E-02 1.35E-02*	5.9878 1670.1 8.58E-08 .8702 8.76E-01 6.21E-04 6.21E-04*	-103.9263 -96.2 4.12E-08 .8779 8.71E-01 -5.65E-08 -5.64E-08*	-5.4763 -1826.0 2.22E-08 .8851 8.67E-01 -2.06E-04 -2.06E-04*	-2.8418 -3518.8 1.31E-08 .8909 8.63E-01 -8.63E-04 -8.62E-04*	-1.9327 -5174.0 8.31E-09 .8951 8.61E-01 -1.73E-03 -1.73E-03*	-1.4726 -6790.8 5.55E-09 .8978 8.59E-01 -2.60E-03 -2.60E-03*	-1.1950 -8368.4 3.86E-09 .8994 8.58E-01 -3.37E-03 -3.37E-03*	-1.0095 -9906.2 2.77E-09 .9001 8.58E-01 -4.01E-03 -4.01E-03*	-.8769 -11403.4 2.04E-09 .9003 8.57E-01 -4.51E-03 -4.51E-03*	-.7776 -12859.5 1.54E-09 .9001 8.58E-01 -4.87E-03 -4.87E-03*
1	1.7112 5843.8 5.36E-06 .8643 8.80E-01 1.68E+00 1.68E+00*	2.4743 4041.6 2.14E-06 .8675 8.78E-01 2.20E-01 2.21E-01*	4.3950 2275.3 9.74E-07 .8732 8.74E-01 1.78E-02 1.78E-02*	18.3328 545.5 5.00E-07 .8797 8.70E-01 1.25E-04 1.24E-04*	-8.7159 -1147.3 2.85E-07 .8859 8.67E-01 -6.54E-04 -6.53E-04*	-3.5683 -2802.5 1.76E-07 .8908 8.63E-01 -5.84E-03 -5.83E-03*	-2.2628 -4419.2 1.15E-07 .8945 8.61E-01 -1.50E-02 -1.49E-02*	-1.6675 -5996.9 7.96E-08 .8970 8.60E-01 -2.57E-02 -2.57E-02*	-1.3272 -7534.7 5.69E-08 .8985 8.59E-01 -3.64E-02 -3.64E-02*	-1.1072 -9031.8 4.20E-08 .8993 8.58E-01 -4.61E-02 -4.61E-02*	-.9535 -10488.0 3.17E-08 .8996 8.58E-01 -5.46E-02 -5.45E-02*
2	1.2252 8162.0 7.04E-05 .8710 8.76E-01 5.94E+01 5.97E+01*	1.5724 6359.8 2.72E-05 .8694 8.77E-01 1.09E+01 1.09E+01*	2.1770 4593.5 1.19E-05 .8717 8.75E-01 1.79E+00 1.79E+00*	3.4920 2863.7 5.84E-06 .8763 8.72E-01 2.11E-01 2.11E-01*	8.5406 1170.9 3.19E-06 .8817 8.69E-01 7.83E-03 7.82E-03*	-20.6504 -484.3 1.90E-06 .8868 8.66E-01 -3.28E-04 -3.28E-04*	-4.7596 -2101.0 1.22E-06 .8910 8.63E-01 -1.71E-02 -1.71E-02*	-2.7184 -3678.7 8.30E-07 .8942 8.61E-01 -6.21E-02 -6.21E-02*	-1.9170 -5216.4 5.89E-07 .8964 8.60E-01 -1.25E-01 -1.25E-01*	-1.4895 -6713.6 4.33E-07 .8978 8.59E-01 -1.96E-01 -1.96E-01*	-1.2240 -8169.7 3.27E-07 .8987 8.58E-01 -2.66E-01 -2.66E-01*
3	.9595 10421.7 5.95E-04 .8837 8.68E-01 1.03E+03 1.03E+03*	1.1602 8619.4 2.30E-04 .8768 8.72E-01 2.27E+02 2.28E+02*	1.4592 6853.2 9.82E-05 .8746 8.73E-01 4.89E+01 4.90E+01*	1.9519 5123.3 4.66E-05 .8760 8.73E-01 9.66E+00 9.68E+00*	2.9150 3430.5 2.45E-05 .8795 8.70E-01 1.52E+00 1.52E+00*	5.6325 1775.4 1.41E-05 .8838 8.68E-01 1.21E-01 1.21E-01*	63.0382 158.6 8.83E-06 .8879 8.65E-01 5.35E-05 5.34E-05*	-7.0471 -1419.0 5.88E-06 .8914 8.63E-01 -2.54E-02 -2.53E-02*	-3.3820 -2956.8 4.12E-06 .8942 8.61E-01 -1.60E-01 -1.60E-01*	-2.2452 -4454.0 3.00E-06 .8961 8.60E-01 -3.97E-01 -3.97E-01*	-1.6920 -5910.1 2.26E-06 .8975 8.59E-01 -6.97E-01 -6.97E-01*
4	.7926 12616.1 3.49E-03 .9020 8.56E-01 1.04E+04 1.05E+04*	.9247 10813.8 1.40E-03 .8899 8.64E-01 2.69E+03 2.70E+03*	1.1053 9047.5 6.02E-04 .8827 8.68E-01 6.81E+02 6.84E+02*	1.3665 7317.7 2.81E-04 .8799 8.70E-01 1.69E+02 1.69E+02*	1.7778 5624.9 1.44E-04 .8804 8.70E-01 3.92E+01 3.93E+01*	2.5190 3969.8 8.06E-05 .8828 8.68E-01 7.70E+00 7.71E+00*	4.2499 2353.0 4.89E-05 .8861 8.66E-01 9.69E-01 9.70E-01*	12.8972 775.4 3.18E-05 .8893 8.64E-01 2.25E-02 2.25E-02*	-13.1163 -762.4 2.19E-05 .8922 8.63E-01 -1.46E-02 -1.46E-02*	-4.4256 -2259.6 1.58E-05 .8945 8.61E-01 -2.74E-01 -2.74E-01*	-2.6913 -3715.7 1.18E-05 .8961 8.60E-01 -9.06E-01 -9.06E-01*
5	.6786 14737.1 1.43E-02 .9251 8.41E-01 6.59E+04 6.62E+04	.7731 12934.8 6.29E-03 .9082 8.52E-01 2.00E+04 2.01E+04*	.8954 11168.6 2.82E-03 .8961 8.60E-01 5.88E+03 5.91E+03*	1.0595 9438.7 1.33E-03 .8887 8.65E-01 1.69E+03 1.70E+03*	1.2910 7745.9 6.75E-04 .8853 8.67E-01 4.77E+02 4.79E+02*	1.6418 6090.8 3.71E-04 .8849 8.67E-01 1.28E+02 1.28E+02*	2.2351 4474.0 2.20E-04 .8863 8.66E-01 3.00E+01 3.00E+01*	3.4526 2896.4 1.40E-04 .8886 8.65E-01 8.00E+01 5.16E+00*	7.3604 1358.6 9.47E-05 .8910 8.63E-01 3.59E-01 3.59E-01*	-72.1709 -138.6 6.72E-05 .8932 8.62E-01 -2.69E-04 -2.69E-04*	-6.2709 -1594.7 4.97E-05 .8950 8.61E-01 -3.03E-01 -3.02E-01*
6	.5961 16775.4 4.01E-02 .9517 8.24E-01 2.60E+05 2.61E+05	.6679 14973.1 2.04E-02 .9308 8.38E-01 9.72E+04 9.76E+04	.7572 13206.9 9.98E-03 .9143 8.49E-01 3.35E+04 3.37E+04*	.8713 11477.0 4.95E-03 .9023 8.56E-01 1.11E+04 1.12E+04*	1.0221 9784.2 2.56E-03 .8946 8.61E-01 3.60E+03 3.61E+03*	1.2301 8129.1 1.40E-03 .8907 8.64E-01 1.14E+03 1.14E+03*	1.5355 6512.3 8.23E-04 .8894 8.64E-01 3.44E+02 3.45E+02*	2.0265 4934.7 5.16E-04 .8899 8.64E-01 9.38E+01 9.39E+01*	2.9439 3396.9 3.43E-04 .8913 8.63E-01 2.03E+01 2.03E+01*	5.2639 1899.7 2.40E-04 .8929 8.62E-01 2.48E+00 2.48E+00*	22.5423 443.6 1.76E-04 .8945 8.61E-01 2.30E-02 2.30E-02*
7	.5342 18720.4 7.12E-02 .9822 8.02E-01 6.09E+05 6.10E+05	.5911 16918.2 4.56E-02 .9565 8.20E-01 3.01E+05 3.02E+05	.6600 15151.9 2.61E-02 .9363 8.34E-01 1.28E+05 1.28E+05	.7450 13422.1 1.42E-02 .9202 8.45E-01 4.96E+04 4.98E+04	.8526 11729.3 7.75E-03 .9083 8.52E-01 1.84E+04 1.85E+04*	.9926 10074.1 4.36E-03 .9005 8.57E-01 6.64E+03 6.66E+03*	1.1824 8457.4 2.57E-03 .8960 8.60E-01 2.33E+03 2.34E+03*	1.4535 6879.7 1.61E-03 .8940 8.61E-01 7.86E+02 7.88E+02*	1.8720 5342.0 1.06E-03 .8936 8.62E-01 2.43E+02 2.43E+02*	2.6009 3844.8 7.33E-04 .8941 8.61E-01 6.26E+01 6.27E+01*	4.1864 2388.7 5.31E-04 .8951 8.61E-01 1.09E+01 1.09E+01*

Table 15. Radiative transition parameters for $N_2^+ B^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v' - v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. -Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
8	.2344	.2470	.2609	.2760	.2928	.3115	.3323	.3556	.3820	.4120	.4465
	42653.3	40478.3	38336.1	36226.7	34150.2	32106.9	30097.1	28121.1	26179.1	24271.4	22398.6
	3.03E-10	9.94E-08	3.77E-08	1.77E-04	1.39E-03	1.03E-02	3.11E-01	3.43E-01	3.16E-02	7.97E-04	3.92E-02
	1.6528	1.1988	3.9364	1.3553	1.0785	1.5331	1.2900	1.2426	.9262	1.2930	1.0779
	1.18E-01	6.27E-01	-5.35E+00	4.73E-01	7.30E-01	2.71E-01	5.40E-01	5.86E-01	8.41E-01	5.37E-01	7.30E-01
	(6.61E-04)	5.25E+00	(1.23E+02)	3.81E+03	6.00E+04	(5.07E+04)	5.02E+06	5.31E+06	8.13E+05	6.66E+03	4.76E+05
	2.15E-03*	5.68E+00*	1.88E+01*	4.11E+03*	6.49E+04*	6.55E+04	5.04E+06	5.20E+06	8.96E+05	6.36E+03*	4.66E+05
9	.2253	.2370	.2496	.2635	.2788	.2956	.3143	.3351	.3584	.3847	.4145
	44377.3	42202.3	40060.1	37950.6	35874.2	33830.9	31821.1	29845.0	27903.0	25995.4	24122.6
	2.83E-11	5.02E-10	6.81E-07	2.21E-06	2.93E-04	4.52E-03	3.36E-03	3.12E-01	3.77E-01	1.75E-02	8.71E-03
	1.2048	2.4759	1.2983	.6988	1.4415	1.1812	1.8162	1.3067	1.2614	.7461	1.2359
	6.22E-01	-1.29E+00	5.32E-01	9.66E-01	3.79E-01	6.43E-01	-1.12E-01	5.23E-01	5.68E-01	9.44E-01	5.93E-01
	(1.93E-03)	(1.28E-01)	2.51E+01	(2.29E+02)	(3.93E+03)	1.47E+05	(2.77E+03)	4.60E+06	5.35E+06	(5.55E+05)	8.70E+04
	2.35E-03*	2.74E-02*	2.70E+01*	3.24E+02*	4.51E+03*	1.53E+05*	1.90E+02*	4.61E+06	5.23E+06	6.94E+05	8.20E+04*
10	.2175	.2283	.2401	.2529	.2669	.2823	.2992	.3180	.3390	.3624	.3888
	45975.1	43800.2	41657.9	39548.5	37472.0	35428.7	33418.9	31442.9	29500.9	27593.3	25720.4
	3.47E-12	8.65E-10	5.91E-09	2.36E-06	3.23E-05	2.50E-04	1.06E-02	3.01E-04	2.79E-01	4.27E-01	3.74E-03
	1.4757	1.3592	.3943	1.4072	1.0955	1.6252	1.2510	-.6894	1.3262	1.2791	-.0365
	3.39E-01	4.69E-01	1.06E+00	4.17E-01	7.16E-01	1.54E-01	5.78E-01	6.90E-01	5.03E-01	5.51E-01	1.04E+00
	7.87E-05	(3.24E-02)	(9.70E-01)	(5.15E+01)	1.77E+03	(5.36E+02)	2.68E+05	(9.03E+03)	3.68E+06	5.52E+06	(1.40E+05)
	7.40E-05*	3.90E-02*	1.81E+00*	5.78E+01*	1.95E+03*	1.13E+03*	2.76E+05	1.17E+05*	3.69E+06	5.37E+06	4.23E+05*
$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
8	.4864	.5331	.5885	.6552	.7369	.8393	.9711	1.1468	1.3923	1.7590	2.3646
	20560.8	18758.6	16992.3	15262.5	13569.7	11914.5	10297.8	8720.1	7182.4	5685.2	4229.1
	6.58E-02	6.56E-02	4.75E-02	3.03E-02	1.82E-02	1.09E-02	6.63E-03	4.20E-03	2.77E-03	1.92E-03	1.38E-03
	1.0094	.9876	.9609	.9414	.9259	.9142	.9060	.9011	.8986	.8974	.8971
	7.83E-01	7.99E-01	8.17E-01	8.31E-01	8.41E-01	8.49E-01	8.54E-01	8.57E-01	8.59E-01	8.59E-01	8.59E-01
	7.10E+05	5.60E+05	3.15E+05	1.50E+05	6.53E+04	2.69E+04	1.07E+04	4.14E+03	1.53E+03	5.26E+02	1.56E+02
	7.11E+05	5.59E+05	3.16E+05	1.51E+05	6.56E+04	2.70E+04	1.07E+04*	4.15E+03*	1.54E+03*	5.27E+02*	1.56E+02*
9	.4487	.4882	.5343	.5887	.6539	.7332	.8318	.9575	1.1228	1.3497	1.6798
	22284.8	20482.6	18716.3	16986.5	15293.7	13638.5	12021.8	10444.1	8906.3	7409.2	5953.0
	2.47E-02	4.56E-02	5.58E-02	4.51E-02	3.20E-02	2.12E-02	1.38E-02	9.03E-03	6.08E-03	4.24E-03	3.07E-03
	1.1218	1.0034	.9944	.9647	.9463	.9310	.9199	.9115	.9059	.9029	.9013
	6.94E-01	7.87E-01	7.94E-01	8.15E-01	8.27E-01	8.38E-01	8.45E-01	8.50E-01	8.54E-01	8.56E-01	8.57E-01
	2.67E+05	4.91E+05	4.67E+05	2.97E+05	1.59E+05	7.63E+04	3.46E+04	1.51E+04	6.35E+03	2.56E+03	9.63E+02
	2.57E+05	4.95E+05	4.65E+05	2.98E+05	1.59E+05	7.66E+04	3.47E+04	1.51E+04*	6.37E+03*	2.57E+03*	9.64E+02*
10	.4187	.4529	.4923	.5381	.5920	.6563	.7342	.8304	.9520	1.1102	1.3244
	23882.6	22080.4	20314.1	18584.3	16891.5	15236.4	13619.6	12041.9	10504.2	9007.0	7550.9
	2.61E-02	1.68E-02	2.70E-02	4.39E-02	3.90E-02	3.07E-02	2.22E-02	1.56E-02	1.10E-02	7.86E-03	5.76E-03
	1.2595	1.2100	.9808	1.0048	.9675	.9513	.9354	.9251	.9169	.9107	.9068
	5.70E-01	6.17E-01	6.03E-01	7.86E-01	8.13E-01	8.24E-01	8.35E-01	8.41E-01	8.47E-01	8.51E-01	8.53E-01
	2.34E+05	1.40E+05	2.96E+05	3.53E+05	2.52E+05	1.49E+05	7.90E+04	3.92E+04	1.85E+04	8.42E+03	3.66E+03
	2.18E+05	1.30E+05	3.03E+05	3.50E+05	2.52E+05	1.50E+05	7.93E+04	3.93E+04	1.86E+04	8.44E+03*	3.66E+03*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 16. Radiative transition parameters for $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r-centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.1549 64540.1 1.19E-02 1.1948 1.31E-01 1.11E+05 1.13E+05	.1603 62365.2 7.15E-02 1.2126 1.47E-01 7.62E+05 7.71E+05	.1660 60223.0 1.87E-01 1.2318 1.66E-01 2.27E+06 2.28E+06	.1721 58113.5 2.77E-01 1.2527 1.86E-01 3.82E+06 3.81E+06	.1785 56037.1 2.52E-01 1.2762 2.10E-01 3.94E+06 3.93E+06	.1852 53993.8 1.43E-01 1.3037 2.36E-01 2.54E+06 2.54E+06	.1924 51984.0 4.86E-02 1.3384 2.66E-01 9.80E+05 1.00E+06	.2000 50007.9 8.65E-03 1.3889 3.00E-01 1.97E+05 2.16E+05*	.2080 48065.9 5.36E-04 1.4959 3.06E-01 (1.13E+04) 1.87E+04*	.2166 46158.3 9.97E-08 -2.6964 0.00E+00 (0.00E+00) 7.43E+01*	.2258 44285.5 5.24E-06 1.3347 2.63E-01 (6.40E+01) 1.27E+02*
1	.1502 66591.7 4.50E-02 1.1780 1.16E-01 3.63E+05 3.71E+05	.1552 64416.7 1.52E-01 1.1940 1.30E-01 1.39E+06 1.41E+06	.1606 62274.5 1.61E-01 1.2100 1.45E-01 1.65E+06 1.65E+06	.1662 60165.0 3.14E-02 1.2203 1.55E-01 3.31E+05 3.25E+05	.1722 58088.6 2.92E-02 1.2692 2.03E-01 4.75E+05 4.74E+05	.1784 56045.3 1.90E-01 1.2830 2.16E-01 3.17E+06 3.13E+06	.1851 54035.5 2.36E-01 1.3089 2.41E-01 4.38E+06 4.34E+06	.1921 52059.5 1.24E-01 1.3434 2.70E-01 2.60E+06 2.62E+06	.1995 50117.5 2.86E-02 1.3954 3.03E-01 6.67E+05 7.26E+05	.2074 48209.9 1.87E-03 1.5143 2.98E-01 (3.77E+04) 6.76E+04*	.2158 46337.0 8.17E-06 1.4444 3.71E-07 (2.26E+10) 2.92E+01*
2	.1457 68620.8 9.10E-02 1.1626 1.03E-01 6.36E+05 6.49E+05	.1505 66445.9 1.55E-01 1.1772 1.15E-01 1.22E+06 1.22E+06	.1555 64303.6 3.09E-02 1.1884 1.25E-01 2.61E+05 2.48E+05	.1608 62194.2 3.44E-02 1.2184 1.53E-01 3.91E+05 4.07E+05	.1663 60117.7 1.19E-01 1.2299 1.64E-01 1.40E+06 1.41E+06	.1722 58074.5 1.94E-02 1.2281 1.62E-01 2.02E+05 2.06E+05	.1784 56064.7 5.97E-02 1.2990 2.32E-01 1.14E+06 1.10E+06	.1849 54088.6 2.35E-01 1.3160 2.47E-01 4.60E+06 4.48E+06	.1918 52146.6 1.96E-01 1.3493 2.75E-01 4.25E+06 4.23E+06	.1990 50239.0 5.67E-02 1.4026 3.06E-01 (7.01E+04) 1.47E+06	.2068 48366.2 3.77E-03 1.5363 2.85E-01 2.85E+01 1.41E+05*
3	.1416 70625.0 1.31E-01 1.1483 9.22E-02 7.92E+05 8.05E+05	.1461 68450.1 8.92E-02 1.1613 1.02E-01 6.06E+05 5.93E+05	.1508 66307.8 5.45E-03 1.1905 1.27E-01 5.18E+04 6.00E+04*	.1558 64198.4 9.61E-02 1.1950 1.31E-01 8.83E+05 8.90E+05	.1610 62121.9 1.49E-02 1.1994 1.35E-01 1.32E+05 1.23E+05	.1664 60078.7 5.40E-02 1.2373 1.71E-01 6.94E+05 7.13E+05	.1722 58068.9 8.17E-02 1.2445 1.78E-01 1.03E+06 1.05E+06	.1783 56092.8 2.72E-03 1.4128 3.09E-01 9.29E+04 9.32E+04*	.1847 54150.8 1.81E-01 1.3264 2.56E-01 3.84E+06 3.65E+06	.1914 52243.2 2.49E-01 1.3561 2.80E-01 5.62E+06 5.50E+06	.1985 50370.3 8.89E-02 1.4104 3.08E-01 2.19E+06 2.34E+06
4	.1377 72601.6 1.49E-01 1.1349 8.24E-02 7.86E+05 7.94E+05	.1420 70426.7 2.35E-02 1.1452 8.99E-02 1.34E+05 1.23E+05	.1464 68284.4 5.65E-02 1.1659 1.06E-01 4.09E+05 4.26E+05	.1511 66175.0 4.60E-02 1.1760 1.14E-01 3.53E+05 3.39E+05	.1560 64098.5 2.17E-02 1.2030 1.38E-01 2.21E+05 2.38E+05	.1611 62055.3 7.00E-02 1.2100 1.45E-01 7.10E+05 7.06E+05	.1665 60045.5 1.99E-03 1.2851 2.18E-01 (4.15E+04) 4.66E+04*	.1722 58069.4 9.04E-02 1.2506 1.84E-01 1.22E+06 1.25E+06	.1782 56127.4 9.01E-03 1.1950 1.31E-01 (5.53E+04) 7.87E+04*	.1844 54219.8 1.20E-01 1.3422 2.69E-01 2.80E+06 2.57E+06	.1910 52347.0 2.82E-01 1.3642 2.85E-01 6.67E+06 6.38E+06
5	.1341 74548.1 1.45E-01 1.1224 7.40E-02 6.64E+05 6.64E+05	.1382 72373.2 6.38E-06 1.0947 4.90E-03 4.99E+05 5.99E+02*	.1424 70230.9 8.10E-02 1.1503 9.37E-02 4.99E+05 5.03E+05	.1468 68121.5 6.82E-04 1.1309 7.97E-02 2.77E+03 9.40E+02*	.1514 66045.0 6.79E-02 1.1807 1.18E-01 5.55E+05 5.63E+05	.1562 64001.8 3.76E-03 1.1738 1.12E-01 (2.53E+04) 1.96E+04*	.1613 61992.0 6.22E-02 1.2151 1.50E-01 6.71E+05 6.87E+05	.1666 60015.9 1.27E-02 1.2100 1.45E-01 1.16E+05 1.10E+05	.1722 58073.9 5.76E-02 1.2570 1.91E-01 8.29E+05 8.68E+05	.1780 56166.3 3.59E-02 1.2359 1.70E-01 (3.71E+05) 4.53E+05	.1842 54293.4 6.99E-02 1.3676 2.87E-01 (1.87E+06) 1.63E+06
6	.1308 76461.8 1.24E-01 1.1105 6.65E-02 4.96E+05 4.91E+05	.1346 74286.9 1.51E-02 1.1283 7.79E-02 (7.61E+04) 8.58E+04	.1386 72144.6 5.60E-02 1.1361 8.33E-02 2.96E+05 2.86E+05	.1428 70035.2 1.98E-02 1.1562 9.82E-02 1.33E+05 1.47E+05	.1471 67958.7 4.14E-02 1.1632 1.04E-01 2.83E+05 2.72E+05	.1517 65915.5 2.17E-02 1.1872 1.24E-01 1.94E+05 2.10E+05	.1565 63905.7 3.80E-02 1.1921 1.28E-01 3.31E+05 3.20E+05	.1615 61929.6 2.23E-02 1.2231 1.57E-01 2.65E+05 2.83E+05	.1667 59987.6 4.23E-02 1.2230 1.57E-01 4.57E+05 4.54E+05	.1722 58080.0 2.20E-02 1.2683 2.02E-01 3.56E+05 3.84E+05	.1779 56207.2 5.71E-02 1.2460 1.80E-01 (6.63E+05) 8.02E+05
7	.1276 78340.2 9.68E-02 1.0994 5.99E-02 3.39E+05 3.31E+05	.1313 76165.2 4.40E-02 1.1145 6.89E-02 1.87E+05 1.98E+05	.1351 74023.0 1.86E-02 1.1215 7.34E-02 (8.23E+04) 7.29E+04	.1391 71913.5 5.25E-02 1.1401 8.61E-02 2.93E+05 3.04E+05	.1432 69837.1 3.37E-03 1.1386 8.51E-02 (1.68E+04) 1.16E+04*	.1475 67793.8 5.35E-02 1.1676 1.07E-01 3.89E+05 3.95E+05	.1520 65784.0 6.24E-05 1.0304 2.92E-02 (3.08E+01) 5.77E+02*	.1567 63808.0 5.35E-02 1.1969 1.33E-01 (1.69E+04) 5.00E+05	.1616 61866.0 7.55E-02 1.2831 2.16E-01 (1.69E+04) 2.16E+04*	.1668 59958.4 5.63E-02 1.2284 1.62E-01 6.47E+05 6.56E+05	.1722 58085.5 2.93E-03 1.3110 2.43E-01 (6.86E+04) 8.21E+04*

Table 16. Radiative transition parameters for $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v' - v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	.2356	.2460	.2572	.2692	.2820	.2958	.3107	.3267	.3440	.3627	.3829
	42447.7	40645.5	38879.2	37149.4	35456.6	33801.5	32184.7	30607.1	29069.3	27572.2	26116.0
	8.84E-08	7.47E-08	2.11E-09	2.09E-09	6.29E-12	8.02E-11	2.92E-12	1.98E-12	9.11E-13	8.54E-15	4.93E-14
	1.8639	1.2661	1.8420	1.2832	3.0950	1.3673	.8451	1.5553	1.2447	.1006	1.4748
	3.12E-02	2.00E-01	3.96E-02	2.16E-01	4.29E-17	2.87E-01	2.25E-03	2.71E-01	1.78E-01	6.66E-12	3.12E-01
(4.33E-02)	4.05E-01)	3.93E-04)	1.01E-02)	1.05E-36)	5.18E-04)	1.00E-09)	8.45E-06)	1.44E-06)	1.61E-29)	1.74E-07)
	9.91E+00*	1.02E+00*	2.26E-01*	2.41E-02*	3.80E-03*	1.23E-03*	1.38E-05*	5.81E-05*	3.25E-06*	7.80E-07*	6.58E-07*
1	.2247	.2342	.2443	.2551	.2666	.2789	.2921	.3062	.3213	.3376	.3550
	44499.3	42697.0	40930.7	39200.9	37508.2	35853.0	34236.3	32658.6	31120.8	29623.7	28167.6
	2.89E-05	6.40E-08	5.96E-07	3.02E-10	1.84E-08	3.67E-10	5.18E-10	1.14E-10	1.91E-12	9.68E-12	1.19E-12
	1.3717	2.8880	1.3324	5.1741	1.3707	.6924	1.4987	1.1816	2.3779	1.3969	1.0780
	2.90E-01	2.37E-13	2.61E-01	0.00E+00	2.89E-01	1.36E-04	3.05E-01	1.19E-01	2.82E-06	3.03E-01	4.86E-02
(4.34E+02)	5.66E-25)	5.65E+00)	0.00E+00)	1.65E-01)	6.34E-10)	3.92E-03)	1.15E-04)	9.29E-16)	4.69E-05)	1.28E-07)
	8.21E+02*	3.07E+01*	1.22E+01*	7.66E-01*	3.76E-01*	5.31E-03*	1.58E-02*	3.18E-04*	4.00E-04*	1.26E-04*	8.58E-08*
2	.2149	.2236	.2328	.2425	.2529	.2640	.2757	.2883	.3017	.3159	.3312
	46528.4	44726.2	42959.9	41230.1	39537.3	37882.2	36265.4	34687.8	33150.0	31652.8	30196.7
	6.81E-05	8.46E-05	2.14E-07	2.22E-06	3.75E-08	6.47E-08	8.93E-09	8.00E-10	9.94E-10	3.70E-11	2.71E-11
	.8790	1.4098	-.1624	1.3949	.6878	1.4674	1.1254	1.7946	1.3270	.7837	1.6247
	3.86E-03	3.08E-01	1.80E-16	3.02E-01	1.24E-04	3.14E-01	7.60E-02	6.34E-02	2.57E-01	7.86E-04	2.09E-01
(2.08E-01)	1.46E+03)	1.12E-30)	2.88E+01)	7.18E-08)	7.01E-01)	4.98E-03)	2.72E-04)	4.84E-03)	1.47E-09)	6.59E-05)
	1.91E+02*	2.79E+03*	2.86E+01*	6.26E+01*	4.30E-01*	2.14E+00*	1.75E-02*	6.63E-02*	1.13E-02*	3.00E-04*	1.01E-03*
3	.2060	.2140	.2224	.2313	.2407	.2507	.2613	.2725	.2845	.2971	.3106
	48532.6	46730.4	44964.1	43234.3	41541.5	39886.4	38269.6	36692.0	35154.2	33657.0	32200.9
	5.68E-03	2.82E-04	1.71E-04	4.86E-06	5.00E-06	4.93E-07	1.04E-07	5.82E-08	4.20E-11	3.23E-09	7.93E-10
	1.5633	1.0571	1.4522	.8914	1.4663	1.0903	1.6273	1.2714	-2.9573	1.4612	1.1886
	2.65E-01	3.92E-02	3.15E-01	4.66E-03	3.14E-01	5.49E-02	2.06E-01	2.05E-01	0.00E+00	3.14E-01	1.25E-01
(9.23E+04)	8.97E+01)	3.13E+03)	1.73E-02)	7.15E+01)	1.91E-01)	5.00E-01)	2.44E-01)	0.00E+00)	2.46E-02)	8.42E-04)
	2.20E+05*	2.83E+03*	6.57E+03*	2.90E-02*	1.92E+02*	1.12E+00*	6.26E+00*	6.03E-01*	9.40E-02*	8.08E-02*	2.25E-03*
4	.1980	.2053	.2130	.2212	.2298	.2389	.2485	.2586	.2693	.2806	.2926
	50509.2	48707.0	46940.7	45210.9	43518.1	41863.0	40246.2	38668.6	37130.8	35633.7	34177.5
	1.22E-01	7.06E-03	8.04E-04	2.61E-04	2.67E-05	7.12E-06	2.40E-06	4.20E-08	1.87E-07	1.42E-08	3.52E-09
	1.4191	1.5975	1.1574	1.5040	1.1152	1.5688	1.2318	2.2272	1.3751	.9937	1.0752
	3.11E-01	2.35E-01	9.92E-02	3.03E-01	6.94E-02	2.60E-01	1.66E-01	9.05E-05	2.92E-01	1.89E-02	1.13E-01
(3.07E+06)	9.11E+04)	1.66E+03)	4.48E+03)	2.14E+01)	7.17E+01)	8.69E+00)	4.03E-08)	1.66E+00)	4.67E-04)	3.66E-03)
	3.23E+06*	2.82E+05*	1.30E+04*	1.18E+04*	1.79E+02*	3.94E+02*	2.58E+01*	9.64E+00*	3.88E+00*	9.54E-04*	2.37E-01*
5	.1906	.1974	.2046	.2121	.2200	.2283	.2370	.2462	.2559	.2661	.2768
	52455.7	50653.5	48887.2	47157.4	45464.6	43809.5	42192.7	40615.1	39077.3	37580.1	36124.0
	3.01E-01	1.53E-01	7.51E-03	1.79E-03	3.05E-04	8.57E-05	5.54E-06	6.92E-06	5.92E-08	3.28E-07	1.04E-07
	1.3735	1.4285	1.6426	1.2243	1.5754	1.2231	1.7815	1.3212	.2081	1.4935	1.2249
	2.91E-01	3.13E-01	1.91E-01	1.58E-01	2.55E-01	1.57E-01	7.15E-02	2.52E-01	2.85E-10	3.07E-01	1.59E-01
(7.47E+06)	3.94E+06)	6.48E+04)	9.54E+03)	3.77E+03)	3.61E+02)	4.30E+00)	5.96E+01)	5.82E-19)	3.32E+00)	2.51E-01)
	6.96E+06*	4.09E+06*	3.09E+05*	3.79E+04*	1.67E+04*	1.25E+03*	5.44E+02*	1.35E+02*	5.19E+00*	1.21E+01*	6.96E-01*
6	.1839	.1902	.1968	.2038	.2111	.2187	.2267	.2351	.2440	.2532	.2629
	54369.4	52567.2	50800.9	49071.1	47378.3	45723.2	44106.4	42528.8	40991.0	39493.8	38037.7
	3.65E-02	3.12E-01	1.81E-01	6.92E-03	3.34E-03	2.61E-04	1.98E-04	7.76E-07	1.35E-05	1.22E-06	2.54E-07
	1.4108	1.3842	1.4388	1.7055	1.2742	1.6929	1.2945	3.0289	1.3998	1.0457	1.7345
	3.09E-01	2.97E-01	3.14E-01	1.30E-01	2.08E-01	1.42E-01	2.27E-01	7.63E-16	3.04E-01	3.47E-02	1.06E-01
(1.13E+06)	8.10E+06)	4.76E+06)	2.82E+04)	3.10E+04)	1.02E+03)	1.78E+03)	7.04E-29)	1.74E+02)	1.83E-01)	3.16E-01)
	9.59E+05*	7.32E+06*	4.86E+06*	2.93E+05*	8.45E+04*	1.86E+04*	4.28E+03*	4.51E+02*	3.96E+02*	1.04E+00*	2.12E+01*
7	.1778	.1837	.1898	.1963	.2030	.2101	.2175	.2252	.2333	.2417	.2505
	56247.8	54445.5	52679.3	50949.5	49256.7	47601.5	45984.8	44407.1	42869.4	41372.2	39916.1
	6.51E-02	1.69E-02	3.18E-01	2.06E-01	5.46E-03	5.42E-03	1.36E-04	3.56E-04	3.98E-06	1.79E-05	5.34E-06
	1.2502	1.4893	1.3962	1.4499	1.8004	1.3148	1.9604	1.3521	.4211	1.4921	1.2238
	1.84E-01	3.09E-01	3.03E-01	3.15E-01	6.00E-02	2.46E-01	9.35E-03	2.77E-01	1.96E-07	3.08E-01	1.58E-01
(7.92E+05)	5.25E+05)	8.65E+06)	5.48E+06)	4.76E+03)	7.17E+04)	2.34E+00)	4.83E+03)	2.44E-11)	2.43E+02)	1.72E+01)
	9.83E+05*	5.20E+05*	7.55E+06*	5.50E+06*	2.35E+05*	1.56E+05*	1.55E+04*	1.00E+04*	1.13E+02*	7.73E+02*	5.39E+01*

Table 16. Radiative transition parameters for $N_2^+ C^2\Sigma_u^+ - X^2\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10				
8	.1247	.1282	.1318	.1356	.1395	.1436	.1479	.1523	.1570	.1618	.1669				
	80180.5	78005.6	75863.4	73753.9	71677.4	69634.2	67624.4	65648.3	63706.3	61798.7	59925.9				
	7.04E-02	6.65E-02	5.37E-04	5.49E-02	7.68E-03	3.43E-02	2.33E-02	1.72E-02	3.75E-02	6.14E-03	4.96E-02				
	1.0888	1.1028	1.0869	1.1267	1.1486	1.1514	1.1729	1.1752	1.2017	1.1905	1.2330				
	5.41E-02	6.19E-02	5.31E-02	7.68E-02	9.24E-02	9.45E-02	1.12E-01	1.14E-01	1.37E-01	1.27E-01	1.67E-01				
	2.15E+05	2.45E+05 (1.34E+03)	2.63E+05 (4.89E+04)	2.10E+05	1.82E+05	1.82E+05	1.82E+05	1.27E+05	3.68E+05 (4.73E+04)	6.02E+05	6.02E+05				
	2.09E+05	2.52E+05	2.58E+02*	2.61E+05	5.89E+04*	1.99E+05	1.99E+05	1.16E+05	3.85E+05	4.04E+04*	6.20E+05				
9	.1220	.1253	.1288	.1324	.1361	.1400	.1440	.1483	.1527	.1572	.1620				
	81980.3	79805.4	77663.1	75553.7	73477.2	71434.0	69424.2	67448.1	65506.1	63598.5	61725.6				
	4.85E-02	7.51E-02	5.90E-03	3.25E-02	3.31E-02	4.66E-03	4.40E-02	1.08E-03	3.75E-02	1.33E-02	2.29E-02				
	1.0789	1.0921	1.1116	1.1138	1.1312	1.1306	1.1557	1.2010	1.1813	1.2099	1.2051				
	4.91E-02	5.59E-02	6.71E-02	6.85E-02	7.99E-02	7.95E-02	9.78E-02	1.36E-01	1.19E-01	1.45E-01	1.40E-01				
	1.30E+05	2.41E+05 (2.52E+04)	1.33E+05	1.70E+05 (2.17E+04)	2.86E+05 (1.25E+04)	3.01E+05	1.45E+05	1.45E+05	2.15E+05	2.15E+05	2.06E+05				
	1.25E+05	2.44E+05	3.12E+04*	1.24E+05	1.81E+05	1.57E+04*	2.90E+05	1.80E+04*	2.96E+05	1.60E+05	2.06E+05				
10	.1194	.1226	.1259	.1293	.1329	.1366	.1405	.1445	.1487	.1530	.1575				
	83737.1	81562.2	79420.0	77310.5	75234.1	73190.8	71181.0	69204.9	67262.9	65355.3	63482.5				
	3.21E-02	7.17E-02	2.29E-02	9.49E-03	4.50E-02	3.05E-03	2.83E-02	2.39E-02	6.04E-03	3.87E-02	6.54E-04				
	1.0696	1.0822	1.0971	1.0997	1.1183	1.1441	1.1407	1.1607	1.1578	1.1856	1.2602				
	4.47E-02	5.07E-02	5.86E-02	6.01E-02	7.13E-02	8.91E-02	8.66E-02	1.02E-01	9.95E-02	1.23E-01	1.94E-01				
	7.62E+04	2.03E+05	7.99E+04 (3.21E+04)	1.98E+05 (1.92E+04)	1.55E+05	1.66E+05 (3.69E+04)	3.29E+05 (1.27E+04)	3.29E+05	3.29E+05	3.29E+05	3.29E+05				
	7.21E+04	2.01E+05	8.81E+04	2.59E+04*	2.00E+05	2.58E+04*	1.46E+05	1.80E+05	2.92E+04*	3.37E+05	1.75E+04*				
$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21				
8	.1722	.1777	.1834	.1894	.1957	.2023	.2091	.2162	.2237	.2314	.2395				
	58088.1	56285.9	54519.6	52789.8	51097.0	49441.9	47825.1	46247.5	44709.7	43212.6	41756.4				
	8.08E-04	6.18E-02	6.59E-03	3.24E-01	2.27E-01	3.51E-03	7.81E-03	1.40E-05	5.14E-04	3.89E-05	1.47E-05				
	1.1275	1.2119	1.6474	1.4095	1.4619	1.9625	1.3500	3.6013	1.4065	1.0314	1.6456				
	7.74E-02	1.85E-01	1.86E-01	3.08E-01	3.14E-01	9.09E-03	2.75E-01	2.31E-28	3.07E-01	2.96E-02	1.88E-01				
	(1.92E+03)(7.68E+05)(7.50E+04)(9.15E+06)	6.08E+06 (7.10E+01)(1.31E+05)(0.00E+00)(8.78E+03)(5.56E+00)(7.67E+01)	1.67E+02*	1.00E+06	2.55E+05*	7.69E+06	5.99E+06	1.53E+05*	2.50E+05*	8.14E+03*	1.81E+04*	1.01E+02*	1.04E+03*		
9	.1670	.1722	.1776	.1832	.1890	.1952	.2015	.2081	.2150	.2222	.2296				
	59887.9	58085.7	56319.4	54589.6	52896.8	51241.7	49624.9	48047.3	46509.5	45012.3	43556.2				
	3.23E-02	8.72E-03	5.19E-02	1.92E-03	3.29E-01	2.45E-01	1.61E-03	1.02E-02	5.25E-05	5.99E-04	1.30E-04				
	1.2384	1.2140	1.2521	2.0316	1.4238	1.4747	2.3096	1.3826	.0716	1.4660	1.1973				
	1.72E-01	1.49E-01	1.86E-01	3.27E-03	3.12E-01	3.12E-01	1.47E-05	2.96E-01	2.28E-12	3.14E-01	1.33E-01				
	4.16E+05 (7.64E+04)(6.48E+05)(6.79E+00)(9.61E+06)	6.52E+06 (8.58E-05)(2.01E+05)(5.58E-20)(1.09E+04)(3.86E+02)	4.37E+05	6.49E+04*	9.12E+05	1.06E+05*	7.75E+06	6.31E+06	6.87E+04*	3.54E+05	1.05E+03*	2.59E+04*	1.62E+03*		
10	.1622	.1671	.1722	.1775	.1830	.1887	.1946	.2008	.2072	.2138	.2207				
	61644.7	59842.5	58076.2	56346.4	54653.6	52998.5	51381.7	49804.1	48266.3	46769.2	45313.1				
	3.57E-02	1.50E-02	1.95E-02	3.98E-02	2.63E-04	3.35E-01	2.59E-01	2.99E-04	1.22E-02	4.19E-04	5.48E-04				
	1.2109	1.2469	1.2281	1.2511	3.5337	1.4392	1.4883	3.6530	1.4147	.8852	1.5437				
	1.46E-01	1.80E-01	1.62E-01	1.85E-01	1.10E-26	3.15E-01	3.09E-01	1.11E-29	3.10E-01	4.25E-03	2.80E-01				
	3.59E+05	2.12E+05	2.03E+05 (4.91E+05)(0.00E+00)(1.00E+07)	6.78E+06 (0.00E+00)(2.67E+05)(1.56E+00)(8.09E+03)	3.56E+05	2.30E+05	1.87E+05	7.74E+05	3.04E+04*	7.75E+06	6.44E+06	1.07E+04*	4.53E+05	2.15E+03*	3.01E+04*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u-X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	.2496	.2618	.2751	.2895	.3051	.3223	.3411	.3617	.3846	.4100	.4384
	40068.1	38195.0	36354.7	34547.2	32772.4	31030.3	29320.7	27643.7	25999.3	24387.4	22808.2
	1.60E-06	3.00E-05	2.66E-04	1.50E-03	5.96E-03	1.79E-02	4.22E-02	7.98E-02	1.23E-01	1.58E-01	1.69E-01
	1.2432	1.2583	1.2738	1.2897	1.3061	1.3230	1.3405	1.3585	1.3772	1.3967	1.4169
	1.92E-01	1.97E-01	2.01E-01	2.07E-01	2.12E-01	2.18E-01	2.25E-01	2.32E-01	2.40E-01	2.49E-01	2.59E-01
	7.69E+00	1.31E+02	1.05E+03	5.33E+03	1.91E+04	5.17E+04	1.09E+05	1.84E+05	2.54E+05	2.89E+05	2.72E+05
	7.76E+00*	1.32E+02*	1.06E+03*	5.37E+03*	1.93E+04*	5.19E+04	1.10E+05	1.85E+05	2.55E+05	2.89E+05	2.72E+05
1	.2443	.2560	.2686	.2823	.2972	.3135	.3312	.3507	.3721	.3959	.4223
	40939.7	39066.6	37226.3	35418.9	33644.1	31901.9	30192.3	28515.3	26870.9	25259.1	23679.8
	1.31E-05	2.13E-04	1.60E-03	7.44E-03	2.36E-02	5.37E-02	8.90E-02	1.06E-01	8.43E-02	3.51E-02	1.18E-03
	1.2362	1.2510	1.2661	1.2816	1.2975	1.3139	1.3307	1.3480	1.3656	1.3829	1.3855
	1.90E-01	1.94E-01	1.99E-01	2.04E-01	2.09E-01	2.15E-01	2.21E-01	2.28E-01	2.35E-01	2.43E-01	2.44E-01
	6.57E+01	9.70E+02	6.64E+03	2.78E+04	7.97E+04	1.63E+05	2.43E+05	2.59E+05	1.84E+05	6.77E+04	1.88E+03
	6.62E+01*	9.76E+02*	6.68E+03*	2.80E+04*	8.01E+04	1.64E+05	2.44E+05	2.59E+05	1.83E+05	6.70E+04	1.75E+03*
2	.2393	.2506	.2627	.2758	.2900	.3054	.3222	.3406	.3608	.3831	.4078
	41784.0	39910.9	38070.6	36263.1	34488.3	32746.2	31036.6	29359.6	27715.2	26103.3	24524.1
	5.67E-05	7.99E-04	5.11E-03	1.94E-02	4.80E-02	7.91E-02	8.32E-02	4.64E-02	4.84E-03	1.09E-02	5.75E-02
	1.2296	1.2440	1.2588	1.2739	1.2894	1.3052	1.3213	1.3373	1.3486	1.3812	1.3962
	1.88E-01	1.92E-01	1.97E-01	2.01E-01	2.06E-01	2.12E-01	2.18E-01	2.24E-01	2.28E-01	2.42E-01	2.49E-01
	2.97E+02	3.80E+03	2.21E+04	7.60E+04	1.70E+05	2.53E+05	2.39E+05	1.19E+05	1.09E+04	2.30E+04	1.06E+05
	2.99E+02*	3.83E+03*	2.22E+04*	7.63E+04	1.71E+05	2.53E+05	2.39E+05	1.19E+05	1.06E+04*	2.35E+04	1.07E+05
3	.2347	.2455	.2572	.2697	.2832	.2979	.3139	.3314	.3505	.3715	.3946
	42600.9	40727.8	38887.6	37080.1	35305.3	33563.1	31853.5	30176.5	28532.1	26920.3	25341.0
	1.73E-04	2.12E-03	1.14E-02	3.52E-02	6.60E-02	7.30E-02	3.80E-02	1.64E-03	1.76E-02	5.71E-02	4.69E-02
	1.2232	1.2374	1.2518	1.2665	1.2816	1.2968	1.3118	1.3172	1.3516	1.3666	1.3829
	1.86E-01	1.90E-01	1.95E-01	1.99E-01	2.04E-01	2.09E-01	2.14E-01	2.16E-01	2.30E-01	2.36E-01	2.43E-01
	9.44E+02	1.05E+04	5.15E+04	1.44E+05	2.45E+05	2.44E+05	1.14E+05	4.26E+03	4.37E+04	1.25E+05	9.13E+04
	9.50E+02*	1.06E+04*	5.18E+04	1.44E+05	2.45E+05	2.44E+05	1.14E+05	4.05E+03*	4.43E+04	1.26E+05	9.08E+04
4	.2305	.2409	.2520	.2641	.2770	.2911	.3063	.3229	.3410	.3609	.3827
	43390.6	41517.5	39677.3	37869.8	36095.0	34352.8	32643.3	30966.3	29321.8	27710.0	26130.7
	4.20E-04	4.45E-03	2.02E-02	4.96E-02	6.77E-02	4.34E-02	4.08E-03	1.26E-02	4.86E-02	3.53E-02	8.16E-04
	1.2172	1.2311	1.2452	1.2596	1.2741	1.2886	1.2985	1.3265	1.3400	1.3550	1.3502
	1.85E-01	1.89E-01	1.93E-01	1.97E-01	2.01E-01	2.06E-01	2.10E-01	2.20E-01	2.25E-01	2.31E-01	2.29E-01
	2.37E+03	2.30E+04	9.47E+04	2.11E+05	2.62E+05	1.52E+05	1.26E+04	3.66E+04	1.26E+05	8.11E+04	1.55E+03
	2.39E+03*	2.31E+04*	9.51E+04	2.12E+05	2.62E+05	1.51E+05	1.23E+04*	3.72E+04	1.26E+05	8.05E+04	1.40E+03*
5	.2265	.2365	.2473	.2589	.2713	.2848	.2993	.3152	.3324	.3512	.3718
	44153.1	42280.0	40439.8	38632.3	36857.5	35115.3	33405.8	31728.8	30084.3	28472.5	26893.2
	8.59E-04	7.89E-03	2.99E-02	5.75E-02	5.34E-02	1.37E-02	3.55E-03	3.76E-02	3.58E-02	1.72E-03	1.98E-02
	1.2115	1.2252	1.2390	1.2530	1.2669	1.2796	1.3062	1.3158	1.3299	1.3332	1.3699
	1.83E-01	1.87E-01	1.91E-01	1.95E-01	1.99E-01	2.03E-01	2.12E-01	2.16E-01	2.21E-01	2.22E-01	2.37E-01
	5.04E+03	4.23E+04	1.46E+05	2.55E+05	2.15E+05	4.97E+04	1.21E+04	1.13E+05	9.65E+04	3.97E+03	4.39E+04
	5.06E+03*	4.24E+04*	1.46E+05	2.56E+05	2.15E+05	4.92E+04	1.24E+04*	1.14E+05	9.60E+04	3.75E+03*	4.45E+04
6	.2228	.2325	.2429	.2540	.2660	.2789	.2929	.3080	.3245	.3424	.3619
	44888.5	43015.4	41175.2	39367.7	37592.9	35850.7	34141.1	32464.1	30819.7	29207.9	27628.6
	1.54E-03	1.23E-02	3.87E-02	5.68E-02	3.18E-02	4.03E-04	2.13E-02	3.91E-02	7.63E-03	9.66E-03	3.91E-02
	1.2060	1.2195	1.2331	1.2466	1.2598	1.2550	1.2939	1.3071	1.3179	1.3461	1.3580
	1.82E-01	1.85E-01	1.89E-01	1.93E-01	1.97E-01	1.96E-01	2.08E-01	2.13E-01	2.16E-01	2.27E-01	2.32E-01
	9.37E+03	6.82E+04	1.96E+05	2.62E+05	1.33E+05	1.44E+03	7.44E+04	1.22E+05	2.12E+04	2.52E+04	9.01E+04
	9.42E+03*	6.85E+04	1.96E+05	2.62E+05	1.32E+05	1.33E+03*	7.50E+04	1.22E+05	2.07E+04*	2.57E+04*	9.02E+04
7	.2193	.2287	.2388	.2495	.2611	.2735	.2869	.3015	.3172	.3343	.3529
	45596.8	43723.7	41883.5	40076.0	38301.2	36559.0	34849.4	33172.4	31528.0	29916.2	28336.9
	2.51E-03	1.73E-02	4.48E-02	4.85E-02	1.27E-02	4.16E-03	3.41E-02	2.06E-02	7.94E-04	2.98E-02	2.16E-02
	1.2009	1.2142	1.2274	1.2406	1.2523	1.2762	1.2859	1.2984	1.3363	1.3344	1.3472
	1.81E-01	1.84E-01	1.88E-01	1.91E-01	1.95E-01	2.02E-01	2.05E-01	2.10E-01	2.23E-01	2.23E-01	2.28E-01
	1.57E+04	9.91E+04	2.35E+05	2.31E+05	5.49E+04	1.68E+04	1.23E+05	6.70E+04	2.52E+03	8.02E+04	5.17E+04
	1.58E+04*	9.95E+04	2.35E+05	2.31E+05	5.44E+04	1.72E+04*	1.23E+05	6.64E+04	2.69E+03*	8.06E+04	5.12E+04

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u-X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	.4703	.5064	.5474	.5946	.6492	.7132	.7891	.8805	.9925	1.1328	1.3134
	21261.6	19747.7	18266.6	16818.4	15403.2	14021.2	12672.5	11357.2	10075.5	8827.7	7614.0
	1.51E-01	1.14E-01	7.22E-02	3.84E-02	1.72E-02	6.39E-03	1.97E-03	4.96E-04	1.01E-04	1.64E-05	2.05E-06
	1.4379	1.4600	1.4831	1.5075	1.5333	1.5608	1.5903	1.6220	1.6567	1.6949	1.7379
	2.70E-01	2.82E-01	2.95E-01	3.10E-01	3.27E-01	3.46E-01	3.68E-01	3.94E-01	4.24E-01	4.59E-01	5.03E-01
	2.14E+05	1.41E+05	7.75E+04	3.56E+04	1.36E+04	4.27E+03	1.10E+03	2.28E+02	3.76E+01	4.81E+00	4.64E-01
	2.14E+05	1.41E+05	7.72E+04	3.54E+04	1.35E+04	4.23E+03*	1.08E+03*	2.25E+02*	3.69E+01*	4.70E+00*	4.51E-01*
1	.4518	.4850	.5225	.5653	.6144	.6715	.7383	.8177	.9135	1.0310	1.1785
	22133.2	20619.3	19138.2	17690.0	16274.9	14892.8	13544.1	12228.8	10947.1	9699.3	8485.6
	1.77E-02	7.51E-02	1.28E-01	1.41E-01	1.13E-01	7.01E-02	3.41E-02	1.32E-02	4.04E-03	9.76E-04	1.83E-04
	1.4314	1.4498	1.4712	1.4941	1.5185	1.5444	1.5721	1.6017	1.6338	1.6689	1.7076
	2.66E-01	2.76E-01	2.88E-01	3.02E-01	3.17E-01	3.34E-01	3.54E-01	3.77E-01	4.03E-01	4.35E-01	4.72E-01
	2.76E+04	1.02E+05	1.51E+05	1.44E+05	9.94E+04	5.24E+04	2.15E+04	6.94E+03	1.75E+03	3.41E+02	5.05E+01
	2.81E+04	1.02E+05	1.51E+05	1.44E+05	9.91E+04	5.22E+04	2.14E+04	6.87E+03	1.72E+03*	3.35E+02*	4.94E+01*
2	.4352	.4659	.5004	.5395	.5841	.6354	.6950	.7649	.8481	.9484	1.0718
	22977.5	21463.6	19982.5	18534.3	17119.1	15737.1	14388.3	13073.0	11791.4	10543.6	9329.8
	7.77E-02	4.11E-02	1.64E-03	2.15E-02	8.72E-02	1.35E-01	1.29E-01	8.66E-02	4.33E-02	1.65E-02	4.77E-03
	1.4143	1.4326	1.4345	1.4866	1.5065	1.5302	1.5560	1.5837	1.6136	1.6460	1.6814
	2.58E-01	2.67E-01	2.68E-01	2.97E-01	3.09E-01	3.25E-01	3.43E-01	3.63E-01	3.87E-01	4.14E-01	4.46E-01
	1.27E+05	5.86E+04	1.90E+03	2.45E+04	8.48E+04	1.12E+05	9.10E+04	5.16E+04	2.15E+04	6.70E+03	1.56E+03
	1.27E+05	5.81E+04	1.74E+03*	2.50E+04	8.54E+04	1.12E+05	9.09E+04	5.14E+04	2.13E+04	6.63E+03	1.54E+03*
3	.4203	.4488	.4808	.5168	.5575	.6041	.6577	.7199	.7931	.8802	.9855
	23794.4	22280.5	20799.5	19351.3	17936.1	16554.0	15205.3	13890.0	12608.3	11360.5	10146.8
	5.23E-03	1.39E-02	6.27E-02	6.38E-02	1.52E-02	5.65E-03	6.59E-02	1.29E-01	1.34E-01	9.13E-02	4.42E-02
	1.3935	1.4307	1.4465	1.4656	1.4821	1.5308	1.5439	1.5685	1.5960	1.6260	1.6586
	2.48E-01	2.66E-01	2.74E-01	2.85E-01	2.94E-01	3.25E-01	3.34E-01	3.52E-01	3.72E-01	3.97E-01	4.25E-01
	8.76E+03	2.21E+04	8.59E+04	7.60E+04	1.54E+04	5.49E+03	5.24E+04	8.64E+04	7.53E+04	4.27E+04	1.69E+04
	8.43E+03*	2.26E+04	8.63E+04	7.57E+04	1.50E+04	5.77E+03*	5.31E+04	8.68E+04	7.52E+04	4.25E+04	1.68E+04
4	.4068	.4335	.4632	.4965	.5340	.5766	.6252	.6812	.7464	.8230	.9144
	24584.1	23070.2	21589.2	20141.0	18725.8	17343.7	15995.0	14679.7	13398.0	12150.2	10936.5
	2.37E-02	5.50E-02	2.37E-02	1.38E-03	4.56E-02	6.87E-02	2.34E-02	2.74E-03	6.28E-02	1.31E-01	1.35E-01
	1.3977	1.4134	1.4291	1.4824	1.4802	1.4995	1.5177	1.5792	1.5833	1.6093	1.6390
	2.50E-01	2.57E-01	2.65E-01	2.94E-01	2.93E-01	3.05E-01	3.16E-01	3.60E-01	3.63E-01	3.83E-01	4.08E-01
	4.45E+04	9.05E+04	3.39E+04	1.98E+03	5.21E+04	6.75E+04	1.94E+04	2.27E+03	4.03E+04	7.01E+04	5.94E+04
	4.52E+04	9.05E+04	3.34E+04	2.16E+03*	5.27E+04	6.74E+04	1.90E+04	2.46E+03*	4.09E+04	7.04E+04	5.93E+04
5	.3945	.4196	.4474	.4784	.5131	.5523	.5967	.6476	.7062	.7744	.8548
	25346.6	23832.8	22351.7	20903.5	19488.3	18106.3	16757.5	15442.2	14160.6	12912.8	11699.0
	4.52E-02	1.25E-02	7.19E-03	4.84E-02	3.34E-02	5.45E-06	3.91E-02	6.87E-02	2.26E-02	4.66E-03	7.45E-02
	1.3842	1.3971	1.4332	1.4448	1.4613	2.0027	1.5152	1.5348	1.5530	1.6157	1.6245
	2.44E-01	2.49E-01	2.67E-01	2.73E-01	2.82E-01	4.46E-01	3.15E-01	3.28E-01	3.40E-01	3.88E-01	3.96E-01
	8.85E+04	2.14E+04	1.16E+04	6.69E+04	3.99E+04	8.70E+01	3.70E+04	5.51E+04	1.50E+04	3.06E+03	3.78E+04
	8.84E+04	2.09E+04	1.20E+04*	6.72E+04	3.94E+04	4.89E+01*	3.75E+04	5.50E+04	1.46E+04	3.28E+03*	3.84E+04
6	.3834	.4070	.4331	.4621	.4945	.5307	.5717	.6181	.6713	.7327	.8042
	26082.0	24568.1	23087.1	21638.9	20223.7	18841.6	17492.9	16177.6	14895.9	13648.1	12434.4
	1.38E-02	5.49E-03	4.09E-02	2.09E-02	2.64E-03	4.40E-02	3.48E-02	1.36E-05	4.23E-02	6.67E-02	1.45E-02
	1.3705	1.4043	1.4141	1.4282	1.4739	1.4772	1.4939	1.9035	1.5511	1.5714	1.5870
	2.37E-01	2.53E-01	2.58E-01	2.65E-01	2.90E-01	2.91E-01	3.01E-01	7.03E-01	3.39E-01	3.54E-01	3.66E-01
	2.81E+04	1.05E+04	6.76E+04	3.00E+04	3.71E+03	5.07E+04	3.43E+04	(5.76E+01)	3.25E+04	4.30E+04	7.53E+03
	2.75E+04	1.09E+04*	6.78E+04	2.95E+04	3.95E+03*	5.10E+04	3.39E+04	6.83E+01*	3.30E+04	4.28E+04	7.22E+03
7	.3733	.3956	.4203	.4475	.4777	.5115	.5494	.5922	.6409	.6966	.7609
	26790.3	25276.4	23795.4	22347.2	20932.0	19549.9	18201.2	16885.9	15604.2	14356.4	13142.7
	8.04E-04	3.18E-02	2.13E-02	1.65E-03	3.70E-02	2.25E-02	2.48E-03	4.47E-02	3.02E-02	1.21E-03	5.28E-02
	1.3927	1.3869	1.4001	1.4458	1.4448	1.4589	1.5097	1.5105	1.5269	1.6050	1.5882
	2.47E-01	2.45E-01	2.51E-01	2.74E-01	2.73E-01	2.81E-01	3.11E-01	3.12E-01	3.22E-01	3.80E-01	3.66E-01
	1.92E+03	6.22E+04	3.66E+04	2.80E+03	5.13E+04	2.69E+04	2.94E+03	4.24E+04	2.42E+04	(1.04E+03)	3.26E+04
	2.08E+03*	6.26E+04	3.61E+04	3.01E+03*	5.16E+04	2.65E+04	3.16E+03*	4.27E+04	2.37E+04	1.17E+03*	3.30E+04

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
8	.2161 46278.1 3.75E-03 1.1959 1.79E-01 2.43E+04 2.44E+04*	.2252 44405.0 2.23E-02 1.2091 1.83E-01 1.32E+05 1.33E+05	.2349 42564.7 4.72E-02 1.2221 1.86E-01 2.56E+05 2.56E+05	.2454 40757.2 3.57E-02 1.2347 1.90E-01 1.76E+05 1.76E+05	.2565 38982.4 2.00E-03 1.2412 1.91E-01 8.78E+03 8.53E+03*	.2685 37240.3 1.58E-02 1.2666 1.99E-01 6.54E+04 6.60E+04	.2814 35530.7 3.21E-02 1.2786 2.03E-01 1.20E+05 1.20E+05	.2954 33853.7 3.79E-03 1.2868 2.06E-01 1.26E+04 1.22E+04*	.3105 32209.3 1.35E-02 1.3135 2.15E-01 4.23E+04 4.29E+04	.3268 30597.4 2.95E-02 1.3253 2.19E-01 8.22E+04 8.20E+04	.3446 29018.2 1.74E-03 1.3275 2.20E-01 4.17E+03 3.93E+03*
9	.2131 46932.4 5.24E-03 1.1913 1.78E-01 3.49E+04 3.51E+04*	.2219 45059.3 2.69E-02 1.2043 1.82E-01 1.65E+05 1.65E+05	.2314 43219.0 4.60E-02 1.2170 1.85E-01 2.57E+05 2.57E+05	.2415 41411.5 2.23E-02 1.2290 1.88E-01 1.13E+05 1.13E+05	.2523 39636.7 3.19E-04 1.2660 1.99E-01 1.59E+03 1.70E+03*	.2639 37894.5 2.55E-02 1.2598 1.97E-01 1.09E+05 1.09E+05	.2764 36185.0 2.02E-02 1.2714 2.01E-01 7.80E+04 7.75E+04	.2898 34508.0 4.76E-04 1.3101 2.14E-01 1.81E+03 1.95E+03*	.3043 32863.6 2.54E-02 1.3047 2.12E-01 8.20E+04 8.23E+04	.3200 31251.7 1.35E-02 1.3159 2.16E-01 3.88E+04 3.83E+04	.3370 29672.5 3.90E-03 1.3450 2.27E-01 1.06E+04 1.10E+04*
10	.2103 47559.7 6.93E-03 1.1868 1.77E-01 4.75E+04 4.77E+04*	.2189 45686.6 3.07E-02 1.1998 1.80E-01 1.93E+05 1.94E+05	.2281 43846.3 4.16E-02 1.2123 1.84E-01 2.40E+05 2.39E+05	.2379 42038.8 1.12E-02 1.2231 1.86E-01 5.84E+04 5.79E+04	.2484 40264.0 4.84E-03 1.2445 1.92E-01 2.37E+04 2.41E+04*	.2596 38521.9 2.83E-02 1.2536 1.95E-01 1.25E+05 1.25E+05	.2716 36812.3 7.66E-03 1.2635 1.98E-01 3.04E+04 2.99E+04*	.2846 35135.3 7.83E-03 1.2870 2.06E-01 2.91E+04 2.95E+04*	.2986 33490.9 2.51E-02 1.2972 2.09E-01 8.35E+04 8.33E+04	.3137 31879.0 1.35E-03 1.2987 2.10E-01 3.88E+03 3.67E+03*	.3300 30299.8 1.70E-02 1.3318 2.22E-01 4.72E+04 4.77E+04
11	.2076 48160.2 8.75E-03 1.1826 1.76E-01 6.15E+04 6.17E+04*	.2160 46287.0 3.34E-02 1.1955 1.79E-01 2.16E+05 2.16E+05	.2250 44446.8 3.52E-02 1.2077 1.82E-01 2.09E+05 2.08E+05	.2345 42639.3 3.83E-03 1.2162 1.85E-01 2.05E+04 2.02E+04*	.2447 40864.5 1.16E-02 1.2375 1.89E-01 5.83E+04 5.87E+04	.2556 39122.3 2.45E-02 1.2479 1.93E-01 1.11E+05 1.11E+05	.2673 37412.8 8.00E-04 1.2674 1.93E-01 3.17E+03 3.00E+03*	.2798 35735.8 1.69E-02 1.2791 2.03E-01 6.44E+04 6.49E+04	.2933 34091.3 1.55E-02 1.2898 2.07E-01 5.32E+04 5.28E+04	.3079 32479.5 1.59E-03 1.3200 2.17E-01 5.22E+03 5.46E+03*	.3236 30900.2 2.31E-02 1.3233 2.18E-01 6.58E+04 6.59E+04
12	.2052 48733.8 1.06E-02 1.1786 1.75E-01 7.65E+04 7.68E+04	.2134 46860.7 3.47E-02 1.1914 1.78E-01 2.31E+05 2.31E+05	.2221 45020.4 2.79E-02 1.2034 1.81E-01 1.70E+05 1.69E+05	.2314 43212.9 4.28E-04 1.2014 1.81E-01 2.29E+03 2.17E+03*	.2413 41438.1 1.75E-02 1.2320 1.89E-01 8.99E+04 9.03E+04	.2519 39696.0 1.71E-02 1.2422 1.92E-01 7.95E+04 7.91E+04	.2633 37986.4 6.79E-04 1.2742 2.01E-01 3.06E+03 3.22E+03*	.2754 36309.4 2.12E-02 1.2726 2.01E-01 8.32E+04 8.33E+04	.2885 34665.0 5.35E-03 1.2812 2.04E-01 1.87E+04 1.83E+04*	.3025 33053.1 9.40E-03 1.3057 2.12E-01 3.09E+04 3.14E+04*	.3177 31473.9 1.77E-02 1.3156 2.16E-01 5.20E+04 5.17E+04
13	.2029 49280.6 1.24E-02 1.1747 1.74E-01 9.18E+04 9.21E+04	.2109 47407.5 3.49E-02 1.1876 1.77E-01 2.38E+05 2.38E+05	.2195 45567.3 2.07E-02 1.1993 1.80E-01 1.29E+05 1.28E+05	.2285 43759.8 2.52E-04 1.2329 1.89E-01 1.53E+03 1.62E+03*	.2382 41985.0 2.07E-02 1.2271 1.88E-01 1.09E+05 1.10E+05	.2485 40242.8 9.31E-03 1.2364 1.90E-01 4.44E+04 4.40E+04*	.2595 38533.2 4.88E-03 1.2587 1.97E-01 2.19E+04 2.22E+04*	.2713 36856.2 1.95E-02 1.2667 1.99E-01 7.83E+04 7.82E+04	.2840 35211.8 3.01E-04 1.2555 2.09E-01 1.02E+03 9.16E+02*	.2976 33600.0 1.63E-02 1.2981 2.09E-01 5.51E+04 5.54E+04	.3123 32020.7 7.87E-03 1.3073 2.13E-01 2.37E+04 2.33E+04*
14	.2008 49800.8 1.42E-02 1.1711 1.74E-01 1.07E+05 1.07E+05	.2086 47927.7 3.40E-02 1.1840 1.77E-01 2.37E+05 2.37E+05	.2170 46087.4 1.42E-02 1.1955 1.79E-01 9.07E+04 9.02E+04	.2258 44279.9 2.18E-03 1.2156 1.84E-01 1.31E+04 1.33E+04*	.2353 42505.1 2.10E-02 1.2227 1.86E-01 1.14E+05 1.14E+05	.2453 40763.0 3.52E-03 1.2295 1.88E-01 1.71E+04 1.68E+04*	.2561 39053.4 1.01E-02 1.2520 1.95E-01 4.62E+04 4.66E+04	.2675 37376.4 1.39E-02 1.2610 1.97E-01 5.71E+04 5.68E+04	.2799 35732.0 1.09E-03 1.2903 2.07E-01 4.30E+03 4.49E+03*	.2931 34120.1 1.79E-02 1.2918 2.07E-01 6.18E+04 6.18E+04	.3073 32540.9 1.18E-03 1.2928 2.08E-01 3.54E+03 3.34E+03*
15	.1988 50294.3 1.57E-02 1.1677 1.73E-01 1.21E+05 1.22E+05	.2065 48421.2 3.23E-02 1.1806 1.76E-01 2.30E+05 2.30E+05	.2147 46581.0 8.93E-03 1.1918 1.78E-01 5.82E+04 5.78E+04*	.2233 44773.5 5.10E-03 1.2094 1.83E-01 3.10E+04 3.13E+04*	.2326 42998.7 1.89E-02 1.2185 1.85E-01 1.05E+05 1.05E+05	.2424 41256.5 3.35E-04 1.2151 1.84E-01 2.59E+03 2.46E+03*	.2529 39547.0 1.40E-02 1.2467 1.93E-01 6.52E+04 6.55E+04	.2641 37870.0 7.52E-03 1.2550 1.96E-01 3.16E+04 3.13E+04*	.2760 36225.5 5.20E-03 1.2778 2.03E-01 2.06E+04 2.09E+04*	.2889 34613.7 1.44E-02 1.2858 2.05E-01 5.09E+04 5.06E+04	.3027 33034.4 3.20E-04 1.3283 2.20E-01 1.13E+03 1.24E+03*

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v' - v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
8	.3640	.3852	.4086	.4342	.4627	.4943	.5296	.5692	.6140	.6650	.7234
	27471.6	25957.7	24476.6	23028.4	21613.2	20231.2	18882.4	17567.1	16285.5	15037.7	13824.0
	1.85E-02	2.69E-02	3.21E-05	2.69E-02	2.28E-02	1.33E-03	3.67E-02	1.89E-02	5.51E-03	4.82E-02	1.99E-02
	1.3629	1.3752	1.2496	1.4165	1.4296	1.4825	1.4763	1.4896	1.5374	1.5447	1.5594
	2.34E-01	2.40E-01	1.94E-01	2.59E-01	2.65E-01	2.95E-01	2.91E-01	2.99E-01	3.30E-01	3.35E-01	3.45E-01
	4.27E+04	5.46E+04 (3.58E+01)	4.46E+04	4.46E+04	3.29E+04	1.94E+03	4.24E+04	1.86E+04	5.23E+03	3.72E+04	1.27E+04
	4.32E+04	5.43E+04	1.28E+01*	4.50E+04	3.24E+04	2.12E+03*	4.26E+04	1.82E+04	5.53E+03*	3.74E+04	1.23E+04
9	.3555	.3758	.3979	.4222	.4491	.4788	.5119	.5488	.5903	.6373	.6907
	28125.9	26612.0	25130.9	23682.7	22267.5	20885.5	19536.7	18221.4	16939.8	15692.0	14478.2
	2.84E-02	5.22E-03	1.32E-02	2.72E-02	1.32E-04	2.64E-02	2.01E-02	3.16E-03	3.86E-02	1.13E-02	1.40E-02
	1.3524	1.3602	1.3923	1.4037	1.3431	1.4467	1.4591	1.5063	1.5084	1.5188	1.5668
	2.30E-01	2.33E-01	2.47E-01	2.53E-01	2.26E-01	2.74E-01	2.81E-01	3.09E-01	3.10E-01	3.17E-01	3.50E-01
	6.76E+04	1.08E+04	2.59E+04	4.67E+04 (1.51E+02)	3.67E+04	2.40E+04	3.70E+04	3.70E+03	3.66E+04	8.87E+03	1.06E+04
	6.77E+04	1.05E+04*	2.64E+04	4.65E+04	1.00E+02*	3.70E+04	2.36E+04	3.94E+03*	3.67E+04	8.53E+03	1.10E+04
10	.3478	.3671	.3882	.4114	.4368	.4648	.4959	.5305	.5692	.6128	.6620
	28753.2	27239.3	25758.2	24310.0	22894.8	21512.8	20164.0	18848.8	17567.1	16319.3	15105.6
	1.79E-02	1.26E-03	2.62E-02	6.06E-03	1.26E-02	2.54E-02	2.14E-05	2.90E-02	1.38E-02	8.88E-03	3.85E-02
	1.3428	1.3818	1.3801	1.3880	1.4217	1.4326	1.6854	1.4774	1.4881	1.5318	1.5412
	2.26E-01	2.42E-01	2.42E-01	2.45E-01	2.61E-01	2.67E-01	4.50E-01	2.92E-01	2.98E-01	3.26E-01	3.32E-01
	4.40E+04	3.02E+03	5.29E+04	1.06E+04	2.09E+04	3.64E+04 (7.20E+01)	3.34E+04	1.35E+04	8.29E+03	2.97E+04	2.97E+04
	4.35E+04	3.22E+03*	5.30E+04	1.02E+04*	2.13E+04	3.62E+04	9.46E+01*	3.37E+04	1.31E+04	8.64E+03*	2.96E+04
11	.3407	.3592	.3794	.4014	.4256	.4522	.4816	.5142	.5504	.5910	.6367
	29353.6	27839.8	26358.7	24910.5	23495.3	22113.3	20764.5	19449.2	18167.6	16919.8	15706.0
	3.77E-03	1.29E-02	1.83E-02	9.84E-04	2.51E-02	4.32E-03	1.54E-02	2.12E-02	1.53E-03	3.18E-02	5.41E-03
	1.3297	1.3596	1.3697	1.4146	1.4084	1.4135	1.4511	1.4617	1.5166	1.5086	1.5123
	2.21E-01	2.33E-01	2.37E-01	2.58E-01	2.55E-01	2.57E-01	2.77E-01	2.83E-01	3.16E-01	3.11E-01	3.13E-01
	9.41E+03	3.07E+04	3.81E+04	2.05E+03	4.29E+04	6.26E+03	2.14E+04	2.52E+04	1.85E+03	3.01E+04	4.16E+03
	9.09E+03*	3.11E+04	3.78E+04	2.22E+03*	4.30E+04	5.97E+03*	2.18E+04	2.49E+04	2.02E+03*	3.02E+04	3.91E+03*
12	.3341	.3519	.3713	.3924	.4155	.4408	.4686	.4994	.5336	.5716	.6143
	29927.3	28413.4	26932.3	25484.1	24068.9	22686.9	21338.1	20022.8	18741.2	17493.4	16279.6
	2.99E-04	2.09E-02	4.21E-03	1.24E-02	1.63E-02	2.05E-03	2.46E-02	1.41E-03	2.06E-02	1.38E-02	7.60E-03
	1.3675	1.3500	1.3559	1.3874	1.3969	1.4372	1.4372	1.4295	1.4808	1.4901	1.5333
	2.36E-01	2.29E-01	2.31E-01	2.45E-01	2.49E-01	2.69E-01	2.69E-01	2.65E-01	2.94E-01	2.99E-01	3.27E-01
	(9.07E+02)	5.09E+04	8.91E+03	2.50E+04	2.87E+04	3.51E+03	3.51E+04 (1.61E+03)	2.37E+04	1.34E+04	7.09E+03	7.09E+03
	1.01E+03*	5.10E+04	8.59E+03*	2.54E+04	2.84E+04	3.74E+03*	3.51E+04	1.45E+03*	2.40E+04	1.31E+04	7.39E+03*
13	.3281	.3453	.3639	.3842	.4062	.4304	.4569	.4862	.5185	.5543	.5943
	30474.1	28960.2	27479.2	26031.0	24615.8	23233.7	21885.0	20569.7	19288.0	18040.2	16826.5
	6.44E-03	1.72E-02	2.18E-04	1.99E-02	2.83E-03	1.44E-02	1.24E-02	5.26E-03	2.24E-02	4.32E-05	2.58E-02
	1.3332	1.3416	1.4057	1.3770	1.3796	1.4153	1.4241	1.4606	1.4662	1.6704	1.5111
	2.22E-01	2.26E-01	2.53E-01	2.40E-01	2.41E-01	2.58E-01	2.63E-01	2.82E-01	2.85E-01	4.36E-01	3.12E-01
	1.82E+04	4.31E+04 (5.90E+02)	4.11E+04	4.99E+03	2.43E+04	2.43E+04	1.81E+04	7.37E+03	2.64E+04 (9.76E+01)	1.31E+04	2.42E+04
	1.86E+04*	4.29E+04	6.75E+02*	4.12E+04	4.74E+03*	2.47E+04	1.78E+04	7.67E+03*	2.63E+04	1.27E+02*	2.44E+04
14	.3226	.3392	.3572	.3766	.3978	.4210	.4463	.4742	.5048	.5388	.5765
	30994.3	29480.4	27999.3	26551.1	25135.9	23753.9	22405.1	21089.8	19808.2	18560.4	17346.7
	1.37E-02	7.90E-03	6.19E-03	1.56E-02	7.59E-04	1.95E-02	7.92E-04	1.77E-02	6.67E-03	1.14E-02	1.62E-02
	1.3243	1.3328	1.3605	1.3679	1.4141	1.4044	1.3921	1.4437	1.4496	1.4873	1.4949
	2.19E-01	2.22E-01	2.33E-01	2.36E-01	2.58E-01	2.53E-01	2.47E-01	2.73E-01	2.76E-01	2.97E-01	3.02E-01
	3.97E+04	2.02E+04	1.50E+04	3.30E+04	1.62E+03	3.38E+04 (1.10E+03)	3.38E+04	2.50E+04	8.00E+03	1.51E+04	1.56E+04
	4.00E+04	1.99E+04*	1.53E+04*	3.27E+04	1.76E+03*	3.38E+04	9.74E+02*	2.52E+04	7.70E+03*	1.34E+04	1.53E+04
15	.3176	.3336	.3510	.3698	.3902	.4124	.4367	.4633	.4926	.5248	.5605
	31487.8	29974.0	28492.9	27044.7	25629.5	24247.4	22898.7	21583.4	20301.8	19053.9	17840.2
	1.62E-02	1.18E-03	1.32E-02	6.21E-03	7.80E-03	1.26E-02	2.69E-03	1.78E-02	9.03E-05	2.01E-02	1.27E-03
	1.3174	1.3169	1.3508	1.3577	1.3872	1.3943	1.4304	1.4323	1.5544	1.4726	1.4600
	2.16E-01	2.16E-01	2.29E-01	2.32E-01	2.45E-01	2.48E-01	2.66E-01	2.67E-01	3.41E-01	2.89E-01	2.82E-01
	4.80E+04	3.01E+03	3.26E+04	1.34E+04	1.59E+04	2.24E+04	4.62E+03	2.58E+04 (1.78E+02)	2.35E+04 (1.16E+03)	1.31E+04	1.16E+04
	4.80E+04	2.83E+03*	3.28E+04	1.31E+04*	1.63E+04*	2.21E+04	4.86E+03*	2.57E+04	2.24E+02*	2.36E+04	1.03E+03*

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
16	.1970	.2045	.2125	.2210	.2301	.2397	.2499	.2608	.2725	.2851	.2985
	50761.4	48888.3	47048.0	45240.5	43465.7	41723.6	40014.0	38337.0	36692.6	35080.7	33501.5
	1.71E-02	2.99E-02	4.97E-03	8.10E-03	1.54E-02	9.05E-05	1.54E-02	2.72E-03	9.60E-03	8.69E-03	3.60E-03
	1.1644	1.1775	1.1882	1.2050	1.2147	1.2684	1.2421	1.2473	1.2714	1.2797	1.3041
	1.72E-01	1.75E-01	1.78E-01	1.82E-01	1.84E-01	2.00E-01	1.92E-01	1.93E-01	2.01E-01	2.03E-01	2.11E-01
	1.34E+05	2.17E+05	3.30E+04	5.02E+04	8.72E+04	5.31E+02	7.35E+04	1.16E+04	3.87E+04	3.14E+04	1.23E+04
	1.35E+05	2.17E+05	3.27E+04*	5.06E+04*	8.69E+04	5.85E+02*	7.36E+04	1.13E+04*	3.90E+04*	3.10E+04*	1.26E+04*
17	.1953	.2027	.2106	.2189	.2278	.2372	.2472	.2579	.2693	.2815	.2946
	51202.0	49328.9	47488.6	45681.1	43906.3	42164.2	40454.6	38777.6	37133.2	35521.3	33942.1
	1.82E-02	2.70E-02	2.29E-03	1.06E-02	1.15E-02	1.37E-03	1.46E-02	3.34E-04	1.23E-02	3.64E-03	7.87E-03
	1.1614	1.1745	1.1847	1.2012	1.2110	1.2346	1.2379	1.2282	1.2662	1.2726	1.2965
	1.72E-01	1.74E-01	1.77E-01	1.81E-01	1.83E-01	1.90E-01	1.91E-01	1.88E-01	1.99E-01	2.01E-01	2.09E-01
	1.46E+05	2.00E+05	1.55E+04	6.69E+04	6.60E+04	7.49E+03	7.09E+04	1.39E+03	5.05E+04	1.33E+04	2.72E+04
	1.46E+05	2.00E+05	1.53E+04*	6.72E+04	6.56E+04	7.68E+03*	7.09E+04	1.29E+03*	5.08E+04	1.30E+04*	2.75E+04*
18	.1937	.2010	.2088	.2169	.2256	.2349	.2447	.2552	.2663	.2783	.2911
	51616.3	49743.2	47902.9	46095.5	44320.7	42578.5	40868.9	39191.9	37547.5	35935.7	34356.4
	1.91E-02	2.40E-02	7.39E-04	1.23E-02	7.71E-03	3.45E-03	1.22E-02	1.44E-04	1.27E-02	7.03E-04	1.08E-02
	1.1585	1.1717	1.1810	1.1979	1.2074	1.2274	1.2340	1.2828	1.2617	1.2593	1.2909
	1.71E-01	1.74E-01	1.76E-01	1.80E-01	1.82E-01	1.88E-01	1.89E-01	2.04E-01	1.98E-01	1.97E-01	2.07E-01
	1.55E+05	1.81E+05	5.09E+03	7.89E+04	4.52E+04	1.90E+04	6.05E+04	7.32E+02	5.33E+04	2.56E+03	3.78E+04
	1.55E+05	1.80E+05	4.95E+03*	7.92E+04	4.48E+04*	1.93E+04*	6.03E+04	7.99E+02*	5.33E+04	2.42E+03*	3.81E+04
19	.1923	.1995	.2071	.2151	.2237	.2327	.2424	.2527	.2636	.2753	.2878
	52004.5	50131.3	48291.1	46483.6	44708.8	42966.6	41257.1	39580.1	37935.6	36323.8	34744.5
	1.96E-02	2.09E-02	7.57E-05	1.31E-02	4.62E-03	5.57E-03	9.15E-03	1.37E-03	1.13E-02	1.94E-05	1.14E-02
	1.1558	1.1692	1.1742	1.1949	1.2039	1.2227	1.2302	1.2554	1.2575	1.3683	1.2861
	1.70E-01	1.73E-01	1.74E-01	1.79E-01	1.81E-01	1.86E-01	1.88E-01	1.96E-01	1.96E-01	2.37E-01	2.05E-01
	1.62E+05	1.60E+05	5.25E+02	8.55E+04	2.76E+04	3.11E+04	4.62E+04	6.59E+03	4.81E+04	1.05E+02	4.08E+04
	1.62E+05	1.60E+05	4.82E+02*	8.57E+04	2.73E+04*	3.14E+04*	4.59E+04*	6.78E+03*	4.80E+04	1.30E+02*	4.09E+04
20	.1910	.1980	.2055	.2135	.2219	.2308	.2403	.2504	.2611	.2726	.2848
	52366.5	50493.4	48653.1	46845.6	45070.8	43328.7	41619.1	39942.1	38297.7	36685.8	35106.6
	1.98E-02	1.78E-02	5.45E-05	1.31E-02	2.38E-03	7.24E-03	6.16E-03	3.16E-03	8.81E-03	9.15E-04	1.01E-02
	1.1533	1.1669	1.1846	1.1922	1.2003	1.2191	1.2264	1.2482	1.2534	1.2818	1.2817
	1.70E-01	1.73E-01	1.77E-01	1.79E-01	1.81E-01	1.85E-01	1.87E-01	1.94E-01	1.95E-01	2.04E-01	2.04E-01
	1.66E+05	1.39E+05	3.97E+02	8.68E+04	1.44E+04	4.10E+04	3.16E+04	1.53E+04	3.81E+04	3.81E+03	3.69E+04
	1.66E+05	1.38E+05	4.35E+02*	8.69E+04	1.42E+04*	4.13E+04*	3.13E+04*	1.55E+04*	3.79E+04*	3.96E+03*	3.68E+04
21	.1897	.1967	.2041	.2119	.2202	.2290	.2384	.2483	.2588	.2701	.2822
	52702.0	50828.8	48988.6	47181.1	45406.3	43664.1	41954.6	40277.6	38633.1	37021.3	35442.0
	1.96E-02	1.49E-02	4.39E-04	1.24E-02	9.60E-04	8.21E-03	3.67E-03	4.81E-03	6.09E-03	2.49E-03	7.77E-03
	1.1509	1.1647	1.1777	1.1897	1.1959	1.2160	1.2226	1.2436	1.2495	1.2728	1.2775
	1.69E-01	1.72E-01	1.75E-01	1.78E-01	1.79E-01	1.85E-01	1.86E-01	1.92E-01	1.94E-01	2.01E-01	2.03E-01
	1.67E+05	1.18E+05	3.21E+03	8.34E+04	5.86E+03	4.72E+04	1.90E+04	2.35E+04	2.68E+04	1.04E+04	2.88E+04
	1.67E+05	1.18E+05	3.31E+03*	8.34E+04	5.71E+03*	4.74E+04*	1.88E+04*	2.38E+04*	2.65E+04*	1.06E+04*	2.86E+04*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 17. Radiative transition parameters for $O_2^+ A^2\Pi_u - X^2\Pi_g$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}^*$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
16	.3129	.3285	.3453	.3635	.3832	.4046	.4280	.4535	.4815	.5123	.5462
	31954.9	30441.0	28959.9	27511.7	26096.5	24714.5	23365.7	22050.4	20768.8	19521.0	18307.2
	1.34E-02	3.36E-04	1.51E-02	4.97E-04	1.40E-02	3.47E-03	1.08E-02	8.13E-03	6.86E-03	1.34E-02	3.17E-03
	1.3111	1.3564	1.3435	1.3308	1.3775	1.3809	1.4139	1.4204	1.4542	1.4601	1.5019
	2.14E-01	2.31E-01	2.26E-01	2.21E-01	2.41E-01	2.42E-01	2.57E-01	2.61E-01	2.78E-01	2.82E-01	3.06E-01
	4.06E+04	1.03E+03	3.81E+04	(1.03E+03)	2.91E+04	6.22E+03	1.86E+04	1.20E+04	9.65E+03	1.60E+04	3.70E+03
	4.03E+04	1.13E+03*	3.81E+04	9.16E+02*	2.93E+04	5.97E+03*	1.88E+04	1.17E+04*	9.94E+03*	1.57E+04	3.91E+03*
17	.3087	.3238	.3401	.3578	.3768	.3975	.4201	.4446	.4715	.5010	.5334
	32395.5	30481.6	29400.5	27952.3	26537.1	25155.1	23806.3	22491.0	21209.4	19961.6	18747.9
	8.06E-03	3.65E-03	1.18E-02	9.02E-04	1.40E-02	6.26E-11	1.48E-02	8.03E-04	1.42E-02	2.98E-03	1.27E-02
	1.3047	1.3303	1.3367	1.3741	1.3697	92.5600	1.4044	1.3932	1.4415	1.4421	1.4816
	2.12E-01	2.21E-01	2.24E-01	2.39E-01	2.37E-01	1.20E-01	2.53E-01	2.48E-01	2.72E-01	2.72E-01	2.94E-01
	2.49E+04	1.07E+04	3.03E+04	2.28E+03	2.99E+04	(2.91E-05)	2.58E+04	(1.14E+03)	2.02E+04	3.55E+03	1.46E+04
	2.46E+04*	1.09E+04*	3.01E+04	2.43E+03*	2.98E+04	1.30E+01*	2.59E+04	1.01E+03*	2.04E+04	3.35E+03*	1.48E+04
18	.3048	.3195	.3354	.3525	.3710	.3911	.4129	.4366	.4625	.4908	.5219
	32809.8	31295.9	29814.8	28366.6	26951.5	25569.4	24220.7	22905.4	21623.7	20375.9	19162.2
	3.23E-03	7.76E-03	6.39E-03	4.82E-03	9.43E-03	2.48E-03	1.20E-02	9.35E-04	1.39E-02	1.50E-04	1.54E-02
	1.2972	1.3223	1.3297	1.3564	1.3623	1.3943	1.3961	1.4401	1.4319	1.5236	1.4700
	2.09E-01	2.18E-01	2.21E-01	2.31E-01	2.34E-01	2.48E-01	2.49E-01	2.71E-01	2.67E-01	3.20E-01	2.87E-01
	1.01E+04	2.29E+04	1.67E+04	1.19E+04	2.05E+04	5.18E+03	2.14E+04	1.67E+03	2.03E+04	(2.64E+02)	1.81E+04
	9.84E+03*	2.32E+04*	1.64E+04*	1.22E+04*	2.02E+04*	5.39E+03*	2.12E+04	1.81E+03*	2.02E+04	3.18E+02*	1.81E+04
19	.3012	.3156	.3311	.3478	.3658	.3852	.4064	.4293	.4543	.4816	.5115
	33197.9	31684.1	30203.0	28754.8	27339.6	25957.6	24608.8	23293.5	22011.9	20764.1	19550.3
	5.23E-04	1.03E-02	2.05E-03	8.61E-03	4.06E-03	6.92E-03	6.17E-03	5.44E-03	8.21E-03	4.25E-03	1.01E-02
	1.2818	1.3165	1.3204	1.3486	1.3537	1.3824	1.3872	1.4180	1.4224	1.4563	1.4593
	2.04E-01	2.16E-01	2.17E-01	2.28E-01	2.30E-01	2.43E-01	2.45E-01	2.59E-01	2.62E-01	2.80E-01	2.81E-01
	1.61E+03	3.08E+04	5.42E+03	2.16E+04	8.91E+03	1.44E+04	1.12E+04	9.38E+03	1.22E+04	6.02E+03	1.21E+04
	1.49E+03*	3.10E+04	5.21E+03*	2.18E+04*	8.66E+03*	1.47E+04*	1.09E+04*	9.62E+03*	1.19E+04*	6.24E+03*	1.19E+04
20	.2980	.3121	.3272	.3434	.3610	.3799	.4005	.4227	.4469	.4733	.5022
	33560.0	32046.1	30565.0	29116.8	27701.6	26319.6	24970.8	23655.5	22373.9	21126.1	19912.3
	6.25E-05	1.04E-02	1.22E-04	1.02E-02	7.26E-04	9.76E-03	1.60E-03	9.37E-03	2.52E-03	9.14E-03	3.38E-03
	1.3495	1.3115	1.2850	1.3427	1.3371	1.3751	1.3735	1.4088	1.4093	1.4444	1.4458
	2.29E-01	2.14E-01	2.05E-01	2.26E-01	2.24E-01	2.39E-01	2.39E-01	2.55E-01	2.55E-01	2.73E-01	2.74E-01
	(2.50E+02)	3.19E+04	(2.97E+02)	2.60E+04	1.57E+03	2.07E+04	2.87E+03	1.63E+04	3.73E+03	1.30E+04	4.05E+03
	2.94E+02*	3.19E+04	2.45E+02*	2.61E+04	1.45E+03*	2.08E+04*	2.71E+03*	1.65E+04*	3.55E+03*	1.32E+04*	3.87E+03*
21	.2950	.3088	.3236	.3395	.3567	.3752	.3952	.4168	.4403	.4659	.4939
	33895.4	32381.6	30900.5	29452.3	28037.1	26655.1	25306.3	23991.0	22709.4	21461.6	20247.8
	1.09E-03	8.79E-03	3.48E-04	9.38E-03	4.65E-05	9.81E-03	5.21E-06	1.02E-02	7.20E-05	1.07E-02	1.39E-04
	1.3051	1.3069	1.3458	1.3375	1.4302	1.3691	1.1067	1.4017	1.3335	1.4361	1.3850
	2.12E-01	2.12E-01	2.27E-01	2.24E-01	2.66E-01	2.37E-01	1.61E-01	2.52E-01	2.22E-01	2.69E-01	2.44E-01
	3.86E+03	2.73E+04	1.07E+03	2.44E+04	(1.47E+02)	2.11E+04	(4.42E+00)	1.81E+04	(8.45E+01)	1.55E+04	(1.39E+02)
	4.02E+03*	2.72E+04*	1.16E+03*	2.43E+04*	1.80E+02*	2.11E+04*	4.80E-04*	1.81E+04	5.50E+01*	1.56E+04	9.99E+01*

*The Einstein coefficients for this band may have limited accuracy, since the Franck-Condon factor is less than 0.01 (see text).

Table 18. Radiative transition parameters for $O_2^+ b^4\Sigma_g^- - a^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (Å), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$.

$v'\backslash v''$	0	1	2	3	4	5	6	7	8	9	10
0	.6000	.6389	.6822	.7308	.7855	.8475	.9183	1.0000	1.0950	1.2067	1.3400
	16666.4	15651.7	14657.4	13683.9	12731.2	11799.6	10889.2	10000.2	9132.6	8286.8	7462.8
	2.65E-01	2.92E-01	2.06E-01	1.19E-01	6.19E-02	3.01E-02	1.41E-02	6.50E-03	2.96E-03	1.34E-03	6.15E-04
	1.3375	1.3013	1.2716	1.2460	1.2235	1.2034	1.1851	1.1684	1.1531	1.1390	1.1260
	2.05E-01	2.19E-01	2.29E-01	2.38E-01	2.45E-01	2.51E-01	2.56E-01	2.61E-01	2.65E-01	2.68E-01	2.71E-01
	2.09E+05	2.17E+05	1.38E+05	6.99E+04	3.10E+04	1.26E+04	4.86E+03	1.79E+03	6.40E+02	2.23E+02	7.62E+01
	2.08E+05	2.16E+05	1.38E+05	7.01E+04	3.12E+04	1.27E+04	4.91E+03	1.81E+03*	6.48E+02*	2.26E+02*	7.73E+01*
1	.5609	.5947	.6321	.6736	.7197	.7715	.8297	.8958	.9713	1.0583	1.1594
	17829.1	16814.4	15820.2	14846.6	13893.9	12962.3	12051.9	11162.9	10295.4	9449.5	8625.5
	4.28E-01	2.34E-02	3.96E-02	1.20E-01	1.33E-01	1.03E-01	6.73E-02	3.96E-02	2.18E-02	1.16E-02	6.04E-03
	1.3791	1.3083	1.3220	1.2819	1.2540	1.2305	1.2099	1.1914	1.1747	1.1594	1.1453
	1.89E-01	2.16E-01	2.11E-01	2.25E-01	2.35E-01	2.43E-01	2.49E-01	2.55E-01	2.59E-01	2.63E-01	2.67E-01
	3.52E+05	2.10E+04	2.83E+04	8.10E+04	7.98E+04	5.37E+04	2.96E+04	1.45E+04	6.49E+03	2.75E+03	1.12E+03
	3.52E+05	2.13E+04	2.78E+04	8.05E+04	7.97E+04	5.38E+04	2.98E+04	1.46E+04	6.55E+03	2.78E+03	1.13E+03*
2	.5275	.5573	.5900	.6260	.6657	.7097	.7587	.8136	.8754	.9454	1.0252
	18957.6	17942.9	16948.6	15975.1	15022.4	14090.8	13180.4	12291.3	11423.8	10578.0	9753.9
	2.44E-01	1.77E-01	1.40E-01	7.27E-03	2.24E-02	7.38E-02	9.29E-02	8.23E-02	6.06E-02	4.00E-02	2.47E-02
	1.4296	1.3980	1.3361	1.2629	1.3022	1.2638	1.2382	1.2168	1.1979	1.1810	1.1657
	1.70E-01	1.82E-01	2.06E-01	2.32E-01	2.18E-01	2.32E-01	2.40E-01	2.47E-01	2.53E-01	2.58E-01	2.62E-01
	1.94E+05	1.37E+05	1.17E+05	6.47E+03	1.47E+04	4.49E+04	4.98E+04	3.78E+04	2.34E+04	1.27E+04	6.35E+03
	1.95E+05	1.37E+05	1.17E+05	6.72E+03*	1.43E+04	4.45E+04	4.96E+04	3.78E+04	2.35E+04	1.28E+04	6.40E+03
3	.4987	.5253	.5542	.5858	.6205	.6585	.7005	.7471	.7988	.8567	.9218
	20051.8	19037.0	18042.8	17069.3	16116.6	15185.0	14274.6	13385.5	12518.0	11672.2	10848.1
	5.81E-02	3.48E-01	2.46E-02	1.42E-01	5.98E-02	8.45E-04	1.95E-02	5.43E-02	6.98E-02	6.56E-02	5.20E-02
	1.4965	1.4425	1.4514	1.3490	1.3018	1.1661	1.2810	1.2475	1.2243	1.2047	1.1875
	1.44E-01	1.65E-01	1.61E-01	2.01E-01	2.18E-01	2.62E-01	2.26E-01	2.37E-01	2.45E-01	2.51E-01	2.56E-01
	3.94E+04	2.64E+05	1.52E+04	1.15E+05	4.84E+04 (8.21E+02)	1.17E+04	2.97E+04	3.32E+04	2.66E+04	1.76E+04	1.76E+04
	3.92E+04	2.65E+05	1.51E+04	1.15E+05	4.88E+04	9.43E+02*	1.15E+04	2.94E+04	3.31E+04	2.66E+04	1.76E+04
4	.4737	.4976	.5235	.5516	.5822	.6156	.6521	.6923	.7365	.7854	.8398
	21111.7	20097.0	19102.7	18129.2	17176.5	16244.9	15334.5	14445.4	13577.9	12732.1	11908.0
	4.97E-03	1.43E-01	3.32E-01	2.23E-03	8.20E-02	9.02E-02	2.39E-02	1.56E-04	1.89E-02	4.33E-02	5.46E-02
	1.6041	1.5093	1.4578	1.1443	1.3638	1.3140	1.2705	1.5118	1.2620	1.2331	1.2121
	1.06E-01	1.39E-01	1.59E-01	2.67E-01	1.95E-01	2.14E-01	2.29E-01	1.38E-01	2.32E-01	2.42E-01	2.49E-01
	2.12E+03	9.12E+04	2.36E+05	3.84E+03	6.41E+04	7.17E+04	1.84E+04 (3.65E+01)	1.03E+04	1.03E+04	2.12E+04	2.31E+04
	1.98E+03*	9.10E+04	2.38E+05	4.20E+03*	6.34E+04	7.17E+04	1.87E+04	2.39E+01*	1.01E+04	2.10E+04	2.30E+04
5	.4517	.4734	.4968	.5221	.5494	.5790	.6112	.6464	.6848	.7269	.7732
	22137.3	21122.5	20128.3	19154.8	18202.1	17270.5	16360.1	15471.0	14603.5	13757.7	12933.6
	5.90E-05	1.60E-02	2.26E-01	2.66E-01	3.29E-02	2.89E-02	8.31E-02	5.01E-02	7.92E-03	1.68E-03	1.81E-02
	1.9562	1.6230	1.5229	1.4767	1.3295	1.3881	1.3244	1.2848	1.2371	1.3160	1.2459
	2.60E-02	9.97E-02	1.34E-01	1.52E-01	2.08E-01	1.86E-01	2.10E-01	2.24E-01	2.41E-01	2.13E-01	2.38E-01
	1.75E+00	6.06E+03	1.35E+05	1.74E+05	3.48E+04	2.08E+04	6.50E+04	3.78E+04	5.79E+03	8.04E+02	8.99E+03
	1.81E+00*	5.61E+03	1.35E+05	1.76E+05	3.46E+04	2.04E+04	6.47E+04	3.81E+04	6.02E+03*	7.35E+02*	8.79E+03
6	.4324	.4522	.4735	.4964	.5210	.5476	.5763	.6075	.6412	.6780	.7181
	23128.5	22113.8	21119.5	20146.0	19193.3	18261.7	17351.3	16462.2	15594.7	14748.9	13924.8
	3.10E-06	1.51E-04	3.11E-02	2.96E-01	1.95E-01	6.62E-02	3.64E-03	5.72E-02	6.11E-02	2.50E-02	1.82E-03
	1.2975	2.0951	1.6435	1.5375	1.5013	1.3538	1.4702	1.3356	1.2942	1.2586	1.1874
	2.20E-01	1.27E-02	9.32E-02	1.29E-01	1.42E-01	1.99E-01	1.54E-01	2.06E-01	2.21E-01	2.34E-01	2.56E-01
	(7.52E+00)	(1.06E+00)	1.03E+04	1.63E+05	1.13E+05	6.47E+04	1.83E+03	4.38E+04	4.59E+04	1.77E+04	1.30E+03
	6.00E+00*	3.57E+01*	9.42E+03	1.64E+05	1.16E+05	6.38E+04	1.69E+03*	4.33E+04	4.59E+04	1.80E+04	1.42E+03*
7	.4152	.4335	.4530	.4739	.4963	.5203	.5462	.5741	.6042	.6367	.6720
	24085.2	23070.5	22076.3	21102.7	20150.1	19218.4	18308.0	17419.0	16551.5	15705.6	14881.6
	1.14E-07	2.33E-05	1.77E-04	4.75E-02	3.50E-01	1.39E-01	8.47E-02	8.91E-04	3.05E-02	5.66E-02	3.85E-02
	2.0022	1.4032	2.3657	1.6660	1.5532	1.5337	1.3633	1.1262	1.3502	1.3026	1.2689
	2.07E-02	1.80E-01	2.38E-03	8.64E-02	1.23E-01	1.30E-01	1.9E-01	2.71E-01	2.00E-01	2.18E-01	2.30E-01
	(2.76E-03)	(3.75E+01)	(4.38E-02)	(1.35E+04)	1.77E+05	6.79E+04	8.04E+04 (1.40E+03)	2.25E+04	2.25E+04	4.23E+04	2.72E+04
	3.50E-02*	2.89E+01*	2.08E+02*	1.21E+04	1.79E+05	7.03E+04	7.87E+04	1.70E+03*	2.20E+04	4.20E+04	2.74E+04

Table 18. Radiative transition parameters for $O_2^+ b^4\Sigma_g^- - a^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v' \setminus v''$	11	12	13	14	15	16	17	18	19	20	21
0	1.5014 6660.7 2.84E-04 1.1141 2.74E-01 2.55E+01 2.59E+01*	1.7005 5880.6 1.34E-04 1.1031 2.76E-01 8.38E+00 8.53E+00*	1.9521 5122.8 6.42E-05 1.0933 2.78E-01 2.70E+00 2.75E+00*	2.2793 4387.3 3.16E-05 1.0845 2.79E-01 8.44E-01 8.60E-01*	2.7216 3674.4 1.61E-05 1.0769 2.81E-01 2.54E-01 2.59E-01*	3.3511 2984.1 8.47E-06 1.0705 2.82E-01 7.23E-02 7.36E-02*	4.3164 2316.7 4.64E-06 1.0654 2.82E-01 1.86E-02 1.90E-02*	5.9790 1672.5 2.65E-06 1.0616 2.83E-01 4.02E-03 4.08E-03*	9.5088 1051.7 1.58E-06 1.0590 2.83E-01 5.97E-04 6.06E-04*	22.0063 454.4 9.85E-07 1.0575 2.83E-01 3.01E-05 3.05E-05*	-84.2112 -118.7 6.40E-07 1.0570 2.83E-01 -1.74E-07 -1.76E-07*
1	1.2782 7823.4 3.11E-03 1.1324 2.70E-01 4.39E+02 4.45E+02*	1.4198 7043.3 1.60E-03 1.1206 2.72E-01 1.68E+02 1.70E+02*	1.5910 6285.5 8.27E-04 1.1098 2.75E-01 6.27E+01 6.37E+01*	1.8018 5550.0 4.34E-04 1.1001 2.76E-01 2.30E+01 2.34E+01*	2.0674 4837.1 2.32E-04 1.0915 2.78E-01 8.22E+00 8.37E+00*	2.4115 4146.8 1.27E-04 1.0839 2.79E-01 2.87E+00 2.92E+00*	2.8740 3479.5 7.17E-05 1.0776 2.80E-01 9.62E-01 9.79E-01*	3.5270 2835.2 4.18E-05 1.0723 2.81E-01 3.05E-01 3.10E-01*	4.5159 2214.4 2.52E-05 1.0683 2.82E-01 8.81E-02 8.96E-02*	6.1838 1617.1 1.58E-05 1.0653 2.82E-01 2.16E-02 2.19E-02*	9.5788 1044.0 1.02E-05 1.0633 2.83E-01 3.77E-03 3.82E-03*
2	1.1171 8951.8 1.46E-02 1.1517 2.65E-01 2.98E+03 3.01E+03	1.2237 8171.8 8.38E-03 1.1388 2.68E-01 1.33E+03 1.35E+03*	1.3488 7414.0 4.76E-03 1.1272 2.71E-01 5.78E+02 5.85E+02*	1.4973 6678.5 2.70E-03 1.1165 2.73E-01 2.43E+02 2.47E+02*	1.6763 5965.5 1.54E-03 1.1070 2.75E-01 1.00E+02 1.02E+02*	1.8956 5275.3 8.89E-04 1.0985 2.77E-01 4.05E+01 4.12E+01*	2.1702 4607.9 5.23E-04 1.0910 2.78E-01 1.60E+01 1.63E+01*	2.5229 3963.7 3.14E-04 1.0846 2.79E-01 6.19E+00 6.28E+00*	2.9915 3342.8 1.94E-04 1.0793 2.80E-01 2.31E+00 2.34E+00*	3.6422 2745.6 1.23E-04 1.0750 2.81E-01 8.16E-01 8.28E-01*	4.6031 2172.4 8.08E-05 1.0717 2.81E-01 2.66E-01 2.69E-01*
3	.9954 10046.0 3.71E-02 1.1721 2.60E-01 1.03E+04 1.04E+04	1.0792 9266.0 2.48E-02 1.1581 2.64E-01 5.56E+03 5.61E+03	1.1753 8508.2 1.59E-02 1.1454 2.67E-01 2.83E+03 2.86E+03	1.2866 7772.7 9.97E-03 1.1338 2.69E-01 1.38E+03 1.39E+03*	1.4165 7059.7 6.17E-03 1.1233 2.72E-01 6.49E+02 6.57E+02*	1.5700 6369.5 3.80E-03 1.1139 2.74E-01 2.99E+02 3.03E+02*	1.7537 5702.1 2.36E-03 1.1055 2.75E-01 1.35E+02 1.36E+02*	1.9771 5057.9 1.48E-03 1.0982 2.77E-01 5.96E+01 6.04E+01*	2.2538 4437.0 9.47E-04 1.0918 2.78E-01 2.59E+01 2.63E+01*	2.6043 3839.8 6.17E-04 1.0864 2.79E-01 1.10E+01 1.12E+01*	3.0613 3266.6 4.11E-04 1.0819 2.80E-01 4.55E+00 4.61E+00*
4	.9004 11105.9 5.29E-02 1.1944 2.54E-01 1.89E+04 1.89E+04	.9684 10325.9 4.40E-02 1.1788 2.58E-01 1.31E+04 1.31E+04	1.0451 9568.1 3.33E-02 1.1647 2.62E-01 8.11E+03 8.15E+03	1.1322 8832.6 2.37E-02 1.1521 2.65E-01 4.66E+03 4.70E+03	1.2316 8119.6 1.63E-02 1.1406 2.68E-01 2.54E+03 2.56E+03	1.3460 7429.4 1.10E-02 1.1303 2.70E-01 1.33E+03 1.34E+03	1.4788 6762.0 7.30E-03 1.1210 2.72E-01 6.78E+02 6.86E+02*	1.6346 6117.8 4.85E-03 1.1127 2.74E-01 3.38E+02 3.42E+02*	1.8192 5496.9 3.24E-03 1.1054 2.75E-01 1.66E+02 1.68E+02*	2.0409 4899.7 2.19E-03 1.0990 2.77E-01 7.99E+01 8.10E+01*	2.3113 4326.5 1.50E-03 1.0936 2.78E-01 3.80E+01 3.85E+01*
5	.8243 12131.5 3.53E-02 1.2209 2.46E-01 1.54E+04 1.53E+04	.8809 11351.5 4.35E-02 1.2019 2.52E-01 1.63E+04 1.62E+04	.9440 10593.7 4.27E-02 1.1859 2.56E-01 1.35E+04 1.35E+04	1.0144 9858.2 3.68E-02 1.1717 2.60E-01 9.67E+03 9.69E+03	1.0935 9145.2 2.92E-02 1.1590 2.63E-01 6.29E+03 6.32E+03	1.1827 8455.0 2.20E-02 1.1476 2.66E-01 3.82E+03 3.85E+03	1.2841 7787.6 1.61E-02 1.1374 2.69E-01 2.22E+03 2.24E+03	1.3999 7143.4 1.15E-02 1.1282 2.71E-01 1.24E+03 1.26E+03	1.5331 6522.5 8.16E-03 1.1200 2.73E-01 6.82E+02 6.89E+02*	1.6877 5925.3 5.79E-03 1.1127 2.74E-01 3.67E+02 3.71E+02*	1.8684 5352.1 4.13E-03 1.1064 2.75E-01 1.94E+02 1.97E+02*
6	.7620 13122.7 3.39E-03 1.2776 2.27E-01 1.60E+03 1.51E+03*	.8102 12342.7 1.67E-02 1.2330 2.42E-01 7.43E+03 7.28E+03	.8632 11584.9 2.87E-02 1.2108 2.49E-01 1.12E+04 1.11E+04	.9217 10849.4 3.45E-02 1.1937 2.54E-01 1.15E+04 1.15E+04	.9865 10136.4 3.43E-02 1.1791 2.58E-01 9.65E+03 9.64E+03	1.0586 9446.2 3.05E-02 1.1663 2.62E-01 7.13E+03 7.14E+03	1.1391 8778.8 2.53E-02 1.1549 2.64E-01 4.84E+03 4.86E+03	1.2293 8134.6 2.00E-02 1.1447 2.67E-01 3.11E+03 3.13E+03	1.3309 7513.7 1.54E-02 1.1356 2.69E-01 1.91E+03 1.93E+03	1.4458 6916.5 1.16E-02 1.1274 2.71E-01 1.14E+03 1.15E+03	1.5765 6343.3 8.74E-03 1.1202 2.72E-01 6.71E+02 6.77E+02*
7	.7103 14079.5 1.14E-02 1.2327 2.42E-01 7.55E+03 7.76E+03	.7519 13299.4 1.41E-04 1.0127 2.88E-01 1.11E+02 1.63E+02*	.7973 12541.6 4.37E-03 1.2579 2.34E-01 1.91E+03 1.82E+03*	.8470 11806.1 1.44E-02 1.2230 2.45E-01 5.77E+03 5.65E+03	.9015 11093.2 2.29E-02 1.2031 2.51E-01 7.98E+03 7.89E+03	.9613 10402.9 2.70E-02 1.1875 2.56E-01 8.06E+03 8.02E+03	1.0272 9735.6 2.73E-02 1.1743 2.59E-01 6.86E+03 6.85E+03	1.0999 9091.4 2.49E-02 1.1627 2.62E-01 5.23E+03 5.24E+03	1.1806 8470.5 2.15E-02 1.1524 2.65E-01 3.71E+03 3.73E+03	1.2701 7873.2 1.77E-02 1.1433 2.67E-01 2.51E+03 2.52E+03	1.3698 7300.1 1.43E-02 1.1352 2.69E-01 1.63E+03 1.64E+03

Table 18. Radiative transition parameters for $O_2^+ b^4\Sigma_g^- a^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v',v''}$ (μm), $\nu_{v',v''}$ (cm^{-1}), $q_{v',v''}$, $\bar{r}_{v',v''}$ (\AA), $R_e(\bar{r}_{v',v''})$ (electric dipole moment atomic units), $A_{v',v''}$ (s^{-1}) calculated by the r-centroid method, and $A_{v',v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'\backslash v''$	0	1	2	3	4	5	6	7	8	9	10
8	.3999	.4168	.4348	.4540	.4746	.4965	.5200	.5452	.5723	.6014	.6328
	25007.4	23992.7	22998.4	22024.9	21072.2	20140.6	19230.2	18341.1	17473.6	16627.8	15803.8
	1.48E-08	3.28E-07	9.09E-05	8.15E-05	6.23E-02	3.93E-01	1.00E-01	8.77E-02	9.55E-03	1.18E-02	4.36E-02
	1.3868	2.3385	1.4872	3.2179	1.6910	1.5700	1.5761	1.3659	1.2967	1.3750	1.3110
	1.86E-01	2.86E-03	1.48E-01	1.21E-06	7.92E-02	1.17E-01	1.15E-01	1.94E-01	2.20E-01	1.91E-01	2.15E-01
(3.24E-02)	1.50E-04)	9.76E+01)	5.15E-09)	1.48E+04)	1.80E+05	3.84E+04	8.28E+04	1.00E+04	8.01E+03	3.22E+04
*	2.37E-02*	7.34E-01*	7.32E+01*	7.13E+02*	1.29E+04	1.83E+05	4.06E+04	8.03E+04	1.04E+04*	7.73E+03	3.18E+04
9	.3862	.4019	.4187	.4364	.4554	.4756	.4971	.5201	.5446	.5709	.5991
	25894.9	24880.1	23885.9	22912.3	21959.7	21028.0	20117.6	19228.6	18361.1	17515.2	16691.2
	3.89E-12	1.43E-07	1.88E-07	2.45E-04	3.07E-06	7.29E-02	4.30E-01	7.67E-02	7.99E-02	2.11E-02	2.36E-03
	8.5735	1.5064	3.7136	1.5616	-9.1323	1.7196	1.5880	1.6291	1.3618	1.3283	1.4441
	0.00E+00	1.40E-01	2.89E-09	1.20E-01	0.00E+00	7.14E-02	1.11E-01	9.77E-02	1.96E-01	2.09E-01	1.64E-01
(0.00E+00)	1.76E-01)	8.65E-17)	1.73E+02)	0.00E+00)	1.40E+04)	1.75E+05	2.11E+04	7.69E+04	2.00E+04	1.20E+03
*	2.21E-03*	1.11E-01*	5.32E+00*	1.23E+02*	1.79E+03*	1.17E+04	1.81E+05	2.29E+04	7.35E+04	2.05E+04	1.10E+03*
10	.3739	.3886	.4042	.4208	.4384	.4570	.4769	.4980	.5205	.5444	.5700
	26747.4	25732.7	24738.5	23764.9	22812.2	21880.6	20970.2	20081.2	19213.7	18367.8	17543.8
	9.18E-11	9.03E-10	6.60E-07	2.92E-07	5.07E-04	3.92E-04	7.75E-02	4.63E-01	6.49E-02	6.65E-02	3.10E-02
	1.6990	.1548	1.6192	-1.3590	1.6343	.4800	1.7533	1.6070	1.6894	1.3483	1.3464
	7.69E-02	6.00E-02	1.01E-01	6.12E-07	9.61E-02	1.66E-01	6.28E-02	1.05E-01	7.96E-02	2.01E-01	2.02E-01
(4.21E-05)	2.24E-04)	4.12E-01)	5.95E-12)	2.25E+02)	4.57E+02)	1.14E+04)	1.67E+05	1.18E+04	6.74E+04	2.76E+04
*	3.00E-06*	2.78E-02*	1.84E-01*	2.24E+01*	1.41E+02*	3.63E+03*	8.82E+03	1.75E+05	1.29E+04	6.31E+04	2.83E+04
11	.3628	.3766	.3913	.4068	.4232	.4406	.4590	.4785	.4992	.5212	.5446
	27565.0	26550.2	25556.0	24582.4	23629.8	22698.1	21787.7	20898.7	20031.2	19185.3	18361.3
	7.76E-12	6.41E-10	2.24E-08	1.86E-06	8.23E-06	8.36E-04	2.05E-03	7.46E-02	4.93E-01	6.25E-02	5.09E-02
	1.2261	1.9175	.9925	1.7465	.7787	1.7134	1.0710	1.7947	1.6269	1.7496	1.3189
	2.44E-01	3.13E-02	2.89E-01	6.45E-02	2.68E-01	7.30E-02	2.81E-01	5.33E-02	9.84E-02	6.37E-02	2.12E-01
(3.92E-05)	4.75E-05)	1.27E-01)	4.67E-01)	3.16E+01)	2.11E+02)	6.82E+03)	7.85E+03)	1.56E+05	7.26E+03)	5.76E+04)
*	3.37E-05*	2.54E-04*	1.55E-01*	3.84E-02*	6.59E+01*	9.56E+01*	6.26E+03*	5.16E+03	1.66E+05	7.69E+03	5.19E+04
12	.3528	.3659	.3797	.3942	.4096	.4259	.4431	.4612	.4805	.5008	.5224
	28347.3	27332.5	26338.3	25364.7	24412.1	23480.4	22570.0	21681.0	20813.5	19967.6	19143.6
	8.75E-15	1.41E-10	1.38E-09	1.86E-07	3.35E-06	4.91E-05	1.10E-03	6.04E-03	6.38E-02	5.21E-01	6.83E-02
	-3.7600	1.4233	2.3996	1.2767	1.9274	1.1775	1.8115	1.2987	1.8493	1.6476	1.8019
	8.94E-25	1.72E-01	1.88E-03	2.27E-01	2.98E-02	2.59E-01	4.98E-02	2.19E-01	4.24E-02	9.19E-02	5.18E-02
(0.00E+00)	3.45E-04)	3.64E-07)	6.35E-01)	1.76E-01)	1.72E+02)	1.27E+02)	1.20E+04)	4.20E+03)	1.42E+05	5.21E+03
*	5.09E-06*	2.22E-04*	7.75E-03*	5.03E-01*	4.96E-01*	1.46E+02*	1.34E+01*	9.44E+03*	1.80E+03	1.55E+05	5.12E+03
13	.3437	.3561	.3692	.3830	.3975	.4128	.4289	.4459	.4638	.4828	.5028
	29094.1	28079.4	27085.1	26111.6	25158.9	24227.3	23316.9	22427.9	21560.3	20714.5	19890.5
	7.80E-14	4.36E-12	1.03E-09	9.08E-11	8.78E-07	3.27E-06	1.73E-04	1.08E-03	1.33E-02	4.61E-02	5.43E-01
	1.9524	.6856	1.5946	9.5421	1.4485	2.3031	1.3678	1.9584	1.4287	1.9303	1.6688
	2.65E-02	2.42E-01	1.09E-01	0.00E+00	1.62E-01	3.62E-03	1.94E-01	2.57E-02	1.70E-01	2.94E-02	8.55E-02
(5.46E-09)	2.28E-05)	9.88E-04)	0.00E+00)	1.49E+00)	2.47E-03)	3.33E+02)	3.27E+01)	1.56E+04)	1.44E+03)	1.27E+05)
*	9.11E-08*	8.71E-05*	3.33E-04*	7.05E-02*	1.00E+00*	6.92E+00*	2.52E+02*	5.23E+01*	1.25E+04	4.32E+01	1.42E+05
14	.3355	.3473	.3598	.3728	.3865	.4010	.4162	.4322	.4490	.4667	.4854
	29805.4	28790.6	27796.4	26822.8	25870.2	24938.6	24028.1	23139.1	22271.6	21425.8	20601.7
	2.40E-14	2.56E-13	9.92E-11	3.85E-09	1.62E-08	2.75E-06	4.71E-07	4.40E-04	6.58E-04	2.42E-02	2.49E-02
	1.4872	2.8883	1.1640	1.8020	.4353	1.5906	4.7919	1.4960	2.2675	1.5198	2.0793
	1.48E-01	3.45E-05	2.62E-01	5.18E-02	1.49E-01	1.10E-01	9.26E-17	1.44E-01	4.55E-03	1.35E-01	1.38E-02
(5.61E-08)	2.95E-14)	5.93E-04)	8.07E-04)	2.51E-02)	2.11E+00)	2.27E-31)	4.60E+02)	6.11E-01)	1.77E+04)	1.69E+02)
*	3.24E-08*	7.35E-06*	5.55E-04*	1.99E-04*	3.48E-01*	1.02E+00*	3.38E+01*	3.31E+02*	5.35E+02*	1.47E+04	1.18E+03
15	.3281	.3394	.3512	.3637	.3767	.3904	.4048	.4199	.4358	.4525	.4700
	30480.8	29466.1	28471.8	27498.3	26545.6	25614.0	24703.6	23814.5	22947.0	22101.2	21277.1
	1.92E-15	3.53E-13	2.17E-13	8.91E-10	6.56E-09	2.23E-07	5.90E-06	5.13E-06	8.63E-04	8.07E-05	3.73E-02
	1.0276	1.7013	-3.2691	1.4086	2.2017	1.1167	1.7443	.1876	1.6040	4.0614	1.5933
	2.87E-01	7.63E-02	3.87E-20	1.78E-01	6.84E-03	2.73E-01	6.50E-02	6.80E-02	1.06E-01	2.05E-11	1.09E-01
(1.81E-08)	2.13E-07)	3.08E-44)	2.37E-03)	2.33E-05)	1.13E+00)	1.52E+00)	1.30E+00)	4.73E+02)	1.48E-18)	1.74E+04)
*	2.49E-08*	6.58E-10*	1.07E-04*	1.55E-03*	1.89E-02*	1.09E+00*	1.14E-01*	1.04E+02*	3.04E+02*	1.88E+03*	1.49E+04

Table 18. Radiative transition parameters for $O_2^+ b^4\Sigma_g^- - a^4\Pi_u$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm), $\nu_{v'v''}$ (cm^{-1}), $q_{v'v''}$, $\bar{r}_{v'v''}$ (\AA), $R_e(\bar{r}_{v'v''})$ (electric dipole moment atomic units), $A_{v'v''}$ (s^{-1}) calculated by the r -centroid method, and $A_{v'v''}$ (s^{-1}) calculated by integrating $\int \psi_{v'}^* R_e(r) \psi_{v''} dr$. - Continued

$v'v''$	11	12	13	14	15	16	17	18	19	20	21
8	.6666	.7032	.7427	.7857	.8323	.8830	.9383	.9987	1.0647	1.1370	1.2162
	15001.7	14221.6	13463.8	12728.3	12015.3	11325.1	10657.7	10013.5	9392.7	8795.4	8222.2
	4.37E-02	2.24E-02	4.86E-03	3.88E-05	4.41E-03	1.16E-02	1.75E-02	2.06E-02	2.12E-02	2.00E-02	1.78E-02
	1.2767	1.2461	1.2046	1.6442	1.2463	1.2160	1.1977	1.1833	1.1712	1.1607	1.1515
	2.27E-01	2.38E-01	2.51E-01	9.30E-02	2.38E-01	2.47E-01	2.53E-01	2.57E-01	2.60E-01	2.63E-01	2.65E-01
	3.09E+04	1.48E+04	3.02E+03	(2.80E+00)	1.75E+03	4.19E+03	5.49E+03	5.54E+03	4.82E+03	3.80E+03	2.82E+03
	3.09E+04	1.50E+04	3.16E+03*	8.01E-01*	1.68E+03*	4.11E+03	5.44E+03	5.51E+03	4.80E+03	3.81E+03	2.83E+03
9	.6294	.6619	.6968	.7344	.7750	.8188	.8662	.9174	.9728	1.0328	1.0977
	15889.1	15109.1	14351.2	13615.7	12902.8	12212.5	11545.2	10901.0	10280.1	9682.9	9109.7
	2.86E-02	4.10E-02	3.00E-02	1.27E-02	2.08E-03	2.05E-04	3.71E-03	8.71E-03	1.28E-02	1.52E-02	1.59E-02
	1.3205	1.2837	1.2545	1.2247	1.1718	1.3953	1.2405	1.2120	1.1946	1.1812	1.1701
	2.11E-01	2.25E-01	2.35E-01	2.45E-01	2.60E-01	1.83E-01	2.40E-01	2.49E-01	2.54E-01	2.57E-01	2.61E-01
	2.08E+04	2.90E+04	1.98E+04	7.80E+03	1.23E+03	(5.06E+01)	1.33E+03	2.82E+03	3.63E+03	3.71E+03	3.31E+03
	2.04E+04	2.88E+04	2.00E+04	7.97E+03	1.31E+03*	4.22E+01*	1.28E+03*	2.77E+03*	3.59E+03	3.68E+03	3.30E+03
10	.5973	.6265	.6577	.6912	.7270	.7654	.8066	.8508	.8983	.9492	1.0038
	16741.7	15961.6	15203.8	14468.3	13755.4	13065.1	12397.8	11753.5	11132.7	10535.4	9962.3
	4.82E-06	1.59E-02	3.36E-02	3.25E-02	1.99E-02	7.51E-03	1.03E-03	2.22E-04	2.63E-03	5.95E-03	8.78E-03
	-1.2754	1.3326	1.2905	1.2614	1.2349	1.2044	1.1366	1.3784	1.2407	1.2115	1.1942
	1.54E-06	2.07E-01	2.22E-01	2.33E-01	2.41E-01	2.51E-01	2.69E-01	1.90E-01	2.39E-01	2.49E-01	2.54E-01
	(2.19E-10)	1.12E+04	2.37E+04	2.16E+04	1.22E+04	4.27E+03	5.74E+02	(5.26E+01)	8.44E+02	1.74E+03	2.27E+03
	1.65E+02*	1.09E+04	2.34E+04	2.16E+04	1.23E+04	4.40E+03*	6.33E+02*	4.57E+01*	8.11E+02*	1.71E+03*	2.24E+03*
11	.5695	.5960	.6242	.6542	.6862	.7203	.7567	.7955	.8368	.8808	.9277
	17559.2	16779.2	16021.3	15285.8	14572.9	13882.6	13215.3	12571.1	11950.2	11353.0	10779.8
	3.80E-02	1.82E-03	7.00E-03	2.44E-02	3.05E-02	2.41E-02	1.34E-02	4.90E-03	7.03E-04	1.06E-04	1.52E-03
	1.3625	1.1963	1.3511	1.2977	1.2675	1.2424	1.2176	1.1865	1.1114	1.4459	1.2495
	1.96E-01	2.53E-01	2.00E-01	2.20E-01	2.30E-01	2.39E-01	2.47E-01	2.56E-01	2.74E-01	1.63E-01	2.37E-01
	3.19E+04	2.23E+03	4.66E+03	1.71E+04	2.03E+04	1.49E+04	7.63E+03	2.58E+03	(3.66E+02)	(1.68E+01)	4.33E+02
	3.29E+04	2.43E+03*	4.43E+03*	1.67E+04	2.02E+04	1.50E+04	7.75E+03	2.68E+03*	4.11E+02*	1.44E+01*	4.14E+02*
12	.5452	.5694	.5951	.6223	.6512	.6819	.7144	.7489	.7854	.8240	.8649
	18341.5	17561.5	16803.6	16068.1	15355.2	14664.9	13997.6	13353.4	12732.5	12135.3	11562.1
	3.53E-02	4.21E-02	5.34E-03	2.02E-03	1.57E-02	2.54E-02	2.48E-02	1.77E-02	9.60E-03	3.70E-03	7.05E-04
	1.2598	1.3809	1.2508	1.3904	1.3063	1.2736	1.2489	1.2264	1.2031	1.1729	1.1068
	2.33E-01	1.89E-01	2.36E-01	1.85E-01	2.17E-01	2.28E-01	2.37E-01	2.44E-01	2.51E-01	2.60E-01	2.75E-01
	(4.80E+04)	3.29E+04	5.73E+03	(1.16E+03)	1.08E+04	1.70E+04	1.55E+04	1.02E+04	5.07E+03	1.81E+03	(3.35E+02)
	4.16E+04	3.44E+04	5.89E+03*	1.04E+03*	1.05E+04	1.67E+04	1.54E+04	1.02E+04	5.16E+03*	1.88E+03*	3.72E+02*
13	.5239	.5462	.5698	.5947	.6210	.6489	.6782	.7092	.7419	.7763	.8124
	19088.4	18308.3	17550.5	16815.0	16102.1	15411.8	14744.5	14100.2	13479.4	12882.1	12309.0
	8.27E-02	2.12E-02	4.46E-02	8.92E-03	1.19E-04	8.71E-03	1.91E-02	2.26E-02	1.95E-02	1.34E-02	7.47E-03
	1.8421	1.1365	1.4053	1.2631	1.6226	1.3179	1.2800	1.2550	1.2336	1.2133	1.1919
	4.38E-02	2.69E-01	1.79E-01	2.32E-01	9.98E-02	2.12E-01	2.26E-01	2.35E-01	2.42E-01	2.48E-01	2.54E-01
	(4.47E+03)	(3.81E+04)	3.13E+04	9.25E+03	(2.01E+01)	5.83E+03	1.27E+04	1.41E+04	1.13E+04	7.13E+03	3.65E+03
	4.00E+03	3.28E+04	3.38E+04	9.27E+03*	6.25E+00*	5.61E+03*	1.24E+04	1.40E+04	1.13E+04	7.20E+03	3.73E+03*
14	.5051	.5258	.5476	.5706	.5948	.6202	.6470	.6752	.7047	.7357	.7680
	19799.6	19019.6	18261.7	17526.3	16813.3	16123.0	15455.7	14811.5	14190.6	13593.4	13020.2
	5.52E-01	1.07E-01	9.58E-03	4.65E-02	1.16E-02	3.22E-04	3.92E-03	1.28E-02	1.85E-02	1.87E-02	1.53E-02
	1.6903	1.8713	.8343	1.4393	1.2582	1.1518	1.3374	1.2874	1.2611	1.2401	1.2214
	7.94E-02	3.85E-02	2.79E-01	1.66E-01	2.34E-01	2.65E-01	2.05E-01	2.23E-01	2.33E-01	2.40E-01	2.46E-01
	(1.09E+05)	(4.42E+03)	(1.84E+04)	(2.79E+04)	1.22E+04	(3.84E+02)	2.47E+03	8.43E+03	1.16E+04	1.09E+04	8.24E+03
	1.27E+05	3.71E+03	2.55E+04*	3.18E+04	1.19E+04	5.01E+02*	2.32E+03*	8.21E+03	1.14E+04	1.09E+04	8.26E+03
15	.4884	.5077	.5281	.5494	.5718	.5953	.6199	.6457	.6727	.7008	.7302
	20475.0	19695.0	18937.2	18201.7	17488.7	16798.5	16131.1	15486.9	14866.0	14268.8	13695.6
	6.60E-03	5.41E-01	1.41E-01	1.91E-03	4.92E-02	1.29E-02	1.75E-03	1.18E-03	7.56E-03	1.36E-02	1.61E-02
	2.5309	1.7117	1.8928	.3950	1.4865	1.2360	1.2673	1.3839	1.2968	1.2678	1.2465
	7.21E-04	7.35E-02	3.50E-02	3.35E-03	1.48E-01	2.41E-01	2.31E-01	1.87E-01	2.20E-01	2.30E-01	2.38E-01
	(1.19E-01)	(9.03E+04)	(4.74E+03)	(5.22E-01)	(2.33E+04)	1.44E+04	(1.58E+03)	(6.22E+02)	4.88E+03	8.50E+03	9.43E+03
	6.14E+03*	1.09E+05	3.93E+03	1.97E+04*	2.91E+04	1.37E+04	1.80E+03*	5.61E+02*	4.69E+03*	8.33E+03	9.33E+03

Table 19. Calculated radiative lifetimes (s) of N_2 , N_2^+ , and O_2^+ states as a function of vibrational level.

v	$N_2 A^3\Sigma_u^+$	$N_2 B^3\Pi_g$	$N_2 W^3\Delta_u$	$N_2 B'^3\Sigma_u^-$	$N_2 a^1\Pi_g$	$N_2 w^1\Delta_u$	$N_2 C^3\Pi_u$
0	2.05	1.13(-5)*	>1†	4.54(-5)	5.77(-5)	7.67(-4)	3.71(-8)
1	2.09	9.26(-6)	4.53(-3)	3.57(-5)	5.68(-5)	4.08(-4)	3.75(-8)
2	2.12	7.87(-6)	1.22(-3)	2.98(-5)	5.58(-5)	2.79(-4)	3.81(-8)
3	2.14	6.90(-6)	6.04(-4)	2.58(-5)	5.50(-5)	2.13(-4)	3.90(-8)
4	2.14	6.17(-6)	3.78(-4)	2.29(-5)	5.42(-5)	1.72(-4)	4.04(-8)
5	2.14	5.62(-6)	2.66(-4)	2.07(-5)	5.36(-5)	1.45(-4)	
6	2.16	5.19(-6)	2.02(-4)	1.90(-5)	5.32(-5)	1.26(-4)	
7	2.36	4.85(-6)	1.61(-4)	1.76(-5)	5.29(-5)§	1.11(-4)	
8	1.99	4.58(-6)	1.34(-4)	1.65(-5)	5.28(-5)§	1.00(-4)	
9	1.07	4.36(-6)	1.14(-4)	1.56(-5)	5.29(-5)§	9.09(-5)	
10	4.61(-1)	4.18(-6)	9.89(-5)	1.49(-5)	5.35(-5)§	8.35(-5)	
11	2.16(-1)	4.04(-6)	8.76(-5)	1.42(-5)	5.58(-5)§	7.74(-5)	
12	1.19(-1)	3.93(-6)	7.87(-5)	1.36(-5)	5.98(-5)§	7.22(-5)	
13	6.92(-2)	3.85(-6)‡	7.16(-5)	1.32(-5)	6.10(-5)§	6.77(-5)	
14	4.36(-2)	3.78(-6)‡	6.58(-5)	1.28(-5)	6.30(-5)§	6.39(-5)	
15	2.98(-2)	3.74(-6)‡	6.11(-5)	1.24(-5)	6.49(-5)§	6.05(-5)	
16	2.11(-2)	3.72(-6)‡	5.72(-5)	1.21(-5)	6.73(-5)§	5.75(-5)	
17	1.58(-2)	3.72(-6)‡	5.39(-5)	1.18(-5)	6.88(-5)§	5.49(-5)	
18	1.24(-2)	3.73(-6)‡	5.12(-5)	1.16(-5)§	7.20(-5)§	5.25(-5)	
19	1.00(-2)	3.76(-6)‡	4.89(-5)§	1.14(-5)§	7.37(-5)§	5.03(-5)§	
20	8.44(-3)	3.80(-6)‡	4.71(-5)§	1.13(-5)§	7.62(-5)§	4.83(-5)§	
21	7.32(-3)	3.84(-6)‡	4.56(-5)§	1.11(-5)§	7.99(-5)§	4.65(-5)§	

*Read as 1.13×10^{-5} .

† Value depends considerably on the spin component and rotational level, and also on the unknown (but slow) rate of radiative decay to the ground state.

‡ Actual lifetime shorter due to predissociation.

§ Value may be significantly too large due to omission of transitions to high vibrational levels of lower electronic states.

Table 19. Calculated radiative lifetimes (s) of N_2 , N_2^+ , and O_2^+ states as a function of vibrational level. - Continued

v	$N_2 E^3 \Sigma_g^+$	$N_2 D^3 \Sigma_u^+$	$N_2^+ A^2 \Pi_u$	$N_2^+ B^2 \Sigma_u^+$	$N_2^+ C^2 \Sigma_u^+$	$O_2^+ A^2 \Pi_u$	$O_2^+ b^4 \Sigma_g^-$
0	1.90(-4)*	1.41(-8)	1.60(-5)	6.23(-8)	6.81(-8)	5.97(-7)	1.46(-6)
1	7.49(-5)		1.33(-5)	6.20(-8)	6.62(-8)	6.09(-7)	1.49(-6)
2			1.15(-5)	6.19(-8)	6.42(-8)	6.23(-7)	1.54(-6)
3			1.03(-5)	6.23(-8)	6.23(-8)†	6.37(-7)	1.60(-6)
4			9.32(-6)	6.30(-8)	6.06(-8)†	6.53(-7)	1.69(-6)†
5			8.61(-6)	6.44(-8)	5.91(-8)†	6.71(-7)	1.79(-6)†
6			8.05(-6)	6.64(-8)	5.79(-8)†	6.90(-7)	1.91(-6)†
7			7.59(-6)	6.94(-8)	5.70(-8)†	7.11(-7)	2.07(-6)†
8			7.22(-6)	7.36(-8)	5.65(-8)†	7.34(-7)	2.25(-6)†
9			6.91(-6)	7.95(-8)	5.64(-8)†	7.58(-7)	2.47(-6)†
10			6.66(-6)	8.75(-8)	5.69(-8)†	7.85(-7)	2.70(-6)†
11			6.44(-6)			8.18(-7)	2.94(-6)†
12			6.25(-6)			8.67(-7)†	3.18(-6)†
13			6.10(-6)			9.15(-7)†	3.46(-6)†
14			5.96(-6)			9.54(-7)†	3.88(-6)†
15			5.85(-6)			1.01(-6)†	4.48(-6)†
16			5.75(-6)			1.06(-6)†	
17			5.67(-6)			1.11(-6)†	
18			5.61(-6)†			1.18(-6)†	
19			5.56(-6)†			1.25(-6)†	
20			5.53(-6)†			1.33(-6)†	
21			5.50(-6)†			1.42(-6)†	

*Read as 1.90×10^{-4} .

† Value may be significantly too large due to omission of transitions to high vibrational levels of lower electronic states.

‡ Actual lifetime shorter due to predissociation.

Table 20. Franck-Condon factors for $N_2 B^3\Pi_g - X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	6.11(-2)*	1.91(-1)	2.74(-1)	2.41(-1)	1.44(-1)	6.24(-2)	2.03(-2)	5.02(-3)	9.65(-4)	1.44(-4)	1.68(-5)
1	1.47(-1)	1.93(-1)	4.50(-2)	1.59(-2)	1.42(-1)	2.05(-1)	1.51(-1)	7.14(-2)	2.37(-2)	5.76(-3)	1.05(-3)
2	1.95(-1)	6.54(-2)	2.39(-2)	1.30(-1)	4.81(-2)	9.67(-3)	1.24(-1)	1.86(-1)	1.34(-1)	6.02(-2)	1.86(-2)
3	1.90(-1)	7.17(-4)	1.05(-1)	3.60(-2)	3.09(-2)	1.11(-1)	2.50(-2)	2.43(-2)	1.41(-1)	1.72(-1)	1.08(-1)
4	1.51(-1)	2.58(-2)	8.38(-2)	7.32(-3)	9.25(-2)	6.91(-3)	5.99(-2)	8.84(-2)	3.07(-3)	5.97(-2)	1.62(-1)
5	1.05(-1)	7.60(-2)	2.07(-2)	6.56(-2)	2.61(-2)	4.12(-2)	6.26(-2)	3.07(-3)	8.95(-2)	4.75(-2)	5.91(-3)
6	6.65(-2)	1.04(-1)	5.33(-4)	7.50(-2)	3.74(-3)	7.11(-2)	4.31(-5)	7.35(-2)	1.72(-2)	3.77(-2)	8.79(-2)
7	3.90(-2)	1.03(-1)	2.49(-2)	3.34(-2)	4.62(-2)	1.87(-2)	4.58(-2)	2.77(-2)	2.91(-2)	5.98(-2)	1.36(-3)
8	2.16(-2)	8.39(-2)	5.85(-2)	2.39(-3)	6.37(-2)	2.54(-3)	5.61(-2)	4.27(-3)	6.02(-2)	1.75(-4)	6.72(-2)
9	1.15(-2)	6.04(-2)	7.72(-2)	6.14(-3)	3.82(-2)	3.48(-2)	1.36(-2)	4.60(-2)	9.13(-3)	4.67(-2)	1.79(-2)
10	5.92(-3)	3.98(-2)	7.73(-2)	3.00(-2)	8.13(-3)	5.38(-2)	1.89(-3)	4.50(-2)	1.03(-2)	4.06(-2)	1.15(-2)
11	2.98(-3)	2.46(-2)	6.55(-2)	5.24(-2)	4.98(-4)	3.91(-2)	2.70(-2)	1.05(-2)	4.35(-2)	1.75(-3)	4.88(-2)
12	1.48(-3)	1.45(-2)	4.96(-2)	6.29(-2)	1.35(-2)	1.35(-2)	4.55(-2)	1.33(-3)	3.70(-2)	1.48(-2)	2.47(-2)
13	7.25(-4)	8.27(-3)	3.47(-2)	6.13(-2)	3.29(-2)	3.86(-4)	3.82(-2)	2.09(-2)	8.78(-3)	3.97(-2)	1.91(-5)
14	3.54(-4)	4.59(-3)	2.29(-2)	5.22(-2)	4.72(-2)	4.70(-3)	1.78(-2)	3.82(-2)	7.58(-4)	3.14(-2)	1.70(-2)
15	1.72(-4)	2.51(-3)	1.45(-2)	4.06(-2)	5.23(-2)	1.86(-2)	2.80(-3)	3.63(-2)	1.57(-2)	8.10(-3)	3.56(-2)
16	8.39(-5)	1.35(-3)	8.87(-3)	2.95(-2)	4.97(-2)	3.27(-2)	7.20(-4)	2.13(-2)	3.15(-2)	2.54(-4)	2.76(-2)
17	4.12(-5)	7.26(-4)	5.31(-3)	2.05(-2)	4.25(-2)	4.14(-2)	8.77(-3)	6.44(-3)	3.37(-2)	1.10(-2)	8.26(-3)
18	2.04(-5)	3.88(-4)	3.14(-3)	1.37(-2)	3.38(-2)	4.37(-2)	2.03(-2)	1.08(-4)	2.37(-2)	2.51(-2)	1.87(-6)
19	1.02(-5)	2.09(-4)	1.83(-3)	8.91(-3)	2.54(-2)	4.09(-2)	3.00(-2)	2.77(-3)	1.06(-2)	3.02(-2)	6.80(-3)
20	5.17(-6)	1.12(-4)	1.07(-3)	5.70(-3)	1.84(-2)	3.53(-2)	3.54(-2)	1.06(-2)	1.92(-3)	2.49(-2)	1.87(-2)
21	2.67(-6)	6.11(-5)	6.20(-4)	3.60(-3)	1.29(-2)	2.87(-2)	3.64(-2)	1.93(-2)	1.75(-4)	1.46(-2)	2.57(-2)

*Read as 6.11×10^{-2} .

Table 21. Franck-Condon factors for $N_2 W^3 \Delta_u - X^1 \Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.46(-3)*	1.15(-2)	4.26(-2)	9.90(-2)	1.62(-1)	1.98(-1)	1.88(-1)	1.42(-1)	8.66(-2)	4.32(-2)	1.77(-2)
1	7.46(-3)	4.25(-2)	1.04(-1)	1.38(-1)	9.47(-2)	2.00(-2)	5.18(-3)	6.77(-2)	1.38(-1)	1.54(-1)	1.18(-1)
2	2.04(-2)	8.14(-2)	1.20(-1)	6.49(-2)	1.39(-3)	3.66(-2)	9.31(-2)	6.18(-2)	3.82(-3)	2.50(-2)	1.02(-1)
3	3.97(-2)	1.06(-1)	7.80(-2)	3.31(-3)	3.56(-2)	7.72(-2)	2.25(-2)	8.07(-3)	7.07(-2)	7.01(-2)	9.81(-3)
4	6.18(-2)	1.03(-1)	2.41(-2)	1.51(-2)	6.90(-2)	2.05(-2)	1.21(-2)	6.61(-2)	2.93(-2)	4.04(-3)	6.36(-2)
5	8.18(-2)	7.73(-2)	2.40(-4)	5.17(-2)	3.75(-2)	3.44(-3)	5.62(-2)	2.26(-2)	9.58(-3)	6.10(-2)	2.41(-2)
6	9.60(-2)	4.32(-2)	1.13(-2)	5.85(-2)	2.62(-3)	3.83(-2)	3.32(-2)	3.80(-3)	5.22(-2)	1.53(-2)	1.55(-2)
7	1.02(-1)	1.53(-2)	3.60(-2)	3.41(-2)	8.17(-3)	4.76(-2)	7.60(-4)	3.93(-2)	2.23(-2)	9.91(-3)	4.96(-2)
8	1.01(-1)	1.44(-3)	5.23(-2)	7.76(-3)	3.33(-2)	2.10(-2)	1.44(-2)	3.74(-2)	6.99(-4)	4.31(-2)	8.68(-3)
9	9.43(-2)	1.69(-3)	5.15(-2)	2.67(-4)	4.36(-2)	7.12(-4)	3.77(-2)	7.15(-3)	2.63(-2)	2.22(-2)	9.33(-3)
10	8.34(-2)	1.16(-2)	3.76(-2)	1.11(-2)	3.14(-2)	7.39(-3)	3.28(-2)	2.62(-3)	3.63(-2)	4.57(-6)	3.64(-2)
11	7.07(-2)	2.55(-2)	1.99(-2)	2.74(-2)	1.17(-2)	2.58(-2)	1.11(-2)	2.23(-2)	1.48(-2)	1.64(-2)	2.23(-2)
12	5.79(-2)	3.85(-2)	6.14(-3)	3.75(-2)	5.84(-4)	3.44(-2)	2.57(-5)	3.26(-2)	5.32(-5)	3.19(-2)	7.34(-4)
13	4.61(-2)	4.79(-2)	2.14(-4)	3.70(-2)	3.05(-3)	2.72(-2)	7.38(-3)	2.20(-2)	9.42(-3)	2.06(-2)	9.04(-3)
14	3.58(-2)	5.27(-2)	1.95(-3)	2.82(-2)	1.38(-2)	1.28(-2)	2.13(-2)	5.69(-3)	2.45(-2)	3.00(-3)	2.58(-2)
15	2.72(-2)	5.33(-2)	8.92(-3)	1.63(-2)	2.47(-2)	2.08(-3)	2.80(-2)	9.71(-5)	2.61(-2)	1.95(-3)	2.36(-2)
16	2.03(-2)	5.05(-2)	1.81(-2)	6.24(-3)	2.98(-2)	5.18(-4)	2.36(-2)	7.11(-3)	1.47(-2)	1.41(-2)	8.31(-3)
17	1.50(-2)	4.56(-2)	2.69(-2)	7.81(-4)	2.79(-2)	6.63(-3)	1.29(-2)	1.78(-2)	2.96(-3)	2.31(-2)	2.62(-5)
18	1.09(-2)	3.96(-2)	3.36(-2)	4.37(-4)	2.11(-2)	1.54(-2)	3.48(-3)	2.33(-2)	3.27(-4)	2.03(-2)	5.47(-3)
19	7.83(-3)	3.33(-2)	3.77(-2)	4.16(-3)	1.25(-2)	2.21(-2)	6.80(-7)	2.06(-2)	6.41(-3)	1.01(-2)	1.58(-2)
20	5.57(-3)	2.73(-2)	3.91(-2)	1.02(-2)	5.19(-3)	2.41(-2)	2.74(-3)	1.27(-2)	1.48(-2)	1.70(-3)	2.02(-2)
21	3.92(-3)	2.18(-2)	3.81(-2)	1.69(-2)	9.17(-4)	2.16(-2)	8.98(-3)	4.73(-3)	1.94(-2)	4.20(-4)	1.59(-2)

*Read as 1.46×10^{-3} .

Table 22. Franck-Condon factors for $N_2 B' \ ^3\Sigma_u^- - X \ ^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.58(-3)*	1.23(-2)	4.50(-2)	1.03(-1)	1.66(-1)	2.00(-1)	1.87(-1)	1.38(-1)	8.26(-2)	4.02(-2)	1.61(-2)
1	8.02(-3)	4.49(-2)	1.08(-1)	1.38(-1)	9.07(-2)	1.64(-2)	7.75(-3)	7.49(-2)	1.43(-1)	1.54(-1)	1.13(-1)
2	2.18(-2)	8.48(-2)	1.20(-1)	6.08(-2)	4.97(-4)	4.19(-2)	9.49(-2)	5.66(-2)	1.76(-3)	3.18(-2)	1.11(-1)
3	4.20(-2)	1.08(-1)	7.49(-2)	1.86(-3)	4.05(-2)	7.66(-2)	1.80(-2)	1.20(-2)	7.56(-2)	6.52(-2)	5.76(-3)
4	6.49(-2)	1.03(-1)	2.07(-2)	1.88(-2)	6.97(-2)	1.62(-2)	1.66(-2)	6.76(-2)	2.36(-2)	7.74(-3)	6.95(-2)
5	8.52(-2)	7.50(-2)	8.05(-7)	5.53(-2)	3.33(-2)	6.06(-3)	5.83(-2)	1.75(-2)	1.45(-2)	6.25(-2)	1.78(-2)
6	9.91(-2)	3.98(-2)	1.45(-2)	5.78(-2)	1.08(-3)	4.28(-2)	2.85(-2)	7.13(-3)	5.36(-2)	1.02(-2)	2.22(-2)
7	1.05(-1)	1.26(-2)	4.01(-2)	3.04(-2)	1.17(-2)	4.62(-2)	2.48(-5)	4.33(-2)	1.69(-2)	1.54(-2)	4.81(-2)
8	1.02(-1)	5.92(-4)	5.45(-2)	5.12(-3)	3.74(-2)	1.66(-2)	1.93(-2)	3.38(-2)	2.81(-3)	4.46(-2)	4.28(-3)
9	9.44(-2)	3.05(-3)	5.09(-2)	1.22(-3)	4.38(-2)	2.17(-5)	4.01(-2)	3.74(-3)	3.16(-2)	1.66(-2)	1.52(-2)
10	8.25(-2)	1.47(-2)	3.48(-2)	1.48(-2)	2.80(-2)	1.13(-2)	2.96(-2)	5.82(-3)	3.45(-2)	7.66(-4)	3.81(-2)
11	6.92(-2)	2.93(-2)	1.66(-2)	3.14(-2)	8.19(-3)	3.00(-2)	7.17(-3)	2.71(-2)	9.87(-3)	2.23(-2)	1.66(-2)
12	5.60(-2)	4.22(-2)	3.98(-3)	3.96(-2)	8.97(-6)	3.49(-2)	4.06(-4)	3.25(-2)	4.66(-4)	3.24(-2)	3.01(-5)
13	4.40(-2)	5.08(-2)	4.29(-6)	3.63(-2)	5.77(-3)	2.42(-2)	1.17(-2)	1.77(-2)	1.46(-2)	1.56(-2)	1.48(-2)
14	3.38(-2)	5.45(-2)	3.69(-3)	2.55(-2)	1.81(-2)	9.02(-3)	2.54(-2)	2.54(-3)	2.78(-2)	6.00(-4)	2.85(-2)
15	2.54(-2)	5.39(-2)	1.20(-2)	1.31(-2)	2.82(-2)	5.20(-4)	2.88(-2)	1.41(-3)	2.41(-2)	5.53(-3)	1.97(-2)
16	1.87(-2)	5.01(-2)	2.17(-2)	3.92(-3)	3.11(-2)	2.14(-3)	2.09(-2)	1.16(-2)	1.01(-2)	1.93(-2)	3.87(-3)
17	1.36(-2)	4.44(-2)	3.02(-2)	1.01(-4)	2.68(-2)	1.04(-2)	9.10(-3)	2.19(-2)	6.71(-4)	2.44(-2)	8.44(-4)
18	9.78(-3)	3.79(-2)	3.62(-2)	1.50(-3)	1.84(-2)	1.95(-2)	1.25(-3)	2.42(-2)	2.28(-3)	1.70(-2)	1.05(-2)
19	6.95(-3)	3.13(-2)	3.93(-2)	6.58(-3)	9.56(-3)	2.47(-2)	5.97(-4)	1.83(-2)	1.10(-2)	5.79(-3)	2.00(-2)
20	4.89(-3)	2.53(-2)	3.95(-2)	1.33(-2)	3.04(-3)	2.47(-2)	5.75(-3)	9.07(-3)	1.88(-2)	1.05(-4)	2.00(-2)
21	3.42(-3)	2.00(-2)	3.77(-2)	2.00(-2)	1.44(-4)	2.02(-2)	1.30(-2)	2.05(-3)	2.06(-2)	2.67(-3)	1.21(-2)

*Read as 1.58×10^{-3} .

Table 23. Franck-Condon factors for $N_2 \alpha' \ ^1\Sigma_u^- - X \ ^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.89(-3)*	1.42(-2)	5.06(-2)	1.12(-1)	1.75(-1)	2.04(-1)	1.83(-1)	1.31(-1)	7.48(-2)	3.49(-2)	1.33(-2)
1	9.35(-3)	5.03(-2)	1.15(-1)	1.39(-1)	8.17(-2)	9.91(-3)	1.44(-2)	8.91(-2)	1.51(-1)	1.51(-1)	1.04(-1)
2	2.48(-2)	9.16(-2)	1.20(-1)	5.18(-2)	7.48(-5)	5.27(-2)	9.67(-2)	4.59(-2)	1.26(-5)	4.57(-2)	1.24(-1)
3	4.69(-2)	1.12(-1)	6.75(-2)	1.88(-4)	5.00(-2)	7.33(-2)	1.02(-2)	2.12(-2)	8.24(-2)	5.48(-2)	1.11(-3)
4	7.10(-2)	1.02(-1)	1.43(-2)	2.66(-2)	6.90(-2)	9.18(-3)	2.60(-2)	6.78(-2)	1.41(-2)	1.68(-2)	7.71(-2)
5	9.14(-2)	6.93(-2)	7.37(-4)	6.09(-2)	2.52(-2)	1.25(-2)	5.97(-2)	9.44(-3)	2.46(-2)	6.16(-2)	8.48(-3)
6	1.04(-1)	3.30(-2)	2.11(-2)	5.47(-2)	1.29(-6)	4.93(-2)	1.98(-2)	1.49(-2)	5.29(-2)	3.42(-3)	3.41(-2)
7	1.08(-1)	7.99(-3)	4.65(-2)	2.32(-2)	1.90(-2)	4.17(-2)	1.17(-3)	4.78(-2)	8.70(-3)	2.58(-2)	4.23(-2)
8	1.04(-1)	5.02(-7)	5.70(-2)	1.68(-3)	4.32(-2)	9.68(-3)	2.79(-2)	2.61(-2)	8.94(-3)	4.34(-2)	3.35(-4)
9	9.36(-2)	6.40(-3)	4.81(-2)	4.40(-3)	4.20(-2)	1.05(-3)	4.15(-2)	4.23(-4)	3.81(-2)	8.27(-3)	2.54(-2)
10	8.03(-2)	2.06(-2)	2.91(-2)	2.18(-2)	2.14(-2)	1.86(-2)	2.27(-2)	1.28(-2)	2.89(-2)	5.28(-3)	3.68(-2)
11	6.60(-2)	3.60(-2)	1.12(-2)	3.72(-2)	3.48(-3)	3.51(-2)	2.33(-3)	3.30(-2)	3.63(-3)	3.01(-2)	8.19(-3)
12	5.24(-2)	4.82(-2)	1.28(-3)	4.10(-2)	9.99(-4)	3.33(-2)	3.47(-3)	2.95(-2)	4.16(-3)	2.94(-2)	2.86(-3)
13	4.04(-2)	5.51(-2)	9.26(-4)	3.34(-2)	1.14(-2)	1.81(-2)	1.90(-2)	1.06(-2)	2.24(-2)	7.98(-3)	2.33(-2)
14	3.03(-2)	5.68(-2)	7.70(-3)	2.02(-2)	2.47(-2)	3.94(-3)	2.98(-2)	9.51(-5)	2.94(-2)	4.59(-4)	2.83(-2)
15	2.23(-2)	5.42(-2)	1.78(-2)	8.10(-3)	3.21(-2)	1.89(-4)	2.70(-2)	5.94(-3)	1.85(-2)	1.27(-2)	1.22(-2)
16	1.61(-2)	4.88(-2)	2.79(-2)	1.16(-3)	3.10(-2)	6.53(-3)	1.51(-2)	1.86(-2)	4.12(-3)	2.48(-2)	2.60(-4)
17	1.15(-2)	4.20(-2)	3.56(-2)	3.94(-4)	2.33(-2)	1.68(-2)	3.95(-3)	2.57(-2)	3.01(-4)	2.26(-2)	5.57(-3)
18	8.10(-3)	3.49(-2)	4.00(-2)	4.57(-3)	1.34(-2)	2.47(-2)	5.40(-6)	2.25(-2)	7.62(-3)	1.06(-2)	1.78(-2)
19	5.64(-3)	2.81(-2)	4.13(-2)	1.15(-2)	5.15(-3)	2.68(-2)	3.77(-3)	1.30(-2)	1.76(-2)	1.23(-3)	2.24(-2)
20	3.90(-3)	2.21(-2)	3.99(-2)	1.89(-2)	6.61(-4)	2.32(-2)	1.15(-2)	3.95(-3)	2.22(-2)	1.20(-3)	1.60(-2)
21	2.68(-3)	1.71(-2)	3.67(-2)	2.53(-2)	3.39(-4)	1.63(-2)	1.87(-2)	4.98(-5)	1.91(-2)	8.33(-3)	5.88(-3)

*Read as 1.89×10^{-3} .

Table 24. Franck-Condon factors for N_2 w ${}^1\Delta_u - X$ ${}^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.91(-3)*	2.04(-2)	6.67(-2)	1.37(-1)	1.95(-1)	2.07(-1)	1.70(-1)	1.10(-1)	5.67(-2)	2.37(-2)	8.04(-3)
1	1.36(-2)	6.58(-2)	1.33(-1)	1.34(-1)	5.70(-2)	5.53(-4)	3.91(-2)	1.23(-1)	1.63(-1)	1.36(-1)	8.14(-2)
2	3.40(-2)	1.09(-1)	1.15(-1)	2.95(-2)	7.59(-3)	7.88(-2)	8.88(-2)	1.99(-2)	8.76(-3)	8.49(-2)	1.48(-1)
3	6.06(-2)	1.19(-1)	4.70(-2)	3.81(-3)	7.14(-2)	5.65(-2)	1.22(-4)	5.00(-2)	8.56(-2)	2.57(-2)	5.82(-3)
4	8.66(-2)	9.43(-2)	2.88(-3)	4.82(-2)	5.82(-2)	7.88(-5)	5.15(-2)	5.51(-2)	3.77(-4)	4.73(-2)	7.88(-2)
5	1.05(-1)	5.27(-2)	9.19(-3)	6.77(-2)	7.58(-3)	3.43(-2)	5.07(-2)	4.13(-7)	5.13(-2)	4.44(-2)	4.34(-4)
6	1.14(-1)	1.74(-2)	3.95(-2)	4.05(-2)	7.11(-3)	5.56(-2)	3.17(-3)	3.87(-2)	3.74(-2)	2.71(-3)	5.78(-2)
7	1.12(-1)	9.90(-4)	5.95(-2)	7.73(-3)	3.83(-2)	2.41(-2)	1.53(-2)	4.50(-2)	8.13(-5)	4.80(-2)	1.84(-2)
8	1.02(-1)	3.50(-3)	5.61(-2)	1.19(-3)	4.90(-2)	2.08(-4)	4.40(-2)	7.05(-3)	3.08(-2)	2.67(-2)	8.94(-3)
9	8.77(-2)	1.76(-2)	3.67(-2)	1.78(-2)	3.01(-2)	1.30(-2)	3.33(-2)	5.79(-3)	4.01(-2)	1.85(-4)	4.30(-2)
10	7.18(-2)	3.47(-2)	1.55(-2)	3.71(-2)	6.98(-3)	3.50(-2)	6.50(-3)	3.15(-2)	1.05(-2)	2.51(-2)	2.00(-2)
11	5.65(-2)	4.87(-2)	2.45(-3)	4.43(-2)	2.63(-4)	3.79(-2)	1.56(-3)	3.52(-2)	1.40(-3)	3.59(-2)	2.12(-4)
12	4.30(-2)	5.66(-2)	4.87(-4)	3.74(-2)	1.03(-2)	2.22(-2)	1.77(-2)	1.51(-2)	2.07(-2)	1.33(-2)	2.04(-2)
13	3.19(-2)	5.85(-2)	7.00(-3)	2.31(-2)	2.53(-2)	5.40(-3)	3.17(-2)	5.01(-4)	3.23(-2)	2.17(-5)	3.22(-2)
14	2.31(-2)	5.56(-2)	1.75(-2)	9.48(-3)	3.42(-2)	8.47(-5)	3.00(-2)	5.50(-3)	2.16(-2)	1.21(-2)	1.58(-2)
15	1.65(-2)	4.96(-2)	2.78(-2)	1.51(-3)	3.34(-2)	6.68(-3)	1.69(-2)	1.98(-2)	5.01(-3)	2.66(-2)	5.86(-4)

*Read as 2.91×10^{-3} .

Table 25. Franck-Condon factors for $N_2 C^3\Pi_u-X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	5.45(-1)*	3.47(-1)	9.28(-2)	1.39(-2)	1.34(-3)	9.78(-5)	6.49(-6)	4.30(-7)	3.19(-8)	3.59(-9)	1.09(-9)
1	3.08(-1)	7.92(-2)	3.59(-1)	1.99(-1)	4.77(-2)	6.68(-3)	6.84(-4)	6.24(-5)	5.82(-6)	6.99(-7)	7.82(-8)
2	1.06(-1)	2.67(-1)	2.68(-3)	2.31(-1)	2.68(-1)	1.00(-1)	2.02(-2)	2.89(-3)	3.72(-4)	4.83(-5)	7.25(-6)
3	3.00(-2)	1.83(-1)	1.28(-1)	7.49(-2)	8.80(-2)	2.73(-1)	1.63(-1)	4.78(-2)	9.74(-3)	1.76(-3)	3.05(-4)
4	7.74(-3)	7.94(-2)	1.84(-1)	2.25(-2)	1.50(-1)	5.91(-3)	2.04(-1)	2.15(-1)	9.49(-2)	2.78(-2)	6.86(-3)

*Read as 5.45×10^{-1} .

Table 26. Franck-Condon factors for $N_2 E^3\Sigma_g^+-X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.29(-1)*	6.93(-2)	1.86(-3)	2.31(-5)	2.01(-7)	7.69(-9)	4.47(-13)	8.00(-11)	1.51(-11)	1.50(-11)	1.59(-11)
1	6.76(-2)	7.93(-1)	1.33(-1)	5.75(-3)	1.07(-4)	1.38(-6)	7.07(-8)	4.09(-11)	1.20(-12)	4.71(-11)	2.12(-11)

*Read as 9.29×10^{-1} .

Table 27. Franck-Condon factors for $N_2 D^3\Sigma_u^+-X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.84(-1)*	1.54(-2)	4.60(-4)	2.24(-6)	2.18(-7)	2.59(-8)	5.97(-9)	4.81(-12)	3.17(-10)	5.84(-11)	2.06(-16)

*Read as 9.84×10^{-1} .

Table 28. Franck-Condon factors for $N_2^+ X^2\Sigma_g^+-N_2 X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.17(-1)*	8.02(-2)	2.53(-3)	4.47(-5)	4.17(-7)	1.26(-8)	2.10(-10)	1.01(-10)	2.09(-11)	5.10(-12)	1.35(-12)
1	7.79(-2)	7.60(-1)	1.54(-1)	7.91(-3)	2.04(-4)	2.57(-6)	9.23(-8)	1.28(-9)	8.14(-10)	1.83(-10)	5.16(-11)
2	4.65(-3)	1.45(-1)	6.12(-1)	2.21(-1)	1.65(-2)	5.84(-4)	9.55(-6)	3.96(-7)	4.23(-9)	3.74(-9)	9.13(-10)
3	2.68(-4)	1.38(-2)	2.01(-1)	4.75(-1)	2.80(-1)	2.86(-2)	1.34(-3)	2.78(-5)	1.31(-6)	9.68(-9)	1.28(-8)
4	1.76(-5)	1.12(-3)	2.72(-2)	2.44(-1)	3.51(-1)	3.29(-1)	4.46(-2)	2.68(-3)	6.99(-5)	3.66(-6)	1.63(-8)
5	1.55(-6)	9.62(-5)	2.89(-3)	4.45(-2)	2.74(-1)	2.42(-1)	3.67(-1)	6.46(-2)	4.91(-3)	1.59(-4)	9.21(-6)
6	2.13(-7)	1.06(-5)	3.14(-4)	6.00(-3)	6.50(-2)	2.90(-1)	1.50(-1)	3.91(-1)	8.87(-2)	8.42(-3)	3.34(-4)
7	4.74(-8)	1.71(-6)	4.18(-5)	7.97(-4)	1.08(-2)	8.78(-2)	2.91(-1)	7.83(-2)	4.01(-1)	1.17(-1)	1.37(-2)
8	1.47(-8)	4.21(-7)	7.79(-6)	1.25(-4)	1.72(-3)	1.78(-2)	1.11(-1)	2.76(-1)	2.90(-2)	3.94(-1)	1.48(-1)
9	5.49(-9)	1.42(-7)	2.11(-6)	2.65(-5)	3.16(-4)	3.34(-3)	2.71(-2)	1.34(-1)	2.47(-1)	3.68(-3)	3.70(-1)
10	2.24(-9)	5.67(-8)	7.58(-7)	7.79(-6)	7.48(-5)	7.01(-4)	5.94(-3)	3.89(-2)	1.54(-1)	2.05(-1)	2.24(-3)
11	9.69(-10)	2.50(-8)	3.24(-7)	2.98(-6)	2.37(-5)	1.84(-4)	1.42(-3)	9.88(-3)	5.30(-2)	1.67(-1)	1.55(-1)
12	4.42(-10)	1.17(-8)	1.53(-7)	1.35(-6)	9.59(-6)	6.28(-5)	4.11(-4)	2.66(-3)	1.55(-2)	6.86(-2)	1.71(-1)
13	2.13(-10)	5.77(-9)	7.65(-8)	6.73(-7)	4.56(-6)	2.67(-5)	1.50(-4)	8.41(-4)	4.66(-3)	2.30(-2)	8.44(-2)
14	1.10(-10)	2.99(-9)	4.03(-8)	3.59(-7)	2.40(-6)	1.33(-5)	6.67(-5)	3.26(-4)	1.61(-3)	7.71(-3)	3.24(-2)
15	6.01(-11)	1.64(-9)	2.23(-8)	2.01(-7)	1.35(-6)	7.33(-6)	3.46(-5)	1.52(-4)	6.61(-4)	2.88(-3)	1.21(-2)
16	3.50(-11)	9.50(-10)	1.30(-8)	1.18(-7)	7.97(-7)	4.31(-6)	1.98(-5)	8.17(-5)	3.21(-4)	1.26(-3)	4.88(-3)
17	2.15(-11)	5.81(-10)	7.95(-9)	7.24(-8)	4.92(-7)	2.67(-6)	1.21(-5)	4.85(-5)	1.78(-4)	6.35(-4)	2.24(-3)
18	1.38(-11)	3.74(-10)	5.10(-9)	4.64(-8)	3.17(-7)	1.72(-6)	7.82(-6)	3.07(-5)	1.09(-4)	3.62(-4)	1.18(-3)
19	9.28(-12)	2.52(-10)	3.42(-9)	3.10(-8)	2.12(-7)	1.15(-6)	5.24(-6)	2.05(-5)	7.11(-5)	2.27(-4)	6.91(-4)
20	6.50(-12)	1.77(-10)	2.39(-9)	2.16(-8)	1.47(-7)	8.01(-7)	3.64(-6)	1.42(-5)	4.88(-5)	1.52(-4)	4.42(-4)
21	4.74(-12)	1.29(-10)	1.73(-9)	1.56(-8)	1.06(-7)	5.74(-7)	2.61(-6)	1.02(-5)	3.47(-5)	1.07(-4)	3.02(-4)

*Read as 9.17×10^{-1} .

Table 29. Franck-Condon factors for $N_2^+ A^2\Pi_u - N_2 X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.64(-1)*	3.79(-1)	2.41(-1)	8.98(-2)	2.19(-2)	3.68(-3)	4.39(-4)	3.78(-5)	2.37(-6)	1.08(-7)	3.50(-9)
1	3.18(-1)	2.97(-2)	1.03(-1)	2.67(-1)	1.92(-1)	7.15(-2)	1.64(-2)	2.52(-3)	2.68(-4)	2.01(-5)	1.07(-6)
2	2.19(-1)	5.01(-2)	1.60(-1)	5.57(-5)	1.49(-1)	2.35(-1)	1.35(-1)	4.20(-2)	8.16(-3)	1.06(-3)	9.39(-5)
3	1.15(-1)	1.57(-1)	1.02(-2)	1.30(-1)	5.76(-2)	3.60(-2)	2.04(-1)	1.89(-1)	7.97(-2)	1.95(-2)	3.06(-3)
4	5.09(-2)	1.62(-1)	3.45(-2)	8.45(-2)	3.70(-2)	1.21(-1)	1.44(-4)	1.27(-1)	2.12(-1)	1.24(-1)	3.83(-2)
5	2.04(-2)	1.11(-1)	1.09(-1)	1.39(-3)	1.13(-1)	3.09(-5)	1.18(-1)	3.21(-2)	4.98(-2)	1.98(-1)	1.65(-1)
6	7.70(-3)	6.07(-2)	1.25(-1)	3.31(-2)	4.20(-2)	7.32(-2)	2.94(-2)	6.62(-2)	8.35(-2)	5.41(-3)	1.52(-1)
7	2.80(-3)	2.92(-2)	9.57(-2)	8.74(-2)	1.29(-4)	8.27(-2)	1.95(-2)	7.43(-2)	1.54(-2)	1.11(-1)	4.94(-3)
8	1.00(-3)	1.30(-2)	5.92(-2)	1.01(-1)	3.34(-2)	1.88(-2)	8.08(-2)	1.25(-4)	8.95(-2)	4.48(-4)	9.89(-2)
9	3.58(-4)	5.51(-3)	3.21(-2)	8.22(-2)	7.35(-2)	2.05(-3)	5.47(-2)	4.49(-2)	2.06(-2)	6.64(-2)	2.22(-2)
10	1.29(-4)	2.28(-3)	1.61(-2)	5.50(-2)	8.41(-2)	3.28(-2)	7.38(-3)	7.12(-2)	9.57(-3)	5.39(-2)	2.78(-2)
11	4.76(-5)	9.33(-4)	7.66(-3)	3.26(-2)	7.11(-2)	6.31(-2)	4.46(-3)	3.44(-2)	5.65(-2)	7.75(-4)	6.98(-2)
12	1.80(-5)	3.84(-4)	3.55(-3)	1.79(-2)	5.05(-2)	7.14(-2)	3.11(-2)	2.43(-3)	5.66(-2)	2.57(-2)	1.90(-2)
13	7.03(-6)	1.60(-4)	1.62(-3)	9.36(-3)	3.21(-2)	6.22(-2)	5.44(-2)	6.20(-3)	2.14(-2)	5.65(-2)	3.07(-3)
14	2.84(-6)	6.79(-5)	7.44(-4)	4.76(-3)	1.90(-2)	4.63(-2)	6.13(-2)	2.85(-2)	6.08(-4)	4.32(-2)	3.61(-2)
15	1.18(-6)	2.95(-5)	3.43(-4)	2.39(-3)	1.08(-2)	3.13(-2)	5.49(-2)	4.70(-2)	6.98(-3)	1.35(-2)	5.09(-2)
16	5.10(-7)	1.32(-5)	1.60(-4)	1.20(-3)	5.93(-3)	1.98(-2)	4.28(-2)	5.30(-2)	2.55(-2)	8.57(-5)	3.28(-2)
17	2.26(-7)	6.01(-6)	7.62(-5)	6.01(-4)	3.22(-3)	1.20(-2)	3.04(-2)	4.89(-2)	4.05(-2)	6.94(-3)	8.97(-3)
18	1.03(-7)	2.81(-6)	3.69(-5)	3.04(-4)	1.74(-3)	7.08(-3)	2.04(-2)	3.97(-2)	4.62(-2)	2.22(-2)	6.74(-7)
19	4.75(-8)	1.34(-6)	1.81(-5)	1.56(-4)	9.38(-4)	4.11(-3)	1.31(-2)	2.96(-2)	4.38(-2)	3.47(-2)	6.32(-3)
20	2.23(-8)	6.48(-7)	9.06(-6)	8.07(-5)	5.08(-4)	2.37(-3)	8.21(-3)	2.09(-2)	3.69(-2)	4.03(-2)	1.89(-2)
21	1.05(-8)	3.17(-7)	4.58(-6)	4.22(-5)	2.77(-4)	1.36(-3)	5.05(-3)	1.42(-2)	2.88(-2)	3.93(-2)	2.96(-2)

*Read as 2.64×10^{-1} .

Table 30. Franck-Condon factors for $N_2^+ B^2\Sigma_u^+-N_2 X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	8.83(-1)*	1.04(-1)	1.18(-2)	1.21(-3)	1.27(-4)	1.35(-5)	1.48(-6)	1.64(-7)	1.99(-8)	3.43(-9)	1.25(-9)
1	1.14(-1)	6.91(-1)	1.61(-1)	2.86(-2)	3.93(-3)	5.17(-4)	6.63(-5)	8.64(-6)	1.18(-6)	1.89(-7)	4.56(-8)
2	2.31(-3)	2.00(-1)	5.57(-1)	1.86(-1)	4.59(-2)	7.81(-3)	1.25(-3)	1.88(-4)	2.91(-5)	4.86(-6)	1.01(-6)
3	1.41(-5)	4.85(-3)	2.64(-1)	4.69(-1)	1.87(-1)	6.12(-2)	1.22(-2)	2.33(-3)	4.08(-4)	7.46(-5)	1.52(-5)
4	4.32(-6)	1.32(-4)	6.01(-3)	3.09(-1)	4.19(-1)	1.71(-1)	7.37(-2)	1.65(-2)	3.74(-3)	7.46(-4)	1.62(-4)
5	8.23(-10)	1.97(-5)	5.92(-4)	4.91(-3)	3.39(-1)	4.00(-1)	1.45(-1)	8.41(-2)	2.00(-2)	5.44(-3)	1.22(-3)
6	1.27(-8)	2.28(-7)	4.48(-5)	1.81(-3)	1.99(-3)	3.51(-1)	4.09(-1)	1.10(-1)	9.41(-2)	2.18(-2)	7.48(-3)
7	1.25(-11)	8.34(-8)	3.13(-6)	5.44(-5)	4.25(-3)	5.49(-6)	3.41(-1)	4.41(-1)	7.14(-2)	1.07(-1)	2.12(-2)
8	1.59(-10)	1.80(-9)	1.99(-7)	1.92(-5)	1.59(-5)	7.92(-3)	5.47(-3)	3.01(-1)	4.88(-1)	3.43(-2)	1.26(-1)
9	4.98(-11)	1.47(-9)	3.08(-8)	5.59(-8)	7.07(-5)	4.91(-5)	1.14(-2)	2.93(-2)	2.23(-1)	5.32(-1)	7.61(-3)
10	1.50(-11)	7.92(-10)	4.18(-9)	2.10(-7)	1.24(-6)	1.62(-4)	8.63(-4)	1.12(-2)	8.25(-2)	1.17(-1)	5.36(-1)

*Read as 8.83×10^{-1} .

Table 31. Franck-Condon factors for $N_2^+ C^2\Sigma_u^+-N_2 X^1\Sigma_g^+$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.75(-3)*	2.17(-2)	7.78(-2)	1.66(-1)	2.35(-1)	2.30(-1)	1.59(-1)	7.68(-2)	2.53(-2)	5.34(-3)	6.29(-4)
1	1.40(-2)	7.33(-2)	1.50(-1)	1.36(-1)	3.42(-2)	8.96(-3)	1.15(-1)	2.01(-1)	1.66(-1)	7.77(-2)	2.09(-2)
2	3.73(-2)	1.22(-1)	1.18(-1)	1.53(-2)	3.04(-2)	1.07(-1)	4.67(-2)	5.85(-3)	1.21(-1)	2.01(-1)	1.39(-1)
3	6.87(-2)	1.30(-1)	3.56(-2)	1.71(-2)	8.75(-2)	2.08(-2)	2.63(-2)	9.44(-2)	2.07(-2)	3.40(-2)	1.77(-1)
4	9.91(-2)	9.35(-2)	3.38(-7)	6.96(-2)	3.24(-2)	1.70(-2)	7.22(-2)	3.99(-3)	5.41(-2)	7.01(-2)	2.51(-4)
5	1.19(-1)	4.32(-2)	2.39(-2)	6.27(-2)	6.86(-4)	6.27(-2)	9.42(-3)	4.03(-2)	4.46(-2)	7.09(-3)	8.25(-2)
6	1.25(-1)	8.42(-3)	5.81(-2)	1.90(-2)	3.39(-2)	3.30(-2)	1.52(-2)	4.89(-2)	1.94(-3)	6.08(-2)	4.28(-3)
7	1.18(-1)	3.92(-4)	6.53(-2)	3.59(-5)	5.43(-2)	3.63(-4)	4.93(-2)	3.08(-3)	4.46(-2)	1.12(-2)	3.65(-2)
8	1.03(-1)	1.26(-2)	4.58(-2)	1.61(-2)	3.33(-2)	1.66(-2)	2.99(-2)	1.52(-2)	3.16(-2)	1.21(-2)	3.80(-2)
9	8.35(-2)	3.23(-2)	1.97(-2)	3.93(-2)	6.08(-3)	4.06(-2)	1.83(-3)	4.05(-2)	5.99(-4)	4.11(-2)	4.08(-4)
10	6.46(-2)	4.92(-2)	3.12(-3)	4.69(-2)	1.18(-3)	3.66(-2)	7.73(-3)	2.69(-2)	1.47(-2)	2.00(-2)	2.04(-2)

*Read as 2.75×10^{-3} .

Table 32. Franck-Condon factors for $O_2^+ X^2\Pi_g-O_2 X^3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	1.86(-1)*	2.71(-1)	2.30(-1)	1.50(-1)	8.40(-2)	4.24(-2)	2.00(-2)	9.02(-3)	3.94(-3)	1.69(-3)	7.15(-4)
1	3.62(-1)	8.32(-2)	4.96(-3)	8.33(-2)	1.34(-1)	1.25(-1)	8.98(-2)	5.53(-2)	3.09(-2)	1.61(-2)	8.02(-3)
2	2.91(-1)	4.27(-2)	1.65(-1)	5.34(-2)	5.55(-4)	4.41(-2)	8.95(-2)	9.82(-2)	8.08(-2)	5.61(-2)	3.49(-2)
3	1.25(-1)	2.57(-1)	1.65(-2)	7.24(-2)	1.09(-1)	3.10(-2)	6.16(-4)	3.16(-2)	6.73(-2)	7.91(-2)	7.03(-2)
4	3.07(-2)	2.36(-1)	1.10(-1)	9.65(-2)	4.15(-3)	8.21(-2)	7.44(-2)	1.64(-2)	1.38(-3)	2.65(-2)	5.45(-2)
5	4.33(-3)	9.10(-2)	2.67(-1)	1.57(-2)	1.28(-1)	1.32(-2)	2.82(-2)	7.66(-2)	4.89(-2)	7.60(-3)	2.61(-3)
6	3.26(-4)	1.73(-2)	1.61(-1)	2.25(-1)	3.47(-3)	9.76(-2)	5.42(-2)	8.73(-4)	4.67(-2)	6.33(-2)	3.07(-2)
7	1.07(-5)	1.60(-3)	4.06(-2)	2.20(-1)	1.51(-1)	3.89(-2)	4.65(-2)	8.08(-2)	8.67(-3)	1.48(-2)	5.28(-2)
8	7.14(-8)	5.94(-5)	4.53(-3)	7.29(-2)	2.57(-1)	7.87(-2)	8.09(-2)	1.00(-2)	7.83(-2)	3.31(-2)	3.60(-4)
9	7.16(-10)	3.47(-7)	1.85(-4)	9.65(-3)	1.11(-1)	2.67(-1)	2.80(-2)	1.06(-1)	1.33(-4)	5.54(-2)	5.37(-2)
10	4.25(-11)	8.65(-9)	8.54(-7)	4.22(-4)	1.72(-2)	1.51(-1)	2.57(-1)	3.57(-3)	1.07(-1)	1.14(-2)	2.80(-2)
11	2.46(-13)	3.23(-10)	5.21(-8)	1.32(-6)	7.91(-4)	2.70(-2)	1.91(-1)	2.31(-1)	1.23(-3)	9.15(-2)	3.18(-2)
12	2.10(-14)	6.10(-12)	1.19(-9)	2.13(-7)	1.21(-6)	1.28(-3)	3.89(-2)	2.26(-1)	1.98(-1)	1.30(-2)	6.71(-2)
13	7.65(-16)	2.04(-13)	5.31(-11)	2.68(-9)	6.66(-7)	3.72(-7)	1.84(-3)	5.21(-2)	2.58(-1)	1.62(-1)	3.10(-2)
14	8.53(-16)	1.66(-14)	7.48(-13)	3.02(-10)	3.67(-9)	1.70(-6)	2.56(-7)	2.40(-3)	6.62(-2)	2.84(-1)	1.30(-1)
15	6.53(-16)	4.35(-17)	1.35(-13)	8.80(-13)	1.23(-9)	1.96(-9)	3.70(-6)	5.83(-6)	2.86(-3)	8.03(-2)	3.07(-1)
16	2.09(-15)	1.28(-17)	6.77(-17)	8.09(-13)	4.23(-17)	3.90(-9)	4.34(-10)	6.94(-6)	2.76(-5)	3.12(-3)	9.38(-2)
17	3.66(-16)	1.93(-18)	5.85(-16)	1.34(-14)	3.46(-12)	1.32(-11)	9.97(-9)	2.74(-8)	1.14(-5)	8.32(-5)	3.07(-3)
18	4.26(-16)	4.23(-17)	7.54(-17)	6.24(-17)	1.28(-13)	9.64(-12)	1.55(-10)	2.07(-8)	1.80(-7)	1.62(-5)	1.97(-4)
19	1.44(-15)	8.81(-17)	4.29(-16)	9.12(-19)	2.47(-15)	7.26(-13)	1.94(-11)	8.78(-10)	3.40(-8)	6.92(-7)	1.97(-5)
20	5.52(-16)	1.88(-17)	1.82(-16)	1.13(-18)	3.38(-15)	5.89(-16)	3.52(-12)	2.30(-11)	3.47(-9)	4.17(-8)	1.99(-6)
21	3.76(-17)	1.38(-17)	3.02(-18)	5.31(-17)	3.47(-16)	6.02(-15)	2.49(-14)	1.22(-11)	5.30(-12)	1.06(-8)	3.01(-8)

*Read as 1.86×10^{-1} .

Table 33. Franck-Condon factors for $O_2^+ a^4\Pi_u-O_2 X^3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	9.87(-3)*	5.44(-2)	1.38(-1)	2.15(-1)	2.30(-1)	1.78(-1)	1.05(-1)	4.72(-2)	1.67(-2)	4.64(-3)	1.02(-3)
1	3.60(-2)	1.24(-1)	1.58(-1)	7.32(-2)	5.34(-4)	5.30(-2)	1.52(-1)	1.79(-1)	1.29(-1)	6.44(-2)	2.36(-2)
2	7.20(-2)	1.42(-1)	6.01(-2)	2.33(-3)	8.29(-2)	9.51(-2)	1.32(-2)	2.37(-2)	1.23(-1)	1.68(-1)	1.26(-1)
3	1.05(-1)	1.02(-1)	1.25(-3)	6.30(-2)	6.98(-2)	2.02(-4)	6.16(-2)	8.79(-2)	1.21(-2)	2.59(-2)	1.25(-1)
4	1.24(-1)	4.61(-2)	1.98(-2)	7.67(-2)	3.27(-3)	5.10(-2)	5.84(-2)	1.05(-4)	6.65(-2)	7.39(-2)	3.35(-3)
5	1.28(-1)	8.65(-3)	5.79(-2)	3.11(-2)	2.03(-2)	6.08(-2)	8.72(-5)	5.84(-2)	3.89(-2)	6.08(-3)	7.94(-2)
6	1.18(-1)	4.45(-4)	6.88(-2)	8.06(-4)	5.57(-2)	1.17(-2)	3.51(-2)	4.08(-2)	5.33(-3)	6.58(-2)	1.44(-2)
7	1.01(-1)	1.30(-2)	5.05(-2)	1.08(-2)	4.68(-2)	4.05(-3)	5.21(-2)	1.12(-4)	5.15(-2)	1.48(-2)	2.72(-2)
8	8.17(-2)	3.27(-2)	2.34(-2)	3.57(-2)	1.54(-2)	3.24(-2)	1.90(-2)	2.44(-2)	3.15(-2)	1.05(-2)	5.02(-2)
9	6.29(-2)	4.94(-2)	4.83(-3)	4.86(-2)	9.09(-5)	4.46(-2)	6.92(-6)	4.40(-2)	3.33(-4)	4.43(-2)	5.12(-3)
10	4.67(-2)	5.87(-2)	1.05(-4)	4.30(-2)	8.32(-3)	2.92(-2)	1.47(-2)	2.43(-2)	1.61(-2)	2.68(-2)	1.25(-2)
11	3.38(-2)	6.05(-2)	5.99(-3)	2.72(-2)	2.53(-2)	8.21(-3)	3.33(-2)	2.22(-3)	3.60(-2)	1.03(-3)	3.79(-2)
12	2.40(-2)	5.67(-2)	1.64(-2)	1.16(-2)	3.61(-2)	5.45(-7)	3.38(-2)	3.93(-3)	2.77(-2)	9.12(-3)	2.48(-2)
13	1.68(-2)	4.97(-2)	2.65(-2)	2.28(-3)	3.59(-2)	5.95(-3)	1.99(-2)	1.94(-2)	7.79(-3)	2.75(-2)	2.63(-3)
14	1.16(-2)	4.16(-2)	3.34(-2)	5.70(-5)	2.76(-2)	1.75(-2)	5.73(-3)	2.92(-2)	2.88(-5)	2.84(-2)	3.65(-3)
15	8.05(-3)	3.36(-2)	3.66(-2)	2.90(-3)	1.68(-2)	2.64(-2)	3.90(-5)	2.65(-2)	7.24(-3)	1.45(-2)	1.84(-2)
16	5.58(-3)	2.66(-2)	3.66(-2)	8.05(-3)	7.76(-3)	2.90(-2)	2.99(-3)	1.62(-2)	1.85(-2)	2.36(-3)	2.57(-2)
17	3.88(-3)	2.07(-2)	3.44(-2)	1.33(-2)	2.19(-3)	2.61(-2)	1.01(-2)	6.04(-3)	2.43(-2)	5.91(-4)	1.99(-2)
18	2.72(-3)	1.60(-2)	3.10(-2)	1.75(-2)	9.01(-5)	2.02(-2)	1.70(-2)	6.51(-4)	2.24(-2)	6.90(-3)	8.90(-3)
19	1.93(-3)	1.22(-2)	2.71(-2)	2.01(-2)	4.92(-4)	1.36(-2)	2.10(-2)	4.82(-4)	1.57(-2)	1.47(-2)	1.36(-3)
20	1.38(-3)	9.41(-3)	2.31(-2)	2.12(-2)	2.27(-3)	7.89(-3)	2.17(-2)	3.68(-3)	8.32(-3)	1.93(-2)	3.43(-4)
21	1.00(-3)	7.24(-3)	1.95(-2)	2.11(-2)	4.51(-3)	3.82(-3)	1.99(-2)	7.94(-3)	2.92(-3)	1.93(-2)	4.09(-3)

*Read as 9.87×10^{-3} .

Table 34. Franck-Condon factors for $O_2^+ A^2\Pi_u - O_2 X^3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	2.84(-3)*	1.95(-2)	6.34(-2)	1.29(-1)	1.86(-1)	2.02(-1)	1.71(-1)	1.16(-1)	6.43(-2)	2.96(-2)	1.14(-2)
1	1.23(-2)	6.00(-2)	1.23(-1)	1.31(-1)	6.34(-2)	3.00(-3)	2.49(-2)	1.01(-1)	1.53(-1)	1.44(-1)	9.88(-2)
2	2.91(-2)	9.71(-2)	1.12(-1)	3.73(-2)	2.21(-3)	6.22(-2)	9.25(-2)	3.75(-2)	1.83(-4)	4.74(-2)	1.20(-1)
3	5.00(-2)	1.09(-1)	5.50(-2)	2.40(-4)	5.50(-2)	6.71(-2)	6.89(-3)	2.34(-2)	8.04(-2)	5.52(-2)	2.58(-3)
4	6.97(-2)	9.23(-2)	9.74(-3)	2.92(-2)	6.44(-2)	7.34(-3)	2.56(-2)	6.55(-2)	1.65(-2)	1.11(-2)	6.95(-2)
5	8.43(-2)	6.11(-2)	1.01(-3)	5.70(-2)	2.39(-2)	1.05(-2)	5.65(-2)	1.30(-2)	1.64(-2)	6.05(-2)	1.90(-2)
6	9.18(-2)	3.04(-2)	1.75(-2)	5.14(-2)	2.34(-4)	4.23(-2)	2.51(-2)	6.96(-3)	5.10(-2)	1.26(-2)	1.54(-2)
7	9.25(-2)	9.51(-3)	3.75(-2)	2.65(-2)	1.10(-2)	4.30(-2)	1.92(-4)	3.82(-2)	2.10(-2)	8.24(-3)	4.78(-2)
8	8.78(-2)	6.28(-4)	4.74(-2)	5.82(-3)	3.12(-2)	1.89(-2)	1.27(-2)	3.60(-2)	7.87(-5)	3.83(-2)	1.45(-2)
9	7.97(-2)	1.43(-3)	4.49(-2)	8.80(-5)	3.87(-2)	1.54(-3)	3.19(-2)	1.08(-2)	1.77(-2)	2.84(-2)	1.83(-3)
10	6.98(-2)	7.88(-3)	3.44(-2)	6.46(-3)	3.09(-2)	2.85(-3)	3.26(-2)	3.67(-5)	3.27(-2)	3.84(-3)	2.41(-2)
11	5.96(-2)	1.63(-2)	2.15(-2)	1.70(-2)	1.67(-2)	1.46(-2)	1.85(-2)	9.44(-3)	2.43(-2)	2.90(-3)	3.06(-2)
12	4.99(-2)	2.42(-2)	1.06(-2)	2.54(-2)	5.10(-3)	2.46(-2)	4.77(-3)	2.23(-2)	7.55(-3)	1.76(-2)	1.43(-2)
13	4.12(-2)	3.03(-2)	3.48(-3)	2.88(-2)	1.90(-4)	2.68(-2)	6.14(-7)	2.58(-2)	3.10(-5)	2.54(-2)	9.47(-4)
14	3.36(-2)	3.40(-2)	3.24(-4)	2.73(-2)	1.35(-3)	2.21(-2)	3.62(-3)	1.96(-2)	4.21(-3)	1.98(-2)	2.89(-3)
15	2.72(-2)	3.57(-2)	3.30(-4)	2.26(-2)	5.86(-3)	1.42(-2)	1.05(-2)	9.97(-3)	1.27(-2)	8.77(-3)	1.25(-2)
16	2.19(-2)	3.56(-2)	2.37(-3)	1.67(-2)	1.10(-2)	6.91(-3)	1.61(-2)	2.70(-3)	1.82(-2)	1.30(-3)	1.88(-2)
17	1.76(-2)	3.42(-2)	5.40(-3)	1.09(-2)	1.49(-2)	2.07(-3)	1.82(-2)	2.64(-5)	1.83(-2)	3.51(-4)	1.77(-2)
18	1.41(-2)	3.19(-2)	8.62(-3)	6.18(-3)	1.68(-2)	1.07(-4)	1.69(-2)	1.23(-3)	1.42(-2)	3.92(-3)	1.17(-2)
19	1.13(-2)	2.92(-2)	1.15(-2)	2.87(-3)	1.69(-2)	4.03(-4)	1.36(-2)	4.35(-3)	8.80(-3)	8.51(-3)	5.34(-3)
20	9.07(-3)	2.62(-2)	1.37(-2)	9.25(-4)	1.55(-2)	2.00(-3)	9.53(-3)	7.56(-3)	4.12(-3)	1.16(-2)	1.23(-3)
21	7.24(-3)	2.31(-2)	1.51(-2)	9.62(-5)	1.32(-2)	3.98(-3)	5.81(-3)	9.72(-3)	1.19(-3)	1.24(-2)	3.85(-8)

*Read as 2.64×10^{-3} .

Table 35. Franck-Condon factors for $O_2^+ b^4\Sigma_g^- - O_2 X^3\Sigma_g^-$.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10
0	4.11(-1)*	3.76(-1)	1.61(-1)	4.31(-2)	8.21(-3)	1.19(-3)	1.36(-4)	1.26(-5)	9.81(-7)	6.34(-8)	3.54(-9)
1	3.36(-1)	2.78(-3)	2.34(-1)	2.61(-1)	1.23(-1)	3.49(-2)	6.96(-3)	1.05(-3)	1.24(-4)	1.20(-5)	9.46(-7)
2	1.62(-1)	1.69(-1)	8.18(-2)	4.85(-2)	2.31(-1)	1.96(-1)	8.31(-2)	2.26(-2)	4.43(-3)	6.62(-4)	7.88(-5)
3	6.13(-2)	2.09(-1)	1.69(-2)	1.62(-1)	2.55(-3)	1.20(-1)	2.18(-1)	1.41(-1)	5.28(-2)	1.34(-2)	2.52(-3)
4	2.04(-2)	1.35(-1)	1.28(-1)	1.65(-2)	1.19(-1)	6.44(-2)	2.25(-2)	1.72(-1)	1.85(-1)	9.65(-2)	3.20(-2)
5	6.36(-3)	6.53(-2)	1.54(-1)	2.90(-2)	8.59(-2)	3.20(-2)	1.22(-1)	3.27(-3)	8.54(-2)	1.87(-1)	1.43(-1)
6	1.93(-3)	2.72(-2)	1.11(-1)	1.05(-1)	1.43(-3)	1.12(-1)	6.48(-4)	1.06(-1)	5.10(-2)	1.50(-2)	1.40(-1)
7	5.83(-4)	1.04(-2)	6.15(-2)	1.22(-1)	3.39(-2)	4.24(-2)	6.72(-2)	3.97(-2)	4.17(-2)	1.00(-1)	3.59(-3)
8	1.79(-4)	3.83(-3)	2.97(-2)	9.34(-2)	8.80(-2)	1.07(-4)	8.40(-2)	1.09(-2)	8.46(-2)	8.29(-4)	9.49(-2)
9	5.60(-5)	1.38(-3)	1.32(-2)	5.74(-2)	1.00(-1)	3.29(-2)	2.21(-2)	7.33(-2)	5.35(-3)	7.60(-2)	2.03(-2)
10	1.80(-5)	5.01(-4)	5.63(-3)	3.11(-2)	8.12(-2)	7.29(-2)	9.22(-4)	6.11(-2)	2.59(-2)	4.48(-2)	2.71(-2)
11	5.96(-6)	1.83(-4)	2.35(-3)	1.56(-2)	5.44(-2)	8.41(-2)	2.82(-2)	1.36(-2)	6.61(-2)	2.73(-6)	6.94(-2)
12	2.00(-6)	6.74(-5)	9.68(-4)	7.52(-3)	3.25(-2)	7.21(-2)	5.91(-2)	9.75(-4)	4.70(-2)	3.11(-2)	2.21(-2)
13	6.79(-7)	2.51(-5)	3.99(-4)	3.52(-3)	1.81(-2)	5.23(-2)	7.06(-2)	2.14(-2)	1.10(-2)	5.61(-2)	1.18(-3)
14	2.27(-7)	9.39(-6)	1.65(-4)	1.62(-3)	9.66(-3)	3.42(-2)	6.46(-2)	4.60(-2)	3.30(-4)	3.93(-2)	2.86(-2)
15	7.20(-8)	3.47(-6)	6.78(-5)	7.42(-4)	5.00(-3)	2.09(-2)	5.07(-2)	5.83(-2)	1.38(-2)	1.15(-2)	4.66(-2)

*Read as 4.11×10^{-1} .

Table 36. Band origin wavelengths and Einstein coefficients for $N_2 b^1\Pi_u-X^1\Sigma_g^+$. For each $v'-v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm) and $A_{v'v''}$ (s^{-1}). Band origins from Carroll and Collins (1969) and Roncin *et al.* (1987). Einstein coefficients calculated by normalizing relative band intensities measured by James *et al.* (1990) to the $v' = 1$ lifetime of 1.75 ns measured by Oertel *et al.* (1981), corrected to a radiative lifetime of 1.96 ns by allowing for 10.5% predissociation as determined by James *et al.* The other levels of the $b^1\Pi_u$ state are strongly predissociated and give little emission.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8	9	10	11	12
1	0.0986	0.1009	0.1033	0.1058	0.1083	0.1110	0.1138	0.1166	0.1196	0.1227	0.1259	0.1292	0.1326
	1.04(8)*	1.04(8)	1.21(8)	7.1(7)	3.9(7)	1.5(7)	†	†	1.4(7)	1.4(7)	1.05(7)	1.05(7)	8(6)

*Read as 1.04×10^8 .

†These bands were too weak to be measured by James *et al.* (1990).

Table 37. Band origin wavelengths and Einstein coefficients for N_2 c'_4 ${}^1\Sigma_u^+ - X$ ${}^1\Sigma_g^+$. For each $v' - v''$ band, the listed quantities are $\lambda_{v'v''}$ (μm) and $A_{v'v''}$ (s^{-1}). Band origins from Yoshino and Tanaka (1977) and Roncin *et al.* (1987), or calculated from data therein. Einstein coefficients for $v'' = 0$ from Table VII of Ajello *et al.* (1989). Einstein coefficients for $v'' > 0$ from relative band intensities, $I_{v'v''}/I_{v'0}$, measured by Ajello *et al.* and James *et al.* (1990), except for $v' = 1$ and 2, where $A_{v'0}$ were too small to be measured, so $A_{2v''}$ were normalized to the $v' = 2$ radiative lifetime (0.65 ns) measured by Oertel *et al.* (1981), while $A_{1v''}$ were normalized to the average of the radiative lifetimes for $v' = 0$ (0.74 ns) deduced by Ajello *et al.* and $v' = 2$ measured by Oertel *et al.* Bands from $v' = 5$ are weak and their intensities have not been measured.

$v' \setminus v''$	0	1	2	3	4	5	6	7	8
0	0.0959 1.14(9)*	0.0980 1.88(8)	0.1003 1.85(7)	0.1026 7.9(6)	0.1051 3.4(6)	0.1076 ~1.5(6)	0.1102 <5.3(6)	0.1128 <3.0(6)	0.1156 <2.9(6)
1	0.0940 2.9(7)	0.0961 ~4.2(8)	0.0983 ~4.0(8)	0.1005 ~6.0(7)	0.1029 <6(7)	0.1053 ~5(7)	0.1077 ~3(8)	0.1103 <2.1(8)	0.1130 <1.0(8)
2	0.0921 2.1(7)	0.0941 2.5(8)	0.0962 2.8(8)	0.0984 ~9.3(7)	0.1006 ~9.3(7)	0.1029 <9(7)	0.1053 ~1.3(8)	0.1077 ~4.6(8)	0.1102 <3.2(8)
3	0.0904 1.11(8)	0.0923 1.2(8)	0.0943 ~5.7(8)	0.0964 6.1(8)	0.0985 3.4(8)	0.1007 4.7(7)†	0.1030 <2(7)	0.1053 ~3.9(7)	0.1077 <5(7)
4	0.0887 2.43(8)	0.0905 ~1.5(8)	0.0925 ~9.7(6)	0.0945 ~3.37(8)	0.0965 ~2.9(8)	0.0986 ~2.8(8)	0.1008 ~1.04(8)†	0.1030 <1(7)	0.1053 <1(7)
6	0.0856 1.63(8)	0.0874 2.0(8)	0.0891 <1.4(8)†	0.0910 <2(7)†	0.0929 2.0(8)	0.0948 4.35(8)	0.0968 <1.5(8)†	0.0989 2.84(8)	0.1010 2.5(8)†

*Read as 1.14×10^9 .

†Based on the upper limit value of the electron-impact emission cross section given in Table II of Ajello *et al.* (1989), less estimated contributions from overlapping features.

‡Based on a revised value of the electron-impact emission cross section, 0.55×10^{-19} cm^2 (Ajello, private communication, September 1990).

Table 38. Band head wavelengths and Einstein coefficients for N_2 c'_4 $^1\Sigma_u^+ - a$ $^1\Pi_g$. For each $v' - v''$ band, the listed quantities are $\lambda_{Hv'v''}$ (μm) and $A_{v'v''}$ (s^{-1}). Band heads from Lofthus and Krupenie (1977) (band origins not available). Einstein coefficients calculated from the electron-impact band intensities of Filippelli *et al.* (1984) relative to that of the $c'_4 - X$ 0-0 band of Ajello *et al.* (1989), normalized to the $A_{00}(c'_4 - X)$ value of the latter.

$v' \setminus v''$	0	1	2	3	4	5
0	0.2827	0.2967	0.3119	0.3283	0.3463	0.3661
	1.98(6)*	4.82(6)	3.40(6)	2.37(6)	1.37(6)	9.0(5)

*Read as 1.98×10^6 .

DISTRIBUTION LIST

DNA-TR-90-209

DEPARTMENT OF DEFENSE

ASSISTANT TO THE SECRETARY OF DEFENSE
ATTN: EXECUTIVE ASSISTANT

DEFENSE INTELLIGENCE AGENCY
ATTN: DB-6

DEFENSE NUCLEAR AGENCY
ATTN: RAAE K SCHWARTZ
ATTN: RAAE B PRASAD
ATTN: RAAE D RIGGIN
ATTN: RAAE L WITTEW
2 CYS ATTN: TITL

DEFENSE TECHNICAL INFORMATION CENTER
2 CYS ATTN: DTIC/FDAB

FIELD COMMAND DEFENSE NUCLEAR AGENCY
ATTN: FCTT
2 CYS ATTN: FCTT W SUMMA

STRATEGIC AND THEATER NUCLEAR FORCES
ATTN: DR E SEVIN

STRATEGIC DEFENSE INITIATIVE ORGANIZATION
ATTN: DA DR GERRY
ATTN: EN
ATTN: PTP COL BECKER
2 CYS ATTN: SDIO/TNS MAJ IMKER

DEPARTMENT OF THE ARMY

U S ARMY FOREIGN SCIENCE & TECH CTR
ATTN: AIFRTA

U S ARMY NUCLEAR & CHEMICAL AGENCY
ATTN: MONA-NU

U S ARMY STRATEGIC DEFENSE CMD
ATTN: CSSD-SA-EV RON SMITH

DEPARTMENT OF THE NAVY

NAVAL POSTGRADUATE SCHOOL
ATTN: CODE 1424 LIBRARY

NAVAL RESEARCH LABORATORY
ATTN: CODE 2627 TECH LIB
ATTN: CODE 4700 W ALI
ATTN: CODE 4700 S OSSAKOW

DEPARTMENT OF THE AIR FORCE

AIR FORCE OFFICE OF SCIENTIFIC RSCH
ATTN: AFOSR/NC
ATTN: AFOSR/NP

AIR FORCE PHILLIPS LABORATORY
ATTN: GOS/H GARDINER
ATTN: LAILA DZELZKALNS
ATTN: OP D PAULSEN
ATTN: OP E GOOD
ATTN: OP W BLUMBERG
ATTN: PL/GP/GO DR A RATKOWSKI

AIR FORCE TECHNICAL APPLICATIONS CTR
ATTN: TT
ATTN: TX

AIR UNIVERSITY LIBRARY
ATTN: AUL-LSE

PHILLIPS LABORATORY, WEAPONS DIVISION
ATTN: NTCA

DEPARTMENT OF ENERGY

LAWRENCE LIVERMORE NATIONAL LAB
ATTN: L-84 A GROSSMAN
ATTN: L-84 G SIMONSON

LOS ALAMOS NATIONAL LABORATORY
ATTN: REPORT LIBRARY

SANDIA NATIONAL LABORATORIES
ATTN: TECH LIB 3141

DEPARTMENT OF DEFENSE CONTRACTORS

AERODYNE RESEARCH, INC
ATTN: C KOLB

AEROSPACE CORP
ATTN: C CREWS
ATTN: C RICE
ATTN: DR J M STRAUS
ATTN: G LIGHT

BERKELEY RSCH ASSOCIATES, INC
ATTN: S BRECHT

BOSTON COLLEGE, TRUSTEES OF
ATTN: E HEGBLOM
ATTN: W GRIEDER

GENERAL RESEARCH CORP INC
ATTN: J EOLL

HSS, INC
ATTN: M SHULER

INSTITUTE FOR DEFENSE ANALYSES
ATTN: E BAUER
ATTN: H WOLFARD

KAMAN SCIENCES CORP
ATTN: DASIAC
ATTN: E CONRAD
ATTN: G DITTBERNER

KAMAN SCIENCES CORPORATION
5 CYS ATTN: DASIAC

LOCKHEED MISSILES & SPACE CO, INC
ATTN: R SEARS

LOGICON R & D ASSOCIATES
2 CYS ATTN: F GILMORE
2 CYS ATTN: P EPSY
2 CYS ATTN: R LAHER

DNA-TR-90-209 (DL CONTINUED)

MCDONNELL DOUGLAS CORPORATION
ATTN: J GROSSMAN

MISSION RESEARCH CORP
ATTN: J KENNEALY
ATTN: R ARMSTRONG
ATTN: S DOWNER

MISSION RESEARCH CORP
ATTN: D LANDMAN
ATTN: R HENDRICK
2 CYS ATTN: TECH LIBRARY

MISSION RESEARCH CORP
ATTN: TECH LIBRARY

PHOTOMETRICS, INC
ATTN: I L KOFSKY

PHOTON RESEARCH ASSOCIATES
ATTN: D BURWELL

PHYSICAL RESEARCH, INC
ATTN: J DEVORE

PHYSICAL SCIENCES, INC
ATTN: G CALEDONIA

SCIENCE APPLICATIONS INTL CORP
ATTN: E HYMAN

STEWART RADIANCE LABORATORY
ATTN: R HUPPI

TECHNOLOGY INTERNATIONAL CORP
ATTN: W BOQUIST

TOYON RESEARCH CORP
ATTN: J ISE

UNITED TECHNOLOGIES RESEARCH CTR
ATTN: H MICHELS

VISIDYNE, INC
2 CYS ATTN: J CARPENTER