

AD-7019 507

INVERSE MEAN FREE PATH, STOPPING POWER, CSDA RANGE,
AND STRAGGLING IN ALLMINUM AND ALUMINUM OXIDE FOR
ELECTRONS OF ENERGY = OR < 10 keV

J. C. Ashley, et al

Oak Ridge National Laboratory

Prepared for:

Air Force Cambridge Research Laboratories
Energy Research and Development Administration

December 1975

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

123092

REVERSE FIELD FREE PIPES, FOCUSING ELECTRODES, CATHODES,
AND STRAPPIERS IN ALUMINUM AND ALUMINUM OXIDE FOR
ELECTRONIC ENERGY STORAGE

J. C. Adley
C. J. Tye
V. E. Anderson
R. E. Smith

Oak Ridge National Laboratory
Oak Ridge, Tennessee 37830

December 1975
Scientific Report No. 1

DDC
REPRODUCED
JAN 20 1976
REGISTERED

Approved for public release; distribution unlimited.

This research was sponsored by the Defense Nuclear Agency under
Subtask Z99QANTA040, Work Unit 51, entitled "Secondary Electron
Transport Phenomenology" and in part by the Energy Research and
Development Administration under contract with Union Carbide Corp.

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANCOM AFB, MASSACHUSETTS 01731

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
US Department of Commerce
Springfield, VA 22151

REPRODUCED FROM
BEST AVAILABLE COPY

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFCRL-TR-75-0583	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INVERSE MEAN FREE PATH, STOPPING POWER, CSDA RANGE, AND STRAGGLING IN ALUMINUM AND ALUMINUM OXIDE FOR ELECTRONS OF ENERGY ≤ 10 keV	5. TYPE OF REPORT & PERIOD COVERED Scientific - Interim	
	6. PERFORMING ORG. REPORT NUMBER Scientific Report No. 1	
7. AUTHOR(s) J. C. Ashley R. H. Ritchie C. J. Tung V. E. Anderson	8. CONTRACT OR GRANT NUMBER(s) Y75-886	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Oak Ridge National Laboratory Oak Ridge, Tennessee 37830	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62704H CDNA0008	
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Cambridge Research Laboratories Hanscom AFB, Massachusetts 01731 Contract Monitor: Dr. John N. Bradford/LOR	12. REPORT DATE December 1975	
	13. NUMBER OF PAGES 54	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This research was sponsored by the Defense Nuclear Agency under Subtask Z99QAXTA040, Work Unit 51, entitled "Secondary Electron Transport Phenomenology and in part by the Energy Research and Development Administration under contract with Union Carbide Corp.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) electron transport energy loss theory		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The interaction of electrons with the solids Al and Al ₂ O ₃ is described based on the electron gas model for the conduction band electrons in Al, a model insulator theory for the valence electrons in Al ₂ O ₃ , and inner shell ionization derived from atomic, generalized oscillator strengths. Contributions to the inverse mean free path and stopping power from the various interaction processes are tabulated for electron energies from 0.5 eV to 10 keV for Al and from 10 eV to 10 keV for Al ₂ O ₃ .		

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Block 20. (Continued)

Electron range in the continuous-slowing-down approximation and straggling are tabulated for electron energies from 10 eV to 10 keV for both materials.



A

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

CONTENTS

I.	INTRODUCTION	4
II.	GENERAL FORMULATIONS.	5
III.	DIMFP'S (DIFFERENTIAL INVERSE MEAN FREE PATHS) FOR THE ALUMINUM CONDUCTION BAND	7
IV.	DIMFP'S FOR INNER SHELLS	10
V.	DIMFP'S FOR VALENCE ELECTRONS IN Al_2O_3	12
VI.	EXCHANGE CORRECTED DIMFP'S AND FORMULAE FOR THE TABULATIONS.	14
VII.	REFERENCES	18
VIII.	ALUMINUM: EXPLANATION OF TABLES	20
	TABLE 1A - INVERSE MEAN FREE PATH OF ELECTRONS IN ALUMINUM	22
	TABLE 1B - STOPPING POWER OF ALUMINUM FOR ELECTRONS ...	27
	TABLE 1C - CSDA RANGES AND STRAGGLING OF ELECTRONS IN ALUMINUM	32
IX.	ALUMINUM OXIDE: EXPLANATION OF TABLES.	37
	TABLE 2A - INVERSE MEAN FREE PATH OF ELECTRONS IN Al_2O_3	39
	TABLE 2B - STOPPING POWER OF Al_2O_3 FOR ELECTRONS.	44
	TABLE 2C - CSDA RANGE AND STRAGGLING OF ELECTRONS IN Al_2O_3	49

I. INTRODUCTION

A quantitative description of the interaction of electrons with matter over a large range of energies is a subject of basic importance in a wide variety of theoretical and applied areas. From the theoretical standpoint, calculations of energy loss and range of electrons in many different materials have formed the basis of at least two extensive tabulations.^{1,2} Both of these works are restricted to electron energies ≥ 10 keV and are based on the Bethe theory of stopping power including various modifications and corrections (e.g. density-effect corrections). We feel that similar tabulations for electron energies < 10 keV, based on a priori calculations using currently available theoretical information, will provide useful guides for interpretation of experimental data as well as input for calculations in applied areas.

Our work here will involve model calculations to describe the extended electron states of a solid (valence band or conduction band). The more tightly bound, inner shells of the atoms in the solid will be assumed to be essentially unchanged in character from those in free atoms. Thus, excitation of electrons from the inner shells will be based on calculations of atomic, generalized oscillator strengths (GOS's). More specifically, the differential inverse mean free path (DIMFP), which forms the basic function required in our work, will be derived from an electron gas model describing the conduction band electrons in Al and from a model insulator theory applied to the valence band in Al_2O_3 . The DIMFP's for electron interaction with the inner shells of the Al and O atoms

are calculated from a priori atomic GOS calculations for exciting electrons to the continuum from the 2s and 2p sub-shells of Al³ and the K shell of O.⁴ The DIMFP for removing an electron from the K shell of Al is obtained from GOS values based on hydrogenic wavefunctions.⁵ Given the DIMFP's associated with the most important electron interaction processes in the solids we then calculate inverse mean free paths, stopping powers, csda ranges, and range and energy straggling for electron energies from a few eV to 10 keV.

The details of the components of our calculations are described more fully in the next four sections. In section VI exchange corrections are discussed, expressions given for the exchange corrected DIMFP's, and formulas used in these tabulations are displayed.

II. GENERAL FORMULATIONS

A charged particle passing through a solid interacts with a large number of electrons simultaneously and it is thus appropriate to speak of a mean free path of the charged particle against energy loss to the solid. Assuming the effect of the charged particle on the medium may be treated in first Born approximation, the inverse mean free path, differential in momentum transfer, $\hbar\vec{k}$, and energy transfer, $\hbar\omega$, for a particle of velocity v is given by

$$\frac{d^2\mu}{dkd\omega} = \frac{2e^2}{\pi\hbar v^2} \frac{1}{k} \operatorname{Im} \left[\frac{-1}{\epsilon(k, \omega)} \right] \quad (1)$$

where $\epsilon(k, \omega)$ is the exact dielectric function of the solid.^{6,7} We assume in this work that the solid is isotropic and homogeneous.

For our calculations of inverse mean free path, stopping power, etc., it is sufficient to compute inverse mean free paths differential in energy transfer only. This differential inverse mean free path (DIMFP) for energy loss $\hbar\omega$ by an electron with energy $E = mv^2/2$ in the solid is given by

$$\tau(E, \hbar\omega) \equiv \frac{d\mu}{d(\hbar\omega)} = \frac{1}{\pi a_0 E} \int_{k_-}^{k_+} \frac{dk}{k} \operatorname{Im} \left[\frac{-1}{\epsilon(k, \omega)} \right] \quad (2)$$

where $\hbar k_{\pm} \equiv \sqrt{2m} \left[\sqrt{E} \pm \sqrt{E - \hbar\omega} \right]$ and $a_0 \equiv \hbar^2/me^2$. This expression assumes that the energy-momentum relation for a swift electron in the solid does not differ appreciably from that of a free electron in vacuum.

Given $\epsilon(k, \omega)$ for the solid, the quantities of interest here follow directly from $\tau(E, \hbar\omega)$. The inverse mean free path of the electron, μ , is given by integrating over allowed energy transfers as

$$\mu(E) = \int d(\hbar\omega) \tau(E, \hbar\omega) . \quad (3)$$

The rate of energy loss of the electron, or the stopping power of the medium, is given by

$$S(E) \equiv -dE/dx = \int d(\hbar\omega) \hbar\omega \tau(E, \hbar\omega) ,$$

and the mean square energy loss per unit path length by

$$\Omega^2(E) \equiv \int d(\hbar\omega) (\hbar\omega)^2 \tau(E, \hbar\omega) . \quad (5)$$

With these results we may calculate the range of an electron in the continuous-slowing-down approximation (csda range) by

$$R_o(E) = \int_{E_o}^E dE' / S(E') . \quad (6)$$

The lower limit on this integration will be discussed further in Section VI. The mean square fluctuation in the range or "range straggling" will be calculated from Eq. (3) and Eq. (4) as⁸

$$(R - R_o)_{AV}^2 = \int_{E_o}^E dE' \Omega^2(E') / [S(E')]^3 . \quad (7)$$

In practice, the DIMFP will be evaluated as a sum of contributions from various distinct processes. For example we calculate a DIMFP for removing an electron from a given inner shell, a DIMFP for plasmon excitation, etc. The total DIMFP used to describe the interaction of an electron with the given solid will be given by

$$\tau(E, \omega) = \sum_i \tau_i(E, \omega) \quad (8)$$

where the sum over i adds the contributions from the various interaction processes. The evaluation of the τ_i 's for Al and Al_2O_3 is described in the next three sections.

III. DIMFP's FOR THE ALUMINUM CONDUCTION BAND

The conduction band of Al will be described by an electron gas model. The dielectric response function in the form given by Lindhard⁶ is

$$\epsilon(k, \omega) = 1 + (\chi^2 / z^2) [f_1(x, z) + if_2(x, z)] \quad (9)$$

in terms of the dimensionless variables $x = \hbar\omega/E_f$ and $z = k/2k_f$, with E_f the Fermi energy and k_f the Fermi wavenumber of the electron gas. Also,

$\chi^2 \equiv e^2/\pi\hbar v_f$, where v_f is the Fermi velocity. The function f_1 is given by

$$f_1(x, z) = \frac{1}{2} + \frac{1}{8z} [1 - (z - x/4z)^2] \ln \left| \frac{z - x/4z + 1}{z - x/4z - 1} \right| + \frac{1}{8z} [1 - (z + x/4z)^2] \ln \left| \frac{z + x/4z + 1}{z + x/4z - 1} \right|. \quad (10a)$$

The function f_2 is defined by

$$f_2(x, z) = \begin{cases} \pi x/8z, & \text{for } z + x/4z < 1 \\ \frac{\pi}{8z} [1 - (z - x/4z)^2], & \text{for } |z - x/4z| < 1 < z + x/4z \\ 0, & \text{for } |z - x/4z| > 1 \end{cases} \quad (10b)$$

From Eq. (2), the DIMFP is given by

$$\tau(E, \hbar\omega) = \frac{\chi^2}{\pi a_0 E} \int_{z_-}^{z_+} dz \frac{z f_2}{(z^2 + \chi^2 f_1^2)^2 + (\chi^2 f_2)^2} \quad (11)$$

where $z_{\pm} \equiv k_{\pm}/2k_f$. Energy losses of an incident electron to an electron gas may be divided into: (a) losses resulting from excitation of single electrons out of the Fermi sea and (b) losses to collective oscillations of the electron gas (plasmon excitation). The contribution to the total DIMFP due to (a) is identified with the region in which f_2 is non-zero. This electron-electron term is written as

$$\frac{d\mu_{ee}}{dx} \equiv \tau_{ee}(\epsilon, x) = \frac{\chi^2 \theta(\epsilon - x)}{\pi a_0 (\epsilon + 1)} \int_{\frac{1}{2}(\sqrt{x+1} - 1)}^{\frac{1}{2}(\sqrt{x+1} + 1)} dz \frac{z f_2}{(z^2 + \chi^2 f_1^2)^2 + (\chi^2 f_2)^2} \quad (12)$$

where ϵ is the incident electron energy measured from the Fermi level in units of the Fermi energy, i.e., $\epsilon = (E - E_f)/E_f$, and the step function $\theta(\epsilon - x)$ restricts the incident electron to states above the Fermi level.

The plasmon contribution arises from integration of Eq. (11) in the region where $f_2 \rightarrow 0$. The integral is zero except on the plasma resonance line defined by $z = z_0(x)$ through the equation

$$\Gamma(x, z_0) \equiv z_0^2 + \chi^2 f_1(x, z_0) = 0. \quad (13)$$

The DIMFP for plasmon excitation is found to be

$$\tau_{pl}(\epsilon, x) = \frac{1}{a_0(\epsilon+1)} \frac{z_0}{|dF/dz|_{z=z_0}} \theta(x - x_{\min}) \theta(x_{\max} - x) \quad (14)$$

where x_{\min} and x_{\max} are the solutions of the equations

$$x_{\min} = 4z_0(x_{\min}) [\sqrt{\epsilon+1} - z_0(x_{\min})] \quad (15)$$

and

$$x_{\max} = 4z_0(x_{\max}) [1 + z_0(x_{\max})]. \quad (16)$$

For our later discussion of exchange corrections we need the DIMFP for creation of secondary electrons in this model. The results of Ref. (7) lead to

$$\tau_s(\epsilon, \epsilon') = \frac{\chi^2}{8a_0(\epsilon+1)} \int_{\epsilon'}^{\min(\epsilon'+1, \epsilon)} dx \int_{z_-}^{z_+} \frac{dz}{z^4 |\epsilon(2k_f z, E_f, x)|^2} \quad (17)$$

where $\min(a, b)$ represents the smaller of the quantities a and b .

The use of this electron gas model, though based implicitly on the assumption of high electron densities, gives unexpectedly good results for real metal conduction band densities. In addition, Eq. (1) is derived in first Born approximation and would be expected to fail when the velocity of the incident electron approaches that of electrons in the electron gas. Lindhard,⁶ however, points out that this equation may be reasonably good at any velocity since: (a) the relative velocity of the incident electron and representative electrons in the electron gas remains of the order of the Fermi velocity no matter how slowly the incident electron moves, and (b) at low velocities the Coulomb field of the incident electron is strongly screened by polarization in the electron gas so that for many purposes it can be considered small in the sense of perturbation theory.

IV. DIMFP'S FOR INNER SHELLS

From a general expression for the dielectric function of a homogeneous, isotropic system⁹ we may show for values of ω which correspond to ionization of the i^{th} inner shell in a solid that

$$\text{Im} \left[\frac{-1}{\epsilon(k, \omega)} \right] \approx \text{Im} \epsilon(k, \omega) \approx \frac{2\pi n_i e^2}{m\omega} \frac{df_i(k, \omega)}{d\omega} \quad (18)$$

where $df_i/d\omega$ is the generalized oscillator strength (GOS) for transitions from the i^{th} independent inner shell. Here n_i is the number of i^{th} inner shells per unit volume in the given solid. Equation (2) thus leads to

$$\tau_i(E, \hbar\omega) = \frac{8\pi a_0^2 n_i}{(E/R)(\hbar\omega/R)} \int_{k_-}^{k_+} \frac{dk}{k} \frac{df_i(k, \omega)}{d(\hbar\omega)} \quad (19)$$

where $\hbar\omega$ is the energy transfer and $R = e^2/2a_0$.

Generalized oscillator strengths for the ionization of L shell electrons in Al have been calculated by Manson³ using a nonrelativistic Hartree-Slater central field model of the atom. These GOS values have been used as input for numerical evaluation of the integral over momentum transfer in Eq. (19) to obtain differential cross sections, $\tau_i/n_i = d\sigma_i/d(\hbar\omega)$, for the 2s and 2p subshells of Al. These cross sections when multiplied by the appropriate value of n_i give the DIMFP for the particular material. For example, τ_{2s}^{Al, Al_2O_3} would denote the DIMFP for removing a 2s electron from an Al atom with the density of Al atoms corresponding to that in Al_2O_3 . This same type of notation will be used for contributions to the inverse mean free path and stopping power. The binding energy for 2s and 2p electrons in Al is taken to be 118.524 eV and 80.88 eV, respectively, for these calculations.

Similar calculations have been done for the 1s shell in oxygen. The values of the GOS for excitation to the continuum from the 1s shell of O were taken from the work of McGuire.⁴ The binding energy of the 1s shell in O is taken to be 536.6 eV.

Our calculation of the DIMFP for excitation of electrons from the K shell of Al to the continuum is based on cross sections derived using hydrogenic wave functions. A detailed discussion of this type of cross section calculation is

given in Ref. 5. We have used the equations in this reference to calculate the DIMFP based on a binding energy for the K shell in Al of 1545.8 eV and an "effective atomic number" of $Z_s = 12.5643$.

V. DIMFP'S FOR VALENCE ELECTRONS IN Al_2O_3

Since Al_2O_3 is a good insulator with a band gap of about 9 eV¹⁰ it is desirable to represent the response of its valence electrons on the basis of a quite different model than that used for the conduction band in Al. The model which we have developed for this purpose is related to that employed by Fry¹¹ in which the ground state wave function of the valence electrons is described in the tight-binding approximation, while excited states are represented by orthogonalized plane waves (OPW). In our use of the model to obtain a dielectric response function we fix the normalization of the OPW excited states by requiring that the sum rule $\int_0^\infty d\omega \omega \text{Im}[\epsilon(k, \omega)] = 2\pi^2 n e^2 / m$, where n is the density of electrons in the valence band. In addition we assume that the solid is uniform and homogeneous. The dielectric response function corresponding to this model solid is convenient and flexible for use, can be fitted to the optical dielectric function in the limit of very long wavelengths ($k \rightarrow 0$), and describes the single-particle properties of excited electrons. The existence of plasma oscillations emerges naturally as one studies the response of the system to longitudinal electric perturbations.¹²

Since a detailed discussion of the insulator model is planned for publication¹³ we quote here only the results needed for these calculations. The

result required here is the imaginary part of the dielectric response function for the model insulator given by

$$\text{Im}[\epsilon(k, \omega)] = \pi n e^2 \Gamma / \hbar \beta k \Lambda \quad (20)$$

where

$$\Gamma \equiv \left\{ \frac{1}{3} \left[\frac{1}{\{\alpha^2 + (k-p)^2\}^3} - \frac{1}{\{\alpha^2 + (k+p)^2\}^3} \right] - \frac{32\alpha^4}{(\alpha^2 + p^2)^2 (4\alpha^2 + k^2)^2} \left[\frac{1}{\alpha^2 + (k-p)^2} - \frac{1}{\alpha^2 + (k+p)^2} \right] + \frac{1024pk\alpha^8}{(\alpha^2 + p^2)^4 (4\alpha^2 + k^2)^4} \right\} \quad (21)$$

$$\Lambda \equiv \left[\omega_0 + \frac{\hbar\beta}{m} (k^2 + \alpha^2) \right] \left[\frac{1}{8\alpha^5} - \frac{32\alpha^3}{(4\alpha^2 + k^2)^4} \right] \quad (22)$$

and

$$p = [m(\omega - \omega_0) / \hbar\beta]^{1/2} \quad (23)$$

Here $\hbar\omega_0$ is the excitation energy of the valence electrons and β and α are parameters which may be adjusted to make the theory agree with optical dielectric function measurements in the $k \rightarrow 0$ limit. In the $k \rightarrow 0$ limit we have

$$\text{Im}[\epsilon(0, \omega)] = \frac{2^9 \pi n e^2}{3 \hbar \beta} \frac{\alpha^7}{(\omega_0 + \frac{\hbar\beta}{m} \alpha^2)} \frac{p^3}{(\alpha^2 + p^2)^6} \quad (24)$$

Given the imaginary part of the dielectric function, Eq. (20), for fixed values of n , β , ω_0 , and α the real part of $\epsilon(k, \omega)$ may be obtained numerically using the

Kramers-Kronig relation,

$$\operatorname{Re}[\epsilon(k, \omega)] = 1 + \frac{2P}{\pi} \int_0^{\infty} d\omega_0 \frac{\omega_0 \operatorname{Im}[\epsilon(k, \omega_0)]}{\omega_0^2 - \omega^2} \quad (25)$$

We fit Eq. (24) to experimental measurements of the imaginary part of the optical dielectric function as measured by Arakawa and Williams¹⁰ with 15 valence electrons per Al_2O_3 unit, density of Al_2O_3 of 4.05 g/cm^3 , $\hbar\omega_8 = 9 \text{ eV}$, $\beta = \frac{1}{2}$, and $\alpha a_0 = 0.78$. Given these values, $\operatorname{Im}[-\frac{1}{\epsilon(k, \omega)}]$ is calculated from the results of Eq. (20) and Eq. (25). The remaining 9 of the 24 valence electrons in Al_2O_3 are taken to form a second tight-binding level with $\hbar\omega_8 = 29 \text{ eV}$, $\beta = \frac{1}{2}$, and $\alpha a_0 = 1.6$.

VI. EXCHANGE CORRECTED DIMFP'S AND FORMULAE FOR THE TABULATIONS

We have included the effect of electron exchange in our calculations in a simple manner based on the form of the Mott formula (non-relativistic Møller formula) for scattering of an incident electron with a free electron. The cross section for finding a scattered electron with energy in the interval $W:W+dW$ is given by⁸

$$\frac{d\Phi}{dW} = \frac{\pi e^4}{E} \left[\frac{1}{W^2} + \frac{1}{(E-W)^2} - \frac{1}{W(E-W)} \right] \quad (26)$$

for an incident electron of energy E , except for energies close to $W = 0$ and $W = E$. Near $W = 0$ and $W = E$ the interference term (third term on the right side of Eq. (26)) is effectively zero.

The DIMFP for excitation of an electron from a particular state i may be written in the form

$$\tau_i(E, h\omega) = \frac{1}{E} F_i(E, h\omega) . \quad (27)$$

If we assume that the width of the level from which an electron is excited is quite narrow, we obtain from Eq. (27) the DIMFP for production of a secondary electron with energy E_s as

$$\tau_i^s(E, E_s) = \frac{1}{E} F_i(E, E_i^0 + E_s) \quad (28)$$

where E_i^0 is the binding energy of the i^{th} state (a positive quantity). The exchange corrected DIMFP is taken as

$$\tau_i^{\text{exc}}(E, h\omega) = \frac{1}{E} \left\{ F_i(E, h\omega) + F_i(E, E + E_i^0 - h\omega) - \left[1 - \sqrt{E_i^0/E} \right] \left[F_i(E, h\omega) F_i(E, E + E_i^0 - h\omega) \right]^{1/2} \right\} . \quad (29)$$

Since $E\tau_i \propto 1/(h\omega)^2$ for large E and $h\omega$, Eq. (29) reduces in this limit to the form given by Eq. (26). The factor $1 - \sqrt{E_i^0/E}$ reduces the contribution of the third term in Eq. (29) as $E \rightarrow E_i^0$. This form for the exchange corrected DIMFP has been used in our calculations for all the inner shells and for the two valence levels in Al_2O_3 (since our model assumes the width of these levels to be quite narrow).

If we now define the more energetic of the two electrons after collision to be the primary, and account for exchange through Eq. (29), Eq. (3) gives the

the contribution to the inverse mean free path due to excitation of an electron from the i^{th} level as

$$\mu_i(E) = \int_{E_i^0}^{(E+E_i^0)/2} d(h\omega) \tau_i^{\text{exc}}(E, h\omega) \quad (30)$$

Similarly for the stopping power and mean square energy loss per unit path length we have from Eq. (4) and Eq. (5)

$$s_i(E) = \int_{E_i^0}^{(E+E_i^0)/2} d(h\omega) h\omega \tau_i^{\text{exc}}(E, h\omega) \quad (31)$$

and

$$\Omega_i^2(E) = \int_{E_i^0}^{(E+E_i^0)/2} d(h\omega) (h\omega)^2 \tau_i^{\text{exc}}(E, h\omega) \quad (32)$$

The exchange correction for excitation of electrons from the Al conduction band of finite width requires a slightly different form. We take

$$\tau_{ee}^{\text{exc}}(\epsilon, x) = \left\{ \tau_{ee}(\epsilon, x) + \tau_s(\epsilon, \epsilon-x) - [1 - (\epsilon+1)^{-1/2}] [\tau_{ec}(\epsilon, x) \tau_s(\epsilon, \epsilon-x)]^{1/2} \right\} \quad (33)$$

where τ_{ee} and τ_s are defined in Eq. (12) and Eq. (17). Thus the contributions to the inverse mean free, stopping power, and mean square energy loss per unit path length due to excitation of electrons from the conduction band in Al are calculated from

$$\mu_{ee}(\epsilon) = \int_0^{x/2} dx \tau_{ee}^{\text{exc}}(\epsilon, x) \quad (34)$$

$$S_{ee}(\epsilon) = \int_0^{x/2} dx x \tau_{ee}^{exc}(\epsilon, x) , \quad (35)$$

and

$$\Omega_{ee}^2(\epsilon) = \int_0^{x/2} dx x^2 \tau_{ee}^{exc}(\epsilon, x) . \quad (36)$$

No exchange correction is applied to τ_{pl} , Eq. (14). The inverse mean free path contribution due to plasmon excitation is given by

$$\mu_{pl}(\epsilon) = \int_{x_{min}}^{x_{max}} dx \tau_{pl}(\epsilon, x) . \quad (37)$$

The contribution to stopping power and mean square energy loss per unit path length are given by

$$S_{pl}(\epsilon) = \int_{x_{min}}^{x_{max}} dx x \tau_{pl}(\epsilon, x) \quad (38)$$

and

$$\Omega_{pl}^2(\epsilon) = \int_{x_{min}}^{x_{max}} dx x^2 \tau_{pl}(\epsilon, x) . \quad (39)$$

For the remaining calculations we form the sums

$$S_{exc}(E) = \sum_i S_i(E) \quad (40)$$

and

$$\Omega_{\text{exc}}^2(E) = \sum_i \Omega_i^2(E) \quad (41)$$

where the index i includes the terms appropriate for a given solid, including exchange corrections as indicated above. The csda range is calculated from

$$R_{(10)}(E) = \int_{10 \text{ eV}}^E dE' / S_{\text{exc}}(E') \quad (42)$$

corresponding to an electron slowing down in a continuous manner from an energy E to 10 eV. The mean square fluctuation in the csda range based on Eq. (7) is calculated as

$$[\Delta R_{(10)}]_{\text{AV}}^2 = \int_{10 \text{ eV}}^E dE' \Omega_{\text{exc}}^2(E') / [S_{\text{exc}}(E')]^3. \quad (43)$$

VII. REFERENCES

1. M. J. Berger and S. M. Seltzer in "Studies in Penetration of Charged Particles in Matter" (National Academy of Sciences-National Research Council, Washington, DC, 1964, Publ. No. 1133) pp. 205-268.
2. L. Pages, et al., Atomic Data 4, 1-127 (1972).
3. S. T. Manson, Phys. Rev. A6, 1013-1024 (1972); S. T. Manson (private communication).
4. E. J. McGuire, Phys. Rev. A3, 267-279 (1971); E. J. McGuire, Sandia Research Report No. SC-RR-70-406 (unpublished).

5. E. Merzbacher and H. W. Lewis in Handbuch der Physik, edited by S. Flügge (Springer-Verlag, Berlin, 1958), pp. 166-192.
6. J. Lindhard, Kgl. Danske Vid. Sels. Mat. Fys. Medd. 28, No. 8, 1-57 (1954).
7. R. H. Ritchie, Phys. Rev. 114, 644-654 (1959).
8. See, e.g., H. A. Bethe and Julius Ashkin in Experimental Nuclear Physics, Vol. 1, edited by E. Segrè (John Wiley & Sons, Inc., New York, 1953) pp. 166-357.
9. See, e.g., D. Pines and P. Nozieres, The Theory of Quantum Liquids: Vol. 1. Normal Fermi Liquids, (W. A. Benjamin, New York, 1966).
10. E. T. Arakawa and M. W. Williams, J. Phys. Chem. Solids 29, 735-744 (1968).
11. J. L. Fry, Phys. Rev. 179, 892-905 (1969).
12. R. H. Ritchie, C. J. Tung, V. E. Anderson, and J. C. Ashley, Rad. Res. 64, 181-204 (1975).
13. R. H. Ritchie, et al., (to be published).

VIII. ALUMINUM: EXPLANATION OF TABLES

GENERAL NOTES

1. Electron energies are measured from the top of the conduction band (Fermi level). The Fermi energy is taken to be $E_F = 11.6$ eV.
2. The density of solid Al is taken to be 2.71 g/cm³.
3. The computer-printed units are translated as:

EV	eV	A	Å
EV2	(eV) ²	A-1	Å ⁻¹
G/CM3	g/cm ³	A2	Å ²

4. The numerical print-out is in the form, e.g.

$$2.8D-01 \equiv 2.8 \times 10^{-1}.$$

TABLE 1A - INVERSE MEAN FREE PATH OF ELECTRONS IN ALUMINUM

EL - EL	μ_{ee} as given by Eq. (34)
PLASMON	μ_{pl} as given by Eq. (37)
AL(nl)	μ_{nl}^{Al} as given by Eq. (30) with Eq. (19)
INVERSE MFP	μ - total inverse mean free path = sum of individual contributions.

TABLE 1B - STOPPING POWER OF ALUMINUM FOR ELECTRONS

EL - EL	S_{ee} as given by Eq. (35)
---------	-------------------------------

PLASMON

 S_{pl} as given by Eq. (38)AL(n λ) S_{nl}^{Al} as given by Eq. (31) with Eq. (19)

STOPPING POWER

S - total stopping power = sum of individual contributions

TABLE 1C - CSDA RANGES AND STRAGGLING OF ELECTRONS IN ALUMINUM

CSDA RANGE
(E TO 10 eV) $R_{(10)}$ - the range of an electron in the continuous-slowing-down approximation in going from an energy E to 10 eV, as given by Eq. (42).MEAN SQUARE
ENERGY LOSS Ω_{exc}^2 - the mean square fluctuation in the energy loss per unit path length, as given by Eqs. (41), (36), (39) and (5) plus (19).MEAN SQUARE
RANGE FLUCTUATION $[\Delta R_{(10)}]_{AV}^2$ - the mean square fluctuation in the range about the mean csda range $R_{(10)}$, as given by Eq. (43).RELATIVE RANGE
STRAGGLING $\{[\Delta R_{(10)}]_{AV}^2\}^{1/2}/R_{(10)}$

TABLE 1A-INVERSE MEAN FREE PATH OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM³)

ELECTRON ENERGY EV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO INVERSE MFP IN UNITS OF A-1			
		EL-EL	PLASMON	AL(2P)	AL(2S)
5.000-01	1.358D-04	1.358D-04	0.0	0.0	0.0
1.000 00	5.113D-04	5.113D-04	0.0	0.0	0.0
3.000 00	1.823D-03	1.823D-03	0.0	0.0	0.0
4.000 00	3.679D-03	3.679D-03	0.0	0.0	0.0
5.000 00	5.898D-03	5.898D-03	0.0	0.0	0.0
6.000 00	8.359D-03	8.359D-03	0.0	0.0	0.0
7.000 00	1.097D-02	1.097D-02	0.0	0.0	0.0
8.000 00	1.382D-02	1.382D-02	0.0	0.0	0.0
9.000 00	1.688D-02	1.688D-02	0.0	0.0	0.0
1.000 01	2.014D-02	2.014D-02	0.0	0.0	0.0
1.100 01	2.358D-02	2.358D-02	0.0	0.0	0.0
1.200 01	2.720D-02	2.720D-02	0.0	0.0	0.0
1.300 01	3.099D-02	3.099D-02	0.0	0.0	0.0
1.400 01	3.493D-02	3.493D-02	0.0	0.0	0.0
1.500 01	3.903D-02	3.903D-02	0.0	0.0	0.0
1.600 01	4.328D-02	4.328D-02	0.0	0.0	0.0
1.700 01	4.768D-02	4.768D-02	0.0	0.0	0.0
1.800 01	5.221D-02	5.221D-02	0.0	0.0	0.0
1.900 01	5.688D-02	5.688D-02	0.0	0.0	0.0
2.000 01	6.167D-02	6.167D-02	0.0	0.0	0.0
2.100 01	6.660D-02	6.660D-02	0.0	0.0	0.0
2.200 01	7.165D-02	7.165D-02	0.0	0.0	0.0
2.300 01	7.682D-02	7.682D-02	0.0	0.0	0.0
2.400 01	8.200D-02	8.200D-02	0.0	0.0	0.0
2.500 01	8.603D-02	8.603D-02	0.0	0.0	0.0
2.600 01	9.118D-02	9.118D-02	0.0	0.0	0.0
2.700 01	9.578D-02	9.578D-02	0.0	0.0	0.0
2.800 01	9.967D-02	9.967D-02	0.0	0.0	0.0
2.900 01	1.055D-01	1.055D-01	0.0	0.0	0.0
3.000 01	1.076D-01	1.076D-01	0.0	0.0	0.0
3.100 01	1.105D-01	1.105D-01	0.0	0.0	0.0
3.200 01	1.118D-01	1.118D-01	0.0	0.0	0.0
3.300 01	1.119D-01	1.119D-01	0.0	0.0	0.0
3.400 01	1.109D-01	1.109D-01	0.0	0.0	0.0
3.500 01	1.094D-01	1.094D-01	0.0	0.0	0.0
3.600 01	1.076D-01	1.076D-01	0.0	0.0	0.0
3.700 01	1.058D-01	1.058D-01	0.0	0.0	0.0
3.800 01	1.040D-01	1.040D-01	0.0	0.0	0.0
3.900 01	1.029D-01	1.029D-01	0.0	0.0	0.0
4.000 01	1.024D-01	1.024D-01	0.0	0.0	0.0
4.100 01	1.018D-01	1.018D-01	0.0	0.0	0.0
4.200 01	1.012D-01	1.012D-01	0.0	0.0	0.0
4.300 01	1.006D-01	1.006D-01	0.0	0.0	0.0
4.400 01	9.982D-02	9.982D-02	0.0	0.0	0.0
4.500 01	9.901D-02	9.901D-02	0.0	0.0	0.0
4.600 01	9.812D-02	9.812D-02	0.0	0.0	0.0
4.700 01	9.718D-02	9.718D-02	0.0	0.0	0.0
4.800 01	9.619D-02	9.619D-02	0.0	0.0	0.0
4.900 01	9.516D-02	9.516D-02	0.0	0.0	0.0
5.000 01	9.410D-02	9.410D-02	0.0	0.0	0.0
5.100 01	9.303D-02	9.303D-02	0.0	0.0	0.0
5.200 01	9.195D-02	9.195D-02	0.0	0.0	0.0

TABLE IA-INVERSE MEAN FREE PATH OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM3)

ELECTRON ENERGY eV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO INVERSE MFP IN UNITS OF A-1		
		EL-EL	PLASMON	AL(15)
7.600 01	2.258D-01	9.086D-02	1.349D-01	0.0
7.800 01	2.239D-01	8.977D-02	1.341D-01	0.0
8.000 01	2.217D-01	8.868D-02	1.333D-01	0.0
8.200 01	2.200D-01	8.760D-02	1.324D-01	0.0
8.400 01	2.181D-01	8.653D-02	1.315D-01	0.0
8.600 01	2.161D-01	8.547D-02	1.307D-01	0.0
8.800 01	2.142D-01	8.442D-02	1.298D-01	0.0
9.000 01	2.123D-01	8.339D-02	1.289D-01	0.0
9.200 01	2.104D-01	8.237D-02	1.280D-01	0.0
9.400 01	2.086D-01	8.137D-02	1.271D-01	8.520D-05
9.600 01	2.068D-01	8.038D-02	1.262D-01	2.016D-04
9.800 01	2.051D-01	7.941D-02	1.253D-01	3.208D-04
1.000 02	2.034D-01	7.846D-02	1.245D-01	4.414D-04
1.100 02	1.951D-01	7.395D-02	1.201D-01	1.035D-03
1.200 02	1.874D-01	6.986D-02	1.159D-01	1.572D-03
1.300 02	1.802D-01	6.616D-02	1.120D-01	2.092D-03
1.400 02	1.737D-01	6.280D-02	1.082D-01	2.588D-03
1.500 02	1.676D-01	5.974D-02	1.047D-01	3.024D-03
1.600 02	1.620D-01	5.696D-02	1.014D-01	3.397D-03
1.700 02	1.567D-01	5.442D-02	9.833D-02	3.704D-03
1.800 02	1.519D-01	5.209D-02	9.542D-02	3.954D-03
1.900 02	1.472D-01	4.995D-02	9.269D-02	4.153D-03
2.000 02	1.429D-01	4.797D-02	9.011D-02	4.361D-03
2.100 02	1.389D-01	4.615D-02	8.768D-02	4.559D-03
2.200 02	1.351D-01	4.445D-02	8.539D-02	4.732D-03
2.300 02	1.316D-01	4.288D-02	8.323D-02	4.881D-03
2.400 02	1.282D-01	4.142D-02	8.118D-02	5.006D-03
2.500 02	1.251D-01	4.005D-02	7.924D-02	5.110D-03
2.600 02	1.221D-01	3.876D-02	7.739D-02	5.190D-03
2.700 02	1.192D-01	3.756D-02	7.564D-02	5.242D-03
2.800 02	1.165D-01	3.643D-02	7.397D-02	5.273D-03
2.900 02	1.139D-01	3.537D-02	7.239D-02	5.294D-03
3.000 02	1.115D-01	3.436D-02	7.087D-02	5.300D-03
3.100 02	1.091D-01	3.341D-02	6.943D-02	5.290D-03
3.200 02	1.067D-01	3.251D-02	6.805D-02	5.263D-03
3.300 02	1.044D-01	3.166D-02	6.673D-02	5.220D-03
3.400 02	1.027D-01	3.086D-02	6.546D-02	5.163D-03
3.500 02	1.008D-01	3.009D-02	6.425D-02	5.090D-03
3.600 02	9.888D-02	2.936D-02	6.308D-02	5.000D-03
3.700 02	9.708D-02	2.867D-02	6.196D-02	4.890D-03
3.800 02	9.535D-02	2.800D-02	6.088D-02	4.760D-03
3.900 02	9.370D-02	2.737D-02	5.985D-02	4.620D-03
4.000 02	9.210D-02	2.677D-02	5.885D-02	4.470D-03
4.100 02	9.055D-02	2.619D-02	5.789D-02	4.320D-03
4.200 02	8.907D-02	2.564D-02	5.697D-02	4.170D-03
4.300 02	8.764D-02	2.511D-02	5.607D-02	4.010D-03
4.400 02	8.625D-02	2.460D-02	5.521D-02	3.850D-03
4.500 02	8.492D-02	2.411D-02	5.437D-02	3.690D-03
4.600 02	8.363D-02	2.364D-02	5.357D-02	3.530D-03
4.700 02	8.233D-02	2.319D-02	5.279D-02	3.370D-03
4.800 02	8.113D-02	2.275D-02	5.203D-02	3.210D-03
4.900 02	8.001D-02	2.233D-02	5.130D-02	3.050D-03
5.000 02	7.888D-02	2.193D-02	5.059D-02	2.890D-03

TABLE 1A-INVERSE MEAN FREE PATH OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM3)

ELECTRON ENERGY eV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO INVERSE MFP IN UNITS OF A-1				
		EL-EL	PLASMON	AL(2P)		
5.100	7.7730-02	2.1540-02	4.9900-02	5.5130-03	6.2190-04	0.0
5.200	7.6720-02	2.1170-02	4.9240-02	5.4960-03	6.1950-04	0.0
5.300	7.5690-02	2.0800-02	4.8590-02	5.4770-03	6.1700-04	0.0
5.400	7.4660-02	2.0450-02	4.7960-02	5.4530-03	6.1260-04	0.0
5.500	7.3700-02	2.0120-02	4.7350-02	5.4290-03	6.0770-04	0.0
5.600	7.2750-02	1.9790-02	4.6750-02	5.4040-03	6.0290-04	0.0
5.700	7.1830-02	1.9470-02	4.6180-02	5.3790-03	7.9820-04	0.0
5.800	7.0930-02	1.9170-02	4.5620-02	5.3550-03	7.9350-04	0.0
5.900	7.0050-02	1.8870-02	4.5070-02	5.3300-03	7.8890-04	0.0
6.000	6.9200-02	1.8580-02	4.4530-02	5.3060-03	7.8430-04	0.0
6.100	6.8380-02	1.8300-02	4.4020-02	5.2830-03	7.7980-04	0.0
6.200	6.7580-02	1.8030-02	4.3510-02	5.2600-03	7.7540-04	0.0
6.300	6.6790-02	1.7770-02	4.3020-02	5.2370-03	7.7110-04	0.0
6.400	6.6030-02	1.7510-02	4.2540-02	5.2150-03	7.6680-04	0.0
6.500	6.5280-02	1.7260-02	4.2070-02	5.1920-03	7.6270-04	0.0
6.600	6.4550-02	1.7020-02	4.1610-02	5.1700-03	7.5860-04	0.0
6.700	6.3850-02	1.6790-02	4.1170-02	5.1470-03	7.5460-04	0.0
6.800	6.3160-02	1.6560-02	4.0730-02	5.1180-03	7.5070-04	0.0
6.900	6.2480-02	1.6340-02	4.0300-02	5.0900-03	7.4690-04	0.0
7.000	6.1810-02	1.6120-02	3.9890-02	5.0630-03	7.4320-04	0.0
7.100	6.1160-02	1.5910-02	3.9480-02	5.0370-03	7.3950-04	0.0
7.200	6.0530-02	1.5710-02	3.9080-02	5.0110-03	7.3580-04	0.0
7.300	5.9920-02	1.5510-02	3.8690-02	4.9870-03	7.3220-04	0.0
7.400	5.9320-02	1.5310-02	3.8320-02	4.9630-03	7.2870-04	0.0
7.500	5.8730-02	1.5120-02	3.7940-02	4.9410-03	7.2520-04	0.0
7.600	5.8150-02	1.4940-02	3.7580-02	4.9390-03	7.2180-04	0.0
7.700	5.7590-02	1.4750-02	3.7220-02	4.8980-03	7.1840-04	0.0
7.800	5.7030-02	1.4580-02	3.6870-02	4.8540-03	7.1510-04	0.0
7.900	5.6490-02	1.4410-02	3.6530-02	4.8150-03	7.1180-04	0.0
8.000	5.5970-02	1.4240-02	3.6200-02	4.7810-03	7.0860-04	0.0
8.100	5.5470-02	1.4070-02	3.5870-02	4.7080-03	7.0470-04	0.0
8.200	5.4960-02	1.3910-02	3.5550-02	4.6780-03	7.0030-04	0.0
8.300	5.4450-02	1.3760-02	3.5230-02	4.6480-03	6.9600-04	0.0
8.400	5.3950-02	1.3600-02	3.4920-02	4.6180-03	6.9170-04	0.0
8.500	5.3480-02	1.3450-02	3.4620-02	4.5900-03	6.8750-04	0.0
8.600	5.3010-02	1.3310-02	3.4320-02	4.5620-03	6.8340-04	0.0
8.700	5.2540-02	1.3160-02	3.4030-02	4.5350-03	6.7940-04	0.0
8.800	5.2090-02	1.3020-02	3.3740-02	4.5080-03	6.7540-04	0.0
8.900	5.1640-02	1.2890-02	3.3460-02	4.4820-03	6.7150-04	0.0
9.000	5.1200-02	1.2750-02	3.3190-02	4.4590-03	6.6760-04	0.0
9.100	5.0770-02	1.2620-02	3.2920-02	4.4370-03	6.6380-04	0.0
9.200	5.0350-02	1.2490-02	3.2650-02	4.4150-03	6.6010-04	0.0
9.300	4.9930-02	1.2360-02	3.2390-02	4.3930-03	6.5640-04	0.0
9.400	4.9520-02	1.2240-02	3.2130-02	4.3700-03	6.5290-04	0.0
9.500	4.9120-02	1.2120-02	3.1880-02	4.3480-03	6.4930-04	0.0
9.600	4.8730-02	1.2000-02	3.1630-02	4.3270-03	6.4590-04	0.0
9.700	4.8340-02	1.1880-02	3.1390-02	4.3060-03	6.4260-04	0.0
9.800	4.7960-02	1.1770-02	3.1150-02	4.2860-03	6.3930-04	0.0
9.900	4.7590-02	1.1660-02	3.0910-02	4.2670-03	6.3610-04	0.0
1.000	4.7220-02	1.1550-02	3.0680-02	4.2490-03	6.3290-04	0.0
1.050	4.5470-02	1.1020-02	2.9570-02	4.2550-03	6.1720-04	0.0
1.100	4.3860-02	1.0550-02	2.8560-02	4.2510-03	6.0180-04	0.0
1.150	4.2360-02	1.0110-02	2.7610-02	4.2050-03	5.8650-04	0.0

TABLE 1A-INVERSE MEAN FREE PATH OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM³)

ELECTRON ENERGY EV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO INVERSE MFP IN UNITS OF A-1			
		EL-EL	PLASMON	AL (2P)	AL (2S)
1.200 03	4.097D-02	9.711D-03	2.673D-02	3.955D-03	5.725D-04
1.250 03	3.968D-02	9.340D-03	2.592D-02	3.864D-03	5.597D-04
1.300 03	3.847D-02	8.997D-03	2.515D-02	3.777D-03	5.470D-04
1.350 03	3.733D-02	8.678D-03	2.443D-02	3.694D-03	5.335D-04
1.400 03	3.627D-02	8.381D-03	2.376D-02	3.614D-03	5.215D-04
1.450 03	3.528D-02	8.104D-03	2.313D-02	3.538D-03	5.086D-04
1.500 03	3.433D-02	7.844D-03	2.253D-02	3.465D-03	4.978D-04
1.550 03	3.344D-02	7.601D-03	2.196D-02	3.394D-03	4.874D-04
1.600 03	3.260D-02	7.372D-03	2.143D-02	3.326D-03	4.773D-04
1.650 03	3.181D-02	7.157D-03	2.092D-02	3.261D-03	4.676D-04
1.700 03	3.103D-02	6.954D-03	2.044D-02	3.198D-03	4.582D-04
1.750 03	3.033D-02	6.762D-03	1.998D-02	3.138D-03	4.492D-04
1.800 03	2.969D-02	6.580D-03	1.954D-02	3.080D-03	4.406D-04
1.850 03	2.899D-02	6.408D-03	1.913D-02	3.024D-03	4.322D-04
1.900 03	2.837D-02	6.245D-03	1.873D-02	2.970D-03	4.242D-04
1.950 03	2.778D-02	6.090D-03	1.835D-02	2.918D-03	4.164D-04
2.000 03	2.721D-02	5.943D-03	1.799D-02	2.868D-03	4.089D-04
2.050 03	2.667D-02	5.802D-03	1.764D-02	2.820D-03	4.016D-04
2.100 03	2.615D-02	5.668D-03	1.731D-02	2.774D-03	3.946D-04
2.150 03	2.563D-02	5.540D-03	1.699D-02	2.729D-03	3.879D-04
2.200 03	2.517D-02	5.418D-03	1.669D-02	2.686D-03	3.814D-04
2.250 03	2.471D-02	5.301D-03	1.639D-02	2.644D-03	3.751D-04
2.300 03	2.427D-02	5.189D-03	1.611D-02	2.604D-03	3.690D-04
2.350 03	2.384D-02	5.081D-03	1.583D-02	2.563D-03	3.632D-04
2.400 03	2.343D-02	4.978D-03	1.557D-02	2.528D-03	3.575D-04
2.450 03	2.304D-02	4.879D-03	1.531D-02	2.492D-03	3.521D-04
2.500 03	2.268D-02	4.784D-03	1.507D-02	2.457D-03	3.468D-04
2.550 03	2.230D-02	4.693D-03	1.483D-02	2.424D-03	3.417D-04
2.600 03	2.194D-02	4.605D-03	1.461D-02	2.391D-03	3.368D-04
2.650 03	2.160D-02	4.520D-03	1.439D-02	2.359D-03	3.320D-04
2.700 03	2.127D-02	4.438D-03	1.417D-02	2.329D-03	3.274D-04
2.750 03	2.095D-02	4.359D-03	1.396D-02	2.300D-03	3.229D-04
2.800 03	2.064D-02	4.283D-03	1.376D-02	2.271D-03	3.186D-04
2.850 03	2.034D-02	4.210D-03	1.357D-02	2.243D-03	3.144D-04
2.900 03	2.004D-02	4.139D-03	1.338D-02	2.215D-03	3.104D-04
2.950 03	1.976D-02	4.070D-03	1.320D-02	2.188D-03	3.064D-04
3.000 03	1.947D-02	4.004D-03	1.302D-02	2.162D-03	3.026D-04
3.100 03	1.897D-02	3.878D-03	1.268D-02	2.112D-03	2.953D-04
3.200 03	1.847D-02	3.759D-03	1.236D-02	2.064D-03	2.884D-04
3.300 03	1.801D-02	3.647D-03	1.205D-02	2.018D-03	2.819D-04
3.400 03	1.756D-02	3.542D-03	1.177D-02	1.974D-03	2.758D-04
3.500 03	1.714D-02	3.443D-03	1.149D-02	1.933D-03	2.700D-04
3.600 03	1.674D-02	3.349D-03	1.123D-02	1.893D-03	2.645D-04
3.700 03	1.636D-02	3.260D-03	1.099D-02	1.855D-03	2.593D-04
3.800 03	1.600D-02	3.176D-03	1.075D-02	1.818D-03	2.543D-04
3.900 03	1.566D-02	3.096D-03	1.053D-02	1.783D-03	2.496D-04
4.000 03	1.533D-02	3.020D-03	1.031D-02	1.750D-03	2.452D-04
4.100 03	1.501D-02	2.948D-03	1.010D-02	1.718D-03	2.410D-04
4.200 03	1.471D-02	2.879D-03	9.903D-03	1.687D-03	2.369D-04
4.300 03	1.442D-02	2.813D-03	9.713D-03	1.657D-03	2.329D-04
4.400 03	1.414D-02	2.750D-03	9.531D-03	1.628D-03	2.290D-04
4.500 03	1.389D-02	2.690D-03	9.358D-03	1.601D-03	2.251D-04
4.600 03	1.365D-02	2.632D-03	9.193D-03	1.574D-03	2.214D-04

TABLE 1A-INVERSE MEAN FREE PATH OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM³)

ELECTRON ENERGY EV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO INVERSE MFP IN UNITS OF A-1				
		EL-EL	PLASMON	AL(12P)	AL(1S)	
4.700 03	1.3380-02	2.5770-03	9.0320-03	1.5490-03	2.1780-04	4.3450-06
4.800 03	1.3140-02	2.5240-03	8.8770-03	1.5240-03	2.1430-04	4.3600-06
4.900 03	1.2920-02	2.4730-03	8.7280-03	1.5000-03	2.1090-04	4.3680-06
5.000 03	1.2760-02	2.4250-03	8.5830-03	1.4770-03	2.0770-04	4.3680-06
5.100 03	1.2490-02	2.3780-03	8.4440-03	1.4550-03	2.0450-04	4.3680-06
5.200 03	1.2280-02	2.3330-03	8.3090-03	1.4330-03	2.0140-04	4.3680-06
5.300 03	1.2080-02	2.2890-03	8.1790-03	1.4120-03	1.9850-04	4.3630-06
5.400 03	1.1870-02	2.2470-03	8.0520-03	1.3920-03	1.9560-04	4.3580-06
5.500 03	1.1710-02	2.2070-03	7.9300-03	1.3720-03	1.9280-04	4.3470-06
5.600 03	1.1530-02	2.1680-03	7.8120-03	1.3530-03	1.9010-04	4.3380-06
5.700 03	1.1350-02	2.1310-03	7.7000-03	1.3350-03	1.8740-04	4.3380-06
5.800 03	1.1190-02	2.0940-03	7.5910-03	1.3170-03	1.8490-04	4.3270-06
5.900 03	1.1030-02	2.0590-03	7.4850-03	1.3000-03	1.8240-04	4.3170-06
6.000 03	1.0870-02	2.0250-03	7.3810-03	1.2830-03	1.8000-04	4.3040-06
6.100 03	1.0740-02	1.9920-03	7.2810-03	1.2660-03	1.7760-04	4.2910-06
6.200 03	1.0570-02	1.9610-03	7.1840-03	1.2500-03	1.7540-04	4.2790-06
6.300 03	1.0440-02	1.9300-03	7.0890-03	1.2350-03	1.7310-04	4.2590-06
6.400 03	1.0270-02	1.9000-03	6.9970-03	1.2200-03	1.7100-04	4.2430-06
6.500 03	1.0160-02	1.8710-03	6.9070-03	1.2050-03	1.6890-04	4.2230-06
6.600 03	1.0020-02	1.8430-03	6.8190-03	1.1900-03	1.6680-04	4.2070-06
6.700 03	9.8950-03	1.8160-03	6.7340-03	1.1760-03	1.6480-04	4.1900-06
6.800 03	9.7700-03	1.7900-03	6.6510-03	1.1630-03	1.6290-04	4.1730-06
6.900 03	9.6430-03	1.7640-03	6.5700-03	1.1490-03	1.6100-04	4.1580-06
7.000 03	9.5240-03	1.7390-03	6.4910-03	1.1360-03	1.5910-04	4.1420-06
7.100 03	9.4140-03	1.7150-03	6.4140-03	1.1240-03	1.5730-04	4.1210-06
7.200 03	9.3010-03	1.6910-03	6.3380-03	1.1110-03	1.5560-04	4.1020-06
7.300 03	9.1900-03	1.6680-03	6.2650-03	1.0990-03	1.5390-04	4.0840-06
7.400 03	9.0850-03	1.6460-03	6.1950-03	1.0880-03	1.5220-04	4.0660-06
7.500 03	8.9810-03	1.6240-03	6.1260-03	1.0760-03	1.5050-04	4.0470-06
7.600 03	8.8800-03	1.6030-03	6.0600-03	1.0650-03	1.4890-04	4.0290-06
7.700 03	8.7820-03	1.5830-03	5.9940-03	1.0540-03	1.4730-04	3.9910-06
7.800 03	8.6850-03	1.5620-03	5.9310-03	1.0430-03	1.4580-04	3.9730-06
7.900 03	8.5920-03	1.5430-03	5.8680-03	1.0320-03	1.4420-04	3.9540-06
8.000 03	8.4990-03	1.5240-03	5.8070-03	1.0220-03	1.4280-04	3.9350-06
8.100 03	8.4090-03	1.5050-03	5.7470-03	1.0120-03	1.4140-04	3.9170-06
8.200 03	8.3210-03	1.4870-03	5.6880-03	1.0020-03	1.4000-04	3.8980-06
8.300 03	8.2350-03	1.4690-03	5.6310-03	9.9280-04	1.3860-04	3.8790-06
8.400 03	8.1510-03	1.4520-03	5.5750-03	9.8530-04	1.3730-04	3.8610-06
8.500 03	8.0690-03	1.4350-03	5.5200-03	9.7790-04	1.3590-04	3.8420-06
8.600 03	7.9870-03	1.4180-03	5.4660-03	9.7060-04	1.3460-04	3.8230-06
8.700 03	7.9080-03	1.4020-03	5.4130-03	9.6350-04	1.3340-04	3.8040-06
8.800 03	7.8300-03	1.3860-03	5.3600-03	9.5650-04	1.3210-04	3.7850-06
8.900 03	7.7540-03	1.3710-03	5.3100-03	9.4970-04	1.3090-04	3.7670-06
9.000 03	7.6790-03	1.3560-03	5.2600-03	9.4300-04	1.2970-04	3.7480-06
9.100 03	7.6050-03	1.3410-03	5.2110-03	9.3650-04	1.2850-04	3.7290-06
9.200 03	7.5320-03	1.3270-03	5.1630-03	9.3010-04	1.2740-04	3.7100-06
9.300 03	7.4600-03	1.3130-03	5.1160-03	9.2380-04	1.2630-04	3.6920-06
9.400 03	7.3900-03	1.2990-03	5.0700-03	9.1770-04	1.2520-04	3.6730-06
9.500 03	7.3240-03	1.2850-03	5.0240-03	9.1170-04	1.2410-04	3.6550-06
9.600 03	7.2610-03	1.2720-03	4.9800-03	9.0580-04	1.2300-04	3.6370-06
9.700 03	7.1990-03	1.2590-03	4.9360-03	8.9990-04	1.2190-04	3.6180-06
9.800 03	7.1370-03	1.2460-03	4.8930-03	8.9420-04	1.2090-04	3.6000-06
9.900 03	7.0760-03	1.2340-03	4.8510-03	8.8860-04	1.1990-04	3.5820-06

INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A

ELECTRON ENERGY EV	STOPPING POWER EV/A	PLASMON				AL(1S)
		EL-EL	AL(2P)	AL(2S)	AL(1S)	
5.00D-01	2.260D-05	0.0	0.0	0.0	0.0	
1.00D 00	1.700D-04	0.0	0.0	0.0	0.0	
2.00D 00	1.209D-03	0.0	0.0	0.0	0.0	
3.00D 00	3.649D-03	0.0	0.0	0.0	0.0	
4.00D 00	7.778D-03	0.0	0.0	0.0	0.0	
5.00D 00	1.374D-02	0.0	0.0	0.0	0.0	
6.00D 00	2.159D-02	0.0	0.0	0.0	0.0	
7.00D 00	3.131D-02	0.0	0.0	0.0	0.0	
8.00D 00	4.368D-02	0.0	0.0	0.0	0.0	
9.00D 00	5.857D-02	0.0	0.0	0.0	0.0	
1.00D 01	7.615D-02	0.0	0.0	0.0	0.0	
1.50D 01	9.657D-02	0.0	0.0	0.0	0.0	
1.30D 01	1.199D-01	0.0	0.0	0.0	0.0	
1.40D 01	1.464D-01	0.0	0.0	0.0	0.0	
1.50D 01	1.761D-01	0.0	0.0	0.0	0.0	
1.60D 01	2.091D-01	0.0	0.0	0.0	0.0	
1.70D 01	2.456D-01	0.0	0.0	0.0	0.0	
1.80D 01	2.857D-01	0.0	0.0	0.0	0.0	
1.90D 01	3.220D-01	0.0	0.0	0.0	0.0	
2.00D 01	3.606D-01	0.0	0.0	0.0	0.0	
2.10D 01	4.017D-01	0.0	0.0	0.0	0.0	
2.20D 01	4.452D-01	0.0	0.0	0.0	0.0	
2.30D 01	4.916D-01	0.0	0.0	0.0	0.0	
2.40D 01	5.410D-01	6.054D-01	0.0	0.0	0.0	
2.50D 01	5.934D-01	1.076D 00	0.0	0.0	0.0	
2.60D 01	6.492D-01	1.352D 00	0.0	0.0	0.0	
2.70D 01	7.079D-01	1.558D 00	0.0	0.0	0.0	
2.80D 01	7.688D-01	1.722D 00	0.0	0.0	0.0	
2.90D 01	8.308D-01	1.857D 00	0.0	0.0	0.0	
3.00D 01	8.930D-01	1.970D 00	0.0	0.0	0.0	
3.20D 01	9.550D-01	2.066D 00	0.0	0.0	0.0	
3.40D 01	1.075D 00	2.219D 00	0.0	0.0	0.0	
3.60D 01	1.188D 00	2.332D 00	0.0	0.0	0.0	
3.80D 01	1.288D 00	2.418D 00	0.0	0.0	0.0	
4.00D 01	1.374D 00	2.482D 00	0.0	0.0	0.0	
4.20D 01	1.448D 00	2.529D 00	0.0	0.0	0.0	
4.40D 01	1.511D 00	2.564D 00	0.0	0.0	0.0	
4.60D 01	1.567D 00	2.588D 00	0.0	0.0	0.0	
4.80D 01	1.616D 00	2.604D 00	0.0	0.0	0.0	
5.00D 01	1.669D 00	2.614D 00	0.0	0.0	0.0	
5.20D 01	1.728D 00	2.618D 00	0.0	0.0	0.0	
5.40D 01	1.776D 00	2.618D 00	0.0	0.0	0.0	
5.60D 01	1.819D 00	2.614D 00	0.0	0.0	0.0	
5.80D 01	1.856D 00	2.607D 00	0.0	0.0	0.0	
6.00D 01	1.887D 00	2.598D 00	0.0	0.0	0.0	
6.20D 01	1.912D 00	2.586D 00	0.0	0.0	0.0	
6.40D 01	1.932D 00	2.573D 00	0.0	0.0	0.0	
6.60D 01	1.948D 00	2.559D 00	0.0	0.0	0.0	
6.80D 01	1.960D 00	2.544D 00	0.0	0.0	0.0	
7.00D 01	1.969D 00	2.527D 00	0.0	0.0	0.0	
7.20D 01	1.975D 00	2.510D 00	0.0	0.0	0.0	
7.40D 01	1.979D 00	2.493D 00	0.0	0.0	0.0	
7.60D 01	1.980D 00	2.475D 00	0.0	0.0	0.0	

TABLE 1B-STOPPING POWER OF ALUMINUM (DENSITY 2.71G/CM3) FOR ELECTRONS

ELECTRON ENERGY EV	STOPPING POWER EV/A	INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A			
		EL-EL	PLASMON	AL(2P)	AL(2S)
7.600 01	4.437D 00	1.980D 00	2.457D 00	0.0	0.0
7.800 01	4.416D 00	1.978D 00	2.438D 00	0.0	0.0
8.000 01	4.394D 00	1.975D 00	2.419D 00	0.0	0.0
8.200 01	4.371D 00	1.971D 00	2.400D 00	0.0	0.0
8.400 01	4.347D 00	1.965D 00	2.382D 00	0.0	0.0
8.600 01	4.322D 00	1.959D 00	2.363D 00	0.0	0.0
8.800 01	4.296D 00	1.952D 00	2.344D 00	0.0	0.0
9.000 01	4.269D 00	1.945D 00	2.325D 00	0.0	0.0
9.200 01	4.242D 00	1.936D 00	2.306D 00	0.0	0.0
9.400 01	4.223D 00	1.928D 00	2.288D 00	7.912D-03	0.0
9.600 01	4.206D 00	1.919D 00	2.269D 00	1.883D-02	0.0
9.800 01	4.190D 00	1.909D 00	2.251D 00	3.011D-02	0.0
1.000 02	4.174D 00	1.899D 00	2.233D 00	4.166D-02	0.0
1.100 02	4.092D 00	1.847D 00	2.145D 00	1.002D-01	0.0
1.200 02	4.012D 00	1.793D 00	2.062D 00	1.562D-01	0.0
1.300 02	3.938D 00	1.740D 00	1.985D 00	2.130D-01	0.0
1.400 02	3.878D 00	1.687D 00	1.913D 00	2.697D-01	8.746D-03
1.500 02	3.823D 00	1.636D 00	1.846D 00	3.223D-01	1.801D-02
1.600 02	3.769D 00	1.588D 00	1.784D 00	3.699D-01	2.751D-02
1.700 02	3.716D 00	1.542D 00	1.725D 00	4.118D-01	3.713D-02
1.800 02	3.664D 00	1.498D 00	1.671D 00	4.483D-01	4.672D-02
1.900 02	3.613D 00	1.456D 00	1.620D 00	4.798D-01	5.625D-02
2.000 02	3.568D 00	1.417D 00	1.573D 00	5.124D-01	6.566D-02
2.100 02	3.527D 00	1.380D 00	1.528D 00	5.462D-01	7.488D-02
2.200 02	3.488D 00	1.345D 00	1.486D 00	5.735D-01	8.385D-02
2.300 02	3.450D 00	1.311D 00	1.446D 00	6.002D-01	9.253D-02
2.400 02	3.413D 00	1.279D 00	1.409D 00	6.244D-01	1.009D-01
2.500 02	3.378D 00	1.249D 00	1.373D 00	6.460D-01	1.090D-01
2.600 02	3.343D 00	1.220D 00	1.340D 00	6.654D-01	1.168D-01
2.700 02	3.307D 00	1.193D 00	1.308D 00	6.837D-01	1.245D-01
2.800 02	3.272D 00	1.167D 00	1.278D 00	7.008D-01	1.322D-01
2.900 02	3.238D 00	1.142D 00	1.250D 00	7.168D-01	1.397D-01
3.000 02	3.205D 00	1.118D 00	1.222D 00	7.315D-01	1.426D-01
3.100 02	3.174D 00	1.096D 00	1.197D 00	7.452D-01	1.454D-01
3.200 02	3.143D 00	1.074D 00	1.172D 00	7.577D-01	1.480D-01
3.300 02	3.113D 00	1.053D 00	1.148D 00	7.689D-01	1.504D-01
3.400 02	3.083D 00	1.033D 00	1.125D 00	7.789D-01	1.527D-01
3.500 02	3.054D 00	1.014D 00	1.104D 00	7.882D-01	1.549D-01
3.600 02	3.026D 00	9.953D-01	1.083D 00	7.967D-01	1.570D-01
3.700 02	2.999D 00	9.780D-01	1.063D 00	8.047D-01	1.597D-01
3.800 02	2.972D 00	9.610D-01	1.044D 00	8.121D-01	1.606D-01
3.900 02	2.946D 00	9.446D-01	1.026D 00	8.191D-01	1.615D-01
4.000 02	2.921D 00	9.289D-01	1.008D 00	8.254D-01	1.624D-01
4.100 02	2.895D 00	9.137D-01	9.909D-01	8.310D-01	1.631D-01
4.200 02	2.871D 00	8.991D-01	9.746D-01	8.362D-01	1.639D-01
4.300 02	2.846D 00	8.849D-01	9.588C-01	8.410D-01	1.645D-01
4.400 02	2.823D 00	8.713D-01	9.435D-01	8.454D-01	1.652D-01
4.500 02	2.800D 00	8.581D-01	9.289D-01	8.494D-01	1.658D-01
4.600 02	2.777D 00	8.454D-01	9.147D-01	8.531D-01	1.663D-01
4.700 02	2.755D 00	8.331D-01	9.005D-01	8.564D-01	1.663D-01
4.800 02	2.732D 00	8.211D-01	8.877D-01	8.584D-01	1.663D-01
4.900 02	2.711D 00	8.096D-01	8.748D-01	8.608D-01	1.663D-01
5.000 02	2.690D 00	7.984D-01	8.624D-01	8.630D-01	1.663D-01

INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF CV/A

ELECTRON ENERGY EV

STOPPING POWER EV/A

EL-EL

PLASMON

AL(2P)

AL(1S)

ELECTRON ENERGY EV	STOPPING POWER EV/A	EL-EL	PLASMON	AL(2P)	AL(1S)
5.100 02	2.6700 00	7.8750-01	8.5030-01	8.6500-01	1.6690-01
5.200 02	2.6500 00	7.7690-01	8.3960-01	8.6690-01	1.6740-01
5.300 02	2.6300 00	7.6670-01	8.2730-01	8.6860-01	1.6780-01
5.400 02	2.6100 00	7.5680-01	8.1630-01	8.6930-01	1.6790-01
5.500 02	2.5900 00	7.4710-01	8.0550-01	8.6990-01	1.6780-01
5.600 02	2.5700 00	7.3770-01	7.9520-01	8.7000-01	1.6770-01
5.700 02	2.5510 00	7.2860-01	7.8510-01	8.7000-01	1.6760-01
5.800 02	2.5330 00	7.1970-01	7.7530-01	8.7010-01	1.6750-01
5.900 02	2.5140 00	7.1100-01	7.6570-01	8.7020-01	1.6740-01
6.000 02	2.4960 00	7.0260-01	7.5640-01	8.7010-01	1.6720-01
6.100 02	2.4790 00	6.9440-01	7.4740-01	8.7010-01	1.6710-01
6.200 02	2.4620 00	6.8640-01	7.3860-01	8.7000-01	1.6690-01
6.300 02	2.4450 00	6.7860-01	7.3000-01	8.6990-01	1.6680-01
6.400 02	2.4290 00	6.7100-01	7.2170-01	8.6970-01	1.6660-01
6.500 02	2.4130 00	6.6360-01	7.1350-01	8.6950-01	1.6650-01
6.600 02	2.3970 00	6.5630-01	7.0550-01	8.6920-01	1.6630-01
6.700 02	2.3820 00	6.4930-01	6.9780-01	8.6860-01	1.6610-01
6.800 02	2.3660 00	6.4240-01	6.9020-01	8.6690-01	1.6600-01
6.900 02	2.3500 00	6.3560-01	6.8280-01	8.6530-01	1.6580-01
7.000 02	2.3340 00	6.2910-01	6.7560-01	8.6370-01	1.6560-01
7.100 02	2.3190 00	6.2260-01	6.6850-01	8.6210-01	1.6550-01
7.200 02	2.3040 00	6.1630-01	6.6160-01	8.6060-01	1.6530-01
7.300 02	2.2890 00	6.1020-01	6.5490-01	8.5910-01	1.6510-01
7.400 02	2.2750 00	6.0420-01	6.4840-01	8.5770-01	1.6500-01
7.500 02	2.2610 00	5.9830-01	6.4190-01	8.5640-01	1.6480-01
7.600 02	2.2480 00	5.9250-01	6.3560-01	8.5480-01	1.6460-01
7.700 02	2.2340 00	5.8670-01	6.2940-01	8.5320-01	1.6440-01
7.800 02	2.2210 00	5.8140-01	6.2330-01	8.5160-01	1.6430-01
7.900 02	2.2070 00	5.7590-01	6.1750-01	8.4990-01	1.6410-01
8.000 02	2.1950 00	5.7070-01	6.1170-01	8.4800-01	1.6390-01
8.100 02	2.1840 00	5.6550-01	6.0600-01	8.4640-01	1.6360-01
8.200 02	2.1710 00	5.6040-01	6.0050-01	8.4460-01	1.6310-01
8.300 02	2.1580 00	5.5540-01	5.9500-01	8.4270-01	1.6260-01
8.400 02	2.1450 00	5.5050-01	5.8970-01	8.4090-01	1.6210-01
8.500 02	2.1330 00	5.4570-01	5.8440-01	8.3900-01	1.6160-01
8.600 02	2.1200 00	5.4100-01	5.7930-01	8.3700-01	1.6120-01
8.700 02	2.1080 00	5.3640-01	5.7430-01	8.3490-01	1.6070-01
8.800 02	2.0960 00	5.3180-01	5.6940-01	8.3280-01	1.6020-01
8.900 02	2.0840 00	5.2740-01	5.6450-01	8.3070-01	1.5980-01
9.000 02	2.0720 00	5.2300-01	5.5980-01	8.2860-01	1.5930-01
9.100 02	2.0600 00	5.1870-01	5.5510-01	8.2640-01	1.5890-01
9.200 02	2.0480 00	5.1450-01	5.5050-01	8.2420-01	1.5840-01
9.300 02	2.0370 00	5.1040-01	5.4600-01	8.2200-01	1.5800-01
9.400 02	2.0250 00	5.0630-01	5.4160-01	8.1990-01	1.5750-01
9.500 02	2.0140 00	5.0240-01	5.3720-01	8.1740-01	1.5710-01
9.600 02	2.0030 00	4.9840-01	5.3290-01	8.1480-01	1.5670-01
9.700 02	1.9920 00	4.9460-01	5.2880-01	8.1230-01	1.5620-01
9.800 02	1.9810 00	4.9080-01	5.2470-01	8.0970-01	1.5580-01
9.900 02	1.9700 00	4.8710-01	5.2060-01	8.0720-01	1.5540-01
1.000 03	1.9600 00	4.8340-01	5.1670-01	8.0460-01	1.5500-01
1.050 03	1.9080 00	4.6590-01	4.9770-01	7.9170-01	1.5290-01
1.100 03	1.8600 00	4.4980-01	4.8020-01	7.7880-01	1.5070-01
1.150 03	1.8140 00	4.3490-01	4.6410-01	7.6600-01	1.4860-01

TABLE 1B--STOPPING POWER OF ALUMINUM (DENSITY 2.71G/CM3) FOR ELECTRONS

ELECTRON ENERGY EV	STOPPING POWER EV/A	INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A				
		EL-EL	PLASMON	AL(2P)		
1.20D 03	1.7700 00	4.210D-01	4.490D-01	7.534D-01	1.464D-01	0.0
1.25D 03	1.7290 00	4.081D-01	4.350D-01	7.410D-01	1.443D-01	0.0
1.30D 03	1.6900 00	3.960D-01	4.220D-01	7.289D-01	1.423D-01	0.0
1.35D 03	1.6510 00	3.846D-01	4.097D-01	7.171D-01	1.402D-01	0.0
1.40D 03	1.6160 00	3.740D-01	3.982D-01	7.056D-01	1.382D-01	0.0
1.45D 03	1.5820 00	3.640D-01	3.874D-01	6.943D-01	1.362D-01	0.0
1.50D 03	1.5490 00	3.545D-01	3.772D-01	6.833D-01	1.343D-01	0.0
1.55D 03	1.5180 00	3.456D-01	3.676D-01	6.726D-01	1.325D-01	0.0
1.60D 03	1.4890 00	3.372D-01	3.585D-01	6.621D-01	1.307D-01	6.553D-05
1.65D 03	1.4600 00	3.292D-01	3.499D-01	6.519D-01	1.289D-01	2.460D-04
1.70D 03	1.4330 00	3.216D-01	3.417D-01	6.419D-01	1.272D-01	4.598D-04
1.75D 03	1.4070 00	3.143D-01	3.339D-01	6.321D-01	1.255D-01	6.970D-04
1.80D 03	1.3810 00	3.075D-01	3.265D-01	6.227D-01	1.238D-01	9.515D-04
1.85D 03	1.3570 00	2.946D-01	3.195D-01	6.134D-01	1.221D-01	1.217D-03
1.90D 03	1.3340 00	2.887D-01	3.128D-01	6.045D-01	1.205D-01	1.485D-03
1.95D 03	1.3110 00	2.877D-01	3.064D-01	5.957D-01	1.189D-01	1.752D-03
2.00D 03	1.2900 00	2.829D-01	3.002D-01	5.872D-01	1.174D-01	2.014D-03
2.05D 03	1.2690 00	2.775D-01	2.943D-01	5.789D-01	1.159D-01	2.269D-03
2.10D 03	1.2490 00	2.722D-01	2.887D-01	5.709D-01	1.144D-01	2.517D-03
2.20D 03	1.2110 00	2.623D-01	2.781D-01	5.631D-01	1.129D-01	2.756D-03
2.25D 03	1.1920 00	2.577D-01	2.732D-01	5.555D-01	1.115D-01	3.004D-03
2.30D 03	1.1750 00	2.532D-01	2.684D-01	5.482D-01	1.101D-01	3.253D-03
2.35D 03	1.1580 00	2.489D-01	2.637D-01	5.411D-01	1.088D-01	3.495D-03
2.40D 03	1.1420 00	2.448D-01	2.592D-01	5.341D-01	1.075D-01	3.730D-03
2.45D 03	1.1260 00	2.408D-01	2.550D-01	5.274D-01	1.062D-01	3.960D-03
2.50D 03	1.1110 00	2.369D-01	2.509D-01	5.209D-01	1.049D-01	4.184D-03
2.55D 03	1.0960 00	2.332D-01	2.469D-01	5.146D-01	1.037D-01	4.401D-03
2.60D 03	1.0820 00	2.296D-01	2.430D-01	5.085D-01	1.026D-01	4.612D-03
2.65D 03	1.0680 00	2.261D-01	2.393D-01	5.026D-01	1.014D-01	4.818D-03
2.70D 03	1.0540 00	2.228D-01	2.357D-01	4.969D-01	1.003D-01	5.019D-03
2.75D 03	1.0410 00	2.195D-01	2.322D-01	4.914D-01	9.924D-02	5.214D-03
2.80D 03	1.0290 00	2.163D-01	2.288D-01	4.860D-01	9.820D-02	5.396D-03
2.85D 03	1.0160 00	2.133D-01	2.255D-01	4.808D-01	9.718D-02	5.571D-03
2.90D 03	1.0040 00	2.103D-01	2.223D-01	4.757D-01	9.620D-02	5.742D-03
2.95D 03	9.929D-01	2.074D-01	2.193D-01	4.707D-01	9.525D-02	5.908D-03
3.00D 03	9.816D-01	2.046D-01	2.163D-01	4.658D-01	9.432D-02	6.069D-03
3.10D 03	9.599D-01	1.993D-01	2.106D-01	4.610D-01	9.343D-02	6.226D-03
3.20D 03	9.394D-01	1.942D-01	2.052D-01	4.518D-01	9.171D-02	6.527D-03
3.30D 03	9.197D-01	1.894D-01	2.001D-01	4.430D-01	9.009D-02	6.813D-03
3.40D 03	9.011D-01	1.849D-01	1.952D-01	4.346D-01	8.857D-02	7.077D-03
3.50D 03	8.832D-01	1.806D-01	1.906D-01	4.265D-01	8.713D-02	7.321D-03
3.60D 03	8.662D-01	1.765D-01	1.863D-01	4.187D-01	8.578D-02	7.551D-03
3.70D 03	8.500D-01	1.726D-01	1.821D-01	4.112D-01	8.450D-02	7.769D-03
3.80D 03	8.345D-01	1.689D-01	1.782D-01	4.040D-01	8.329D-02	7.974D-03
3.90D 03	8.196D-01	1.653D-01	1.744D-01	3.971D-01	8.215D-02	8.168D-03
4.00D 03	8.053D-01	1.620D-01	1.708D-01	3.904D-01	8.107D-02	8.353D-03
4.10D 03	7.916D-01	1.587D-01	1.674D-01	3.840D-01	8.005D-02	8.528D-03
4.20D 03	7.784D-01	1.556D-01	1.640D-01	3.777D-01	7.909D-02	8.640D-03
4.30D 03	7.657D-01	1.526D-01	1.608D-01	3.718D-01	7.816D-02	8.832D-03
4.40D 03	7.534D-01	1.498D-01	1.578D-01	3.660D-01	7.726D-02	8.966D-03
4.50D 03	7.416D-01	1.470D-01	1.549D-01	3.604D-01	7.637D-02	9.092D-03
4.60D 03	7.301D-01	1.444D-01	1.521D-01	3.549D-01	7.549D-02	9.210D-03
				3.497D-01	7.464D-02	9.323D-03

INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A

ELECTRON ENERGY E.V.	STOPPING POWER EV/A	PLASMON			AL(2P)	AL(2S)	AL(1S)
		EL-EL	PLASMON	AL(2P)			
4.700 03	7.1920-01	1.4190-01	1.4940-01	3.4460-01	7.3000-02	9.4230-03	
4.800 03	7.0850-01	1.3940-01	1.4690-01	3.3970-01	7.1380-02	9.4960-03	
4.900 03	6.9820-01	1.3710-01	1.4440-01	3.3490-01	7.1170-02	9.5600-03	
5.000 03	6.8810-01	1.3480-01	1.4200-01	3.3030-01	7.1380-02	9.6320-03	
5.100 03	6.7840-01	1.3260-01	1.3960-01	3.2580-01	7.0610-02	9.6670-03	
5.200 03	6.6900-01	1.3050-01	1.3740-01	3.2140-01	6.9850-02	9.7120-03	
5.300 03	6.5990-01	1.2850-01	1.3520-01	3.1720-01	6.9100-02	9.7530-03	
5.400 03	6.5100-01	1.2650-01	1.3310-01	3.1310-01	6.8370-02	9.7890-03	
5.500 03	6.4210-01	1.2460-01	1.3100-01	3.0910-01	6.7660-02	9.8210-03	
5.600 03	6.3380-01	1.2280-01	1.2910-01	3.0520-01	6.6970-02	9.8490-03	
5.700 03	6.2570-01	1.2100-01	1.2720-01	3.0140-01	6.6290-02	9.8740-03	
5.800 03	6.1780-01	1.1920-01	1.2540-01	2.9770-01	6.5620-02	9.8980-03	
5.900 03	6.1020-01	1.1750-01	1.2360-01	2.9410-01	6.4970-02	9.9170-03	
6.000 03	6.0270-01	1.1590-01	1.2190-01	2.9060-01	6.4340-02	9.9340-03	
6.100 03	5.9550-01	1.1430-01	1.2020-01	2.8720-01	6.3710-02	9.9490-03	
6.200 03	5.8840-01	1.1280-01	1.1860-01	2.8390-01	6.3100-02	9.9620-03	
6.300 03	5.8150-01	1.1130-01	1.1700-01	2.8070-01	6.2510-02	9.9790-03	
6.400 03	5.7480-01	1.0990-01	1.1550-01	2.7760-01	6.1920-02	9.9900-03	
6.500 03	5.6820-01	1.0840-01	1.1400-01	2.7450-01	6.1340-02	9.9840-03	
6.600 03	5.6180-01	1.0710-01	1.1250-01	2.7150-01	6.0780-02	9.9850-03	
6.700 03	5.5560-01	1.0570-01	1.1110-01	2.6860-01	6.0220-02	9.9830-03	
6.800 03	5.4950-01	1.0440-01	1.0970-01	2.6570-01	5.9670-02	9.9780-03	
6.900 03	5.4360-01	1.0320-01	1.0840-01	2.6290-01	5.9140-02	9.9720-03	
7.000 03	5.3780-01	1.0190-01	1.0710-01	2.6020-01	5.8600-02	9.9640-03	
7.100 03	5.3210-01	1.0070-01	1.0580-01	2.5760-01	5.8080-02	9.9550-03	
7.200 03	5.2660-01	9.9560-02	1.0450-01	2.5500-01	5.7570-02	9.9440-03	
7.300 03	5.2110-01	9.8420-02	1.0330-01	2.5240-01	5.7060-02	9.9320-03	
7.400 03	5.1590-01	9.7300-02	1.0210-01	2.4990-01	5.6560-02	9.9190-03	
7.500 03	5.1070-01	9.6220-02	1.0100-01	2.4750-01	5.6070-02	9.9050-03	
7.600 03	5.0560-01	9.5150-02	9.9880-02	2.4510-01	5.5580-02	9.8900-03	
7.700 03	5.0070-01	9.4120-02	9.8800-02	2.4280-01	5.5100-02	9.8730-03	
7.800 03	4.9580-01	9.3100-02	9.7740-02	2.4050-01	5.4630-02	9.8560-03	
7.900 03	4.9110-01	9.2110-02	9.6700-02	2.3830-01	5.4170-02	9.8380-03	
8.000 03	4.8650-01	9.1150-02	9.5680-02	2.3610-01	5.3710-02	9.8200-03	
8.100 03	4.8150-01	9.0200-02	9.4680-02	2.3390-01	5.3260-02	9.8000-03	
8.200 03	4.7740-01	8.9280-02	9.3710-02	2.3180-01	5.2820-02	9.7810-03	
8.300 03	4.7310-01	8.8370-02	9.2750-02	2.2980-01	5.2390-02	9.7600-03	
8.400 03	4.6880-01	8.7490-02	9.1820-02	2.2770-01	5.1960-02	9.7390-03	
8.500 03	4.6460-01	8.6620-02	9.0910-02	2.2580-01	5.1550-02	9.7170-03	
8.600 03	4.6050-01	8.5770-02	9.0010-02	2.2380-01	5.1130-02	9.6940-03	
8.700 03	4.5640-01	8.4940-02	8.9130-02	2.2190-01	5.0730-02	9.6710-03	
8.800 03	4.5240-01	8.4130-02	8.8270-02	2.2000-01	5.0330-02	9.6470-03	
8.900 03	4.4860-01	8.3330-02	8.7420-02	2.1820-01	4.9940-02	9.6220-03	
9.000 03	4.4470-01	8.2550-02	8.6590-02	2.1640-01	4.9560-02	9.5970-03	
9.100 03	4.4100-01	8.1790-02	8.5780-02	2.1460-01	4.9180-02	9.5720-03	
9.200 03	4.3730-01	8.1040-02	8.4990-02	2.1290-01	4.8810-02	9.5460-03	
9.300 03	4.3370-01	8.0300-02	8.4210-02	2.1120-01	4.8450-02	9.5200-03	
9.400 03	4.3010-01	7.9580-02	8.3440-02	2.0950-01	4.8090-02	9.4940-03	
9.500 03	4.2670-01	7.8870-02	8.2690-02	2.0790-01	4.7740-02	9.4670-03	
9.600 03	4.2320-01	7.8180-02	8.1950-02	2.0630-01	4.7390-02	9.4400-03	
9.700 03	4.1990-01	7.7500-02	8.1220-02	2.0470-01	4.7050-02	9.4130-03	
9.800 03	4.1660-01	7.6830-02	8.0510-02	2.0310-01	4.6710-02	9.3860-03	
9.900 03	4.1330-01	7.6170-02	7.9810-02	2.0160-01	4.6380-02	9.3590-03	
1.000 04	4.1010-01	7.5530-02	7.9120-02	2.0000-01	4.6050-02		

TABLE 1C-CSDA RANGE AND STRAGGLING OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM3)

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV2/A	MEAN SQUARE RANGE FLUCTUATION A2	RELATIVE RANGE STRAGGLING
1.100 01	1.167D 01	3.842C-01	5.149D 02	1.945D 00
1.200 01	2.096D 01	5.246D-01	6.759D 02	1.412D 00
1.300 01	2.851D 01	6.987D-01	1.136D 03	1.162D 00
1.400 01	3.474D 01	9.110D-01	1.329D 03	1.053D 00
1.500 01	3.995D 01	1.166D 00	1.476D 03	9.616D-01
1.600 01	4.437D 01	1.423D 00	1.587D 03	8.979D-01
1.700 01	4.814D 01	1.716D 00	1.671D 03	8.491D-01
1.800 01	5.143D 01	2.047D 00	1.738D 03	8.105D-01
1.900 01	5.437D 01	2.418D 00	1.794D 03	7.791D-01
2.000 01	5.700D 01	2.834D 00	1.842D 03	7.529D-01
2.100 01	5.936D 01	3.297D 00	1.882D 03	7.308D-01
2.200 01	6.177D 01	3.812D 00	1.914D 03	7.083D-01
2.300 01	6.305D 01	1.770D 01	1.934D 03	6.975D-01
2.400 01	6.377D 01	2.794D 01	1.943D 03	6.912D-01
2.500 01	6.431D 01	3.401D 01	1.948D 03	6.863D-01
2.600 01	6.478D 01	3.866D 01	1.951D 03	6.819D-01
2.700 01	6.520D 01	4.251D 01	1.954D 03	6.781D-01
2.800 01	6.559D 01	4.583D 01	1.957D 03	6.745D-01
2.900 01	6.595D 01	4.877D 01	1.957D 03	6.712D-01
3.000 01	6.629D 01	5.143D 01	1.959D 03	6.681D-01
3.200 01	6.692D 01	5.616D 01	1.961D 03	6.624D-01
3.400 01	6.751D 01	6.031D 01	1.965D 03	6.571D-01
3.600 01	6.806D 01	6.402D 01	1.970D 03	6.522D-01
3.800 01	6.859D 01	6.736D 01	1.973D 03	6.476D-01
4.000 01	6.910D 01	7.039D 01	1.975D 03	6.431D-01
4.200 01	6.959D 01	7.315D 01	1.977D 03	6.389D-01
4.400 01	7.008D 01	7.566D 01	1.979D 03	6.348D-01
4.600 01	7.056D 01	7.795D 01	1.981D 03	6.309D-01
4.800 01	7.103D 01	8.024D 01	1.983D 03	6.270D-01
5.000 01	7.149D 01	8.253D 01	1.985D 03	6.233D-01
5.200 01	7.195D 01	8.446D 01	1.987D 03	6.196D-01
5.400 01	7.240D 01	8.619D 01	1.989D 03	6.160D-01
5.600 01	7.285D 01	8.771D 01	1.991D 03	6.125D-01
5.800 01	7.330D 01	8.904D 01	1.993D 03	6.091D-01
6.000 01	7.374D 01	9.018D 01	1.995D 03	6.057D-01
6.200 01	7.419D 01	9.116D 01	1.997D 03	6.024D-01
6.400 01	7.463D 01	9.200D 01	1.999D 03	5.991D-01
6.600 01	7.508D 01	9.271D 01	2.001D 03	5.959D-01
6.800 01	7.552D 01	9.332D 01	2.003D 03	5.927D-01
7.000 01	7.597D 01	9.384D 01	2.005D 03	5.895D-01
7.200 01	7.641D 01	9.427D 01	2.008D 03	5.864D-01
7.400 01	7.686D 01	9.463D 01	2.010D 03	5.833D-01
7.600 01	7.731D 01	9.492D 01	2.012D 03	5.802D-01
7.800 01	7.776D 01	9.516D 01	2.014D 03	5.771D-01
8.000 01	7.822D 01	9.535D 01	2.016D 03	5.741D-01
8.200 01	7.867D 01	9.549D 01	2.019D 03	5.711D-01
8.400 01	7.913D 01	9.559D 01	2.021D 03	5.681D-01
8.600 01	7.959D 01	9.566D 01	2.023D 03	5.651D-01
8.800 01	8.006D 01	9.570D 01	2.026D 03	5.622D-01
9.000 01	8.052D 01	9.571D 01	2.028D 03	5.593D-01
9.200 01	8.099D 01	9.569D 01	2.030D 03	5.564D-01

TABLE 1C-CSDA RANGE AND STRAGGLING OF ELECTRONS IN ALUMINUM

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV ² /A	MEAN SQUARE RANGE FLUCTUATION A ²	RELATIVE RANGE STRAGGLING
9.400 01	8.1470 01	9.6390 01	2.0330 03	5.5350-01
9.600 01	8.1940 01	9.7350 01	2.0360 03	5.5060-01
9.800 01	8.2420 01	9.8340 01	2.0380 03	5.4780-01
1.000 02	8.2900 01	9.9360 01	2.0410 03	5.4500-01
1.100 02	8.3320 01	1.0450 02	2.0550 03	5.3140-01
1.200 02	8.7780 01	1.0950 02	2.0720 03	5.1850-01
1.300 02	9.0300 01	1.1480 02	2.0890 03	5.0620-01
1.400 02	9.2860 01	1.2140 02	2.1090 03	4.9460-01
1.500 02	9.5460 01	1.2810 02	2.1310 03	4.8360-01
1.600 02	9.8090 01	1.3450 02	2.1550 03	4.7330-01
1.700 02	1.0080 02	1.4060 02	2.1810 03	4.6350-01
1.800 02	1.0350 02	1.4630 02	2.2100 03	4.5430-01
1.900 02	1.0620 02	1.5170 02	2.2410 03	4.4560-01
2.000 02	1.0900 02	1.5740 02	2.2740 03	4.3750-01
2.100 02	1.1160 02	1.6320 02	2.3100 03	4.2980-01
2.200 02	1.1470 02	1.6870 02	2.3490 03	4.2260-01
2.300 02	1.1760 02	1.7420 02	2.3900 03	4.1580-01
2.400 02	1.2050 02	1.7940 02	2.4340 03	4.0950-01
2.500 02	1.2340 02	1.8440 02	2.4800 03	4.0350-01
2.600 02	1.2640 02	1.8930 02	2.5290 03	3.9790-01
2.700 02	1.2940 02	1.9350 02	2.5810 03	3.9260-01
2.800 02	1.3240 02	1.9760 02	2.6350 03	3.8770-01
2.900 02	1.3550 02	2.0150 02	2.6940 03	3.8300-01
3.000 02	1.3860 02	2.0530 02	2.7550 03	3.7860-01
3.100 02	1.4180 02	2.0900 02	2.8190 03	3.7450-01
3.200 02	1.4490 02	2.1260 02	2.8860 03	3.7070-01
3.300 02	1.4810 02	2.1600 02	2.9560 03	3.6700-01
3.400 02	1.5140 02	2.1930 02	3.0290 03	3.6360-01
3.500 02	1.5460 02	2.2240 02	3.1060 03	3.6040-01
3.600 02	1.5790 02	2.2540 02	3.1850 03	3.5740-01
3.700 02	1.6120 02	2.2840 02	3.2680 03	3.5460-01
3.800 02	1.6460 02	2.3130 02	3.3550 03	3.5200-01
3.900 02	1.6790 02	2.3410 02	3.4450 03	3.4950-01
4.000 02	1.7140 02	2.3670 02	3.5380 03	3.4710-01
4.100 02	1.7480 02	2.3910 02	3.6350 03	3.4490-01
4.200 02	1.7830 02	2.4140 02	3.7350 03	3.4280-01
4.300 02	1.8180 02	2.4370 02	3.8390 03	3.4090-01
4.400 02	1.8530 02	2.4590 02	3.9460 03	3.3900-01
4.500 02	1.8880 02	2.4810 02	4.0570 03	3.3730-01
4.600 02	1.9240 02	2.5020 02	4.1720 03	3.3570-01
4.700 02	1.9610 02	2.5220 02	4.2910 03	3.3410-01
4.800 02	1.9970 02	2.5410 02	4.4140 03	3.3270-01
4.900 02	2.0340 02	2.5590 02	4.5400 03	3.3130-01
5.000 02	2.0710 02	2.5770 02	4.6710 03	3.3000-01
5.100 02	2.1080 02	2.5950 02	4.8050 03	3.2880-01
5.200 02	2.1460 02	2.6130 02	4.9440 03	3.2770-01
5.300 02	2.1840 02	2.6310 02	5.0860 03	3.2660-01
5.400 02	2.2220 02	2.6450 02	5.2330 03	3.2560-01
5.500 02	2.2600 02	2.6590 02	5.3840 03	3.2460-01
5.600 02	2.2990 02	2.6730 02	5.5390 03	3.2370-01
5.700 02	2.3380 02	2.6860 02	5.6980 03	3.2290-01

TABLE 1C-CSDA RANGE AND STRAGGLING OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM3)

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV2/A	MEAN SQUARE RANGE FLUCTUATION A2	RELATIVE RANGE STRAGGLING
5.800 02	2.3770 02	2.6990 02	5.8620 03	3.2210-01
5.900 02	2.4170 02	2.7120 02	6.0310 03	3.2130-01
6.000 02	2.4570 02	2.7250 02	6.2030 03	3.2060-01
6.100 02	2.4970 02	2.7370 02	6.3810 03	3.1990-01
6.200 02	2.5380 02	2.7500 02	6.5630 03	3.1930-01
6.300 02	2.5780 02	2.7620 02	6.7490 03	3.1860-01
6.400 02	2.6190 02	2.7740 02	6.9410 03	3.1810-01
6.500 02	2.6610 02	2.7860 02	7.1370 03	3.1750-01
6.600 02	2.7020 02	2.7980 02	7.3370 03	3.1700-01
6.700 02	2.7440 02	2.8090 02	7.5430 03	3.1650-01
6.800 02	2.7860 02	2.8170 02	7.7530 03	3.1600-01
6.900 02	2.8290 02	2.8250 02	7.9680 03	3.1560-01
7.000 02	2.8710 02	2.8340 02	8.1890 03	3.1520-01
7.100 02	2.9140 02	2.8420 02	8.4140 03	3.1480-01
7.200 02	2.9580 02	2.8500 02	8.6450 03	3.1440-01
7.300 02	3.0010 02	2.8580 02	8.8800 03	3.1400-01
7.400 02	3.0450 02	2.8660 02	9.1120 03	3.1370-01
7.500 02	3.0890 02	2.8740 02	9.3370 03	3.1330-01
7.600 02	3.1330 02	2.8820 02	9.5610 03	3.1300-01
7.700 02	3.1780 02	2.8890 02	9.7850 03	3.1270-01
7.800 02	3.2230 02	2.8960 02	1.0140 04	3.1240-01
7.900 02	3.2680 02	2.9030 02	1.0400 04	3.1210-01
8.000 02	3.3130 02	2.9120 02	1.0680 04	3.1180-01
8.100 02	3.3590 02	2.9210 02	1.0950 04	3.1160-01
8.200 02	3.4050 02	2.9280 02	1.1240 04	3.1130-01
8.300 02	3.4510 02	2.9290 02	1.1520 04	3.1100-01
8.400 02	3.4980 02	2.9290 02	1.1820 04	3.1080-01
8.500 02	3.5450 02	2.9340 02	1.2120 04	3.1060-01
8.600 02	3.5920 02	2.9390 02	1.2420 04	3.1030-01
8.700 02	3.6390 02	2.9440 02	1.2730 04	3.1010-01
8.800 02	3.6860 02	2.9480 02	1.3050 04	3.0990-01
8.900 02	3.7340 02	2.9520 02	1.3370 04	3.0970-01
9.000 02	3.7820 02	2.9560 02	1.3700 04	3.0950-01
9.100 02	3.8310 02	2.9600 02	1.4040 04	3.0930-01
9.200 02	3.8790 02	2.9640 02	1.4380 04	3.0910-01
9.300 02	3.9280 02	2.9670 02	1.4730 04	3.0890-01
9.400 02	3.9780 02	2.9700 02	1.5080 04	3.0880-01
9.500 02	4.0270 02	2.9730 02	1.5440 04	3.0860-01
9.600 02	4.0770 02	2.9760 02	1.5810 04	3.0840-01
9.700 02	4.1270 02	2.9790 02	1.6190 04	3.0830-01
9.800 02	4.1770 02	2.9810 02	1.6570 04	3.0810-01
9.900 02	4.2280 02	2.9840 02	1.6950 04	3.0790-01
1.050 03	4.2790 02	2.9860 02	1.7350 04	3.0780-01
1.100 03	4.3370 02	2.9950 02	1.9410 04	3.0710-01
1.150 03	4.8030 02	3.0010 02	2.1660 04	3.0640-01
1.200 03	5.0750 02	3.0040 02	2.4080 04	3.0580-01
1.250 03	5.3540 02	3.0060 02	2.6700 04	3.0520-01
1.300 03	5.6400 02	3.0060 02	2.9510 04	3.0450-01
1.350 03	5.9330 02	3.0020 02	3.2520 04	3.0390-01
1.400 03	6.2320 02	2.9990 02	3.5740 04	3.0340-01
1.400 03	6.5380 02	2.9990 02	3.9180 04	3.0280-01

TABLE 1C-CSDA RANGE AND STRAGGLING OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM³)

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV ² /A	MEAN SQUARE RANGE FLUCTUATION A ²	RELATIVE RANGE STRAGGLING
1.450 03	6.8510 02	2.9960 02	4.2850 04	3.0220-01
1.507 03	7.1700 02	2.9920 02	4.6750 04	3.0160-01
1.550 03	7.4960 02	2.9860 02	5.0900 04	3.0100-01
1.600 03	7.8290 02	2.9820 02	5.5290 04	3.0030-01
1.650 03	8.1680 02	2.9780 02	5.9940 04	2.9970-01
1.700 03	8.5140 02	2.9740 02	6.4860 04	2.9910-01
1.750 03	8.8660 02	2.9700 02	7.0060 04	2.9850-01
1.800 03	9.2250 02	2.9660 02	7.5540 04	2.9790-01
1.850 03	9.5900 02	2.9620 02	8.1310 04	2.9730-01
1.900 03	9.9620 02	2.9570 02	8.7390 04	2.9680-01
1.950 03	1.0340 03	2.9520 02	9.3770 04	2.9620-01
2.000 03	1.0720 03	2.9470 02	1.0050 05	2.9560-01
2.050 03	1.1110 03	2.9420 02	1.0750 05	2.9500-01
2.100 03	1.1510 03	2.9360 02	1.1490 05	2.9440-01
2.150 03	1.1920 03	2.9310 02	1.2260 05	2.9380-01
2.200 03	1.2330 03	2.9250 02	1.3070 05	2.9330-01
2.250 03	1.2740 03	2.9190 02	1.3910 05	2.9270-01
2.300 03	1.3160 03	2.9140 02	1.4790 05	2.9210-01
2.350 03	1.3590 03	2.9090 02	1.5710 05	2.9160-01
2.400 03	1.4030 03	2.9030 02	1.6660 05	2.9100-01
2.450 03	1.4470 03	2.8980 02	1.7660 05	2.9040-01
2.500 03	1.4920 03	2.8930 02	1.8690 05	2.8990-01
2.550 03	1.5370 03	2.8880 02	1.9770 05	2.8930-01
2.600 03	1.5830 03	2.8840 02	2.0890 05	2.8870-01
2.650 03	1.6290 03	2.8800 02	2.2050 05	2.8820-01
2.700 03	1.6770 03	2.8760 02	2.3250 05	2.8760-01
2.750 03	1.7240 03	2.8720 02	2.4500 05	2.8710-01
2.800 03	1.7730 03	2.8690 02	2.5800 05	2.8650-01
2.850 03	1.8210 03	2.8650 02	2.7140 05	2.8600-01
2.900 03	1.8710 03	2.8630 02	2.8530 05	2.8550-01
2.950 03	1.9210 03	2.8600 02	2.9960 05	2.8500-01
3.000 03	1.9720 03	2.8580 02	3.1450 05	2.8440-01
3.100 03	2.0750 03	2.8540 02	3.4570 05	2.8340-01
3.200 03	2.1800 03	2.8510 02	3.7910 05	2.8240-01
3.300 03	2.2880 03	2.8490 02	4.1460 05	2.8150-01
3.400 03	2.3970 03	2.8470 02	4.5230 05	2.8050-01
3.500 03	2.5100 03	2.8450 02	4.9240 05	2.7960-01
3.600 03	2.6240 03	2.8440 02	5.3490 05	2.7870-01
3.700 03	2.7400 03	2.8440 02	5.8000 05	2.7790-01
3.800 03	2.8590 03	2.8440 02	6.2760 05	2.7710-01
3.900 03	2.9800 03	2.8430 02	6.7790 05	2.7630-01
4.000 03	3.1030 03	2.8430 02	7.3090 05	2.7550-01
4.100 03	3.2280 03	2.8430 02	7.8680 05	2.7470-01
4.200 03	3.3560 03	2.8430 02	8.4560 05	2.7400-01
4.300 03	3.4850 03	2.8430 02	9.0740 05	2.7330-01
4.400 03	3.6170 03	2.8430 02	9.7230 05	2.7260-01
4.500 03	3.7510 03	2.8430 02	1.0400 06	2.7190-01
4.600 03	3.8870 03	2.8420 02	1.1120 06	2.7130-01
4.700 03	4.0250 03	2.8410 02	1.1860 06	2.7060-01
4.800 03	4.1650 03	2.8400 02	1.2650 06	2.7000-01
4.900 03	4.3070 03	2.8390 02	1.3460 06	2.6940-01

MEAN SQUARE ENERGY LOSS OF ELECTRONS IN ALUMINUM (DENSITY 2.71G/CM³)

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV ² /A	MEAN SQUARE RANGE FLUCTUATION A ²	RELATIVE RANGE STRAGGLING
5.900 03	4.451D 03	2.837D 02	1.431D 06	2.688D-01
5.100 03	4.598D 03	2.835D 02	1.520D 06	2.682D-01
5.200 03	4.746D 03	2.833D 02	1.613D 06	2.676D-01
5.300 03	4.897D 03	2.831D 02	1.710D 06	2.670D-01
5.400 03	5.049D 03	2.829D 02	1.810D 06	2.665D-01
5.500 03	5.204D 03	2.827D 02	1.915D 06	2.659D-01
5.600 03	5.361D 03	2.825D 02	2.023D 06	2.653D-01
5.700 03	5.519D 03	2.823D 02	2.136D 06	2.648D-01
5.800 03	5.680D 03	2.821D 02	2.253D 06	2.642D-01
5.900 03	5.843D 03	2.819D 02	2.374D 06	2.637D-01
6.000 03	6.008D 03	2.817D 02	2.500D 06	2.632D-01
6.100 03	6.175D 03	2.815D 02	2.631D 06	2.627D-01
6.200 03	6.344D 03	2.813D 02	2.766D 06	2.621D-01
6.300 03	6.515D 03	2.811D 02	2.906D 06	2.616D-01
6.400 03	6.688D 03	2.809D 02	3.050D 06	2.611D-01
6.500 03	6.863D 03	2.807D 02	3.200D 06	2.606D-01
6.600 03	7.040D 03	2.805D 02	3.354D 06	2.602D-01
6.700 03	7.219D 03	2.803D 02	3.514D 06	2.597D-01
6.800 03	7.400D 03	2.801D 02	3.679D 06	2.592D-01
6.900 03	7.583D 03	2.799D 02	3.849D 06	2.587D-01
7.000 03	7.768D 03	2.797D 02	4.025D 06	2.583D-01
7.100 03	7.955D 03	2.795D 02	4.206D 06	2.578D-01
7.200 03	8.144D 03	2.793D 02	4.392D 06	2.573D-01
7.300 03	8.335D 03	2.791D 02	4.584D 06	2.569D-01
7.400 03	8.527D 03	2.789D 02	4.782D 06	2.564D-01
7.500 03	8.722D 03	2.787D 02	4.986D 06	2.560D-01
7.600 03	8.919D 03	2.785D 02	5.195D 06	2.555D-01
7.700 03	9.118D 03	2.783D 02	5.411D 06	2.547D-01
7.800 03	9.318D 03	2.781D 02	5.633D 06	2.543D-01
7.900 03	9.521D 03	2.779D 02	5.861D 06	2.538D-01
8.000 03	9.726D 03	2.777D 02	6.095D 06	2.534D-01
8.100 03	9.932D 03	2.775D 02	6.335D 06	2.530D-01
8.200 03	1.014D 04	2.773D 02	6.582D 06	2.526D-01
8.300 03	1.035D 04	2.771D 02	6.835D 06	2.522D-01
8.400 03	1.056D 04	2.769D 02	7.093D 06	2.518D-01
8.500 03	1.078D 04	2.767D 02	7.362D 06	2.514D-01
8.600 03	1.099D 04	2.765D 02	7.636D 06	2.510D-01
8.700 03	1.121D 04	2.763D 02	7.917D 06	2.505D-01
8.800 03	1.143D 04	2.761D 02	8.204D 06	2.501D-01
8.900 03	1.165D 04	2.759D 02	8.499D 06	2.496D-01
9.000 03	1.188D 04	2.757D 02	8.801D 06	2.492D-01
9.100 03	1.210D 04	2.755D 02	9.111D 06	2.487D-01
9.200 03	1.233D 04	2.753D 02	9.428D 06	2.483D-01
9.300 03	1.256D 04	2.751D 02	9.752D 06	2.478D-01
9.400 03	1.279D 04	2.749D 02	1.008D 07	2.474D-01
9.500 03	1.303D 04	2.747D 02	1.042D 07	2.470D-01
9.600 03	1.326D 04	2.745D 02	1.077D 07	2.465D-01
9.700 03	1.350D 04	2.743D 02	1.113D 07	2.461D-01
9.800 03	1.374D 04	2.741D 02	1.149D 07	2.457D-01
9.900 03	1.398D 04	2.739D 02	1.186D 07	2.453D-01
1.000 04	1.422D 04	2.737D 02	1.224D 07	2.449D-01

IX. ALUMINUM OXIDE: EXPLANATION OF TABLES

GENERAL NOTES:

1. Electron energies are measured from the bottom of the conduction band.
2. The density of solid Al_2O_3 is taken to be 4.05 g/cm^3 .
3. The computer-printed units are translated as:

EV	eV	A	\AA
EV2	$(\text{eV})^2$	A-1	\AA^{-1}
G/CM3	g/cm^3	A2	\AA^2
AL203	Al_2O_3		

4. The numerical print-out is in the form, e.g., $2.8\text{D}-2 \equiv 2.8 \times 10^{-2}$.

TABLE 2A - INVERSE MEAN FREE PATH OF ELECTRONS IN Al_2O_3

VAL (9 EV)	$\mu_{(9 \text{ eV})}$ as given by Eq. (30) + (2) + (20) + (25)
VAL (29 EV)	$\mu_{(29 \text{ eV})}$ as given by Eq. (30) + (2) + (20) + (25)
AL(nl)	$\mu_{nl}^{\text{Al}, \text{Al}_2\text{O}_3}$ as given by Eq. (30) + (19)
O(1S)	$\mu_{1s}^{\text{O}, \text{Al}_2\text{O}_3}$ as given by Eq. (30) + (19)
INVERSE MFP	μ - total inverse mean free path = sum of individual contributions.

TABLE 2B - STOPPING POWER OF ALUMINUM OXIDE FOR ELECTRONS

VAL (9 EV)	$S_{(9 \text{ eV})}$ as given by Eq. (31) + (2) + (20) + (25)
VAL (29 EV)	$S_{(29 \text{ eV})}$ as given by Eq. (31) + (2) + (20) + (25)
AL(nl)	S_{nl}^{Al, Al_2O_3} as given by Eq. (31) + (19)
O(1s)	S_{1s}^{O, Al_2O_3} as given by Eq. (31) + (19)
STOPPING POWER	S - total stopping power = sum of individual contributions.

TABLE 2C - CSDA RANGE AND STRAGGLING OF ELECTRONS IN Al_2O_3

CSDA RANGE (E TO 10 EV)	$R_{(10)}$ - the range of an electron in the continuous-slowing-down approximation in going from an energy E to 10 eV, as given by Eq. (42).
MEAN SQUARE ENERGY LOSS	Ω_{exc}^2 - the mean square fluctuation in the energy loss per unit path length, as given by Eqs. (41), (32) + (19), and (32) + (2) + (20) + (25).
MEAN SQUARE RANGE FLUCTUATION	$[\Delta R_{(10)}]_{AV}^2$ - the mean square fluctuation in the range about the mean csda range $R_{(10)}$, as given by Eq. (43).
RELATIVE RANGE STRAGGLING	$\{[\Delta R_{(10)}]_{AV}^2\}^{1/2} / R_{(10)}$

TABLE 2A-INVERSE MEAN FREE PATH OF ELECTRONS IN AL2O3 (DENSITY 4.05G/CM3)

ELECTRON ENERGY EV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO THE INVERSE MFP IN UNITS OF A-1					
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	O(1S)	AL(1S)
5.00D-01	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9.00D-00	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.00D-01	2.356D-03	0.0	0.0	0.0	0.0	0.0	0.0
1.10D-01	6.111D-03	0.0	0.0	0.0	0.0	0.0	0.0
1.20D-01	1.002D-02	0.0	0.0	0.0	0.0	0.0	0.0
1.30D-01	1.392D-02	0.0	0.0	0.0	0.0	0.0	0.0
1.40D-01	1.774D-02	0.0	0.0	0.0	0.0	0.0	0.0
1.50D-01	2.149D-02	0.0	0.0	0.0	0.0	0.0	0.0
1.60D-01	2.522D-02	0.0	0.0	0.0	0.0	0.0	0.0
1.70D-01	2.889D-02	0.0	0.0	0.0	0.0	0.0	0.0
1.80D-01	3.254D-02	0.0	0.0	0.0	0.0	0.0	0.0
1.90D-01	3.616D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.00D-01	3.974D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.10D-01	4.339D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.20D-01	4.698D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.30D-01	5.049D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.40D-01	5.388D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.50D-01	5.713D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.60D-01	6.021D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.70D-01	6.309D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.80D-01	6.576D-02	0.0	0.0	0.0	0.0	0.0	0.0
2.90D-01	6.821D-02	0.0	0.0	0.0	0.0	0.0	0.0
3.00D-01	7.043D-02	0.0	0.0	0.0	0.0	0.0	0.0
3.20D-01	7.791D-02	0.0	0.0	0.0	0.0	0.0	0.0
3.40D-01	8.466D-02	0.0	0.0	0.0	0.0	0.0	0.0
3.60D-01	9.055D-02	0.0	0.0	0.0	0.0	0.0	0.0
3.80D-01	9.561D-02	0.0	0.0	0.0	0.0	0.0	0.0
4.00D-01	9.978D-02	0.0	0.0	0.0	0.0	0.0	0.0
4.20D-01	1.064D-01	0.0	0.0	0.0	0.0	0.0	0.0
4.40D-01	1.122D-01	0.0	0.0	0.0	0.0	0.0	0.0
4.60D-01	1.171D-01	0.0	0.0	0.0	0.0	0.0	0.0
4.80D-01	1.212D-01	0.0	0.0	0.0	0.0	0.0	0.0
5.00D-01	1.246D-01	0.0	0.0	0.0	0.0	0.0	0.0
5.20D-01	1.294D-01	0.0	0.0	0.0	0.0	0.0	0.0
5.40D-01	1.343D-01	0.0	0.0	0.0	0.0	0.0	0.0
5.60D-01	1.385D-01	0.0	0.0	0.0	0.0	0.0	0.0
5.80D-01	1.418D-01	0.0	0.0	0.0	0.0	0.0	0.0
6.00D-01	1.447D-01	0.0	0.0	0.0	0.0	0.0	0.0
6.20D-01	1.482D-01	0.0	0.0	0.0	0.0	0.0	0.0
6.40D-01	1.513D-01	0.0	0.0	0.0	0.0	0.0	0.0
6.60D-01	1.540D-01	0.0	0.0	0.0	0.0	0.0	0.0
6.80D-01	1.563D-01	0.0	0.0	0.0	0.0	0.0	0.0
7.00D-01	1.582D-01	0.0	0.0	0.0	0.0	0.0	0.0
7.20D-01	1.603D-01	0.0	0.0	0.0	0.0	0.0	0.0
7.40D-01	1.621D-01	0.0	0.0	0.0	0.0	0.0	0.0
2.261D-06		0.0	0.0	0.0	0.0	0.0	0.0
2.011D-05		0.0	0.0	0.0	0.0	0.0	0.0
1.103D-04		0.0	0.0	0.0	0.0	0.0	0.0
2.821D-04		0.0	0.0	0.0	0.0	0.0	0.0
5.365D-04		0.0	0.0	0.0	0.0	0.0	0.0
8.708D-04		0.0	0.0	0.0	0.0	0.0	0.0
1.279D-03		0.0	0.0	0.0	0.0	0.0	0.0
1.753D-03		0.0	0.0	0.0	0.0	0.0	0.0
2.291D-03		0.0	0.0	0.0	0.0	0.0	0.0
2.880D-03		0.0	0.0	0.0	0.0	0.0	0.0
3.516D-03		0.0	0.0	0.0	0.0	0.0	0.0
4.194D-03		0.0	0.0	0.0	0.0	0.0	0.0
5.650D-03		0.0	0.0	0.0	0.0	0.0	0.0
6.370D-03		0.0	0.0	0.0	0.0	0.0	0.0
7.061D-03		0.0	0.0	0.0	0.0	0.0	0.0
7.724D-03		0.0	0.0	0.0	0.0	0.0	0.0
8.357D-03		0.0	0.0	0.0	0.0	0.0	0.0
8.956D-03		0.0	0.0	0.0	0.0	0.0	0.0
9.519D-03		0.0	0.0	0.0	0.0	0.0	0.0
1.005D-02		0.0	0.0	0.0	0.0	0.0	0.0
1.054D-02		0.0	0.0	0.0	0.0	0.0	0.0
1.099D-02		0.0	0.0	0.0	0.0	0.0	0.0
1.141D-02		0.0	0.0	0.0	0.0	0.0	0.0

TABLE 2A-INVERSE MEAN FREE PATH OF ELECTRONS IN AL2O3 (DENSITY 4.056G/CM3)

ELECTRON ENERGY EV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO THE INVERSE MFP IN UNITS OF A-1					
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	O(1S)	
7.600	1.637D-01	1.519D-01	1.180D-02	0.0	0.0	0.0	0.0
7.800	1.651D-01	1.530D-01	1.216D-02	0.0	0.0	0.0	0.0
8.000	1.666D-01	1.542D-01	1.248D-02	0.0	0.0	0.0	0.0
8.200	1.679D-01	1.551D-01	1.278D-02	0.0	0.0	0.0	0.0
8.400	1.690D-01	1.559D-01	1.305D-02	0.0	0.0	0.0	0.0
8.600	1.701D-01	1.568D-01	1.330D-02	0.0	0.0	0.0	0.0
8.800	1.712D-01	1.575D-01	1.353D-02	0.0	0.0	0.0	0.0
9.000	1.722D-01	1.583D-01	1.373D-02	0.0	0.0	0.0	0.0
9.200	1.730D-01	1.588D-01	1.392D-02	0.0	0.0	0.0	0.0
9.400	1.738D-01	1.593D-01	1.408D-02	0.0	0.0	0.0	0.0
9.600	1.744D-01	1.598D-01	1.423D-02	0.0	0.0	0.0	0.0
9.800	1.750D-01	1.601D-01	1.437D-02	0.0	0.0	0.0	0.0
1.000	1.754D-01	1.603D-01	1.449D-02	0.0	0.0	0.0	0.0
1.200	1.764D-01	1.603D-01	1.490D-02	0.0	0.0	0.0	0.0
1.400	1.762D-01	1.507D-01	1.502D-02	0.0	0.0	0.0	0.0
1.600	1.747D-01	1.562D-01	1.637D-02	1.5157D-03	3.256D-07	0.0	0.0
1.800	1.722D-01	1.529D-01	1.676D-02	2.075D-03	2.926D-05	0.0	0.0
2.000	1.689D-01	1.488D-01	1.704D-02	2.893D-03	8.745D-05	0.0	0.0
2.200	1.653D-01	1.447D-01	1.717D-02	3.242D-03	1.397D-04	0.0	0.0
2.400	1.618D-01	1.408D-01	1.726D-02	3.532D-03	1.924D-04	0.0	0.0
2.600	1.584D-01	1.370D-01	1.732D-02	3.768D-03	2.447D-04	0.0	0.0
2.800	1.549D-01	1.333D-01	1.731D-02	3.956D-03	2.962D-04	0.0	0.0
3.000	1.516D-01	1.298D-01	1.726D-02	4.102D-03	3.464D-04	0.0	0.0
3.200	1.484D-01	1.265D-01	1.719D-02	4.255D-03	3.948D-04	0.0	0.0
3.400	1.452D-01	1.233D-01	1.709D-02	4.411D-03	4.411D-04	0.0	0.0
3.600	1.422D-01	1.202D-01	1.697D-02	4.546D-03	4.849D-04	0.0	0.0
3.800	1.394D-01	1.173D-01	1.684D-02	4.657D-03	5.261D-04	0.0	0.0
4.000	1.366D-01	1.145D-01	1.670D-02	4.749D-03	5.645D-04	0.0	0.0
4.200	1.339D-01	1.119D-01	1.655D-02	4.822D-03	6.003D-04	0.0	0.0
4.400	1.313D-01	1.093D-01	1.638D-02	4.877D-03	6.338D-04	0.0	0.0
4.600	1.288D-01	1.069D-01	1.620D-02	4.934D-03	6.652D-04	0.0	0.0
4.800	1.264D-01	1.047D-01	1.603D-02	4.981D-03	6.928D-04	0.0	0.0
5.000	1.241D-01	1.025D-01	1.585D-02	5.032D-03	7.027D-04	0.0	0.0
5.200	1.219D-01	1.004D-01	1.567D-02	5.068D-03	7.112D-04	0.0	0.0
5.400	1.197D-01	9.842D-02	1.550D-02	5.095D-03	7.186D-04	0.0	0.0
5.600	1.177D-01	9.633D-02	1.532D-02	5.112D-03	7.250D-04	0.0	0.0
5.800	1.156D-01	9.428D-02	1.514D-02	5.121D-03	7.303D-04	0.0	0.0
6.000	1.137D-01	9.224D-02	1.497D-02	5.133D-03	7.353D-04	0.0	0.0
6.200	1.118D-01	9.021D-02	1.480D-02	5.148D-03	7.394D-04	0.0	0.0
6.400	1.100D-01	8.819D-02	1.464D-02	5.152D-03	7.429D-04	0.0	0.0
6.600	1.083D-01	8.618D-02	1.450D-02	5.150D-03	7.461D-04	0.0	0.0
6.800	1.066D-01	8.418D-02	1.437D-02	5.149D-03	7.488D-04	0.0	0.0
7.000	1.050D-01	8.219D-02	1.423D-02	5.149D-03	7.512D-04	0.0	0.0
7.200	1.035D-01	8.021D-02	1.410D-02	5.149D-03	7.525D-04	0.0	0.0
7.400	1.019D-01	7.824D-02	1.396D-02	5.148D-03	7.530D-04	0.0	0.0
7.600	1.005D-01	7.628D-02	1.383D-02	5.148D-03	7.533D-04	0.0	0.0
7.800	9.904D-02	7.433D-02	1.369D-02	5.147D-03	7.535D-04	0.0	0.0
8.000	9.763D-02	7.238D-02	1.354D-02	5.146D-03	7.536D-04	0.0	0.0
8.200	9.627D-02	7.043D-02	1.339D-02	5.145D-03	7.536D-04	0.0	0.0
8.400	9.494D-02	6.848D-02	1.324D-02	5.145D-03	7.536D-04	0.0	0.0
8.600	9.360D-02	6.653D-02	1.309D-02	5.145D-03	7.536D-04	0.0	0.0
8.800	9.226D-02	6.458D-02	1.295D-02	5.145D-03	7.536D-04	0.0	0.0
9.000	9.120D-02	6.264D-02	1.280D-02	5.145D-03	7.536D-04	0.0	0.0

INDIVIDUAL CONTRIBUTIONS TO THE INVERSE MFP IN UNITS OF A-1

ELECTRON ENERGY EV	INVERSE MFP A-1	VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	O(1S)	AL(1S)
5.100 02	9.0020-02	7.163D-02	1.267D-02	5.000D-03	7.273D-04	0.0	0.0
5.200 02	8.8870-02	7.064D-02	1.253D-02	4.980D-03	7.246D-04	0.0	0.0
5.300 02	8.7760-02	6.968D-02	1.240D-02	4.958D-03	7.219D-04	0.0	0.0
5.400 02	8.6670-02	6.875D-02	1.227D-02	4.935D-03	7.193D-04	0.0	0.0
5.500 02	8.5610-02	6.785D-02	1.214D-02	4.911D-03	7.154D-04	2.822D-08	0.0
5.600 02	8.4580-02	6.670D-02	1.201D-02	4.886D-03	7.107D-04	4.375D-07	0.0
5.700 02	8.3570-02	6.611D-02	1.189D-02	4.862D-03	7.107D-04	1.300D-06	0.0
5.800 02	8.2600-02	6.528D-02	1.177D-02	4.839D-03	7.061D-04	2.351D-06	0.0
5.900 02	8.1650-02	6.448D-02	1.165D-02	4.815D-03	7.015D-04	3.984D-06	0.0
6.000 02	8.0720-02	6.369D-02	1.154D-02	4.792D-03	6.971D-04	5.543D-06	0.0
6.100 02	7.9810-02	6.292D-02	1.142D-02	4.770D-03	6.927D-04	7.195D-06	0.0
6.200 02	7.8930-02	6.218D-02	1.131D-02	4.747D-03	6.883D-04	8.874D-06	0.0
6.300 02	7.8070-02	6.145D-02	1.120D-02	4.724D-03	6.841D-04	1.056D-05	0.0
6.400 02	7.7230-02	6.074D-02	1.110D-02	4.701D-03	6.800D-04	1.224D-05	0.0
6.500 02	7.6410-02	6.005D-02	1.099D-02	4.678D-03	6.759D-04	1.391D-05	0.0
6.600 02	7.5600-02	5.937D-02	1.089D-02	4.655D-03	6.719D-04	1.553D-05	0.0
6.700 02	7.4820-02	5.872D-02	1.079D-02	4.631D-03	6.680D-04	1.711D-05	0.0
6.800 02	7.4050-02	5.807D-02	1.069D-02	4.607D-03	6.642D-04	1.866D-05	0.0
6.900 02	7.3300-02	5.745D-02	1.059D-02	4.580D-03	6.605D-04	2.016D-05	0.0
7.000 02	7.2560-02	5.684D-02	1.050D-02	4.554D-03	6.569D-04	2.177D-05	0.0
7.100 02	7.1840-02	5.624D-02	1.040D-02	4.528D-03	6.533D-04	2.336D-05	0.0
7.200 02	7.1140-02	5.565D-02	1.031D-02	4.502D-03	6.498D-04	2.494D-05	0.0
7.300 02	7.0450-02	5.508D-02	1.022D-02	4.479D-03	6.464D-04	2.650D-05	0.0
7.400 02	6.9780-02	5.452D-02	1.013D-02	4.456D-03	6.430D-04	2.802D-05	0.0
7.500 02	6.9120-02	5.397D-02	1.005D-02	4.434D-03	6.397D-04	2.951D-05	0.0
7.600 02	6.8480-02	5.344D-02	9.962D-03	4.413D-03	6.364D-04	3.096D-05	0.0
7.700 02	6.7850-02	5.291D-02	9.878D-03	4.390D-03	6.332D-04	3.238D-05	0.0
7.800 02	6.7230-02	5.240D-02	9.796D-03	4.368D-03	6.300D-04	3.376D-05	0.0
7.900 02	6.6620-02	5.190D-02	9.716D-03	4.347D-03	6.269D-04	3.511D-05	0.0
8.000 02	6.6030-02	5.141D-02	9.637D-03	4.325D-03	6.238D-04	3.643D-05	0.0
8.100 02	6.5450-02	5.093D-02	9.559D-03	4.307D-03	6.208D-04	3.771D-05	0.0
8.200 02	6.4880-02	5.045D-02	9.482D-03	4.287D-03	6.179D-04	3.895D-05	0.0
8.300 02	6.4320-02	4.999D-02	9.407D-03	4.264D-03	6.150D-04	4.015D-05	0.0
8.400 02	6.3760-02	4.954D-02	9.332D-03	4.241D-03	6.126D-04	4.129D-05	0.0
8.500 02	6.3220-02	4.909D-02	9.259D-03	4.218D-03	6.106D-04	4.240D-05	0.0
8.600 02	6.2690-02	4.866D-02	9.187D-03	4.195D-03	6.087D-04	4.348D-05	0.0
8.700 02	6.2160-02	4.823D-02	9.116D-03	4.173D-03	6.067D-04	4.453D-05	0.0
8.800 02	6.1650-02	4.781D-02	9.046D-03	4.150D-03	6.048D-04	4.556D-05	0.0
8.900 02	6.1140-02	4.740D-02	8.977D-03	4.128D-03	6.028D-04	4.656D-05	0.0
9.000 02	6.0650-02	4.700D-02	8.908D-03	4.105D-03	6.007D-04	4.753D-05	0.0
9.100 02	6.0160-02	4.660D-02	8.841D-03	4.083D-03	5.987D-04	4.848D-05	0.0
9.200 02	5.9680-02	4.621D-02	8.776D-03	4.061D-03	5.967D-04	4.942D-05	0.0
9.300 02	5.9200-02	4.583D-02	8.711D-03	4.039D-03	5.947D-04	5.033D-05	0.0
9.400 02	5.8740-02	4.549D-02	8.647D-03	4.018D-03	5.927D-04	5.122D-05	0.0
9.500 02	5.829D-02	4.509D-02	8.584D-03	3.996D-03	5.907D-04	5.210D-05	0.0
9.600 02	5.784D-02	4.472D-02	8.522D-03	3.975D-03	5.679D-04	5.298D-05	0.0
9.700 02	5.740D-02	4.437D-02	8.461D-03	3.954D-03	5.647D-04	5.386D-05	0.0
9.800 02	5.697D-02	4.402D-02	8.401D-03	3.933D-03	5.616D-04	5.462D-05	0.0
9.900 02	5.654D-02	4.367D-02	8.342D-03	3.912D-03	5.585D-04	5.543D-05	0.0
1.000 03	5.612D-02	4.334D-02	8.284D-03	3.892D-03	5.555D-04	5.622D-05	0.0
1.050 03	5.571D-02	4.303D-02	8.228D-03	3.872D-03	5.526D-04	5.700D-05	0.0
1.100 03	5.530D-02	4.274D-02	8.173D-03	3.852D-03	5.497D-04	6.063D-05	0.0
1.150 03	5.490D-02	4.246D-02	8.119D-03	3.832D-03	5.469D-04	6.376D-05	0.0
1.150 03	5.450D-02	4.218D-02	8.066D-03	3.812D-03	5.441D-04	6.621D-05	0.0

TABLE 2A--INVERSE MEAN FREE PATH OF ELECTRONS IN AL2O3 (DENSITY 4.056/CM3)

ELECTRON ENERGY EV	INVERSE MFP A-1	INDIVIDUAL CONTRIBUTIONS TO THE INVERSE MFP IN UNITS OF A-1					
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	O(1S)	
1.200	4.097D-02	3.759D-02	7.289D-03	1.519D-03	4.987D-04	6.840D-05	0.0
1.250	4.740D-02	3.641D-02	7.083D-03	3.357D-03	4.871D-04	7.036D-05	0.0
1.300	4.609D-02	3.530D-02	6.891D-03	3.358D-03	4.751D-04	7.212D-05	0.0
1.350	4.475D-02	3.426D-02	6.711D-03	3.283D-03	4.632D-04	7.370D-05	0.0
1.400	4.356D-02	3.328D-02	6.542D-03	3.211D-03	4.515D-04	7.468D-05	0.0
1.450	4.241D-02	3.237D-02	6.380D-03	3.143D-03	4.405D-04	7.541D-05	0.0
1.500	4.131D-02	3.150D-02	6.226D-03	3.077D-03	4.311D-04	7.604D-05	0.0
1.550	4.020D-02	3.069D-02	6.079D-03	2.992D-03	4.219D-04	7.658D-05	1.819D-10
1.600	3.930D-02	2.992D-02	5.939D-03	2.953D-03	4.131D-04	7.704D-05	3.435D-08
1.650	3.837D-02	2.919D-02	5.806D-03	2.894D-03	4.047D-04	7.745D-05	1.286D-07
1.700	3.749D-02	2.850D-02	5.679D-03	2.838D-03	3.965D-04	7.780D-05	2.365D-07
1.750	3.655D-02	2.784D-02	5.558D-03	2.784D-03	3.887D-04	7.812D-05	3.947D-07
1.800	3.585D-02	2.721D-02	5.442D-03	2.732D-03	3.811D-04	7.841D-05	4.799D-07
1.850	3.508D-02	2.662D-02	5.331D-03	2.682D-03	3.738D-04	7.868D-05	6.087D-07
1.900	3.436D-02	2.605D-02	5.225D-03	2.634D-03	3.669D-04	7.893D-05	7.367D-07
1.950	3.366D-02	2.551D-02	5.124D-03	2.588D-03	3.601D-04	7.916D-05	8.634D-07
2.000	3.299D-02	2.499D-02	5.027D-03	2.543D-03	3.536D-04	7.936D-05	9.837D-07
2.050	3.233D-02	2.449D-02	4.934D-03	2.500D-03	3.473D-04	7.947D-05	1.100D-06
2.100	3.174D-02	2.402D-02	4.844D-03	2.459D-03	3.412D-04	7.951D-05	1.211D-06
2.150	3.115D-02	2.356D-02	4.758D-03	2.419D-03	3.353D-04	7.949D-05	1.316D-06
2.200	3.059D-02	2.312D-02	4.675D-03	2.381D-03	3.297D-04	7.937D-05	1.422D-06
2.250	3.004D-02	2.270D-02	4.595D-03	2.344D-03	3.242D-04	7.919D-05	1.529D-06
2.300	2.952D-02	2.230D-02	4.518D-03	2.308D-03	3.190D-04	7.896D-05	1.631D-06
2.350	2.902D-02	2.191D-02	4.444D-03	2.272D-03	3.139D-04	7.867D-05	1.729D-06
2.400	2.853D-02	2.153D-02	4.373D-03	2.240D-03	3.090D-04	7.833D-05	1.824D-06
2.450	2.807D-02	2.117D-02	4.304D-03	2.208D-03	3.043D-04	7.795D-05	1.914D-06
2.500	2.761D-02	2.082D-02	4.237D-03	2.177D-03	2.997D-04	7.753D-05	2.001D-06
2.550	2.718D-02	2.049D-02	4.172D-03	2.147D-03	2.953D-04	7.707D-05	2.084D-06
2.600	2.675D-02	2.016D-02	4.110D-03	2.118D-03	2.910D-04	7.658D-05	2.164D-06
2.650	2.633D-02	1.985D-02	4.049D-03	2.090D-03	2.869D-04	7.606D-05	2.240D-06
2.700	2.596D-02	1.954D-02	3.991D-03	2.063D-03	2.829D-04	7.554D-05	2.314D-06
2.750	2.558D-02	1.925D-02	3.934D-03	2.036D-03	2.790D-04	7.519D-05	2.382D-06
2.800	2.521D-02	1.897D-02	3.879D-03	2.011D-03	2.753D-04	7.497D-05	2.445D-06
2.850	2.483D-02	1.869D-02	3.826D-03	1.986D-03	2.717D-04	7.448D-05	2.506D-06
2.900	2.450D-02	1.842D-02	3.774D-03	1.961D-03	2.681D-04	7.413D-05	2.564D-06
2.950	2.417D-02	1.817D-02	3.724D-03	1.937D-03	2.647D-04	7.375D-05	2.620D-06
3.000	2.384D-02	1.791D-02	3.675D-03	1.914D-03	2.614D-04	7.341D-05	2.673D-06
3.100	2.321D-02	1.743D-02	3.581D-03	1.869D-03	2.591D-04	7.267D-05	2.730D-06
3.200	2.264D-02	1.698D-02	3.493D-03	1.826D-03	2.491D-04	7.192D-05	2.866D-06
3.300	2.206D-02	1.655D-02	3.409D-03	1.786D-03	2.435D-04	7.116D-05	2.948D-06
3.400	2.153D-02	1.614D-02	3.329D-03	1.747D-03	2.382D-04	7.038D-05	3.021D-06
3.500	2.103D-02	1.576D-02	3.253D-03	1.710D-03	2.331D-04	6.958D-05	3.087D-06
3.600	2.053D-02	1.539D-02	3.181D-03	1.674D-03	2.284D-04	6.879D-05	3.147D-06
3.700	2.004D-02	1.505D-02	3.112D-03	1.641D-03	2.238D-04	6.799D-05	3.202D-06
3.800	1.966D-02	1.471D-02	3.047D-03	1.608D-03	2.196D-04	6.717D-05	3.252D-06
4.000	1.885D-02	1.440D-02	2.984D-03	1.577D-03	2.155D-04	6.641D-05	3.298D-06
4.100	1.847D-02	1.410D-02	2.924D-03	1.548D-03	2.117D-04	6.563D-05	3.340D-06
4.200	1.810D-02	1.380D-02	2.867D-03	1.519D-03	2.080D-04	6.488D-05	3.377D-06
4.300	1.775D-02	1.353D-02	2.812D-03	1.492D-03	2.045D-04	6.413D-05	3.406D-06
4.400	1.750D-02	1.326D-02	2.759D-03	1.465D-03	2.010D-04	6.340D-05	3.432D-06
4.500	1.742D-02	1.301D-02	2.708D-03	1.440D-03	1.975D-04	6.268D-05	3.455D-06
4.600	1.710D-02	1.277D-02	2.660D-03	1.416D-03	1.942D-04	6.198D-05	3.476D-06
4.600	1.675D-02	1.253D-02	2.613D-03	1.392D-03	1.910D-04	6.130D-05	3.499D-06

ELECTRON ENERGY
E V

INVERSE MFP
A-1

INDIVIDUAL CONTRIBUTIONS TO THE INVERSE MFP IN UNITS OF A-1

ELECTRON ENERGY E V	INVERSE MFP A-1	VAL(9EV)	VAL(29EV)	AL(EP)	AL(2S)	O(1S)	AL(1S)
4.700	03	1.231D-02	2.568D-03	1.369D-03	1.879D-04	6.063D-05	3.500D-06
4.800	03	1.209D-02	2.524D-03	1.348D-03	1.849D-04	5.998D-05	3.508D-06
4.900	03	1.188D-02	2.483D-03	1.326D-03	1.820D-04	5.935D-05	3.513D-06
5.000	03	1.168D-02	2.442D-03	1.306D-03	1.791D-04	5.873D-05	3.516D-06
5.100	03	1.149D-02	2.403D-03	1.286D-03	1.764D-04	5.812D-05	3.518D-06
5.200	03	1.130D-02	2.366D-03	1.267D-03	1.738D-04	5.754D-05	3.519D-06
5.300	03	1.112D-02	2.329D-03	1.249D-03	1.712D-04	5.696D-05	3.517D-06
5.400	03	1.094D-02	2.294D-03	1.231D-03	1.687D-04	5.640D-05	3.515D-06
5.500	03	1.078D-02	2.260D-03	1.213D-03	1.663D-04	5.586D-05	3.509D-06
5.600	03	1.061D-02	2.227D-03	1.196D-03	1.639D-04	5.532D-05	3.502D-06
5.700	03	1.045D-02	2.195D-03	1.180D-03	1.617D-04	5.480D-05	3.494D-06
5.800	03	1.030D-02	2.164D-03	1.164D-03	1.594D-04	5.430D-05	3.485D-06
5.900	03	1.015D-02	2.134D-03	1.149D-03	1.573D-04	5.380D-05	3.477D-06
6.000	03	1.001D-02	2.104D-03	1.134D-03	1.552D-04	5.332D-05	3.467D-06
6.100	03	9.867D-03	2.073D-03	1.119D-03	1.532D-04	5.285D-05	3.457D-06
6.200	03	9.733D-03	2.042D-03	1.105D-03	1.513D-04	5.239D-05	3.445D-06
6.300	03	9.601D-03	2.022D-03	1.091D-03	1.493D-04	5.194D-05	3.434D-06
6.400	03	9.473D-03	1.996D-03	1.078D-03	1.475D-04	5.151D-05	3.420D-06
6.500	03	9.348D-03	1.971D-03	1.065D-03	1.456D-04	5.105D-05	3.408D-06
6.600	03	9.228D-03	1.946D-03	1.052D-03	1.439D-04	5.066D-05	3.395D-06
6.700	03	9.110D-03	1.922D-03	1.040D-03	1.422D-04	5.026D-05	3.381D-06
6.800	03	8.996D-03	1.899D-03	1.028D-03	1.405D-04	4.986D-05	3.360D-06
6.900	03	8.884D-03	1.876D-03	1.016D-03	1.388D-04	4.947D-05	3.339D-06
7.000	03	8.776D-03	1.854D-03	1.005D-03	1.372D-04	4.907D-05	3.325D-06
7.100	03	8.671D-03	1.832D-03	9.933D-04	1.357D-04	4.872D-05	3.310D-06
7.200	03	8.567D-03	1.811D-03	9.823D-04	1.342D-04	4.836D-05	3.295D-06
7.300	03	8.466D-03	1.791D-03	9.716D-04	1.327D-04	4.801D-05	3.280D-06
7.400	03	8.369D-03	1.771D-03	9.612D-04	1.312D-04	4.766D-05	3.265D-06
7.500	03	8.273D-03	1.751D-03	9.510D-04	1.298D-04	4.730D-05	3.250D-06
7.600	03	8.180D-03	1.732D-03	9.411D-04	1.284D-04	4.700D-05	3.235D-06
7.700	03	8.090D-03	1.713D-03	9.314D-04	1.271D-04	4.668D-05	3.220D-06
7.800	03	8.001D-03	1.695D-03	9.219D-04	1.257D-04	4.636D-05	3.205D-06
7.900	03	7.913D-03	1.677D-03	9.125D-04	1.244D-04	4.607D-05	3.190D-06
8.000	03	7.828D-03	1.660D-03	9.034D-04	1.232D-04	4.578D-05	3.174D-06
8.100	03	7.745D-03	1.643D-03	8.945D-04	1.219D-04	4.550D-05	3.159D-06
8.200	03	7.664D-03	1.626D-03	8.858D-04	1.207D-04	4.523D-05	3.144D-06
8.300	03	7.585D-03	1.610D-03	8.773D-04	1.195D-04	4.495D-05	3.129D-06
8.400	03	7.508D-03	1.594D-03	8.689D-04	1.184D-04	4.467D-05	3.114D-06
8.500	03	7.432D-03	1.578D-03	8.607D-04	1.172D-04	4.439D-05	3.099D-06
8.600	03	7.358D-03	1.563D-03	8.527D-04	1.161D-04	4.411D-05	3.084D-06
8.700	03	7.285D-03	1.548D-03	8.449D-04	1.150D-04	4.383D-05	3.068D-06
8.800	03	7.214D-03	1.533D-03	8.371D-04	1.139D-04	4.355D-05	3.053D-06
8.900	03	7.144D-03	1.519D-03	8.296D-04	1.129D-04	4.328D-05	3.038D-06
9.000	03	7.076D-03	1.505D-03	8.222D-04	1.119D-04	4.302D-05	3.023D-06
9.100	03	7.009D-03	1.491D-03	8.149D-04	1.109D-04	4.276D-05	3.008D-06
9.200	03	6.943D-03	1.477D-03	8.078D-04	1.099D-04	4.250D-05	2.993D-06
9.300	03	6.879D-03	1.464D-03	8.008D-04	1.089D-04	4.224D-05	2.977D-06
9.400	03	6.816D-03	1.451D-03	7.939D-04	1.079D-04	4.198D-05	2.963D-06
9.500	03	6.754D-03	1.438D-03	7.872D-04	1.070D-04	4.173D-05	2.948D-06
9.600	03	6.693D-03	1.426D-03	7.806D-04	1.061D-04	4.148D-05	2.933D-06
9.700	03	6.634D-03	1.413D-03	7.741D-04	1.052D-04	4.123D-05	2.918D-06
9.800	03	6.576D-03	1.401D-03	7.677D-04	1.043D-04	4.098D-05	2.904D-06
9.900	03	6.519D-03	1.389D-03	7.614D-04	1.034D-04	4.073D-05	2.889D-06
1.000	04	6.463D-03	1.378D-03	7.553D-04	1.026D-04	4.048D-05	2.875D-06

TABLE 2B--STOPPING POWER OF ALUMINUM OXIDE (DENSITY 4.05G/CM3) FOR ELECTRONS

ELECTRON ENERGY EV	STOPPING POWER EV/A	INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A				
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	AL(1S)
5.000-01	0.0	0.0	0.0	0.0	0.0	0.0
1.000 00	0.0	0.0	0.0	0.0	0.0	0.0
2.000 00	0.0	0.0	0.0	0.0	0.0	0.0
3.000 00	0.0	0.0	0.0	0.0	0.0	0.0
4.000 00	0.0	0.0	0.0	0.0	0.0	0.0
5.000 00	0.0	0.0	0.0	0.0	0.0	0.0
6.000 00	0.0	0.0	0.0	0.0	0.0	0.0
7.000 00	0.0	0.0	0.0	0.0	0.0	0.0
8.000 00	0.0	0.0	0.0	0.0	0.0	0.0
9.000 00	0.0	0.0	0.0	0.0	0.0	0.0
1.000 01	0.0	0.0	0.0	0.0	0.0	0.0
1.100 01	2.183D-02	5.827D-02	0.0	0.0	0.0	0.0
1.200 01	9.820D-02	9.820D-02	0.0	0.0	0.0	0.0
1.300 01	1.401D-01	1.401D-01	0.0	0.0	0.0	0.0
1.400 01	1.834D-01	1.834D-01	0.0	0.0	0.0	0.0
1.500 01	2.281D-01	2.281D-01	0.0	0.0	0.0	0.0
1.600 01	2.745D-01	2.745D-01	0.0	0.0	0.0	0.0
1.700 01	3.226D-01	3.226D-01	0.0	0.0	0.0	0.0
1.800 01	3.725D-01	3.725D-01	0.0	0.0	0.0	0.0
1.900 01	4.242D-01	4.242D-01	0.0	0.0	0.0	0.0
2.000 01	4.778D-01	4.778D-01	0.0	0.0	0.0	0.0
2.100 01	5.343D-01	5.343D-01	0.0	0.0	0.0	0.0
2.200 01	5.922D-01	5.922D-01	0.0	0.0	0.0	0.0
2.300 01	6.513D-01	6.513D-01	0.0	0.0	0.0	0.0
2.400 01	7.111D-01	7.111D-01	0.0	0.0	0.0	0.0
2.500 01	7.713D-01	7.713D-01	0.0	0.0	0.0	0.0
2.600 01	8.313D-01	8.313D-01	0.0	0.0	0.0	0.0
2.700 01	8.907D-01	8.907D-01	0.0	0.0	0.0	0.0
2.800 01	9.491D-01	9.491D-01	0.0	0.0	0.0	0.0
2.900 01	1.006D 00	1.006D 00	6.474D-05	0.0	0.0	0.0
3.000 01	1.062D 00	1.061D 00	5.816D-04	0.0	0.0	0.0
3.200 01	1.226D 00	1.223D 00	3.251D-03	0.0	0.0	0.0
3.400 01	1.389D 00	1.381D 00	8.482D-03	0.0	0.0	0.0
3.600 01	1.548D 00	1.531D 00	1.645D-02	0.0	0.0	0.0
3.800 01	1.699D 00	1.672D 00	2.720D-02	0.0	0.0	0.0
4.000 01	1.841D 00	1.800D 00	4.070D-02	0.0	0.0	0.0
4.200 01	2.039D 00	1.982D 00	5.684D-02	0.0	0.0	0.0
4.400 01	2.228D 00	2.152D 00	7.549D-02	0.0	0.0	0.0
4.600 01	2.405D 00	2.308D 00	9.651D-02	0.0	0.0	0.0
4.800 01	2.570D 00	2.450D 00	1.198D-01	0.0	0.0	0.0
5.000 01	2.723D 00	2.578D 00	1.451D-01	0.0	0.0	0.0
5.200 01	2.924D 00	2.752D 00	1.724D-01	0.0	0.0	0.0
5.400 01	3.113D 00	2.912D 00	2.014D-01	0.0	0.0	0.0
5.600 01	3.289D 00	3.059D 00	2.305D-01	0.0	0.0	0.0
6.000 01	3.603D 00	3.193D 00	2.593D-01	0.0	0.0	0.0
6.200 01	3.770D 00	3.315D 00	2.877D-01	0.0	0.0	0.0
6.400 01	3.927D 00	3.455D 00	3.156D-01	0.0	0.0	0.0
6.600 01	4.074D 00	3.585D 00	3.429D-01	0.0	0.0	0.0
6.800 01	4.209D 00	3.704D 00	3.692D-01	0.0	0.0	0.0
7.000 01	4.335D 00	3.815D 00	3.947D-01	0.0	0.0	0.0
7.200 01	4.459D 00	3.915D 00	4.193D-01	0.0	0.0	0.0
7.400 01	4.576D 00	4.111D 00	4.452D-01	0.0	0.0	0.0

INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A

ELECTRON ENERGY EV	STOPPING POWER EV/A	INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A					
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	O(1S)	AL(1S)
7.600 01	4.697D 00	4.210D 00	4.866D-01	0.0	0.0	0.0	0.0
7.800 01	4.807D 00	4.300D 00	5.070D-01	0.0	0.0	0.0	0.0
8.000 01	4.506D 00	4.380D 00	5.263D-01	0.0	0.0	0.0	0.0
8.200 01	5.002D 00	4.457D 00	5.447D-01	0.0	0.0	0.0	0.0
8.400 01	5.089D 00	4.525D 00	5.621D-01	2.799D-04	0.0	0.0	0.0
8.600 01	5.171D 00	4.587D 00	5.785D-01	5.420D-03	0.0	0.0	0.0
8.800 01	5.252D 00	4.648D 00	5.941D-01	1.008D-02	0.0	0.0	0.0
9.000 01	5.333D 00	4.708D 00	6.088D-01	1.602D-02	0.0	0.0	0.0
9.200 01	5.406D 00	4.760D 00	6.227D-01	2.305D-02	0.0	0.0	0.0
9.400 01	5.477D 00	4.810D 00	6.359D-01	3.082D-02	0.0	0.0	0.0
9.600 01	5.545D 00	4.858D 00	6.483D-01	3.892D-02	0.0	0.0	0.0
9.800 01	5.607D 00	4.900D 00	6.603D-01	4.737D-02	0.0	0.0	0.0
1.000 02	5.668D 00	4.941D 00	6.711D-01	5.622D-02	0.0	0.0	0.0
1.100 02	5.923D 00	5.090D 00	7.222D-01	1.029D-01	0.0	0.0	0.0
1.200 02	6.132D 00	5.194D 00	7.883D-01	1.497D-01	3.871D-05	0.0	0.0
1.300 02	6.262D 00	5.221D 00	8.425D-01	1.949D-01	3.559D-03	0.0	0.0
1.400 02	6.326D 00	5.147D 00	8.843D-01	2.395D-01	1.089D-02	0.0	0.0
1.500 02	6.332D 00	5.101D 00	9.279D-01	2.855D-01	1.778D-02	0.0	0.0
1.600 02	6.321D 00	5.009D 00	9.546D-01	3.274D-01	2.499D-02	0.0	0.0
1.700 02	6.296D 00	4.913D 00	9.862D-01	3.646D-01	3.243D-02	0.0	0.0
1.800 02	6.262D 00	4.816D 00	1.009D 00	3.972D-01	4.001D-02	0.0	0.0
1.900 02	6.220D 00	4.718D 00	1.029D 00	4.253D-01	4.767D-02	0.0	0.0
2.000 02	6.170D 00	4.622D 00	1.043D 00	4.493D-01	5.531D-02	0.0	0.0
2.100 02	6.120D 00	4.528D 00	1.055D 00	4.741D-01	6.286D-02	0.0	0.0
2.200 02	6.070D 00	4.436D 00	1.065D 00	4.994D-01	7.027D-02	0.0	0.0
2.300 02	6.017D 00	4.346D 00	1.071D 00	5.223D-01	7.747D-02	0.0	0.0
2.400 02	5.962D 00	4.259D 00	1.076D 00	5.430D-01	8.442D-02	0.0	0.0
2.500 02	5.907D 00	4.174D 00	1.080D 00	5.616D-01	9.114D-02	0.0	0.0
2.600 02	5.852D 00	4.093D 00	1.083D 00	5.782D-01	9.762D-02	0.0	0.0
2.700 02	5.796D 00	4.014D 00	1.085D 00	5.927D-01	1.039D-01	0.0	0.0
2.800 02	5.737D 00	3.939D 00	1.084D 00	6.067D-01	1.078D-01	0.0	0.0
2.900 02	5.680D 00	3.867D 00	1.082D 00	6.201D-01	1.110D-01	0.0	0.0
3.000 02	5.624D 00	3.798D 00	1.079D 00	6.325D-01	1.140D-01	0.0	0.0
3.100 02	5.568D 00	3.731D 00	1.077D 00	6.438D-01	1.167D-01	0.0	0.0
3.200 02	5.514D 00	3.666D 00	1.074D 00	6.540D-01	1.192D-01	0.0	0.0
3.300 02	5.458D 00	3.604D 00	1.070D 00	6.630D-01	1.216D-01	0.0	0.0
3.400 02	5.404D 00	3.543D 00	1.066D 00	6.709D-01	1.238D-01	0.0	0.0
3.500 02	5.351D 00	3.484D 00	1.063D 00	6.786D-01	1.259D-01	0.0	0.0
3.600 02	5.299D 00	3.427D 00	1.059D 00	6.856D-01	1.278D-01	0.0	0.0
3.700 02	5.248D 00	3.372D 00	1.054D 00	6.922D-01	1.297D-01	0.0	0.0
3.800 02	5.199D 00	3.319D 00	1.050D 00	6.992D-01	1.314D-01	0.0	0.0
3.900 02	5.150D 00	3.268D 00	1.046D 00	7.038D-01	1.331D-01	0.0	0.0
4.000 02	5.103D 00	3.218D 00	1.041D 00	7.088D-01	1.346D-01	0.0	0.0
4.100 02	5.056D 00	3.170D 00	1.037D 00	7.134D-01	1.360D-01	0.0	0.0
4.200 02	5.009D 00	3.123D 00	1.032D 00	7.173D-01	1.367D-01	0.0	0.0
4.300 02	4.963D 00	3.078D 00	1.028D 00	7.209D-01	1.373D-01	0.0	0.0
4.400 02	4.918D 00	3.034D 00	1.023D 00	7.241D-01	1.379D-01	0.0	0.0
4.500 02	4.874D 00	2.991D 00	1.018D 00	7.271D-01	1.385D-01	0.0	0.0
4.600 02	4.829D 00	2.950D 00	1.011D 00	7.297D-01	1.390D-01	0.0	0.0
4.700 02	4.785D 00	2.910D 00	1.004D 00	7.321D-01	1.395D-01	0.0	0.0
4.800 02	4.741D 00	2.871D 00	9.963D-01	7.340D-01	1.399D-01	0.0	0.0
4.900 02	4.698D 00	2.833D 00	9.892D-01	7.355D-01	1.403D-01	0.0	0.0
5.000 02	4.656D 00	2.796D 00	9.819D-01	7.369D-01	1.407D-01	0.0	0.0

TABLE 2B-STOPPING POWER OF ALUMINUM OXIDE (DENSITY 4.05G/CM3) FOR ELECTRONS

ELECTRON ENERGY EV	STOPPING POWER EV/A	INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A				
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	AL(1S)
5.10D 02	4.614D 00	2.761D 00	9.747D-01	7.380D-01	1.410D-01	0.0
5.20D 02	4.574D 00	2.726D 00	9.675D-01	7.391D-01	1.414D-01	0.0
5.30D 02	4.534D 00	2.692D 00	9.604D-01	7.399D-01	1.417D-01	0.0
5.40D 02	4.495D 00	2.659D 00	9.532D-01	7.406D-01	1.420D-01	0.0
5.50D 02	4.456D 00	2.627D 00	9.461D-01	7.407D-01	1.420D-01	0.0
5.60D 02	4.418D 00	2.596D 00	9.391D-01	7.406D-01	1.418D-01	0.0
5.70D 02	4.381D 00	2.565D 00	9.321D-01	7.404D-01	1.417D-01	0.0
5.80D 02	4.345D 00	2.536D 00	9.252D-01	7.402D-01	1.415D-01	0.0
6.00D 02	4.275D 00	2.507D 00	9.184D-01	7.400D-01	1.413D-01	0.0
6.10D 02	4.241D 00	2.479D 00	9.116D-01	7.397D-01	1.411D-01	0.0
6.20D 02	4.208D 00	2.451D 00	9.049D-01	7.393D-01	1.409D-01	0.0
6.30D 02	4.176D 00	2.424D 00	8.982D-01	7.390D-01	1.407D-01	0.0
6.40D 02	4.144D 00	2.398D 00	8.917D-01	7.385D-01	1.405D-01	0.0
6.50D 02	4.113D 00	2.373D 00	8.852D-01	7.380D-01	1.403D-01	0.0
6.60D 02	4.082D 00	2.348D 00	8.788D-01	7.374D-01	1.401D-01	0.0
6.70D 02	4.052D 00	2.324D 00	8.725D-01	7.367D-01	1.399D-01	0.0
6.80D 02	4.023D 00	2.300D 00	8.663D-01	7.360D-01	1.397D-01	0.0
6.90D 02	3.993D 00	2.276D 00	8.601D-01	7.352D-01	1.395D-01	0.0
7.00D 02	3.964D 00	2.254D 00	8.540D-01	7.345D-01	1.393D-01	0.0
7.10D 02	3.935D 00	2.232D 00	8.480D-01	7.338D-01	1.392D-01	0.0
7.20D 02	3.907D 00	2.210D 00	8.421D-01	7.330D-01	1.390D-01	0.0
7.30D 02	3.880D 00	2.188D 00	8.362D-01	7.322D-01	1.388D-01	0.0
7.40D 02	3.853D 00	2.167D 00	8.305D-01	7.314D-01	1.386D-01	0.0
7.50D 02	3.827D 00	2.147D 00	8.248D-01	7.306D-01	1.384D-01	0.0
7.60D 02	3.801D 00	2.127D 00	8.192D-01	7.298D-01	1.382D-01	0.0
7.70D 02	3.776D 00	2.108D 00	8.136D-01	7.290D-01	1.380D-01	0.0
7.80D 02	3.751D 00	2.088D 00	8.081D-01	7.282D-01	1.378D-01	0.0
7.90D 02	3.726D 00	2.070D 00	8.026D-01	7.274D-01	1.376D-01	0.0
8.00D 02	3.702D 00	2.051D 00	7.974D-01	7.266D-01	1.374D-01	0.0
8.10D 02	3.678D 00	2.033D 00	7.922D-01	7.258D-01	1.372D-01	0.0
8.20D 02	3.655D 00	2.016D 00	7.870D-01	7.250D-01	1.370D-01	0.0
8.30D 02	3.632D 00	1.998D 00	7.819D-01	7.242D-01	1.367D-01	0.0
8.40D 02	3.609D 00	1.981D 00	7.768D-01	7.234D-01	1.365D-01	0.0
8.50D 02	3.586D 00	1.964D 00	7.718D-01	7.226D-01	1.363D-01	0.0
8.60D 02	3.563D 00	1.948D 00	7.669D-01	7.218D-01	1.361D-01	0.0
8.70D 02	3.541D 00	1.932D 00	7.620D-01	7.210D-01	1.359D-01	0.0
8.80D 02	3.519D 00	1.916D 00	7.572D-01	7.202D-01	1.357D-01	0.0
8.90D 02	3.497D 00	1.899D 00	7.524D-01	7.194D-01	1.355D-01	0.0
9.00D 02	3.476D 00	1.885D 00	7.477D-01	7.186D-01	1.354D-01	0.0
9.10D 02	3.454D 00	1.870D 00	7.430D-01	7.178D-01	1.353D-01	0.0
9.20D 02	3.434D 00	1.856D 00	7.384D-01	7.170D-01	1.352D-01	0.0
9.30D 02	3.413D 00	1.841D 00	7.338D-01	7.162D-01	1.351D-01	0.0
9.40D 02	3.393D 00	1.827D 00	7.293D-01	7.154D-01	1.350D-01	0.0
9.50D 02	3.373D 00	1.813D 00	7.249D-01	7.146D-01	1.349D-01	0.0
9.60D 02	3.353D 00	1.799D 00	7.205D-01	7.138D-01	1.348D-01	0.0
9.70D 02	3.333D 00	1.786D 00	7.161D-01	7.130D-01	1.347D-01	0.0
9.80D 02	3.314D 00	1.773D 00	7.118D-01	7.122D-01	1.346D-01	0.0
9.90D 02	3.295D 00	1.760D 00	7.076D-01	7.114D-01	1.345D-01	0.0
1.05D 03	3.276D 00	1.747D 00	7.034D-01	7.106D-01	1.344D-01	0.0
1.05D 03	3.257D 00	1.734D 00	6.992D-01	7.098D-01	1.343D-01	0.0
1.10D 03	3.238D 00	1.674D 00	6.950D-01	7.090D-01	1.342D-01	0.0
1.15D 03	3.221D 00	1.618D 00	6.908D-01	7.082D-01	1.341D-01	0.0
		1.567D 00	6.866D-01	7.074D-01	1.340D-01	0.0
			6.825D-01	7.066D-01	1.339D-01	0.0
			6.784D-01	7.058D-01	1.338D-01	0.0
			6.743D-01	7.050D-01	1.337D-01	0.0
			6.702D-01	7.042D-01	1.336D-01	0.0
			6.661D-01	7.034D-01	1.335D-01	0.0
			6.620D-01	7.026D-01	1.334D-01	0.0
			6.579D-01	7.018D-01	1.333D-01	0.0
			6.538D-01	7.010D-01	1.332D-01	0.0
			6.497D-01	7.002D-01	1.331D-01	0.0
			6.456D-01	6.994D-01	1.330D-01	0.0
			6.415D-01	6.986D-01	1.329D-01	0.0
			6.374D-01	6.978D-01	1.328D-01	0.0
			6.333D-01	6.970D-01	1.327D-01	0.0
			6.292D-01	6.962D-01	1.326D-01	0.0
			6.251D-01	6.954D-01	1.325D-01	0.0
			6.210D-01	6.946D-01	1.324D-01	0.0
			6.169D-01	6.938D-01	1.323D-01	0.0
			6.128D-01	6.930D-01	1.322D-01	0.0
			6.087D-01	6.922D-01	1.321D-01	0.0
			6.046D-01	6.914D-01	1.320D-01	0.0
			6.005D-01	6.906D-01	1.319D-01	0.0
			5.964D-01	6.898D-01	1.318D-01	0.0
			5.923D-01	6.890D-01	1.317D-01	0.0
			5.882D-01	6.882D-01	1.316D-01	0.0
			5.841D-01	6.874D-01	1.315D-01	0.0
			5.800D-01	6.866D-01	1.314D-01	0.0
			5.759D-01	6.858D-01	1.313D-01	0.0
			5.718D-01	6.850D-01	1.312D-01	0.0
			5.677D-01	6.842D-01	1.311D-01	0.0
			5.636D-01	6.834D-01	1.310D-01	0.0
			5.595D-01	6.826D-01	1.309D-01	0.0
			5.554D-01	6.818D-01	1.308D-01	0.0
			5.513D-01	6.810D-01	1.307D-01	0.0
			5.472D-01	6.802D-01	1.306D-01	0.0
			5.431D-01	6.794D-01	1.305D-01	0.0
			5.390D-01	6.786D-01	1.304D-01	0.0
			5.349D-01	6.778D-01	1.303D-01	0.0
			5.308D-01	6.770D-01	1.302D-01	0.0
			5.267D-01	6.762D-01	1.301D-01	0.0
			5.226D-01	6.754D-01	1.300D-01	0.0
			5.185D-01	6.746D-01	1.299D-01	0.0
			5.144D-01	6.738D-01	1.298D-01	0.0
			5.103D-01	6.730D-01	1.297D-01	0.0
			5.062D-01	6.722D-01	1.296D-01	0.0
			5.021D-01	6.714D-01	1.295D-01	0.0
			4.980D-01	6.706D-01	1.294D-01	0.0
			4.939D-01	6.698D-01	1.293D-01	0.0
			4.898D-01	6.690D-01	1.292D-01	0.0
			4.857D-01	6.682D-01	1.291D-01	0.0
			4.816D-01	6.674D-01	1.290D-01	0.0
			4.775D-01	6.666D-01	1.289D-01	0.0
			4.734D-01	6.658D-01	1.288D-01	0.0
			4.693D-01	6.650D-01	1.287D-01	0.0
			4.652D-01	6.642D-01	1.286D-01	0.0
			4.611D-01	6.634D-01	1.285D-01	0.0
			4.570D-01	6.626D-01	1.284D-01	0.0
			4.529D-01	6.618D-01	1.283D-01	0.0
			4.488D-01	6.610D-01	1.282D-01	0.0
			4.447D-01	6.602D-01	1.281D-01	0.0
			4.406D-01	6.594D-01	1.280D-01	0.0
			4.365D-01	6.586D-01	1.279D-01	0.0
			4.324D-01	6.578D-01	1.278D-01	0.0
			4.283D-01	6.570D-01	1.277D-01	0.0
			4.242D-01	6.562D-01	1.276D-01	0.0
			4.201D-01	6.554D-01	1.275D-01	0.0
			4.160D-01	6.546D-01	1.274D-01	0.0
			4.119D-01	6.538D-01	1.273D-01	0.0
			4.078D-01	6.530D-01	1.272D-01	0.0
			4.037D-01	6.522D-01	1.271D-01	0.0
			4.000D-01	6.514D-01	1.270D-01	0.0
			3.963D-01	6.506D-01	1.269D-01	0.0
			3.926D-01	6.498D-01	1.268D-01	0.0
			3.889D-01	6.490D-01	1.267D-01	0.0
			3.852D-01	6.482D-01	1.266D-01	0.0
			3.815D-01	6.474D-01	1.265D-01	0.0
			3.778D-01	6.466D-01	1.264D-01	0.0
			3.741D-01	6.458D-01	1.263D-01	0.0
			3.704D-01	6.450D-01	1.262D-01	0.0
			3.667D-01	6.442D-01	1.261D-01	0.0
			3.630D-01	6.434D-01	1.260D-01	0.0
			3.593D-01	6.426D-01	1.259D-01	0.0
			3.556D-01	6.418D-01	1.258D-01	0.0
			3.519D-01	6.410D-01	1.257D-01	0.0
			3.482D-01	6.402D-01	1.256D-01	0.0
			3.445D-01	6.394D-01	1.255D-01	0.0
			3.408D-01	6.386D-01	1.254D-01	0.0
			3.371D-01	6.378D-01	1.253D-01	0.0
			3.334D-01	6.370D-01	1.252D-01	0.0
			3.297D-01	6.362D-01	1.251D-01	0.0
			3.260D-01	6.354D-01	1.250D-01	0.0
			3.223D-01	6.346D-01	1.249D-01	0.0
			3.186D-01	6.338D-01	1.248D-01	0.0
			3.149D-01	6.330D-01	1.247D-01	0.0
			3.112D-01	6.322D-01	1.246D-01	0.0
			3.075D-01	6.314D-01	1.245D-01	0.0
			3.038D-01	6.306D-01	1.244D-01	0.0
			3.001D-01	6.298D-01	1.243D-01	0.0
			2.964D-01	6.290D-01	1.242D-01	0.0
			2.927D-01	6.282D-01	1.241D-01	0.0
			2.890D-01	6.274D-01	1.240D-01	0.0
			2.853D-01	6.266D-01	1.239D-01	0.0
			2.816D-01	6.258D-01	1.238D-01	0.0
			2.779D-01	6.250D-01	1.237D-01	0.0
			2.742D-01	6.242D-01	1.236D-01	0.0
			2.705D-01	6.234D-01	1.235D-01	0.0

TABLE 2B--STOPPING POWER OF ALUMINUM OXIDE (DENSITY 4.05G/CM³) FOR ELECTRONS

ELECTRON ENERGY EV	STOPPING POWER EV/A	INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A					
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	O(1S)	
1.200 03	2.5A6D 00	1.518D 00	6.267D-01	6.323D-01	1.221D-01	4.635D-02	0.0
1.250 03	2.875D 00	1.473D 00	6.113D-01	6.216D-01	1.203D-01	4.826D-02	0.0
1.300 03	2.808D 00	1.431D 00	5.970D-01	6.112D-01	1.184D-01	5.005D-02	0.0
1.350 03	2.744D 00	1.392D 00	5.835D-01	6.010D-01	1.166D-01	5.173D-02	0.0
1.400 03	2.684D 00	1.354D 00	5.709D-01	5.911D-01	1.147D-01	5.299D-02	0.0
1.450 03	2.627D 00	1.319D 00	5.589D-01	5.815D-01	1.128D-01	5.409D-02	0.0
1.500 03	2.572D 00	1.286D 00	5.474D-01	5.721D-01	1.113D-01	5.510D-02	0.0
1.550 03	2.520D 00	1.255D 00	5.364D-01	5.629D-01	1.097D-01	5.604D-02	0.0
1.600 03	2.470D 00	1.225D 00	5.259D-01	5.540D-01	1.082D-01	5.691D-02	0.0
1.650 03	2.423D 00	1.197D 00	5.158D-01	5.452D-01	1.067D-01	5.773D-02	0.0
1.700 03	2.377D 00	1.170D 00	5.062D-01	5.367D-01	1.052D-01	5.850D-02	0.0
1.750 03	2.334D 00	1.145D 00	4.969D-01	5.285D-01	1.038D-01	5.924D-02	0.0
1.800 03	2.292D 00	1.120D 00	4.879D-01	5.204D-01	1.023D-01	5.993D-02	0.0
1.850 03	2.252D 00	1.097D 00	4.793D-01	5.126D-01	1.010D-01	6.060D-02	0.0
1.900 03	2.213D 00	1.075D 00	4.711D-01	5.050D-01	9.959D-02	6.124D-02	0.0
1.950 03	2.176D 00	1.054D 00	4.631D-01	4.976D-01	9.826D-02	6.186D-02	0.0
2.000 03	2.141D 00	1.034D 00	4.554D-01	4.904D-01	9.696D-02	6.244D-02	0.0
2.050 03	2.106D 00	1.014D 00	4.479D-01	4.834D-01	9.568D-02	6.294D-02	0.0
2.100 03	2.073D 00	9.957D-01	4.408D-01	4.766D-01	9.444D-02	6.343D-02	0.0
2.150 03	2.040D 00	9.777D-01	4.338D-01	4.700D-01	9.320D-02	6.391D-02	0.0
2.200 03	2.009D 00	9.605D-01	4.271D-01	4.636D-01	9.203D-02	6.437D-02	0.0
2.250 03	1.979D 00	9.440D-01	4.207D-01	4.574D-01	9.087D-02	6.480D-02	0.0
2.300 03	1.950D 00	9.280D-01	4.140D-01	4.514D-01	8.975D-02	6.520D-02	0.0
2.350 03	1.922D 00	9.127D-01	4.083D-01	4.455D-01	8.865D-02	6.559D-02	0.0
2.400 03	1.895D 00	8.979D-01	4.024D-01	4.399D-01	8.758D-02	6.597D-02	0.0
2.450 03	1.869D 00	8.836D-01	3.967D-01	4.344D-01	8.654D-02	6.635D-02	0.0
2.500 03	1.843D 00	8.698D-01	3.912D-01	4.291D-01	8.553D-02	6.672D-02	0.0
2.550 03	1.819D 00	8.564D-01	3.858D-01	4.239D-01	8.455D-02	6.709D-02	0.0
2.600 03	1.795D 00	8.436D-01	3.805D-01	4.189D-01	8.360D-02	6.746D-02	0.0
2.650 03	1.772D 00	8.312D-01	3.755D-01	4.141D-01	8.267D-02	6.783D-02	0.0
2.700 03	1.750D 00	8.191D-01	3.705D-01	4.094D-01	8.180D-02	6.820D-02	0.0
2.750 03	1.728D 00	8.073D-01	3.657D-01	4.049D-01	8.090D-02	6.857D-02	0.0
2.800 03	1.707D 00	7.960D-01	3.610D-01	4.005D-01	8.005D-02	6.894D-02	0.0
2.850 03	1.686D 00	7.851D-01	3.565D-01	3.962D-01	7.924D-02	6.931D-02	0.0
2.900 03	1.666D 00	7.744D-01	3.521D-01	3.920D-01	7.844D-02	6.968D-02	0.0
2.950 03	1.647D 00	7.641D-01	3.478D-01	3.879D-01	7.767D-02	7.005D-02	0.0
3.000 03	1.628D 00	7.540D-01	3.436D-01	3.839D-01	7.692D-02	7.042D-02	0.0
3.100 03	1.591D 00	7.347D-01	3.356D-01	3.761D-01	7.548D-02	7.079D-02	0.0
3.200 03	1.557D 00	7.165D-01	3.279D-01	3.687D-01	7.413D-02	7.116D-02	0.0
3.300 03	1.524D 00	6.993D-01	3.207D-01	3.616D-01	7.286D-02	7.153D-02	0.0
3.400 03	1.492D 00	6.829D-01	3.138D-01	3.548D-01	7.166D-02	7.190D-02	0.0
3.500 03	1.463D 00	6.674D-01	3.072D-01	3.483D-01	7.053D-02	7.227D-02	0.0
3.600 03	1.434D 00	6.526D-01	3.009D-01	3.420D-01	6.946D-02	7.264D-02	0.0
3.700 03	1.407D 00	6.386D-01	2.949D-01	3.359D-01	6.845D-02	7.301D-02	0.0
3.800 03	1.380D 00	6.251D-01	2.891D-01	3.301D-01	6.749D-02	7.338D-02	0.0
3.900 03	1.355D 00	6.123D-01	2.836D-01	3.245D-01	6.659D-02	7.375D-02	0.0
4.000 03	1.331D 00	6.001D-01	2.783D-01	3.191D-01	6.574D-02	7.412D-02	0.0
4.100 03	1.308D 00	5.882D-01	2.732D-01	3.139D-01	6.494D-02	7.449D-02	0.0
4.200 03	1.286D 00	5.770D-01	2.684D-01	3.089D-01	6.416D-02	7.486D-02	0.0
4.300 03	1.264D 00	5.662D-01	2.637D-01	3.041D-01	6.340D-02	7.523D-02	0.0
4.400 03	1.244D 00	5.558D-01	2.592D-01	2.994D-01	6.266D-02	7.560D-02	0.0
4.500 03	1.224D 00	5.459D-01	2.548D-01	2.948D-01	6.193D-02	7.597D-02	0.0
4.600 03	1.205D 00	5.363D-01	2.507D-01	2.905D-01	6.122D-02	7.634D-02	0.0

TABLE 2B-STOPPING POWER OF ALUMINUM OXIDE (DENSITY 4.05G/CM3) FOR ELECTRONS

ELECTRON ENERGY EV	STOPPING POWER EV/A	INDIVIDUAL CONTRIBUTIONS TO THE STOPPING POWER IN UNITS OF EV/A					
		VAL(9EV)	VAL(29EV)	AL(2P)	AL(2S)	AL(1S)	
4.700 03	1.1860 00	5.271D-01	2.466D-01	2.862D-01	6.052D-02	5.804D-02	7.569D-03
4.800 03	1.1680 00	5.182D-01	2.428D-01	2.821D-01	5.984D-02	5.763D-02	7.643D-03
4.900 03	1.1510 00	5.097D-01	2.390D-01	2.781D-01	5.916D-02	5.692D-02	7.739D-03
5.000 03	1.1340 00	5.014D-01	2.354D-01	2.742D-01	5.851D-02	5.645D-02	7.781D-03
5.100 03	1.1180 00	4.934D-01	2.319D-01	2.705D-01	5.786D-02	5.607D-02	7.818D-03
5.200 03	1.1020 00	4.858D-01	2.285D-01	2.668D-01	5.723D-02	5.570D-02	7.856D-03
5.300 03	1.0870 00	4.783D-01	2.252D-01	2.633D-01	5.662D-02	5.534D-02	7.882D-03
5.400 03	1.0720 00	4.711D-01	2.220D-01	2.599D-01	5.601D-02	5.499D-02	7.909D-03
5.500 03	1.0580 00	4.642D-01	2.189D-01	2.565D-01	5.542D-02	5.465D-02	7.933D-03
5.600 03	1.0440 00	4.574D-01	2.159D-01	2.533D-01	5.485D-02	5.432D-02	7.953D-03
5.700 03	1.0310 00	4.508D-01	2.130D-01	2.501D-01	5.428D-02	5.400D-02	7.970D-03
5.800 03	1.0170 00	4.445D-01	2.102D-01	2.470D-01	5.373D-02	5.369D-02	7.985D-03
5.900 03	1.0050 00	4.384D-01	2.074D-01	2.441D-01	5.320D-02	5.338D-02	7.996D-03
6.000 03	9.924D-01	4.324D-01	2.048D-01	2.411D-01	5.267D-02	5.309D-02	8.005D-03
6.100 03	9.803D-01	4.266D-01	2.022D-01	2.383D-01	5.215D-02	5.280D-02	8.011D-03
6.200 03	9.687D-01	4.210D-01	1.997D-01	2.355D-01	5.165D-02	5.252D-02	8.012D-03
6.300 03	9.573D-01	4.156D-01	1.972D-01	2.329D-01	5.115D-02	5.225D-02	8.015D-03
6.400 03	9.462D-01	4.102D-01	1.948D-01	2.302D-01	5.067D-02	5.199D-02	8.015D-03
6.500 03	9.354D-01	4.051D-01	1.925D-01	2.277D-01	5.020D-02	5.174D-02	8.014D-03
6.600 03	9.249D-01	4.000D-01	1.902D-01	2.252D-01	4.973D-02	5.149D-02	8.013D-03
6.700 03	9.147D-01	3.952D-01	1.880D-01	2.227D-01	4.927D-02	5.124D-02	8.011D-03
6.800 03	9.047D-01	3.904D-01	1.859D-01	2.204D-01	4.881D-02	5.101D-02	8.007D-03
6.900 03	8.949D-01	3.857D-01	1.838D-01	2.180D-01	4.837D-02	5.078D-02	8.002D-03
7.000 03	8.854D-01	3.812D-01	1.818D-01	2.158D-01	4.794D-02	5.056D-02	7.995D-03
7.100 03	8.762D-01	3.768D-01	1.798D-01	2.135D-01	4.750D-02	5.034D-02	7.987D-03
7.200 03	8.671D-01	3.725D-01	1.778D-01	2.114D-01	4.708D-02	5.013D-02	7.978D-03
7.300 03	8.582D-01	3.683D-01	1.759D-01	2.093D-01	4.666D-02	4.992D-02	7.968D-03
7.400 03	8.496D-01	3.642D-01	1.741D-01	2.072D-01	4.625D-02	4.972D-02	7.957D-03
7.500 03	8.411D-01	3.602D-01	1.722D-01	2.052D-01	4.585D-02	4.953D-02	7.945D-03
7.600 03	8.329D-01	3.563D-01	1.705D-01	2.032D-01	4.545D-02	4.934D-02	7.933D-03
7.700 03	8.248D-01	3.525D-01	1.687D-01	2.012D-01	4.505D-02	4.916D-02	7.919D-03
7.800 03	8.169D-01	3.488D-01	1.670D-01	1.994D-01	4.466D-02	4.898D-02	7.906D-03
7.900 03	8.092D-01	3.451D-01	1.654D-01	1.975D-01	4.428D-02	4.881D-02	7.891D-03
8.000 03	8.016D-01	3.416D-01	1.638D-01	1.957D-01	4.391D-02	4.864D-02	7.876D-03
8.100 03	7.942D-01	3.381D-01	1.622D-01	1.939D-01	4.354D-02	4.848D-02	7.860D-03
8.200 03	7.869D-01	3.347D-01	1.606D-01	1.921D-01	4.317D-02	4.832D-02	7.844D-03
8.300 03	7.799D-01	3.314D-01	1.591D-01	1.904D-01	4.282D-02	4.816D-02	7.827D-03
8.400 03	7.729D-01	3.281D-01	1.576D-01	1.887D-01	4.247D-02	4.800D-02	7.810D-03
8.500 03	7.661D-01	3.249D-01	1.561D-01	1.871D-01	4.213D-02	4.784D-02	7.792D-03
8.600 03	7.594D-01	3.218D-01	1.547D-01	1.855D-01	4.179D-02	4.767D-02	7.773D-03
8.700 03	7.528D-01	3.187D-01	1.533D-01	1.839D-01	4.146D-02	4.750D-02	7.755D-03
8.800 03	7.463D-01	3.157D-01	1.519D-01	1.823D-01	4.113D-02	4.734D-02	7.737D-03
8.900 03	7.400D-01	3.128D-01	1.506D-01	1.808D-01	4.081D-02	4.717D-02	7.719D-03
9.000 03	7.338D-01	3.099D-01	1.493D-01	1.793D-01	4.049D-02	4.700D-02	7.701D-03
9.100 03	7.277D-01	3.071D-01	1.480D-01	1.778D-01	4.019D-02	4.683D-02	7.683D-03
9.200 03	7.218D-01	3.043D-01	1.467D-01	1.764D-01	3.998D-02	4.666D-02	7.665D-03
9.300 03	7.159D-01	3.016D-01	1.455D-01	1.750D-01	3.958D-02	4.650D-02	7.647D-03
9.400 03	7.101D-01	2.989D-01	1.442D-01	1.736D-01	3.929D-02	4.632D-02	7.629D-03
9.500 03	7.045D-01	2.963D-01	1.429D-01	1.722D-01	3.900D-02	4.614D-02	7.611D-03
9.600 03	6.989D-01	2.938D-01	1.418D-01	1.709D-01	3.871D-02	4.596D-02	7.593D-03
9.700 03	6.934D-01	2.912D-01	1.407D-01	1.695D-01	3.843D-02	4.578D-02	7.575D-03
9.800 03	6.880D-01	2.888D-01	1.395D-01	1.682D-01	3.815D-02	4.560D-02	7.557D-03
9.900 03	6.828D-01	2.864D-01	1.384D-01	1.670D-01	3.788D-02	4.542D-02	7.539D-03
1.000 03	6.776D-01	2.840D-01	1.373D-01	1.657D-01	3.761D-02	4.524D-02	7.521D-03

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV2/A	MEAN SQUARE RANGE FLUCTUATION A2	RELATIVE RANGE STRAGGLING
1.100 01	2.732D 01	5.560D-01	7.703D 03	3.212D 00
1.200 01	4.043D 01	9.642D-01	9.402D 03	2.398D 00
1.300 01	4.892D 01	1.415D 00	1.013D 04	2.057D 00
1.400 01	5.514D 01	1.905D 00	1.052D 04	1.860D 00
1.500 01	6.003D 01	2.436D 00	1.078D 04	1.729D 00
1.600 01	6.402D 01	3.013D 00	1.095D 04	1.635D 00
1.700 01	6.738D 01	3.638D 00	1.108D 04	1.562D 00
1.800 01	7.026D 01	4.314D 00	1.117D 04	1.504D 00
1.900 01	7.277D 01	5.047D 00	1.124D 04	1.457D 00
2.000 01	7.500D 01	5.837D 00	1.130D 04	1.418D 00
2.100 01	7.697D 01	6.698D 00	1.135D 04	1.384D 00
2.200 01	7.875D 01	7.616D 00	1.139D 04	1.355D 00
2.300 01	8.036D 01	8.616D 00	1.143D 04	1.330D 00
2.400 01	8.183D 01	9.699D 00	1.146D 04	1.308D 00
2.500 01	8.318D 01	1.069D 01	1.148D 04	1.288D 00
2.600 01	8.443D 01	1.180D 01	1.150D 04	1.270D 00
2.700 01	8.559D 01	1.295D 01	1.152D 04	1.254D 00
2.800 01	8.668D 01	1.414D 01	1.154D 04	1.239D 00
2.900 01	8.770D 01	1.534D 01	1.155D 04	1.226D 00
3.000 01	8.867D 01	1.658D 01	1.157D 04	1.213D 00
3.200 01	9.042D 01	2.005D 01	1.159D 04	1.191D 00
3.400 01	9.195D 01	2.379D 01	1.161D 04	1.172D 00
3.600 01	9.331D 01	2.772D 01	1.163D 04	1.156D 00
3.800 01	9.455D 01	3.176D 01	1.164D 04	1.141D 00
4.000 01	9.568D 01	3.586D 01	1.166D 04	1.128D 00
4.200 01	9.671D 01	4.137D 01	1.167D 04	1.117D 00
4.400 01	9.765D 01	4.698D 01	1.168D 04	1.107D 00
4.600 01	9.851D 01	5.261D 01	1.168D 04	1.097D 00
4.800 01	9.932D 01	5.821D 01	1.169D 04	1.089D 00
5.000 01	1.001D 02	6.372D 01	1.170D 04	1.081D 00
5.200 01	1.008D 02	7.061D 01	1.170D 04	1.073D 00
5.400 01	1.014D 02	7.746D 01	1.171D 04	1.067D 00
5.600 01	1.021D 02	8.416D 01	1.171D 04	1.060D 00
5.800 01	1.027D 02	9.068D 01	1.172D 04	1.054D 00
6.000 01	1.032D 02	9.699D 01	1.172D 04	1.049D 00
6.200 01	1.038D 02	1.039D 02	1.173D 04	1.044D 00
6.400 01	1.043D 02	1.106D 02	1.173D 04	1.038D 00
6.600 01	1.048D 02	1.172D 02	1.173D 04	1.034D 00
6.800 01	1.053D 02	1.235D 02	1.174D 04	1.029D 00
7.000 01	1.057D 02	1.296D 02	1.174D 04	1.025D 00
7.200 01	1.062D 02	1.356D 02	1.174D 04	1.020D 00
7.400 01	1.066D 02	1.415D 02	1.175D 04	1.016D 00
7.600 01	1.071D 02	1.472D 02	1.175D 04	1.012D 00
7.800 01	1.075D 02	1.527D 02	1.175D 04	1.009D 00
8.000 01	1.079D 02	1.580D 02	1.175D 04	1.005D 00
8.200 01	1.083D 02	1.630D 02	1.176D 04	1.001D 00
8.400 01	1.087D 02	1.679D 02	1.176D 04	9.976D-01
8.600 01	1.091D 02	1.728D 02	1.176D 04	9.941D-01
8.800 01	1.095D 02	1.778D 02	1.177D 04	9.908D-01
9.000 01	1.099D 02	1.827D 02	1.177D 04	9.875D-01
9.200 01	1.102D 02	1.871D 02	1.177D 04	9.842D-01

TABLE 2C--CSDA RANGE AND STRAGGLING OF ELECTRONS IN AL2O3 (DENSITY 4.056G/CM3)

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV ² /A	MEAN SQUARE RANGE FLUCTUATION A ²	RELATIVE RANGE STRAGGLING
9.400 01	1.1060 02	1.9150 02	1.1770 04	9.810D-01
9.600 01	1.1100 02	1.9590 02	1.1770 04	9.779D-01
9.800 01	1.1130 02	2.0030 02	1.1780 04	9.7490-01
1.000 02	1.1170 02	2.0450 02	1.1780 04	9.7190-01
1.200 02	1.1340 02	2.4180 02	1.1790 04	9.5760-01
1.500 02	1.1510 02	2.5620 02	1.1800 04	9.4420-01
1.800 02	1.1670 02	2.6910 02	1.1810 04	9.3160-01
2.100 02	1.1830 02	2.8110 02	1.1820 04	9.1950-01
2.400 02	1.1980 02	2.9230 02	1.1840 04	9.0780-01
2.700 02	1.2140 02	3.0260 02	1.1850 04	8.9650-01
3.000 02	1.2300 02	3.1180 02	1.1860 04	8.8540-01
3.300 02	1.2460 02	3.2020 02	1.1870 04	8.7450-01
3.600 02	1.2620 02	3.2780 02	1.1890 04	8.6390-01
3.900 02	1.2780 02	3.3450 02	1.1900 04	8.5350-01
4.200 02	1.2940 02	3.4110 02	1.1910 04	8.4330-01
4.500 02	1.3110 02	3.4760 02	1.1930 04	8.3330-01
4.800 02	1.3270 02	3.5340 02	1.1950 04	8.2340-01
5.100 02	1.3440 02	3.5890 02	1.1960 04	8.1380-01
5.400 02	1.3610 02	3.6420 02	1.1980 04	8.0430-01
5.700 02	1.3780 02	3.6910 02	1.2000 04	7.9490-01
6.000 02	1.3950 02	3.7380 02	1.2020 04	7.8580-01
6.300 02	1.4120 02	3.7770 02	1.2040 04	7.7670-01
6.600 02	1.4300 02	3.8130 02	1.2060 04	7.6790-01
6.900 02	1.4480 02	3.8470 02	1.2080 04	7.5920-01
7.200 02	1.4650 02	3.8810 02	1.2100 04	7.5060-01
7.500 02	1.4840 02	3.9120 02	1.2120 04	7.4220-01
7.800 02	1.5020 02	3.9410 02	1.2150 04	7.3390-01
8.100 02	1.5200 02	3.9670 02	1.2170 04	7.2570-01
8.400 02	1.5390 02	3.9920 02	1.2200 04	7.1770-01
8.700 02	1.5580 02	4.0150 02	1.2220 04	7.0980-01
9.000 02	1.5760 02	4.0390 02	1.2250 04	7.0210-01
9.300 02	1.5960 02	4.0610 02	1.2280 04	6.9440-01
9.600 02	1.6150 02	4.0810 02	1.2310 04	6.8700-01
9.900 02	1.6340 02	4.1010 02	1.2340 04	6.8000-01
10.200 02	1.6540 02	4.1190 02	1.2370 04	6.7340-01
10.500 02	1.6740 02	4.1360 02	1.2400 04	6.6720-01
10.800 02	1.6940 02	4.1520 02	1.2440 04	6.6130-01
11.100 02	1.7140 02	4.1680 02	1.2470 04	6.5570-01
11.400 02	1.7350 02	4.1830 02	1.2510 04	6.5040-01
11.700 02	1.7550 02	4.1980 02	1.2540 04	6.4540-01
12.000 02	1.7760 02	4.2080 02	1.2580 04	6.4060-01
12.300 02	1.7970 02	4.2180 02	1.2620 04	6.3600-01
12.600 02	1.8180 02	4.2270 02	1.2660 04	6.3150-01
12.900 02	1.8400 02	4.2360 02	1.2700 04	6.2710-01
13.200 02	1.8610 02	4.2450 02	1.2740 04	6.2290-01
13.500 02	1.8830 02	4.2540 02	1.2780 04	6.1880-01
13.800 02	1.9050 02	4.2630 02	1.2830 04	6.1480-01
14.100 02	1.9270 02	4.2720 02	1.2880 04	6.1090-01
14.400 02	1.9500 02	4.2810 02	1.2930 04	6.0710-01
14.700 02	1.9720 02	4.2900 02	1.2980 04	6.0340-01
15.000 02	1.9950 02	4.3000 02	1.3030 04	5.9980-01

RANGE AND SKEWNESS OF ELECTRONS IN AL2O3 (DENSITY 4.056/G/CM3)

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV ² /A	MEAN SQUARE RANGE FLUCTUATION A ²	RELATIVE RANGE SKEWNESS
5.800 02	2.0180 02	4.3130 02	1.3080 04	5.6680-01
5.900 02	2.0410 02	4.3230 02	1.3130 04	5.6150-01
6.000 02	2.0640 02	4.3320 02	1.3190 04	5.5630-01
6.100 02	2.0880 02	4.3410 02	1.3240 04	5.5130-01
6.200 02	2.1110 02	4.3500 02	1.3300 04	5.4630-01
6.300 02	2.1350 02	4.3590 02	1.3360 04	5.4140-01
6.400 02	2.1590 02	4.3690 02	1.3420 04	5.3650-01
6.500 02	2.1830 02	4.3780 02	1.3480 04	5.3180-01
6.600 02	2.2080 02	4.3870 02	1.3550 04	5.2720-01
6.700 02	2.2320 02	4.3960 02	1.3610 04	5.2260-01
6.800 02	2.2570 02	4.4040 02	1.3680 04	5.1820-01
6.900 02	2.2820 02	4.4110 02	1.3750 04	5.1380-01
7.000 02	2.3070 02	4.4180 02	1.3820 04	5.0950-01
7.100 02	2.3330 02	4.4250 02	1.3890 04	5.0520-01
7.200 02	2.3580 02	4.4320 02	1.3960 04	5.0110-01
7.300 02	2.3840 02	4.4380 02	1.4040 04	4.9700-01
7.400 02	2.4100 02	4.4450 02	1.4110 04	4.9300-01
7.500 02	2.4360 02	4.4520 02	1.4190 04	4.8910-01
7.600 02	2.4620 02	4.4590 02	1.4270 04	4.8530-01
7.700 02	2.4880 02	4.4650 02	1.4360 04	4.8150-01
7.800 02	2.5150 02	4.4720 02	1.4440 04	4.7780-01
7.900 02	2.5420 02	4.4780 02	1.4530 04	4.7420-01
8.000 02	2.5690 02	4.4840 02	1.4610 04	4.7060-01
8.100 02	2.5960 02	4.4900 02	1.4700 04	4.6710-01
8.200 02	2.6230 02	4.4910 02	1.4790 04	4.6370-01
8.300 02	2.6500 02	4.4960 02	1.4890 04	4.6030-01
8.400 02	2.6780 02	4.5010 02	1.4980 04	4.5700-01
8.500 02	2.7060 02	4.5060 02	1.5080 04	4.5380-01
8.600 02	2.7340 02	4.5100 02	1.5180 04	4.5060-01
8.700 02	2.7620 02	4.5150 02	1.5280 04	4.4750-01
8.800 02	2.7900 02	4.5190 02	1.5380 04	4.4450-01
8.900 02	2.8190 02	4.5230 02	1.5480 04	4.4150-01
9.000 02	2.8470 02	4.5260 02	1.5590 04	4.3850-01
9.100 02	2.8760 02	4.5300 02	1.5700 04	4.3560-01
9.200 02	2.9050 02	4.5330 02	1.5810 04	4.3280-01
9.300 02	2.9350 02	4.5370 02	1.5920 04	4.3000-01
9.400 02	2.9640 02	4.5400 02	1.6040 04	4.2730-01
9.500 02	2.9930 02	4.5430 02	1.6160 04	4.2460-01
9.600 02	3.0230 02	4.5460 02	1.6280 04	4.2200-01
9.700 02	3.0530 02	4.5490 02	1.6400 04	4.1940-01
9.800 02	3.0830 02	4.5510 02	1.6520 04	4.1690-01
9.900 02	3.1130 02	4.5540 02	1.6650 04	4.1440-01
1.000 03	3.1440 02	4.5560 02	1.6780 04	4.1200-01
1.050 03	3.2990 02	4.5670 02	1.7450 04	4.0050-01
1.100 03	3.4580 02	4.5750 02	1.8190 04	3.9000-01
1.150 03	3.6210 02	4.5790 02	1.8990 04	3.8050-01
1.200 03	3.7890 02	4.5820 02	1.9850 04	3.7190-01
1.250 03	3.9610 02	4.5850 02	2.0780 04	3.6400-01
1.300 03	4.1370 02	4.5880 02	2.1780 04	3.5680-01
1.350 03	4.3170 02	4.5910 02	2.2850 04	3.5020-01
1.400 03	4.5010 02	4.5880 02	2.4000 04	3.4420-01

TABLE 2C-CSDA RANGE AND STRAGGLING OF ELECTRONS IN AL2O3 (DENSITY 4.05G/CM3)

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV2/A	MEAN SQUARE RANGE FLUCTUATION A2	RELATIVE RANGE STRAGGLING
1.450 03	4.6890 02	4.5870 02	2.5230 04	3.3670-01
1.500 03	4.8020 02	4.5860 02	2.6540 04	3.3370-01
1.550 03	5.0780 02	4.5840 02	2.7930 04	3.2910-01
1.600 03	5.2790 02	4.5830 02	2.9400 04	3.2480-01
1.650 03	5.4830 02	4.5840 02	3.0970 04	3.2100-01
1.700 03	5.6910 02	4.5840 02	3.2630 04	3.1740-01
1.750 03	5.9040 02	4.5850 02	3.4380 04	3.1410-01
1.800 03	6.1200 02	4.5850 02	3.6230 04	3.1100-01
1.850 03	6.3400 02	4.5850 02	3.8190 04	3.0820-01
1.900 03	6.5640 02	4.5850 02	4.0250 04	3.0570-01
1.950 03	6.7920 02	4.5850 02	4.2420 04	3.0330-01
2.000 03	7.0230 02	4.5850 02	4.4700 04	3.0100-01
2.050 03	7.2590 02	4.5830 02	4.7100 04	2.9900-01
2.100 03	7.4980 02	4.5790 02	4.9610 04	2.9700-01
2.150 03	7.7410 02	4.5740 02	5.2240 04	2.9520-01
2.200 03	7.9880 02	4.5700 02	5.4990 04	2.9360-01
2.250 03	8.2390 02	4.5660 02	5.7880 04	2.9200-01
2.300 03	8.4940 02	4.5610 02	6.0880 04	2.9050-01
2.350 03	8.7520 02	4.5570 02	6.4030 04	2.8910-01
2.400 03	9.0140 02	4.5520 02	6.7300 04	2.8780-01
2.450 03	9.2800 02	4.5480 02	7.0720 04	2.8660-01
2.500 03	9.5490 02	4.5430 02	7.4270 04	2.8540-01
2.550 03	9.8220 02	4.5390 02	7.7970 04	2.8430-01
2.600 03	1.0100 03	4.5340 02	8.1820 04	2.8320-01
2.650 03	1.0380 03	4.5310 02	8.5810 04	2.8220-01
2.700 03	1.0660 03	4.5280 02	8.9960 04	2.8130-01
2.750 03	1.0950 03	4.5240 02	9.4270 04	2.8040-01
2.800 03	1.1240 03	4.5200 02	9.8730 04	2.7950-01
2.850 03	1.1540 03	4.5160 02	1.0340 05	2.7870-01
2.900 03	1.1830 03	4.5120 02	1.1020 05	2.7790-01
2.950 03	1.2140 03	4.5090 02	1.1710 05	2.7710-01
3.000 03	1.2440 03	4.5050 02	1.2420 05	2.7640-01
3.100 03	1.3060 03	4.4980 02	1.2900 05	2.7500-01
3.200 03	1.3700 03	4.4920 02	1.4060 05	2.7370-01
3.300 03	1.4350 03	4.4860 02	1.5290 05	2.7250-01
3.400 03	1.5010 03	4.4800 02	1.6590 05	2.7140-01
3.500 03	1.5690 03	4.4750 02	1.7980 05	2.7030-01
3.600 03	1.6380 03	4.4690 02	1.9460 05	2.6930-01
3.700 03	1.7080 03	4.4640 02	2.1020 05	2.6840-01
3.800 03	1.7800 03	4.4590 02	2.2670 05	2.6750-01
3.900 03	1.8530 03	4.4540 02	2.4410 05	2.6660-01
4.000 03	1.9280 03	4.4490 02	2.6250 05	2.6580-01
4.100 03	2.0030 03	4.4440 02	2.8180 05	2.6500-01
4.200 03	2.0810 03	4.4400 02	3.0220 05	2.6420-01
4.300 03	2.1590 03	4.4350 02	3.2360 05	2.6350-01
4.400 03	2.2390 03	4.4300 02	3.4610 05	2.6280-01
4.500 03	2.3200 03	4.4250 02	3.6970 05	2.6210-01
4.600 03	2.4020 03	4.4200 02	3.9440 05	2.6140-01
4.700 03	2.4860 03	4.4160 02	4.2030 05	2.6080-01
4.800 03	2.5710 03	4.4110 02	4.4730 05	2.6020-01
4.900 03	2.6570 03	4.4060 02	4.7560 05	2.5960-01

ELECTRON ENERGY EV	CSDA RANGE (E TO 10EV) A	MEAN SQUARE ENERGY LOSS EV2/A	MEAN SQUARE RANGE FLUCTUATION A2	RELATIVE RANGE STRAGGLING
5.000 03	2.7450 03	4.401D 02	5.052D 05	2.590D-01
5.100 03	2.833D 03	4.396D 02	5.362D 05	2.584D-01
5.200 03	2.924D 03	4.391D 02	5.681D 05	2.578D-01
5.300 03	3.015D 03	4.386D 02	6.016D 05	2.573D-01
5.400 03	3.108D 03	4.381D 02	6.364D 05	2.567D-01
5.500 03	3.201D 03	4.377D 02	6.727D 05	2.562D-01
5.600 03	3.297D 03	4.366D 02	7.103D 05	2.557D-01
5.700 03	3.393D 03	4.362D 02	7.494D 05	2.551D-01
5.800 03	3.491D 03	4.357D 02	7.900D 05	2.546D-01
5.900 03	3.590D 03	4.353D 02	8.322D 05	2.541D-01
6.000 03	3.690D 03	4.349D 02	8.759D 05	2.536D-01
6.100 03	3.791D 03	4.345D 02	9.212D 05	2.532D-01
6.200 03	3.894D 03	4.342D 02	9.681D 05	2.527D-01
6.300 03	3.998D 03	4.338D 02	1.017D 06	2.522D-01
6.400 03	4.103D 03	4.335D 02	1.067D 06	2.518D-01
6.500 03	4.209D 03	4.332D 02	1.119D 06	2.513D-01
6.600 03	4.316D 03	4.329D 02	1.173D 06	2.509D-01
6.700 03	4.425D 03	4.326D 02	1.229D 06	2.505D-01
6.800 03	4.535D 03	4.323D 02	1.286D 06	2.501D-01
6.900 03	4.646D 03	4.320D 02	1.345D 06	2.496D-01
7.000 03	4.759D 03	4.317D 02	1.407D 06	2.492D-01
7.100 03	4.872D 03	4.315D 02	1.470D 06	2.488D-01
7.200 03	4.987D 03	4.312D 02	1.535D 06	2.484D-01
7.300 03	5.103D 03	4.310D 02	1.602D 06	2.480D-01
7.400 03	5.220D 03	4.307D 02	1.671D 06	2.477D-01
7.500 03	5.338D 03	4.305D 02	1.743D 06	2.473D-01
7.600 03	5.458D 03	4.302D 02	1.816D 06	2.469D-01
7.700 03	5.578D 03	4.300D 02	1.891D 06	2.465D-01
7.800 03	5.700D 03	4.298D 02	1.969D 06	2.462D-01
7.900 03	5.823D 03	4.295D 02	2.049D 06	2.458D-01
8.000 03	5.947D 03	4.293D 02	2.131D 06	2.455D-01
8.100 03	6.073D 03	4.291D 02	2.216D 06	2.451D-01
8.200 03	6.199D 03	4.289D 02	2.303D 06	2.448D-01
8.300 03	6.327D 03	4.288D 02	2.392D 06	2.444D-01
8.400 03	6.456D 03	4.286D 02	2.484D 06	2.441D-01
8.500 03	6.586D 03	4.284D 02	2.578D 06	2.438D-01
8.600 03	6.717D 03	4.283D 02	2.674D 06	2.435D-01
8.700 03	6.849D 03	4.281D 02	2.773D 06	2.431D-01
8.800 03	6.982D 03	4.279D 02	2.875D 06	2.428D-01
8.900 03	7.117D 03	4.278D 02	2.979D 06	2.425D-01
9.000 03	7.253D 03	4.276D 02	3.086D 06	2.422D-01
9.100 03	7.389D 03	4.274D 02	3.195D 06	2.419D-01
9.200 03	7.527D 03	4.273D 02	3.308D 06	2.416D-01
9.300 03	7.667D 03	4.271D 02	3.423D 06	2.413D-01
9.400 03	7.807D 03	4.270D 02	3.541D 06	2.410D-01
9.500 03	7.948D 03	4.268D 02	3.661D 06	2.407D-01
9.600 03	8.091D 03	4.267D 02	3.785D 06	2.405D-01
9.700 03	8.234D 03	4.265D 02	3.911D 06	2.402D-01
9.800 03	8.379D 03	4.263D 02	4.041D 06	2.399D-01
9.900 03	8.525D 03	4.262D 02	4.173D 06	2.396D-01
1.000 04	8.672D 03	4.260D 02	4.309D 06	2.394D-01