

Metal ion remediation by polyamidoamine dendrimers: a comparison of metal ion, oxidation state, and titania immobilization

V. A. Castillo · M. A. Barakat · M. H. Ramadan ·
H. L. Woodcock · J. N. Kuhn

Received: 1 January 2013 / Revised: 9 April 2013 / Accepted: 26 May 2013 / Published online: 26 June 2013
© Islamic Azad University (IAU) 2013

Abstract The exceptional ability of dendrimers to coordinate metal ions yields the potential for many applications including wastewater remediation, which is the focus of this study. Here, the comparison of metal ion removal rate from simulated wastewater by generation 4 dendrimers with external hydroxyl functional groups (G4-OH) is evaluated for Ni²⁺, Fe²⁺, and Fe³⁺ ions. Ni²⁺ to amine complexation occurred more rapidly than Fe³⁺, which was more rapid than Fe²⁺ complexation. These results indicate that both charge density and d-electron configuration are important toward the chelation rate. The impact of both factors is discussed in light of existing models in which precursor aquation rates have been proposed as a key intermediate step. Additionally, the application of the dendrimers as chelation agents is further advanced by immobilizing the dendrimer to titania and re-evaluating its chelation ability for Ni²⁺ removal. The dendrimer immobilization decreased the pseudo-first-order rate coefficient for Ni²⁺—amine complexation at a pH of 7 by a factor of 7.5. This result is significant as it suggests that

mass transfer becomes important following immobilization of the dendrimer to titania.

Keywords Wastewater remediation · Polyamidoamine dendrimer · Iron · Nickel · Chelation

Introduction

The multifunctional nature of dendrimer macromolecules (Astruc et al. 2010; Lee et al. 2005; Myers et al. 2011; Tomalia et al. 1990) offers potential advancements for a number of technological applications including drug delivery (Esfand and Tomalia 2001; Kitchens and Ghandehari 2009), nanoparticle synthesis (Bronstein and Shifrina 2011; Kuhn et al. 2008; Witham et al. 2010; Yamamoto et al. 2010; Ye et al. 2007), and environmental remediation (Diallo et al. 1999, 2004, 2005; Xu and Zhao 2005). Dendrimers are specifically enticing for environmental purposes because of the high density of internal functional groups and the ability to alter the chemistry of the external functional groups. Several studies have focused on purification of metal ions in simulated wastewater using dendrimers in solution, and the relevant findings from these studies are now highlighted.

For Pt ion templating in a hydroxyl-terminated generation 4 PAMAM dendrimer (G4-OH), the Crooks group correlated the maximum metal ion uptake amount to the number of internal tertiary amines (Zhao and Crooks 1999; Zhao et al. 1998). This conclusion was corroborated by an in-depth NMR study that showed innermost methylene groups as most sensitive to Pd ion chelation and concluded that the Pd was encapsulated within the dendrimer (Gomez et al. 2008). A variety of metal ions (e.g., Pt (Knecht et al. 2008a, b; Zhao and Crooks 1999), Pd (Gomez et al. 2008;

V. A. Castillo · J. N. Kuhn (✉)
Department of Chemical and Biomedical Engineering,
University of South Florida, 4202 East Fowler Avenue,
ENB 118, Tampa, FL 33620, USA
e-mail: jnkuhn@usf.edu

M. A. Barakat · M. H. Ramadan
Environmental Sciences Department, Faculty of Meteorology
and Environment, King Abdulaziz University (KAU),
Jeddah, Saudi Arabia

M. A. Barakat
Central Metallurgical R&D Institute, P. O. Box 87,
Helwan, Cairo 11421, Egypt

H. L. Woodcock
Department of Chemistry, University of South Florida,
Tampa, FL, USA



Knecht et al. 2008a, b), Rh (Huang et al. 2008), Cu (Balogh and Tomalia 1998; Zhao et al. 1998), Ni (Castillo and Kuhn 2012; Gates et al. 2010; Knecht et al. 2006), Fe (Castillo and Kuhn 2012; Knecht and Crooks 2007), Au (Knecht et al. 2008a, b), and Sn (Gates et al. 2010) chelated by dendrimers for the purposes of nanoparticle synthesis illustrate the usefulness of applying dendrimers to water purification. Of those studies above that occurred in aqueous solutions, a wide variety of complexation times were required. These times varied from less than 1 h for Pd (Witham et al. 2010) to nearly 3 days for Pt (Huang et al. 2008). Although not all conditions of complexation were identical, the broad range of chelation times indicates the need for systematic studies on complexation rates if these materials are to be repurposed for the removal of wastewater contaminants.

Using Fe^{3+} as a model metal ion, a second-order rate expression (first order in dendrimer and first order in Fe when below the 1:1 metal ion-to-tertiary amine ratio) with an Arrhenius-type temperature dependence was proposed (Mankbadi et al. 2011). Although focused on the mechanism of Pt nanoparticle synthesis, two efforts (Knecht et al. 2008a, b; Yamamoto et al. 2011) are of particular importance to the present discussion. First, the Crooks group (Knecht et al. 2008a, b) showed that the chelation rate was limited by the ligand exchange kinetics of the Pt cation in solution between chlorides and water and decreased the time needed for chelation by presolvating the Pt precursor. To better quantify this process, Yamamoto et al. (2011) developed a detailed kinetic model describing Pt ion–ligand exchange and complexation of Pt with the tertiary amine functional group of the dendrimer. This work predicted that the metal ion coordination times correlate with precursor solvation kinetics.

In this contribution, the application of dendrimers toward environmental purification of metal ions from wastewater is rigorously assessed. Metal ion adsorption is evaluated for three metal ion species (Ni^{2+} , Fe^{2+} , and Fe^{3+}) in batch remediation studies. Results of this effort yield insight into the role of oxidation state and metal into the removal process and will be discussed in light of the proposed complexation trends and models in the literature (Yamamoto et al. 2011). Such information is needed as dendrimer-based chelation technology is applied to complex and real systems where multiple metal ions are present. Another focus of this effort is to assess dendrimer immobilization by metal oxides, a method to improve separation and reuse of the material, on the adsorption rate. Titania-immobilized dendrimers were recently surveyed (Barakat et al. 2013) for the removal of metal ions typically generated from the electroplating industry. Consequently, dendrimers were immobilized onto titania and applied toward Ni^{2+} removal. The role of metal ion, oxidation state, and dendrimer immobilization on metal oxides in the behaviors of the materials as applied to wastewater remediation by dendrimers is discussed based on these results.

Materials and methods

Materials

Generation 4 polyamidoamine (PAMAM) dendrimers (G4-OH) were purchased from Sigma-Aldrich (through Dendritech[®], Inc. in Midland, MI) as a 10 % (mass) solution with methanol as the solvent and used without further purification. FeCl_3 , FeBr_2 , and NiCl_2 were of research grade and procured from Sigma-Aldrich. Titanium (IV) dioxide or titania (rutile, 99.5 % purity, 1–2 micron particle size) was purchased from Alfa-Aesar. All other reagents were of analytical grade and supplied by Sigma-Aldrich or Merck.

Batch metal ion remediation studies monitored by UV–Vis spectroscopy

Metal ions (Fe^{3+} , Fe^{2+} , or Ni^{2+}) were each dissolved in DI water from the precursors mentioned in “Materials” section to 0.01 M solution. A fresh solution was prepared for each experiment. An aliquot (1.5 mL) of this solution was mixed with 1.5 mL of a 250 μM dendrimer stock solution prepared from the as-received solution and house DI water. The amount of metal ions per dendrimer was held constant at 40:1, and this ratio remained constant to ensure that all of the amine groups of the dendrimer were not saturated for any experiments. There was no pH change during the course of the experiments. The complexation reaction between the metal ions and the dendrimer was monitored by UV–Vis spectroscopy. Spectra were acquired with a NanoDropTM 1000 Spectrophotometer. A solution of G4-OH of the same concentration used in the synthesis was used for background subtraction.

Batch remediation studies to monitor the removal of metal ions by dendrimer/titania composite materials

The dendrimer was added to titania in an aqueous slurry to achieve a dendrimer/titania adsorbent after sonication and drying. The complete synthesis of the dendrimer/titania composite was described in an earlier publication (Barakat et al. 2013). Infrared (FTIR) spectra of fresh and used composites were acquired with a PerkinElmer Spectrum 100 FTIR Spectrometer. Air was used for background subtraction. Separation of Ni^{2+} was performed in a well-mixed 500-mL conical flask at room temperature by combining an appropriate amount of Ni^{2+} metal ions with the dendrimer/titania adsorbent. The pH of the solutions was controlled by adding 1 M HCl or 1 M NaOH and monitored using an Orion pH meter. The pH was checked every 20 min and adjusted as needed. Metal ion concentrations were analyzed with an inductively coupled plasma (ICP) instrument as a function of time by removing 10-ml

aliquot of the resulting solution. Efficiency of metal ion removal was calculated with the following equation:

$$\% \text{ Efficiency of metal removal} = (C_0 - C)/C_0 \times 100 \quad (1)$$

where C_0 is the initial metal ion concentration and C is the retained metal ion concentration. Control experiments confirmed that there was not any precipitation in the absence of an adsorbent.

Rate analyses

The transient curves obtained from the batch experiments are quantified using a pseudo-first-order rate expression. Previous work (Mankbadi et al. 2011) proposed a rate expression with a first-order dependency in metal ion concentration. In this paper, the initial dendrimer concentration was the same so it does not have an impact on the rate constants calculated from the pseudo-first-order rate expression.

Results and discussion

Batch metal ion remediation studies by dendrimers in aqueous solutions

The results of the batch metal ion removal studies on the dendrimers in aqueous solution are presented in Figs. 1, 2, and 3 for Ni^{2+} , Fe^{2+} , and Fe^{3+} , respectively. These time-resolved UV–Vis spectra for Fe^{3+} were taken during the complexation processes to assess the rate of association between the metal ions and the dendrimer's internal tertiary amine groups. As discussed in the introduction, the Crooks group has previously demonstrated metal ion coordination by the internal tertiary amines (Gomez et al. 2008; Zhao and Crooks 1999; Zhao et al. 1998). For the metal ion complexation in Figs. 1, 2, and 3, the complexation process is monitored by the growth of bands associated with the ligand–metal charge transfer (LMCT). The LMCT is interpreted as a transfer of electrons from the HOMO of the tertiary amine to the metal center LUMO. Many researchers (Knecht et al. 2008a, b; Yamamoto et al. 2010, 2011; Zhao and Crooks 1999; Zhao et al. 1998) have identified this phenomenon as a method to demonstrate and track the complexation process. For the metal ions selected in this work, the LMCT bands largely appear in the 230–400 nm range of the UV–Vis spectra. Using a normalization procedure similar to that already developed (Yamamoto et al. 2011), the complexation rate coefficient was determined using pseudo-first-order kinetics (see Table 1). The comparison between experiment and modeling is presented in Fig. 4.

From this plot and the UV–Vis spectra in Figs. 1, 2, and 3, Ni^{2+} to amine complexation occurred more rapidly than




Fig. 1 Time-resolved UV–Vis spectra of Ni^{2+} coordination by amine groups of G4-OH PAMAM dendrimer. The band near 240 nm is indicative of ligand–metal charge transfer




Fig. 2 Time-resolved UV–Vis spectra of Fe^{2+} coordination by amine groups of G4-OH PAMAM dendrimer. The band near 250 nm is indicative of ligand–metal charge transfer





Fig. 3 Time-resolved UV–Vis spectra of Fe^{3+} coordination by amine groups of G4-OH PAMAM dendrimer. The band near 320 nm is indicative of ligand–metal charge transfer



Table 1 Pseudo-first-order rate coefficients obtained at room temperature for various metal ions and dendrimer materials

Entry	pH	Metal ion	[Me ⁺], $\mu\text{mol/L}$	Dendrimer	k' , h^{-1}
1	7	Ni ²⁺	100	Free	0.905
2	7	Fe ²⁺	100	Free	0.111
3	7	Fe ³⁺	100	Free	0.360
4	3	Ni ²⁺	430	Immobilized	0.047
5	5	Ni ²⁺	430	Immobilized	0.049
6	7	Ni ²⁺	430	Immobilized	0.120
7	8	Ni ²⁺	430	Immobilized	0.260

**Fig. 4** Rate curves from normalized UV-Vis spectra for time-resolved results for Ni²⁺, Fe²⁺, and Fe³⁺

Fe³⁺, which was more rapid than Fe²⁺ complexation (Ni²⁺ > Fe³⁺ > Fe²⁺). Spectra for all samples were constant beyond 24 h. The normalization is necessary because not all LMCT effects have similar optical activity. The trend among metal ion–amine complexation was then compared to an existing model (Yamamoto et al. 2011) which proposed the ligand exchange of the precursor with water groups as the limiting step. The aquation rates for Fe³⁺, Ni²⁺, and Fe²⁺ metal ions are 1.6×10^2 , 2.5×10^4 , and 2.5×10^6 s⁻¹, respectively (Douglas et al. 1983). The relative rates between Fe³⁺ and Ni²⁺ follow the proposed (Yamamoto et al. 2011) trend, which is also in agreement with other ions [e.g., Rh³⁺ (Huang et al. 2008)] not included. However, chelation of Fe²⁺ and Ni²⁺ by the dendrimer does not follow that order. That is, the complexation of Ni²⁺ is more rapid than Fe²⁺ even though the aquation rate of Fe²⁺ is two orders of magnitude than the corresponding rate of Ni²⁺. All metal ions in this study required a longer complexation time than Pd²⁺ (Witham et al. 2010) even though the aquation rate of Pd²⁺ is on the same order of magnitude as Ni²⁺. Alternative to the aquation model, for the divalent species, the relative chelation rate follows the classical Irving–William series (i.e., Ni²⁺ > Fe²⁺). Moreover, for the Fe^{x+} species, the observation that the high-valence species complex more quickly than the low-valence one makes qualitative sense

through the ability to accept more of the ligand's electron donation. These results demonstrate that the chemistry involved in the metal ion complexation process is more complicated than the aquation model proposed for Pt (Yamamoto et al. 2011) and cannot be extended to all metal ions. The complex chemistry associated with transition metals requires further examination (thermodynamic and kinetic) to understand and model the complexation process and the underlying d-electron configuration.

Regardless of the fundamental chemistry, assuming the simultaneous chelation of multiple metal ions does not impact the measured rate coefficients in Table 1, the chelation selectivity of an equimolar mixture and examined conditions is predicted to be 26 % Fe³⁺, 66 % Ni²⁺, and 8 % Fe²⁺. The simultaneous remediation of metal ion mixtures is currently under investigation.

Batch metal ion remediation studies by immobilized dendrimers

To facilitate the application of dendrimer remediation technology, the G4-OH dendrimer was grafted onto titania in a slurry process. Dendrimer immobilization is desired to enhance separation and regeneration. Titania was selected for several reasons including its common use in wastewater processing for photocatalysis so it is already proven as stable under relevant and similar conditions. Adsorption of metal laden dendrimers is commonly examined for loading of nanoparticles onto metal oxide supports (e.g., silica (Castillo and Kuhn 2012; Huang et al. 2008), alumina (Alexeev et al. 2006; Deutsch et al. 2007; Lopez-De Jesus et al. 2008), titania (Crump et al. 2008; Scott et al. 2005), and zirconia (Deutsch et al. 2007)) for the synthesis of heterogeneous catalysts. More in-depth studies also exist (Cahill et al. 2008). To confirm the immobilization, FTIR spectroscopy was performed onto the dendrimer/titania composite (Fig. 5).

The spectral features do not significantly change following the application of the composite materials as remediation agents for Ni²⁺. However, as will be discussed below, the dendrimer was shown to be stable on the titania. The bands associated with various dendrimer functional groups were analyzed via literature values (Deutsch et al. 2004, 2007; Ye et al. 2004). The respective bands at 2,972, 2,921, and 2,849 cm⁻¹ match asymmetric C–H methyl stretching, asymmetric C–H methylene stretching, and symmetric C–H methylene stretching. The respective bands at 1,648, 1,546, and 1,279 cm⁻¹ confirm amide functionality through amide C=O stretching, amide C–N stretching and amide C–N–H bending/closing, and amide C–N–H bending/opening. The respective bands at 1,459, 1,428, and 1,349 cm⁻¹ correspond to H–C–H scissoring, H–C–H asymmetric deformation, and H–C–H rocking, wagging, and twisting. Vibrational bands for the chemical linking of the organic dendrimer to titania




Fig. 5 FTIR spectroscopy before and after Ni^{2+} coordination for titania-immobilized G4-OH dendrimers

also exist. The bands at $1,092$ and $1,046$ cm^{-1} correspond to Ti–O–C bonds (Jensen et al. 2005). These bands infer a chemical interaction between the dendrimer and titania.

As part of a larger study (Barakat et al. 2013), the removal of Ni^{2+} ions was examined as a function of pH using the composite materials (highlighted in Fig. 6). The material's ability to remove Ni^{2+} ions increased with pH. Control experiments were performed to show that Ni did not precipitate under these conditions. Using the same approach for kinetic modeling as already described, pseudo-first-order rate coefficients were calculated (Table 1) and increased with increasing pH.

The internal tertiary amines of a G4-OH dendrimer have a pKa of 6.3 (Niu et al. 2003), which means that many of the amines are protonated under acid conditions (Sun and Crooks 2002). The results of Fig. 6 correspond well to those of the unprotonated fraction just mentioned. Comparing the rate coefficient of the Ni^{2+} –amine complexation at a pH of 7 with and without the dendrimer being immobilized onto titania, the rate coefficient was a factor of 7.5 higher for the free Ni^{2+} –dendrimer complex as compared to the titania-immobilized Ni^{2+} –dendrimer complex. Potential explanations for this behavior include diffusional mass transfer limitations as the dendrimer may be contained within the titania's pores, a limited ability of the dendrimer to coordinate the metal ion because the binding to titania is limiting its flexibility, or a combination of both contributions. The coordination structures and rates with and without the dendrimer being bound to the titania is the current focus of research.

Conclusion

Metal ion removal rates from simulated wastewater by G4-OH dendrimers were evaluated for Ni^{2+} , Fe^{2+} , and Fe^{3+} .




Fig. 6 Time-resolved UV–Vis spectra of Ni^{2+} coordination by titania-immobilized G4-OH dendrimers

The complexation of Ni^{2+} to internal tertiary amine sites occurred more rapidly than that of Fe^{3+} , which was more rapid than Fe^{2+} , thus indicating that both charge density and d-electron configuration are critical. The chelation ability of the dendrimer was also evaluated by immobilizing it onto titania for the removal of Ni^{2+} ions as a function of pH. Pseudo-first-order rate coefficients were calculated, showing an increase correlated to increasing pH. The trend pH occurs because the tertiary amines deprotonate under basic conditions, thus becoming sites for complexation. At a pH of 7, the free dendrimer demonstrated a sevenfold better ability to complex Ni^{2+} from solution than the titania-immobilized dendrimer. The cause of this difference is most likely a combination of diffusional limitations due to the dendrimer now being within the titania's pores and decreased flexibility of the dendrimer, leading to limited restructuring to accommodate chelated metals.

Acknowledgments The authors gratefully acknowledge funding through a partnership with KAU under Grant number 2107105600. We thank the Florida Center of Excellence for Drug Discovery and Innovation for use facilities.

References

- Alexeev OS, Siani A, Lafaye G, Williams CT, Ploehn HJ, Amiridis MD (2006) EXAFS characterization of dendrimer-Pt nanocomposites used for the preparation of Pt/ γ - Al_2O_3 catalysts. *J Phys Chem B* 110:24903–24914
- Astruc D, Boisselier B, Ornelas C (2010) Dendrimers designed for functions: from physical, photophysical, and supramolecular properties to applications in sensing, catalysis, molecular electronics, photonics, and nanomedicine. *Chem Rev* 110:1857–1959
- Balogh L, Tomalia DA (1998) Poly(amidoamine) dendrimer-templated nanocomposites. 1. Synthesis of zerovalent copper nanoclusters. *J Am Chem Soc* 120:7355–7356
- Barakat MA, Ramadan MH, Al-Ghamdi M, Al-Garney S, Woodcock HL, Kuhn JN (2013) Remediation of Cu(II), Ni(II), and Cr(III) ions from simulated wastewater by dendrimer/titania composites. *J Environ Manag* 117:50–57



- Bronstein LM, Shifrina ZB (2011) Dendrimers as encapsulating, stabilizing, or directing agents for inorganic nanoparticles. *Chem Rev* 111:5301–5344
- Cahill BP, Papastavrou G, Koper GJM, Borkovec M (2008) Adsorption of poly(amido amine) (PAMAM) dendrimers on silica: importance of electrostatic three-body attraction. *Langmuir* 24:465–473
- Castillo VA, Kuhn JN (2012) Role of the Ni:Fe ratio in ethylene hydrogenation activity for silica-supported Ni–Fe clusters prepared by dendrimer-templating. *J Phys Chem C* 116:8627–8633
- Crump CJ, Gilbertson JD, Chandler BD (2008) CO oxidation and toluene hydrogenation by Pt/TiO₂ catalysts prepared from dendrimer encapsulated nanoparticle precursors. *Top Catal* 49:233–240
- Deutsch DS, Lafaye G, Liu D, Chandler BD, Williams CT, Amiridis MD (2004) Decomposition and activation of Pt-dendrimer nanocomposites on a silica support. *Catal Lett* 97(3–4):139–143
- Deutsch DS, Siani A, Fanson PT, Hirata H, Matsumoto S, Williams CT, Amiridis MD (2007) FT-IR investigation of the thermal decomposition of poly(amidoamine) dendrimers and dendrimer-metal nanocomposites supported on Al₂O₃ and ZrO₂. *J Phys Chem C* 111:4246–4255
- Diallo MS, Balogh L, Shafagati A, Goddard WA III, Tomalia DA (1999) Poly(amidoamine) dendrimers: a new class of high capacity chelating agents for Cu(II) ions. *Environ Sci Technol* 33:820–824
- Diallo MS, Christie S, Swaminathan P, Balogh L, Shi X, Um W, Papelis C, Goddard WA III, Johnson JH Jr (2004) Dendritic chelating agents. 1. Cu(II) binding to ethylene diamine core poly(amidoamine) dendrimers in aqueous solutions. *Langmuir* 20:2640–2651
- Diallo MS, Christie S, Swaminathan P, Johnson JH Jr, Goddard WA III (2005) Dendrimer enhanced ultrafiltration. 1. Recovery of Cu(II) from aqueous solutions using PAMAM dendrimers with ethylene diamine core and terminal NH₂ groups. *Environ Sci Technol* 39:1366–1377
- Douglas BE, McDaniel DH, Alexander JJ (1983) Concepts and models of inorganic chemistry, 2nd edn. Wiley, New York
- Esfand R, Tomalia DA (2001) Poly(amidoamine) (PAMAM) dendrimers: from biomimicry to drug delivery and biomedical applications. *Drug Discov Today* 6:427–436
- Gates AT, Nettleton EG, Myers VS, Crooks RM (2010) Synthesis and characterization of NiSn dendrimer-encapsulated nanoparticles. *Langmuir* 26:12994–12999
- Gomez MV, Guerra J, Velders AH, Crooks RM (2008) NMR characterization of fourth-generation PAMAM dendrimers in the presence and absence of palladium dendrimer-encapsulated nanoparticles. *J Am Chem Soc* 131:341–350
- Huang W, Kuhn JN, Tsung C-K, Zhang Y, Habas SE, Yang P, Somorjai GA (2008) Dendrimer templated synthesis of one nanometer Rh and Pt particles supported on mesoporous silica: catalytic activity for ethylene and pyrrole hydrogenation. *Nano Lett* 8(7):2027–2034
- Jensen H, Soloviev A, Li Z, Søgaard EG (2005) XPS and FTIR investigation of the surface properties of different prepared titania nano-powders. *Appl Surf Sci* 246:239–249
- Kitchens KM, Ghandehari H (2009) PAMAM dendrimers as nano-scale oral drug delivery systems. *Nanotechnology in Drug Delivery*, American Association of Pharmaceutical Scientists, New York, NY
- Knecht MR, Crooks RM (2007) Magnetic properties of dendrimer-encapsulated iron nanoparticles containing an average of 55 and 147 atoms. *New J Chem* 31:1349–1353
- Knecht MR, Garcia-Martinez JC, Crooks RM (2006) Synthesis, characterization, and magnetic properties of dendrimer-Encapsulated nickel nanoparticles containing <150 atoms. *Chem Mater* 18:5039–5044
- Knecht MR, Weir MG, Frenkel AI, Crooks RM (2008a) Structural rearrangement of bimetallic alloy PdAu nanoparticles within dendrimer templates to yield core/shell configurations. *Chem Mater* 20:1019–1028
- Knecht MR, Weir MG, Myers VS, Pyrz WD, Ye H, Petkov V, Buttrey DJ, Frenkel AI, Crooks RM (2008b) Synthesis and characterization of Pt dendrimer-encapsulated nanoparticles: effect of the template on nanoparticle formation. *Chem Mater* 20:5218–5228
- Kuhn JN, Huang W, Tsung C-K, Zhang Y, Somorjai GA (2008) Structure sensitivity of carbon–nitrogen ring opening: impact of platinum particle size from below 1 to 5 nm upon pyrrole hydrogenation product selectivity over monodisperse platinum nanoparticles loaded onto mesoporous silica. *J Am Chem Soc* 130:14026–14027
- Lee CC, MacKay JA, Frechet JMJ, Szoka FC (2005) Designing dendrimers for biological applications. *Nat Biotechnol* 23:1517–1526
- Lopez-De Jesus YM, Vicente A, Lafaye G, Marcot P, Williams CT (2008) Synthesis and characterization of dendrimer-derived supported iridium catalysts. *J Phys Chem C* 112:13837–13845
- Mankbadi MR, Barakat MA, Ramadan MH, Woodcock HL, Kuhn JN (2011) Iron chelation by polyamidoamine dendrimers: a second-order kinetic model for metal amine complexation. *J Phys Chem B* 115:13534–13540
- Myers VS, Weir MG, Carino EV, Yancey DF, Pande S, Crooks RM (2011) Dendrimer-encapsulated nanoparticles: new synthetic and characterization methods and catalytic applications. *Chem Sci* 2:1632–1646
- Niu Y, Sun L, Crooks RM (2003) Determination of the intrinsic proton binding constants for poly(amidoamine) dendrimers via potentiometric pH titration. *Macromolecules* 36:5725–5731
- Scott RWJ, Sivadinarayana C, Wilson OM, Yan Z, Goodman DW, Crooks RM (2005) Titania-supported PdAu bimetallic catalysts prepared from dendrimer-encapsulated nanoparticle precursors. *J Am Chem Soc* 127(5):1380–1381
- Sun L, Crooks RM (2002) Interactions between dendrimers and charged probe molecules. 1. Theoretical methods for simulating proton and metal ion binding to symmetric polydentate ligands. *J Phys Chem B* 106:5864–5872
- Tomalia DA, Naylor AM, Goddard WA III (1990) Starburst dendrimers: molecular-level control of size, shape, surface chemistry, topology, and flexibility from atoms to macroscopic matter. *Angew Chem Int Ed* 29:138–175
- Witham CA, Huang W, Tsung C-K, Kuhn JN, Somorjai GA, Toste FD (2010) Converting homogeneous to heterogeneous in electrophilic catalysis using monodisperse metal nanoparticles. *Nat Chem* 2:36–41
- Xu Y, Zhao D (2005) Removal of copper from contaminated soil by use of poly(amidoamine) dendrimers. *Environ Sci Technol* 39:2369–2375
- Yamamoto D, Watanabe S, Miyahara MT (2010) Coordination and reduction processes in the synthesis of dendrimer-encapsulated Pt nanoparticles. *Langmuir* 26:2339–2345
- Yamamoto D, Watanabe S, Miyahara MT (2011) Modeling Pt₂+ coordination process within poly(amidoamine) dendrimers for synthesis of dendrimer-encapsulated Pt nanoparticles. *Ind Eng Chem Res* 50:7332–7337
- Ye H, Scott RWJ, Crooks RM (2004) Synthesis, characterization, and surface immobilization of platinum and palladium nanoparticles encapsulated within amine-terminated poly(amidoamine) dendrimers. *Langmuir* 20:2915–2920
- Ye H, Crooks JA, Crooks RM (2007) Effect of particle size on the kinetics of the electrocatalytic oxygen reduction reaction catalyzed by Pt dendrimer-encapsulated nanoparticles. *Langmuir* 23:11901–11906
- Zhao M, Crooks RM (1999) Dendrimer-encapsulated Pt nanoparticles: synthesis, characterization, and applications to catalysis. *Adv Mater* 11:217–220
- Zhao M, Sun L, Crooks RM (1998) Preparation of Cu nanoclusters within dendrimer templates. *J Am Chem Soc* 120:4877–4878