

PPPL-2071

I-13517

PPPL-2071

DR# 2143-1

UC20-F

171  
3-6-84 85 (1)

OVERMODED WAVEGUIDE COMPONENTS FOR THE ECH SYSTEM ON PDX

By

J.L. Doane

JANUARY 1984

**MASTE**

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

**PLASMA  
PHYSICS  
LABORATORY**



**PRINCETON UNIVERSITY  
PRINCETON, NEW JERSEY**

PREPARED FOR THE U.S. DEPARTMENT OF ENERGY,  
UNDER CONTRACT DE-AC02-76-CHO-3073.

OVERMODED WAVEGUIDE COMPONENTS FOR THE ECH SYSTEM ON PDX

J.L. Doane

Plasma Physics Laboratory, Princeton University

Princeton, N.J. 08544

ABSTRACT

Waveguide components designed specifically for transmitting power into PDX for electron cyclotron heating (ECH) at 60 GHz are described. These include mode converters from the circular electric TE<sub>01</sub> mode to the polarized HE<sub>11</sub> mode, compact corrugated waveguide bends with a hyperbolic secant curvature variation, compact corrugated waveguide diameter tapers with a parabolic profile, and a high voltage DC break incorporating a section of dielectric waveguide, all designed for low-loss HE<sub>11</sub> propagation. Optimization of the corrugation depth and curvature for bends propagating TE<sub>01</sub> is also discussed.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

### III. INTRODUCTION

The two gyrotrons used on PDX generate the TE<sub>02</sub> mode near 60 GHz in 2.5-inch waveguide. Since TE<sub>02</sub> has both a poor radiation pattern and relatively high waveguide loss, we quickly tapered down to smaller waveguide where low-loss mode converters can be made in reasonable lengths. The smaller diameter also allows reasonably short low-loss bends to be made. In Table I we show the sequence of components and waveguide modes used between the gyrotrons and PDX. The TE<sub>02</sub> and TE<sub>01</sub> components and corrugated waveguide for bends in these modes were supplied by GA Technologies, Inc., San Diego, California.

Designing bends for TE<sub>01</sub> is particularly tricky, since the corrugation depth must be large enough to split the propagation constant degeneracy with TM<sub>11</sub> but small enough to avoid indirect coupling to HE<sub>21</sub> (see Fig. 1). In contrast, bends propagating HE<sub>11</sub> can be made much shorter than those with TE<sub>01</sub>, since there is no mode close to degeneracy with HE<sub>11</sub> at reasonable corrugation depths.

Due to cramped space near PDX and a desire to obtain a polarized mode with a good radiation pattern, mode converters were used near PDX to convert TE<sub>01</sub> into HE<sub>11</sub>. To use a commercial high-power waveguide window and to reduce the antenna beam width, the waveguide was finally tapered up to 2.5 inches and the HE<sub>11</sub> mode was radiated from open-ended corrugated waveguide into PDX.

We first consider the TE<sub>01</sub>-HE<sub>11</sub> converters, and then the HE<sub>11</sub> bends. Discussion of the theoretically more complex TE<sub>01</sub> bends follows. We then discuss the HE<sub>11</sub> taper to 2.5 inches and a high voltage DC break. Finally, we consider the overall transmission system performance.

## II. TE<sub>01</sub> to HE<sub>11</sub> MODE CONVERTERS

A schematic of the converters used at PPPL is shown in Fig. 2 [1]. Curvature continuously couples power from TE<sub>01</sub> to TM<sub>11</sub>, which in smooth waveguide is degenerate (propagation constant is identical) with TE<sub>01</sub>. A constant radius bend of angle  $\theta_c$  will ideally convert all the power from one mode to the other if

$$\theta_c = \frac{x\lambda}{2\sqrt{2}P^2a}, \quad (1)$$

$$\text{where } P = \beta_z/k = \left[1 - x^2/(k^2a^2)\right]^{1/2}, \quad (2)$$

$x = 3.8317$  is the Bessel function root for TE<sub>01</sub> and TM<sub>11</sub>,  $a$  is the waveguide radius, and  $\lambda = 2\pi/k$  is the free space wavelength. (The factor  $P^2$  in (2) is a small correction to the expressions found in the literature [2]; see the derivation in [3].) The bend must be long enough to avoid unwanted mode conversion to modes such as TE<sub>11</sub> and TE<sub>21</sub> but is short as possible to minimize ohmic (wall) loss from the high-loss TM<sub>11</sub> mode.

The second converter "adiabatically" converts TM<sub>11</sub> to HE<sub>11</sub> by increasing the corrugation depth gradually from zero to something approaching  $\lambda/4$ . The properties of the HE<sub>11</sub> mode are quite well-established in highly overmoded waveguide at considerably smaller corrugation (slot) depths, as might be concluded from the behavior of  $\beta_z$  shown in Fig. 1. The converter must only be long enough to suppress the "branch hopping," principally to the TE<sub>11</sub>-EH<sub>11</sub> branch, that accompanies an abrupt change in corrugation depth. The HE<sub>11</sub> is polarized perpendicular to the plane of the bend.

The TE<sub>01</sub>-TM<sub>11</sub> converter was fabricated by annealing a 57-inch piece of commercially available WC109 (1.094-inch I.D.) waveguide in a vacuum furnace and then bending it in a pre-assembled frame with a form defining the curve. The anneal made the waveguide easy to bend by hand, and the side walls of the frame kept the waveguide from becoming significantly elliptic in the plane perpendicular to the bend. An actual bend arc length of 48 inches for  $\theta_c = 28$  degrees was adequate to reduce the unwanted mode conversion between 59 and 60 GHz to 1% while keeping the ohmic loss down to about 3% [1].

The TM<sub>11</sub>-HE<sub>11</sub> converter was fabricated by electroforming, using an aluminum mandrel machined on a numerically controlled lathe. The corrugation depth was made to increase slowest at shallow depths where the coupling coefficient for hopping to the TE<sub>11</sub>-EH<sub>11</sub> branch is largest. The corrugation period and width must be less than  $\lambda$  and  $\lambda/2$ , respectively. Higher order modes in the corrugations are attenuated (as in cutoff waveguide) by as much as 12 and 26 dB in a depth of  $\lambda/8$  when the corrugation width is  $\lambda/4$  and  $\lambda/8$ , respectively. If significant TE<sub>11</sub> (or TE<sub>21</sub>) is present at the converter input, the corrugation width and period should be reduced somewhat, since these modes turn into surface waves with guide wavelengths less than that of free space ( $\lambda_g \approx \lambda/2$ , for example, when the corrugation depth is  $\lambda/8$ ). Measured overall TE<sub>01</sub>-HE<sub>11</sub> conversion efficiency was about 92% near 59.5 GHz [1].

The HE<sub>11</sub> mode may also be generated from TE<sub>01</sub> using TE<sub>11</sub> as the intermediate mode [4]-[6]. This scheme has the advantage that the converters can all be made without bends, and testing is made simpler because TE<sub>11</sub> in circular waveguide can be generated quite conveniently directly from TE<sub>10</sub> in single-mode rectangular waveguide. The TE<sub>11</sub>-HE<sub>11</sub> converter may also be made somewhat shorter than the TM<sub>11</sub>-HE<sub>11</sub> converter due to reduced coupling, and

there is no danger of surface mode generation in the converter. The serpentine TE<sub>01</sub>-TE<sub>11</sub> converter, however, must be made very long to suppress TE<sub>12</sub> and also TE<sub>21</sub>, or else the waveguide diameter of the converters must be reduced. Due to the relatively large number of periods of the coupling, the TE<sub>01</sub>-TE<sub>11</sub> converter bandwidth is likely to be inherently narrower than that of the TE<sub>01</sub>-TM<sub>11</sub> converter. The TE<sub>11</sub>-HE<sub>11</sub> converter bandwidth is also reduced relative to that of the TM<sub>11</sub>-HE<sub>11</sub> converter by the need to start the corrugation depth at  $\lambda/2$  in the former.

### III. HE<sub>11</sub> BENDS

The HE<sub>11</sub> is well-suited for negotiating tight bends in corrugated waveguide, because its propagation constant  $\beta_z$  is well-separated from other modes and is not sensitive to changes in corrugation depth (Fig. 1). The primary coupling due to curvature is to TE<sub>01</sub> and HE<sub>21</sub>; the (dimensionless) coupling coefficient K for coupling to either mode is about 4 for a waveguide inside diameter of 1.094 inches near 60 GHz [3]. Such a situation is particularly convenient for a low mode-conversion 90-degree bend using a hyperbolic secant curvature variation with arc length. The power lost to a single unwanted mode in such a bend is ideally [7]

$$P_L = \frac{\sin^2 K\theta}{\cosh^2 (\Delta\beta R_0 \theta/2)}, \quad (3)$$

where  $\Delta\beta$  is the difference in propagation constants of the two modes,  $R_0$  is the minimum radius of curvature (at the center of the bend), and it is assumed that the differential attenuation between modes is negligible in the bend

(virtually always true in short bends). From Eq.(3), it is clear that when  $\theta = \pi/2$  and  $K$  is even, the loss should vanish.

The actual loss in an HE11 bend is complicated by simultaneous coupling to both TE01 to HE31. A hyperbolic secant curvature must also be truncated at some finite length, producing a further departure from Eq. (3). Nevertheless, Fig. 3 shows the superiority of this type of curvature over other types in this application.

Due to the sensitivity of the mode conversion to the curvature variation in a sharp bend, a frame was constructed to restrain the flexible corrugated waveguide; the entire assembly is shown in Fig. 4. The bend arc length is 32 inches. In order to allow bending to a minimum radius of 8 inches at the bend center without fracture, the corrugations had to be rounded. The total length of the corrugated waveguide in Fig. 4 is 40 inches. The measured mode conversion between 59 and 60 GHz when this bend was used to propagate HE11 was less than 0.1 dB for both H-plane and E-plane orientations.

#### IV. TE01 BENDS

Mode conversion in bends propagating TE01 is much harder to prevent. If the corrugation depth is too small, then coupling similar to that in the TE01-TM11 converter predominates. If, on the other hand, the corrugation depth is too large, the HE21 mode becomes almost degenerate with TE01 (Fig. 1). In that case, even though there is no direct coupling between TE01 and HE21 in a bend, indirect coupling through HE11 can lead to disastrous results [8]. This sensitivity to corrugation depth is shown in Fig. 5, calculated from numerical integration of the coupled mode equations for a cosine curvature variation over a 72-inch arc length. For shorter bends the low-loss "window" becomes even narrower.

The cosine curvature variation exhibits the widest window in corrugation depth for this application. Results of numerical integrations for a 60-inch arc length are shown in Fig. 6. Frames defining hyperbolic secant and triangular (linearly tapered) curvature variations for these arc lengths were actually constructed; the measured mode conversion losses of about 0.8 dB and 0.28 dB, respectively, are consistent with an effective corrugation depth of  $0.28 \lambda/4$  (Fig. 6).

The actual corrugation depth in the waveguide used for TE01 bends at PDX was  $0.5 \lambda/4$ , the period was  $1.2 \lambda/4$ , and the corrugation width was slightly less than half the period. The space between corrugations reduces the surface reactance and hence the effective corrugation depth; a decrease from  $0.5 \lambda/4$  to effectively  $0.28 \lambda/4$  appears reasonable for this waveguide.

When TE01 was propagated in a test corrugated bend with a corrugation depth of  $0.6 \lambda/4$ , the measured insertion loss was higher than for  $0.5 \lambda/4$  [9], in agreement with the trend for all curvature variations in Figs. 5 and 6. As expected, the loss was extremely large in bends with a corrugation depth of  $\lambda/4$  [9].

The actual bends used at PPPL are enclosed in frames both to prevent damage and also to ensure that the desired curvature variation was not disturbed. The curvature is defined by inner and outer sets of standoff against which brass strips have been placed to ensure a smooth surface for the waveguide exterior. Cosine curvature over 72-inch arc lengths was used for both 90-degree and 45-degree TE01 bends, yielding measured mode conversion between 59 and 60 GHz of less than 0.1 dB and 0.05 dB, respectively. Numerical integrations also indicated the superiority of the cosine curvature variation for TE02 bends, but even a 60-inch arc length 90-degree bend with a triangular curvature variation produced only 0.1 dB of mode conversion when propagating TE02 in this same waveguide.



#### V. PARABOLIC HE<sub>11</sub> TAPERS

The TE<sub>01</sub>-HE<sub>11</sub> mode converters and the waveguide bends must be made in relatively small diameter waveguide in order to keep their length (roughly proportional to diameter squared) reasonably short. As we have seen, the HE<sub>11</sub> mode is also desirable for negotiating the last bends near the plasma device when space is cramped. After the last bend, however, an increase in the waveguide diameter is desirable in order to reduce the beamwidth of the radiation from open-ended waveguide.

For PDX we used 2.5-inch windows obtained from Varian Associates, and thus we needed a taper to that diameter from the 1.094-inch diameter of the mode converter and bends. To preserve the HE<sub>11</sub> mode, the walls of the taper must be corrugated. To minimize the mode conversion, the taper profile must be nonlinear.

A nonlinear taper can be designed easily if the profile is "parabolic." For such a taper of total length  $L$ , the axial distance  $z$  is related to the local radius  $a(z)$  by

$$z = \frac{[a^2(z) - a_1^2]L}{a_2^2 - a_1^2}, \quad (4)$$

where  $a_1 = a(0)$  and  $a_2 = a(L)$ . The mode conversion vanishes for taper lengths  $L_n$ , where [10]

$$L_n = \frac{K_0 (a_2^2 - a_1^2)}{P_0 \lambda_0} \left[ \left( \frac{m}{K_0 \ln(a_2/a_1)} \right)^2 - 1 \right]^{1/2}, n \text{ integer,}$$

(5)

subject to the approximation that the mode coupling is  $K_0 d(\ln a)/dz$ ,  $K_0$  constant, and the difference in propagation constants  $\Delta\beta$  between the desired and undesired modes is

$$\Delta\beta = P_0 \lambda/a^2, \quad (6)$$

where  $\lambda$  is the free space wavelength. The former approximation is usually extremely good even close to cutoff, and the latter (for  $\Delta\beta$ ) is quite good when both modes are reasonably far from cutoff.

The taper length for the first null,  $L_1$  in the above formula, is shorter than that for other nonlinear tapers [10]. The coupling in a parabolic taper is actually the analog of constant coupling in constant diameter waveguide. The length required in either case for the first zero in the mode conversion is quite small, but the bandwidth for low mode conversion (about 10%) is also less than that for other coupling variations, primarily due to the coupling discontinuities at the ends. Nevertheless, in electron cyclotron heating applications, a very wide bandwidth is ordinarily not required.

The theoretical situation for our HE<sub>11</sub> taper is shown in Fig. 7. The theoretical mode conversion to HE<sub>12</sub> with  $K_0 = 1.076$  and  $P_0 = 1.965$  exhibits

nulls at  $L_1 = 12$  inches and  $L_2 = 24.5$  inches. The curve calculated from numerical integration of the coupled mode equations shows a shift to shorter lengths due to a small deviation of  $\Delta\beta$  from the approximation (6) at smaller diameters and also the fact that the corrugations are not quite as deep as  $\lambda_0/4$ . This last fact also causes the coupling to EH<sub>12</sub> to be nonzero, which results in nonzero total mode conversion near  $L_1 = 12$  inches.

A corrugated taper fabricated by electroforming with a parabolic profile and  $L = 24$  inches is shown in Fig. 8. The mode conversion measured with back to back tapers of the same kind between 59 and 60 GHz was less than the experimental uncertainty, about 0.5%.

#### VI. HIGH VOLTAGE DC BREAK

A DC break was required in the waveguide near PDX to prevent transient or accidental potentials on PDX from reaching equipment located on the machine floor. Fortunately, at a diameter  $D = 2.5$  inches, the diameter to wavelength ratio  $D/\lambda_0$  is sufficiently large at 60 GHz to allow low-loss propagation of the HE<sub>11</sub> mode in a short piece of dielectric waveguide. If the dielectric is effectively infinite in extent in the transverse plane, then the fields of the HE<sub>11</sub> mode in the dielectric waveguide are virtually the same as those in corrugated waveguide, and the transmission loss depends mainly on the real part of the dielectric constant and  $\lambda_0^2/D^3$  [11].

The transverse extent of the dielectric can be made effectively very large if a material with a large imaginary part of the dielectric constant (large loss tangent) is used. Phenolic is very good for this application at millimeter wavelengths; the measured loss in a sample of linen - based phenolic was about 20 dB per inch near 60 GHz.

A picture of a DC break using this principle is shown in Fig. 9. A phenolic annulus was sandwiched between two corrugated waveguide lengths. The outside diameter of the phenolic piece was 4.5 inches, ensuring a 20 dB loss between inside and outside and suppressing RF leakage as well as providing the proper boundary conditions as discussed above. In a 3/4-inch length, assuming a dielectric constant of 3.5, the loss theoretically should be less than 0.03 dB. The measured insertion loss for the HE<sub>11</sub> mode was actually about 0.3 dB near 60 GHz. This break could stand off 20 kV. A gas inlet/output port was attached through a small hole in the phenolic. A similar break without the corrugated waveguide lengths but with a 1-1/2 inch length of phenolic was made by M. Goldman of PPPL for use on the PLT tokamak. The HE<sub>11</sub> insertion loss of this piece was only 0.1 dB.

#### VII. SYSTEM CONSIDERATIONS

Assuming close to 100% of the output of the Varian 100 millisecond single cavity gyrotron is in the TE<sub>02</sub> mode near 60 GHz (this was confirmed with the use of a TE<sub>02</sub> directional coupler and a TE<sub>02</sub>-TE<sub>01</sub> converter [12]), it is estimated from measurements on individual components that about 10% was lost in the walls due to ohmic loss on the way to the 2.5-inch DC break near PDX (primarily due to excitation of high loss modes), and about 10% appeared in other modes besides HE<sub>11</sub>. Unfortunately, approximately another 10% of mode conversion is caused by the window assembly, because it was mechanically impractical to corrugate the waveguide walls in that piece. The HE<sub>11</sub> mode cannot propagate in smooth waveguide. At the junction between corrugated and smooth waveguide, the incident HE<sub>11</sub> is decomposed into approximately 84% TE<sub>11</sub> and 15% TM<sub>11</sub> [13]. Since these latter modes have different propagation constants, they will in general not add in the proper phase to regenerate HE<sub>11</sub>

at the place where the waveguide again becomes corrugated. The power in spurious modes (HE<sub>12</sub>, EH<sub>12</sub>, etc.) in the output corrugated waveguide varies as the square of the length  $l$  of smooth waveguide inserted between the corrugated pieces, when  $l$  is small.

Nevertheless, the radiation pattern from open-ended corrugated waveguide after passing through the window is still quite good. Figure 10 shows the pattern in the E-plane (which is the toroidal plane for ordinary mode launching) measured after a HE<sub>11</sub> mode launched by the TE<sub>01</sub>-HE<sub>11</sub> converter had passed through the 1.094-2.5 inch taper, a 2.5-inch I.D. corrugated bellows, the DC break of Fig. 9, the window, and a length of corrugated waveguide attached to a tokamak vacuum flange similar to the one used on PDX for the outside ordinary mode launch.

#### ACKNOWLEDGMENTS

During the course of designing, building, and testing the components described here, many helpful comments and suggestions were given by M.A. Goldman and H. Hsuan. This work was supported by U.S. Department of Energy Contract No. DE-AC02-76-CHO-3073.

## REFERENCES

- [1] J.L. Doane, "Mode converters for generating the HE<sub>11</sub> (gaussian-like) mode from TE<sub>01</sub> in a circular waveguide," Int. J. Electronics, vol. 53, pp. 573-585, Dec. 1982.
- [2] H.E. Rowe and W.D. Warters, "Transmission in multimode waveguide with random imperfections," Bell System Tech. J., vol. 41, pp. 1031-1170, May 1962.
- [3] J.L. Doane, "Propagation and mode coupling in corrugated and smooth wall circular waveguides," in Infrared and Millimeter Waves, Vol. 13, K.J. Button, ed. , New York: Academic Press, to be published.
- [4] C. Moeller, "Mode converters used in the Doublet III ECH microwave system," Int. J. Electronics, vol. 53, pp. 587-593, Dec. 1982.
- [5] B. MacA. Thomas, "Mode conversion using circumferentially corrugated cylindrical waveguide," Electron Lett., vol. 8, pp. 394-396, July 1972.
- [6] M. Thumm et al., "Conversion of gyrotron TE<sub>0n</sub> mode mixtures into a linearly polarized HE<sub>11</sub>-wave," presented at Eighth International Conference on Infrared and Millimeter Waves, Miami, Florida, Dec. 1983.
- [7] J.L. Doane, "Hyperbolic secant mode coupling," Princeton Plasma Physics Lab. Rep. PPPL-1923, July 1982.

- [8] J.W. Carlin and S.C. Moorthy, "TE<sub>01</sub> transmission in waveguide with axial curvature," Bell System Tech. J., vol. 56, pp. 1849-1872, Dec. 1977.
- [9] C. Moeller, private communication.
- [10] J.L. Doane, "Parabolic tapers for overmoded waveguides," presented at the Eighth International Conference on Infrared and Millimeter Waves, Miami, Florida, Dec. 1983.
- [11] E.A.J. Marcatili and R.A. Schmeltzer, "Hollow metallic and dielectric waveguides for long distance optical transmission and lasers," Bell System Tech. J., vol. 43, pp. 1783-1809, July 1964.
- [12] C. Moeller, private communication.
- [13] C. Dragone, "Reflection, transmission, and mode conversion in a corrugated feed," Bell System Tech. J., vol. 56, pp. 835-867, July-August 1977.

TABLE I

## Sequence of Major Components in PDX ECH Transmission System

COMPONENT	DIAMETER	MODE
<u>GYROTRON</u>	2.5"	TE02
ARC DETECTOR, MODE FILTER	2.5"	TE02
TAPER	2.5 + 1.094"	TE02
90° BEND, BIDIRECTIONAL COUPLER	1.094"	TE02
MODE CONVERTER	1.094"	TE02 + TE01
90° AND 45° BENDS	1.094"	TE01
WC109 WAVEGUIDE		
BIDIRECTIONAL COUPLER		
MODE CONVERTERS	1.094"	TE01 + TM11 + HE11
90° BENDS	1.094"	HE11
CORRUGATED TAPER	1.094 + 2.5"	HE11
BELLOWS, DC BREAK, WINDOW	2.5"	HE11
OPEN-ENDED CORRUGATED WAVEGUIDE AT <u>PDX</u>	2.5"	HE11



## FIGURE CAPTIONS

- FIG. 1 Propagation constants relative to TE<sub>01</sub> in 1.094-inch I.D. corrugated circular waveguide as a function of slot (corrugation) depth at 60 GHz.
- FIG. 2 Generation of HE<sub>11</sub> from TE<sub>01</sub> via TM<sub>11</sub>. TM<sub>11</sub> and HE<sub>11</sub> are polarized perpendicular to the plane of the bend.
- FIG. 3 Mode conversion as a function of arc length L for HE<sub>11</sub> propagation in a 90-degree H-plane bend with various curvature variations; calculated numerically from the coupled mode equations including simultaneous coupling to TE<sub>01</sub>, HE<sub>21</sub>, and HE<sub>31</sub>; waveguide I.D. = 1.094 inches, effective (electrical) corrugation depth =  $\lambda/8$ , frequency = 60 GHz. Minimum radius  $R_0$  for hyperbolic secant curvature is L/4.
- FIG. 4 A 90-degree HE<sub>11</sub> bend in 1.094-inch I.D. corrugated waveguide with  $R_0 = 8$  inches, arc length L = 32 inches, and overall waveguide length (before bending) 40 inches. Hyperbolic secant curvature variation.
- FIG. 5 Mode conversion as a function of effective (electrical) corrugation depth for TE<sub>01</sub> propagation in a 90-degree bend with a cosine curvature variation and 72-inch arc length; calculated numerically from the coupled mode equations assuming simultaneous coupling to HE<sub>11</sub>, EH<sub>12</sub>, and HE<sub>21</sub>; waveguide I.D. = 1.094 inches, frequency = 60 GHz.

- FIG. 6 The same as Fig. 5, except that the arc length is 60 inches and other curvature variations are compared. The asterisks denote measured losses for triangular and hyperbolic secant ( $L/R_0 = 4$ ) curvature variations, showing consistency with an effective corrugation depth of  $0.28 (\lambda/4)$ .
- FIG. 7 Total mode conversion as a function of taper length for HE11 propagation at 60 GHz with initial and final diameters of 1.094 and 2.5 inches, respectively: (a) Ideal curve calculated from analytical solution for a parabolic taper assuming validity of Eq. (6), coupling only to HE12, and an effective corrugation depth of  $\lambda/4$ ; (b) curve calculated numerically from the coupled mode equations assuming simultaneous coupling to HE12, EH12, and EH13, an effective corrugation depth of  $0.7 (\lambda/4)$ , and a parabolic taper; (c) same as (b), but for linear taper.
- FIG. 8 Parabolic taper in corrugated circular waveguide. Total length = 24 inches; initial and final diameters are 1.094 and 2.5 inches, respectively.
- FIG. 9 High voltage DC break in 2-5 inch I.D. waveguide.
- FIG. 10 E-plane radiation patterns at 59.68 GHz 40 inches away from open-ended 2.5-inch I.D. corrugated waveguide excited by TE01-HE11 converter, parabolic taper, corrugated bellows, DC break, and vacuum window.

#82E0094




Fig. 1

#82EG090




Fig. 2

#83E0102




Fig. 3




Fig. 4




Fig. 5





Fig. 6





#83E0093

Fig. 7




Fig. 8





Fig. 9

#83E0128



EXTERNAL DISTRIBUTION IN ADDITION TO TIC UC-20

Plasma Res Lab, Austr Nat'l Univ, AUSTRALIA  
Dr. Frank J. Feoloni, Univ of Wollongong, AUSTRALIA  
Prof. J.R. Jones, Flinders Univ., AUSTRALIA  
Prof. M.H. Brennan, Univ Sydney, AUSTRALIA  
Prof. F. Cap, Inst Theo Phys, AUSTRIA  
Prof. Frank Verhaest, Inst theoretische, BELGIUM  
Dr. D. Palumbo, Dg XII Fusion Prog, BELGIUM  
Ecole Royale Militaire, Lab de Phys Plasmas, BELGIUM  
Dr. P.H. Sakonaka, Univ Estadual, BRAZIL  
Dr. C.R. James, Univ of Alberta, CANADA  
Prof. J. Telchmann, Univ of Montreal, CANADA  
Dr. H.M. Skarsgard, Univ of Saskatchewan, CANADA  
Prof. S.R. Sreenivasan, University of Calgary, CANADA  
Prof. Tudor W. Johnston, INRS-Energie, CANADA  
Dr. Hannes Barnard, Univ British Columbia, CANADA  
Dr. M.P. Bachynski, MPB Technologies, Inc., CANADA  
Zhengwu Li, Sw Inst Physics, CHINA  
Library, Tsing Hua University, CHINA  
Librarian, Institute of Physics, CHINA  
Inst Plasma Phys, Academia Sinica, CHINA  
Dr. Peter Lukac, Komenského Univ, CZECHOSLOVAKIA  
The Librarian, Culham Laboratory, ENGLAND  
Prof. Schatzman, Observatoire de Nice, FRANCE  
J. Rodez, CEN-BP6, FRANCE  
AM Dupas Library, AM Dupas Library, FRANCE  
Dr. Tom Muel, Academy Bibliographic, HONG KONG  
Preprint Library, Cent Res Inst Phys, HUNGARY  
Dr. S.K. Trehan, Panjab University, INDIA  
Dr. Indra, Mohan Lal Das, Banaras Hindu Univ, INDIA  
Dr. L.K. Chavda, South Gujerat Univ, INDIA  
Dr. R.K. Chhajlani, Var Ruchi Marg, INDIA  
F. Kaw, Physical Research Lab, INDIA  
Dr. Phillip Rosenau, Israel Inst Tech, ISRAEL  
Prof. S. Cuperman, Tel Aviv University, ISRAEL  
Prof. G. Rostagni, Univ Di Padova, ITALY  
Librarian, Int'l Ctr Theo Phys, ITALY  
Miss Clotilde De Palo, Assoc EURATOM-CNEN, ITALY  
Biblioteca, del CNR EURATOM, ITALY  
Dr. H. Yamato, Toshiba Res & Dev, JAPAN  
Prof. M. Yoshikawa, JAERI, Tokai Res Est, JAPAN  
Prof. T. Uenice, University of Tokyo, JAPAN  
Research Info Center, Nagoya University, JAPAN  
Prof. Kyoji Nishikawa, Univ of Hiroshima, JAPAN  
Prof. Sigeru Mori, JAERI, JAPAN  
Library, Kyoto University, JAPAN  
Prof. Ichiro Kawakami, Nihon Univ, JAPAN  
Prof. Satoshi Itoh, Kyushu University, JAPAN  
Tech Info Division, Korea Atomic Energy, KOREA  
Dr. R. England, Ciudad Universitaria, MEXICO  
Bibliotheek, Fom-Inst Voor Plasma, NETHERLANDS  
Prof. B.S. Lilley, University of Waikato, NEW ZEALAND  
Dr. Suresh C. Sharma, Univ of Calabar, NIGERIA  
Prof. J.A.C. Cabral, Inst Superior Tech, PORTUGAL  
Dr. Octavien Petrus, ALI CUZA University, ROMANIA  
Prof. M.A. Hellberg, University of Natal, SO AFRICA  
Dr. Johan de Villiers, Atomic Energy Bd, SO AFRICA  
Fusion Div. Library, JEN, SPAIN  
Prof. Hans Wilhelmson, Chalmers Univ Tech, SWEDEN  
Dr. Lennart Stenflo, University of UMEA, SWEDEN  
Library, Royal Inst Tech, SWEDEN  
Dr. Erik T. Karlson, Uppsala Universitet, SWEDEN  
Centre de Recherches, Ecole Polytech Fed, SWITZERLAND  
Dr. W.L. Walse, Nat'l Bur Stand, USA  
Dr. W.M. Stacey, Georg Inst Tech, USA  
Dr. S.T. Wu, Univ Alabama, USA  
Prof. Norman L. Oleson, Univ S Florida, USA  
Dr. Benjamin Ma, Iowa State Univ, USA  
Prof. Magne Kristiansen, Texas Tech Univ, USA  
Dr. Raymond Askew, Auburn Univ, USA  
Dr. V.T. Tolok, Kharkov Phys Tech Ins, USSR  
Dr. D.D. Ryutov, Siberian Acad Sci, USSR  
Dr. G.A. Eliseev, Kurchatov Institute, USSR  
Dr. V.A. Glukhikh, Inst Electro-Physical, USSR  
Institute Gen. Physics, USSR  
Prof. T.J. Boyd, Univ College N Wales, WALES  
Dr. K. Schindler, Ruhr Universitat, W. GERMANY  
Nuclear Res Estab, Juilich Ltd, W. GERMANY  
Librarian, Max-Planck Institut, W. GERMANY  
Dr. H.J. Kaeppeler, University Stuttgart, W. GERMANY  
Bibliothek, Inst Plasmatorschung, W. GERMANY