TGF-β Prevents Phosphate-Induced Osteogenesis through Inhibition of BMP and Wnt/β-Catenin Pathways

Fátima Guerrero^{1,9}, Carmen Herencia^{1,9}, Yolanda Almadén², Julio M. Martínez-Moreno¹, Addy Montes de Oca¹, María Encarnación Rodriguez-Ortiz¹, Juan M. Diaz-Tocados¹, Antonio Canalejo³, Mónica Florio⁴, Ignacio López⁵, William G. Richards⁴, Mariano Rodriguez¹, Escolástico Aguilera-Tejero⁵, Juan R. Muñoz-Castañeda¹*

 Instituto Maimónides para la Investigación Biomédica (IMIBIC). Hospital Reina Sofía. Universidad de Córdoba, Córdoba, Spain, 2 Lipid and Atherosclerosis Unit. IMIBIC/ Reina Sofía University Hospital/University of Córdoba, and CIBER Fisiopatología Obesidad y Nutrición (CIBEROBN), Instituto de Salud Carlos III, Córdoba, Spain, 3 Departamento de Biología Ambiental y Salud Pública, Universidad de Huelva, Huelva, Spain, 4 Metabolic Disorders Department, Amgen, Inc. One Amgen Center Drive, Thousand Oaks, California, United States of America, 5 Department of Medicina y Cirugía Animal, Universidad de Cordoba, Cordoba, Spain

Abstract

Background: Transforming growth factor- β (TGF- β) is a key cytokine during differentiation of mesenchymal stem cells (MSC) into vascular smooth muscle cells (VSMC). High phosphate induces a phenotypic transformation of vascular smooth muscle cells (VSMC) into osteogenic-like cells. This study was aimed to evaluate signaling pathways involved during VSMC differentiation of MSC in presence or not of high phosphate.

Results: Our results showed that TGF- β induced nuclear translocation of Smad3 as well as the expression of vascular smooth muscle markers, such as smooth muscle alpha actin, SM22 α , myocardin, and smooth muscle-myosin heavy chain. The addition of high phosphate to MSC promoted nuclear translocation of Smad1/5/8 and the activation of canonical Wnt/ β -catenin in addition to an increase in BMP-2 expression, calcium deposition and alkaline phosphatase activity. The administration of TGF- β to MSC treated with high phosphate abolished all these effects by inhibiting canonical Wnt, BMP and TGF- β pathways. A similar outcome was observed in high phosphate-treated cells after the inhibition of canonical Wnt signaling with Dkk-1. Conversely, addition of both Wnt/ β -catenin activators CHIR98014 and lithium chloride enhanced the effect of high phosphate on BMP-2, calcium deposition and alkaline phosphatase activity.

Conclusions: Full VSMC differentiation induced by TGF- β may not be achieved when extracellular phosphate levels are high. Moreover, TGF- β prevents high phosphate-induced osteogenesis by decreasing the nuclear translocation of Smad 1/5/8 and avoiding the activation of Wnt/ β -catenin pathway.

Citation: Guerrero F, Herencia C, Almadén Y, Martínez-Moreno JM, Montes de Oca A, et al. (2014) TGF-β Prevents Phosphate-Induced Osteogenesis through Inhibition of BMP and Wnt/β-Catenin Pathways. PLoS ONE 9(2): e89179. doi:10.1371/journal.pone.0089179

Editor: Christos Chadjichristos, National Institute of Health and Medical Research, France

Received September 24, 2013; Accepted January 16, 2014; Published February 27, 2014

Copyright: © 2014 Guerrero et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: Sources of Funding: This study has been carried out with the funding of "Proyecto de Excelencia P09-CTS-5205" from Consejería de Economía, Ciencia y Empresa from Junta de Andalucía, FIS PI11/02055 from Instituto de Salud Carlos III and PI-0127 from Consejería de Salud, Junta de Andalucia. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests: The authors have read the journal's policy and have the following conflicts: WGR and MF are an employees and stockholder of Amgen, Inc". This does not alter the authors' adherence to all the Plos One policies on sharing data and materials.

* E-mail: juanr.munoz.exts@juntadeandalucia.es

• These authors contributed equally to this work.

Introduction


Vascular calcification (VC) is a process frequently observed in the elderly and in patients with diabetes or chronic kidney disease (CKD). Several clinical studies have demonstrated that VC is independently associated with increased cardiovascular morbidity and mortality [1,2]. The calcification of the vascular wall, particularly medial calcification, is an organized process that involves phenotypic transformation of VSMC into an osteogenic cell type capable of secreting those proteins required for calcification [3–5]. Experimental works have demonstrated that an increase in extracellular phosphate, which is frequently observed in uremic patients, causes osteogenic transdifferentiation of VSMC [4,6,7]. Progenitors of VSMC are originated from the multipotent mesenchymal stem cells (MSC) present in the bone-marrow. These MSC may differentiate into VSMC in the presence of TGF- β [8,9]. As high phosphate promotes osteogenesis in the vascular wall we thought that it is important to learn whether high phosphate has any effect on TGF- β induced VSMC differentiation. Therefore, this study was aimed to evaluate the signaling pathways involved in the regulation of the differentiation toward VSMC and osteogenesis induced by TGF and high phosphate in cultured MSC.


Our results show a crosstalk between the effects triggered by TGF- β and high phosphate during the differentiation of MSC into VSMC. Phosphate hinders VSMC differentiation induced by

Table 1. Primer sequences used for RT-PCR.

Gene Symbol	Gene Name	Forward	Reverse
Myhc	Smooth muscle-Myosin heavy chain	5'-GAGAATGAGAAGAAAGCCAAGAG-3'	5'-CATCCAGCTCCCGCTGCAGCT-3'
VSM-actin	Smooth muscle alpha-actin	5'- GACACCAGGGAGTGATGGTT-3'	5'- GTTAGCAAGGTCGGATGCTC-3'
Myocd	Myocardin	5'-CTCGGAGTCAGCAGATGGATG-3'	5'-CCTCACTGTCGGTGGCATAGT-3'
SM22	Smooth muscle protein 22 alpha (SM22 α , transgelin).	5'- CAC CTA TCC TCA GCC TCA GC-3'	5'- TCC AAA GGA CAT TGG CTT CC-3'
Osterix	Osterix; Sp7 transcription factor	5'- GTACGGCAAGGCTTCGCATCTGA- 3'	5'-TCAAGTGGTCGCTTCGGGTAAAG -3'
Runx2	Runt-related transcription factor 2	5'- CGG GAATGATGAGAACTACTC-3'	5'- GCG GTCAGAGAACAAACTAGG T -3'
BMP-2	Bone morphogenetic protein 2	5'-AAGGCTTCTTCTTGCTGGTG-3'	5'-GCCTTACCCTCATGATGTCC-3'
Dkk1	Dickkopf 1	5' ACA ACT ACC AGC CCT ACC CTT 3'	5' CCT TCT TGC CCT TTG GTG TGA TA 3'
Lrp5	Low density lipoprotein receptor-related protein 5	5'-TGTGCCACTGGTGAG ATTGACT -3'	5'- ACGCTGGCAGACAAAGTAGAC -3'
Gsk3β	Glycogen synthase kinase 3 beta	5'-AGC ATG AAA GTT AGC AGA GAC 3'	5' TCG ATT CTT AAA TCT CTT GTC C 3'
18S rRNA	18S ribosomal RNA	5'-GTAACCCGTTGAACCCCATT-3'	5'- CCATCCAATCGGTAGTAGCG-3'

doi:10.1371/journal.pone.0089179.t001





PLOS ONE | www.plosone.org




Figure 2. TGF- β **administration prevents osteogenic effects induced by high phosphate.** A) High phosphate (P) increased the expression of BMP-2 while TGF- β or the combination of TGF- β plus high phosphate decreased significantly the expression of this osteogenic marker (a p<0.001 vs. all groups). Results are expressed as fold change vs. Control cells. B) High phosphate (P) decreased significantly SM22 α and myocardin expression with respect to Control cells (b p<0.01 for SM22 α and a p<0.001 for myocardin) and TGF- β group (c p<0.001). The combination of TGF- β and high phosphate (TGF- β + P) decreased the expression of SM22 α and Myocardin although less than high phosphate alone (c p <0.001vs. TGF- β group). C) TGF- β alone did not change significantly the alkaline phosphate for 14 days significantly decreased this activity when compared with high phosphate group. D) Calcium content was significantly increased after high phosphate treatment (a p<0.001 vs. all others groups). The combination of TGF- β and high phosphate for 14 days significantly decreased this activity when compared with high phosphate group. D) Calcium content was significantly increased after high phosphate groups). The combination of TGF- β and high phosphate treatment (a p<0.001 vs other groups). The combination of TGF- β and high phosphate for 14 days significantly decreased this activity when compared with high phosphate group. D) Calcium content was significantly increased after high phosphate alone. doi:10.1371/journal.pone.0089179.g002

TGF- β while TGF- β prevents osteogenesis induced by high phosphate.

Materials and Methods

Ethics Statement

All experimental protocols were reviewed and approved by the Ethics Committee for Animal Research of the University of Cordoba in accordance with the ethical guidelines of the Institution and the EC Directive 86/609/EEC for animal experiments. Ten male Wistar rats were euthanized by aortic puncture and exsanguination under general anesthesia with pentobarbital sodium (50 mg/kg) and midazolam (4 mg/kg i.p).

Rat Mesenchymal Stem Cells (MSC) isolation

Tibias and femurs of rats were cut at the epiphyses and perfused with alpha minimal essential medium (α MEM) medium (Sigma-Aldrich, St. Louis, MO) supplemented with 15% fetal bovine serum (FBS) (Lonza Walkersville, Inc., USA). After centrifugation and washing with α MEM medium, bone marrow stem cells were filtered and plated in 25 cm² flasks (Corning Life Sciences – ALP, Chorges, France) with α MEM + 15% FBS and 1 ng/mL of basic fibroblast growth factor (bFGF) (PeproTech EC Ltd, London, UK). Fresh α MEM medium with 10% FBS and bFGF was added after 48h and successively changed 2 to 3 times per week. After reaching 85% to 90% of confluence, cells were collected using Trypsin-EDTA (Lonza Walkersville, Inc., USA) and seeded in 6-well plates at 13000 cells/cm² in α MEM + bFGF. Treatments were started as described below when cells reached confluence. Experiments were performed three times.

Treatments

VSMC differentiation was induced by treating MSC with 1 ng/ mL of Transforming Growth Factor-B (TGF-B) (PeproTech EC Ltd, London, UK) for 14 days. Differentiated (+TGF-B) and undifferentiated (-TGF- β) MSC were cultured in the presence or absence of 10 mM β -glycerophosphate (P) (4,2 mM of phosphate) (Sigma-Aldrich, St. Louis, MO) to simulate a high phosphate environment. Undifferentiated (-TGF-B) MSC were treated either with an inhibitor of the Wnt/ β -catenin pathway, recombinant dickkopf-related protein 1 (Dkk-1) (30 ng/mL) (R&D Systems, Inc, Minneapolis, MN), or with activators of the Wnt/ β -catenin pathway, CHIR98014 (0.4 µM) [10] (donated by Amgen Inc., Thousand Oaks, CA) or lithium chloride (LiCl) (5 mM) (Sigma-Aldrich). Wnt/ β -catenin activation/inhibition was assessed by confocal immunostaining and RT-PCR, as described below. Recombinant noggin (R&D Systems, MN, USA) was administered to high phosphate treated cells at a dose of 200 ng/ml.




Figure 3. TGF-β **addition inhibits nuclear translocation of Smad 1/5/8 induced by high Phosphate.** A) Rat mesenchymal stem cells treated with high phosphate showed nuclear localization of phospho-Smad1/5/8 (Red) (a p<0.001 vs. all groups). Cells treated with TGF-β (alone or plus high phosphate) were negative for phospho-Smad1/5/8. Merged images of phospho-Smad1/5/8 immunofluorescence and DAPI staining are shown. Original magnification: 40x. Image is representative of three experiments. Colocalization Finder plugging from Image J software was carried out to analyse nuclear localization of Smad 1/5/8 showing a submask with white areas specific to nuclear colocalization with DAPI. Original magnification: 40x. B) Quantification of confocal immunofluorescence was performed with Image J software. doi:10.1371/journal.pone.0089179.q003

Gene expression analysis

Total RNA was extracted with Tri-ReagentTM (Sigma-Aldrich) and quantified by spectrophotometry (ND-1000, Nanodrop Technologies, Wilmington, DE). Vascular smooth muscle alphaactin (VSM-actin), smooth muscle protein 22 alpha (SM22 α), myocardin (Myocd), smooth muscle-myosin heavy chain (Myhc), Runt-related transcription factor 2 (Runx2), osterix (Sp7 transcription factor), bone morphogenetic protein 2 (BMP2), Dickkopf (Dkk1), low density lipoprotein receptor-related protein 5 (Lrp5) and glycogen synthase kinase 3 beta (Gsk3ß) mRNA levels were determined by quantitative real-time RT-PCR (Light cycler, Roche Diagnostics, Basel, Switzerland). cDNA was synthesized from 0.5 µg of total RNA with a first strand cDNA synthesis kit (Oiagen, Hilden, Germany) in the presence of random hexamers in a final volume of 20 µl followed by 42°C for 15 min and 95°C for 3 min. An RT-PCR SYBR Green kit (Qiagen) was used to quantify mRNA expression levels. The primers used for PCR are shown in Table 1. mRNA expression was expressed as a value normalized to levels of 18S RNA.

Protein extracts

Cytosolic protein was isolated from MSC in a lysis buffer containing 10 mM Hepes, 10 mM KCl, 0.1 mM EDTA, 0.1 mM EGTA, 1 mM DTT, 0.5 mM PMSF, 70 µg/mL Protease Inhibitor Cocktail, 0.5% Igepal CA-630, pH 7.9. The suspensions were centrifuged and the supernatants (cytosolic extracts) were stored. Nuclear extracts were obtained by incubating the pellets obtained from the cytosolic extract in a lysis buffer containing 20 mM HEPES, 0.4 mM NaCl, 1 mM EDTA, 1 mM EGTA, 1 mM DTT, 1 mM PMSF, 46 µg/mL Protease Inhibitor Cocktail, pH 7.9. Protein concentration was determined by the Bradford assay (Bio-Rad Laboratories GmbH, Munich, Germany).

Nucleofection of TCF/LEF reporter and dual-luciferase reporter assays

Rat MSC (4×10^5) in log-phase growth were electroporated using the program U23 of the Amaxa Human MSC nucleofector kit (Lonza Cologne GmbH, Germany). Cells were transfected with 2 µg of pGL3-OT (Addgene, Cambridge, MA) and 100 ng of pRL-CMV (Promega), which expresses Renilla luciferase and was used to normalize the transfection efficiency according to the manufacturer's instructions. After nucleofection, cells were cultured at 40000 cell/cm² in 96-well plates with Mesenchymal Stem Cell Growth Medium BulletKit (Clonetics/BioWhittaker, Lonza) for 24 h. High phosphate (10 mM, BGP) was added and cells were lysed after 24 h of treatment. Luciferase activity was measured using the Dual Glo-Luciferase Reporter Assay System (Promega, WI, USA) and a luminometer (TECAN infinite F200 Pro) according to the manufacturer's protocol. Three independent experiments were performed.

Confocal Immunostaining

Cells were fixed with cold methanol for 20 min and subsequently washed with PBS. Fixed cells were incubated for 1 h with primary antibodies against actin-alpha-2 (protein product of the *Acta2* gene; Genetex Inc, CA, USA), phospho-Smad3 (Ser 423/425, clone C25A9) and phospho-Smad1 (Ser 463/465)/Smad 5 (Ser 463/465)/Smad 8 (Ser 426/428) (phospho-Smad 1/ 5/8) (Cell Signaling Technology, MA, USA) and β -catenin (BD Biosciences, CA, USA). Cells were then incubated for 1 h at room temperature with Alexa Fluor 488 or Alexa Fluor 568 anti-mouse secondary antibodies (Invitrogen Ltd, Paisley, UK). Cell nuclei were visualized with the nuclear stain 4', 6-diamino-2-phenylindole dihydrochloride (DAPI; Invitrogen Ltd, Paisley, UK). Pictures were obtained at 40x in an Axio Observer.Z1 Inverted Confocal microscope (LSM5 Exciter Zeiss). ImageJ software was used to analyze confocal images.

Alkaline Phosphatase Activity

 $2 \ \mu g$ of protein were used to colorimetrically (OD 405nm) measure alkaline phosphatase specific activity with 5 mM pnitrophenolphosphate (Sigma-Aldrich) used as a substrate. Cell lysates were incubated in 2 mM p-nitrophenol phosphate for 30 min at 37°C. The reaction was stopped by adding 1 M NaOH, and the product was quantified at 405 nm. One unit of alkaline phosphatase was defined as 1 μ mol substrate hydrolyzed per hour (per μ g protein/sample).

Calcium content of cells

Cells were decalcified with 0.6 N HCl for 24 h at 37°C, and the calcium content in the HCl supernatant was determined by the ocresolphthaleincomplexone method (Calcium C-Test, WAKO




Figure 4. BMP2 inhibition prevents the osteogenic effects of high phosphate. A and B) Noggin administration (200 ng/ml) prevented the expression of osteogenic markers such as Osterix and Runx2 (a p<0.001 vs. high phosphate treated cells) and reduced calcium deposition. C) Alkaline phosphatase activity was not modified after Noggin administration. The figures are representative of at least three experiments. doi:10.1371/journal.pone.0089179.g004

GmbH, Neuss, Germany). Cells were washed 3 times with PBS and solubilized in 0.1 mol/L NaOH 0.1% sodium dodecyl sulfate (SDS). Cell protein content was measured by the Bradford assay. Calcium content was normalized to total protein.

Statistical Analysis

Values are shown as mean \pm SE. Differences between groups were compared using ANOVA followed by a *post hoc* analysis (Duncan) or pair-wise *t* tests. P-value < 0.05 was considered statistically significant. Analyses were conducted using SPSS software (version 15.0, Somers, NY).

Results

Immunophenotype analysis of isolated bone marrow stem cells

Stem cells obtained from bone marrow exhibited the surface proteins CD90, CD105, CD29 and Sca-1, which characterize the immunophenotype of MSC (Figure S1A, Supporting information). The multipotent potential of MSC to differentiate into other cell types such as osteoblasts (Figure S1B, Supporting information) or adipocytes (Figure S1C, Supporting information) was also demonstrated.

TGF- β induced vascular smooth muscle cell differentiation includes nuclear translocation of phospho-Smad3

In cultured MSC, the addition of TGF- β produced nuclear translocation of phospho-Smad3 (Figure 1A). The presence of TGF- β was associated with the expression of proteins that characterize the VSMC phenotype. VSM-actin protein was significantly increased with respect to undifferentiated MSC (Figure 1B). Genes such as SM22 α , myocardin or myosin heavy

chain were up-regulated after 7 and 14 days of culture with TGF- β , while VSM-actin was significantly up-regulated only after 14 days (Figure 1C).

Effect of high phosphate on vascular smooth muscle cell differentiation induced by TGF- β

As shown in Figure 2A, addition of high phosphate alone to MSC cultures resulted in a high expression of BMP-2, a key factor that promotes osteogenic differentiation. However when MSC were cultured with TGF- β and high phosphate, the expression of BMP-2 was markedly reduced. In addition, the expression of VSMC specific markers (SM22 α and myocardin) increased with respect to cells incubated only with high phosphate, although it was significantly lower than in the TGF- β -treated cells (Figure 2B). Furthermore, the presence of TGF- β prevented the increase in alkaline phosphate activity and calcium deposition induced by high phosphate (Figure 2C and 2D).

One key downstream signal of BMP-2 activation is the nuclear translocation of Smad1/5/8 with the subsequent osteogenic cell differentiation and calcification. TGF- β inhibits nuclear translocation of Smad1/5/8 induced by high phosphate. Figure 3 shows that phospho-Smad 1/5/8 was not present in the nucleus of MSC cultured with TGF- β alone or with TGF- β plus high phosphate. However, cells treated with high phosphate alone showed nuclear translocation of phospho-Smad1/5/8, which was accompanied by a significant increase in phosphatase alkaline and calcium deposition. In these cells, the addition of Noggin, a well-characterized selective BMP inhibitor, was associated to a decrease in the expression of osteogenic genes Osx and Runx2 (Figure 4A) and a reduction in the cell culture calcium content (Figure 4B), while alkaline phosphatase activity was not modified (Figure 4C).




Figure 5. High phosphate activates Wnt/β-catenin pathway. A) Rat mesenchymal cells treated with TGF- β and/or high phosphate were stained for β -catenin immunofluorescence (green) and counterstained with DAPI (blue) to determine β -catenin subcellular localization. Merged images of β -catenin immunofluorescence and DAPI staining are shown. High phosphate induced nuclear translocation of β -catenin while the addition of TGF- β inhibited this translocation. Original magnification: 40x. Image is representative of three experiments. B) Quantification of β -catenin confocal immunofluorescence was performed with Image J software (a p<0.001 vs. all groups). C) With respect to control cells high phosphate decreased the expression of Dkk1 (b p<0.001) and Gsk3 β (b p<0.001) while increased the expression of Lrp5 with respect to other groups (d p<0.001). These differences were also significant respect to TGF- β treated groups (c p<0.001 vs. TGF groups). TGF- β alone increased the expression of Dkk1 (b p<0.001). doi:10.1371/journal.pone.0089179.q005

TGF- β modulates Wnt/ β -catenin activation induced by high phosphate

Our experiments have shown that TGF- β obstructs the increase in BMP-2 expression and Smad1/5/8 translocation induced by high phosphate. Activation of canonical Wnt/ β -catenin signaling pathway is also involved in osteogenesis and it is associated with high levels of extracellular phosphate. Thus, we explored the effect of TGF- β plus high phosphate on Wnt/ β -catenin activation. Beforehand we showed that high phosphate induces nuclear translocation of β -catenin in MSC with subsequent TCF/LEF promoter activation (Figure S2, Supporting information).

Confocal microscopy studies revealed that β -catenin was not observed in the nucleus of MSC treated with TGF- β alone. The addition of TGF- β to cells cultured with high phosphate avoided nuclear translocation of β -catenin induced by high phosphate alone (Figure 5A and B). Genes related to the activation of Wnt/ β -catenin pathway were differentially modulated by TGF- β and high phosphate (Figure 5C). The expression of both Dkk1 and Gsk3 β , which decrease Wnt/ β -catenin activity, was reduced in cells exposed to high phosphate. By contrast, cells treated with TGF- β alone or TGF- β plus high phosphate showed increased expression of Dkk1and Gsk3 β (Figure 5C). Conversely the expression of Lrp5,

which activates Wnt/ β -catenin, was high in cells treated with phosphate but it was reduced in cells treated with TGF- β alone or TGF- β plus high phosphate (Figure 5C).

Wnt/β-catenin activity and BMP-2 expression in MSC

Inhibition of Wnt/ β -catenin activity by Dkk-1 in MSC cultured with high phosphate (Figure 6A) was associated to a reduction of BMP-2 expression (Figure 6B) and a significant decrease in alkaline phosphatase activity and calcium deposition (Figure 6C).

Thereafter, MSC cultured with high phosphate were treated with two different Wnt/ β -catenin pathway activators, CHIR98014 and lithium chloride. As shown in figure 7A, both of them induced nuclear translocation of β -catenin, which was accompanied by an increase in BMP-2 expression (Figure 7B and C), alkaline phosphatase activity and calcium content (Figures 7D and E).

Discussion

The main objective of this study was to evaluate in cultured MSC the signaling pathways involved in the regulation of the differentiation into VSMC and osteogenesis induced by TGF- β and high phosphate. The results demonstrated that TGF- β




Figure 6. Dkk-1 inhibits the high phosphate-induced osteogenic-like characteristics in rat mesenchymal stem cells. A) Rat mesenchymal cells treated with high phosphate and Dkk-1 were stained for β -catenin immunofluorescence (green) and counterstained with DAPI (blue) to determine β -catenin subcellular localization. Merged images of β -catenin immunofluorescence and DAPI staining are shown. Dkk-1 administration reduced nuclear translocation of β -catenin. Original magnification: 40x. B) BMP-2 mRNA expression in rat mesenchymal stem cells treated with high phosphate and Dkk-1 was determined by RT-PCR (a p<0.001 vs high phosphate treated cells). C) Calcium content and alkaline phosphatase activity (Units/mg protein) in rat mesenchymal stem cells treated with high phosphate and Dkk-1 (a p<0.001 vs high phosphate alone). Image is representative of three experiments. doi:10.1371/journal.pone.0089179.q006

induces VSMC differentiation through nuclear translocation of Smad3. The addition of high phosphate prevents the VSMC differentiation induced by TGF- β . Nonetheless in the presence of TGF- β , high phosphate was unable to induce full osteogenic differentiation of MSC.

We have shown that TGF- β induces nuclear translocation of Smad 3. Similar results have been reported by other authors using human MSC [9]. In mature VSMC, TGF- β induces Smad3 binding to the SM22 α promoter *in vivo* and myocardin cooperates with Smad3 to activate SM22 α which enable these cells to maintain VSMC phenotype [11,12].

A key question of this work was to determine whether high phosphate interferes with the TGF- β -induced VSMC differentiation. Our results show that the addition of high phosphate precludes VSMC differentiation induced by TGF- β ; the expression of specific VSMC genes was inhibited by phosphate. Nuclear translocation of Smad3, which is essential for VSMC differentiation, was reduced by high phosphate (data not shown); therefore, it was not a surprise to observe a concomitant decrease in VSMC specific genes. These novel results illustrate the importance of nuclear translocation of Smad3 to achieve VSMC differentiation, revealing a mechanism whereby high phosphate interferes with normal VSMC differentiation.

In the absence of TGF- β , high phosphate induced the expression of the pro-osteogenic gene BMP-2; this was accompanied by an increase in alkaline phosphatase activity and calcification. These effects were mediated by nuclear translocation

of Smad 1/5/8 and β -catenin and TGF- β prevented phosphateinduced nuclear translocation of these transcription factors essential for osteogenesis. While high phosphate prevented VSMC differentiation, the presence of TGF- β precluded phosphateinduced osteogenic differentiation of MSC. The pro-osteogenic role of BMP-2- Smad1/5/8 has been shown in human aortic valve interstitial cells from patients with calcifying aortic valve stenosis [13-14]. Our experiments show that high phosphate stimulates BMP-2 expression, which is accompanied by nuclear translocation of Smad 1/5/8. Noggin is a natural antagonist of bone morphogenetic proteins showing in MSC high affinity against BMP-2 and BMP-4 and less affinity for BMP-7 [15]. Noggin addition abrogated the osteogenic differentiation and the calcium deposition of high phosphate treated- MSC.

A similar effect was observed in cells incubated with high phosphate plus TGF- β . These results are in agreement with previous work [16] reporting that Noggin decreases the procalcific phenotype of human bone marrow-derived mesenchymal stem cells induced by uremic serum. Changes in BMP-2, BMP-4 or BMP-6 are detected during the phenotypic transition from VSMCs to osteoblasts-like cells [17]. Hayashi et al showed that addition of BMP2, BMP4 or BMP6 to cultured VSMC contributes to the loss of smooth muscle markers and the activation of Msx1 and Smad1/5/8 [18]. Osterix and Runx2 are downstream effectors of BMP signaling [19,20]. Furthermore, the addition of calcitriol to human coronary artery smooth muscle cells enhanced osteogenesis and calcification of VSMC through an increase of




Figure 7. Wht/ β -catenin pathway activation enhances the high phosphate-induced osteogenic-like characteristics in rat mesenchymal stem cells. A) Rat mesenchymal cells treated with high phosphate and CHIR98014 (0.4 μ M) or lithium chloride (5 mM) were stained for β -catenin immunofluorescence (green) and counterstained with DAPI (blue) to determine β -catenin subcellular localization. Merged images of β -catenin immunofluorescence and DAPI staining are shown. Both Wnt activators (CHIR98014 and lithium chloride) increased nuclear translocation of β -catenin. Original magnification: 40x. B) BMP-2 protein and C) mRNA expression in rat mesenchymal stem cells treated with high phosphate and CHIR98014 or lithium chloride was determined by western blot and RT-PCR respectively (a p < 0.001 vs high phosphate alone). D) Calcium content and E) alkaline phosphates activity in rat mesenchymal stem cells treated with high phosphate alone). Image is representative of three experiments. doi:10.1371/journal.pone.0089179.g007

BMP-6 [21]. However, other BMP such as BMP7 may in fact inhibit arterial calcification in the diabetic LDLR-/- mouse model [22].

Activation of Wnt/ β -catenin pathway is also essential for osteogenic differentiation. Here we observed that high phosphate induces activation of Wnt/ β -catenin pathway through nuclear translocation of β -catenin and activation of TCF/LEF promoter. It is well-known that high phosphate promotes osteogenic/chondrogenic differentiation of VSMC through Wnt/ β -catenin activation [23,24]. However, the effect of high phosphate on Wnt/ β -catenin in MSC has not been explored in detail. In our study, the addition of the Wnt pathway inhibitor Dkk1, to MSC incubated in high phosphate prevented osteogenic differentiation. Similar effects were observed when TGF- β was added to MSC cultured in high phosphate medium: TGF- β prevented Wnt/ β -catenin activation induced by high phosphate.

Other authors have also observed that high concentrations of TGF- β inhibit alkaline phosphatase activity and mineralization in MSC differentiated into osteoblasts [25,26]. Ehnert et al have reported that the nuclear translocation of Smad 1/5/8 in osteoblasts was completely blocked by TGF- β via Smad7 up-regulation, Ski-related novel protein (SnoN) and Smurfs [27].

Regarding the inhibitory effects of TGF- β on Wnt signaling, it has been reported that TGF- β induces activation of noncanonical Wnt signaling with the subsequent inhibition of nuclear translocation of β -catenin [28,29]. However, the results are not consistent and other authors have suggested that TGF- β might cooperate with β -catenin to induce osteoblastogenesis [30].

From our results, it seems clear that TGF- β decreases the activity of BMP-2 and canonical Wnt/ β -catenin, two key pathways involved in osteogenesis of MSC. Nevertheless the interelationship between BMP-2 and canonical Wnt/ β -catenin is not well defined [31]. Both are essential for osteogenic differentiation; our data show that the inhibition of BMP signaling by Noggin precluded the expression of osteogenic genes. We also observed that in presence of high phosphate, the inhibition of Wnt/ β -catenin by Dkk1 administration is associated to a reduction of BMP-2 expression while the administration of Wnt activators resulted in an increase in BMP-2 expression. These results would suggest that canonical Wnt/ β -catenin pathway is an upstream activator of BMP-2 expression in MSC as suggested by other authors [32,33].

The interaction between TGF- β and high phosphate on the differentiation of MSC may have important implications in the repair of the damaged vascular wall. Regression of VC has been observed in experimental studies when the factor promoting calcification is removed [34]. Presumably, healing of the damaged tissue will require remodeling of the vascular wall with the incorporation of progenitor cells [35,36]. Our results indicate that in the presence of high phosphate (e.g. in chronic kidney disease

patients with hyperphosphatemia) these repairing cells will likely drift toward an osteogenic phenotype, instead of being committed to VSMC differentiation.

In conclusion, our results show a crosstalk between the effects triggered by TGF- β and high phosphate in cultured MSC. VSMC differentiation induced by TGF- β can not be achieved in the presence of high levels of phosphate. On the other hand, TGF- β obstructs phosphate induced osteogenesis by reducing the activity of Wnt/ β -catenin and BMP pathways

Supporting Information

Figure S1 A. Immunophenotype of rat MSC (mean \pm stdesv). **B.** Osteogenic differentiation of rat mesenchymal stem cells. Alizarin Red Staining after 21 days of differentiation with Dexamethasone (1 uM), ascorbic acid (0.2 mM) and β -glicerolphosphate (10 mM). Image is representative of three experiments. **C.** Adypogenic differentiation of rat mesenchymal stem cells. Lipid drops were visible under the inverted microscope after 14 days of culture. Image is representative of three experiments. (TIF)

Figure S2 A. Mesenchymal stem cells were nucleofected with pGL3-OT, pRL-CMV or pmax GFP and treated with high

References

- London GM, Guerin AP, Marchais SJ, Metivier F, Pannier B, et al. (2003) Arterial media calcification in end-stage renal disease: impact on all-cause and cardiovascular mortality. Nephrol Dial Transplant 18: 1731–1740.
- Kalra SS, Shanahan CM (2012) Vascular calcification and hypertension: cause and effect. Ann Med 44 Suppl 1: S85–S92.
- Jono S, McKee MD, Murry CE, Shioi A, Nishizawa Y, et al. (2000) Phosphate regulation of vascular smooth muscle cell calcification. Circ Res 87: E10–E17.
- Iyemere VP, Proudfoot D, Weissberg PL, Shanahan CM (2006) Vascular smooth muscle cell phenotypic plasticity and the regulation of vascular calcification. J Intern Med 260: 192–210.
- Sage AP, Lu J, Tintut Y, Demer LL (2011) Hyperphosphatemia-induced nanocrystals upregulate the expression of bone morphogenetic protein-2 and osteopontin genes in mouse smooth muscle cells in vitro. Kidney Int 79: 414– 422.
- Montes de OA, Madueno J, Martinez J, Guerrero F, Munoz-Castaneda J, et al. (2010) High phosphate-induced calcification is related to SM22alpha promoter methylation in Vascular Smooth Muscle Cells. J Bone Miner Res 25: 1996– 2005.
- Giachelli CM (2004) Vascular calcification mechanisms. J Am Soc Nephrol 15: 2959–2964.
- Oswald J, Boxberger S, Jorgensen B, Feldmann S, Ehninger G, et al. (2004) Mesenchymal stem cells can be differentiated into endothelial cells in vitro. Stem Cells 22: 377–384.
- Kurpinski K, Lam H, Chu J, Wang A, Kim A, et al. (2010) Transforming growth factor-beta and notch signaling mediate stem cell differentiation into smooth muscle cells. Stem Cells 28: 734–742.
- Li X, Yang HY, Giachelli CM (2008) BMP-2 promotes phosphate uptake, phenotypic modulation, and calcification of human vascular smooth muscle cells. Atherosclerosis 199: 271–277.
- Tang Y, Urs S, Boucher J, Bernaiche T, Venkatesh D, et al. (2010) Notch and transforming growth factor-beta (TGFbeta) signaling pathways cooperatively regulate vascular smooth muscle cell differentiation. J Biol Chem 285: 17556– 17563.
- Qiu P, Ritchie RP, Fu Z, Cao D, Cumming J, et al. (2005) Myocardin enhances Smad3-mediated transforming growth factor-betal signaling in a CArG boxindependent manner: Smad-binding element is an important cis element for SM22alpha transcription in vivo. Circ Res 97: 983–991.
- Cao X, Chen D (2005) The BMP signaling and in vivo bone formation. Gene 357: 1–8.
- 14. Yu Z, Seya K, Daitoku K, Motomura S, Fukuda I, et al. (2010) TNF- α accelerates the calcification of human aortic valve interstitial cells obtained from patients with calcific aortic valve stenosis via the BMP2-Dlx5 pathway. J Pharmacol Exp Ther 337: 16–23.
- Edgar CM, Chakravarthy V, Barnes G, Kakar S, Gerstenfeld LC, et al. (2007) Autogenous regulation of a network of bone morphogenetic proteins (BMPs) mediates the osteogenic differentiation in murine marrow stromal cells. Bone 40:1389–1398.
- Kramann R, Couson SK, Neuss S, Kunter U, Bovi M, et al. (2011) Exposure to uremic serum induces a procalcific phenotype in human mesenchymal stem cells. Arterioscler Thromb Vasc Biol 31: e45–e54.

phosphate for 24h. The ratio of the luciferase activity from a TCFresponsive reporter construct (pGL3-OT) and a control luciferase reporter gene construct (pRL-CMV) representing Wnt/ β -catenin pathway activation increased approximately 2.5 after high phosphate treatment compared to untreated control cells (a p< 0.001 vs. Control cells). **B.** Green Fluorescent protein was nucleofected with Amaxa kit in order to check the efficiency of nucleofection.

(TIF)

Acknowledgments

We acknowledge the technical support provided by Esther Peralbo in performing the studies with Confocal Microscopy (IMIBIC). We also thank Jon Nilsen, PhD (Amgen Inc.) for editorial assistance.

Author Contributions

Conceived and designed the experiments: MR EA-T JRM-C. Performed the experiments: FG CH YA MER-O JMD-T IL JMM-M AMO AC. Analyzed the data: FG CH MF WGR MR EA-T JRM-C. Contributed reagents/materials/analysis tools: WGR MF. Drafting manuscript: AC MR WGR JRM-C. Revising manuscript content: AC MR EA-T WGR MF JRM-C. Approving final version of manuscript: MR WGR JRM-C.

- Bostrom K, Watson KE, Horn S, Wortham C, Herman IM, et al. (1993) Bone morphogenetic protein expression in human atherosclerotic lesions. J Clin Invest 91: 1800–1809.
- Hayashi K, Nakamura S, Nishida W, Sobue K (2006) Bone morphogenetic protein-induced MSX1 and MSX2 inhibit myocardin-dependent smooth muscle gene transcription. Mol Cell Biol 26: 9456–9470.
- Shao JS, Cheng SL, Pingsterhaus JM, Charlton-Kachigian N, Loewy AP, et al. (2005) Msx2 promotes cardiovascular calcification by activating paracrine Wnt signals. J Clin Invest 115: 1210–1220.
- Yagi K, Tsuji K, Nifuji A, Shinomiya K, Nakashima K, et al. (2003) Bone morphogenetic protein-2 enhances osterix gene expression in chondrocytes. J Cell Biochem 88: 1077–1083.
- Shalhoub V, Shatzen EM, Ward SC, Young JI, Boedigheimer M, et al. (2010) Chondro/osteoblastic and cardiovascular gene modulation in human artery smooth muscle cells that calcify in the presence of phosphate and calcitriol or paricalcitol. J Cell Biochem 111: 911–921.
- Davies MR, Lund RJ, Hruska KA (2003) BMP-7 is an efficacious treatment of vascular calcification in a murine model of atherosclerosis and chronic renal failure. J Am Soc Nephrol 14: 1559–1567.
- 23. Lee KM, Kang HA, Park M, Lee HY, Choi HR, et al. (2012) Interleukin-24 attenuates beta-glycerophosphate-induced calcification of vascular smooth muscle cells by inhibiting apoptosis, the expression of calcification and osteoblastic markers, and the Wnt/beta-catenin pathway. Biochem Biophys Res Commun 428: 50–55.
- Martinez-Moreno JM, Munoz-Castaneda JR, Herencia C, Oca AM, Estepa JC, et al. (2012) In vascular smooth muscle cells paricalcitol prevents phosphateinduced Wnt/beta-catenin activation. Am J Physiol Renal Physiol 303: F1136– F1144.
- Li RD, Deng ZL, Hu N, Liang X, Liu B, et al. (2012) Biphasic effects of TGFbetal on BMP9-induced osteogenic differentiation of mesenchymal stem cells. BMB Rep 45: 509–514.
- Lian N, Lin T, Liu W, Wang W, Li L, et al. (2012) Transforming growth factor beta suppresses osteoblast differentiation via the vimentin activating transcription factor 4 (ATF4) axis. J Biol Chem 287: 35975–35984.
- 27. Ehnert S, Zhao J, Pscherer S, Freude T, Dooley S, et al. (2012) Transforming growth factor betal inhibits bone morphogenic protein (BMP)-2 and BMP-7 signaling via upregulation of Ski-related novel protein N (SnoN): possible mechanism for the failure of BMP therapy? BMC Med 10: 101.
- Miyoshi H, Ajima R, Luo CT, Yamaguchi TP, Stappenbeck TS (2012) Wnt5a potentiates TGF-beta signaling to promote colonic crypt regeneration after tissue injury. Science 338: 108–113.
- Roarty K, Baxley SE, Crowley MR, Frost AR, Serra R (2009) Loss of TGF-beta or Wnt5a results in an increase in Wnt/beta-catenin activity and redirects mammary tumour phenotype. Breast Cancer Res 11: R19.
- Zhou S (2011) TGF-beta regulates beta-catenin signaling and osteoblast differentiation in human mesenchymal stem cells. J Cell Biochem 112: 1651– 1660.
- Itasaki N, Hoppler S (2010) Crosstalk between Wnt and bone morphogenic protein signaling: a turbulent relationship. Dev Dyn 239: 16–33.

- Rawadi G, Vayssiere B, Dunn F, Baron R, Roman-Roman S (2003) BMP-2 controls alkaline phosphatase expression and osteoblast mineralization by a Wnt autocrine loop. J Bone Miner Res 18: 1842–1853.
- Zhang R, Oyajobi BO, Harris SE, Chen D, Tsao C, et al. (2013) Wnt/betacatenin signaling activates bone morphogenetic protein 2 expression in osteoblasts. Bone 52: 145–156.
- Lopez I, Mendoza FJ, Guerrero F, Almaden Y, Henley C, et al. (2009) The calcimimetic AMG 641 accelerates regression of extraosseous calcification in uremic rats. Am J Physiol Renal Physiol 296: F1376–F1385.
- Wilkinson FL, Liu Y, Rucka AK, Jeziorska M, Hoyland JA, et al. (2007) Contribution of VCAF-positive cells to neovascularization and calcification in atherosclerotic plaque development. J Pathol 211: 362–369.
- Zhang C, Zeng L, Emanueli C, Xu Q (2013) Blood Flow and Stem Cells in Vascular Disease. Cardiovasc Res 15; 99: 251–259.