ORIGINAL RESEARCH

Open Access



The effect of purification of Ga-68-labeled exendin on in vivo distribution

Maarten Brom^{*}^o, Gerben M. Franssen, Lieke Joosten, Martin Gotthardt and Otto C. Boerman

Abstract

Background: Ga-labeled radiotracers are increasingly used for PET imaging. During the labeling procedure, formation of ⁶⁸Ga-colloid may occur. Upon i.v. injection, ⁶⁸Ga-colloid will accumulate rapidly in the liver, spleen, and bone marrow, resulting in reduced target-to-background ratios. In this study, we applied a thin layer chromatography (TLC) method to measure colloid content and we studied the effect of the purification method on the in vivo characteristics of ⁶⁸Ga-labeled DOTA-exendin-3.

DOTA-exendin-3 was labeled with ⁶⁸Ga, and the colloid content was measured by TLC on silica gel ITLC with two mobile phases. The labeling mixture was purified by gel filtration on a 5-ml G25M column, by reversed-phase high-performance liquid chromatography (RP-HPLC) using a C₈ column or by solid phase extraction (SPE) on an HLB cartridge. The in vivo characteristics of the preparations were determined in BALB/c nude mice, and PET images were acquired 1 h p.i. using a microPET scanner. In these studies, unpurified ⁶⁸Ga-DOTA-exendin-3 and ¹¹¹In-DOTA-exendin-3 were used as a reference.

Results: The colloid content of ¹¹¹In-DOTA-exendin-3 and unpurified, gel filtration, RP-HPLC- and SPE-purified ⁶⁸Ga-DOTA exendin-3 was <3, 7, 9, <3, and <3 %, respectively. Unpurified ⁶⁸Ga-DOTA exendin-3 showed high liver and spleen uptake. Gel filtration partly removed ⁶⁸Ga-colloid from the preparation, resulting in moderate liver and spleen SPE-purified ⁶⁸Ga-DOTA exendin-3 showed very low liver and spleen uptake, that was similar to that of RP-HPLC purified ⁶⁸Ga-DOTA exendin-3.

Conclusions: We showed that the colloid content can be measured by TLC and that solid phase extraction and HPLC completely remove ⁶⁸Ga-colloid from ⁶⁸Ga-labeled tracer preparations, resulting in very low liver and spleen uptake. This study clearly shows the importance of removal of ⁶⁸Ga-colloid from preparations.

Keywords: ⁶⁸Ga, ⁶⁸Ga-hydroxide, Purification, Peptides, Exendin

Background

⁶⁸Ga-labeled peptides are increasingly used for positron emission tomography (PET), since ⁶⁸Ga is a readily available PET radionuclide. Because ⁶⁸Ga is a generatorproduced positron emitter, it is widely available and relatively cheap. PET imaging is advantageous over conventional scintigraphy and SPECT because of its excellent sensitivity in combination with its superior spatial resolution. A recent study in patients with neuro-endocrine tumors (NET) showed that PET imaging with the somatostatin analog ⁶⁸Ga-DOTA-TOC was more sensitive for detecting NET lesions than conventional somatostatin receptor scintigraphy with

* Correspondence: maarten.brom@radboudumc.nl

Department of Radiology and Nuclear Medicine, Radboud University Nijmegen Medical Centre, PO Box 9101, 6500 HB Nijmegen, The Netherlands ¹¹¹In-octreotide [1]. Moreover, ⁶⁸Ga-labeling of peptides conjugated with a chelator (e.g., DOTA, NOTA) is a fast and efficient one-step reaction. Because of all these characteristics, there is an increasing interest in the application of ⁶⁸Ga-labeled peptides.

It has been shown that for efficient receptor targeting, low peptide doses should be administered, since higher peptide doses could lead to receptor saturation and reduced uptake in the target tissue [2–5], especially in preclinical imaging studies. In rodents, relatively high activity doses (3–10 MBq) have to be administered to acquire PET images with adequate image quality. Therefore, ⁶⁸Ga-labeled peptides with a high specific activity should be produced to administer high activity doses at a low amount of peptide. However, when producing ⁶⁸Ga-labeled compounds with a high specific



© 2016 The Author(s). **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. activity, the formation of insoluble ⁶⁸Ga-species, such as ⁶⁸Ga(OH)₃ may occur. These insoluble ⁶⁸Ga-species, generally referred to as "68Ga-colloid" will accumulate in the liver, spleen, and bone marrow. Indeed, previous studies showed enhanced uptake in liver and spleen of ⁶⁸Ga-labeled tracers as compared to the ¹¹¹In-labeled compounds [3, 6, 7]. This enhanced tracer uptake in liver and spleen might result in decreased target-tobackground ratios. We previously showed that insoluble ⁶⁸Ga-species can be removed from the labeling reaction of ⁶⁸Ga-labeled DOTA-exendin-3, a tracer targeting the glucagon-like peptide-1 receptor (GLP-1R), using (preparative) reversed-phase high-performance liquid chromatography (RP-HPLC) [3]. However, this purification method is time consuming and the solution of purified ⁶⁸Ga-labeled peptide is diluted, making postpurification concentration necessary. Due to the short half-life of ⁶⁸Ga (68 min), this method is not convenient in clinical practice. Moreover, purification with RP-HPLC requires expensive equipment. Solid phase extraction is an alternative method for purification of radiolabeled compounds and is a fast, simple, and cheap purification method that is now routinely used for ⁶⁸Ga-tracer purification [8, 9].

In this study, we examined the effect of the purification method on the in vivo characteristics of ⁶⁸Ga-DOTA-exendin-3 in BALB/c nude mice. ⁶⁸Ga-DOTA-exendin-3 was purified by RP-HPLC, gel filtration, or solid phase extraction. Unpurified ⁶⁸Ga-DOTA-exendin-3 and ¹¹¹In-DOTA-exendin-3 were used as a reference in this study. In addition, we describe a quality control method, based on instant thin layer chromatography (ITLC), to determine the colloid content of the ⁶⁸Ga-labeled tracer [10].

Methods

Peptides and radionuclides

[Lys⁴⁰(DOTA)]exendin-3 (DOTA-exendin-3) was purchased from Peptide Specialty Laboratories (Heidelberg, Germany). In this compound, DOTA (1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic acid) is conjugated to the ε -amino group of the lysine at position 40 (K40) and the C-terminal carboxyl group is amidated [3]. ⁶⁸GaCl₃ was eluted from a TiO₂-based 1110 MBq ⁶⁸Ge/⁶⁸Ga generator (IGG100, Eckert and Ziegler, Berlin, Germany) with 0.1 N Ultrapure HCl (J.T. Baker, Deventer, The Netherlands). ¹¹¹InCl₃ was obtained from Covidien (Petten, The Netherlands).

Radiolabeling

DOTA-exendin-3 was labeled with 68 Ga and 111 In as previously described [3]. Briefly, 120 MBq 68 Ga in 1000 µl Ultrapure 0.1 N HCl was added to 10 µg DOTA-exendin-3 in 120 µl 2.5 M HEPES (4-(2-hydro-xyethyl)-1-piperazineethanesulfonic acid, Sigma Aldrich,

St. Louis, MO, USA). After 20-min incubation at 95 $^{\circ}$ C, EDTA was added to a final concentration of 5 mM and the reaction mixture was incubated at room temperature for another 5 min. Subsequently, 10 % Tween-80 (Sigma Aldrich, St. Louis, MO, USA) was added to a final concentration of 0.1 % to prevent sticking of the radiolabeled peptide to the vessel wall and quality control was performed as described below.

DOTA-exendin-3 was labeled with ¹¹¹In by adding 10 MBq ¹¹¹InCl₃ to 1 μ g peptide in 0.1 M 2-(*N*-morpholino)ethanesulfonic acid (MES), pH 5.5, under similar conditions as described above.

Quality control

Quality control was performed using RP-HPLC on a C_{18} reversed-phase column (Zorbax Rx-C18; 4.6 mm × 25 cm; Agilent Technologies, Palo Alto, CA, USA) and instant thin layer chromatography (ITLC). The column was eluted with mixture of water containing 0.1 % trifluoroacetic acid (TFA) and acetonitrile with a linear gradient from 3 to 100 % acetonitrile in 10 min (flow rate 1 ml/min). ITLC was performed on silica gel ITLC (Pall Corporation Life Sciences, New York, NY, USA). Two mobile phases were used: 0.1 M EDTA in 0.25 M NH₄Ac, pH 5.5 ($R_f = 0$: ⁶⁸Ga-labeled exendin and ⁶⁸Ga-colloid, $R_f = 1$: ⁶⁸Ga-EDTA) and 1.25 M NH₄Ac, pH 5.5: dimethylformamide (DMF) (1:1) ($R_f = 0$: ⁶⁸Ga-colloid, $R_f = 1$: ⁶⁸Ga-DOTA-exendin-3 and ⁶⁸Ga-EDTA).

Validation of the quality control by ITLC for the detection of $^{68}\mbox{Ga-colloid}$

⁶⁸Ga-colloid was prepared by adding 1250 μl 2.5 M HEPES to 500 μl $^{68}\text{GaCl}_3$ in 0.1 M HCl. The final pH of this mixture was approximately 6. The mixture was incubated at 95 °C for 15 min, and EDTA was added to a final concentration of 5 mM. The amount of ⁶⁸Ga-colloid was determined by TLC with 0.1 M EDTA in 0.25 M NH₄Ac, pH 5.5 as a mobile phase ($R_f = 0$: ⁶⁸Gacolloid, $R_{\rm f} = 1$ ⁶⁸Ga-EDTA) and 1.25 M NH₄Ac, pH 5.5: DMF (1:1) as a mobile phase ($R_f = 0$: ⁶⁸Ga-colloid, $R_f = 1$: ⁶⁸Ga-EDTA). The reaction mixture was applied on a disposable PD-10 desalting column, containing SephadexTM G-25 medium (GE Life Sciences, Diegem, Belgium) and was eluted with 6 ml phosphate-buffered saline (PBS) containing 5 mM EDTA. The fraction containing the majority of the radioactivity was collected (from 3-4 ml), representing ⁶⁸Ga-colloid, and quality control was performed by ITLC as described above.

⁶⁸Ga-DOTA-exendin-3 was purified by RP-HPLC as described below, and various amounts of the ⁶⁸Ga-colloid were added to obtain final ⁶⁸Ga-colloid concentrations of 1, 2, 3, 4, 5, 10, 20, 40, and 80 % (n = 4). The amount of ⁶⁸Ga-colloid was determined by ITLC with 1.25 M NH₄Ac, pH 5.5: DMF (1:1) as the mobile phase

 $(R_{\rm f}$ = 0: ⁶⁸Ga-colloid, $R_{\rm f}$ = 1: ⁶⁸Ga-DOTA-exendin-3 and ⁶⁸Ga-EDTA). RP-HPLC-purified ⁶⁸Ga-DOTA-exendin-3, ⁶⁸Ga-EDTA, and ⁶⁸Ga-colloid were used as controls. ITLC strips were exposed to an imaging plate (Fuji Film BAS-SR 2025, Raytest, Straubenhardt, Germany) for 1 min. Images were acquired with a radioluminography laser imager (Fuji Film BAS 1800 II system, Raytest, Straubenhardt, Germany) and analyzed with Aida Image Analyzer software (Raytest). Correlation between the measured ⁶⁸Ga-colloid fraction and the added ⁶⁸Ga-colloid content was determined by linear regression using GraphPad Prism 5. The detection limit of the ITLC method was defined by the Y-intercept as determined by linear regression analysis.

RP-HPLC purification of ⁶⁸Ga-DOTA-exendin-3

After radiolabeling, the reaction mixture was purified by HPLC, using a C_8 reversed-phase column (Zorbax eclipse XDB C_8 4.6 mm × 150 mm, 5 µm, Agilent Technologies). The column was eluted with water containing 0.1 % TFA (0–5 min), 40 % ethanol (5–10 min) followed by a linear gradient from 40 to 90 % ethanol in 5 min (flow rate 1 ml/min). The fractions containing ⁶⁸Ga-DOTA-exendin-3 (retention time 14–15 min) were collected and diluted with PBS containing 0.5 % bovine serum albumin (BSA) to a final ethanol concentration of less than 10 % before injection into mice (injection volume 0.2 ml). The radiochemical purity of the purified ⁶⁸Ga-labeled DOTA-exendin-3 preparations was determined using ITLC as described above.

Purification of ⁶⁸Ga-DOTA-exendin-3 by gel filtration

Purification by gel filtration was performed on disposable PD-10 desalting columns, containing SephadexTM G-25 medium (GE Life Sciences, Diegem, Belgium). The column was preconditioned by eluting with 10 ml PBS containing 0.5 % (ν/w) BSA, and the reaction mixture was loaded onto the column. The column was eluted with PBS-BSA (0.5 %), and 0.5 ml fractions were collected. The majority of the radioactivity, representing ⁶⁸Ga-DOTA-exendin-3, was collected in fractions 5 and 6 (2-3 ml). The radiochemical purity of the tracer in the fractions was analyzed by RP-HPLC and ITLC as described above.

Purification of ⁶⁸Ga-DOTA-exendin-3 by solid phase extraction

Solid phase extraction was performed using a hydrophiliclipophilic balance (HLB) reversed-phase sorbent cartridge (Waters Oasis[®], Milford, MA, USA). The cartridge was activated by elution with 1 ml ethanol, the residual ethanol was removed with 1 ml water (Versol, Lyon, France), and the column was conditioned with 1 ml 0.1 N HCl:2.5 M HEPES (8:1, similar to the reaction mixture). The reaction mixture was loaded, and ⁶⁸Ga-EDTA was washed from the column with 2 ml 0.1 N HCl:2.5 M HEPES (8:1). After removal of the residual HCl-HEPES mixture with 1 ml water, ⁶⁸Ga-DOTA-exendin-3 was eluted with 200 μ l ethanol. The radiochemical purity of the tracer in the fractions was analyzed by RP-HPLC and ITLC as described above. Before injection into mice, the eluate containing ⁶⁸Ga-DOTA-exendin-3 was diluted with PBS containing 0.5 % BSA to a final ethanol concentration of less than 10 %.

Biodistribution studies

Animal experiments were performed after approval of the local ethical committee (RUDEC) for animal experiments. The biodistribution of unpurified, gel filtration-, RP-HPLC-, and SPE-purified ⁶⁸Ga-DOTA-exendin-3 was determined in BALB/c nude mice. Mice (n = 5) were injected intravenously with 3 MBq ⁶⁸Ga-labeled exendin-3 at a peptide dose of 0.3 µg (60 pmol). As a control, another group of mice received 370 kBq ¹¹¹In-DTPA-exendin-3 (60 pmol). The mice were euthanized 1 h post-injection by CO₂/O₂ suffocation, a blood sample was taken, and samples of relevant tissues were dissected, weighed, and counted.

MicroPET

Mice were injected intravenously with 3 MBq (0.3 μ g) unpurified, gel filtratrion, RP-HPLC- or SPE-purified ⁶⁸Ga-DOTA-exendin-3. Mice were euthanized 1 h p.i. by CO₂/O₂ suffocation and PET images were acquired during 45 min using a small-animal PET/CT scanner (Inveon^{**}; Preclinical Solutions, Siemens Medical Solutions USA, Inc., Knoxville, TN, USA). Images were reconstructed by OSEM3D/MAP reconstruction with the following parameters: 256 × 256 matrix, 2 OSEM3D iterations, 18 MAP iterations, and a resolution of 0.075 mm uniform variance. CT images were acquired for anatomical correlation directly after PET imaging (spatial resolution 113 μ m, 80 kV, 500 μ A, exposure time 300 ms).

Statistical analysis

All mean values are expressed as mean ± standard deviation (SD). Statistical analysis was performed using unpaired two-tailed *t* test using GraphPad Prism (version 5). In order to determine whether there was a overall difference in blood and kidney accumulation of the various preparations, a one-way ANOVA was performed. The level of significance was set at p < 0.05.

Results

Radiolabeling

DOTA-exendin-3 could be labeled with ⁶⁸Ga with a specific activity of 110 GBq/ μ mol (at time of synthesis) with a radiochemical purity >90 % (depending on the purification method) after purification. The colloid content of ¹¹¹In-DOTA-exendin-3 and unpurified, gel filtration, RP-HPLC- and SPE-purified ⁶⁸Ga-DOTA-exendin-3 was <3, 7, 9, <3, and <3 %, respectively (Table 1). Of note, the initial colloid content of the labeling mixture varies, which explains the higher colloid content of 68 Ga-DOTA-exendin-3 after gel filtration. After purification, the percentage of unincorporated 68 Ga was <3 % for all preparations as determined by RP-HPLC.

Validation of TLC method

The results of the validation of the TLC method to determine the colloid content in preparations of 68 Ga-DOTA-exendin-3 are shown in Fig. 1. The colloid content measured by TLC correlated linearly with the amount of colloid present in the reaction mixtures ($R^2 = 0.98$). The detection limit of the TLC method was a 68 Ga-colloid content of 3.2 ± 0.9 %, as determined by the Y-intercept of the trend line.

Biodistribution studies

The results of the biodistribution studies are summarized in Fig. 2. ¹¹¹In-DOTA-exendin-3 showed very low accumulation in the liver and spleen: 0.7 ± 0.1 and $0.3 \pm$ 0.1 %ID/g, respectively, representing the liver and spleen uptake of a preparation without colloid. High uptake in the liver and spleen $(6.1 \pm 1.0 \text{ and } 4.5 \pm 0.7 \text{ %ID}, \text{ respect-}$ ively) was observed when unpurified ⁶⁸Ga-DOTA-exendin-3 was injected. Gel filtration partially removed ⁶⁸Gahydroxide, resulting in intermediate uptake in the liver and spleen: 3.0 ± 0.3 and 1.4 ± 0.3 %ID/g, respectively). Uptake in the liver and spleen of SPE-purified (0.8 ± 0.0) %ID/g and 0.5 ± 0.1 %ID/g, respectively) and RP-HPLCpurified tracer (0.6 ± 0.1 and 0.4 ± 0.1 %ID/g, respectively) was very low and similar to liver and spleen uptake of ¹¹¹In-DOTA-exendin-3, indicating very efficient removal of ⁶⁸Ga-colloid with these purification methods.

The uptake in the pancreas was similar for all compounds, except of RP-HPLC purified ⁶⁸Ga-DOTA-exendin-3, that had a significantly higher pancreatic uptake (10.2 ± 2.5 %ID/g, p < 0.05). A significant difference in radioactivity concentration in the blood and kidneys was found between all groups (p < 0.0001 and p =0.0035 for blood and kidneys, respectively), probably caused by differences in the colloid content of the various preparations.

MicroPET

PET images of BALB/c nude mice after injection of unpurified, gel filtration, RP-HPLC-, or SPE-purified ⁶⁸Ga-DOTA-exendin-3 are shown in Fig. 3. With unpurified ⁶⁸Ga-DOTA-exendin-3, the liver was clearly visualized in the PET images (Fig. 3a). Liver visualization was less pronounced with ⁶⁸Ga-DOTA-exendin-3 purified by gel filtration (Fig. 3b). No liver uptake was visible when ⁶⁸Ga-DOTA-exendin-3 was purified with RP-HPLC (Fig. 3c) or SPE (Fig. 3d).

Discussion

During the radiolabeling procedure of DOTA-conjugated compounds with ⁶⁸Ga, in most cases, insoluble colloidal ⁶⁸Ga species are formed, especially when compounds are labeled at a high specific activity. This insoluble ⁶⁸Ga-colloid results in enhanced accumulation in the liver and spleen when injected in laboratory animals or patients, resulting in reduced image quality. Therefore, prevention of formation or removal of ⁶⁸Ga-colloid is required. We evaluated three purification methods for the removal of ⁶⁸Ga-colloid: solid phase extraction (SPE), preparative HPLC, and gel filtration. Solid phase extraction was a fast and simple method that effectively removed ⁶⁸Gacolloid from a labeling mixture of ⁶⁸Ga-DOTA-exendin-3, resulting in negligible liver and spleen accumulation similar to that of ¹¹¹In-DOTA-exendin-3. The major advantage of this technique is that purification of the labeling mixture can be performed within 5 min. Purification by preparative RP-HPLC resulted in similar spleen and liver accumulation. However, this technique is more time-consuming and less suited for purification of ⁶⁸Ga-labeled tracers, due to the short half-life of ⁶⁸Ga. Remarkably, the uptake of RP-HLPCpurified ⁶⁸Ga-DOTA-exendin-3 in the pancreas was significantly higher. This is probably due to a slightly lower peptide dose, which results in higher pancreatic uptake as previously described [3]. Gel filtration removed ⁶⁸Ga-colloid less efficiently, resulting in higher

Table 1 ⁶⁸Ga-colloid content determined by ITLC, liver, and spleen uptake of unpurified, gel filtration, RP-HPLC- and SPE-purified ⁶⁸Ga-DOTA-exendin-3 and ¹¹¹In-DOTA-exendin-3 in BALB/c nude mice (n = 5 per group)

	⁶⁸ Ga-colloid content (%)	Liver uptake (% ID/g)	Spleen uptake (% ID/g)
¹¹¹ In-DOTA-exendin-3	<3	0.7 ± 0.1	0.3 ± 0.1
⁶⁸ Ga-DOTA-exendin-3	7	6.1 ± 1.0	4.5 ± 0.7
Gel filtration purified ⁶⁸ Ga-DOTA-exendin-3	9	3.0 ± 0.3	1.4 ± 0.3
Solid phase extraction purified ⁶⁸ Ga-DOTA-exendin-3	<3	0.8 ± 0.0	0.5 ± 0.1
RP-HPLC purified ⁶⁸ Ga-DOTA-exendin-3	<3	0.6 ± 0.1	0.4 ± 0.1



liver and spleen uptake than SPE and RP-HPLC purification. It should be noted that gel filtration could be more appropriate for the purification of larger compounds such as proteins. The higher molecular weight of proteins combined with the low molecular weight of ⁶⁸Ga-colloid could result in better separation. However, the feasibility to separate ⁶⁸Ga-colloid from high molecular weight compounds by gel filtration should be evaluated.

High specific activities of ⁶⁸Ga-labeled tracers are required to administer high activity doses in combination with low peptide doses. It was shown that high peptide doses lead to reduced uptake in the target tissues due to (partly) saturation of the receptors [2–5], which is of particular importance in preclinical imaging. Moreover, high peptide doses can lead to (toxic) side effects, especially when biologically active compounds are used as the ligand. The need for a high specific activity generally enhances ⁶⁸Ga-colloid formation, since incorporation of ⁶⁸Ga present in the labeling mixture in the presence of low amounts of metal binding ligand might be incomplete. Since ⁶⁸Ga(OH)₃ could be formed at pH 3 in the absence of chelating agents (such as DOTA, DTPA, and



EDTA) [11], ⁶⁸Ga(OH)₃ is formed in a labeling mixture at a pH between 3.5 and 4 when ⁶⁸Ga-incorporation is incomplete. Interestingly, in the pH range generally used for ⁶⁸Ga-labeling procedures (pH 3.5–4), Ga(III) is predominantly present as polymeric Ga(III) hydroxides, while Ga(OH)₃ is the predominant form at pH 7 [12]. Furthermore, at higher pH, the formation of insoluble GaO(OH) can occur [13]. GaO(OH) is particularly formed at high temperature [14], which is of importance since most ⁶⁸Galabeling procedures are carried out at high temperatures (80–100 °C). In contrast to Ga(III) hydroxides, GaO(OH) is only slowly redissolved even at low pH [14].

Wild et al. showed a similar biodistribution of ⁶⁸Ga-labeled DOTA-exendin-4 [15] as ⁶⁸Ga-DOTA-exendin-3



in our study. In the former study, no purification was performed of the 68Ga-labeled compound, and this lead to slightly higher uptake in the spleen as compared to the SPE and RP-HPLC purified tracer used in our study. However, the splenic uptake of ⁶⁸Ga-DOTA-exendin-4 was lower than that of the unpurified ⁶⁸Ga-DOTA-exendin-3 in our study. This lower uptake in the spleen of ⁶⁸Ga-DOTA-exendin-4 reported by Wild et al. is probably due to a lower ⁶⁸Ga-colloid content in the labeling mixture. The lower ⁶⁸Ga-colloid content might be due to a lower specific activity of ⁶⁸Ga-DOTA-exendin-4 and a different labeling protocol. In the study performed by Wild et al., the ⁶⁸Ga-eluate was purified and the labeling was performed in a microwave for 5 min. The shorter labeling time in combination with the lower specific activity may lead to faster and more complete incorporation of 68Ga, reducing the risk of 68Ga-colloid formation [11]. Several other labeling methods [16, 17] and chelators [18-21] for labeling compounds with ⁶⁸Ga are described with more efficient labeling yields and faster labeling kinetics. These new strategies for ⁶⁸Ga-labeling of compounds might also reduce the risk of ⁶⁸Ga-colloid formation.

We validated a TLC method for the detection of ⁶⁸Gacolloid in labeling mixtures of ⁶⁸Ga-DOTA-exendin-3 and showed a clear linear correlation between added ⁶⁸Ga-colloid to the labeling mixtures (free of ⁶⁸Ga-colloid) and the measured ⁶⁸Ga-colloid content. These results suggest accurate quantification of ⁶⁸Ga-colloid in the labeling mixture. Determination of the colloid content is of great importance to calculate the specific activity. Neglecting the presence of ⁶⁸Ga-colloid might result in overestimation of the specific activity and thus administration of a higher peptide dose as initially planned. This is especially true for exendin, where very low peptide doses need to be administered to prevent receptor saturation resulting in lower uptake in GLP-1R-positive tissues [3]. The detection limit of this method is approximately 3 % making detecting of very low concentrations of colloid difficult. The rather low sensitivity is due to tailing of the radiolabeling peptide hampering the clear delineation between the peak representing the ⁶⁸Ga-colloid and the peak representing ⁶⁸Ga-DOTAexendin-3. The sensitivity of this method for the determination of ⁶⁸Ga-colloid for other peptides might be different due to different migratory characteristics of the ⁶⁸Ga-peptide on this TLC system compared to exendin.

Enhanced liver and spleen uptake will hamper the detection of lesions in the upper abdomen. Radiolabeled exendin was successfully used for detection of insulinomas [22] and could potentially be used for detection of the pancreatic beta cell mass. Enhanced liver and spleen uptake might reduce the sensitivity of these methods. Previous studies explored the feasibility of tumor imaging and atherosclerotic plaques with ${}^{68}\text{GaCl}_3$ in mouse models for pancreatic adenocarcinoma and artherosclerosis, respectively [23, 24]. Although the tumor and atherosclerotic plaques could be detected, the PET images suffered from high background signal in the liver and lungs as well as high concentration in the blood. The binding of ${}^{68}\text{Ga}$ to transferrin (prolonging the circulation time) and the formation of ${}^{68}\text{Ga-colloid}$ could explain the enhanced background and is in line with our study.

Conclusions

Solid phase extraction using a HLB cartridge is a fast and simple method to remove ⁶⁸Ga-colloid. The uptake in the liver and spleen of the SPE-purified product was similar to that of ¹¹¹In-DOTA-exendin-3 or HPLCpurified ⁶⁸Ga-DOTA-exendin-3, indicating sufficient removal of insoluble ⁶⁸Ga-colloid. Gel filtration only partly removed ⁶⁸Ga-colloid species and is not suitable for purification of ⁶⁸Ga-labeled exendin-3 and most likely other peptides. Moreover, SPE cartridges are routinely integrated in GMP-grade synthesis modules for ⁶⁸Ga-labeling of peptide, and therefore, this method can be used for purification of ⁶⁸Ga-labeled compounds for human use. Possibly, gel filtration might be suitable for larger compounds (e.g., antibodies, proteins), since the performance of size exclusion chromatography is expected to be superior for larger compounds. However, the feasibility for the removal of ⁶⁸Ga-colloid by gel filtration of proteins and compounds where solid phase extraction is not possible should be verified. The studies presented here show the importance of complete removal of ⁶⁸Gacolloid before in vivo use.

Acknowledgements

The authors acknowledge Bianca Lemmers, Kitty Lemmens, Iris Lamers, and Henk Arnts (Central Animal Facility, Radboudumc, Nijmegen, The Netherlands) for their technical assistance with the animal experiments.

Authors' contributions

MB, GF, and LJ performed the experiments. MB wrote the manuscript. All authors were involved in the overall design of the studies and critically reviewed and approved the manuscript.

Competing interests

The authors declare that they have no competing interests.

Received: 12 July 2016 Accepted: 4 August 2016 Published online: 12 August 2016

References

- Gabriel M, Decristoforo C, Kendler D, Dobrozemsky G, Heute D, Uprimny C, et al. 68Ga-DOTA-Tyr3-octreotide PET in neuroendocrine tumors: comparison with somatostatin receptor scintigraphy and CT. J Nucl Med. 2007;48:508–18.
- Breeman WA, de Jong M, Kwekkeboom DJ, Valkema R, Bakker WH, Kooij PP, et al. Somatostatin receptor-mediated imaging and therapy: basic science, current knowledge, limitations and future perspectives. Eur J Nucl Med. 2001;28:1421–9.

- Brom M, Oyen WJ, Joosten L, Gotthardt M, Boerman OC. 68Ga-labelled exendin-3, a new agent for the detection of insulinomas with PET. Eur J Nucl Med Mol Imaging. 2010;37:1345–55.
- Froidevaux S, Calame-Christe M, Schuhmacher J, Tanner H, Saffrich R, Henze M, et al. A gallium-labeled DOTA-alpha-melanocyte-stimulating hormone analog for PET imaging of melanoma metastases. J Nucl Med. 2004;45:116–23.
- Notni J, Steiger K, Hoffmann F, Reich D, Kessler H, Schwaiger M, et al. Variation of specific activities of Ga-68-Aquibeprin and Ga-68-Avebetrin enables selective PET-imaging of different expression levels of integrins alpha5beta1 and alphavbeta3. J Nucl Med 2016. doi:10.2967/jnumed.116. 173948.
- Antunes P, Ginj M, Zhang H, Waser B, Baum RP, Reubi JC, et al. Are radiogallium-labelled DOTA-conjugated somatostatin analogues superior to those labelled with other radiometals? Eur J Nucl Med Mol Imaging. 2007; 34:982–93.
- Breeman WA, de Jong M, de Blois E, Bernard BF, Konijnenberg M, Krenning EP. Radiolabelling DOTA-peptides with 68Ga. Eur J Nucl Med Mol Imaging. 2005;32:478–85.
- Sandstrom M, Velikyan I, Garske-Roman U, Sorensen J, Eriksson B, Granberg D, et al. Comparative biodistribution and radiation dosimetry of 68Ga-DOTATOC and 68Ga-DOTATATE in patients with neuroendocrine tumors. J Nucl Med. 2013;54:1755–9.
- Velikyan I, Sundin A, Sorensen J, Lubberink M, Sandstrom M, Garske-Roman U, et al. Quantitative and qualitative intrapatient comparison of 68Ga-DOTATOC and 68Ga-DOTATATE: net uptake rate for accurate quantification. J Nucl Med. 2014;55:204–10.
- Sosabowski JK, Mather SJ. Conjugation of DOTA-like chelating agents to peptides and radiolabeling with trivalent metallic isotopes. Nat Protoc. 2006; 1:972–6.
- 11. Green MA, Welch MJ. Gallium radiopharmaceutical chemistry. Int J Rad Appl Instrum. 1989;16:435–48.
- 12. Hacht B. Gallium(III) ion hydrolysis under physiological conditions. B Korean Chem Soc. 2008;29:372–6.
- Gamsjage H, Schindle P. Loslichkeitsprodukte Von Metalloxiden Und -Hydroxiden .11. Die Loslichkeit Von Alpha-Gao(Oh) Bei 60 Degrees C in Perchlorsauren Losungen Konstanter Ionenstarke. Helv Chim Acta. 1967;50: 2053.
- Uchida M, Okuwaki A. Potentiometric determination of the first hydrolysis constant of gallium(III) in NaCl solution to 100 degrees C. J Solution Chem. 1998;27:965–78.
- Wild D, Wicki A, Mansi R, Behe M, Keil B, Bernhardt P, et al. Exendin-4-based radiopharmaceuticals for glucagonlike peptide-1 receptor PET/CT and SPECT/CT. J Nucl Med. 2010;51:1059–67.
- Schultz MK, Mueller D, Baum RP, Leonard Watkins G, Breeman WA. A new automated NaCl based robust method for routine production of gallium-68 labeled peptides. Appl Radiat Isot. 2013;76:46–54.
- Shetty D, Jeong JM, Ju CH, Kim YJ, Lee JY, Lee YS, et al. Synthesis and evaluation of macrocyclic amino acid derivatives for tumor imaging by gallium-68 positron emission tomography. Bioorg Med Chem. 2010;18: 7338–47.
- Eder M, Wangler B, Knackmuss S, LeGall F, Little M, Haberkorn U, et al. Tetrafluorophenolate of HBED-CC: a versatile conjugation agent for 68Galabeled small recombinant antibodies. Eur J Nucl Med Mol Imaging. 2008; 35:1878–86.
- Ma MT, Neels OC, Denoyer D, Roselt P, Karas JA, Scanlon DB, et al. Gallium-68 complex of a macrobicyclic cage amine chelator tethered to two integrin-targeting peptides for diagnostic tumor imaging. Bioconjug Chem. 2011;22:2093–103.
- Notni J, Pohle K, Wester HJ. Comparative gallium-68 labeling of TRAP-, NOTA-, and DOTA-peptides: practical consequences for the future of gallium-68-PET. EJNMMI Res. 2012;2:28.
- Notni J, Simecek J, Hermann P, Wester HJ. TRAP, a powerful and versatile framework for gallium-68 radiopharmaceuticals. Chemistry. 2011;17:14718–22.
- Wild D, Macke H, Christ E, Gloor B, Reubi JC. Glucagon-like peptide 1receptor scans to localize occult insulinomas. N Engl J Med. 2008;359:766–8.
- Silvola JMU, Laitinen I, Sipila HJ, Laine VJO, Leppanen P, Yla-Herttuala S, et al. Uptake of (68)gallium in atherosclerotic plaques in LDLR(–/–)ApoB (100/100) mice. EJNMMI Res. 2011;1:14.
- 24. Ujula T, Salomaki S, Autio A, Luoto P, Tolvanen T, Lehikoinen P, et al. Ga-68chloride PET reveals human pancreatic adenocarcinoma xenografts in rats-comparison with FDG. Mol Imaging Biol. 2010;12:259–68.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at > springeropen.com