

SCIENTIFIC REPORTS



OPEN

Truly trapped rainbow by utilizing nonreciprocal waveguides

Kexin Liu^{1,2} & Sailing He^{1,2}

Received: 18 May 2016

Accepted: 29 June 2016

Published: 25 July 2016

The concept of a “trapped rainbow” has generated considerable interest for optical data storage and processing. It aims to trap different frequency components of the wave packet at different positions permanently. However, all the previously proposed structures cannot truly achieve this effect, due to the difficulties in suppressing the reflection caused by strong intermodal coupling and distinguishing different frequency components simultaneously. In this article, we found a physical mechanism to achieve a truly “trapped rainbow” storage of electromagnetic wave. We utilize nonreciprocal waveguides under a tapered magnetic field to achieve this and such a trapping effect is stable even under fabrication disorders. We also observe hot spots and relatively long duration time of the trapped wave around critical positions through frequency domain and time domain simulations. The physical mechanism we found has a variety of potential applications ranging from wave harvesting and storage to nonlinearity enhancement.

Slowing electromagnetic waves is believed to be an attractive technique for enhanced nonlinear optics¹, light harvesting^{2,3}, and optical signal processing^{4–6}. Recently, the concept of a “trapped rainbow” has generated considerable interest for potential use in optical data storage and processing⁷. It aims to trap different frequency components of the wave packet at different positions in space permanently⁷. Various waveguide structures are proposed to achieve the trapped rainbow effect, such as tapered waveguides made by negative or hyperbolic metamaterials^{7–9}, tapered plasmonic waveguides^{10,11}, and tapered photonic crystal waveguides¹². Some experiments have also been conducted^{13–15}. These structures can slow down the incident wave around a critical position where the group velocity of the wave is zero^{16,17}. However, all these structures cannot truly achieve the trapped rainbow effect. As first discovered in ref. 18, because of the strong coupling between the forward and backward modes near the critical position, the entire incident wave will be reflected back before reaching the critical position and the wave is not completely standstill in these waveguides¹⁸. There are other types of structures supposed to completely trapping electromagnetic waves without reflection such as “electromagnetic black holes”^{19,20} and magneto-plasmonic waveguides with a block at one end^{21,22}. However, these structures are unable to distinguish between different frequency components, because the wave is absorbed or blocked in one singular point for the whole frequency range, rather than trapped at different positions.

In this article, for the first time in the literature, we found a physical mechanism to achieve a truly “trapped rainbow” storage of electromagnetic wave by simultaneously overcoming these two difficulties, namely, suppressing the reflection of the incident wave and distinguishing different frequency components. We utilize a nonreciprocal waveguide under a tapered external magnetic field to achieve this and such a trapping effect is stable even under fabrication disorders. We also observe hot spots and relatively long duration time of the trapped wave around critical positions through frequency domain and time domain simulations with loss taken into consideration. In addition, we investigate the influences of the loss and the applied magnetic field gradient on the trapping effect.

Physical mechanism

First, we demonstrate the physical mechanism to achieve trapped rainbow effect by studying the dispersion diagram of the nonreciprocal waveguide and the effect of the applied magnetic field. The waveguide structure is a two-dimensional (2D) slab (infinite in z direction) with three layers (Fig. 1). The top layer is a perfect electric conductor (PEC), which can be a good metallic conductor such as copper in microwave frequencies. The middle layer is a dielectric layer with thickness d and permittivity ϵ_d . The bottom layer is a gyromagnetic material such as yttrium-iron-garnet (YIG) in microwave frequencies. The permittivity and permeability of the YIG are denoted

¹Department of Electromagnetic Engineering, School of Electrical Engineering, KTH Royal Institute of Technology, Stockholm S-100 44, Sweden. ²Centre for Optical and Electromagnetic Research, State Key Laboratory of Modern Optical Instrumentation, JORCEP (Sino-Swedish Joint Research Center of Photonics), Zhejiang University, Hangzhou 310058, China. Correspondence and requests for materials should be addressed to S.H. (email: sailing@kth.se)




Figure 1. Waveguide structure. The waveguide structure is a slab with three layers. The top layer is a perfect electric conductor (PEC). The middle layer is a dielectric layer with thickness d and permittivity ϵ_d . The bottom layer is an yttrium–iron–garnet (YIG) layer, which is gyromagnetic material in microwave frequencies. The permittivity and permeability of the YIG are denoted by ϵ_m and μ_r . An external magnetic field H_0 is applied on the YIG along the $+z$ direction. The wave of transverse electric (TE) mode (E_z, H_x, H_y) goes along x direction.

by ϵ_m and μ_r . An external magnetic field H_0 is applied on the YIG along the $+z$ direction. In this configuration, μ_r takes the form²³

$$\mu_r = \begin{bmatrix} \mu_1 & -i\mu_2 & 0 \\ i\mu_2 & \mu_1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (1)$$

with $\mu_1 = 1 + (\omega_0 - i\nu)\omega_m / [(\omega_0 - i\nu)^2 - \omega^2]$ and $\mu_2 = \omega\omega_m / [(\omega_0 - i\nu)^2 - \omega^2]$, where $\omega_0 = 2\pi\gamma H_0$ is the precession frequency, $\nu = \pi\gamma\Delta H$ indicating that the material loss is determined by the resonance linewidth ΔH , $\omega_m = 2\pi\gamma M_s$ is determined by the saturation magnetization M_s and $\gamma = 2.8E6 \text{ rad s}^{-1}\text{G}^{-1}$ is the gyromagnetic ratio. Within the bandgap of the bulk modes in the YIG, we only consider the surface wave of transverse electric (TE) mode (E_z, H_x, H_y) with wave vector k along x in the waveguide²⁴. The dispersion relation $\omega(k)$ for this mode is governed by

$$\alpha_d \mu_\nu + \left(\alpha_m + \frac{\mu_2 k}{\mu_1} \right) \tanh(\alpha_d d) = 0 \quad (2)$$

with $\alpha_d = \sqrt{k^2 - \epsilon_d k_0^2}$, $\alpha_m = \sqrt{k^2 - \epsilon_m \mu_\nu k_0^2}$, $\mu_\nu = \mu_1 - \mu_2^2 / \mu_1$ and $k_0 = \omega/c$ (where c is the light speed in vacuum)²⁵. The linear term $(\mu_2/\mu_1)k$ with respect to k in equation (2), which originates from the off-diagonal element of μ_r , breaks the symmetry of dispersion relation (i.e., $\omega(k) \neq \omega(-k)$). The propagation of the wave in this waveguide is nonreciprocal. In addition, the dispersion relation is also affected by the thickness of the dielectric layer d ²⁵. Therefore, we study two lossless cases ($\Delta H = 0$) with very different d . In the first case, $d = 0.13\lambda_m$, and the other, $d = 0.013\lambda_m$, where $\lambda_m = 2\pi/k_m$ and $k_m = \omega_m/c$. The other parameters are chosen as follows: $\epsilon_d = 1$, $\epsilon_m = 15$, and $M_s = 1780 \text{ G}$.

For the first case in which $d = 0.13\lambda_m$, $\omega(k)$ changes with H_0 . Figure 2a shows three curves of $\omega(k)$ with $H_0 = 0.5, 0.6$ and $0.7 M_s$, respectively. For each curve, there are two frequencies whose group velocity $v_g = d\omega/dk = 0$. One is at the asymptotic frequency $\omega_{-\infty} = \frac{1}{2}\omega_m + \omega_0$ when $k \rightarrow -\infty$, and the other one is at a lower frequency ω_l . When $\omega > \omega_{-\infty}$, group velocity v_g points in only one direction and the waveguide is a one-way waveguide. Since $\omega(k)$ can be tuned by H_0 , we can achieve $v_g = 0$ by controlling H_0 . Figure 2b shows three relation curves of $k(H_0)$ for $\omega = \omega_m, 1.1\omega_m, 1.2\omega_m$, respectively. For each curve, there are two critical magnetic fields, H_{c1} and H_{c2} , where $v_g = 0$. Here, $H_{c1} = (\omega/\omega_m - 1/2)M_s$ and $H_{c2} > H_{c1}$. We analyze the curve with $\omega = 1.2\omega_m$ as an example. For $H_0 < H_{c1}$, the wave has only one finite k and propagates in only one direction with $v_g > 0$ (① in Fig. 2b). For $H_{c1} < H_0 < H_{c2}$, the waveguide has two modes with opposite group velocity directions. For $H_0 > H_{c2}$, the waveguide has no propagating mode. The property of the waveguide around H_{c1} and H_{c2} is very different. For $H_0 \rightarrow H_{c1}^+$, the two corresponding modes are separated. One has finite k with $v_g > 0$ (② in Fig. 2b), and the other one has $k \rightarrow -\infty$ with $v_g \rightarrow 0^-$ (⑤ in Fig. 2b). These two modes cannot couple with each other. For $H_0 \rightarrow H_{c2}^-$, the two corresponding modes are nearly degenerated (③ and ④ in Fig. 2b). Although the group velocities of these two modes are opposite, the wave vectors and the modal fields are very close, and consequently these two modes can couple with each other.

Next, we use a tapered $H_0(x)$ to show the physical mechanism for realizing the trapped rainbow in this waveguide (Fig. 2c). Firstly, we assume $H_0(x)$ continuously increases with x . x_{c1} and x_{c2} are the corresponding critical positions for H_{c1} and H_{c2} at one certain frequency. The wave is incident at $x < x_{c1}$ along $+x$ direction and it passes through x_{c1} in a unidirectional manner (① in Fig. 2c). The wave continues to propagate without coupling (② in Fig. 2c). When the wave approaches x_{c2} (③ in Fig. 2c), the wave can couple with the corresponding nearly degenerated mode (④ in Fig. 2c). In fact, all the electromagnetic energy can couple back to the $-x$ direction before reaching x_{c2} ¹⁸. The wave then travels along the $-x$ direction and approaches x_{c1} where $k \rightarrow -\infty$ and $v_g \rightarrow 0^-$ (⑤ in Fig. 2c). There is no coupling between ② and ⑤ in Fig. 2c and the wave cannot penetrate x_{c1} , so the wave is trapped at x_{c1} . Secondly, we consider some disorders in the waveguide such as surface roughness or a




Figure 2. Physical mechanism of trapped rainbow in nonreciprocal waveguide. (a) Dispersion relation for $d = 0.13\lambda_m$, $H_0 = 0.5M_s$ (black), $0.6M_s$ (red) and $0.7M_s$ (blue). (b) Relation curve of $k(H_0)$ for $d = 0.13\lambda_m$, $\omega = \omega_m$ (black), $1.1\omega_m$ (red) and $1.2\omega_m$ (blue). H_{c1} and H_{c2} indicate the critical fields for $\omega = 1.2\omega_m$. ① ② ③ ④ ⑤ denote five positions (white dots) on the relation curve for $\omega = 1.2\omega_m$. At ① $H_0 < H_{c1}$, at ② and ⑤ $H_0 \rightarrow H_{c1}^+$, and at ③ and ④ $H_0 \rightarrow H_{c2}^-$. (c) Schematic diagram for v_g (yellow wide arrow) and k (blue thin arrow) at corresponding positions marked in (b). $H_0(x)$ continuously increases with x . x_{c1} and x_{c2} denote the corresponding critical positions for H_{c1} and H_{c2} . ① denotes the incident wave at $x < x_{c1}$. The yellow arrow with a red cross denotes that the wave cannot propagate in $-x$ direction at $x < x_{c1}$. The green straight arrow with a red cross denotes no coupling between the waves at ② and ⑤. The green curved arrow denotes coupling between the waves at ③ and ④. (d) Dispersion relation for $d = 0.013\lambda_m$, $H_0 = 0.5M_s$ (black), $0.6M_s$ (red) and $0.7M_s$ (blue). (e) Relation curve of $k(H_0)$ for $d = 0.013\lambda_m$, $\omega = \omega_m$ (black), $1.1\omega_m$ (red) and $1.2\omega_m$ (blue). H_c indicates the critical field for $\omega = 1.2\omega_m$. ① ② ③ denote three positions (white dots) on the relation curve for $\omega = 1.2\omega_m$. (f) Schematic diagram for v_g (yellow wide arrow) and k (blue thin arrow) at the corresponding positions marked in (e). $H_0(x)$ continuously increases with x . x_c denotes the corresponding critical position for H_c . The yellow wide arrow with a red cross denotes that the wave cannot propagate in $-x$ direction. The other parameters are as follows: $\varepsilon_d = 1$, $\varepsilon_m = 15$ and $M_s = 1780$ G.

non-homogeneous material. The disorders at $x < x_{c1}$ will not generate backscattering, since the waveguide is a one-way waveguide in this region²⁵. The disorders at $x_{c1} < x < x_{c2}$ can generate a scattering wave. The scattering wave traveling in the $-x$ direction will approach x_{c1} and be trapped there, while the scattering wave traveling in the $+x$ direction will couple back to the $-x$ direction and still become trapped at x_{c1} . Note that, at the frequencies within the bandgap of the bulk mode in YIG, the scattering cannot propagate inside the YIG layer. Thirdly, the critical positions are different for different frequencies (Fig. 2b), so the different frequency components of a wave packet can be trapped at different positions. To summarize, this waveguide can cage the wave between the two critical positions and achieve the trapped rainbow effect. It is worth to note that the physical mechanism shown in Fig. 2c is different from those of the previously proposed reciprocal structures^{7–15}. Firstly, this nonreciprocal structure has a one-way region ($x < x_{c1}$) which can prevent the wave propagating in $-x$ direction. This unique property (different from previously proposed structures) is essential for achieving a truly trapped rainbow effect. Secondly, it has two critical positions x_{c1} and x_{c2} , where the group velocity is zero, so that it can achieve two hot spots. Such a case has never been discussed before. Thirdly, the previous reciprocal structures have symmetric dispersion relations. As a result, the previous work cannot suppress the scattering caused by disorders. Our structure has non-symmetric dispersion relations and it is robust against the disorders.

For the second case in which $d = 0.013\lambda_m$, $\omega(k)$ also changes with H_0 . Figure 2d shows three curves of $\omega(k)$ with $H_0 = 0.5, 0.6$ and $0.7M_s$, respectively. For each curve, group velocity v_g points in only one direction and $v_g \rightarrow 0^+$ at the asymptotic frequency $\omega_{-\infty} = \frac{1}{2}\omega_m + \omega_0$ when $k \rightarrow -\infty$. Figure 2e shows the relation curves of $k(H_0)$ for $\omega = \omega_m, 1.1\omega_m$ and $1.2\omega_m$, respectively. The critical magnetic field is $H_c = (\omega/\omega_m - 1/2)M_s$, where $v_g = 0$. We analyze the curve with $\omega = 1.2\omega_m$ as an example. For $H_0 < H_c$, the wave has only one finite k and propagates in only one direction with $v_g > 0$ (① and ② in Fig. 2e). When $H_0 \rightarrow H_c^-$, the wave has $k \rightarrow -\infty$ and $v_g \rightarrow 0^+$ (③ Fig. 2e). For $H_0 > H_c$, there is no propagating mode. We next use a continuously increasing $H_0(x)$ with x to achieve the trapped rainbow effect. The physical mechanism is quite simple in this case: Set x_c as the corresponding critical position for H_c at one certain frequency. The wave is incident at $x < x_c$ along $+x$ direction (① in Fig. 2f). Since there is no mode propagating in the $-x$ direction, the coupling does not exist. Disorders cannot generate backscattering waves in this one-way waveguide or propagating waves in the YIG layer. Therefore, the




Figure 3. Simulated trapped rainbow for $d = 0.13\lambda_m$. In the frequency domain, matched fields are excited at $x = 0$ in the waveguide with $\alpha = 0.1$ and $\Delta H = 2$ Oe. The distribution of the E_z amplitude is plotted for (a) $\omega = \omega_m$, (b) $1.1\omega_m$ and (c) $1.2\omega_m$, respectively. (d) E_z amplitude along the dielectric-YIG interface for $\omega = \omega_m$ (black), $1.1\omega_m$ (red) and $1.2\omega_m$ (blue). In the time domain, a Gaussian wave packet with center frequency $\omega_c = 1.1\omega_m$ is injected into the waveguide with $\alpha = 0.1$ and $\Delta H = 2$ Oe. The E_z amplitude distribution of the wave packet is plotted at (e) 0 ns, (f) 4 ns, (g) 9 ns, (h) 13 ns, and (i) 25 ns, respectively. (j) Normalized distribution of the E_z amplitude along the dielectric-YIG interface at different time. (k) Time evolution of the E_z amplitude at $x = 0.50\lambda_m$ (blue), $2.87\lambda_m$ (green), $2.58\lambda_m$ (red) and $2.00\lambda_m$ (black). The other parameters are $\epsilon_d = 1$, $\epsilon_m = 15$ and $M_s = 1780$ G.




Figure 4. Simulated trapped rainbow for $d = 0.013\lambda_m$. In the frequency domain, matched fields are excited at $x = 0$ in the waveguide with $\alpha = 0.2$ and $\Delta H = 1$ Oe. The distribution of the E_z amplitude is plotted for (a) $\omega = \omega_m$, (b) $1.1\omega_m$ and (c) $1.2\omega_m$, respectively. (d) E_z amplitude along the dielectric-YIG interface for $\omega = \omega_m$ (black), $1.1\omega_m$ (red) and $1.2\omega_m$ (blue). In the time domain, a Gaussian wave packet with center frequency $\omega_c = 1.1\omega_m$ is injected into the waveguide with $\alpha = 0.2$ and $\Delta H = 3$ Oe. The E_z amplitude distribution of the wave packet is plotted at (e) 2 ns, (f) 11 ns, (g) 20 ns, (h) 29 ns, and (i) 38 ns, respectively. (j) Normalized distribution of the E_z amplitude along the dielectric-YIG interface at different times. (k) Time evolution of the E_z amplitude at $x = 0.500\lambda_m$ (blue), $0.935\lambda_m$ (green), $1.000\lambda_m$ (red) and $1.050\lambda_m$ (black). (l) Duration time Δt for three cases: (1) $\alpha = 0.2$ and $\Delta H = 3$ Oe (black solid line), (2) $\alpha = 0.2$ and $\Delta H = 2$ Oe (red dot line), and (3) $\alpha = 0.3$ and $\Delta H = 3$ Oe (blue dot-dash line). The other parameters are as follows: $\epsilon_d = 1$, $\epsilon_m = 15$ and $M_s = 1780$ G.




Figure 5. Trapped rainbow effect under disorders in the nonreciprocal waveguides. For $d = 0.13\lambda_m$, two dielectric slabs (white slabs) with permittivity $\varepsilon = 10$, width $\Delta x = \lambda_m/20$ and height $\Delta y = \lambda_m/20$ are inserted at $x = \lambda_m$ and $x = 1.5\lambda_m$ through the dielectric-YIG interface. The other parameters are the same as those in Fig. 3b. (a) Distribution of the E_z amplitude. (b) E_z amplitude along the dielectric-YIG interface. For $d = 0.013\lambda_m$, one dielectric slabs (white slabs) with permittivity $\varepsilon = 10$, width $\Delta x = \lambda_m/50$ and height $\Delta y = \lambda_m/100$ is inserted at $x = 0.5\lambda_m$ through the dielectric-YIG interface. The other parameters are the same as those in Fig. 4b (c) Distribution of the E_z amplitude. (d) E_z amplitude along the dielectric-YIG interface.

wave continues to propagate along $+x$ with decreasing v_g (② in Fig. 2f). Finally, the wave approaches x_c with $v_g \rightarrow 0^+$. Since it cannot penetrate x_c , the wave is trapped at x_c (③ in Fig. 2f). As critical position x_c is related to the frequency, different frequency components of a wave packet can be trapped at different positions. Therefore, this waveguide can achieve the trapped rainbow effect by trapping the wave at the critical position.

Trapped rainbow

We simulate the trapped rainbow effect in the nonreciprocal waveguide structures. Both frequency domain and time domain simulations for two cases $d = 0.013\lambda_m$ and $d = 0.13\lambda_m$ are conducted with taking loss ($\Delta H \neq 0$) into consideration. According to the analysis above, a continuously increasing $H_0(x)$ with x can trap the wave. We choose $H_0(x)$ changing linearly with x :

$$H_0(x) = (\alpha x/\lambda_m + 0.4)M_s \quad (3)$$

where α indicates the increasing rate of H_0 .

For the first case $d = 0.13\lambda_m$, we initially conduct the frequency domain simulation by the finite element method (COMSOL). The parameters are chosen as follows: $\alpha = 0.1$ and $\Delta H = 2$ Oe. The matched field is excited at $x = 0$. The amplitude E_z distributions for $\omega = \omega_m$, $1.1\omega_m$ and $1.2\omega_m$ (Fig. 3a–c) show that the field is well confined at the dielectric-YIG interface ($y = 0$) and enhanced in a region between x_{c1} and x_{c2} . Here $x_{c1} = \lambda_m$, $2\lambda_m$ and $3\lambda_m$, and $x_{c2} = 2.03\lambda_m$, $2.99\lambda_m$ and $3.95\lambda_m$ for $\omega = \omega_m$, $1.1\omega_m$ and $1.2\omega_m$, respectively. Figure 3d shows the normalized amplitude of E_z along the interface. The amplitude has no ripples on the left side of x_{c1} , since the wave propagates only one-way in this region. On the right side of x_{c1} , the ripples of the amplitude demonstrate an interface between the waves propagating in $\pm x$ direction. The wave propagating in the $-x$ direction comes from the coupling when the wave in the $+x$ direction approaches x_{c2} . In addition, when the wave approaches x_{c2} , the group velocity is slower, so the field is also enhanced in this process. Therefore, around these two positions, we can observe hot spots. Between these two positions, the intensity of the field oscillates and has several peaks.

We then study the propagation of a wave packet in the time domain for case $d = 0.13\lambda_m$ (see Supplementary Information for details of the calculation method). A Gaussian wave packet with center frequency $\omega_c = 1.1\omega_m$ is injected into the waveguide with $\alpha = 0.1$ and $\Delta H = 2$ Oe. Figure 3e–i shows the E_z amplitude distribution of the wave packet at different times (see also Supplementary Movie 1). Figure 3j shows the normalized distribution of




Figure 6. The influence of α and ΔH on the enhancement factor (EF). (a) EF changes with α from 0.13 to 0.4 and ΔH from 1 Oe to 10 Oe. The white solid (dashed) line is the contour line for EF = 1 (EF = 10). (b) EF changes with ΔH for a fix $\alpha = 0.2$, corresponding to the vertical black dash line in (a). (c) EF changes with α for a fix ΔH , corresponding to horizontal black dash line in (a). The other parameters are as follows: $\omega = 1.1\omega_m$, $d = 0.013\lambda_m$, $\varepsilon_d = 1$ and $\varepsilon_m = 15$, $M_s = 1780$ G.

E_z amplitude along the dielectric-YIG interface at different times. They show that the wave packet initially propagates in $+x$ direction and is compressed and enhanced when approaching $x_{c2} = 2.99\lambda_m$. The wave then goes back and attenuates gradually at $x_{c1} = 2\lambda_m$. Figure 3k shows the time evolution of the E_z amplitude at four positions: $x = 0.50\lambda_m$ (blue), $2.87\lambda_m$ (green), $2.58\lambda_m$ (red) and $2.00\lambda_m$ (black) on the interface. Note that between x_{c1} and x_{c2} , such as $x = 2.58\lambda_m$, the field can have two peaks in the time domain.

For the second case $d = 0.013\lambda_m$, we first simulate the propagation of the wave in the frequency domain. The parameters are chosen as follows: $\alpha = 0.2$ and $\Delta H = 1$ Oe. The matched field is excited at $x = 0$. The amplitude E_z distributions for $\omega = \omega_m$, $1.1\omega_m$ and $1.2\omega_m$ (Fig. 4a–c) show that the field is well confined at the dielectric-YIG interface ($y = 0$) and enhanced around the corresponding critical positions $x_c = 0.5\lambda_m$, $1.0\lambda_m$ and $1.5\lambda_m$, respectively. Figure 4d shows the normalized amplitude of E_z along the interface. The amplitude increases monotonically from $x = 0$ to the critical positions, which demonstrates that the wave is trapped and extremely enhanced at the critical positions.

Next, we study the propagation of a wave packet in the time domain for $d = 0.013\lambda_m$. A Gaussian wave packet with center frequency $\omega_c = 1.1\omega_m$ is injected into the waveguide with $\alpha = 0.2$ and $\Delta H = 3$ Oe. Figure 4e–i show the E_z amplitude distributions of the wave packet at different times (see also Supplementary Movie 2). Figure 4j shows the normalized distribution of E_z amplitude along the dielectric-YIG interface at different times. They show that the wave packet is compressed, enhanced, and trapped around the critical position, and then attenuates gradually. Figure 4k shows the time evolution of the E_z amplitude at $x = 0.500\lambda_m$ (blue), $0.935\lambda_m$ (green), $1.000\lambda_m$ (red) and $1.050\lambda_m$ (black). We notice that the amplitude of the wave packet achieves the maximum value before it reaches the critical position. This means that, although slower group velocity can enhance the field, when the wave packet approaches the critical position, the loss increases substantially and the intensity of the wave decreases. We also notice that the wave packet can remain at the critical position in for a relatively long time. Define the duration time Δt as the time period when the amplitude of E_z is greater than half of the maximum value. Figure 5l shows Δt for three cases: (1) $\alpha = 0.2$, $\Delta H = 3$ Oe; (2) $\alpha = 0.2$, $\Delta H = 2$ Oe and (3) $\alpha = 0.3$, $\Delta H = 3$ Oe. It demonstrates that Δt has maximum value at the critical position. In addition, lower ΔH gives less loss and contributes to longer duration, and α seems not to affect the duration time.

We next investigate the trapped rainbow effect in the waveguides with disorders. For $d = 0.13\lambda_m$, two dielectric slabs (white slabs in Fig. 5a) with permittivity $\varepsilon = 10$, width $\Delta x = \lambda_m/20$ and height $\Delta y = \lambda_m/20$ are inserted at $x = \lambda_m$ and $x = 1.5\lambda_m$ through the dielectric-YIG interface. The other parameters are the same as those in Fig. 3b. The 2D distribution of E_z (Fig. 5a) and the amplitude E_z along the dielectric-YIG interface (Fig. 5b) are almost identical to the results in Fig. 3b,d. This demonstrates that the waveguide can preserve the trapped rainbow effect under disorders. For $d = 0.013\lambda_m$, one dielectric slab (white slab in Fig. 5c) with permittivity $\varepsilon = 10$, width $\Delta x = \lambda_m/50$ and height $\Delta y = \lambda_m/100$ is inserted at $x = 0.5\lambda_m$ through the dielectric-YIG interface. The other parameters are the same as those in Fig. 4b. The 2D distribution of E_z (Fig. 5c) and the amplitude E_z along the dielectric-YIG interface (Fig. 5d) are almost identical to the results in Fig. 4b,d. This demonstrates that this waveguide can also preserve the trapped rainbow effect under disorders. Compared with other slow-light structures,

in which the disorder can generate reflection and destroys the trapped rainbow effect (see Supplementary Information), the nonreciprocal waveguides are immune to the disorders, which is an important advantage for achieving the trapped rainbow effect.

Finally, to get much stronger enhancement of the electromagnetic field, we investigate the influence of the increasing rate α and the loss on the enhancement at $\omega = 1.1\omega_m$ for $d = 0.013\lambda_m$ in the frequency domain. The loss is mainly from the bottom layer of the magnetic material YIG. This loss is determined by ΔH . The metal loss of a good conductor such as copper in the upper layer can be included by using an impedance boundary condition in the modeling. The results (not presented here) show that the metal loss has quite small influence on the enhancement, and thus we can treat the upper metallic layer as PEC in our modeling. We define an enhancement factor (EF) as ratio of the amplitude of E_z at the critical position to the amplitude at $x = 0$ on the dielectric-YIG interface. We sweep α from 0.13 to 0.40 and sweep ΔH from 1 Oe to 10 Oe to find the corresponding EF (Fig. 6a). Figure 6b shows that, for a fixed $\alpha = 0.2$, EF decreases as ΔH increases, because larger ΔH contributes more loss. Figure 6c shows that, for a fixed $\Delta H = 3$ Oe, EF increases with α . This is because in this one-way waveguide, the more rapidly increasing rate will contribute a shorter way to reach the critical position with less loss and higher EF, rather than generate reflection. Figure 6a also shows the contour lines for EF = 1 and EF = 10. To summarize, smaller ΔH and larger α can contribute to a higher EF.

In conclusion, we found a physical mechanism to achieve a truly “trapped rainbow” storage of waves by utilizing nonreciprocal waveguides. Two nonreciprocal waveguides with different thicknesses under tapered applied magnetic fields are investigated via frequency domain and time domain simulations. Results demonstrate that both can achieve the trapped rainbow effect even under disorders. One can cage the wave between two critical positions, and the other can trap the wave at one critical position. The field can be enhanced at the trapped positions. In addition, low loss is essential to achieve strong enhancement of the field and long duration time, and a more rapidly increasing rate of the tapered external magnetic field can produce stronger enhancement of the field. To verify the trapped rainbow effect in future microwave experiments, a very low loss YIG film is necessary and the tapered external magnetic field should have high gradients. Further research may make use of the physical mechanism proposed here to investigate light wave or acoustic wave trapping²⁶. Applications ranging from wave harvesting and storage to nonlinearity enhancement might also benefit from the physical mechanism we suggest.

References

1. Corcoran, B. *et al.* Green light emission in silicon through slow-light enhanced third-harmonic generation in photonic-crystal waveguides. *Nature Photonics* **3**, 206–210 (2009).
2. Stockman, M. I. Nanofocusing of Optical Energy in Tapered Plasmonic Waveguides. *Phys. Rev. Lett.* **93**, 137404 (2004).
3. Cui, Y. *et al.* Ultrabroadband Light Absorption by a Sawtooth Anisotropic Metamaterial Slab. *Nano Letters* **12**, 1443–1447 (2012).
4. Vlasov, Y. A., O’Boyle, M., Hamann, H. F. & McNab, S. J. Active control of slow light on a chip with photonic crystal waveguides. *Nature* **438**, 65–69 (2005).
5. Baba, T. Slow light in photonic crystals. *Nature Photonics* **2**, 465–473 (2008).
6. Corcoran, B. *et al.* Optical signal processing on a silicon chip at 640 Gb/s using slow-light. *Opt. Express* **18**, 7770–7781 (2010).
7. Tsakmakidis, K. L., Boardman, A. D. & Hess, O. ‘Trapped rainbow’ storage of light in metamaterials. *Nature* **450**, 397–401 (2007).
8. Hu, H., Ji, D., Zeng, X., Liu, K. & Gan, Q. Rainbow Trapping in Hyperbolic Metamaterial Waveguide. *Sci. Rep.* **3**, 1249 (2013).
9. Li, B., He, Y. & He, S. Investigation of light trapping effect in hyperbolic metamaterial slow-light waveguides. *Appl. Phys. Express* **8**, 082601 (2015).
10. Jang, M. S. & Atwater, H. Plasmonic Rainbow Trapping Structures for Light Localization and Spectrum Splitting. *Phys. Rev. Lett.* **107**, 207401 (2011).
11. Gan, Q., Ding, Y. & Bartoli, F. “Rainbow” Trapping and Releasing at Telecommunication Wavelengths. *Phys. Rev. Lett.* **102**, 056801 (2009).
12. Ouyang, C. *et al.* Wideband trapping of light by edge states in honeycomb photonic crystals. *Journal of Physics: Condensed Matter* **24**, 492203 (2012).
13. Gan, Q. *et al.* Experimental verification of the rainbow trapping effect in adiabatic plasmonic gratings. *Proceedings of the National Academy of Sciences* **108**, 5169–5173 (2011).
14. Gan, Q. & Bartoli, F. Surface dispersion engineering of planar plasmonic chirped grating for complete visible rainbow trapping. *Appl. Phys. Lett.* **98**, 251103 (2011).
15. Ji, D. *et al.* Broadband absorption engineering of hyperbolic metafilm patterns. *Sci. Rep.* **4**, (2014).
16. He, J. & He, S. Slow propagation of electromagnetic waves in a dielectric slab waveguide with a left-handed material substrate. *IEEE Microwave and Wireless Components Letters* **16**, 96–98 (2006).
17. He, J., Jin, Y., Hong, Z. & He, S. Slow light in a dielectric waveguide with negative-refractive-index photonic crystal cladding. *Opt. Express* **16**, 11077–11082 (2008).
18. He, S., He, Y. & Jin, Y. Revealing the truth about ‘trapped rainbow’ storage of light in metamaterials. *Sci. Rep.* **2**, 583 (2012).
19. Narimanov, E. E. & Kildishev, A. V. Optical black hole: Broadband omnidirectional light absorber. *Appl. Phys. Lett.* **95**, 041106 (2009).
20. Cheng, Q., Cui, T., Jiang, W. & Cai, B. An omnidirectional electromagnetic absorber made of metamaterials. *New Journal of Physics* **12**, 063006 (2010).
21. Chettiar, U. K., Davoyan, A. R. & Engheta, N. Hotspots from nonreciprocal surface waves. *Optics Letters* **39**, 1760–1763 (2014).
22. Shen, L., Wang, Z., Deng, X., Wu, J. & Yang, T. Complete trapping of electromagnetic radiation using surface magnetoplasmons. *Optics Letters* **40**, 1853–1856 (2015).
23. Pozar, D. M. *Microwave Engineering* Ch. 9, 4th ed. (John Wiley & Sons, New York, 2012)
24. Hartstein, A., Burstein, E., Maradudin, A. A., Brewer, R. & Wallis, R. F. Surface polaritons on semi-infinite gyromagnetic media. *J. Phys. C: Solid State Phys.* **6**, 1266–1276 (1973).
25. Deng, X., Hong, L., Zheng, X. & Shen, L. One-way regular electromagnetic mode immune to backscattering. *Appl. Opt.* **54**, 4608–4612 (2015).
26. Zhu, J. *et al.* Acoustic rainbow trapping. *Sci. Rep.* **3**, 1728 (2013).

Acknowledgements

We thank A. Tork for his helpful discussion. K. Liu thanks China Scholarship Council (CSC) (201406320056). Support for this work was provided by Swedish VR grant (621-2011-4620); AOARD; National Natural Science Foundation of China (NSFC) (61178062, 91233208).

Author Contributions

S.H. conceived the ideas and supervised the research. K.L. performed the calculations and simulations. S.H. and K.L. made the theoretical analysis and wrote the paper.

Additional Information

Supplementary information accompanies this paper at <http://www.nature.com/srep>

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: Liu, K. and He, S. Truly trapped rainbow by utilizing nonreciprocal waveguides. *Sci. Rep.* **6**, 30206; doi: 10.1038/srep30206 (2016).



This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>

© The Author(s) 2016