Online Appendix 1: Measures Considered for the CPG.

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
3D Accelerometry Gait	New	$\checkmark$	$\checkmark$	$\checkmark$			
4 Meter gait speed	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
6 Meter Timed Walk Test	New	$\checkmark$	$\checkmark$				
10 Meter walk test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
10 Second Step Test	New	$\checkmark$	$\checkmark$				
100 Meter Walk Test	New	$\checkmark$	$\checkmark$				
12 Minute Walk / Run	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
12 Step Ascend and Descend test	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
12-Item MS Walking Scale	$\checkmark$						
2 Minute Walk Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
3 Meter Timed Tandem Walk	New	$\checkmark$	$\checkmark$				
30 meter timed walks	New	$\checkmark$	$\checkmark$				
30 seconds chair stand test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
360 Degree Turn Test	$\checkmark$	$\checkmark$	$\checkmark$				
400 Meter Walk Time	New	$\checkmark$	$\checkmark$				

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
5 Time Sit to Stand	$\checkmark$	$\checkmark$	$\checkmark$				
6 minute walk test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
6 Spot Step Test	New	$\checkmark$	$\checkmark$				
6-Minute Arm Test	$\checkmark$	$\checkmark$					
6-Minute Step Test	New	$\checkmark$					
9 Hole Peg Test	$\checkmark$	$\checkmark$					
Able Scale	New	$\checkmark$	$\checkmark$				
Action Research Arm Test	$\checkmark$	$\checkmark$					
Activities Specific Balance Confidence Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Activities-specific Balance Confidence 6	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Activities-specific Fall Caution Scale	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Activity Measure for Post Acute Care	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Agitated Behavior Scale	$\checkmark$	$\checkmark$					
Ambulatory Self-confidence							
Questionnaire	New	$\checkmark$	$\checkmark$				
Apathy Evaluation Scale	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Arm Motor Ability Test	$\checkmark$	$\checkmark$					
Ashworth Scale	$\checkmark$	$\checkmark$					
Ashworth Scale, Modified	$\checkmark$	$\checkmark$					
Assessment of Life Habits	$\checkmark$	$\checkmark$					
Awareness Questionnaire	$\checkmark$	$\checkmark$					
Balance Error Scoring System	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Balance Evaluations Systems Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Balance Outcome Measure for Elder Rehabilitation	$\checkmark$	$\checkmark$	$\checkmark$				
Barthel Index	$\checkmark$	$\checkmark$					
Berg Balance Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Berg Balance Scale 3P	New	$\checkmark$	$\checkmark$				
Berg Balance Scale 9	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Berg Balance Scale Short Form	New	$\checkmark$	$\checkmark$				
Bioesthesiometer	$\checkmark$	$\checkmark$					
Bow and Lean Test	$\checkmark$						
Box & Blocks Test	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Brief BESTest	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Brief Fatigue Index/Inventory	NR						
Brunnel Balance Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Bryce-Ragnarsson Pain Taxonomy	$\checkmark$						
Canadian Occupational Performance Measure	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Capabilities of UE Functioning Instrument	$\checkmark$						
Chedoke Arm Hand Inventory	$\checkmark$						
Chedoke-McMaster Stroke Assessment	$\checkmark$						
Chester Step Test	New	$\checkmark$					
Classification for Chronic Pain in SCI	$\checkmark$						
Clinical Mobility Scale	New	$\checkmark$	$\checkmark$				
Clinical Outcome Variables Scale	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Clinical Test of Sensory Interaction in Balance	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Cognitive Log	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Coma Recovery Scale-Revised	$\checkmark$	$\checkmark$					
Community Balance and Mobility Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Community Integration Measure	$\checkmark$	$\checkmark$					
Community Integration Questionnaire	$\checkmark$	$\checkmark$					
Community Integration Questionnaire II	NR						
Continuous Scale Physical Functional Performance Test	$\checkmark$	$\checkmark$					
Craig Handicap Assessment and Reporting Technique	$\checkmark$	$\checkmark$					
Craig Hospital Inventory of Environmental Factors	$\checkmark$	$\checkmark$					
Deep Head Hanging for Anterior Canal	$\checkmark$						
Disability Rating Scale - TBI	$\checkmark$						
Disability Rating Scale- vestibular	$\checkmark$						
Disease Steps	$\checkmark$						
Disorders of Consciousness Scale	$\checkmark$	$\checkmark$					
Dix-Hallpike	$\checkmark$						

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Dizziness Beliefs Scale	New	$\checkmark$					
Dizziness Handicap Inventory	$\checkmark$	$\checkmark$					
Dizziness Handicap Inventory -							
Screening Version	New	$\checkmark$					
Dizziness Handicap Inventory - Short							
Form	New	$\checkmark$					
Donovan SCI Pain Classification	$\checkmark$						
Dynamic Gait Index - Modified	New	$\checkmark$	$\checkmark$				
Dynamic Gait Index	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Dynamic Gait Index 4 item	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Dynamic Visual Acuity	$\checkmark$						
Dynamic Visual Acuity Computerized	$\checkmark$						
Dynamometry	$\checkmark$	$\checkmark$					
Elderly Mobility Scale	New	$\checkmark$	$\checkmark$				
Emory Functional Ambulation Profile -							
Modified	New	$\checkmark$	$\checkmark$				
Emory Functional Ambulation Profile	New	$\checkmark$	$\checkmark$				

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
EQUI-SCALE	New	$\checkmark$					
EuroQOL	$\checkmark$	$\checkmark$					
Expanded Disability Status Scale &							
Kurtzke Functional Systems Scale	NR						
Falls Efficacy Scale - Modified	NR						
Falls Efficacy Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Falls Efficacy Scale International	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Falls Efficacy Scale International Short							
Form	New	$\checkmark$	$\checkmark$				
Fatigue Descriptive Scale	$\checkmark$						
Fatigue Scale for Motor and Cognitive							
Functions	$\checkmark$						
Fatigue Severity Scale	$\checkmark$	$\checkmark$					
Figure-of-Eight Walk Test	New	$\checkmark$	$\checkmark$				
Functional Tests for Persons who Self							
Propel a Manual Wheelchair	NR						
Four Square Step Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Frailty and Injuries Cooperative Studies							
of Intervention Techniques Balance							
Scale	New	$\checkmark$					
Freezing of Gait Questionnaire	$\checkmark$						
Fugl-Meyer Assessment of Motor							
Performance	$\checkmark$						
Fugl-Meyer Sensory Exam	$\checkmark$						
Fukada Stepping Test	$\checkmark$						
Fullerton Advanced Balance Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Function in Sitting Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Functional Ambulation Categories	$\checkmark$	$\checkmark$	$\checkmark$				
Functional Assessment Measure	$\checkmark$	$\checkmark$					
Functional Assessment of MS	$\checkmark$						
Functional Axial Rotation	$\checkmark$	$\checkmark$					
Functional Gait Assessment	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Functional Independence Measure	$\checkmark$	$\checkmark$					
Functional Independence Measure	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Locomotor							
Functional Mobility Assessment	New	$\checkmark$					
Functional Obstacle Course	New	$\checkmark$	$\checkmark$				
Functional Reach Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Functional Reach Test Modified - Sitting	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Functional Reach Test Multidirectional -							
Standing	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Functional Self-Assessment	$\checkmark$	$\checkmark$					
Functional Status Examination	$\checkmark$	$\checkmark$					
Gait Efficacy Scale - Modified	$\checkmark$	$\checkmark$	$\checkmark$				
Gait Efficacy Scale	New	$\checkmark$	$\checkmark$				
Gaze Stabilzation Test (Neurocom)	$\checkmark$						
Geriatric Fear of Falling Measurement	New	$\checkmark$	$\checkmark$				
Glasgow Coma Scale	$\checkmark$	$\checkmark$					
Glasgow Outcome Scale-Extended	$\checkmark$	$\checkmark$					
Glenrose Ambulation Rating Scale	New	$\checkmark$	$\checkmark$				
Global Fatigue Index	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Goal Attainment Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Graded and Redefined Assessment of Sensibility Strength and Prehension	$\checkmark$						
Grasp and Release Test	$\checkmark$						
Guy's Neurological Disability Scale	$\checkmark$						
Hand Held Myometry	$\checkmark$	$\checkmark$					
Hauser Ambulation Index	$\checkmark$						
Head Impulse Test / Head Thrust Test	$\checkmark$						
Head Shake SOT	$\checkmark$						
Head Shake/ Head Shaking Nystagmus Test	$\checkmark$						
Hierarchical Balance Short Forms	New	$\checkmark$	$\checkmark$				
High Level Mobility and Assessment							
Tool	$\checkmark$	$\checkmark$	$\checkmark$				
History of Falls Questionnaire	NR						
Home and Community Environment	$\checkmark$	$\checkmark$					
Impact on Participation and Autonomy	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
International Spinal Cord Injury Pain							
Classification	$\checkmark$						
International Standards for Neurological							
Classification of Spinal Cord Injury, ASIA							
Impairment Scale	$\checkmark$						
Jebsen-Taylor Hand Function Test	$\checkmark$	$\checkmark$					
Joint Position Error Test	$\checkmark$	$\checkmark$					
L test	New	$\checkmark$	$\checkmark$				
Life Satisfaction Questionnaire	$\checkmark$	$\checkmark$	$\checkmark$				
Lower Extremity Functional Scale	New	$\checkmark$					
Manual Muscle Test	$\checkmark$	$\checkmark$					
Maximal Inspiratory/Expiratory Pressure	$\checkmark$	$\checkmark$					
Maximal Width of the Base of Support	New	$\checkmark$	$\checkmark$				
Mayo Portland Adaptability Inventory-4	$\checkmark$	$\checkmark$					
MDS-UPDRS Revision	$\checkmark$						
Medical Outcomes Study Short Form 36	$\checkmark$	$\checkmark$					
Medical Outcomes Study-Form Health	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Survey - 12							
Metronome Paced Square Step Test	New	$\checkmark$	$\checkmark$				
Mini BEST Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Mini Mental Status Exam	$\checkmark$	$\checkmark$					
MODIFIED CTSIB - No Dome	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Modified DGI	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Modified Fatigue Impact Scale	$\checkmark$	$\checkmark$					
Modified Parkinson's Activity Scale	$\checkmark$						
Modified Rankin Scale	$\checkmark$	$\checkmark$					
Modified Romberg Test Using a Foam							
Pad	New	$\checkmark$	$\checkmark$				
Montreal Cognitive Assessment	$\checkmark$	$\checkmark$					
Moss Attention Rating Scale	$\checkmark$	$\checkmark$					
Motion Sensitivity Quotient	$\checkmark$	$\checkmark$					
Motivation for Traumatic Brain Injury Rehabilitation Questionnaire	$\checkmark$						
Motor Activity Log	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Motricity Index	$\checkmark$	$\checkmark$					
Movement Ability Measure	$\checkmark$	$\checkmark$					
Multi-Component Fatigue Scale	NR						
Multidimensional Pain Inventory SCI							
version	$\checkmark$						
Multiple Sclerosis Functional Composite	$\checkmark$						
Multiple Sclerosis Impact Scale - 29	$\checkmark$						
Multiple Sclerosis International Quality							
of Life Questionnaire	$\checkmark$						
Multiple Sclerosis Quality of Life - 54	$\checkmark$						
Multiple Sclerosis Quality of Life							
Inventory	$\checkmark$						
Multiple Sclerosis Spasticity Scale	$\checkmark$						
Narrow Path Walking Test	New	$\checkmark$	$\checkmark$				
Needs Assessment Checklist	$\checkmark$						
Neuro QOL	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Neuro-QOL - Lower Extremity Function							
(Mobility) Short Form	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Neurological Outcome Scale for							
Traumatic Brain Injury	$\checkmark$						
Neuropathic Pain Scale	$\checkmark$	$\checkmark$					
NIH Stroke Scale	$\checkmark$						
Nottingham Assessment of							
Somatosensation	$\checkmark$	$\checkmark$					
Numeric Pain Rating Scale	$\checkmark$	$\checkmark$					
Outpatient Physical Therapy							
Improvement in Movement Assessment							
Log	$\checkmark$	$\checkmark$					
Orientation Log	$\checkmark$	$\checkmark$					
Orpington Prognostic Scale	$\checkmark$						
Ottowa Sitting Scale	New	$\checkmark$	$\checkmark$				
Parallel Walk Test	New	$\checkmark$	$\checkmark$				
Parkinson's Fatigue Scale	$\checkmark$						

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Parkinson's ADL Scale	$\checkmark$						
Participation Assessment with Recombined Tools- Objective	$\checkmark$	$\checkmark$					
Participation Measure for Post-Acute							
Care	NR						
Participation Objective, Participation Subjective	NR						
Participation Survey of Mobility Limited People	NR						
Patient Competency Rating Scale	NR						
Patient Health Questionnaire	$\checkmark$	$\checkmark$					
Patient-specific Functional Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Parkinson's Disease Quality of Life - 39	$\checkmark$						
Parkinson's Disease Quality of Life - 8	$\checkmark$						
Penn Spasm Frequency Scale	$\checkmark$	$\checkmark$					
Performance Test of Activities of Daily Living	New	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Physical Activity Recall Assessment for							
People with Spinal Cord Injury	$\checkmark$						
Physical Performance Test - 8-item	New	$\checkmark$	$\checkmark$				
Physical Performance Test- Modified	New	$\checkmark$	$\checkmark$				
Physical Performance Test*	New	$\checkmark$	$\checkmark$				
Physiologic Cost Index	NR						
Physiotherapy Functional Mobility Profile	New	$\checkmark$					
Pittsburgh Rehabilitation Participation Scale	NR						
Postural Assessment Scale for Stroke Patients	$\checkmark$						
Postural Assessment Scale for Stroke							
Patients - 5 item	New						
Postural Assessment Scale for Stroke							
Patients 3 item	New						
Profile Parkinson's Disease	$\checkmark$						

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Purdue Pegboard test	$\checkmark$	$\checkmark$					
Push-release test	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Quadriplegia Index of Function	$\checkmark$						
Quadriplegia Index of Function Short							
Form	$\checkmark$						
Quality of Life after Brain Injury	$\checkmark$						
Quality of Life Index, Spinal Cord							
Version	$\checkmark$						
Quality of Well Being	$\checkmark$	$\checkmark$					
Quebec User Evaluation of Satisfaction							
with Assistive Technology	$\checkmark$	$\checkmark$					
Ranchos Levels of Cognitive Functioning	$\checkmark$	$\checkmark$					
Rapid Step-up Test - 10 reps	$\checkmark$	$\checkmark$	$\checkmark$				
Rate of Perceived Exertion	NR						
Reintegration to Normal Living Index	$\checkmark$	$\checkmark$					
Retropulsive Pull Test	$\checkmark$	$\checkmark$	$\checkmark$				
Rivermead Assessment of	NR						

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Somatosensory Performance							
Rivermead Mobility Index	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Rivermead Mobility Index - Modified	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Rivermead Motor Assessment	$\checkmark$	$\checkmark$					
Roll Test	$\checkmark$						
Romberg	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Romberg - Sharpened	$\checkmark$	$\checkmark$	$\checkmark$				
Rush Dyskinesia Rating Scale	$\checkmark$	$\checkmark$					
Saint Louis Mental Status Examination	$\checkmark$	$\checkmark$					
Satisfaction with Life Scale	$\checkmark$	$\checkmark$					
Scale for the Assessment an Rating of							
Ataxia	$\checkmark$	$\checkmark$					
Scripps Neurological Rating Scale	$\checkmark$						
Seated Cervical Rotation Test	NR						
Self- Reported Disability Scale in Patients with Parkinson's Disease	$\checkmark$						
Self-Efficacy Exercise Scale	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Semmes Weinstein Monofilaments	$\checkmark$	$\checkmark$					
Sensory Organization Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Sensory Stimulation Assessment							
Measure	$\checkmark$	$\checkmark$					
Short Physical Performance Battery	New	$\checkmark$	$\checkmark$				
Shuttle walk test	New	$\checkmark$	$\checkmark$				
Sickness Impact Profile 68	$\checkmark$	$\checkmark$					
Side lying Test	$\checkmark$						
Single Leg Stance	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Sollerman Hand Function Test	$\checkmark$	$\checkmark$					
Spinal Cord Assessment Tool for Spastic							
Reflexes	$\checkmark$						
Spinal Cord Independence Measure	$\checkmark$						
Spinal Cord Injury Functional							
Ambulation Inventory	$\checkmark$						
Spinal Cord Injury Functional Ambulation Profile	$\checkmark$						

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Spinal Cord Injury Lifestyle Scale	$\checkmark$						
Spinal Cord Injury Spasticity Evaluation Tool	$\checkmark$						
Static Balance Test	$\checkmark$	$\checkmark$	$\checkmark$				
Static Standing Balance Test	New	$\checkmark$	$\checkmark$				
Step Test	New	$\checkmark$	$\checkmark$				
Stops Walking When Talking Test	NR						
Stroke Adapted Sickness Impact Scale - 30	$\checkmark$						
Stroke Impact Scale	$\checkmark$						
Stroke Rehabilitation Assessment of Movement	$\checkmark$						
Stroke-Specific Quality of Life Scale	$\checkmark$						
Subjective Visual Vertical	$\checkmark$						
Supervision Rating Scale	NR						
Supine to Stand	NR						
Survey of Activities and Fear of Falling in	New	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
the Elderly							
Sydney Psychosocial Reintegration Scale	$\checkmark$	$\checkmark$					
Tardieu Scale, Modified Tardieu Scale	$\checkmark$	$\checkmark$					
Tetraplegia Hand Activity Questionnaire	$\checkmark$						
Timed 10-Meter Backwards Walk	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Timed 100-Meter Walk Test	New	$\checkmark$	$\checkmark$				
Timed 25 Foot Walk	$\checkmark$	$\checkmark$	$\checkmark$				
Timed Up and Go Test	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Timed Up and Go-Cognitive	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Timed Up and Go - Expanded	New	$\checkmark$	$\checkmark$				
Tinetti Performance Oriented Mobility							
Assessment	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Tool for Assessing Mobility in							
Wheelchair-Dependent Paraplegics							
(Harvey Mobility Assessment Tool)	$\checkmark$						
Trunk Control Test	$\checkmark$	$\checkmark$					
Trunk Impairment Scale	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of</li> <li>Measure</li> <li>items</li> <li>address</li> <li>gait,</li> <li>balance,</li> <li>transfers</li> <li>&amp;/or</li> <li>patient</li> <li>stated</li> <li>goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
TUG Modified with Dual Task Conditions	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
UCLA Dizziness Questionnaire	New	$\checkmark$					
Unified Dyskinesia Rating Scale	$\checkmark$	$\checkmark$					
Van Lieshout Test Short Version	$\checkmark$						
Vertigo Handicap Questionnaire	$\checkmark$	$\checkmark$					
Vertigo Symptoms Scale	$\checkmark$	$\checkmark$					
Vestibular Activities and Participation	NR						
Vestibular Disorders Activities of Daily							
Living Scale	$\checkmark$	$\checkmark$					
Vestibular Rehabilitation Benefit							
Questionnaire	NR						
Visual Analog Scale (Fatigue)	$\checkmark$	$\checkmark$					
Visual Analog Scale Vestibular	$\checkmark$	$\checkmark$					
Visual Vertigo Analogue Scale	$\checkmark$	$\checkmark$					
VO2 Max	$\checkmark$	$\checkmark$					
Walking and Remembering Test	$\checkmark$	$\checkmark$	$\checkmark$				
Walking Impact Scale - 12	New	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>≥ 75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Walking Index For Spinal Cord Injury	$\checkmark$						
Walking While Talking	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
Western Neuro Sensory Stimulation							
Profile	$\checkmark$	$\checkmark$					
Wheelchair Skills Test	$\checkmark$	$\checkmark$					
Wheelchair Users Shoulder Pain Index	$\checkmark$	$\checkmark$					
Wolf Motor Function Test	$\checkmark$	$\checkmark$					
World Health Organization Quality of Life-BREF	$\checkmark$	$\checkmark$					

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	<ul> <li>75% of Measure items address gait, balance, transfers &amp;/or patient stated goals</li> </ul>	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
<b>RETAINED</b> after this filter		EDGE-146	EDGE-54	EDGE-41	EDGE-41	EDGE-35	EDGE-16
		New-65	New-52	New-13	New-12	New-10	New- 2
	EDGE-222	ALL - 211	ALL -106	ALL-54	ALL-53	ALL-45	ALL-18
EXCLUDED with this filter		EDGE-76	EDGE-92	EDGE-13	EDGE-0	EDGE-6	EDGE-19
		New-2	New-13	New-39	New-1	New-2	New-8
	EDGE- 21	ALL-78	ALL-105	ALL-52	ALL-1	ALL-8	ALL-27