# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS,

or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption): Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126 URL: http://www.jmir.org/2011/4/e126/

doi: 10.2196/jmir.1923 PMID: 22209829

\* 필수항목

Your name \*

First Last

Ji Yeong Soh

# Primary Affiliation (short), City, Country \*

University of Toronto, Toronto, Canada

Department of Digital health, SAIHST, Su

#### Your e-mail address \*

abc@gmail.com

martha119@naver.com

# Title of your manuscript \*

Provide the (draft) title of your manuscript.

A Mobile-Based Intervention of Self-monitoring Tool for Perioperative Gastric Cancer Patients with Incentive Spirometer: Randomized Controlled Trial

# Name of your App/Software/Intervention \*

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

Go-breath

# **Evaluated Version (if any)**

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

V1

# Language(s) \*

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

### URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

http://www.jmir.org/2011/4/e126/

# URL of an image/screenshot (optional)

내 답변

Accessibility * Can an enduser access the intervention presently?
access is free and open
access only for special usergroups, not open
access is open to everyone, but requires payment/subscription/in-app purchases
app/intervention no longer accessible
○ 기타:

# Primary Medical Indication/Disease/Condition \*

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Perioperative Gastric Cancer Patients wi

# Primary Outcomes measured in trial \*

comma-separated list of primary outcomes reported in the trial

lincentive spirometer index (ISI)

# Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

System usability tost (SLIS)

Recommended "Dose" * What do the instructions for users say on how often the app should be used?
<ul><li>Approximately Daily</li></ul>
Approximately Weekly
Approximately Monthly
Approximately Yearly
O "as needed"
○ 기타:
Approx. Percentage of Users (starters) still using the app as recommended after 3 months *
<ul><li>unknown / not evaluated</li></ul>
O-10%
O 11-20%
O 21-30%
31-40%
O 41-50%
O 51-60%
O 61-70%
71%-80%
81-90%
91-100%
7151.
○ 기타:

Overall, was the app/intervention effective? *
yes: all primary outcomes were significantly better in intervention group vs control
partly: SOME primary outcomes were significantly better in intervention group vs control
on statistically significant difference between control and intervention
or more outcomes
inconclusive: more research is needed
○ 기타:
Article Preparation Status/Stage *  At which stage in your article preparation are you currently (at the time you fill in this form)
1
At which stage in your article preparation are you currently (at the time you fill in this form)
At which stage in your article preparation are you currently (at the time you fill in this form)  not submitted yet - in early draft status
At which stage in your article preparation are you currently (at the time you fill in this form)  Onot submitted yet - in early draft status  Onot submitted yet - in late draft status, just before submission
At which stage in your article preparation are you currently (at the time you fill in this form)  onot submitted yet - in early draft status  not submitted yet - in late draft status, just before submission  submitted to a journal but not reviewed yet
At which stage in your article preparation are you currently (at the time you fill in this form)  not submitted yet - in early draft status  not submitted yet - in late draft status, just before submission  submitted to a journal but not reviewed yet  submitted to a journal and after receiving initial reviewer comments
At which stage in your article preparation are you currently (at the time you fill in this form)  ont submitted yet - in early draft status  not submitted yet - in late draft status, just before submission  submitted to a journal but not reviewed yet  submitted to a journal and after receiving initial reviewer comments  submitted to a journal and accepted, but not published yet

Journal *  If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")
onot submitted yet / unclear where I will submit this
O Journal of Medical Internet Research (JMIR)
JMIR mHealth and UHealth
JMIR Serious Games
JMIR Mental Health
O JMIR Public Health
JMIR Formative Research
Other JMIR sister journal
○ 기타:
Is this a full powered effectiveness trial or a pilot/feasibility trial?
Pilot/feasibility
O Fully powered
Manuscript tracking number *  If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)
on ms number (yet) / not (yet) submitted to / published in JMIR
○ 기타: 12204
TITLE AND ABSTRACT

1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a	1a)	Does your	paper a	ddress	CONSORT	item	1a?
---	-----	-----------	---------	--------	---------	------	-----

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason unde
"other")

yes

○ 기타:

# 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

1 2 3 4 5

subitem not at all important O O essential

### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A Mobile-Based Intervention of Self-monitoring Tool for Perioperative Gastric Cancer Patients with Incentive Spirometer: Randomized Controlled Trial

# 1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

### 1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes") Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

1 2 3 4 5

subitem not at all important O O essential

### Does your paper address subitem 1a-iii? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Perioperative Gastric Cancer Patients with Incentive Spirometer

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions



NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

# 1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

# Does your paper address subitem 1b-i? \*

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The test group heard an alarm every 60 minutes from 9 am to 9 pm for two days. For the test group only, a dashboard was established in the nurse's station through which a purse could rapidly assess the performance of multiple nations.

# 1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

### Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

내 답변

# 1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important

O O essential

# Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

내 답변

# 1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important O O essential

### Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A total of 44 patients were recruited and 42 of them completed the study protocol

# 1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The use of the Go-breath app resulted in considerable differences between the test group and control group, but with no statistically significant

INTRODUCTION

2a) In INTRODUCTION: Scientific background and evaluation

# 2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as standalone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

	1	2	3	4	5	
subitem not at all important	0	$\circ$	$\circ$	$\circ$		essential

### Does your paper address subitem 2a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A mobile ICT for hospitalized post-operative patients can improve clinical outcomes by several pathways: It can encourage patients by informing them of important performance indices such as exercise duration, and it can connect the patient and provider with a real-time dashboard that can support prompt provider reactions. In a previous study, a post-operative group of patients using mobile ICT recovered significantly better than a control group.

# 2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropiate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

	1	2	3	4	5	
subitem not at all important	0	$\circ$	0	0		essential

### Does your paper address subitem 2a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Although many mobile apps have been developed for self-management in various clinical settings, only a few cases showing their use in post-operative care were reported. even though subjective activity by patients can influence their clinical hospital outcomes. Therefore, with help from mobile information and communications technology (ICT), patients can be more engaged in behaviors that can lead to better clinical results

2b) In INTRODUCTION: Specific objectives or hypotheses



### Does your paper address CONSORT subitem 2b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

the goal of this study was to determine the effect of mobile ICT on the performance of post-operative patients using an IS [Go-breath] app after general anesthesia.



3a) Description of trial design (such as parallel, factorial) including allocation ratio



# Does your paper address CONSORT subitem 3a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This was a single-center, randomized controlled trial (RCT) assessing the effectiveness of an IS self-reporting app [Go-breath] to improve IS performance and effectiveness.

3h) Important changes to methods after trial commencement



### Does your paper address CONSORT subitem 3b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable (The system remained frozen during the study period.)

# 3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

	1	2	3	4	5	
subitem not at all important	0	0	$\circ$	$\circ$		essential

### Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The system remained frozen during the study period

4a) Eligibility criteria for participants



# Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

If the patient was in the intensive care unit (ICU) or in an emergency condition requiring non-elective surgery, he/she was excluded from the study. If the postoperative state of the patient was not difficult to predict in advance, the patients were dropped from the study if their post-surgical condition (and before the initiation of intervention) was consistent with the exclusion criteria such as ICU admission. Drop-out was only permitted on the day of surgery (POD 0).

### 4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important

O O essential

# Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

# 4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 4a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Generally, the nurses were encouraged performance the IS on the patients over ten times every hour after the surgery, and some ward nurses checked the IS performance rate more than 10 times per hour from 9 am to 9 pm.

The Go-breath app was identical for both the test and control groups except for the alarm function. The test group heard an alarm every 60 minutes from 9 am to 9 pm during POD1-POD2 (a total of 24 hours). For the test group only, a dashboard was established in the nurse's station through which a nurse could rapidly assess the performance of multiple patients. On the other hand, the control group was not provided an alarm function or nurse dashboard identification. The control group only entered the number of IS performances

### 4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

subitem not at essential all important

# Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The randomization process took place right after consent using sealed envelopes.

4b) Settings and locations where the data were collected



### Does your paper address CONSORT subitem 4b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We collected the patients' baseline demographic information along with variables associated with surgery including surgeon, type of surgery, and duration of operation. In the trial, all participants were asked to recording log when they started and finished Go-breath app every day. Missing entries were interpreted as a missed value.

# 4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in webbased trials) or otherwise.

subitem not at essential all important

### Does your paper address subitem 4b-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable-we did not have on-line questionnaires

# 4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	<b>O</b>	$\circ$	$\circ$	$\circ$	$\circ$	essential

# Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

#### not applicable

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

# 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

	ı	2	3	4	5	
subitem not at all important	0	$\bigcirc$	$\bigcirc$	0	•	essentia

### Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This research was supported by the Basic Science Research Program through the National Research Foundation of Korea (NRF), funded by the Ministry of Education (NRF-2017R1D1A1B03029526), and processed as one of the creative lab projects by Samsung electronics.

# 5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	0	$\circ$	$\circ$	$\circ$		essential

### Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The system was constructed based on the opinions of health providers and consisted of a mobile app for patients and a server for medical staff. Patients could self-input their performance of IS, active coughing, and deep breathing every time. This information was transmitted to a nurse dashboard for a real-time check.

# 5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	0	0	0	0		essential

### Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The system remained frozen during the study period.

# 5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

For the usefulness questionnaire, 90.0% of the test group and 90.9% of the control group answered yes. There were three domains of opinions: function addition, function alteration, and etc. The two most wanted functions were exercise tracking and peer patients' information, and the most frequent complaint was about WIFI connection issues (Table 4).

# 5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

### 5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, <a href="webcitation.org">webcitation.org</a>, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

### Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Figure 2 Screenshot of Go-breath app (Lt), Dashboard (Rt), The original version was in Korean, but it was modified in English.

# 5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 5-vii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All patients were given the same hardware (Galaxy tablet A 8.0, purchased 2018) running Android 8.0, and the mobile Go-breath app was tested on Android 8.0 utilizing an Amazon web service server (Figure 2).

# 5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1]," whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	0	$\circ$	$\bigcirc$	$\circ$		essential

# Does your paper address subitem 5-viii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The Go-breath app was identical for both the test and control groups except for the alarm function. The test group heard an alarm every 60 minutes from 9 am to 9 pm during POD1-POD2 (a total of 24 hours). For the test group only, a dashboard was established in the nurse's station through which a nurse could rapidly assess the performance of multiple patients. On the other hand, the control group was not provided an alarm function or nurse dashboard identification. The control group only entered the number of IS performances using the app.

# 5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	$\circ$	0	0	0		essential

#### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We developed the ISI, which ranged from 0 to 120 per day. The maximum score was 240 for a two-day observation period. We developed an outcome index using clinical experts and supporting literature

# 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	0	0	$\circ$	0		essential

# Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Study assistants visited each patient, collected devices, conducted a short survey about usability among the patients, and interviewed the patients for subjective opinions. Even though the study intervention lasted for only 2 days, the patients' outcomes were tracked until the day of discharge.

# 5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	0	$\circ$	$\bigcirc$	$\circ$		essential

#### Does your paper address subitem 5-xi? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The test group heard an alarm every 60 minutes from 9 am to 9 pm during POD1-POD2 (a total of 24 hours).

# 5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability.

	1	2	3	4	5	
subitem not at all important	0	0	0	0		essential

# Does your paper address subitem 5-xii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

the test group only, a dashboard was established in the nurse's station through which a nurse could rapidly assess the performance of multiple

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

# Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We developed the ISI, which ranged from 0 to 120 per day. The maximum score was 240 for a two-day observation period. The secondary outcome was the system usability scale (SUS).

# 6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

# Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

not applicable - we did not have on-line questionnaires.

# 6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

1 2 3 4 5
subitem not at all important O O essential

# Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

The ISI was defined as 10 points per each hour the frequency of IS use was 10 times or more for that hour. If the frequency was below 10 for that hour, the score was rated as 0. ISI was only measured between 9:00 AM to 9:00 PM at POD 1 and 2.

# 6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

1 2 3 4 5 subitem not at

# Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

After the study, a brief face-to-face interview with every patient was performed by a research assistant. Patients answered to whether the system was helpful or not and rated the score. Patients' subjective opinions of the system were also gathered during the process.

6b) Any changes to trial outcomes after the trial commenced, with reasons



### Does your paper address CONSORT subitem 6b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

7a) How sample size was determined



NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

# 7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

subitem not at essential all important

#### Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We calculated the sample size of this study with the G-power 3.1 program (http://www.gpower.hhu.de). Several assumptions were made to set the sample population. The power was set to 0.90, significance level was set to 0.05, and effect size was 1.00. The minimum number of samples for the Wilcoxon ranksum test was 19 in each group. We assumed that the ISI would be different by 60% (test group) vs. 40% (control group), with standard deviations for each group. This assumption was made based on expert opinions, because there was no evidence that described IS frequency. Under these conditions, the sample size was 19 patients, and finally, 22 patients were selected for each group considering a dropout rate of 20%

7b) When applicable, explanation of any interim analyses and stopping guidelines

#### Does your paper address CONSORT subitem 7b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable

8a) Method used to generate the random allocation sequence



NPT: When applicable, how care providers were allocated to each trial group

# Does your paper address CONSORT subitem 8a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We recruited 44 patients with 22 patients allocated to the test group and 22 patients allocated to the control group.

8b) Type of randomisation; details of any restriction (such as



### Does your paper address CONSORT subitem 8b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were randomized using a web-based random number generator and sealed enveloped in a 1:1 ratio.

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

# Does your paper address CONSORT subitem 9? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were randomized using a web-based random number generator and sealed enveloped in a 1:1 ratio.

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

# Does your paper address CONSORT subitem 10? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were randomized using a web-based random number generator and sealed enveloped in a 1:1 ratio.

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

# 11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

### Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable - Our study did not have blind subjects.

# 11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

For the test group only, a dashboard was established in the nurse's station through which a nurse could rapidly assess the performance of multiple patients. On the other hand, the control group was not provided an alarm function or nurse dashboard identification. The control group only entered the number of IS performances using the app.

11b) If relevant, description of the similarity of interventions



(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or

### Does your paper address CONSORT subitem 11b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

#### Not applicable

12a) Statistical methods used to compare groups for primary and secondary outcomes

М

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### Does your paper address CONSORT subitem 12a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The ISI was defined as 10 points per each hour the frequency of IS use was 10 times or more for that hour. If the frequency was below 10 for that hour, the score was rated as 0. The questionnaire measures the usability of hardware and software products, and it consists of only 10 items that respondents score on a 5-Likert scale. Answers were converted to a final 0–100-point score, and the higher the score, the more usable the product.

# 12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
subitem not at	0	$\circ$	$\circ$	$\bigcirc$	<b>O</b>	essentia

#### Does your paper address subitem 12a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In the trial, all participants were asked to recording log when they started and finished Go-breath app every day. Missing entries were interpreted as a missed value.

12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

### Does your paper address CONSORT subitem 12b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable - we did not perform sub-group analysis.

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

# X26-i) Comment on ethics committee approval

	1	2	3	4	5	
subitem not at	0	$\circ$	$\circ$	$\circ$		essential

# Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This study was approved by the institutional review board of the study site (IRB number: 2018-02-135),

### x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important O O essential

### Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Following recruitment, participants were written informed consent

# X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We had preserved the anonymity of the patients by unidentified number.

RESULTS

13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

### Does your paper address CONSORT subitem 13a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The primary ISI outcome and the secondary SUS outcome are shown in Table 2, and no statistically significant differences were noted in these outcomes between the test and control groups. SUS of both groups showed good to excellent grade.

13b) For each group, losses and exclusions after randomisation, together with reasons



# Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We recruited 44 patients with 22 patients allocated to the test group and 22 patients allocated to the control group.

# 13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	0	$\bigcirc$	$\bigcirc$	$\circ$		essential

# Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Two patients were excluded due to clinical conditions.

14a) Dates defining the periods of recruitment and follow-up



# Does your paper address CONSORT subitem 14a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

# 14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

	1	2	3	4	5	
subitem not at all important	0	0	0	0		essential

### Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We recruited 44 patients with 22 patients allocated to the test group and 22 patients allocated to the control group from April to May 2018 who used the Gobreath app at a single tertiary hospital in South Korea.

14b) Why the trial ended or was stopped (early)



# Does your paper address CONSORT subitem 14b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

15) A table showing baseline demographic and clinical characteristics for each group



NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

### Does your paper address CONSORT subitem 15? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The overall average age was  $55.9 (\pm 12.9)$  years. The proportion of female patients was 34.1%. All patients had gastric cancer, and the overall average surgery time was  $169 (\pm 46.2)$  minutes. The demographic information of both groups is shown in Table 1.

# 15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
subitem not at all important	$\bigcirc$	$\circ$		$\circ$	$\circ$	essential

### Does your paper address subitem 15-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The overall average age was  $55.9 (\pm 12.9)$  years. The proportion of female patients was 34.1%. All patients had gastric cancer, and the overall average surgery time was  $169 (\pm 46.2)$  minutes. The demographic information of both groups is shown in Table 1.

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

# 16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific predefined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

1 2 3 4 5

#### Does your paper address subitem 16-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We recruited 44 patients with 22 patients allocated to the test group and 22 patients allocated to the control group from April to May 2018 who used the Gobreath app at a single tertiary hospital in South Korea. Two patients were excluded due to clinical conditions.

# 16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	•	0	0	0	0	essential

# Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Study designe was not applicable

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

# Does your paper address CONSORT subitem 17a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

# 17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	•	0	$\circ$	0	$\circ$	essential

### Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

# Does your paper address CONSORT subitem 17b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not relevant

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing prespecified from exploratory

# Does your paper address CONSORT subitem 18? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

### 18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

### Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable

19) All important harms or unintended effects in each group



(for specific guidance see CONSORT for harms)

# Does your paper address CONSORT subitem 19? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

For the usefulness questionnaire, 90.0% of the test group and 90.9% of the control group answered yes. There were three domains of opinions: function addition, function alteration, and etc. The two most wanted functions were exercise tracking and peer patients' information, and the most frequent complaint was about WIFI connection issues (Table 4).

# 19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

1 2 3 4 5

subitem not at all important O O essential

### Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"I did not want to use it because of WiFi connection issues."

# 19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	$\circ$	$\circ$		$\circ$	$\circ$	essentia

### Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

For the usefulness questionnaire, 90.0% of the test group and 90.9% of the control group answered yes. (staff was not applicable)



22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence



NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

# 22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

1 2 3 4 5

subitem not at all important O O essential

### Does your paper address subitem 22-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In conclusion session, I answered that the use of the Go-breath app resulted in considerable differences between the test group and control group, but with no statistically significant differences.

# 22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

# Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In discussion session, I answered that the negative outcome could have been influenced by several factors.

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses



# 20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

1 2 3 4 5

subitem not at all important O O essential

### Does your paper address subitem 20-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This study had some limitations. First, we could not measure the frequency of the use of the Go-breath dashboard because of the difficulty of implementing it without substantially disturbing the clinical routines of the acting nurses.

21) Generalisability (external validity, applicability) of the trial findings



NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

# 21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

1 2 3 4 5

subitem not at all important O O essential

# Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Second, because our system relied on the input from a number of patients (non-blinded), the results could have been biased by the patients' subjective cognition, willingness, or adherence to digital devices. The existence of family members

# 21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

subitem not at essential all important

### Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Even without its alarm function, individuals in the test group could see their current IS usage status, which could have encouraged them to use it more frequently, aggravating Hawthorn's effect.

OTHER INFORMATION

23) Registration number and name of trial registry



# Does your paper address CONSORT subitem 23? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NCT03569332

24) Where the full trial protocol can be accessed, if available



# Does your paper address CONSORT subitem 24? \*

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

https://clinicaltrials.gov/ct2/show/NCT03569332

25) Sources of funding and other support (such as supply of drugs), role of funders



# Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This research was supported by the Basic Science Research Program through the National Research Foundation of Korea (NRF), funded by the Ministry of Education (NRF-2017R1D1A1B03029526), and processed as one of the creative lab projects by Samsung electronics.

X27) Conflicts of Interest (not a CONSORT item)



# X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	$\bigcirc$	$\circ$	$\circ$	$\circ$		essential

# Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This research was supported by the Basic Science Research Program through the National Research Foundation of Korea (NRF), funded by the Ministry of Education (NRF-2017R1D1A1B03029526), and processed as one of the creative lab projects by Samsung electronics.

About the CONSORT EHEALTH checklist



manuscript? *
yes, major changes
yes, minor changes
O no
What were the most important changes you made as a result of using this checklist?
Insert randomization process and change the title
How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *  3 hour
As a result of using this checklist, do you think your manuscript has improved? *
yes
<ul><li>yes</li><li>no</li></ul>
O no
○ no ○ 기타:  Would you like to become involved in the CONSORT EHEALTH group?  This would involve for example becoming involved in participating in a workshop and writing an
○ no ○ 기타:  Would you like to become involved in the CONSORT EHEALTH group?  This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document
○ no ○ 기타:  Would you like to become involved in the CONSORT EHEALTH group?  This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document  • yes

### Any other comments or questions on CONSORT EHEALTH

내 답변

STOP - Save this form as PDF before you click submit



To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit!



Click submit so we have your answers in our database!

제출

Google 설문지를 통해 비밀번호를 제출하지 마세요.

이 콘텐츠는 Google이 만들거나 승인하지 않았습니다. 악용사례 신고 - 서비스 약관

Google 설문지