



<http://dx.doi.org/10.11646/zootaxa.3881.4.3>

<http://zoobank.org/urn:lsid:zoobank.org:pub:6B51F3AA-0800-4CE0-BD1C-1387C4657BF1>

## A new “Bat-Voiced” species of *Dendropsophus* Fitzinger, 1843 (Anura, Hylidae) from the Amazon Basin, Brazil

VICTOR G. D. ORRICO<sup>1,11</sup>, PEDRO L. V. PELOSO<sup>2,3</sup>, MARCELO J. STURARO<sup>3,4</sup>,  
HERIBERTO F. DA SILVA-FILHO<sup>4,5</sup>, SELVINO NECKEL-OLIVEIRA<sup>6</sup>,  
MARCELO GORDO<sup>7</sup>, JULIÁN FAIVOVICH<sup>8,9</sup> & CÉLIO F. B. HADDAD<sup>10</sup>

<sup>1</sup>Department of Biological Sciences, Universidade Estadual de Santa Cruz, Rodovia Ilhéus-Itabuna, km 16, 45662-900 Ilhéus, Bahia, Brazil. E-mail: victordill@gmail.com

<sup>2</sup>Division of Vertebrate Zoology (Herpetology), American Museum of Natural History, Central Park West at 79th Street, 10024, New York, NY, USA. E-mail: pedropeloso@gmail.com

<sup>3</sup>Laboratório de Herpetologia, Museu Paraense Emílio Goeldi / CZO, CP 399, Av. Perimetral, 1901, Terra Firme, 66077-530 Belém, Pará, Brasil. E-mail: marcelosturaro@gmail.com

<sup>4</sup>Programa de Pós-Graduação em Zoologia, Universidade Federal do Pará / Museu Paraense Emílio Goeldi / CZO, CP 399, Av. Perimetral, 1901, Terra Firme, 66077-530 Belém, Pará, Brasil.

<sup>5</sup>Laboratório de Ecologia e Zoologia de Vertebrados (Herpetologia), Instituto de Ciências Biológicas, Universidade Federal do Pará. Rua Augusto Correia, No. 1 Campus Básico 66075-110 Belém, Pará, Brasil.

<sup>6</sup> Departamento de Ecologia e Zoologia, Universidade Federal de Santa Catarina, Campus Universitário, Trindade, 88040-900 Florianópolis, Santa Catarina, Brasil.

<sup>7</sup>Departamento de Biologia, Instituto de Ciências Biológicas, Universidade Federal do Amazonas. Av. General Rodrigo Octávio Jordão Ramos, 3000, Japiim, 69077-000 Manaus, Amazonas, Brasil.

<sup>8</sup>División Herpetología, Museo Argentino de Ciencias Naturales ‘Bernardino Rivadavia’-CONICET, Angel Gallardo 470, C1405DJR, Buenos Aires, Argentina

<sup>9</sup>Departamento de Biodiversidad y Biología Experimental, Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Buenos Aires, Argentina. E-mail: julian@macn.gov.ar

<sup>10</sup>Departamento de Zoologia, Instituto de Biotecnologias, Universidade Estadual Paulista “Júlio de Mesquita Filho”, 13506-900 Rio Claro, São Paulo, Brazil. E-mail: haddad1000@gmail.com

<sup>11</sup>Corresponding author

### Abstract

We describe *Dendropsophus ozzyi* **sp. nov.**, a new species of treefrog, tentatively included in the *Dendropsophus microcephalus* Group and most notably diagnosed by the presence of pointed fingers and an advertisement call with a very high dominant frequency. The new species is known from three localities in the Brazilian Amazon forest, two on western State of Pará and one (the type locality) in eastern State of Amazonas (03°56'50"S and 58°26'36"W, 45 m a.s.l.).

**Key words:** Advertisement call, Amazonia, Dendropsophini, *Dendropsophus microcephalus* Group, taxonomy

### Introduction

Treefrogs of the genus *Dendropsophus* Fitzinger 1843 form a speciose clade within the subfamily Hylinae (see Faivovich *et al.* 2005), with nearly 100 valid nominal species (Frost 2014). The genus is widespread through Central and South America, occurring in open and forested areas from southern Mexico to central Argentina and Uruguay. The species-level taxonomy within several groups of this genus is rather complicated (e.g., Duellman 1982; Moravec *et al.* 2008) and in many instances renders diagnoses and descriptions of new species a daunting task. However, while some species are quite similar or even nearly indistinguishable from several others (see Jungfer *et al.* 2010), some recently described species can be conspicuously distinct and easily diagnosable (e.g., *D. frosti* Motta *et al.* 2012 and *D. manonegra* Rivera-Correa and Orrico 2013). Therefore, albeit molecular tools have been a great advance in discovering and understanding the biodiversity as a whole (e.g., Bickford *et al.* 2007), in

*leucophyllatus* Group (see Rivera-Correa & Orrico 2013) present diphasic calls (Gomes & Martins 2006). Nevertheless, it seems clear that mono/diphasic calls present heritable, variable information given that other species of *Dendropsophus* (e.g., species from the *D. marmoratus* Group) present monophasic calls (see Orrico *et al.* 2009), as does *Xenohyla* [VGDO pers. obs. and Izecksohn & Carvalho-e-Silva (2001)], the sister taxon of *Dendropsophus* (see Faivovich *et al.* 2005). Therefore, the appearance of diphasic calls is a possible synapomorphy of internal clades of *Dendropsophus*, especially within the *D. microcephalus* Group (as well of possible secondary losses as inferred in Table 2).

The Floresta Nacional de Pau-Rosa (FNPR) is a governmental protected area of about 947,520 hectares located on the southwest portion of the state of Amazonas. Composed entirely of lowland forests, the forest coverage of the locality is—in general—very well preserved. Even with a low and concentrated effort for sampling herpetological species in the area (14 days), focused on just a few sampling sites, two of us (PLVP and MJS) found around 40 species of amphibians in the locality. Most impressive though, is the number of unnamed taxa among those species. With the present description of *Dendropsophus ozyyi* this is the fourth new species described and named from material collected therein (or nearby in Juruti municipality—see *Allobates grillisimilis* Simões *et al.* 2013, *Scinax sateremawe* Sturaro and Peloso 2014, and *Trachycephalus helioi* Nunes *et al.* 2013) and at least two other hylid frog species from that area remain to be named. This only comes to reinforce the notion of our lack of basic knowledge regarding Amazonian biodiversity and the urgent need for additional species inventories, exploratory fieldwork, and revisionary taxonomic work (Peloso 2010).

## Acknowledgements

We are indebt to Jaime Somera for the drawings. To all CFBH lab members, especially Carla S. Cassini, Délio P. Baêta and Carol C. Lourenço, for discussions regarding the specific epipeth. To Carla S. Cassini, Santiago Castroviejo-Fisher and two anonymous reviewers for valuable comments on early versions of this manuscript. Fundação Djalma Batista and Conservation International (CI/Brasil) provided financial and logistic support at FN Pau-Rosa (type locality). VGDO was funded by Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP; #2007/57067-9 and # 2012/12500-5). CFBH was supported by FAPESP (#2008/50928-1, #2013/50741-7) and CNPq (#302518/2013-4). PLVP was supported by fellowships from Coordenação de Aperfeiçoamento de Pessoal de Nível Superior / Fulbright Commission (CAPES/IIIE/AMNH, process number BEX 2806/09-6), Richard Gilder Graduate School at the American Museum of Natural History and from a National Science Foundation grant (NSF-DEB 1311442 to PLVP and Darrel Frost). MJS is supported by a fellowship from Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq, process number PROTAX 159253/2010-1; SWE 245593/2012-8). MJS also thank the Cornell Lab of Ornithology for a License to use Raven. SN-O, HFSF and MG had logistical support in the field work by ALCOA / Museu Paraense Emílio Goeldi. JF was funded by ANPCyT PICT #2202/2007 and 1895/2011, and PIP CONICET 11220110100889. Special thanks are due to the boat crew and expedition members aboard the vessel “*Cometa Halley*”.

## References

- Abrunhosa, P.A., Wogel, H. & Pombal, J.P. Jr. (2001) Vocalizações de quatro espécies de anuros do estado do Rio de Janeiro (Amphibia, Hylidae, Leptodactylidae). *Boletim do Museu Nacional - Nova Série, Zoologia*, 472, 1–12.
- Ahl, E. (1933) Über einige neue Frösche aus Brasilien. *Zoologischer Anzeiger Leipzig*, 104, 25–30.
- Amézquita, A. & Hodl, W. (2004) How, when, and where to perform visual displays: the case of the Amazonian frog *Hyla parviceps*. *Herpetologica*, 60, 420–429.  
<http://dx.doi.org/10.1655/02-51>
- Arch, V.S., Grafe, T.U. & Narins, P.M. (2008) Ultrasonic signalling by a Bornean frog. *Biology Letters*, 4, 19–22.  
<http://dx.doi.org/10.1098/rsbl.2007.0494>
- Ávila-Pires, T.C.S., Hoogmoed, M.S. & Rocha, W.A.D. (2010) Notes on the Vertebrates of northern Pará, Brazil: a forgotten part of the Guianan Region, I. Herpetofauna. *Boletim do Museu Paraense Emilio Goeldi de Ciências Naturais*, 5, 13–112.
- Bass, M.S., Finer, M., Jenkins, C.N., Kreft, H., Cisneros-Heredia, D.F., McCracken, S.F., Pitman, N.C.A., English, P.H., Swing, K., Villa, G., Di Fiore, A., Voigt, C.C. & Kunz, T.H. (2010) Global conservation significance of Ecuador's Yasuní National Park. *PLoS ONE*, 5, e8767.

<http://dx.doi.org/10.1371/journal.pone.0008767>

- Bastos, R.P., Bueno, M.A.F., Dutra, S.L. & Lima, L.P. (2003) Padrões de vocalização de anúncio em cinco espécies de Hylidae (Amphibia: Anura) do Brasil central. *Comunicações do Museu de Ciências e Tecnologia da PUCRS Série Zoologia*, 16, 39–51.
- Bickford, D., Lohman, D.J., Sodhi, N.S., Ng, P.K.L., Meier, R., Winker, K., Ingram, K. & Das, I. (2007) Cryptic species as a window on diversity and conservation. *Trends in Ecology & Evolution*, 22, 148–155.  
<http://dx.doi.org/10.1016/j.tree.2006.11.004>
- Bokermann, W.C.A. (1962) Cuatro nuevos hylidos del Brasil (Amphibia, Salientia, Hylidae). *Neotropica*, 8, 81–91.
- Boulenger, G.A. (1893) Descriptions of new reptiles and batrachians obtained in Borneo by Mr. A. Everett and Mr. C. Hose. *Proceedings of the Zoological Society of London*, 1893, 522–528.
- Cardoso, A.J. & Haddad, C.F.B. (1984) Variabilidade acústica em diferentes populações e interações agressivas de *Hyla minuta* (Amphibia, Anura). *Ciência e Cultura*, 36, 1393–1399.
- Cardoso, A.J. & Vielliard, J.M.E. (1985) Caracterização bio-acústica da população topotípica de *Hyla rubicundula* (Amphibia, Anura). *Revista Brasileira de Biologia*, 2, 423–426.
- Carvalho-e-Silva, S.P., Carvalho-e-Silva, A.M.P.T. & Izecksohn, E. (2003) Nova espécie de *Hyla* Laurenti do grupo de *H. microcephala* Cope (Amphibia, Anura, Hylidae) do nordeste do Brasil. *Revista Brasileira de Zoologia*, 20, 553–558.  
<http://dx.doi.org/10.1590/S0101-81752003000300029>
- Cochran, D.M. & Goin, C.J. (1970) Frogs of Colombia. *Bulletin of the United States National Museum*, 288, 1–655.  
<http://dx.doi.org/10.5479/si.03629236.288.1>
- Conte, C.E., Nomura, F., Machado, R.A., Kwet, A., Lingnau, R. & Rossa-Feres, D.d.C. (2010) Novos registros na distribuição geográfica de anuros na Floresta com Araucária e considerações sobre suas vocalizações. *Biota Neotropica*, 10, 201–224.  
<http://dx.doi.org/10.1590/S1676-06032010000200024>
- de la Riva, I. & Duellman, W.E. (1997) The identity and distribution of *Hyla rossalleni* Goin. *Amphibia-Reptilia*, 18, 433–436.  
<http://dx.doi.org/10.1163/156853897X00486>
- Duellman, W.E. (1970) Hylid frogs of Middle America. *Monographs of the Museum of Natural History, University of Kansas*, 1–2, 1–753.
- Duellman, W.E. (1972) The systematic status and life history of *Hyla rhodopepla* Günther. *Herpetologica*, 28, 369–375.
- Duellman, W.E. (1973) Descriptions of new hylid frogs from Colombia and Ecuador. *Herpetologica*, 29, 219–227.
- Duellman, W.E. (1978) The biology of an equatorial herpetofauna in Amazonian Ecuador. *Miscellaneous Publications of the Museum of Natural History of the University of Kansas*, 65, 1–352.
- Duellman, W.E. (1982) A new species of small yellow *Hyla* from Peru (Anura: Hylidae). *Amphibia-Reptilia*, 3, 153–160.  
<http://dx.doi.org/10.1163/156853882X00383>
- Duellman, W.E. (1989) *New Species of Hylid Frogs from the Andes of Colombia and Venezuela*. Occasional papers of the Museum of Natural History of the University of Kansas, 12 pp.
- Duellman, W.E. (2001) *Hylid frogs of Middle America. Volume 1* (Vol. 18).
- Duellman, W.E. & Crump, M.L. (1974) Speciation in frogs of the *Hyla parviceps* group in the upper amazon basin. *Occasional papers of the Museum of Natural History of the University of Kansas*, 23, 1–40.
- Duellman, W.E. & Fouquette, M.J. (1968) Middle American frogs of the *Hyla microcephala* group. *University of Kansas Publications, Museum of Natural History*, 17, 517–557.
- Duellman, W.E. & Pyles, R.A. (1983) Acoustic resource partitioning in anuran communities. *Copeia*, 1983, 639–649.  
<http://dx.doi.org/10.2307/1444328>
- Duellman, W.E. & Trueb, L. (1983) Frogs of the *Hyla columbiana* group: Taxonomy and phylogenetic relationships. In: Rhodin, A.G.J. & Miyata, K. (Eds.), *Advances in Herpetology and Evolutionary biology*. Museum of Comparative Zoology, Harvard University, Cambridge, pp. 33–51.
- Duellman, W.E. & Trueb, L. (1986) *Biology of Amphibians* (1st ed.). New York: McGraw-Hill.
- Fabrezi, M. (1992) El carpo de los anuros. *Alytes*, 10, 1–29.
- Faivovich, J., Haddad, C.F.B., Garcia, P.C.A., Frost, D.R., Campbell, J.A. & Wheeler, W.C. (2005) Systematic review of the frog family Hylidae, with special reference to Hyliinae: phylogenetic analysis and taxonomic revision. *Bulletin of the American Museum of Natural History*, 294, 1–240.  
[http://dx.doi.org/10.1206/0003-0090\(2005\)294\[0001:SR0TFF\]2.0.CO;2](http://dx.doi.org/10.1206/0003-0090(2005)294[0001:SR0TFF]2.0.CO;2)
- Feng, A.S., Narins, P.M. & Xu, C.-H. (2002) Vocal acrobatics in a Chinese frog, *Amolops tormotus*. *Naturwissenschaften*, 89, 352–356.  
<http://dx.doi.org/10.1007/s00114-002-0335-x>
- Feng, A.S., Narins, P.M., Xu, C.-H., Lin, W.-Y., Yu, Z.-L., Qiu, Q., Xu, Z.-M. & Shen, J.-X. (2006) Ultrasonic communication in frogs. *Nature*, 440, 333–336.  
<http://dx.doi.org/10.1038/nature04416>
- Fitzinger, L.J.F.J. (1843) *Systema Reptilium. Fasciculus Primus*. Wien: Braumüller et Seidel.
- Forti, L.R., Martins, F.A.M. & Bertoluci, J. (2012) Advertisement call and geographical variation in call features of *Dendropsophus berthaltutzae* (Anura: Hylidae) from the Atlantic rainforest of southeastern Brazil. *Zootaxa*, 3310, 66–68.
- Fouquet, A., Noonan, B.P., Blanc, M. & Orrico, V.G.D. (2011) Phylogenetic position of *Dendropsophus gaucheri* (Lescure and Marty 2000) highlights the need for an in-depth investigation of the phylogenetic relationships of *Dendropsophus* (Anura:

- Hylidae). *Zootaxa*, 3035, 59–67.
- Frost, D. (2014) Amphibian Species of the World: an Online Reference. Version 6.0 (9 January 2013). In: American Museum of Natural History, New York. Available from: <http://research.amnh.org/vz/herpetology/amphibia/> (accessed February 26 2014)
- Gerhardt, H.C. (1999) Reproductive character displacement and other sources of environmental selection on acoustic communication systems. In: Hauser, M. & Konishi, M. (Eds.), *The Design of Animal Communication*. MIT Press, Cambridge, pp. 515–534.
- Gerhardt, H.C. & Huber, F. (2002) *Acoustic Communication in Insects and Anurans: Common problems and diverse solutions*. University Of Chicago Press, Chicago, 531 pp.
- Gomes, F.B.R. & Martins, I.A. (2006) Notes On Geographic Distribution. Amphibia, Anura, Hylidae, *Dendropsophus anceps* (Lutz, 1929): filling gap, geographic distribution map and vocalization. *Check List*, 2, 22–25.
- Guarnizo, C.E., Escallon, C., Cannatella, D. & Amezcua, A. (2012) Congruence between acoustic traits and genealogical history reveals a new species of *Dendropsophus* (Anura: Hylidae) in the high Andes of Colombia. *Herpetologica*, 68, 523–540.  
<http://dx.doi.org/10.1655/HERPETOLOGICA-D-10-00038>
- Heyer, W.R., Rand, A.S., Cruz, C. A.G., Peixoto, O.L. & Nelson, C.E. (1990) Frogs of Boracéia. *Arquivos de Zoologia*, 31, 231–410.
- Izecksohn, E. & Carvalho-e-Silva, S.P. (2001) *Anfibios do Município do Rio de Janeiro*. Editora UFRJ, Rio de Janeiro.
- Jungfer, K.-H., Reichle, S. & Piskurek, O. (2010) Description of a new cryptic southwestern Amazonian species of leaf-glinging treefrog, genus *Dendropsophus* (Amphibia: Anura: Hylidae). *Salamandra*, 46, 204–213.
- Kaplan, M. (1991) A new species of *Hyla* from the eastern slope of the cordillera oriental in northern Colombia. *Journal of Herpetology*, 25, 313–316.  
<http://dx.doi.org/10.2307/1564589>
- Kaplan, M. (1994) A new species of frog of the genus *Hyla* from the cordillera oriental in northern Colombia with comments on the taxonomy of *Hyla minuta*. *Journal of Herpetology*, 28, 79–87.  
<http://dx.doi.org/10.2307/1564684>
- Kaplan, M. (1997) On the status of *Hyla bogerti* Cochran and Goin. *Journal of Herpetology*, 31, 536–541.  
<http://dx.doi.org/10.2307/1565606>
- Kaplan, M. & Ruiz-Carranza, P.M. (1997) Two new species of *Hyla* from the Andes of Central Colombia and their relationships to other small Andean *Hyla*. *Journal of Herpetology*, 31, 230–244.  
<http://dx.doi.org/10.2307/1565391>
- Kohler, J., Jungfer, K.-H. & Reichle, S. (2005) Another new species of small *Hyla* (Anura, Hylidae) from Amazonian Sub-Andean forest of western Bolivia. *Journal of Herpetology*, 39, 43–50.  
[http://dx.doi.org/10.1670/0022-1511\(2005\)039\[0043:ANSOSH\]2.0.CO;2](http://dx.doi.org/10.1670/0022-1511(2005)039[0043:ANSOSH]2.0.CO;2)
- Kohler, J. & Lotters, S. (2001a) A new species of minute *Hyla* from the southwestern Amazon basin (Amphibia, Anura, Hylidae). *Studies on Neotropical Fauna and Environment*, 36, 105–112.  
<http://dx.doi.org/10.1076/snfe.36.2.105.2135>
- Kohler, J. & Lotters, S. (2001b) Description of a small tree frog, genus *Hyla* (Anura: Hylidae), from humid Andean slopes of Bolivia. *Salamandra*, 37, 175–184.
- Lescure, J. & Marty, C. (2000) Atlas des Amphibiens de Guyane. *Patrimoines Naturels*, 45, 1–388.
- Littlejohn, M.J. & Harrison, P.A. (1985) The functional significance of the diphasic advertisement call of *Geocrinia victoriana* (Anura: Leptodactylidae). *Behavioral Ecology and Sociobiology*, 16, 363–373.  
<http://dx.doi.org/10.1007/BF00295550>
- Lingnau, R. & Bastos, R.P. (2003) Vocalizações de duas espécies de anuros do Sul do Brasil. *Arquivos do Museu Nacional - Nova Série, Zoologia*, 61, 203–207.
- Lingnau, R., Guimarães, L.D. & Bastos, R.P. (2004) Vocalizações de *Hyla wernerii* (Anura, Hylidae) no sul do Brasil. *Phyllomedusa*, 3, 115–120.  
<http://dx.doi.org/10.11606/issn.2316-9079.v3i2p115-120>
- Lutz, B. (1973) *Brazilian species of Hyla*. University of Texas Press, Austin, 265 pp.
- Lutz, B. & Bokermann, W.C.A. (1963) A new tree Frog from Santa Catarina, Brazil. *Copeia*, 1963, 558–561.  
<http://dx.doi.org/10.2307/1441477>
- Marquez, R., De la Riva, I. & Bosch, J. (1993) Advertisement calls of Bolivian species of *Hyla* (Amphibia, Anura, Hylidae). *Biotropica*, 25, 426–443.  
<http://dx.doi.org/10.2307/2388866>
- Martins, I. & Jim, J. (2003) Bioacoustic analysis of advertisement call in *Hyla nana* and *Hyla sanborni* (Anura, Hylidae) in Botucatu, São Paulo, Brazil *Brazilian Journal of Biology*, 63, 507–516.  
<http://dx.doi.org/10.1590/S1519-69842003000300017>
- Martins, I. & Jim, J. (2004) Advertisement call of *Hyla jimi* and *Hyla elianeae* (Anura, Hylidae) in the Botucatu region, São Paulo, Brazil. *Brazilian Journal of Biology*, 64, 645–654.  
<http://dx.doi.org/10.1590/S1519-69842004000400012>
- Melin, D. (1941) *Contributions to the knowledge of the amphibia of South America*. Vol. 6. Goteborgs Vetensk Samh. Handl, 71

pp. [1B]

- Mijares-Urrutia, A. (1998) Una nueva especie de rana arborícola (Amphibia: Hylidae) de un bosque nublado del oeste de Venezuela. *Revista Brasileira de Biologia*, 58, 659–663.  
<http://dx.doi.org/10.1590/S0034-71081998000400013>
- Mijares-Urrutia, A. & Rivero, R.A. (2000) A new treefrog from the Sierra de Aroa, northern Venezuela. *Journal of Herpetology*, 34, 80–84.  
<http://dx.doi.org/10.2307/1565242>
- Morais, A.R., Batista, V.G., Gambale, P.G., Signorelli, L. & Bastos, R.P. (2012) Acoustic communication in a Neotropical frog (*Dendropsophus minutus*): vocal repertoire, variability and individual discrimination. *Herpetological Journal*, 22, 249–257.
- Moravec, J., Aparicio, J., Guerrero-Reinhard, M., Calderon, G. & Kohler, J. (2008) Diversity of small Amazonian *Dendropsophus* (Anura: Hylidae): another new species from northern Bolivia. *Zootaxa*, 1918, 1–12.
- Moravec, J., Aparicio, J. & Kohler, J. (2006) A new species of tree frog, genus *Dendropsophus* (Anura: Hylidae), from the Amazon of northern Bolivia. *Zootaxa*, 1327, 23–40.
- Motta, A.P., Castroviejo-Fisher, S., Venegas, P.J., Orrico, V.G.D. & Padial, J.M. (2012) A new species of the *Dendropsophus parviceps* group from the western Amazon Basin (Amphibia: Anura: Hylidae). *Zootaxa*, 3249, 18–30.
- Moura, M.R., Lacerda, J.V.A. & Feio, R.N. (2012) Advertisement call and distribution of *Dendropsophus berthaltutae* (Anura: Hylidae). *Salamandra*, 48, 177–180.
- Narins, P.M. & Feng, A.S. (2007) Hearing and sound communication in amphibians: prologue and prognostication. In: Narins, P.M., Feng, A.S., Fay, R.R. & Popper, A.N. (Eds.), *Hearing and sound communication in amphibians*. Springer Science+Business Media, LLC, New York, NY, pp. 1–11.
- Narins, P.M., Feng, A.S., Lin, W.-Y., Schnitzler, H.-U., Denzinger, A. & Xu, C.-H. (2004) Old World frog and bird vocalizations contain prominent ultrasonic harmonics. *Journal of the Acoustical Society of America*, 115, 910–913.  
<http://dx.doi.org/10.1121/1.1636851>
- Nunes, I., Santiago, R.S. & Juncá, F.A. (2007) Advertisement calls of four hylid frogs from the State of Bahia, northeastern Brazil (Amphibia, Anura, Hylidae). *South American Journal of Herpetology*, 2, 89–96.  
[http://dx.doi.org/10.2994/1808-9798\(2007\)2\[89:ACOFHF\]2.0.CO;2](http://dx.doi.org/10.2994/1808-9798(2007)2[89:ACOFHF]2.0.CO;2)
- Nunes, I., Suárez, P., Gordo, M. & Pombal, J.P. (2013) A second species of *Trachycephalus* Tschudi (Anura: Hylidae) with a single vocal sac from the Brazilian Amazon. *Copeia*, 2013, 634–640.  
<http://dx.doi.org/10.1643/CH-12-102>
- Orrico, V.G.D., Lingnau, R. & Giasson, L.O.M. (2009) The advertisement call of *Dendropsophus nahdereri* (Anura, Hylidae, Dendropsophini). *South American Journal of Herpetology*, 4, 295–299.  
<http://dx.doi.org/10.2994/057.004.0313>
- Ortega-Andrade, H.M. & Ron, S. (2013) A new species of small tree frog, genus *Dendropsophus* (Anura: Hylidae) from the eastern Amazon lowlands of Ecuador. *Zootaxa*, 3652 (1), 163–178.  
<http://dx.doi.org/10.11646/zootaxa.3652.1.6>
- Paez, V.P., Bock, B.C. & Rand, A.S. (1993) Inhibition of Evoked Calling of *Dendrobates pumilio* due to Acoustic Interference from Cicada Calling. *Biotropica*, 25, 242–245.  
<http://dx.doi.org/10.2307/2389189>
- Peloso, P.L.V. (2010) A safe place for amphibians? A cautionary tale on the taxonomy and conservation of frogs, caecilians, and salamanders in the Brazilian Amazonia. *Zoologia*, 27, 667–673.  
<http://dx.doi.org/10.1590/S1984-46702010000500001>
- Pombal Jr., J.P. & Bastos, R.P. (1998) Nova espécie de *Hyla* Laurenti, 1768 do centro-oeste Brasileiro e a posição taxonomica de *H. microcephala wernerii* Cochran, 1952 e *H. microcephala meridiana* B. Lutz, 1952 (Anura, Hylidae). *Boletim do Museu Nacional - Nova Série, Zoologia*, 390, 1–14.
- Pugliese, A., Alves, A.C.R. & Carvalho-e-Silva, S.P. (2000) The tadpoles of *Hyla oliveirai* and *Hyla decipiens* with notes on the *Hyla microcephala* group (Anura, Hylidae). *Alytes*, 18, 73–80.
- Rivera-Correa, M. & Gutiérrez-Cárdenas, P.D.A. (2012) A new highland species of treefrog of the *Dendropsophus columbianus* group (Anura: Hylidae) from the Andes of Colombia. *Zootaxa*, 3486, 50–62.
- Rivera-Correa, M. & Orrico, V.G.D. (2013) Description and phylogenetic relationships of a new species of treefrog of the *Dendropsophus leucophyllatus* group (Anura: Hylidae) from the Amazon basin of Colombia and with an exceptional color pattern. *Zootaxa*, 3686 (4), 447–460.  
<http://dx.doi.org/10.11646/zootaxa.3686.4.3>
- Rivero, J.A. (1961) Salientia of Venezuela. *Bulletin of the Museum of Comparative Zoology, Harvard College*, 126, 1–207.
- Rivero, J.A. (1971) Tres nuevos records y una nueva especie de anfibios de Venezuela. *Caribbean Journal of Science*, 11, 1–9.
- Rodriguez, L.O. & Duellman, W.E. (1994) *Guide to the frogs of the Iquitos region, Amazonian Peru* (Vol. 22). Asociación de Ecología y Conservación, Amazon Center for Environmental Education and Research, and Natural History Museum, The University of Kansas, Lawrence, 80 pp.
- Ruas, D.S., Mendes, C.V.M., Dias, I.R. & Solé, M. (2012) Description of the advertisement call of *Dendropsophus haddadi* (Bastos and Pombal 1996) (Anura: Hylidae) from southern Bahia, Brazil. *Zootaxa*, 3250, 63–65.
- Santana, D.J., Mesquita, D.O. & Garda, A.A. (2011) Advertisement call of *Dendropsophus oliveirai* (Anura, Hylidae).

*Zootaxa*, 2997, 67–68.

- Savage, J.M. & Heyer, W.R. (1967) Variation and distribution in the tree-frog genus *Phyllomedusa* in Costa Rica, Central America. *Beitrage Zur Neotropischen Fauna*, 5, 111–131.  
<http://dx.doi.org/10.1080/01650526709360400>
- Savage, J.M. & Heyer, W.R. (1997) Digital webbing formulae for amphibians: a refinement. *Herpetological Review*, 28, 1–131.
- Simões, P.I., Sturaro, M.J., Peloso, P.L.V. & Lima, A.P. (2013) A new diminutive species of *Allobates* Zimmermann and Zimmermann, 1988 (Anura, Aromobatidae) from the northwestern Rio Madeira—Rio Tapajós interfluve, Amazonas, Brazil. *Zootaxa*, 3609 (3), 251–273.  
<http://dx.doi.org/10.11646/zootaxa.3609.3.1>
- Schmidt, O. (1857) Diagnosen neuer Frösche des zoologischen Cabinets zu Krakau. *Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Classe*, 24, 10–15.
- Sturaro, M.J. & Peloso, P.L.V. (2014) A new species of treefrog of the genus *Scinax* Wagler, 1830 (Anura: Hylidae) from the middle Amazon river basin, Brazil. *Papéis Avulsos de Zoologia – Museu de Zoologia da Universidade de São Paulo*, 54, 9–23.  
<http://dx.doi.org/10.1590/0031-1049.2014.54.02>
- Suarez, P., Cardozo, D., Baldo, D., Pereyra, M.O., Faivovich, J., Orrico, V.G.D., Catroli G.F., Grabile, M., Bernarde, P.S., Nagamachi, C.Y., Haddad, C.F. & Pieczarka, J.C. (2013) Chromosome evolution in Dendropsophini (Amphibia, Anura, Hylinae). *Cytogenetic and Genome Research*, 141, 295–308.  
<http://dx.doi.org/10.1159/000354997>
- Suthers, R.A., Narins, P.M., Lin, W.-Y., Schnitzler, H.-U., Denzinger, A., Xu, C.-H. & Feng, A.S. (2006) Voices of the dead: complex nonlinear vocal signals from the larynx of an ultrasonic frog. *Journal of Experimental Biology*, 209, 4984–4993.  
<http://dx.doi.org/10.1242/jeb.02594>
- Tárano, Z. (2010) Advertisement Calls and Calling Habits of Frogs from a Flooded Savanna of Venezuela. *South American Journal of Herpetology*, 5, 221–240.  
<http://dx.doi.org/10.2994/057.005.0308>
- Teixeira, B.F.V., Giaretta, A.A. & Pansonato, A. (2013) The advertisement call of *Dendropsophus tritaeniatus* (Bokermann, 1965) (Anura: Hylidae). *Zootaxa*, 3669 (2), 189–192.  
<http://dx.doi.org/10.11646/Zootaxa.3669.2.12>
- Vigle, G.O. & Goberdhan-Vigle, D.C.I. (1990) A new species of small colorful *Hyla* from the Lowland rainforest of Amazonian Ecuador. *Herpetologica*, 46, 467–473.

#### APPENDIX I. additional material examined for comparisons.

- Dendropsophus acreeanus*. **BRAZIL: Acre: Cruzeiro do Sul:** "Sede do Campus Avançado" (ZUEC 4570–74), "Vila Militar" e "Campus Avançado" (ZUEC 4653), 7° B.E.C. (ZUEC 4665), Vila Militar (ZUEC 4609–11, ZUEC 4692–93, ZUEC 8510–11). Feijó (paratype: MZUSP 74235); **Tarauacá** (holotype: MZUSP 74198; paratypes: MNRJ 3971, MZUSP 73719).
- Dendropsophus anataliasiasi*. **BRAZIL: Goiás: São João da Aliança** (MNRJ 27772–5).
- Dendropsophus anceps*. **BRAZIL: Espírito Santo: Linhares:** Floresta Nacional de Goytacazes (CFBH 25156, CFBH 22999, CFBH 23000, CFBH 23066, CFBH 26549). **Linhares:** Povoação (CFBH 5795–804).
- Dendropsophus araguaya*. **BRAZIL: Mato Grosso: Alto Araguaya:** (paratypes: MNRJ 17240–1).
- Dendropsophus berthaltutzae*. **BRAZIL: Rio de Janeiro: Duque de Caxias:** Parque Natural Municipal de Duque de Caxias (MNRJ 54699–714).
- Dendropsophus bifurcus*. **ECUADOR: Morona: Santiago:** Sevilla Don Bosco (MZUSP 55637). **Napo: Loreto** (MZUSP 116720–4), **Santa Cecilia** (MZUSP 116703–6, MZUSP 116695–6).
- Dendropsophus bipunctatus*. **BRAZIL: Bahia: Aurelino Leal:** Fazenda Pedras Pretas (CFBH 18721–2, CFBH 18734–5). **Espírito Santo: Linhares:** "Fazenda São Bento, Povoação" (CFBH 23081–2).
- Dendropsophus bogerti*. **COLOMBIA: Antioquia: Yarumal:** Santa Rosa (ICN 14275), "Finca Media Luna, Cto El Cedro" (ICN 38278–9).
- Dendropsophus branneri*. **BRAZIL: Bahia: Maracás:** "Fazendas Cana Brava e Santo Onofre" (CFBH 18801–5, CFBH 19312, CFBH 19314–15, CFBH 19319–26, CFBH 19530). **Pernambuco: Bonito:** "Açude do Prata" (CFBH 20825, CFBH 20829, CFBH 20833).
- Dendropsophus cachimbo*. **BRAZIL: Pará: Redenção** (MZUSP 70875–6).
- Dendropsophus carnifex*. **ECUADOR: Imbabura: Apuela** (USNM 234925, USNM 234930, USNM 234932, USNM 234934, USNM 234939, USNM 234942, USNM 234944–6, USNM 234948).
- Dendropsophus columbianus*. **COLOMBIA: Valle del Cauca: La Cumbre:** "Vereda Chicoral, corregimiento Bitaco, cabeceras rio Bitaco, Quebrada Aguas Lindas" (ICN 33334–41).
- Dendropsophus cruzi*. **BRAZIL: Goiás: Silvânia** (paratypes: CFBH 2939–44).
- Dendropsophus decipiens*. **BRAZIL: Rio de Janeiro: Duque de Caxias:** Parque Natural Municipal de Duque de Caxias (MNRJ 50837, MNRJ 54719–35). **Seropédica:** FLONA Mario Xavier (CFBH 25710–14).
- Dendropsophus dutrai*. **BRAZIL: Bahia: Ilhéus:** Universidade Estadual de Santa Cruz (MNRJ 52406). **Sergipe: Estância:**