

A NEW CONSTRUCTION FOR HADAMARD MATRICES¹

BY L. D. BAUMERT AND MARSHALL HALL, JR.

Communicated by J. D. Swift, August 24, 1964

An *Hadamard matrix* H is a square matrix of *ones* and *minus ones* whose row (and hence column) vectors are orthogonal. The order n of an Hadamard matrix is necessarily 1, 2 or $4t$ with $t=1, 2, 3, \dots$. It has been conjectured that this condition ($n=1, 2$ or $4t$) also insures the existence of an Hadamard matrix. Constructions have been given for particular values of n and even for various infinite classes of values. While other constructions exist, those given by [1]–[7] exhaust the previously known values of n . This paper gives a new construction which yields, among others, the previously unknown value $n=156$, leaving only two undecided values of $n=4t \leq 200$ (these are 116 and 188).

An Hadamard matrix is said to be of the *Williamson type* if it has the structure imposed by Williamson [6], that is

$$H = \begin{vmatrix} A & B & C & D \\ -B & A & -D & C \\ -C & D & A & -B \\ -D & -C & B & A \end{vmatrix},$$

where each of A, B, C, D is a symmetric circulant $t \times t$ matrix. Notice that if a Williamson type matrix exists for $n=4t$, then an Hadamard matrix (not obviously Williamson) of order $m=12t$ would exist provided one could find a 12×12 matrix with the following properties. Each row and column must contain precisely three $\pm A$'s, three $\pm B$'s, three $\pm C$'s, three $\pm D$'s and the rows must be formally orthogonal (i.e., A, B, C, D are to be considered as independent quantities). We have discovered such a matrix and display it as Figure 1.

Among the *known* orders of Williamson type matrices [1], [6], only 52 yields a new value of n by this construction. This gives an Hadamard matrix of order 156. For definiteness, the first rows of A, B, C, D for one of the Williamson type Hadamard matrices of order 52 are given (here $+$ means $+1$ and $-$ stands for -1).

¹ This paper presents the results of one phase of research carried out at the Jet Propulsion Laboratory, California Institute of Technology, under contract number NAS 7-100, sponsored by the National Aeronautics and Space Administration.

		1	2	3	4	5	6	7	8	9	10	11	12	13
	A	+	+	-	-	+	-	+	+	-	+	-	-	+
	B	+	-	-	-	+	+	+	+	+	+	-	-	-
	C	+	+	+	-	+	+	-	-	+	+	-	+	+
	D	+	+	-	+	-	+	+	+	+	-	+	-	+
H =	A	A	A	A	B	-B	C	-C	-D	B	C	-D	-D	
	A	-A	B	-A	-B	-D	D	-C	-B	-D	-C	-C		
	A	-B	-A	A	-D	D	-B	B	-C	-D	C	-C		
	B	A	-A	-A	D	D	D	C	C	-B	-B	-C		
	B	-D	D	D	A	A	A	C	-C	B	-C	B		
	B	C	-D	D	A	-A	C	-A	-D	C	B	-B		
	D	-C	B	-B	A	-C	-A	A	B	C	D	-D		
	-C	-D	-C	-D	C	A	-A	-A	-D	B	-B	-B		
	D	-C	-B	-B	-B	C	C	-D	A	A	A	D		
	-D	-B	C	C	C	B	B	-D	A	-A	D	-A		
	C	-B	-C	C	D	-B	-D	-B	A	-D	-A	A		
	-C	-D	-D	C	-C	-B	B	B	D	A	-A	-A		

FIGURE 1

REFERENCES

1. L. Baumert, S. W. Golomb and M. Hall, Jr., *Discovery of an Hadamard matrix of order 92*, Bull. Amer. Math. Soc. **68** (1962), 237-238.
2. A. Brauer, *On a new class of Hadamard determinants*, Math. Z. **58** (1953), 219-225.
3. K. Goldberg, *Hadamard matrices of order cube plus one*, Abstract 567-90, Notices Amer. Math. Soc. **7** (1960), 348.
4. R. E. A. C. Paley, *On orthogonal matrices*, J. Math. and Phys. **12** (1933), 311-320.
5. R. G. Stanton and D. A. Sprott, *A family of difference sets*, Canad. J. Math. **10** (1958), 73-77.
6. J. Williamson, *Hadamard's determinant theorem and the sum of four squares*, Duke Math. J. **11** (1944), 65-81.
7. ———, *Note on Hadamard's determinant theorem*, Bull. Amer. Math. Soc. **53** (1947), 608-613.