

Erratum to: A Re-evaluation and Validation of Ontogeny Functions for Cytochrome P450 1A2 and 3A4 Based on In Vivo Data

Farzaneh Salem^{1,2} · Trevor N. Johnson² · Khaled Abduljalil² ·
Geoffrey T. Tucker^{2,3} · Amin Rostami-Hodjegan^{1,2}

Published online: 13 May 2015
© Springer International Publishing Switzerland 2015

Erratum to: Clin Pharmacokinet (2014)
53(7):625–636
DOI 10.1007/s40262-014-0140-7

Page 630, Section 3.3: 4th paragraph and Eq. 5, which previously read

The best-fit to the CYP3A4 data was afforded by Eq. 5, describing a monotonic increase in enzyme activity up to adult levels by 108 weeks PMA (1.3 years)

$$\text{CYP3A4} = \frac{1 \times \text{PMA}^{3.9}}{108^{3.9} + \text{PMA}^{3.9}} \quad (5)$$

Should read

The best-fit to the CYP3A4 data was afforded by Eq. 5, describing a monotonic increase in enzyme activity up to adult levels by 71 weeks PMA (0.6 years)

$$\text{CYP3A4} = \frac{1 \times \text{PMA}^{3.9}}{71^{3.9} + \text{PMA}^{3.9}} \quad (5)$$

The online version of the original article can be found under doi:[10.1007/s40262-014-0140-7](https://doi.org/10.1007/s40262-014-0140-7).

✉ Amin Rostami-Hodjegan
amin.rostami@manchester.ac.uk

¹ Centre for Applied Pharmaceutical Research, Manchester Pharmacy School, The University of Manchester, Stopford Building, Oxford Road, Manchester M13 9PT, UK

² Simcyp Limited, Sheffield, UK

³ University of Sheffield (Emeritus), Sheffield, UK