









TRANSACTIONS  
OF THE  
ROYAL SOCIETY OF SOUTH AFRICA.

VOLUME V.—PART 4.  
1916.

CAPE TOWN—  
PUBLISHED BY THE SOCIETY.

—  
1916

[Issued May 20th, 1916.]

Price, 12s. od.



A RECORD OF PLANTS COLLECTED IN SOUTHERN  
RHODESIA.

ARRANGED ON ENGLER'S SYSTEM.

Compiled by FRED. EYLES, F.L.S., 1915.

## INTRODUCTION.

When first I began to collect the plants of Southern Rhodesia, I found it difficult, with the small library at my disposal, to trace descriptions of my specimens or to discover the records of previous collectors. For my own information, I then started a card-index in which I registered all available records of plants taken in this country, and added, wherever possible, references to the Floras and other standard publications wherein the various Rhodesian plants were described.

From this beginning the following work has sprung, and I publish it now because I feel the RECORD, imperfect though it is, should be made accessible to students of African botany. I also hope it may be of assistance to workers in the Rhodesian field and encourage others to collect and study the plants of this country.

This RECORD includes representatives of 160 Families, 869 Genera, and 2397 Species, besides 112 Varieties.

The "flowering" plants are arranged on Dr. Engler's system as set out in the *Genera Siphonogamarum* of Dr. C. G. De Dalla Torre & Dr. H. Harms, 1900-1907.

The ferns and fern-allies are arranged in accordance with the system of Engler and Prantl as shown in the *Check List of Flowering Plants and Ferns of the Transvaal and Swaziland*, by Mr. J. Burtt-Davy, F.L.S., F.R.S.S.Afr., & Mrs. R. L. Pott, 1911.

With regard to the lower cryptogams, of which unfortunately there are but few records, I have endeavoured to follow the arrangement given in Dr. Strasburger's *Text Book of Botany*, 1903, English edition.

So far as the information is available, each plant record gives the following particulars in the order shown, but very few of the records are complete in each detail.

(1) A genus number is placed in left margin opposite the first species of each genus. This corresponds to the number of that genus given in the *Genera Siphonogamarum*. The cryptogams (Asiphonogama) have no genus numbers in this RECORD.

(2) The first species of each genus is given its full generic and specific names, with authority. For second and following species the genus name is expressed by its initial letter.

(3) A limited number of synonyms are given in *italics* within brackets next to the accepted names. They are also shown in the Alphabetical List in *italics*. Only such synonyms have been inserted as seem necessary to save confusion and facilitate study; as, for instance, where two collectors record the same plant under different names, and where changes of nomenclature have taken place since the publication of the earlier South African Floras.

(4) A considerable number of additional synonyms have been necessitated in order to keep the RECORD uniform with Torre & Harms' *Genera Siphonogamarum*. In no instance does this imply any expression of opinion on my part as to which is the more correct classification. The following example will show how a synonym of this kind appears. The genus *Chailletia* is included by Torre & Harms under the genus *Dichapetalum*. Therefore, "*Chailletia cymosa*, *Hook.*," is recorded thus:—

4283—*Dichapetalum cymosum* (*Hook.*), *Torre & Harms.*  
*(Chailletia cymosa*, *Hook.*),

and is indexed under both names.

(5) Following the binomial, and synonyms if any, on a new line references are given to any works where descriptions of the species may be found. These references are not necessarily, or even generally, to original descriptions, but to such publications as are likely to be accessible to South African students.

(6) Finally, under each species are recorded such details as are known of its collection, in the following order: Locality, altitude, month of collection, collector's name, and herbarium number. NOTE.—A locality is named once only in each record, e.g. "Matopos, Nov. Marloth, 3588; Rogers, 5185." This means that Dr. Marloth's No. 3588 was taken in the Matopo Hills in November, and Archdeacon Rogers' 5185 was also taken in the Matopos, date unknown.

The names of between forty and fifty collectors appear in the RECORD. Many of these put themselves to great trouble to make and send me duplicate copies of their lists of identified plants. The records of others I have obtained from various publications. The following is a list of the names that are most frequent in the RECORD, together with the abbreviated forms used:—

Rand.—Dr. R. F. Rand, F.L.S., formerly of Rhodesia.

Allen.—Mr. C. E. F. Allen, formerly in charge of Forests for Rhodesian Government.

Oates.—The late Frank Oates, F.R.G.S.

- Monro.—Mr. C. F. H. Monro, M.A., of Victoria.  
Rogers.—Archdeacon Rogers, F.L.S., formerly of Rhodesia.  
Swyn.—Mr. C. F. M. Swynnerton, F.L.S., of Melsetter.  
Gibbs.—Miss L. S. Gibbs, F.L.S.  
Eyles.—Mr. F. Eyles, F.L.S., of Mazoe.  
Galpin.—Mr. E. E. Galpin, F.L.S., of Cape Province.  
Marloth.—Dr. R. Marloth, Ph.D., M.A., F.R.S.S.Afr., of Capetown.  
Kolbe.—Rev. F. C. Kolbe, B.A., D.D., of Capetown.  
Flanagan.—Mr. H. G. Flanagan, of Cape Province.  
Gardner.—Rev. Fr. Gardner, S.J., of Bulawayo.  
Cecil.—Hon. Mrs. Evelyn Cecil.  
Jeffreys.—Mr. Mervyn Jeffreys, of Bulawayo.  
Craster.—Mrs. W. S. Craster, of Salisbury.  
Chubb.—Mr. E. C. Chubb, F.Z.S., formerly Curator of Bulawayo Museum.  
Bennett.—Mrs. Bennett, of Umtali.  
Sr. Phil.—Sister Philomela, of Gwelo.  
Noble.—Mr. H. J. Noble, of Gwanda.  
Engler.—Dr. Engler, of Berlin.  
Govt. Herb.—Herbarium of Government Botanist in Department of Agriculture, Salisbury.

It must be understood that where altitudes are given they are necessarily approximate. Localities also indicate the neighbourhood rather than a precise spot; *e.g.* "Salisbury" means the neighbourhood of Salisbury.

The following publications have been used in compiling the RECORD wherein references to them will be found in the abbreviated forms shown below :—

- Harv. Gen. S.A. Pl.—The Genera of South African Plants, by W. H. Harvey, 2nd Edn., 1868.  
Fl. Cap.—Flora Capensis.  
Fl. Trop. Afr.—Flora of Tropical Africa.  
Cat. Afr. Pl. Welw.—Catalogue of Dr. Welwitsch's African Plants.  
Ferns of S.A.—Ferns of South Africa, by T. R. Sim, F.L.S., 1892 (illustrated).  
For. Fl. Cape.—The Forests and Forest Flora of Cape Colony, by T. R. Sim, F.L.S., 1906 (illustrated).  
For. Fl. P. E. Afr.—Forest Flora and Forest Resources of Portuguese East Africa, by T. R. Sim, F.L.S., 1909 (illustrated).  
Nat. Pl.—Natal Plants, by J. M. Wood, A.L.S. (illustrated). The references are given to plate numbers.  
Orchids of S.A.—Orchids of South Africa, by Dr. Harry Bolus, F.L.S. (illustrated).

- Journ. Bot.—Journal of Botany.  
 Journ. Linn. Soc. Bot.—Journal of Linnean Society, Botany.  
 Kew Bull.—Kew Bulletin.  
 Trans. S.A. Phil. Soc.—Transactions of South African Philosophical Society.  
 Trans. R. S. S. Afr.—Transactions of Royal Society of South Africa.  
 Pro. Rhod. Sc. Assn.—Proceedings of Rhodesia Scientific Association.  
 Rhod. Agric. Journ.—The Rhodesia Agricultural Journal.

I am under great obligations to many friends for advice and assistance in preparing this record of Rhodesian plants, and wish particularly to acknowledge the following :—

- Dr. Rendle and Staff of British Museum for identifying most of my collections.  
 The late Professor P. MacOwan, of Cape Town, for advice and identifications.  
 The late Dr. Harry Bolus, of Cape Town, for valuable suggestions, and for continuous and unwearied help in identifying plants and furnishing me with lists of Rhodesian collections made by other botanists.  
 Mr. T. R. Sim, for identifying ferns, etc.  
 Dr. Marloth, for help in identification and general encouragement.  
 Archdeacon Rogers, for adding a number of localities as well as of species to the present list. These additions, interpolated through the kindness of Dr. E. P. Phillips, of the Botanical Department of the South African Museum, are marked in the list with an asterisk. Dr. Phillips has besides looked through the proofs.  
 Mr. Swynnerton, for the trouble he took to annotate and correct for my benefit the 240 pages descriptive of his Gazaland collections in the Linnean Journal of October, 1911.  
 Dr. Rand, Miss Gibbs, Mrs. Craster, and Messrs. Allen, Monro, Jeffreys, Chubb, and Father Gardner for sending me lists of their collections.  
 Mr. J. Burtt-Davy for help and advice.  
 Also Messrs. Mundy & Walters, Botanists to the Rhodesian Government, have lent me willing aid and placed their herbarium at my disposal.

I am aware of many deficiencies in this RECORD, but venture to think it should be published without further delay in the belief that it will be useful to beginners, and in the hope that other workers in this field will point out its chief faults, contribute additions, and make suggestions for the improvement of any later edition if called for.

FRED. EYLES.

MAZOE, RHODESIA, 1915.

GROUP I.—EMBRYOPHYTA ASIPHONOGAMA.

DIVISION I.—THALLOPHYTA.

CLASS IV.—CYANOPHYCEAE.

**Nostoc commune**, *Vaucher.*

Victoria Falls, Rain Forest, etc. 3000 ft. Sep. Gibbs, 200.

CLASS XI.—CHARACEAE.

**Chara capensis**, *E. Mey.*

Mazoe, Tatagura River, 4300 ft. July, Eyles, 384.

**Nitella hyalina**, *Ag.*

Matopos, Sep. Gibbs, 311.

CLASS XII.—HYPHOMYCETES.

**Cronartium bresadoleanum**, *Henn.* var. **eucleae**, *Henn.*

Bulawayo, 4400 ft. Nov. Eyles, 1253. Parasitic on leaf of *Euclea Kellau*, *Hochst.*

**Polystictus sanguineus**, *Meyer.*

See Cat. Afr. Pl. Welw. ii. 467, *P. sanguineus*, *Fr.*

Victoria Falls, Sep. Gibbs, 165, on dead wood.

**Hymenochæte rubiginosa**, *Lév.*

Cat. Afr. Pl. Welw. ii. 471.

Victoria Falls, Sep. Gibbs, 262, on dead wood.

**Gibbera tinctoria**, *Massee.*

Kew Bull., 1911, 226.

Hunyani Valley, Allen, 734, on leaves of *Monotes glaber*, *Sprague.*

CLASS XIII.—LICHENES.

**Leptogium sp.**

Bulawayo, Jan. Eyles, 1179.

**Parmelia sp.**

Matopos, Nov. Eyles, 1148.

**Physcia flavicans**, *DC.*

Chirinda, 3800 ft. Swyn. 883, on trees.

***Usnea barbata, Ach.***

Cat. Afr. Pl. Welw. ii. 396.  
Matopos, March, Eyles, 1023.

***U. longissima, Ach.***

Cat. Afr. Pl. Welw. ii. 397.  
Chirinda Forest, 3800 ft. Swyn. 430, hanging from tree branches;  
Chimanimani Mts. 6500 ft. Swyn. 617.

## DIVISION II.—BRYOPHYTA.

## CLASS I.—HEPATICAE.

***Riccia fluitans, L.***

Matopos, Sep. Gibbs, 318, in streams.

***Fimbriaria marginata, Nees.***

Mazoe, Sep. Eyles, 414.

***Marchantia polymorpha, L.***

Matopos, Nov. Eyles, 1181.

***Plagiochasma sp.?***

Matopos, fr. Oct. Gibbs, 324.

***Madotheca capensis, Gottsche.***

Chirinda, 3800 ft. Swyn. 812, on trees.

## CLASS II.—MUSCI.

***Amblystegium varium, Lindb.***

Mazoe, Aug. 4600 ft. Eyles, 402, on stones by stream.

***Bartramia sp.***

Matopos, March, Eyles, 1050.

***Catharinea androgyna, C. Muell.***

Mt. Pene, 7000 ft. Swyn. 6021.

***Hypnum sp.***

Matopos, March, Eyles, 1026.

***Octodiceras julianum, Brid.***

Mazoe, 4600 ft. Aug. Eyles, 401, submerged.

***Orthotrichum sp.***

Matopos, March, Eyles, 1052.

***Racopilum sp.***

Victoria Falls, 3000 ft. May, Eyles, 112, in Rain Forest.

***Ulota crispa, Br. & Schimp.***

Matopos, March, Eyles, 1048.

DIVISION III.—PTERIDOPHYTA.

CLASS I.—FILICALES.

ORDER I.—FILICALES LEPTOSPORANGIATAE.

FAMILY I.—HYMENOPHYLLACEAE, Sadebeck.

**Hymenophyllum gracile**, Bory.

Ferns of S.A. 48.

Mt. Pene, 7000 ft. Swyn. 6016; Mazoe, 5100 ft. April, Eyles, 359.

FAMILY II.—CYATHEACEAE, Diels.

**Cyathea Dregei**, Kunze.

Ferns of S.A. 57.

Matopos, 4800 ft. May, Eyles, 72; Oct. Gibbs, 292; Penhalonga, Bennett; Umtali, Holland; Mt. Pene, 6500–7000 ft. Swyn. 816.

**C. manniiana**, Hook.

Mt. Pene, 7000 ft. Swyn. 6030.

**C. Thomsoni**, Bak.

Journ. Bot. 1881, 180.

Chirinda, 3800 ft. Swyn. 817.

FAMILY III.—POLYPODIACEAE, Diels.

**Aspidium aculeatum**, Swartz, var. **pungens**, Klf.

Ferns of S.A. 166.

Umtali, Holland & Bennett.

**A. ammifolium**, Poir.

Mt. Pene, 6500–7000 ft. Swyn. 878, 6031, 6032.

**Nephrodium albo-punctatum**, Desv.

Ferns of S.A. 173; Cat. Afr. Pl. Welw. ii. 272.

Mazoe, 5200 ft. April, Eyles, 337; Sebakwe, 4110 ft. Dec. Eyles, 390; Matopos, Oct. Gibbs, 210; Chimanimani Mts. 7000 ft. Swyn. 857; Salisbury, Darling, Holland & Hole; Umtali, Bennett.

**N. athamanticum**, Hook.

Ferns of S.A. 183; Cat. Afr. Pl. Welw. ii. 272.

Mazoe, Holland; and at 4400 ft. Jan. Eyles, 562; Umtali, Bennett; Chirinda, 3800 ft. Swyn. 875, 876; Lusitu Riv. 3000 ft. Swyn. 875a.

**N. bergianum, Baker.**

Ferns of S.A. 175.

Matopos, 4700 ft. April & May, Eyles, 63; Mazoe, 4500 ft. Feb. Eyles, 525; Umtali, Darling; Penhalonga, Bennett & Holland; Victoria Falls, Richards; Chirinda Forest, 3700–4000 ft. Swyn. 866, 870.

**N. catopteron, Hook.**

Ferns of S.A. 185.

Umtali, Bennett & Holland.

**N. cicutarium, Baker. (*N. hippocrepis*, Desv.)**

Ferns of S.A. 187; Cat. Afr. Pl. Welw. ii. 273.

Umtali, Darling, Holland & Bennett; Chirinda Forest, 3700–4000 ft. Swyn. 823; Mt. Pene, 6500–7000 ft. Swyn. 824a.

**N. Filix-mas, Rich. var. *elongatum*, Hook.**

Ferns of S.A. 180.

Umtali, Bennett & Darling; Lomagundi, Darling; Mazoe, 4600 ft. Jan. Eyles, 561; Chirinda, 3800 ft. Swyn. 874, 457.

**N. inaequale, Hook.**

Ferns of S.A. 182.

Lomagundi, Darling; Umtali, Holland.

**N. mauritianum, Fee.**

Ferns of S.A. 176.

Lomagundi, Darling; Mazoe, Holland; Victoria Falls, Holland.

**N. molle, Desv.**

Ferns of S.A. 177; Cat. Afr. Pl. Welw. ii. 273.

Victoria Falls, Rain Forest, 3000 ft. May, Eyles, 95; Allen, 2; Rogers, 5053; Chirinda Forest, 3700–4000 ft. Swyn. 864, 865, 867, 870; Chirinda, 3800 ft. Swyn. 868, 869; Umtali, Engler; Matabeleland, Oates.

**var. *violaceum*, (Link) Mett.**

Ferns of S.A. 177, a note under N. molle.

Victoria Falls, Palm Kloof, Engler.

**N. Thelypteris, Desv.**

Ferns of S.A. 179; Cat. Afr. Pl. Welw. ii. 272.

Matopos, 4600 ft. May, Eyles, 69; Rogers, 5197; Umtali, Darling & Bennett; Mazoe, Darling; Penhalonga, Holland; Rusapi, Engler.

**N. Thelypteris, Desv., var. *squamuligera*, Schlechtend.**

See Ferns of S.A. 180.

Chirinda, 3800 ft. Swyn. 858, 859a.

**N. unitum, R. Br.**

Ferns of S.A. 178; Cat. Afr. Pl. Welw. ii. 273.

Victoria Falls, on island, Sep. Gibbs, 151; & Holland.

**Nephrolepis cordifolia, Presl.**

Trans. S.A. Phil. Soc. xvi. 288.

Matabeleland, Oates ; Umtali, Darling ; Victoria Falls, Rain Forest, Sep. Gibbs, 155 ; Holland, Richards & Engler ; Chirinda, 3700-4000 ft. Swyn. 856.

**N. exaltata, Schott.**

Trans. S.A. Phil. Soc. xvi. 289 ; Cat. Afr. Pl. Welw. ii. 274.

Matabeleland, Oates ; Victoria Falls, Rain Forest, 3000 ft. May, Eyles, 116 ; Sep. Gibbs, 148 ; Allen, 1 & Engler ; Umtali, Darling.

**Davallia concinna, Schrad.**

Odzani River Valley, Umtali, Teague, 244.

**D. Hollandii, Sim.**

Trans. S.A. Phil. Soc. xvi. 274.

Umtali, Holland & Bennett.

**D. thecifera, H.B.K.**

Cat. Afr. Pl. Welw. ii. 265.

Mt. Pene, 7000 ft. Swyn. 6018.

**Lomaria attenuata, Willd.**

Ferns of S.A. 117.

Umtali, Darling & Bennett ; Chimanimani Mts. 7000 ft. Swyn. 835a ; Mt. Pene, 7000 ft. Swyn. 6023, 6024.

**L. Boryana, Willd.**

Ferns of S.A. 123 ; Cat. Afr. Pl. Welw. ii. 269.

Umtali, Bennett & Darling ; Chimanimani Mts. 7000 ft. Swyn. 835 ; Mt. Pene, 7000 ft. Swyn. 6022.

**L. procera, Spreng.**

Ferns of S.A. 122.

Chirinda, 3700-4000 ft. Swyn. 832.

**L. punctulata, Kze.**

Ferns of S.A. 118.

Mazoe, 5000-5200 ft. April, Eyles, 342 ; Victoria Falls, Rogers, 5546.

**Asplenium adiantum-nigrum, L.**

Ferns of S.A. 148.

Umtali, Darling.

**A. anisophyllum, Kze.**

Ferns of S.A. 142.

Umtali, Bennett & Darling.

**A. aspidioides, Schl.**

Ferns of S.A. 162.

Umtali, Darling & Holland.

**A. cicutarium, Sw.**

Ferns of S.A. 155.

Umtali, Darling & Bennett.

var. **abyssinicum**, *Baker.*

Chirinda Forest, 3700–4000 ft. Swyn. 819.

**A. dregeanum**, *Kze.*

Ferns of S.A. 156.

Umtali, Darling.

**A. erectum**, *Bory.*

Ferns of S.A. 136; Cat. Afr. Pl. Welw. ii. 270.

Victoria Falls, Palm Kloof, Engler; Chirinda Forest, 3700–4000 ft.  
Swyn. 827.

var. **erectum**, *Bory.*

Ferns of S.A. 138.

Umtali, Bennett.

var. **lobatum**, (*P. & R.*) *Sim.*

Ferns of S.A. 139.

Umtali, Bennett & Holland.

var. **lunulatum**, (*Sw.*) *Sim.*

Ferns of S.A. 137.

Victoria Falls, Holland.

**A. Eylesii**, *Sim.*

Mazoe, 4500 ft. Jan. Eyles, 564.

**A. filix-fœmina**, *Bernh.*

Ferns of S.A. 160.

Penhalonga Forest, Bennett; Umtali, Holland.

**A. furcatum**, *Thunb.* (*A. adiantoides*, *Lam.*)

Ferns of S.A. 152; Cat. Afr. Pl. Welw. ii. 270.

Salisbury, Darling & Hole; Umtali, Holland & Bennett; Matopos, Sep. Gibbs, 28; Victoria Falls, Garbutt; Mazoe, 4500 ft. Dec. Eyles, 477; Chirinda Forest, 3700–4000 ft. Swyn. 845; Chimanimani Mts., 7000 ft. Swyn. 846a; Melsetter, 6000 ft. Swyn. 808; Mt. Pene, 7000 ft. Swyn. 6026; Odzani River Valley, Umtali, Teague, 161.

var. **tripinnatum**, *Baker.*

Ferns of S.A. 154.

Umtali, Bennett & Darling; Mt. Pene, 7000 ft. Swyn. 846, 6027.

**A. gemmiferum**, *Schr.*

Ferns of S.A. 145.

Umtali, Bennett & Holland; Chirinda Forest, 3700–4000 ft. Swyn. 402, 853.

var. **flexuosum**, *Schr.*

Ferns of S.A. 145.

Umtali, Bennett.

**var. *laciniatum*, Mett.**

See note Ferns of S.A. 147.

Chirinda Forest, 3700–4000 ft. Swyn. 844, 844a.

**A. *laetum*, Swartz.**

Chirinda Forest, 3700–4000 ft. Swyn. 840, 840b.

**A. *Mannii*, Hook.**

Trans. S.A. Phil. Soc. xvi. 285.

Mt. Pene, 7000 ft. Swyn. 6015; Chipete Forest, 3800 ft. Swyn. 427.

**A. *monanthemum*, L.**

Ferns of S.A. 135.

Umtali, Bennett. Not common.

**A. *protensum*, Schrad.**

Ferns of S.A. 141.

Matopos, 5000 ft., March, Eyles, 1022; Umtali, Holland & Bennett;  
Chirinda Forest, 3700–4000 ft. Swyn. 879, 880.

**A. *resectum*, Smith.**

Cat. Afr. Pl. Welw. ii. 270.

Chirinda Forest, 3700–4000 ft. Swyn. 840a, 841.

**A. *rutaefolium*, Kze.**

Ferns of S.A. 158.

Umtali, Bennett & Holland.

**A. *Sandersoni*, Hook.**

Ferns of S.A. 132.

Umtali, Bennett.

**A. *Schimperi*, A. Br.**

Ferns of S.A. 161.

Salisbury, Darling.

**A. *serra*, Langs. var. *natalensis*, Baker.**

Ferns of S.A. 144.

Chimanimani Mts. 6500 ft. Swyn. 851.

**A. *Thunbergii*, Kze.**

Ferns of S.A. 157.

Chirinda Forest, 3700–4000 ft. Swyn. 806; Chipetzana source,  
4000 ft. Swyn. 807; Mt. Pene, 7000 ft. Swyn. 6017.

**A. *trichomanes*, L.**

Ferns of S.A. 133.

Lomagundi, Sinoia Cave and Hunyani River, Hole.

**A. *varians*, Hk. & Gr.**

Ferns of S.A. 140.

Umtali, Darling.

**Gymnogramme *argentea*, Mett. (*G. rosea*, Desv.)**

Ferns of S.A. 214; Cat. Afr. Pl. Welw. ii. 276.

Chimanimani Mts., 7000 ft. Swyn. 677.

**var. *aurea*, Mett.**

Ferns of S.A. 214, 5.

Mazoe, 5200 ft. April, Eyles, 340.

**G. *cordata*, Schlecht.**

Ferns of S.A. 210; Cat. Afr. Pl. Welw. ii. 276.

Bulawayo, 4600 ft. Feb. Eyles, 392; Lomagundi, Darling; Salisbury, Darling; Matopos, 4800 ft. March, Eyles, 1021; Gibbs, Sep. 29.

**var. *namaquensis*, P. & R.**

Ferns of S.A. 211, 2.

Salisbury, Hole.

**G. *lanceolata*, Hook.**

Ferns of S.A. 215.

Umtali, Bennett; Chirinda, 3800 ft. Swyn. 814; Mt. Pene, 7000 ft. Swyn. 6020.

**G. *leptophylla*, Desv.**

Ferns of S.A. 212.

Mazoe, 4500 ft. Jan. Eyles, 563.

**Vittaria *iscetifolia*, Bory. (*V. lineata*, Sw.)**

Ferns of S.A. 216.

Chimanimani Mts. 7000 ft. Swyn. 802.

**Pellaea *burkeana*, Baker. (*P. dura*, Hook.)**

Ferns of S.A. 105; Cat. Afr. Pl. Welw. ii. 267.

Mazoe, 5000 ft. April, Eyles, 263; Darling; Salisbury, Darling &amp; Hole; Umtali, Holland &amp; Bennett, Odzani River Valley, Teague, 70.

**P. *calomelanos*, Link.**

Ferns of S.A. 104; Cat. Afr. Pl. Welw. ii. 267.

Matopos, 4700 ft. April, Eyles, 394; Holland; Salisbury, Hole; Umtali, Bennett; Odzani River Valley, Teague, 67; Chirinda, 3600 ft. Swyn. 850; Matabeleland, Fry.

**P. *consobrina*, Hook.**

Ferns of S.A. 97.

Mazoe, 5000 ft. April, Eyles, 357; Darling &amp; Bennett; Umtali, Darling &amp; Bennett; Odzani River Valley, Teague, 68; Chimanimani Mts., 7000 ft. Swyn. 852; Mt. Pene, 7000 ft. Swyn. 6028.

**P. *Doniana*, Hook.**

Trans. S.A. Phil. Soc. xvi. 279.

Umtali, Bennett.

**P. *geraniæfolia*, Fée. (*Cheilanthes Kirkii*, Hook.)**

Ferns of S.A. 92; Cat. Afr. Pl. Welw. ii. 266.

Matopos, 4800 ft. March, Eyles, 1044; Gibbs, Sep. 291; Victoria, Zimbabwe, Holland, Monro, 732; Umtali, Bennett.

**P. hastata, Link.**

Ferns, 101; Cat. Afr. Pl. Welw. ii. 267.

Matopos, 5000 ft. March, Eyles, 1018, April, 312; Sep. Gibbs, 89; Salisbury, Hole; Umtali, Bennett; Mazoe, Holland; Victoria, Holland.

var. **glauca, Sim.**

Ferns of S.A. 102.

Salisbury, Darling, Hole & Holland; Mazoe, Darling & Holland; Matabeleland, Fry.

var. **macrophylla, Hook.**

Ferns of S.A. 102.

Chirinda Forest, 3600–4000 ft. Swyn. 800; Victoria Falls, Garbutt.

**P. pectiniformis, Baker.**

Ferns of S.A. 95; Cat. Afr. Pl. Welw. ii. 267.

Matopos, Oct. Gibbs, 294; Mazoe, 5000 ft. March, Eyles, 250.

**Notochlæna Buchanani, Baker.**

Ferns of S.A. 207.

Matopos, Sep. Gibbs, 70.

**N. inæqualis, Kze.**

Ferns of S.A. 206; Cat. Afr. Pl. Welw. ii. 276.

Matopos, 5000 ft. March, Eyles, 1020; Salisbury, Holland & Darling; Mazoe, 5200 ft. April, Eyles, 339.

**Chielañthes Bolusii, Baker.**

Ferns of S.A. 89; Trans. S.A. Phil. Soc. xvi. 277.

Mazoe, 5000 ft. March, Eyles, 247; Umtali, Holland.

**C. farinosa, Kaulf.**

Trans. S.A. Phil. Soc. xvi. 278; Cat. Afr. Pl. Welw. ii. 267.

Victoria Falls, Rain Forest, 3000 ft. May, Eyles, 121, 147; Sep. Gibbs, 6; Galpin, 7053; Allen, 13; Rogers, 5013, 5545; Engler, Richards & Holland; Matabeleland, Oates.

**C. hirta, Swartz.**

Ferns of S.A. 83; Cat. Afr. Pl. Welw. ii. 266.

Matopos, 5000 ft. May, Eyles, 76; Sep. Gibbs, 90; Engler; Bulawayo, 4500 ft. Feb. Eyles, 393; Umtali, Bennett; Odzani River Valley, Teague, 160.

**C. multifida, Swartz.**

Ferns of S.A. 87.

Matopos, Sep. Gibbs, 69; 5000 ft. March, Eyles, 1019.

**Hypolepis anthriscifolia, Presl.**

Ferns of S.A. 76.

Chirinda Forest, 3700–4000 ft. Swyn. 820.

**H. bergiana, Hook.**

Ferns of S.A. 78.

Chimanimani Mts., 7000 ft. Swyn. 821.

**H. Schimperi, Sim.**

Trans. S.A. Phil. Soc. xvi. 276.

Mazoe, 4800–5300 ft. Dee. Eyles, 395; Darling &amp; Holland; Salisbury, Darling, Holland &amp; Hole.

**Cryopteris fragilis, Bernh.**

Ferns of S.A. 66.

Lomagundi, Hole.

**Adiantum æthiopicum, L.**

Ferns of S.A. 73.

Mazoe, 5100 ft. April, Eyles, 328; Holland; Salisbury, Holland; Umtali, in hills, Bennett; Matabeleland, Oates.

**A. capillus-Veneris, L.**

Ferns of S.A. 70; Cat. Afr. Pl. Welw. ii. 266.

Bulawayo, 4500 ft. May, Eyles, 68; Victoria Falls, Rain Forest, Sep. Gibbs, 20; May, Eyles, 113, 126; Allen, 11; Rogers, 5547; Engler &amp; Holland; Umtali, Bennett &amp; Darling; Mazoe, Darling.

**A. caudatum, L.**

Ferns of S.A. 69.

Sebakwe, 4000 ft., Nov. Eyles, 389; Victoria Falls, Sep. Gibbs, 180; Rogers, 5052; Allen, 17; Engler, Richards &amp; Holland; Umtali, Darling &amp; Bennett; Mazoe, Darling; Matopos, Gibbs, 316.

**A. lunulatum, Burm.**

Ferns of S.A. 70; Cat. Afr. Pl. Welw. ii. 265.

Victoria Falls, Rain Forest, 3000 ft. May, Eyles, 127; Allen, 9; Rogers, 5376, 5549; Richards &amp; Holland; Mazoe, Darling; Umtali, Bennett; Matabeleland, Oates.

**A. Oatesii, Baker.**

In "Matabeleland and Victoria Falls," by Frank Oates, appendix by A. Rolfe, ed. i. p. 369; Ferns of S.A. 70.

Victoria Falls, Sep. Gibbs, 317; Allen, 20; Lomagundi, Darling; Matabeleland, Oates.

**Actiniopteris radiata, Link.**

Ferns of S.A. 163; Harv. Gen. S.A. Pl. 465; Cat. Afr. Pl. Welw. ii. 271.

Mazoe, 4400–1600 ft. March, Eyles, 259; Victoria Falls, Sep. Gibbs, 33; Allen, 91; Garbutt; Matopos, Engler &amp; Gibbs; Salisbury, Darling &amp; Hole; Umtali, Bennett; Odzani River Valley, Umtali, Teague, 63.

**Didymochlæna lunulata, Desv. (*D. sinuosa*, Desv.)**

Ferns of S.A. 164; Cat. Afr. Pl. Welw. ii. 271.

Mt. Pene Forest, 6500–7000 ft. Swyn. 815; Umtali, Bennett.

**Pteris aquilina, L.** (*Pteridium aquilinum*, Kuhn.)

Ferns of S.A. 113; Cat. Afr. Pl. Welw. ii. 268; Harv. Gen. S.A. Pl. 464.

Matopos, 4800 ft. May, Eyles, 79; Umtali, Darling; Odzani River Valley, Teague, 251; Salisbury, Hole; Mt. Hampden, Holland (a glabrous var.); Victoria Falls, Palm Kloof, Engler.

var. *lanuginosa*, Hook.

Ferns of S.A. 114, included under type; Cat. Afr. Pl. Welw. ii. 268.

Chirinda, 2800 ft. Swyn. 401 in part; Mt. Pene, 7000 ft. Swyn. 6029; throughout Melsetter Dist., Swyn.

**P. atrovirens, Willd.**

Cat. Afr. Pl. Welw. ii. 268.

Victoria Falls, Palm Kloof, Engler.

**P. brevisora, Baker.**

Chirinda Forest, 3700–4000 ft. Swyn. 871.

**P. cretica, L.**

Ferns of S.A. 107; Cat. Afr. Pl. Welw. ii. 268.

Mazoe, 4900 ft. Dec. Eyles, 498; Holland; Chirinda Forest, 3700–4000 ft. Swyn. 831; Umtali, Bennett; Salisbury, Hole.

**P. flabellata, Thunb.** (*P. arguta*, Sw.)

Ferns of S.A. 110; Cat. Afr. Pl. Welw. ii. 268.

Victoria Falls, Rogers, 5556; Penhalonga, Holland; Umtali, Bennett.

**P. longifolia, L.**

Ferns of S.A. 106; Cat. Afr. Pl. Welw. ii. 267.

Bulawayo, 4500 ft. May, Eyles, 66; Mazoe, Darling, Holland & Bennett; Umtali, Darling, Holland & Bennett.

**P. quadriaurita, Retz.**

Ferns of S.A. 108; Cat. Afr. Pl. Welw. ii. 268.

Victoria Falls, Rain Forest, 3000 ft. May, Eyles, 94; Allen, 181; Rogers, 5048; Gibbs; Richards; Matopos, Oct. Gibbs, 223; May, Eyles, 149; Umtali, Darling; Bennett; Lomagundi, Darling; Salisbury, Holland; Chirinda Forest, 3700–4000 ft. Swyn. 872; Matabeleland, Oates.

**Polypodium africanum, Mett.**

Ferns of S.A. 203.

Mazoe, 4500 ft. Jan. Eyles, 388; Chirinda Forest, 3700–4000 ft. Swyn. 425; Chipete Forest, 3800 ft. Swyn. 425; Umtali, Bennett; Holland.

**P. incanum, Swartz.**

Ferns of S.A. 194.

Victoria, Zimbabwe, Holland; Chirinda Forest, 3700–4000 ft. Swyn. 809.

**P. irioides**, Lam.

Ferns of S.A. 204; Cat. Afr. Pl. Welw. ii. 275.

Macequece, Holland; Umtali, Bennett.

**P. lanceolatum**, L. (*P. lepidotum*, Willd.)

Ferns of S.A. 201.

Umtali, Bennett; Melsetter, 6000 ft. Swyn. 811, epiphytic on *Brachystegia Randii* and other trees; Chipete Forest, 3800 ft. Swyn. 812; Chimanimani Mts. 7000 ft. Swyn. 813; Mt. Pene, 7000 ft. Swyn. 6008, 6019; Odzani River Valley, Umtali, Teague, 162.

**B. normale**, Don.

Ferns of S.A. 199.

Umtali, Bennett.

**P. obtusilobum**, Desv.

See Ferns of S.A. 174, 5. (Sim doubts validity of this species and does not distinguish it from *Nephrodium bergianum*, Baker.)

Victoria Falls, Allen, 3; Gwai River, 3400 ft. Allen, 229.

**P. phymatodes**, L.

Ferns of S.A. 196; Cat. Afr. Pl. Welw. ii. 275.

Umtali, Bennett; Lusitu River, 2500 ft. Swyn. 661, 884.

**P. proliferum**, Presl.

Ferns of S.A. 192.

Hunyani Riv. Darling; Mazoe, Holland; Umtali, Bennett.

**P. unitum**, Hook.

Ferns of S.A. 193.

Umtali, Bennett.

**Acrostichum latifolium**, Swartz.

Ferns of S.A. 220.

Umtali, Bennett; Mt. Pene, 7000 ft. Swyn. 6009.

**A. lineare**, Fee.

Mt. Pene, 7000 ft. Swyn. 6014.

**A. viscosum**, Sw.

Ferns of S.A. 221.

Chimanimani Mts. 7000 ft. Swyn. 810.

**Platycerium alocrine**, Desv.

Trans. S.A. Phil. Soc. xvi. 293.

Macequece, Holland; Umtali, Bennett.

## FAMILY IV.—GLEICHENIACEAE, Diels.

**Gleichenia dichotoma**, Willd.

Ferns of S.A. 45.

Umtali, Bennett.

**G. polypodioides, Smith.**

Ferns of S.A. 43; Cat. Afr. Pl. Welw. ii. 263.

Mazoe, 5200 ft. April, Eyles, 341; Chimanimani Mts. 6500 ft. Swyn. 676.

**G. umbraculifera, T. Moore.**

Ferns of S.A. 44.

Melsetter, 6000 ft. Swyn. 613; Lusitu Hills, 5000 ft. Swyn. 1497.

FAMILY V.—SCHIZAEACEAE, Diels.

**Aneimia anthriscifolia, Schrad.**

Trans. S.A. Phil. Soc. xvi. 294.

Umtali, Bennett & Holland.

**A. tomentosa, Sw.**

Odzani River Valley, Umtali, Teague, 69.

**Mohria caffrorum, Desv.**

Ferns of S.A. 233.

Matopos, 4800 ft. March, Eyles, 1042, May, 128; Gibbs, Oct. 235; Melsetter, 6000 ft. Swyn. 611; Mazoe, Eyles; Umtali, Bennett, Odzani River Valley, Teague, 140; Darling.

**M. lepigera, Baker.**

Chimanimani Mts. 7000 ft. Swyn. 611a.

**Lygodium Brycei, Baker.**

Kew Bull. 1901, 138.

Mashonaland, Bryce, nr. Portuguese border, drift of Renie Riv.

**L. Kerstenii, Kuhn. (*L. subulatum*, Bojer.)**

Trans. S.A. Phil. Soc. xvi. 296.

Penhalonga, Holland; Umtali, Bennett; South Melsetter District, abundant in wooded kloofs.

FAMILY VI.—OSMUNDACEAE, Diels.

**Osmunda regalis, L.**

Ferns of S.A. 227; Cat. Afr. Pl. Welw. ii. 278.

Matopos, 4600 ft. April, Eyles, 56; Rogers, 5193; Marloth; Chirinda, 3700 ft. Swyn. 828; Chipetzana source, 4000 ft. Swyn.; Umtali, Bennett, Odzani River Valley, Teague, 66; Darling; Mazoe, Hole; Salisbury, Holland.

**Todea africana, Willd. (*T. barbara*, Moore.)**

Ferns of S.A. 228.

Chimanimani Mts. 7000 ft. Swyn. 830.

FAMILY VII.—MARSILIACEA, *Sadebeck.****Marsilia biloba*, Willd.**

Ferns of S.A. 258.

Gwelo, in vlei, Gardner, 28.

***M. capensis*, A. Br.**

Ferns of S.A. 259.

Matopos, fr. Oct. Gibbs, 289.

***M. macrocarpa*, Presl. var. *lobata*, Sim.**

Ferns of S.A. 259 (type).

Pasipas Mt. 4500 ft. June, Eyles, 26.

## ORDER II.—MARATTIALES.

FAMILY VIII.—MARATTIACEAE, *Bitter.****Marattia fraxinea*, Smith.**

Ferns of S.A. 235; Cat. Afr. Pl. Welw. ii. 278.

Chirinda Forest, 3700–4000 ft. Swyn. 826; Mt. Pene Forest, 6500–7000 ft. Swyn. 826a, 6025; Umtali, Darling; Bennett; Penhalonga, Holland.

## ORDER III.—OPHIOGLOSSALES.

FAMILY IX.—OPHIOGLOSSACEAE, *Bitter.****Ophioglossum reticulatum*, L.**

Ferns of S.A. 238; Cat. Afr. Pl. Welw. ii. 279.

Mazoe, 4800 ft. Jan. Eyles, 559.

***O. vulgatum*, L.**

Ferns of S.A. 237.

Khaini, Nov. Marloth, 3354; Matopos, Marloth.

## CLASS II.—EQUISETALES.

## ORDER I.—EU-EQUISETALES.

FAMILY X.—EQUISETACEAE, *Sadebeck.****Equisetum ramosissimum*, Desf.**

Ferns of S.A. 240; Cat. Afr. Pl. Welw. ii. 279.

Matopos, 4800 ft. April, Eyles, 151; Umtali, Engler.

CLASS III.—LYCOPODIALES.

ORDER I.—LYCOPODIALES ELIGULATAE.

FAMILY XI.—LYCOPODIACEAE, Pritzel.

**Lycopodium carolinianum, L.**

Ferns of S.A. 246.

Matopos, 5000 ft. April, Eyles, 51; Oct. fr. Gibbs, 231.

**L. cernuum, L.**

Ferns of S.A. 244; Cat. Afr. Pl. Welw. ii. 263.

Chirinda, 3800 ft. Swyn. 458; Odzani River Valley, Umtali, Teague, 252.

**L. clavatum, L. var. *inflexum*, Spreng.**

Ferns of S.A. 245.

Mt. Pene, 6500–7000 ft. Swyn. 805.

**L. verticillatum, L.**

Ferns of S.A. 243.

Mt. Pene, 7000 ft. Swyn. 6010; Umtali, Holland.

**Psilotum triquetrum, Swartz.**

Ferns of S.A. 247; Harv. Gen. S.A. Pl. 470.

Victoria Falls, Rain Forest, 3000 ft. May, Eyles, 115; Engler.

ORDER II.—LYCOPODIALES LIGULATAE.

FAMILY XII.—SELAGINELLACEAE, Hieron.

**Selaginella depressa, A. Braun.**

Ferns of S.A. 251.

Matopos, March, Eyles, 1043.

**S. imbricata, Spreng.**

Victoria Falls, dry edge of gorge, Galpin, 7054; Sep. Gibbs, 179;

Allen, 90; Engler; April, Eyles, 546.

**S. kraussiana, A. Braun.**

Ferns of S.A. 252.

Chimanimani Mts. 7000 ft. Swyn. 803; Mt. Pene, 7000 ft. Swyn. 6013; Umtali, Darling.

**S. rupestris, Spreng.**

Ferns of S.A. 250; Cat. Afr. Pl. Welw. ii. 262.

Matopos, Sep. Gibbs, 4; Oct. Davy; Engler; Chimanimani Mts. 7000 ft. Swyn. 617a.

**S. sp.**

Matopos, 4800 ft. March, Eyles, 1043, cf. *S. kraussiana*, A. Braun.

## GROUP II.—EMBRYOPHYTA SIPHONOGAMA.

## DIVISION I.—GYMNOSPERMAE.

## CLASS CONIFERAEE.

FAMILY V.—TAXACEAE, *Lindl.*

Genus No.

- 15—**Podocarpus milanjiana**, *Rendle*. (*P. Thunbergii*, *Hook.* var. *falcata*.)

See For. Fl. Cape, 332.

Chimanimani Mts. 7000 ft. male fl. Sep. Swyn. 1962; Mt. Pene, 7000 ft. Swyn. 6038.

FAMILY VI.—PINACEAE, *Lindl.*

- 38—**Callitris Whytei** (*Rendle*), *Torre & Harms.* (*Widdringtonia Whytei*, *Rendle*; *W. Mahoni*, *Masters*.)

For. Fl. Port. E. Afr. 109.

Chimanimani Mts. 7000 ft. Swyn. 1964; Melsetter, 6000 ft. fr. Sep. Swyn. 1963; Hutchins mentions for Umtali, Melsetter and Inyanga; also see Journ. Bot. 1906, 190 for Umtali and Melsetter.

## DIVISION II.—ANGIOSPERMAE.

## CLASS MONOCOTYLEDONEAE.

## SERIES PANDANALES.

FAMILY VIII.—TYPHACEAE, *J. St. Hil.*

- 49—**Typha australis**, *Schumach. & Thonn.*

Fl. Trop. Afr. viii. 135; Fl. Cap. vii. 31.

Upper Buzi Riv. and Inyamadzi Riv. Swyn.

## SERIES HELOBIAE.

FAMILY XI.—POTAMOGETONACEAE, *Engl.*

- 58—**Potamogeton fluitans**, *Roth.*

Fl. Cap. vii. 46; Fl. Trop. Afr. viii. 219; Cat. Afr. Pl. Welw. ii. 94. Matopos, 4800 ft. April, Eyles, 36.

Genus No.

**P. natans, L.**

Fl. Cap. vii. 46; Harv. Gen. S.A. Pl. 387.

Matopos, streams, general, Sep. Gibbs, 94; Victoria Falls, common in river, Sep. Gibbs, 146; Salisbury, Rand, 540.

**P. pusillum, L.**

Fl. Cap. vii. 49; Fl. Trop. Afr. viii. 222.

Matopos, fl. & fr., Sep. Gibbs, 190, in streams.

FAMILY XIII.—APONOGETONACEAE, *Engl.*

65—**Aponogeton sp.**

No precise locality, Rand, 217.

FAMILY XV.—ALISMACEAE, *DC.*

80—**Burnatia enneandra, Michel.**

Fl. Trop. Afr. vii. 213.

Matabeleland, Holub.

FAMILY XVII.—HYDROCHARITACEAE, *Aschers.*

86—**Hydrilla verticillata, Royle.**

Fl. Trop. Afr. vii. 2.

Victoria Falls, abundant in river, Sep. Gibbs, 136; Galpin, 7027.

90—**Blyxa sp.**

Salisbury, May, Flanagan, 3251, in ponds. "Distinct from *B. radicans*, Ridl. and probably new." H. Bolus.

95—**Ottelia paucifolia, A. Rich.**

Victoria Falls, Allen, 14.

**O. vesiculata, Ridl.**

Fl. Trop. Afr. vii. 7; Cat. Afr. Pl. Welw. ii. 2.

Matopos, 4800 ft. April, Eyles, 34.

SERIES GLUMIFLORAE.

FAMILY XIX.—GRAMINEAE, *B. Juss.*

102—**Zea Mays, L.**

Universally cultivated.

109—**Imperata arundinacea, Cyr. (I. cylindrica, Beauv.)**

Fl. Cap. vii. 320; Nat. Pl. ii. 101; Cat. Afr. Pl. Welw. ii. 135.

Salisbury, Mundy; Matabeleland, Jeffreys, 49; may be new sp.

Genus No.

var **Thunbergii** Hack.

Fl. Cap. vii. 320.

North Melsetter, 4000–5000 ft. Swyn.; Bulawayo, Monro, 982; Marandellas, Engler; Umtali, Engler.

111—**Saccharum munroanum**, Hack.

Fl. Cap. vii. 321; Nat. Pl. ii. 102; Cat. Afr. Pl. Welw, ii. 136.

Matopos, Rogers, 5189.

112—**Erianthus teretifolius**, Stapf.

Journ. Linn. Soc. Bot. xxxvii. 478.

Victoria Falls, fl. & fr. Sep. Gibbs, 141; Rogers, 5098, 5315  
Salisbury, Craster, 66.**E. sp.**Lochard, Govt. Herb. 2094, nr. *E. soryghum*.113—**Pollinia villosa**, Spreng.

Fl. Cap. vii. 325; Nat. Pl. ii. 109; Cat. Afr. Pl. Welw. ii. 136.

Victoria Falls, Sep. Gibbs, 153; Rogers, 5810.

**P. sp.**

Salisbury, Craster, 18.

119—**Ischænum fasciculatum**, Brongn.

Fl. Cap. vii. 327; Cat. Afr. Pl. Welw. ii. 141.

Victoria Falls, Engler.

var. **arcuatum**, Hack.

Fl. Cap. vii. 327; Nat. Pl. ii. 104.

Lusitu Riv. 3000 ft. Swyn. 1652; Victoria Falls, Rogers,  
5088.**I. spp.**

Salisbury, Craster, 37, 69.

126—**Rhytachne**, sp.

Salisbury, Craster, 56.

127—**Rottboellia compressa**, L.

Fl. Cap. vii. 329 (var.).

Salisbury, Mundy; Bulawayo, Rogers, 5868.

var. **fasciculata**, Hack.

Fl. Cap. vii. 329; Nat. Pl. ii. 105.

Heaney Jnctn. Jeffreys, 17; North Melsetter, 4000–6000 ft.  
Swyn.**R. exalata**, L. fil.

Victoria Falls, Rogers, 7076\*.

131—**Trachypogon polymorphus**, Hack.

Fl. Cap. vii. 331 (var.); Nat. Pl. ii. 107 (var.).

Salisbury, Mundy; Victoria Falls, Rogers, 5395; Bulawayo,  
Rogers, 5885.

Genus No.

132—**Elionurus argenteus**, Nees.

Fl. Cap. vii. 332; Nat. Pl. ii. 108.

Chirinda, 3700 ft. Jan. Swyn. 1694; Mt. Pene, 6500–7000 ft.

Sep. Swyn. 1648; Somabula, Govt. Herb. 666; Umtali, Engler.

var. **thymidora**, Stapf.

Fl. Cap. vii. 333.

Bulawayo, Rogers, 5882.

134—**Andropogon amplexens**, Nees.

Fl. Cap. vii. 342; Nat. Pl. ii. 116.

Heaney Jnctn. Jeffreys, 8, and 21; Somabula, Govt. Herb. 668.

**A. cereisiæformis**, Nees.

Fl. Cap. vii. 337; Nat. Pl. ii. 112; Cat. Afr. Pl. Welw. ii. 145.

Between Lusitu and Nyahodi, 5000 ft. April, Swyn. 1656; Salisbury, Craster, 51.

**A. connatus**, Chiov.

Bulawayo, Rogers, 5918; Victoria Falls, Rogers, 5672.

**A. contortus**, L. (*Heteropogon contortus*, Roem. & Schult.)

Fl. Cap. vii. 350; Nat. Pl. ii. 121; Cat. Afr. Pl. Welw. ii. 153.

Bulawayo, in vlei, Jeffreys, 16; Rogers, 5900; Victoria, Monro, 907; Syringa, Matabeleland, Govt. Herb. 641, 642; Salisbury, Craster, 62.

**A. cymbarius**, L. (*Cymbopogon elegans*, Spreng.)

Fl. Cap. vii. 360; Nat. Pl. 130; Cat. Afr. Pl. Welw. ii. 157.

Nyahodi Riv. 4000 ft. April, Swyn. 1675.

**A. eucomis**, Nees.

Fl. Cap. vii. 338; Nat. Pl. 113.

Matopos, fl. & fr. Sep. Gibbs, 23; Heaney Jnctn. Jan. Jeffreys, 47.

**A. filipendulus**, Hochst. (*Cymbopogon filipendulus*, Rendle.)

Fl. Cap. vii. 362; Nat. Pl. 131; Cat. Afr. Pl. Welw. ii. 157.

Salisbury, March, Flanagan, 3003; Bulawayo, Rogers, 5898; 13508; Jeffreys, 69, forma *pilosior*, Hack.; North Melsetter, 4000–6000 ft. April, Swyn. 1687; Chirinda, 3500 ft. Jan. Swyn. 1640; Upper Buzi, 3000–3500 ft. April, Swyn. 985, 988, 990; Umtali, Engler.

**A. gayanus**, Kunth.

See Cat. Afr. Pl. Welw. ii. 148.

Victoria, Monro, 991; Chirinda, 3800 ft. April, Swyn. 967; Upper Buzi, 3000–3500 ft. April, Swyn. 984; Bulawayo, Rogers, 5865; Victoria Falls, Rogers, 5673.

**A. gazense** (Rendle), Torre & Harms. (*Cymbopogon gazense*, Rendle.)

Journ. Linn. Soc. Bot. xl. 226.

Chirinda, 3700 ft. Jan. Swyn. 1637.

**Genus No.**

**A. giganteus** (*Chiov.*), *Torre & Harms.* (*Cymbopogon giganteus*, *Chiov.*)

Chirinda, 3500 ft. Jan. Swyn. 1636; Upper Buzi, 3000–3500 ft. April, Swyn. 994.

**A. halapensis**, *Brot.*

Fl. Cap. vii. 346 (var.); Nat. Pl. 119 (var.)

Bulawayo, Rogers, 5880; Salisbury, Rogers, 5798.

**A. hirtiflorus**, *Kunth.* var. **semiberbis**, *Stapf.*

Fl. Cap. vii. 337; Nat. Pl. 111.

North Melsetter, 4000–6000 ft. April, Swyn. 1607; Chirinda, 3500 ft. Jan. Swyn. 1621.

**A. hirtus**, *L.*

Fl. Cap. vii. 355; Nat. Pl. 125.

Matopos, Oct. Gibbs, 288; Tabazinduna Mt. Jan. Jeffreys, 45;

Upper Buzi, 3000–3500 ft. Swyn.; Victoria, Monro, 862,969; Victoria Falls, Rogers, 13278\*.

**A. intermedius**, *R. Br.*

Fl. Cap. vii. 345; Cat. Afr. Pl. Welw. ii. 149; Nat. Pl. 118.

Victoria, Monro, 945a; Victoria Falls, Rogers, 1771\*.

**A. Jeffreysii**, *Hack.*

Pro. Rhod. Sc. Assn. vii. pt. ii. 70.

Bulawayo, May, Jeffreys, 78.

**A. Lecomtei**, *Franch.*

Nyahodi Riv. 4000 ft. April, Swyn. 1660.

**A. marginalis**, *L.*

Govt. Herb. 634.

**A. monticola**, *Schult.* var. **Trinii**, *Hook.* (A. *Trinii*, *Steud.* var. *simplicior*, *Hack.*)

Heaney Jnctn. in vlei, Jeffreys, 26.

**A. Nardus**, *L.* var. **validus**, *Stapf.*

Fl. Cap. vii. 352; Nat. Pl. 122.

Salisbury, Mundy.

**A. pertusus**, *Willd.*

Fl. Cap. vii. 345; Nat. Pl. 466.

Bulawayo, in vlei, Dec. Jeffreys, 57; Rogers, 5899; Victoria, Monro, 945a, 983; North Melsetter, 4000–6000 ft. April, Swyn. 1613; Victoria Falls, Rogers, 7171.

**A. rufus**, *Kunth.* (*Cymbopogon rufus*, *Rendle.*)

Fl. Cap. vii. 358; Nat. Pl. 127; Cat. Afr. Pl. Welw. ii. 155.

Melsetter, 4000–6000 ft. April, Swyn. 1606, 1712; Lusitu Riv. 3500 ft. April, Swyn. 1655; Upper Buzi, 3000–3500 ft. April, Swyn. 993; Victoria Falls, Rogers, 5084; Southern Rhodesia, Rand, 411.

Genus. No.

134—var. **fulvicomus**, Rendle.

Upper Buzi, 3000–5000 ft. April, Swyn. 995.

**A. Ruprechtii**, Hack. (*Cymbopogon Ruprechtii*, Rendle.)

Fl. Cap. vii. 365; Nat. Pl. 132; Cat. Afr. Pl. Welw. ii. 160.

North Melsetter, 4000–5000 ft. April, Swyn. 1605, 1686;  
Nyahodi Riv. 4000 ft. April, Swyn. 1659a; Upper Buzi,  
3000–3500 ft. April, Swyn. 991; Matabeleland, Jeffreys,  
4, 22.**A. Schimperi**, Hochst. (*Cymbopogon Schimperi*, Rendle.)Fl. Cap. vii. 357; Nat. Pl. 467; Cat. Afr. Pl. Welw. ii.  
155.Salisbury, March, Flanagan, 3000; North Melsetter, 4000–6000  
ft. April, Swyn. 951; Upper Buzi, 3000–3500 ft. April, Swyn.  
994a.**A. schirensis**, Hochst.Fl. Cap. vii. 340 (var.); Nat. Pl. 115 (var.); Cat. Afr. Pl. Welw.  
ii. 148.

Chirinda, 3500 ft. Dec. Swyn. 1624.

**A. Schoenanthus**, L. (*Cymbopogon Schoenanthus*, Spreng.)

Fl. Cap. vii. 354 (var.); Cat. Afr. Pl. Welw. ii. 154.

Salisbury, Mundy; South Rhodesia, Rand, 410.

var. **densiflorus**, Hack.

Cat. Afr. Pl. Welw. ii. 154.

Melsetter, 6000 ft. April, Swyn. 2098.

var. **versicolor**, Hack.

Fl. Cap. vii. 354; Nat. Pl. 124.

North Melsetter, 4000–6000 ft. April, Swyn. 1689; Nyahodi  
Riv. 4000 ft. April, Swyn. 1676; Chirinda, 3500 ft. Jan.  
Swyn. 1641.**A. serratus**, Thunb. var. **versicolor**, Hack.

Bulawayo, Jeffreys, 5.

**A. sorghum**, Brot. (*Sorghum vulgare*, Pers.)

Fl. Cap. vii. 347; Nat. Pl. 120; Cat. Afr. Pl. Welw. ii. 150.

A common cultivated crop.

**A. squarrosus**, L. fil. (*A. muricatum*, Beauv.).

Cat. Afr. Pl. Welw. ii. 153.

Victoria Falls, Allen, 261.

**A. tamba** (Rendle), Torre & Harms. (*Cymbopogon tamba*, Rendle.)(*A. lepidus*, Nees, var. *tamba*, Hack.) (*A. cymbarius*, L. var.  
*lepidus*, Stapf.)

Fl. Cap. vii. 361.

North Melsetter, 4000–6000 ft. April, Swyn. 950, 1690; Chirinda,  
3800 ft. April, Swyn. 415; Victoria, Monro, 1058.

Genus No.

**A. spp.**

- Salisbury, March, Flanagan, 3001.  
 Govt. Herb. 637.  
 Craster, 1, 59, 61, 63, 65, 72, 73, 74, 75.  
 Syringa, Matabeleland, Govt. Herb. 647.  
 Somabula, Govt. Herb. 669, nr. *Cymbopogon hirtus*.

135—**Cleistachne sorghoides**, Benth.

- Mazoe, 4300 ft. March, Eyles, 283.

136—**Themeda triandra**, Forsk. (*Anthistiria imberbis*, Retz.)

- Fl. Cap. vii. 366; Cat. Afr. Pl. Welw. ii. 161.  
 North Melsetter, 4000–6000 ft. Swyn.; Chirinda, 3500 ft.  
 Swyn.; Lusitu Riv. 3000 ft. Swyn.; Nyahodi Riv. 4000 ft.  
 Swyn.

var. **glauca**, Hack. (*T. Forskalii*, Hochst. var. *glauca*, Hack.)

- Fl. Cap. vii. see note, p. 368.

Salisbury, Craster, 26; Bulawayo, Rogers, 5881, 5903; Mashonaland, Govt. Herb. 703.

var. **imberbis**, Hack.

- Fl. Cap. vii. 366; Nat. Pl. 133; Cat. Afr. Pl. Welw. ii. 161.  
 Bulawayo, Nov. Jeffreys, 39; Salisbury, Darling in Herb. Bolus, 10790; Syringa, Matabeleland, Govt. Herb. 631.

**T. sp.**

- Charter, Govt. Herb. 3012.

143—**Tragus racemosus**, All.

- Fl. Cap. vii. 577; Nat. Pl. 404.  
 Victoria Falls, Allen, 269; Bulawayo, in vlei, Dec. Jeffreys, 59;  
 Rogers, 5905, 5725; Salisbury, Mundy; Charter, Govt. Herb. 3013.

148—**Perotis indica**, Schum. (*P. latifolia*, Ait.)

- Fl. Cap. vii. 575; Nat. Pl. 403; Cat. Afr. Pl. Welw. ii. 210;  
 Harv. Gen. S.A. Pl. 439.  
 Victoria Falls, Allen, 262; Rogers, 5582; Gwai, April, Flanagan,  
 3221; Chirinda, 3700 ft. Swyn.; Salisbury, Craster, 53;  
 Somabula, Govt. Herb. 657; Matabeleland, Jeffreys, 44.

153—**Arundinella Ecklonii**, Nees.

- Fl. Cap. vii. 448; Nat. Pl. 183.  
 Heaney Jnctn. in vlei, Jeffreys, 31; Victoria Falls, Rogers,  
 5671.

154—**Melinis minutiflora**, Beauv.

- Fl. Cap. vii. 447; Nat. Pl. 182; Cat. Afr. Pl. Welw. ii. 199.  
 Chirinda, 3500 ft. Swyn. 1694 (? same number given for  
*Pennisetum hordeiforme*).

Genus No.

**161—*Paspalum scrobiculatum*, L.**

Fl. Cap. vii. 370; Nat. Pl. 134; Cat. Afr. Pl. Welw. ii. 162.

Bulawayo, Monro, 991; Victoria Falls, Rogers, 5719; Salisbury, Craster, 17; Mundy; Melsetter, Govt. Herb. 2077; Swyn.; Chirinda, 3700 ft. Swyn.

**P. semialatus** (*Hook. f.*), *Torre & Harms*, var. *Ecklonii*, *Stapf.*  
(*Axonopus semialatus*, Hk. f. var. *Ecklonii*, *Stapf.*)

Fl. Cap. vii. 418; Nat. Pl. 166.

Melsetter, 6000 ft. Oct. Swyn. 6034; Mt. Pene, 6500–7000 ft.  
Sep. Oct. Swyn. 1644; 6035.

**P. spp.**

Charter, Govt. Herb. 3014.

Salisbury, Craster, 3.

**165—*Isachne albens*, Trin.**

Chipete Forest, 3800 ft. April, Swyn. 406.

**166—*Panicum bolbodes*, Schweinf.**

Cat. Afr. Pl. Welw. ii. 170.

North Melsetter, 4000–6000 ft. April, Swyn. 1699.

**P. bizanthum**, Hochst.

Fl. Cap. vii. 386; Nat. Pl. 147; Cat. Afr. Pl. Welw. ii. 167.

Salisbury, Darling in Herb. Bolus, 10788; Craster, 29, 35;  
Victoria Falls, Rogers, 5699; North Melsetter, 4000–6000 ft.  
April, Swyn. 1602a; Nyahodi Riv. 4000 ft. April, Swyn. 1673;  
Chirinda, 3500 ft. Jan. Swyn. 1622; Enkeldoorn, Govt. Herb.  
671.

**P. bulawayense**, Hack.

Pro. Rhod. Sc. Assn. vii. pt. ii. 69.

Bulawayo, Jeffreys, 28.

**P. capillare**, L.

Fl. Cap. vii. 407; Nat. Pl. 498.

Salisbury, Craster, 27; Bulawayo, Rogers, 5871\*.

**P. colonum**, L.

Cat. Afr. Pl. Welw. ii. 173.

Victoria Falls, Rogers, 5575.

**P. coloratum**, L.

Fl. Cap. vii. 409.

Victoria Falls, Rogers, 5068\*.

**P. commutatum**, Nees. (*Digitaria eriantha*, Steud.)

Fl. Cap. vii. 375; Nat. Pl. 137.

Bulawayo, Rogers, 5873?; South Rhodesia, Rhod. Agric. Journ.  
June, 1906, p. 500.

Genus No.

**P. dregeanum, Nees.**

Fl. Cap. vii. 411; Nat. Pl. 161.  
Salisbury, Craster, 77, 78.

**P. Helopus, Trin.**

Fl. Cap. vii. 392, var.; Nat. Pl. 146, var.  
Salisbury, Craster, 11; South Rhodesia, Rhod. Agric. Journ.  
June, 1906, p. 500.

**L. heterostachyum, Hack.**

Victoria Falls, Rogers, 7034\*.

**P. Isachne, Roth.**

Fl. Cap. vii. 390; Nat. Pl. 149.  
Matabeleland, Jeffreys, 11?; Salisbury, Mundy.

**P. lœvifolium, Hack.**

Fl. Cap. vii. 405; Nat. Pl. 157.  
Salisbury, Craster, 34; Mundy.

**P. madagascariense, Spreng.**

Cat. Afr. Pl. Welw. ii. 182.  
North Melsetter, 3000–6000 ft. April, Swyn. 1702.

**P. maximum, Jacq.**

Fl. Cap. vii. 404; Nat. Pl. 156; Cat. Afr. Pl. Welw. ii.  
181.  
Heaney Jnctn. by river, Jeffreys, 12; Tabainduna Mt. Jeffreys,  
32; Salisbury, Craster, 67; Mundy; Victoria Falls, Rogers,  
7036, 7034, 5630; Chirinda, 3700–4000 ft. Swyn.; Bulawayo,  
Rogers, 5872.

var. **trichoglume.**

Victoria Falls, Allen, 260.

**P. monodactylum, Nees. (*Digitaria monodactyla*, Stapf.)**

Fl. Cap. vii. 373; Nat. Pl. 136; Cat. Afr. Pl. Welw. ii. 162.  
Somabula, Govt. Herb. 663.

**P. myosuroides, L. Br.**

Cat. Afr. Pl. Welw. ii. 174.  
Mazoe, 4300 ft. April, Eyles, 320; Victoria Falls, Rogers,  
6006?.

**P. nigropedatum, Munro.**

Fl. Cap. vii. 388.  
Bulawayo, Nov. Jeffreys, 62; Rogers, 5901.

**P. ramosum, L.**

Victoria Falls, Rogers, 5720.

**P. repens, L.**

Fl. Cap. vii. 409.  
Victoria Falls, Rogers, 5009\*.

Genus No.

**P. sanguinale**, L. (*Digitaria sanguinalis*, Scop.)  
Fl. Cap. vii. 378; Nat. Pl. 141; Cat. Afr. Pl. Welw. ii. 163.  
Bulawayo, in vlei, Jeffreys, 2; South Rhodesia, Rhod. Agric.  
Journ. 1906, p. 500; Victoria Falls, Rogers, 5723\*, 5901\*.

**var. ciliare**, Hook. f.  
Cat. Afr. Pl. Welw. ii. 163.  
Victoria Falls, Allen, 271; Chirinda, 3800 ft. April, Swyn.  
964.

**P. serratum**, Spreng.  
Fl. Cap. vii. 388; Nat. Pl. 148.  
Charter, Govt. Herb. 3007; Victoria Falls, Rogers, 7057\*.  
**var. holosericeum**, Hack.  
See Fl. Cap. vii. 389.  
Chirinda, 3800 ft. Jan. Swyn. 1623.

**P. stagonum**, Retz.  
Fl. Cap. vii. 394; Nat. Pl. 492.  
Heaney Jnctn. by river, Jeffreys, 3; Salisbury, Mundy, 801;  
South Rhodesia, Rhod. Agric. Journ. 1906, p. 500.

**P. Swynnertonii**, Rendle.  
Journ. Linn. Soc. Bot. xl. 230.  
North Melsetter, 2000–6000 ft. April, Swyn. 1702a.

**P. trichopus**, Hochst.  
Fl. Cap. vii. 391; Nat. Pl. 150.  
Victoria Falls, Allen, 267; Salisbury, Mundy; Bulawayo, Rogers,  
5891\*.

**P. uncinatum**, Raddi.  
Cat. Afr. Pl. Welw. ii. 184.  
Chipete Forest, 3800 ft. Swyn.; Chirinda, 3700–4000 ft.  
Swyn.

**P. zizanioides**, H. B. K.  
Fl. Cap. vii. 402; Nat. Pl. 154.  
Salisbury, Craster, 22.

**P. spp.**  
Victoria Falls, Rogers, 6006, nr. *P. hymeniochilum*, Nees.  
Sebakwe, Govt. Herb. 2078, cf. *Digitaria ternata*, Stapf.  
Matabeleland, Jeffreys, 68, n. sp.? nr. *P. serrati*, R. Br.  
Salisbury, Craster, 9, 19, 20, 23, 24, 81.

167b—**Stereochlæna Jeffreysii**, Hack.  
Pro. Rhod. Sc. Assn. vii. pt. ii. pp. 65, 66.  
Bulawayo, May, Jeffreys, 46, 83.

168—**Tricholæna glabra**, Stapf.  
Fl. Cap. vii. 446; Nat. Pl. 181.  
South Rhodesia, Rhod. Agric. Journ. 1906, p. 500.

Genus No.

**T. rhodesiana, Rendle.**

Journ. Linn. Soc. Bot. xl. 232.

Chirinda Forest, 3700–4000 ft. Nov. Swyn. 1632; Nyahodi Riv. 4000 ft. April, Swyn. 1663.

**var. *glabrescens*, Rendle.**

Journ. Linn. Soc. Bot. xl. 233.

North Melsetter, 4000–6000 ft. April, Swyn. 1685.

**T. rosea, Nees.**

Fl. Cap. vii. 443; Nat. Pl. 180; Cat. Afr. Pl. Welw. ii. 194.

Victoria Falls, Allen, 270; Mazoe, 4400 ft. March, Eyles, 270; Bulawayo, Nov. Jeffreys, 53; Rogers, 5516, 5492, 5907, 5874; Salisbury, Mundy, 769; Craster, 30, 31; Darling, in Herb. Bolus, 10789; Rusapi, Engler; North Melsetter, 4000–6000 ft. Swyn.; Nyahodi Riv. 4000 ft. Swyn.; Chirinda, 3500–3800 ft. Swyn.; Upper Buzi, 3000–3500 ft. Swyn.; Syringa, Matabeleland, Govt. Herb. 653; South Rhodesia, Rand, 409.

169—**Oplismenus africanus, Beauv.**

Fl. Cap. vii. 416; Nat. Pl. 165; Cat. Afr. Pl. Welw. ii. 184.

Chipete Forest, 3800 ft. Swyn.; Victoria Falls, Engler; Rogers, 7400.

**O. sp.**

Victoria Falls, Sep. Gibbs, 158.

171—**Setaria aurea, A. Br.**

Fl. Cap. vii. 426; Nat. Pl. 479.

Bulawayo, in vlei, Nov. Jeffreys, 37, 56; Salisbury, Mundy, 802; Craster, 13, 14 ?, 15?; Victoria Falls, Rogers, 7241; North Melsetter, 4000–6000 ft. Swyn.; Chirinda, 3000 ft. Swyn.; Upper Buzi, Swyn.; Charter, Govt. Herb. 3004: Scath Rhodesia, Rhod. Agric. Journ. 1906, p. 500; Somabula, Govt. Herb. 661, 658.

**S. flabellata, Stapf.**

Fl. Cap. vii. 425.

Salisbury, Mundy.

**S. Gerrardii, Stapf.**

Fl. Cap. vii. 424; Nat. Pl. 170.

Bulawayo, Rogers, 5917; Syringa, Matabeleland, Govt. Herb. 632; South Rhodesia, Rhod. Agric. Journ. 1906, p. 500.

**S. imberbis, Roem. & Schult.**

Fl. Cap. vii. 427; Nat. Pl. 173.

Matopos, March, Flanagan, 2996; Bulawayo, Rogers, 5879.

**S. italicica, Beauv.**

Fl. Cap. vii. 428.

Bulawayo, Rogers, 5878.

Genus No.

**S. mauritiana**, Spreng.

Cat. Afr. Pl. Welw. ii. 187.

Chirinda Forest, 3700–4000 ft. April, Swyn. 417.

**S. nigrirostris**, Dur. & Sch.

Fl. Cap. vii. 423; Nat. Pl. 169.

North Melsetter, 4000–6000 ft. April, Swyn. 1693; Salisbury, Mundy.

**S. verticillata** (L.), Beauv.

Fl. Cap. vii. 429; Nat. Pl. 174; Cat. Afr. Pl. Welw. ii. 185.

Bulawayo, Jeffreys, 6, Rogers, 5896; Salisbury, Craster, 38; Mundy; Chirinda, 3500 ft. Swyn.; Chepete Forest, 3800 ft. Swyn.; Chipete Forest, 3800 ft. Swyn.

**S. spp.**

Charter, Govt. Herb. 3002, 3011.

Salisbury, Craster, 60.

175—**Pennisetum cenchroides**, Rich. (*P. ciliare*, Link.)

Fl. Cap. vii. 433; Cat. Afr. Pl. Welw. ii. 190.

Tabazinduna Mt. Jan. Jeffreys, 35; Bulawayo, Rogers, 5909.

**P. macrourum**, Trin. (*P. hordeiforme*, Spreng.)

Fl. Cap. vii. 434.

North Melsetter, 3000–6000 ft. April, Swyn. 1694 (? same number given for *Melinis minutiflora*); South Rhodesia, Rhod. Agric. Journ. 1906, p. 501.**P. purpureum**, Schumach. (*P. Benthamii*, Steud.)

Kew Bull. 1912, 309; Cat. Afr. Pl. Welw. ii. 189.

North Melsetter, 3000–6000 ft. April, Swyn. 955; Lusitu Riv. 3000 ft. Swyn.; Umtali, Engler; Matabeleland, Govt. Herb. 1099.

**P. setosum**, L. Rich.

Cat. Afr. Pl. Welw. ii. 190.

Upper Buzi, 3000 ft. April, Swyn. 975; Nyahodi Riv. 4000 ft. April, Swyn. 1664.

**P. unisetum**, Benth. (*P. longisetum*, K. Schum.) (*P. dioicum*, A. Rich.)

Fl. Cap. vii. 437; Nat. Pl. 178; Cat. Afr. Pl. Welw. ii. 192.

Lusitu Riv. 3000 ft. April, Swyn. 1649; Upper Buzi, 3000–3500 ft. April, Swyn. 983; Chirinda, 3500 ft. Swyn. 414.

184—**Olyra latifolia**, L.

Fl. Cap. vii. 746; Nat. Pl. 464; Cat. Afr. Pl. Welw. ii. 255.

Chipete Forest, 3800 ft. Swyn.

187—**Leptaspis cochleata**, Thw.

Cat. Afr. Pl. Welw. ii. 256.

Chirinda, 3700–4000 ft. Dec. and Jan. Swyn. 410, 419, 6633.

Genus No.

208—**Aristida adscensionis**, L.

Fl. Cap. vii. 554; Cat. Afr. Pl. Welw. ii. 202.

North Melsetter, 4000 ft. Swyn.; Syringa, Govt. Herb. 639; Bulawayo, Rogers, 5968; Victoria Falls, Rogers, 5863.

**A. æquiglumis**, Hack.

Fl. Cap. vii. 555; Nat. Pl. 197.

South Rhodesia, Rhod. Agric. Journ. 1906, p. 500.

**A. angustata**, Stapf.

Fl. Cap. vii. 556; Nat. Pl. 198.

Heaney Jnctn. Jeffreys, 10; Bulawayo, Rogers, 13510\*.

**A. barbicollis**, Trin. & Rupr.

Fl. Cap. vii. 559; Nat. Pl. 401.

North Melsetter, 4000 ft. April, Swyn. 1717; Salisbury, Craster, 50; Bulawayo, Rogers, 5904, 5887.

**A. bipartita**, Trin. & Rupr.

Fl. Cap. vii. 558; Nat. Pl. 483.

Matabeleland, Jeffreys, 63; Victoria Falls, Rogers, 7040\*.

**A. ciliata**, Desf.

Fl. Cap. vii. 563.

South Rhodesia, Rhod. Agric. Journ. 1906, p. 500.

**A. congesta**, Roem. & Schult.

Fl. Cap. vii. 558; Nat. Pl. 484.

Matabeleland, Jeffreys, 87.

**A. stipitata**, Hack. (*A. sieberiana*, Trin. var. *stipitata*, Stapf.)

Fl. Cap. vii. 560.

Matabeleland, Jeff. eys, 23.

**A. stipoides**, Lam.

Fl. Cap. vii. 562.

Matopos, Engler; North of Bulawayo, Engler.

**A. spp.**

Victoria Falls, Allen, 263.

Ingesi, Matabeleland, Govt. Herb. 679.

Charter, Govt. Herb. 3001, 3010.

230—**Sporobolus centrifugus**, Nees.

Fl. Cap. vii. 584; Nat. Pl. 406.

Mt. Pene, 6500–7000 ft. Sep. Swyn. 1647.

**S. festivus**, Hochst.

Cat. Afr. Pl. Welw. ii. 207.

Victoria Falls, Rogers, 5713; Syringa, Govt. Herb. 643; Salisbury, Craster, 8.

var. **fibrosus**.

Victoria Falls, Allen, 268.

## Genus No.

var. **stuppeus**, *Stapf.*

Fl. Cap. vii. 582 ; Nat. Pl. 405 ; in Pro. Rhod. Sc. Assn. vii. pt. ii. p. 64, Hackel says, "A distinct species according to my opinion."

Heaney Jnctn. in vlei, Jan. Jeffreys, 34.

**S. fimbriatus**, *Nees.*

Fl. Cap. vii. 585 ; Nat. Pl. 486.

Victoria, Monro, 992 ; Salisbury, Rogers, 13509.

**S. indicus**, *R. Br.*

Fl. Cap. vii. 586 ; Nat. Pl. 408.

Salisbury, Darling, in Herb. Bolus, 10791 ; Mundy ; Chirinda, 3700 ft. Jan. Swyn. 404.

var. **laxus**, *Stapf.* (*S. pyramidalis*, *Nees.*)

Fl. Cap. vii. 586.

Heaney Jnctn. Jeffreys, 24 ; Bulawayo, Rogers, 5877.

**S. panicoides**, *Rich.*

Bulawayo, Rogers, 5864.

**S. spp.**

Salisbury, Craster, 28, 33, 44, 80.

277—**Tristachya biseriata**, *Stapf.*

Fl. Cap. vii. 453 ; Cat. Afr. Pl. Welw. ii. 217.

North Melsetter, 3000–6000 ft. April, Swyn. 1708.

**T. leucothrix**, *Trin.*

Fl. Cap. vii. 453 ; Nat. Pl. 187.

Mt. Pene, 6500–7000 ft. Sep. Swyn. 1643.

278—**Trichopteryx gigantea**, *Stapf.*

South of Victoria Falls, Baines ; Holub.

**T. simplex**, *Hack.*

Fl. Cap. vii. 450 ; Nat. Pl. 185.

North Melsetter, 4000–6000 ft. fr. April, Swyn. 1612, 1709 ; Nyahodi Riv. 4000 ft. April, Swyn. 1662 ; Chipetzana Source, 4000 ft. fr. April, Swyn. 974 ; Chirinda, 3700 ft. Jan. Swyn. 1618 ; Salisbury, Govt. Herb. 604 ; Matabeleland, Jeffreys, 15.

var. **minor**, *Stapf.*

Fl. Cap. vii. 450.

Salisbury, Craster, 21 ; Syringa, Govt. Herb. 649.

**T. spp.**

Salisbury, Craster, 55.

Engler, probably *T. simplex*, *Hack.*

Matapos, Rogers, 5194, probably n. sp.

280—**Danthonia inermis**, *Stapf.* (*Pentaschistis inermis*.)

Fl. Cap. vii. 534.

Victoria Falls, Rogers, 5671.

Genus No.

281—***Microchloa caffra*, Nees.**

Fl. Cap. vii. 636; Nat. Pl. 431; Harv. Gen. S.A. Pl. 447.

Matabeleland, Jeffreys, 58.

282—***Cynodon Dactylon*, Pers.**

Fl. Cap. vii. 634; Nat. Pl. 430; Cat. Afr. Pl. Welw. ii. 220.

Victoria Falls, Allen, 276; Rogers, 5718, 5876; Bulawayo, Dec. Jeffreys, 61; Rogers, 5514; Chubb, 92; Salisbury, Craster, 10; Mundy; Chirinda, 3800 ft. Swyn.

***C. incompletus*, Nees.**

Fl. Cap. vii. 635.

Salisbury, Mundy.

286—***Ctenium* sp.**

Salisbury, Mundy.

288—***Chloris barbata*, Sw.**

Cat. Afr. Pl. Welw. ii. 222.

Chirinda, 3500 ft. Swyn.; North Melsetter, 4000 ft. Swyn.

***C. gayana*, Kunth. (*C. abyssinica*, Hochst.)**

Fl. Cap. vii. 642; Nat. Pl. 437.

North Melsetter, 4000–6000 ft. April, Swyn. 1700; Salisbury, Mundy.

***C. petraea*, Thunb.**

Fl. Cap. vii. 643; Nat. Pl. 438.

Matabeleland, Jeffreys, 52.

***C. pycnothrix*, Trin.**

Fl. Cap. vii. 641; Nat. Pl. 435.

Victoria Falls, April, Flanagan, 3224; Chirinda, 3700 ft. Oct. and April, Swyn. 1629a, 1696; Salisbury, Craster, 25.

***C. virgata*, Swartz.**

Fl. Cap. vii. 641; Nat. Pl. 436.

Salisbury, Mundy, 768; Bulawayo, Rogers, 5875; Matabeleland, Jeffreys, 86; South Rhodesia, Rhod. Agric. Journ. 1906, p. 500.

var. ***elegans*, Stapp.**

Fl. Cap. vii. 642.

Salisbury, Craster, 7.

294—***Craspedorhachis rhodesiana*, Rendle.**

Journ. Linn. Soc. Bot. xl. 233.

North Melsetter, 3000–6000 ft. April, Swyn. 1697.

***C. sp.***

Salisbury, Craster, 79.

298—***Tripogon abyssinicus*, Nees.**

Cat. Afr. Pl. Welw. ii. 223.

Matabeleland, Jeffreys, 41.

Genus No.

304—**Eleusine coracana**, Gaertn.

Fl. Cap. vii. 645; Nat. Pl. 440; Cat. Afr. Pl. Welw. ii. 224.

South Rhodesia, Rhod. Agric. Journ. 1905, p. 115. A common native crop.

**E. indica**, Gaertn.

Fl. Cap. vii. 645; Nat. Pl. 439; Cat. Afr. Pl. Welw. ii. 224.

Heaney Jnctn. Jeffreys, 29; Salisbury, Mundy, 738; Craster, 36; North Melsetter, 6000 ft. Swyn.; Chirinda, 3500 ft. Swyn.

305—**Dactyloctenium aegyptiacum**, Willd.

Fl. Cap. vii. 646; Nat. Pl. 441; Cat. Afr. Pl. Welw. ii. 224.

Heaney Jnctn. Jeffreys, 30; Victoria Falls, Rogers, 5592, 5726; North Melsetter, 4000–6000 ft. Swyn.; Bulawayo, Rogers, 5886.

309b—**Crossotropis grandiglumis**, Rendle.

Fl. Cap. vii. 649; Nat. Pl. 443; Cat. Afr. Pl. Welw. ii. 226.

Heaney Jnctn. Jeffreys, 1; Bulawayo, Rogers, 5883\*.

310—**Pappophorum molle**, Kunth. (*Enneapogon mollis*, Lehm.)

Fl. Cap. vii. 655.

Victoria Falls, 5694.

312—**Schmidtia bulbosa**, Stapf.

Fl. Cap. vii. 658.

Victoria Falls, Rogers, 5724; Bulawayo, Rogers.

**S. pappophoroides**, Steud. (*Antoschmidtia pappophoroides*, Boiss.)

Cat. Afr. Pl. Welw. ii. 231; also see note under *S. bulbosa*, Stapf, Fl. Cap. vii. 658.

Victoria Falls, Allen, 273.

333—**Phragmites communis**, Trin. (*Trichoön Phragmites*, Rendle.)

Fl. Cap. vii. 541; Nat. Pl. 193; Cat. Afr. Pl. Welw. ii. 218.

Nyahodi Riv. 4000 ft. Swyn.; Lusitu Riv. 2500 ft. Swyn.; Salisbury, Craster, 68; Matopos, Rogers, 5196 (forma); Victoria Falls, Engler; Umtali, Engler.

**P. sp.**

Victoria Falls, Rogers, 5317.

337—**Diplachne alopecuroides** (Stapf), Torre & Harms. (*Leptocarydion alopecuroides*, Stapf.)

Fl. Cap. vii. 649; Cat. Afr. Pl. Welw. ii. 225.

North Melsetter, 3000–6000 ft. April, Swyn. 1695; Victoria Falls, Rogers, 7029\*.

**D. biflora**, Hack. var. **Buchananii**, Stapf.

Fl. Cap. vii. 593; Nat. Pl. 411.

Chirinda, 3500 ft. Jan. Swyn. 1619; Syringa, Govt. Herb. 651.

## Genus No.

- 337a—**Pogonarthria Marlothii**, Hack. (*Eragrostis Marlothii*, Hack.; *Leptochloa falcata*, Hack.; *Pogonarthria falcata*, Rendle.)  
See note by Hackel in Pro. Rhod. Sc. Assn. vii. pt. ii. 64.  
Fl. Cap. vii. 589; Nat. Pl. 409; Cat. Afr. Pl. Welw. ii. 232.  
Victoria Falls, Rogers, 6013, 7043; North Melsetter, 3000–6000 ft. April, Swyn. 1609, 1706; Nyahodi Riv. 4000 ft. April, Swyn. 1674a; Upper Buzi, 3000–3500 ft. April, Swyn. 978, 981, 982; Salisbury, Craster, 52, 57, 71; North of Bulawayo, Engler; Matabeleland, Jeffreys, 27, 79.

341—**Eragrostis abyssinica** ?.

Govt. Herb. 2079.

**E. aspera**, Nees.Fl. Cap. vii. 628; Nat. Pl. 424; Cat. Afr. Pl. Welw. ii. 232.  
Chirinda, 3700–4000 ft. Swyn.; Victoria Falls, Rogers, 7038\*.**E. Atherstonei**, Stapf.

Fl. Cap. vii. 607; Nat. Pl. 426.

Somabula, Govt. Herb. 667; Matabeleland, Jeffreys, 19.

**E. barbinodis**, Hack.

Fl. Cap. vii. 621.

Bulawayo, March, Jeffreys, 51.

**E. brizoides**, Nees.

Fl. Cap. vii. 622; Nat. Pl. 422; Cat. Afr. Pl. Welw. ii. 251.

Mt. Pene, 6500 ft. Sep. Swyn. 1646; Charter, Govt. Herb. 3009; Salisbury, Mundy; Victoria Falls, Rogers; South Rhodesia, Rhod. Agric. Journ. 1906, p. 501.

**E. chalcantha**, Trin.

Fl. Cap. vii. 615; Nat. Pl. 418; Cat. Afr. Pl. Welw. ii. 248.

Victoria Falls, Allen, 274; Heaney Jnetn. by river, Jeffreys, 18; North Melsetter, 3000–6000 ft. Swyn.; Enkeldoorn, Govt. Herb. 672; Somabula, Govt. Herb. 662; Umtali, Engler.

**E. Chapelieri**, Nees.

Fl. Cap. vii. 614; Nat. Pl. 417; Cat. Afr. Pl. Welw. ii. 250.

North Melsetter, 3000–6000 ft. Swyn. 1707; Nyahodi Riv. 4000 ft. Swyn. 1674; Upper Buzi, 3000–3500 ft. April, Swyn. 980; Umtali, Engler; Matabeleland, Jeffreys, 20.

**E. chloromelas**, Steud.

Fl. Cap. vii. 602.

Bulawayo, Rogers, 5892.

**E. congesta**, Oliv.

Nyahodi Riv. 4000 ft. April, Swyn. 1665.

**E. curvula**, Nees.

Fl. Cap. vii. 599; Nat. Pl. 413; Cat. Afr. Pl. Welw. ii. 244.

Bulawayo, Rogers, 5515; Salisbury, Mundy.

## Genus No.

341—**E. denudata**, Hack.

Fl. Cap. vii. 613.

Syringa, Govt. Herb. 650; Victoria Falls, Rogers, 5721\*.

**E. gangetica**, Steud.

Fl. Cap. vii. 617; Nat. Pl. 419.

Victoria Falls, Rogers, 7044; Matopos, Rogers, 5694.

**E. gummiflua**, Nees.

Fl. Cap. vii. 629; Nat. Pl. 425.

Heaney Jnctn. in vlei, Jeffreys, 13; Bulawayo, Rogers, 5884; Salisbury, Mundy.

**E. hispida**, K. Schum.

Salisbury, Craster, 16.

**E. Jeffreysii**, Hack.

Pro. Rhod. Sc. Assn. vii. pt. ii. 68.

Bulawayo, March, Jeffreys, 42.

**E. Lappula**, Nees, var. *divaricata*, Stapf, forma macra, Hack.

Fl. Cap. vii. 628.

Matabeleland, Jeffreys, 75.

**E. lehmanniana**, Nees.

Fl. Cap. vii. 601.

Bulawayo, Rogers, 5895?; Somabula, Govt. Herb. 659.

**E. major**, Host.

Fl. Cap. vii. 620; Nat. Pl. 420; Cat. Afr. Pl. Welw. ii. 237.

North Melsetter, 4000–6000 ft. Swyn.; Upper Buzi, 3000–3500 ft.

Swyn.; between Wankie and Victoria Falls, Rogers, 6005;

Bulawayo, Rogers, 5869, 5867; Victoria Falls, Rogers, 5787?

**E. namaquensis**, Nees. (*E. interrupta*, Beauv. var. *namaquensis*, Dur. & Schinz.)

Fl. Cap. vii. 630; Cat. Afr. Pl. Welw. ii. 233.

North Melsetter, 4000–6000 ft. April, Swyn. 1608.

var. **robusta**, Stapf.

Fl. Cap. vii. 630; Nat. Pl. 429.

Matabeleland, Jeffreys, 25.

**E. patentipilosa**, Hack.

Pro. Rhod. Sc. Assn. vii. pt. ii. 67.

Bulawayo, May, Jeffreys, 33.

**E. plana**, Nees.

Fl. Cap. vii. 609; Nat. Pl. 416; Cat. Afr. Pl. Welw. ii. 251.

Melsetter, 6000 ft. April, Swyn. 1681; Chirinda, 3500 ft. Nov.–Jan. Swyn. 404a, 968, 1626.

**E. plumosa**, Link.

Matopos, Rogers, 5405; Bulawayo, Rogers, 5888.

## Genus No.

**E. sclerantha**, Nees, var. **retinorrhœa**, Steud.

Fl. Cap. vii. 615, type.

Matopos, Engler.

**E. superba**, Poir.

Fl. Cap. vii. 622; Nat. Pl. 421; Cat. Afr. Pl. Welw. ii. 251.

Bulawayo, in vlei, Dec. Jeffreys, 38, 50; Rogers, 5908; Charter, Govt. Herb. 3003; Salisbury, Mundy.

**E. tenella**, Stapf, var. **plumosa**.

Matopos, March, Flanagan, 2943.

**E. uniglumis**, Hack.

Pro. Rhod. Sc. Assn. vii. pt. ii. 66.

Heaney Jnctn. Jan. Jeffreys, 48; Salisbury, Mundy.

**E. viscosa**, Trin. (*E. tenella*, Beauv. var. *viscosa*, Stapf.)

Cat. Afr. Pl. Welw. ii. 233.

Heaney Jnctn., in vlei, Jeffreys, 14; Salisbury, Mundy.

**E. Wilmsii**, Stapf.

Fl. Cap. vii. 606.

Syringa, Govt. Herb. 640.

**E. spp.**

Victoria Falls, April, Flanagan, 3212, 3222.

Victoria Falls, Allen, 266, cf. *E. pilosa*, Beauv.

Victoria Falls, Rogers, 5418.

Syringa, Govt. Herb. 638, 644, 652, 655, 660, 682.

Charter, Govt. Herb. 3005, 3008.

Salisbury, Craster, 4, 5, 6, 32, 39, 54, 58, 64, 76.

346—**Kœleria cristata**, Pers.

Fl. Cap. vii. 468; Nat. Pl. 189.

Mt. Pene, 6500–7000 ft. Swyn.

361—**Pœcilstachys flaccidula**, Stapf.

Journ. Linn. Soc. Bot. xl. 231.

Chipete Forest, 3800 ft. April, Swyn. 409a.

385—**Festuca** sp.Bulawayo, 4500 ft. Dec. Eyles, 1203, cf. *F. costata*, Nees.395—**Lolium** sp.

Victoria, Munro, 492.

405—**Agropyrum lepidus**,? var. **tamba**.

Victoria, Munro, 1058.

430—**Oxytenanthera abyssinica**, Munro.

Cat. Afr. Pl. Welw. ii. 256.

Victoria Falls, Rogers, 5603.

FAMILY XX.—CYPERACEAE, *J. St. Hil.*

Genus No.

452—**Lipocarpha argentea**, *R. Br.*

Fl. Cap. vii. 265; Fl. Trop. Afr. viii. 469; Cat. Afr. Pl. Welw. ii. 129.

Matopos, Rogers, 5262; Chirinda, 3500 ft. Swyn.

**L. monocephala**, *Turrill.*

Kew Bull. 1913, 307.

Victoria Falls, Rain Forest, Rogers, 6024.

454—**Ascolepis capensis**, (*Kunth.*), *Ridley.*

Fl. Cap. vii. 266; Fl. Trop. Afr. viii. 477; Cat. Afr. Pl. Welw. ii. 131.

Marandellas, Engler; Rogers, 4040; South. Rhodesia, Bryce.

**A. protea**, *Welw.*

Fl. Trop. Afr. viii. 474; Cat. Afr. Pl. Welw. ii. 130.

Victoria Falls, Allen, 22.

var. **bellidiflora**, *Welw.*

Fl. Trop. Afr. viii. 475; Cat. Afr. Pl. Welw. ii. 130.

Victoria, Monro, 905.

459—**Cyperus albostriatus**, *Sehrad.*

Fl. Cap. vii. 176.

Mt. Pene, 7000 ft. Oct. Swyn. 6036.

**C. amabilis**, *Vahl.*

Fl. Trop. Afr. viii. 327; Cat. Afr. Pl. Welw. ii. 109.

Salisbury, Craster, 47; Victoria Falls, Rogers, 6011.

**C. aristatus**, *Rottb.*

Fl. Trop. Afr. viii. 348; Fl. Cap. vii. 179; Cat. Afr. Pl. Welw. ii. 110.

Victoria Falls, Allen, 286; Bulawayo, Rogers, 5816.

**C. auricomus**, *Spr.?*

Bulawayo, Rogers, 5512.

**C. betschanus**, *Boeck.* (*Pycreus betschanus*, C. B. Cl.)

Fl. Trop. Afr. viii. 304; Fl. Cap. vii. 159.

Mashonaland, Bryce.

**C. compactus**, *Lam.*

Fl. Trop. Afr. viii. 319; Fl. Cap. vii. 168; Cat. Afr. Pl. Welw. ii. 112.

North Melsetter, 2000–6000 ft. April, Swyn. 916b; Mt. Pene, 6800 ft. Sep. Swyn. 916; Somabula, Govt. Herb. 665; Salisbury, Rogers, 4087; Matabeleland, Elliott.

var. **flavissimus**, *C. B. Cl.*

Fl. Trop. Afr. viii. 320; Cat. Afr. Pl. Welw. ii. 112.

Victoria, Monro, 676.

Genus No.

**C. denudatus, L. fil.**

Fl. Trop. Afr. viii. 338; Fl. Cap. vii. 173; Cat. Afr. Pl. Welw. ii. 114.

Matopos, fl. & fr. Sep. Gibbs, 56; Victoria Falls, on island, Kirk; Rogers, 5966.

**C. distans, L. fil.**

Fl. Trop. Afr. viii. 349; Fl. Cap. vii. 178; Cat. Afr. Pl. Welw. ii. 116.

Chirinda, 3700 ft. Swyn.; Victoria Falls, Rogers, 5600; Bulawayo, Rogers, 5813.

**C. esculentus, L.**

Fl. Trop. Afr. viii. 355; Fl. Cap. vii. 180; Cat. Afr. Pl. Welw. ii. 117.

Gwai, April, Flanagan, 3215?; Salisbury, Craster, 40, 41.

**C. globosus, Boeck.** (*Pycreus globosus*, Reichb. var. *nilagirica*, C. B. Cl.)

Fl. Trop. Afr. viii. 299; Fl. Cap. vii. 159.

Umtali, Engler.

**C. Haspan, L.**

Fl. Trop. Afr. viii. 332; Cat. Afr. Pl. Welw. ii. 114.

Victoria Falls, Engler; Rogers, 5081; Chirinda, 3500 ft. Swyn.

var. *americana*, Boeck.

Victoria Falls, on bog edge, fl. & fr. Sep. Gibbs, 167.

**C. hemisphæricus (C. B. Cl.), Torre & Harms.** (*Mariscus hemisphæricus*, C. B. Cl.)

Fl. Trop. Afr. viii. 400.

Chirinda, 3800 ft. April, Swyn. 412.

**C. margaritaceus, Vahl.**

Fl. Trop. Afr. viii. 321; Fl. Cap. vii. 169; Cat. Afr. Pl. Welw. ii. 112.

Gwai, April, Flanagan, 3216; Salisbury, Craster, 45; Rogers, 4087.

**C. Mundtii, Kunth.** (*Pycreus Mundtii*, Nees.)

Fl. Trop. Afr. viii. 294; Fl. Cap. vii. 157; Cat. Afr. Pl. Welw. ii. 106.

Victoria Falls, in bog, fl. & fr. Sep. Gibbs, 149; Engler.

**C. papyrus, L.**

Fl. Trop. Afr. viii. 374; Cat. Afr. Pl. Welw. ii. 118.

Victoria Falls, on island, Rogers, 5103; Matopos, Rogers.

**C. polystachyus, Rottb.** (*Pycreus polystachyus*, Beauv.)

Fl. Trop. Afr. viii. 296; Fl. Cap. vii. 157; Cat. Afr. Pl. Welw. ii. 108.

Sabi Riv. 1000 ft. Swyn.

## Genus No.

var. ***laxiflora***, Benth.

Fl. Trop. Afr. viii. 297; Fl. Cap. vii. 158.  
Chirinda, 3500 ft. Swyn.

***C. pulcher***, Thunb. (*C. dregeanus*, Kunth.)

Fl. Cap. vii. 171.  
Victoria Falls, Rogers, 5619.

***C. radiatus***, Vahl. (*Mariscus radiatus* ?)

Fl. Trop. Afr. viii. 369.  
Victoria Falls, Rogers, 5574.

***C. sieberianus*** (Nees), Torre & Harms. (*Mariscus sieberianus*, Nees.)

Fl. Trop. Afr. viii. 388; Fl. Cap. vii. 189.  
Chirinda, 3800 ft. Swyn.

***C. sphærospermus***, Schrad.

Fl. Trop. Afr. viii. 336; Fl. Cap. vii. 172; Cat. Afr. Pl. Welw.  
ii. 115.  
Salisbury, Craster, 48?

***C. textilis***, Thunb.

Fl. Cap. vii. 174.  
Mazoe, 4300 ft. Sep. Eyles, 425; Bulawayo, Chubb, 30.

***C. Zollingeri***, Steud.

Fl. Trop. Afr. viii. 360; Cat. Afr. Pl. Welw. ii. 117.  
Victoria Falls, Allen, 279.

***C. spp.***

Victoria Falls, April, Flanagan, 3213, cf. *C. nitens*, Retz.  
Victoria Falls, April, Flanagan, 3214, cf. *C. aureobrunneus*, C. B. Cl.  
Gwai, April, Flanagan, 3220, cf. *C. amabilis*, Vahl. and 3217.  
Matopos, March, Flanagan, 2983.  
Victoria, Monro, 1057.  
Bulawayo, Nov. Eyles, 1135, 1187.  
South Rhodesia, Rand, 255, 256, 257, 258, 259, 406, 407.

461—***Courtoisia assimilis***, C. B. Cl.

Fl. Trop. Afr. viii. 404.  
Matopos, Rogers, 5403.

***C. cyperoides***, Nees.

Fl. Trop. Afr. viii. 404.  
Matabeleland, Holub.

462—***Kyllinga alba***, Nees.

Fl. Trop. Afr. viii. 271; Fl. Cap. vii. 151; Cat. Afr. Pl. Welw. ii. 105,  
Chirinda, 3800 ft. May, Swyn. 459; Bulawayo, Chubb, 384;  
banks of Zambesi, Holub.

***K. erecta***, Schum.

Fl. Cap. vii. 152; Cat. Afr. Pl. Welw. ii. 105.  
Bulawayo, Rogers, 5513.

Genus No.

**K. spp.**

Salisbury, Darling, in Herb. Bolus, 2 spp.  
 Victoria Falls, Allen, 80.

467—**Fuirena glomerata**, *Lam.*

Fl. Trop. Afr. viii. 465; Cat. Afr. Pl. Welw. ii. 128.  
 Ngomi, April, Flanagan, 3218.

**F. hirta**, *Vahl.*

Fl. Cap. vii. 264.  
 Victoria Falls, Engler.

**F. Oedipus**, *C. B. Cl.*

Journ. Linn. Soc. Bot. xxxvii. 478.  
 Victoria Falls, Rain Forest, Sep. Gibbs, 125.

**F. pachyrhiza**, *Ridl.*

Fl. Trop. Afr. viii. 464; Fl. Cap. vii. 262; Cat. Afr. Pl. Welw. ii. 129.

Salisbury, Craster, 49.

**F. pubescens**, *Kunth.*

Fl. Trop. Afr. viii. 463; Fl. Cap. vii. 261; Cat. Afr. Pl. Welw. ii. 128.

Chirinda, 3500 ft. Swyn.; Macheke, Rogers, 4050; Bulawayo, Rogers, 5517.

**F. stricta**, *Steud.*

Fl. Trop. Afr. viii. 465.  
 Matopos, fl. & fr. Sep. Gibbs, 92; Chirinda, 3700 ft. Jan. Swyn. 910.

**F. subdigitata**, *C. B. Cl.*

Journ. Linn. Soc. Bot. xxxvii. 477.  
 Matopos, Sep. Gibbs, 196.

**F. umbellata**, *Rottb.*

Fl. Trop. Afr. viii. 466.  
 Victoria Falls, Rogers, 5093\*.

**F. welwitschii**, *Ridley.*

Fl. Trop. Afr. viii. 463.  
 Victoria Falls, Rogers, 13600\*.

**F. spp.**

Bulawayo, Dec. Eyles, 1136.  
 Matopos, March, Flanagan, 2976.  
 Matopos, Sep. Gibbs, 54.

468—**Scirpus articulatus**, *L.*

Fl. Trop. Afr. viii. 453; Fl. Cap. vii. 228; Cat. Afr. Pl. Welw. ii. 126.  
 Victoria, Monroe, 912.

Genus No.

**S. corymbosus, Roth.**

Fl. Trop. Afr. viii. 455; Fl. Cap. vii. 229; Cat. Afr. Pl. Welw. ii. 126.

Melsetter, 6000 ft. Sep. Swyn. 906; Inyamadzi Valley, 3000 ft. Oct. Swyn. 905.

**S. fluitans, L.**

Fl. Trop. Afr. viii. 449; Fl. Cap. vii. 213; Cat. Afr. Pl. Welw. ii. 126.

Matopos, in streams, fl. & fr. Sep. Gibbs, 211.

**S. paludicola, Kunth.**

Fl. Cap. vii. 230.

Victoria Falls, fl. & fr. Sep. Gibbs, 168; Engler.

**S. supinus, L.**

Fl. Trop. Afr. viii. 452.

Matopos, fl. & fr. Sep. Gibbs, 58.

469—**Heleocharis capitata, Boeck.** (*Eleocharis capitata*, R. Br.)

Fl. Trop. Afr. viii. 407.

Victoria Falls, Rain Forest, fl. & fr. Sep. Gibbs, 162; Engler.

**H. Kirkii** (*C. B. Cl.*), Torre & Harms. (*Eleocharis Kirkii*, C. B. Cl.)

Fl. Trop. Afr. viii. 410.

Victoria Falls, on island, Kirk.

471—**Fimbristylis Burchellii, Fic. & Hiern.** (*Bulbostylis Burchelli*, C. B. Cl.)

Fl. Trop. Afr. viii. 440; Fl. Cap. vii. 210; Cat. Afr. Pl. Welw. ii. 125.

Mazoe, Dec. Eyles, 483; Victoria Falls, April, Flanagan, 3223; Rogers, 7269; Salisbury, Craster, 42, 46; Bulawayo, Rogers, 5815; Inglesi, Govt. Herb. 675.

**F. diphylla, Vahl.**

Fl. Trop. Afr. viii. 415; Fl. Cap. vii. 200; Cat. Afr. Pl. Welw. ii. 122.

Chirinda, 3700 ft. Swyn.; Salisbury, Craster, 43.

**F. exilis, Roem. & Schl.**

Fl. Trop. Afr. viii. 418; Fl. Cap. vii. 201; Cat. Afr. Pl. Welw. ii. 123.

Victoria Falls, Allen, 265; Matopos, Rogers, 5170; Chirinda, 3000–6000 ft. Swyn.; Chimanimani Mts. 7000 ft. Swyn.; Upper Buzi, Swyn.

**F. rhodesiana, Rendle.**

Journ. Linn. Soc. Bot. xl. 222.

Upper Buzi, 4000–3500 ft. April, Swyn. 920.

Genus No.

**F. schœnoides** (*Kunth.*). *Torre & Harms.* (*Bulbostylis schœnoides*,  
Kunth.)

Fl. Cap. vii. 206.

Marandellas, Rogers, 4035.

**F. spp.**

Matopos, Sep. Galpin, 7072; March, Flanagan, 2984.

Mazoe, Dec. Eyles, 482.

512—**Eriospora villosula**, *C. B. Cl.*

Fl. Trop. Afr. viii. 513.

Chimanimani Mts. 7000 ft. Sep. Swyn. 918.

515—**Scleria Buchananii**, *Boeck.*

Fl. Trop. Afr. viii. 499; Fl. Cap. vii. 295.

Salisbury, Craster, 12; Victoria, Monro, 633.

**S. foliosa**, *A. Rich.*

Fl. Trop. Afr. viii. 503.

Victoria Falls, Rogers, 7169.

**S. sp.**

Matopos, 5000 ft. Nov. Eyles, 1107.

525—**Carex condensata**, *Nees.*

Fl. Trop. Afr. viii. 521; Fl. Cap. vii. 305.

Mt. Pene, 6500–7000 ft. Sep. Swyn. 903.

**C. spicato-paniculata**, *C. B. Cl.*

Fl. Trop. Afr. viii. 520; Fl. Cap. vii. 304.

Chirinda, 3000 ft. June, Swyn. 413.

## SERIES PRINCIPES.

### FAMILY XXI.—PALMAE, *Linn.*

528—**Phoenix dactylifera**, *L.*

Fl. Trop. Afr. viii. 102; For. Fl. Port. E. Afr. 110.

Chirinda, 3500 ft. fl. & fr. Oct. Swyn. 666.

**P. reclinata**, *Jacq.*

For. Fl. Cape, 341; Cat. Afr. Pl. Welw. ii. 82; Fl. Cap. vii. 29;

Fl. Trop. Afr. viii. 103; For. Fl. Port. E. Afr. 110.

Victoria Falls, Davy; Palm Grove, Engler.

553—**Hypæne crinita**, *Gaertn.*

Fl. Trop. Afr. viii. 121; Fl. Cap. vii. 30; For. Fl. Port. E. Afr.

111.

Gwanda, Noble, 77.

**H. ventricosa**, *Kirk.*

Fl. Trop. Afr. viii. 122.

Victoria Falls, Kirk; Engler.

SERIES SPATHIFLORAE.

FAMILY XXIII.—ARACEAE, Neck.

Genus No.

690—**Culcasia scandens**, Beauv.

Fl. Trop. Afr. viii. 174; Cat. Afr. Pl. Welw. ii. 90.

Chirinda Forest, 3700–4000 ft. fl. & fr. Jan. Swyn. 98.

723—**Amorphophallus mossambicensis**, Klotzsch.

Fl. Trop. Afr. viii. 150.

Victoria Falls, Allen, 42.

**A. sp.**

Mazoe, Mundy.

748—**Zantedeschia melanoleuca**, Engl. var. **tropicalis**, N. E. Br.

(*Richardia melanoleuca*, Hook. f.)

Fl. Trop. Afr. viii. 168; Fl. Cap. vii. 38.

Salisbury, Cecil, 149.

SERIES FARINOSAE.

FAMILY XXIX.—XYRIDACEAE, Lindl.

826—**Xyris capensis**, Thunb.

Fl. Trop. Afr. viii. 13; Fl. Cap. vii. 6; Cat. Afr. Pl. Welw. ii. 68.

Matopos, 4800 ft. March, Eyles, 1031; Sep. Gibbs, 85.

**X. dispar**, N. E. Br.

Fl. Trop. Afr. viii. 12.

Salisbury, Cecil, 152.

**X. Hildebrandtii**, Nilss. (*X. Umbilonis*, Nilss.)

Fl. Trop. Afr. viii. 24; Fl. Cap. vii. 4; Cat. Afr. Pl. Welw. ii. 67.

Matopos, 4800 ft. March, Eyles, 1029.

**X. multicaulis**, N. E. Br.

Fl. Trop. Afr. viii. 20.

Victoria Falls, Rain Forest, Galpin, 7040; Sep. Gibbs, 169; Engler.

**X. obscura**, N. E. Br.

Fl. Trop. Afr. viii. 16.

Salisbury, Cecil, 152a.

**X. spp.**

Matopos, March, Flanagan, 2970.

South Rhodesia, Rand, 248.

FAMILY XXX.—ERIOCAULACEAE, *Lindl.*

Genus No.

828—**Eriocaulon africanum, Hochst.**

Fl. Cap. vii. 56.

Odzani River Valley, Umtali; Teague, 239.

**E. amphibium, Rendle.**

Journ. Linn. Soc. Bot. xxxvii. 475.

Matopos, Gibbs.

**E. bifistulosum, Van Heurck.**

Fl. Trop. Afr. viii. 239.

Mazoe, 4300 ft. April, Eyles.

**E. lacteum, Rendle.**

Fl. Trop. Afr. viii. 245; Cat. Afr. Pl. Welw. ii. 99.

Mashonaland, Bryce.

**E. matopense, Rendle.**

Journ. Linn. Soc. Bot. xxxvii. 475.

Matopos, Gibbs.

**E. submersum, Welw.**

Fl. Trop. Afr. viii. 240; Cat. Afr. Pl. Welw. ii. 100.

Matopos, 4800 ft. April, Eyles, 65.

**E. subulatum, N. E. Br.**

Fl. Trop. Afr. viii. 255.

Victoria Falls, Kirk; May, Eyles, 125; Davy; Sep. Gibbs, 175;

Engler; July, Kolbe, 3141; Rogers, 5806.

830—**Pæpalanthus Wahlbergii, Körn.**

Fl. Trop. Afr. viii. 263; Fl. Cap. vii. 59; Cat. Afr. Pl. Welw. ii. 102.

Matopos, Sep. Gibbs, 86.

FAMILY XXXIII.—COMMELINACEAE, *Reichb.*896—**Commelina africana, L.**

Fl. Cap. vii. 9; Fl. Trop. Afr. viii. 45.

Salisbury, Rogers, 5805\*.

**C. Bainesii, C. B. Cl.**

Fl. Trop. Afr. viii. 57; Cat. Afr. Pl. Welw. ii. 79.

Mangwe Riv. Baines.

**C. benghalensis, L.**

Fl. Trop. Afr. viii. 41; Fl. Cap. vii. 9; Cat. Afr. Pl. Welw. ii. 76.

Matabeleland, Elliott; Victoria Falls, Rogers, 7249\*; Salisbury, Rogers, 5803\*; Matopos, Rogers, 5636\*.

Genus No.

**C. Cecilae, C. B. Cl.**

Fl. Trop. Afr. viii. 51.

Gwelo, Cecil.

**C. Forskalei, Vahl.**

Fl. Trop. Afr. viii. 44 ; Cat. Afr. Pl. Welw. ii. 77.

Victoria Falls, Allen, 93 ; Matabeleland, Elliott.

**C. krebsiana, Kunth.**

Fl. Trop. Afr. viii. 47 ; Fl. Cap. vii. 10.

Matabeleland, Elliott.

**C. Livingstonei, C. B. Cl.**

Fl. Trop. Afr. viii. 59 ; Fl. Cap. vii. 11.

Matabeleland, Elliott.

**C. nudiflora, L.**

Fl. Trop. Afr. viii. 36 ; Fl. Cap. vii. 8 ; Cat. Afr. Pl. Welw. ii. 74.

Victoria Falls, Sep. Gibbs, 120.

**C. spectabilis, C. B. Cl.**

Fl. Trop. Afr. viii. 51 ; Cat. Afr. Pl. Welw. ii. 78.

Victoria Falls, Allen, 223.

**C. zambesica, C. B. Cl.**

Fl. Trop. Afr. viii. 43.

Victoria Falls, Rogers, 7249\*, 7266\*.

**C. spp.**

Victoria Falls, Allen, 282, cf. *C. purpurea*, C. B. Cl.

Victoria Falls, April, Flanagan, 3160.

Bulawayo, 4500 ft. Eyles, 100, cf. *C. eckloniana*, Kunth.

South Rhodesia, Rand, 251, 252, 253.

899—**Aneilema æquinoctiale, Kunth.** (*A. adhaerens*, Kunth.)

Fl. Trop. Afr. viii. 65 ; Fl. Cap. vii. 12 ; Nat. Pl. 284 ; Cat. Afr.

Pl. Welw. ii. 79.

Bulawayo, 4600 ft. Dec. Eyles, 77 ; March, Monro ; Salisbury to Bulawayo, Cecil, 81 ; Matabeleland, Elliott.

**A. dregeana, Kunth.**

Fl. Trop. Afr. viii. 70 ; Fl. Cap. vii. 13.

Gwelo, Jan. Gardner.

**A. Johnstoni, K. Schum.**

Fl. Trop. Afr. viii. 67.

Gwai Forest, Allen, 237 ; Nr. Luia Riv. Nicholson.

**A. Nicholsoni, C. B. Cl.**

Fl. Trop. Afr. viii. 70.

Nr. Luia Riv. Nicholson.

**A. nyasense, C. B. Cl.**

Fl. Trop. Afr. viii. 66.

Odzani River Valley, Umtali, Teague, 124.

Genus No.

**A. sinicum, Lindl.**

Fl. Trop. Afr. viii. 63 ; Fl. Cap. vii. 12 ; Nat. Pl. 294 ; Cat. Afr. Pl. Welw. ii. 79.

Malindi, Gwai Forest, 3600 ft. Allen, 249 ; Chirinda Forest, 3700–4000 ft. May, Swyn. 765 ; Odzani River Valley, Umtali, Teague, 120.

**var. *longifolia*, C. B. Cl.**

Salisbury, Cecil, 148.

**A. sp.**

South Rhodesia, Rand, 254.

**904—*Cyanotis fœcunda*, Hassk.**

Fl. Trop. Afr. viii. 80.

Matabeleland, Elliott.

**C. nodiflora, Kunth.**

Fl. Trop. Afr. viii. 82 ; Fl. Cap. vii. 14 ; Cat. Afr. Pl. Welw. ii. 80.

Inyangwa, Cecil, 211 ; Bulawayo, March, Monro ; Victoria Falls, Rogers, 5379.

**908—*Floscopa glomerata*, Hassk.**

Fl. Trop. Afr. viii. 86 ; Fl. Cap. vii. 15 ; Cat. Afr. Pl. Welw. ii. 80.

Victoria Falls, Sep. Gibbs, 297 ; Engler ; Kirk ; Rogers, 5080 ; Chirinda, 3700 ft. fl. & fr. June, Swyn. 764 ; Upper Buzi, 3000 ft. fl. & fr. April, Swyn. 761 ; Odzani River Valley, Umtali, Teague, 209.

**F. sp.**

Victoria Falls, Rain Forest, Sep. Galpin, 7033, cf. *F. glomerata*, Hassk.

## SERIES LILIIFLORAE.

## FAMILY XXXVI.—JUNCACEAE, Vent.

**936—*Juncus Fontanesii*, J. Gay.**

Fl. Trop. Afr. viii. 94.

Matopos, fl. & fr. Sep. Gibbs, 57.

## FAMILY XXXVIII.—LILIACEAE, Hall.

**963—*Gloriosa superba*, L.**

Fl. Trop. Afr. vii. 563 ; Fl. Cap. vi. 526 ; Cat. Afr. Pl. Welw. ii. 65.

Bulawayo, 4500 ft. Jan. Eyles, 1054 ; Matopos, Marloth ; 4800 ft. Jan. Eyles, 32 ; Selukwe, Gardner, 37 ; Chipetzana Riv. 3000 ft. April, Swyn. ; Chirinda, 3800 ft. Dec. Swyn. 6057, 6509 ; Victoria Falls, Rogers, 5622 ; South Rhodesia, Rand, 244.

Genus No.

**G. virescens**, Lindl. (*G. simplex*, L.)

Fl. Trop. Afr. vii. 563; Fl. Cap. vi. 526; Nat. Pl. 396; Cat. Afr. Pl. Welw. ii. 65.

Victoria Falls, Allen, 117; Odzani River Valley, Umtali, Teague, 2.

**G. sp.**

Mazoe, 4800 ft. Dec. Eyles, 493.

969—**Androcymbium subulatum**, Baker. (*A. melanthioides*, Willd. var.)

Fl. Trop. Afr. vii. 559; Fl. Cap. vi. 517.

Matabeleland, Oates; Umsweswe Riv. Baines.

973—**Ornithoglossum glaucum**, Salisb.

Fl. Trop. Afr. vii. 561; Fl. Cap. vi. 525.

Bulawayo, Eyles; Chubb, 389.

var. **grandiflorum**, Baker.

Fl. Trop. Afr. vii. 561; Fl. Cap. vi. 525.

Bulawayo, March, Monroe.

989—**Anthericum anceps**, Baker.

Fl. Trop. Afr. vii. 482; Fl. Cap. vi. 382.

Matabeleland, Elliott.

**A. elongatum**, Willd. (*A. filiforme*, Thunb.)

Fl. Trop. Afr. vii. 491; Fl. Cap. vi. 389.

Bulawayo, 4500 ft. Nov. Eyles, 17; Chipetzana Riv. 3000 ft. April, Swyn. 773.

**A. hispidum**, L.

Fl. Cap. vi. 393.

Bulawayo, Rogers, 11323.

**A. longistylum**, Baker ex. descr.

Fl. Cap. vi. 381.

Bulawayo, Eyles, 572.

**A. matabelense**, Baker.

Fl. Trop. Afr. vii. 484.

Matengwe ? Riv. Holub.

**A. Oatesii**, Baker.

Fl. Trop. Afr. vii. 491; Journ. Bot. 1878, 324.

Matabeleland, Oates; Elliott.

**A. recurvifolium**, Baker.

Kew Bull. 1906, 28.

Salisbury, Cecil, 143.

**A. rhodesianum**, Rendle.

Journ. Linn. Soc. Bot. xl. 216.

Melsetter, 6000 ft. Oct. Swyn. 6056.

Genus No.

**A. spp.**

- Bulawayo, 4500 ft. Nov. Eyles, 9 ; Dec. Eyles, 1207.
- Sebakwe, 4000 ft. Dec. Eyles, 102, cf. *A. pubirachis*, Baker.
- Victoria, Monro, 903.
- Victoria Falls, Kolbe, 4344.

990—**Chlorophytum andongense**, *Baker.*

- Fl. Trop. Afr. vii. 506 ; Cat. Afr. Pl. Welw. ii. 54.
- Matopos, Rogers, 13801.

**C. blepharophyllum**, *Schweinf.*

- Fl. Trop. Afr. vii. 501.
- Chirinda, 3500 ft. Oct. Swyn. 329.

**C. elatum**, *R. Br.* var. *Burchelli*, *Baker.*

- Fl. Cap. vi. 399.
- Victoria Falls, Allen, 58.

**C. gazense**, *Rendle.*

- Journ. Linn. Soc. Bot. xl. 216.
- Chirinda Forest, 3700–4000 ft. fl. & fr. April, May, Swyn. 318, 527.

**C. polystachyum**, *Baker.*

- Fl. Trop. Afr. vii. 509.
- Mazoe, 5200 ft. Jan. Eyles, 521.

**C. sp.**

- Victoria, Monro, 629, cf. *C. gallabatense*, Schweinf.

1010—**Schizobasis angolensis**, *Baker.*

- Fl. Trop. Afr. vii. 470 ; Cat. Afr. Pl. Welw. ii. 48.
- Victoria, Monro, 442.

1011—**Bowiea volubilis**, *Harv.*

- Fl. Cap. vi. 367 ; Nat. Pl. 303 ; Harv. Gen. S.A. Pl. 401.
- Mazoe, 4400 ft. fr. April, Eyles, 364 ; fl. Jan. 556.

1012—**Eriospermum Cecili**, *Baker.*

- Kew Bull. 1906, 28.
- Inyanga, 6000–7000 ft. Cecil, 204.

**E. spp.**

- Victoria, Monro, 784, cf. *E. flexuosum*, Welw.
- Victoria, Monro, 433a, 439, cf. *E. parvifolium*, Jacq.

1024—**Kniphofia rhodesiana**, *Rendle.*

- Journ. Linn. Soc. Bot. xl. 214.
- Nyahodi Riv. 5000 ft. April, Swyn. 723.

**K. sp.**

- Salisbury, May, Flanagan, 3265, cf. *K. Grantii*, Baker.

1026—**Aloe excelsa**, *Berger.*

- Matopos, Nov. Marloth, 3888 ; Gwanda, Noble, 69.

Genus No.

**A. rhodesiana, Rendle.**

Journ. Linn. Soc. Bot. xl. 215.

Melsetter, 6000 ft. fl. & fr. Oct. Swyn. 6047 ; Mt. Pene, 6000 ft. Swyn. 6048 ; Umvumvumvu Riv. Swyn.

**A. Swynnertonii, Rendle.**

Journ. Linn. Soc. Bot. xl. 215.

Chipetzana Riv. 3500 ft. April, Swyn.

**A. spp.**

Victoria, Monro, 339, cf. *A. zebrina*, Baker.

Victoria Falls, on island, Rogers, 5288.

Matopos, Rogers, 5361.

1047—**Tulbaghia acutiloba, Harv.**

Fl. Cap. vi. 404.

Victoria, Monro, 630.

**T. alliacea, L. fl.**

Fl. Trop. Afr. vii. 515 ; Fl. Cap. vi. 405.

Mazoe, 4300 ft. Dec. Eyles, 229.

**T. campanulata, N. E. Br.**

Mazoe, 4800 ft. Nov. Eyles, 194.

**T. sp.**

Salisbury, Rand, 1379.

1079—**Albuca caudata, Jacq.**

Fl. Trop. Afr. vii. 529 ; Fl. Cap. vi. 458.

Matopos, Oct. Gibbs, 287.

**A. Melleri, Baker.**

Fl. Trop. Afr. vii. 532.

Victoria Falls, Rogers, in Herb. Bolus, 13457.

**A. tayloriana, Rendle.**

Fl. Trop. Afr. vii. 530.

Victoria, Monro, 433b ; Bulawayo, Chubb, 363\*.

**A. Wakefieldii, Baker.**

Fl. Trop. Afr. vii. 531.

Bulawayo, March, Monro.

**A. spp.**

Bulawayo, March, Monro, cf. *A. setosa*, Jacq.

Victoria, Monro, 433c, 498, 584a.

Khami, Oct. Eyles, 1157.

Victoria Falls, Rogers, 5055, 5295.

1080—**Urginea altissima, Baker.**

Fl. Trop. Afr. vii. 538 ; Fl. Cap. vi. 470.

Bulawayo, Eyles ; Victoria Falls, Allen, 52 ; Chirinda, 3800 ft. fl. & fr. April, Swyn. 321a.

Genus No.

**U. sanguinea, Schinz.**

Fl. Trop. Afr. vii. 538.

Victoria Falls, Sep. Galpin, 7051; fl. & fr. Sep. Gibbs, 147;  
Victoria, Monro, 469.**U. spp.**

Bulawayo, March, Monro.

Victoria, Monro, 1026a, cf. *U. comosa*, Welw.

Victoria, Monro, 630, 839.

Victoria Falls, Rogers, 5294.

South Rhodesia, Rand, 250.

1084—**Dipcadi anthericoides, Engl.**

Matopos, 4700 ft. Jan. Eyles, 27.

**D. hyacinthoides, Baker.**

Fl. Cap. vi. 446.

Victoria, Monro, 440.

**D. viride, Mœnch. (*D. filamentosum*, Medic.)**

Fl. Trop. Afr. vii. 523; Fl. Cap. vi. 449; Nat. Pl. 239.

Bulawayo, March, Monro; Chirinda, 3500–3800 ft. Oct. Swyn. 59.

**D. spp.**

Victoria, Monro, 625.

Victoria Falls, Rogers, 5398.

1086—**Scilla ciliata, Baker.**

Kew. Bull. 1906, 29.

Inyanga, Cecil, 165.

**S. indica, Baker.**

Fl. Trop. Afr. vii. 551.

Mt. Pene, 6500–7000 ft. Sep. Oct. Swyn. 767, 6055.

**S. lanceæfolia, Baker.**

Fl. Trop. Afr. vii. 557; Fl. Cap. vi. 487; Nat. Pl. 202; Cat. Afr.

Pl. Welw. ii. 63.

Matopos, Oct. Gibbs, 191.

**S. maesta, Baker.**

Fl. Trop. Afr. vii. 552.

Mazoe, 4300–4800 ft. Nov. Eyles, 449.

**S. rigidifolia, Kunth. (*S. hispidula*, Baker.)**

Fl. Trop. Afr. vii. 549; Fl. Cap. vi. 481; Cat. Afr. Pl. Welw. ii. 61.

Victoria, Monro, 464, 546; North Melsetter, 5000–6000 ft. Oct.

Swyn. 6053, 6226; Mt. Pene, 7000 ft. fl. &amp; fr. Oct. Swyn. 6054.

**S. sp.**Victoria, Monro, 501, cf. *S. tayloriana*, Rendle.1088—**Eucomis undulata, Ait.**

Fl. Cap. vi. 476.

Salisbury, Darling, in Herb. Bolus, 10792.

## Genus No.

**E. zambesiaca, Baker.**

Fl. Trop. Afr. vii. 528.

Victoria, Monro, 858.

**E. spp.**

Mazoe, 4900 ft. Dec. Eyles, 495.

Salisbury, Mundy, cf. *E. zambesiaca*, Baker.

South Rhodesia, Rand, 247.

1090—**Drimiopsis maculata, Lindl.**

Fl. Cap. vi. 473; Nat. Pl. 304.

Bulawayo, March, Monro.

1109—**Dracæna fragrans, Gawl.**

Fl. Trop. Afr. vii. 440; Cat. Afr. Pl. Welw. ii. 47.

Chirinda Forest, 3700–4000 ft. Dec. Swyn. 724, 6520.

**D. gazensis, Rendle.**

Journ. Linn. Soc. Bot. xl. 214.

Chirinda, 3800 ft. Oct. Swyn.

**D. spp.**

Victoria, Monro, 347, 445.

1110—**Sansevieria cylindrica, Bojer.** (*S. angolensis*, Welw.)

Fl. Trop. Afr. vii. 335; Cat. Afr. Pl. Welw. ii. 25.

Victoria Falls, Galpin; Engler; Mangwe Riv. Baines.

**S. senegalensis ?**

South Rhodesia, Rand, 299.

**S. spp.**Victoria Falls, Allen, 396, cf. *S. sulcata*, Bojer.Victoria Falls, Rogers, 5059, 5287, cf. *C. sulcata*, Bojer.1113—**Asparagus æthiopicus, L.**

Fl. Trop. Afr. vii. 434; Fl. Cap. vi. 271.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1092.

**A. africanus, Lam.**

Fl. Trop. Afr. vii. 433; Fl. Cap. vi. 265; Cat. Afr. Pl. Welw.

ii. 42.

Umtali, Engler.

**A. angolensis, Baker.**

Fl. Trop. Afr. vii. 432; Cat. Afr. Pl. Welw. ii. 42.

Chirinda, 3800 ft. May, Swyn. 520.

**A. asiaticus, L.**

Fl. Trop. Afr. vii. 432; Fl. Cap. vi. 265.

Chipetzana Riv. 3000 ft. Oct. Swyn. 239a; Upper Buzi, Swyn.;

Bulawayo, Eyles, 33.

**A. falcatus, L.**

Fl. Trop. Afr. vii. 435; Fl. Cap. vi. 271.

Chipete Forest, 3800 ft. April, Swyn. 91.

Genus No.

**A. laricinus, Burck.**

Fl. Trop. Afr. vii. 433; Fl. Cap. vi. 267.

Matopos, by streams, Sep. Gibbs, 18; Gwelo, Jan. Gardner, 76.

**A. medeoloides, Thunb.**

Fl. Trop. Afr. vii. 435; Fl. Cap. vi. 272.

Chipete Forest, 3800 ft. fl. &amp; fr. April, May, Swyn. 89; Mt. Pene, 7000 ft. Swyn. 6058.

**A. pilosus, Baker.**

Fl. Trop. Afr. vii. 427.

Matabeleland, Oates.

**A. plumosus, Baker.**

Fl. Trop. Afr. vii. 430; Fl. Cap. vi. 260.

Umtali, Engler; Chirinda, 3700–4000 ft. Swyn. 240.

**A. racemosus, Willd.**

Fl. Trop. Afr. vii. 434; Fl. Cap. vi. 269; Cat. Afr. Pl. Welw. ii. 43.

Victoria Falls, Allen, 6; Gwai, Engler; South Rhodesia, Rand, 242.

**A. stipulaceus, Lam.**

Fl. Cap. vi. 264.

Bulawayo, Rogers, 4486.

**A. virgatus, Baker.**

Fl. Trop. Afr. vii. 426; Fl. Cap. vi. 259.

Chipete, 3800 ft. Oct. Swyn. 239.

**A. spp.**Bulawayo, Jan. Gardner, 74, cf. *A. bechuanicus*, Baker.

Bulawayo, Rand, 545.

Gwelo, Jan. Gardner, 75, cf. *A. bechuanicus*, Baker.Victoria, Monro, 333, 1000, cf. *A. stipulaceus*, Lam.

South Rhodesia, Rand, 404, 405.

1147—**Behnia reticulata, Dindr.**

Fl. Cap. vi. 274.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1098; Mt. Pene, 7000 ft.

Swyn. 6057; Chirinda Forest, 4000 ft. fl. &amp; fr. Oct. Swyn. 90;

Chipete Forest, fl. &amp; fr. Oct. Swyn.

1149—**Hymenocallis senegambica, Kunth. & Bouché.**

Fl. Trop. Afr. vii. 408.

Victoria Falls, Rogers, 7258\*.

1151—**Smilax kraussiana, Meisn.**

Fl. Trop. Afr. vii. 424; Fl. Cap. vi. 256; Nat. Pl. 339; Cat. Afr. Pl. Welw. ii. 41.

Victoria Falls, Palm Kloof, Engler; Chirinda, 3500–5900 ft. fl. &amp; fr. Nov. Dec. Swyn. 212; Chimanimani Mts. 7000 ft. Swyn. 1099; Melsetter Dist. common, Swyn.

FAMILY XL.—AMARYLLIDACEAE, Lindl.

Genus No.

1167—**Hæmanthus Cecilae**, Baker.

Kew Bull. 1906, 28.

Between Salisbury and Bulawayo, Cecil, 76.

**H. multiflorus**, Martyn.

Fl. Trop. Afr. vii. 388; Cat. Afr. Pl. Welw. ii. 34.

Matabeleland, Oates; Victoria Falls, Allen, 44; Bulawayo, March, Monro; Chirinda, 3800 ft. Oct. Swyn. 359.

**H. zambesiacus**, Baker.

Fl. Trop. Afr. vii. 387.

Salisbury, Darling, in Herb. Bolus, 11197.

1168—**Buphane disticha**, Herb. (*B. toxicaria*, Herb.)

Fl. Trop. Afr. vii. 392; Fl. Cap. vi. 242; Nat. Pl. 595; Cat. Afr. Pl. Welw. ii. 35.

Matopos, Oct. Gibbs, 208; Salisbury, Mundy, 934.

1177—**Brunsvigia**, sp.

Mazoe, 4800 ft. Sep. Eyles, 551, cf. *B. Kirkii*, Baker.

South Rhodesia, Rand, 224, 654.

1189—**Crinum Harmsii**, Baker.

Victoria Falls, Allen, 43.

**C. Kirkii**, Baker.

Fl. Trop. Afr. vii. 402.

Chirinda, 3800 ft. Swyn.

**C. zeylanicum**, L.

Fl. Trop. Afr. vii. 401.

Victoria Falls, Allen, 136.

**C. spp.**

Sebakwe, 4000 ft. Dec. Eyles, 170.

South Rhodesia, Rand, 228.

1190—**Ammocharis falcata**, Herb.

Fl. Cap. vi. 204.

Bulawayo, Chubb, 7.

1191—**Cyrtanthus angustifolius**, Ait.

Fl. Cap. vi. 223; Nat. Pl. 5.

Mazoe, 4400 ft. Sep. Eyles, 416.

**C. rhodesianus**, Rendle.

Journ. Linn. Soc. Bot. xl. 211.

Chimanimani Mts. 7000 ft. Sep. Oct. Swyn. 769.

1202—**Pancratium trianthum**, Herb. (*P. Chapmanni*, Harv.)

Fl. Trop. Afr. vii. 407; Harv. Gen. S.A. Pl. 384.

Chirinda, 3800 ft. Swyn. 322; Victoria Falls, Rogers, 7470\*, 7544\*, 8671\*.

Genus No.

**P. sp.**

Bulawayo, 4500 ft. Nov. Eyles, 1248, cf. *P. trianthum*,  
Herb.

**1208—*Hippeastrum equestre*, Herb.**

Victoria Falls, Allen. \*

**1230—*Hypoxis angustifolia*, Lam.**

Fl. Trop. Afr. vii. 378; Fl. Cap. vi. 180.  
Victoria, Monro, 866.

**H. rigidula**, Baker.

Fl. Cap. vi. 186; Nat. Pl. 552.  
Bulawayo, 4500 ft. Jan. Eyles, 59; Mazoe, 4300–4800 ft. Nov.  
Eyles, 455.

**var. *pilosissima***, Baker.

Fl. Cap. vi. 186.  
Bulawayo, Jan. Eyles.

**H. Rooperii**, Moore.

Fl. Cap. vi. 188.  
Salisbury, Darling.

**H. villosa**, L. fil.

Fl. Trop. Afr. vii. 379; Fl. Cap. vi. 184.  
Matabeleland, Oates; Matopos, Oct. Gibbs, 192; Victoria,  
Monro, 654; North Melsetter, 5000–6000 ft. Oct. Swyn. 6215;  
Mt. Pene, 6000–7000 ft. Sep. Oct. Swyn. 770, 6082, 6204;  
Chirinda, 3800 ft. May, Oct. Swyn. 332; Marendellas?  
Rogers, 4043.

**H. spp.**

South Rhodesia, Rand, 225, 226, 227, 237.

**1231—*Walleria nutans*, Kirk.**

Fl. Trop. Afr. vii. 568; Fl. Cap. vi. 528.  
Bulawayo, 4500 ft. Dec. Eyles, 39.

**W. sp.**

South Rhodesia, Rand, 246.

## FAMILY XLI.—VELLOZIACEAE, Drude.

**1246—*Vellozia equisetoides*, Baker. (*Barbacenia equisetoides*, Engl.)**

Fl. Trop. Afr. vii. 411; Fl. Cap. vi. 245.  
Semokwe? Riv. Baines; Matabeleland, Scott-Elliott; Victoria  
Falls, Allen, 41; Matopos, Engler; 5000 ft. Jan. Eyles, 25;  
Mazoe, 5000 ft. Oct. Eyles, 439; 4700 ft. Jan. Eyles, 516?;  
South Rhodesia, Rand, 270; Odzani River Valley, Uintali;  
Teague, 236.

Genus No.

**V. humilis, Baker.**

Fl. Trop. Afr. vii. 409 ; Fl. Cap. vi. 246.  
Fig-tree, Dec. Eyles, 157 ; Matabeleland, Elliott.

**V. retinervis, Baker.**

Fl. Cap. vi. 244.  
Matopos; Nov. Marloth, 3415.

**V. spp.**

Victoria Falls, Galpin, 7058.  
Mazoe, 4300–5000 ft. Oct. Eyles, 440, cf. *V. aequatorialis*, Rendle.  
Mazoe, 5300 ft. Jan. Eyles, 517, cf. *V. acuminata*, Baker.  
Goromanzi, Mundy, cf. *V. retinervis*, Baker.  
Victoria, Monro, 800, cf. *V. trichophylloides*, Hemsl.  
Victoria, Monro, 801.  
Salisbury, Mundy.  
Harvest Valley, Rogers.

FAMILY XLII.—TACCACEAE, *Lindl.*

1248—**Tacca pinnatifida, Forst.**

Fl. Trop. Afr. vii. 413 ; Cat. Afr. Pl. Welw. ii. 36.  
Victoria Falls, on island, Allen, 251 ; Salisbury and Umtani,  
Rogers, 5767<sup>2</sup>.

FAMILY XLIII.—DIOSCOREACEAE, *Lindl.*

1252—**Dioscorea beccariana, Mart.**

Fl. Trop. Afr. vii. 420.  
Gwai Forest, 3800 ft. Allen, 232 ; Victoria Falls, Rogers, 5381 ;  
Chirinda, 3800 ft. Dec. Swyn. 1091a, 6630 ; Bulawayo,  
Chubb, 18.

**D. Buchanani, Benth.**

Fl. Trop. Afr. vii. 415.  
Chirinda, 3800 ft. July, Swyn. 1091.

**P. dumetorum, Pax. (*D. quartiniana*, A. Rich.)**

Fl. Trop. Afr. vii. 419 ; Cat. Afr. Pl. Welw. ii. 40.  
Bulawayo, 4500 ft. Dec. Eyles, 1141 ; Chirinda, 3700 ft. young  
fr. March, Swyn. 215.

**D. sativa, L.**

Fl. Trop. Afr. vii. 415 ; Cat. Afr. Pl. Welw. ii. 38.  
Chirinda Forest, 3800 ft. (wild), May, Swyn. 531.

**D. schimperiana, Hochst.**

Fl. Trop. Afr. vii. 419 (var.).  
Chirinda, 3700–4000 ft. fl. & fr. Feb. Swyn. 214 ; Chipete, Swyn

## Genus No.

var. **vestita**, Pax.

Fl. Trop. Afr. vii. 419.

Mazoe, 4300 ft. Jan. Eyles, 503.

**D. sylvatica**, Eckl. (*Testudinaria sylvatica*, Benth.)

Fl. Cap. vi. 253.

Mazoe, 4300 ft. Dec. Eyles, 212; Bulawayo, Chubb, 9.

**D. spp.**Victoria Falls, Rogers, 5372<sup>1</sup>, cf. *D. rubiginosa*, Benth.

South Rhodesia, Rand, 432.

## FAMILY XLIV.—IRIDACEAE, Lindl.

1265—**Moraea edulis**, Ker.

Fl. Cap. vi. 20.

Victoria, Monro, 677.

**M. iridioides**, L.

Fl. Trop. Afr. vii. 342; Nat. Pl. 299.

Chirinda Forest, 3700–4000 ft. fl. &amp; fr. Oct. Dec. Swyn. 399, 6508; Mt. Pene, 7000 ft. Oct. Swyn. 6067; Chipete Forest, Swyn.

**M. spp.**

Bulawayo, Jan. Gardner, 2; Victoria, Monro, 601; Matopos, 5000 ft. Nov. Eyles, 1144; Salisbury, Mundy; South Rhodesia, Rand, 236.

1272—**Ferraria Randii**, Rendle. (*Moraea Randii*, Rendle.)

Journ. Bot. 1898, 144.

South Rhodesia, Rand, 233; Bulawayo, 4500 ft. Jan. Eyles, 158.

1284—**Bobartia** sp.

Victoria, Monro, 755.

1295—**Aristea compressa**, Buching.

Fl. Cap. vi. 50.

North Melsetter, 6000 ft. fl. &amp; fr. Oct. Swyn. 6060.

**A. zombensis**, Baker.

Fl. Trop. Afr. vii. 346.

Chipete Forest, 3700–4000 ft. fr. Oct. Swyn. 399a; Chipete Forest, 3800 ft. fr. April, Swyn. 399.

1301—**Hesperantha matopensis**, Gibbs.

Journ. Linn. Soc. Bot. xxxvii. 471.

Matopos, Sep. Gibbs, 44.

1303—**Dierama pendula**, Baker.

Fl. Trop. Afr. vii. 349.

Melsetter, 6000 ft. Oct. Swyn. 6064, 6065.

<sup>1</sup> Rogers has this plant named *D. rubiginosa*, Benth.

Genus No.

1306—**Tritonia aurea**, *Pappe.* (*Crocosmia aurea*, Planch.)

Fl. Trop. Afr. vii. 355; Fl. Cap. vi. 129; Nat. Pl. 519.

Chirinda, 3600 ft. March, Swyn. 323.

1310—**Babiana Bainesii**, *Baker.*

Fl. Cap. vi. 107.

Matopos, 5000 ft. April, Eyles, 38; March, Flanagan, 2949;  
Salisbury, May, Flanagan, 3249.

1311—**Gladiolus atropurpureus**, *Baker.*

Fl. Trop. Afr. vii. 364.

Victoria Falls, Allen, 198.

**G. brevicaulis**, *Baker.*

Fl. Trop. Afr. vii. 366; Cat. Afr. Pl. Welw. ii. 28.

Victoria, Monro, 647.

**G. brevifolius**, *Jacq.*

Fl. Cap. vi. 143.

Matabeleland, Oates.

**G. dracocephalus**, *Hook. f.*

Fl. Cap. vi. 157.

Matopos. March, Flanagan, 2966.

**G. gazensis**, *Rendle.*

Journ. Linn. Soc. Bot. xl. 210.

Melsetter, 6000 ft. Swyn.; Chirinda, 3700–4000 ft. Swyn.; Mt.

Pene, 6500–7000 ft. Swyn.; in fl. Sep. Swyn. 779.

**G. Melleri**, *Baker.*

Fl. Trop. Afr. vii. 362.

Matopos, Oct., Gibbs, 202; Mazoe, 4400 ft. Sep. Eyles, 417;

Matabeleland, Oates; Salisbury, Rogers, 4057; Victoria,  
Monro, 485.

**G. Oatesii**, *Rolfe.*

Fl. Trop. Afr. vii. 373.

Matabeleland, Oates; Victoria Falls, Allen, 193; Bulawayo, Jan.

Gardner, 78.

**G. permeabilis**, *Delar.*

Fl. Cap. vi. 162.

Mazoe, 4300 ft. Dec. Eyles, 488; Bulawayo, Chubb, 11.

**G. primulinus**, *Baker.*

Victoria Falls, Allen, 18; Sep. Gibbs, 323; Rogers, 5397;  
Monro.

**G. quartinianus**, *A. Rich.*

Fl. Trop. Afr. vii. 371; Cat. Afr. Pl. Welw. ii. 29.

Bulawayo, March, Monro.

Genus No.

**G. spp.**

- Salisbury, May, Flanagan, 3252 ; Rand, 541.  
 Victoria, Monro, 967, cf. *G. psittacius*, Hook.  
 Victoria, Monro, 1091.  
 Bulawayo, 4500 ft. Nov. Eyles, 1224.  
 South Rhodesia, Rand, 230, 234, 235, 656.

**1312—*Antholyza* sp.**

- Victoria, Monro, 301.

**1314—*Lapeyrousie caudata*, Schinz.**

- Fl. Trop. Afr. vii. 352.  
 South Rhodesia, Rand, 229.

**L. cruenta, Bkr.**

- Fl. Cap. vi. 96 ; Fl. Trop. Afr. vii. 354.  
 Bulawayo, Rogers, 13586\*.

**L. cyanescens, Baker.**

- Fl. Trop. Afr. vii. 354 ; Cat. Afr. Pl. Welw. ii. 28.  
 South Rhodesia, Rand, 232.

**L. grandiflora, Baker.**

- Fl. Trop. Afr. vii. 355 ; Fl. Cap. vi. 96 ; Nat. Pl. 526.  
 Bulawayo, Dec. Eyles ; Mazoe, 4300–5300 ft. Jan. Eyles,  
 1134.

**L. odoratissima, Baker.**

- Fl. Trop. Afr. vii. 354 ; Cat. Afr. Pl. Welw. ii. 28.  
 Victoria Falls, Rogers, 5395.

**L. porphyrosiphon, Baker.**

- Fl. Trop. Afr. vii. 353.  
 Victoria Falls, Allen, 146 ; Rogers, 5415.

**L. rhodesiana, N. E. Br.**

- Kew Bull. 1906, 169.  
 Between Salisbury and Umtali, Cecil, 154.

**L. Sandersoni, Baker.**

- Fl. Trop. Afr. vii. 352 ; Fl. Cap. vi. 95.  
 Bembesi, Jan. Gardner, 7 ; Victoria Falls, Rogers, 5536 ; Victoria, Monro, 678, 674 ; Bulawayo, Rogers, common ; Mata-beleland, Scott-Elliott.

**L. Welwitschii, Baker.**

- Fl. Trop. Afr. vii. 352 ; Cat. Afr. Pl. Welw. ii. 27.  
 Matopos, 5000 ft. Feb. Eyles, 1173.

**L. spp.**

- Bulawayo, 4500 ft. Jan. Eyles, 75 ; Nov. 91.  
 South Rhodesia, Rand, 231.

SERIES SCITAMINEAE.

FAMILY XLV.—MUSACEAE, *J. St. Hil.*

Genus No.

1318—**Musa Ensete**, *Gmel.*

Fl. Trop. Afr. vii. 329.

Marandellas, Engler.

FAMILY XLVI.—ZINGIBERACEAE, *L. C. Rich.*

1329—**Kæmpferia Carsoni**, *Baker.*

Fl. Trop. Afr. vii. 296.

Victoria Falls, Allen, 104.

**K. Kirkii**, *K. Schum.* var. **elatior**, *Stapf.*

Fl. Trop. Afr. vii. 294 (type).

Salisbury, H. J. Elwes, F.R.S., see Kew Bull. 1908, 196.

**K. sp.**

Victoria Falls, Rogers, 5390.

1344—**Amomum sp.**

Salisbury, Darling, in Herb. Bolus, 10793.

FAMILY XLVII.—CANNACEAE, *Link.*

1363—**Canna indica**, *L.*, subsp. **C. orientalis**, *Rose.*

Fl. Trop. Afr. vii. 328 ; Cat. Afr. Pl. Welw. ii. 24.

Victoria, Monroe, 736, 1044 ; Chirinda, 3800 ft. March, Swyn. 398 ; Matabeleland, Rand.

SERIES MICROSPERMAE.

FAMILY XLIX.—BURMANNIACAE, *Blume.*

1382—**Burmannia bicolor**, *Mart.* var. **africana**, *Ridl.*

Fl. Trop. Afr. vii. 11 ; Cat. Afr. Pl. Welw. ii. 2.

Matopos, 5000 ft. Eyles, 52.

FAMILY L.—ORCHIDACEAE, *Lindl.*

1408—**Holothrix grandiflora**, *Reichb. f.*

Fl. Cap. V. iii. 110.

Umtali, Engler.

Genus No.

**H. Randii**, *Rendle.*

Journ. Bot. 1899, 208.

Salisbury, Sep. Rand, 596.

1422—**Habenaria antennifera** (*Rolfe*), *Torre & Harms.* (*Bonatea antennifera*, *Rolfe*)

Fl. Cap. V. iii. 142.

Bulawayo, March, Monro.

**H. malacophylla**, *Reichb. f.*

Fl. Trop. Afr. vii. 230 ; Fl. Cap. V. iii. 126.

Victoria Falls, 3000 ft. Rain Forest, May, Eyles, 92 ; Allen, 4 ; Flanagan, 3299 ; Rogers, 5129.

**H. pedicellaris**, *Reichb. f.*

Fl. Trop. Afr. vii. 244.

Upper Buzi, 3000 ft. April, Swyn. 744 ; South Rhodesia, Rand, 269.

**H. Rehmanni**, *Bolus.*

Fl. Cap. V. iii. 129.

Victoria, Monro, 904, 890, 865, 868.

**H. spp.**Victoria Falls, Allen, 139, cf. *H. subarmata*, *Reichb. f.*Mazoe, 4400 ft. Dec. Eyles, 499, cf. *H. Galpinii*, *Bolus.*

Matopos, 5000 ft. March, Eyles, 1037, 1064.

1428—**Brachycorythis acutiloba**, *Rendle.*

Journ. Linn. Soc. Bot. xl. 208.

Chirinda, 3800 ft. Dec. Swyn. 6632.

**B. hispidula** ?

South Rhodesia, Rand, 266.

1430—**Satyrium Buchananii**, *Schlechter.*

Fl. Trop. Afr. vii. 572.

Lusitu Riv. 5000 ft. April, Swyn. 754 ; South Rhodesia, Rand, 267.

**S. macrophyllum**, *Lindl.*

Fl. Cap. V. iii. 166 ; Orchids of S.A. i. 74.

Mazoe, 4300 ft. April, Eyles, 305 ; March, Flanagan, 3027 ; Matopos, 5000 ft. March, Eyles, 1036.

**S. speciosum**, *Rolfe.*

Fl. Trop. Afr. vii. 270 &amp; 574.

Chirinda, 3800 ft. Dec. Swyn. 331 ; Upper Buzi, 3000 ft. April, Swyn. 745.

**S. trinerve**, *Lindl.* (*S. occultum*, *Rolfe*.)

Fl. Trop. Afr. vii. 273 ; Cat. Afr. Pl. Welw. ii. 16 ; Orchids of S.A. ii. 61.

Chirinda, 3800 ft. Jan. Swyn. 750.

Genus No.

1431—**Schizochilus Cecili**, Rolfe.

Kew Bull. 1906, 168.

Inyanga, Cecil, 202.

1434—**Disa equestris**, Reichb. f.

Fl. Trop. Afr. vii. 284; Cat. Afr. Pl. Welw. ii. 18.

Rhodesia, Lord Rothschild, see Kew Bull. 1908, 86; South Rhodesia, Rand, 268.

**D. hamatopetala**, Rendle.

Fl. Trop. Afr. vii. 286.

Mt. Pene, 6500–7000 ft. fl. &amp; fr. Sep. Swyn. 753.

1565—**Polystachya Hislopiae**, Rolfe.

Kew Bull. 1914, 375.

Rusapi, A. Hislop.

1568—**Ansellia africana**, Lindl.

Fl. Trop. Afr. vii. 101; Cat. Afr. Pl. Welw. ii. 7; Orchids of S.A. ii. 29.

Matopos, Sep. Oct. Gibbs, 270, epiphytic; Engler.

**A. humilis**, Bull.

Fl. Trop. Afr. vii. 102.

Victoria Falls, Allen, 45.

**A. spp.**Gatooma, Rogers, 5521, cf. *A. confusa*, N. E. Br.Victoria Falls, Rogers, 7235, cf. *A. confusa*, N. E. Br.1631—**Calanthe natalensis**, Reichb. f.

Victoria Falls, Engler; Rogers, 5697.

**C. sanderiana**?

Victoria Falls, Allen, 140.

**C. sp.**

Salisbury, March, Flanagan, 3016, in marshy places.

1647—**Lissochilus arenarius**, Lindl. (*L. dilectus*, Reichb. f. *Eulophia arenaria*, Bol.)

Fl. Trop. Afr. vii. 82; Fl. Cap. v. iii. 61; Cat. Afr. Pl. Welw. ii. 5.

Matabeleland, Oates; Victoria Falls, Allen, 88; Chirinda, 3500 ft. Nov. Swyn. 751; South Rhodesia, Rand, 262; Odzani River Valley, Umtali, Teague.

**L. Buchananii**, Reichb. f. (*Eulophia Buchananii*, Bolus.)

Fl. Cap. V. iii. 60; Orchids of S.A. ii. 23.

Matopos, Rogers, 5656; Victoria, Jan. Miss Krige, in Herb. Bolus, 10715; Victoria Falls, Rogers, 13070\*.

**L. Eylesii**, Rendle.

Journ. Bot. 1905, 53.

Matopos, 5000 ft. Feb. Eyles, 150.

## Genus No.

- L. livingstonianus**, *Reichb. f.*  
 Fl. Trop. Afr. vii. 81.  
 Mazoe, 4300–4800 ft. Nov. Eyles, 445; Victoria, Monro,  
 785.
- L. microceras**, *Reichb. f.*  
 Fl. Trop. Afr. vii. 74.  
 Umtali, Engler.
- L. milanjianus**, *Rendle.*  
 Fl. Trop. Afr. vii. 98.  
 Umtali, Engler.
- L. Oatesii**, *Rolfe.*  
 Fl. Trop. Afr. vii. 89.  
 Matabeleland, Oates.
- L. papilinaceus**, *Rendle.*  
 Fl. Trop. Afr. vii. 91.  
 Chirinda, 3700 ft. March, Swyn. 227.
- L. Wakefieldii**, *Reichb. f. & S. Moore.*  
 Fl. Trop. Afr. vii. 95; Fl. Cap. V. iii. 60.  
 Victoria Falls, Allen, 70.
- 1648—**Eulophia clitellifer**, *Bolus.* (*Lissochilus clitellifer*, *Reichb. f.*)  
 Fl. Cap. V. iii. 55.  
 Mazoe, 4300–4800 ft. Sep. Eyles, 418; Umtali, Engler; Victoria,  
 Monro, 461, 438.
- E. dregeana**, *Lindl.*  
 Fl. Cap. V. iii. 36; Orchids of S.A. ii. 9.  
 Mazoe, 4800–5100 ft. Dec. Eyles, 497.
- E. Krebsii**, *Bolus.* (*Lissochilus Krebsii*, *Reichb. f.*)  
 Fl. Trop. Afr. vii. 91; Fl. Cap. V. iii. 58.  
 Matopos, Oct. Gibbs, 254; Mazoe, 4500 ft. Dec. Eyles, 480;  
 Salisbury, Rand, 1377; South Rhodesia, Rand, 263; Odzani  
 River Valley, Umtali, Teague.
- E. milanjiana**, *Rendle.*  
 Fl. Trop. Afr. vii. 63.  
 Chirinda, 3800 ft. Oct. Swyn. 328.
- E. saccatus**, *Rendle.* (*Lissochilus saccatus*, *Rendle.*)  
 Fl. Trop. Afr. vii. 98.  
 South Rhodesia, Rand, 647.
- E. speciosa**, *Bolus.* (*Lissochilus speciosus*, *R. Br.*)  
 Fl. Cap. V. iii. 59; Orchids of S.A.  
 Mazoe, 4800 ft. Nov. Eyles, 463.
- E. Swynnertonii**, *Rendle.*  
 Journ. Linn. Soc. Bot. xl. 207.  
 Mt. Pene, 6500–7000 ft. Sep. Oct. Swyn. 752, 6050.

Genus No.

**E. undulata ?**

Bulawayo, March, Monro, n. sp.? ined.

**E. Welwitschii, Rolfe.**

Fl. Trop. Afr. vii. 61; Cat. Afr. Pl. Welw. ii. 4.

South Rhodesia, Rand, 261.

**E. spp.**

Gwelo, Jan. Gardner, 27.

Salisbury, Rand, 542, 543.

Mazoe, 4300–4800 ft. Dec. Eyles, 474, 491.

Matopos, 5000 ft. Nov. Eyles, 1226, 1227.

Victoria, Monro, 476, 899.

Victoria, Monro, 661, cf. *E. Shupangae*, Kränzl.

South Rhodesia, Rand, 264, 265.

1651—**Pteroglossaspis sp.**

Mazoe, 4300 ft. Jan. Eyles, 501.

1822—**Saccolabium sp ?.**

Mazoe, 4700 ft. Dec. Eyles, 476.

1828—**Angrecum leonis ?.**

Mazoe, 4700 ft. Nov. Eyles, 465.

**A. rhodesianum, Rendle.**

Journ. Linn. Soc. Bot. xl. 208.

Melsetter, 6000 ft. fr. Sep. Swyn. 755, epiphytic on *Brachystegia Randii*.

1837—**Mystacidium sp.**

Mazoe, 4700–5000 ft. Nov. Eyles, 466.

CLASS DICOTYLEDONEAE.

SUB-CLASS ARCHICHLAMYDEAE.

SERIES PIPERALES.

FAMILY LIII.—PIPERACEAE, *L. C. Rich.*

1862—**Piper capense, L.**

Fl. Trop. Afr. VI. i. 146.

Chirinda Forest, 3700–4000 ft. June, Swyn. 66; Mt. Pene, 6500 ft. Swyn. 1097.

1866—**Peperomia brachytrichoides, Engl.**

Victoria Falls, in Palm Kloof, Engler.

**P. mascharena, C. DC.**

Chipete Forest, 3800 ft. May, Swyn. 426; Chirinda Forest, Swyn.

## Genus No.

**P. reflexa**, *A. Dietr.*

Fl. Trop. Afr. VI. i. 155.

Chipete Forest, 3800 ft. May, Swyn. 426a; Chirinda Forest, Swyn.

**P. spp.**

Victoria Falls, in Palm Kloof, April, Flanagan, 3298.

Melsetter, Johnson, 181, cf. *P. arabica*, C. DC.

## SERIES SALICALES.

FAMILY LVI.—SALICACEAE, *Lindl.*1873—**Salix capensis**, *Thunb.*

For. Fl. Cape, 328.

Matopos, Sep. Gibbs, 21; March, Flanagan, 2953; Mazoe, 4300 ft. April, Eyles, 316; Govt. Herb. 924; Odzani River Valley, Umtali, Teague, 125.

**S. ramiflora**, *R. v. Seem.*

Victoria Falls, Engler.

**S. Safsaf**, *Forsk.*

Victoria Falls, Oct. Davy.

**S. spp.**

South Rhodesia, Rand, 219, 403.

## SERIES MYRICALES.

FAMILY LVII.—MYRICACEAE, *Lindl.*1874—**Myrica æthiopica**, *L.*

For. Fl. Port. E. Afr. 107; For. Fl. Cape, 330.

Victoria Falls, on island, Engler; Rogers, 7454; Odzani River Valley, Umtali, Teague, 109.

**M. pilulifera**, *Rendle.*

Mt. Pene, 6500 ft. fl. July, fr. Sep. Swyn. 530, 1735.

var. **puberula** *Rendle.*

Journ. Bot. 1903, 86.

Melsetter, 6000 ft. fr. Sep. Oct. Swyn. 610, 610a; Nyahodi Riv. 5500 ft. Swyn. 623; Mt. Pene, 7000 ft. Swyn. 6084.

## SERIES URTICALES.

FAMILY LXIII.—ULMACEAE, *Mirb.*1898—**Celtis dioica**, *S. Moore.*

Journ. Linn. Soc. xl. 204.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 108, fr. May.

**C. rhamnifolia, Presl.** (*C. kraussiana*, Bernh.)

Nat. Pl. 28; For. Fl. Cape, 306.  
Mazoe, 4600 ft. Aug. Eyles, 399.

**C. spp.**

Gwanda, Noble, 62.  
Lomagundi, Govt. Herb. 993.

1902—**Trema guineensis, Prieuer.**

Chirinda, 3800 ft. April, Swyn. 129.

FAMILY LXIV.—MORACEAE, *Lindl.*1960—**Bosquiea Phoberos, Baill.**

Chipete Forest, 3800 ft. Swyn.; Chirinda Forest, 3500 ft. Swyn.

1961—**Ficus caffra, Miq.**

Victoria Falls, Rogers, 5978, 7464, 7455.

**F. capensis, Thunb.**

For. Fl. Port. E. Afr. 101; For. Fl. Cape, 307; Cat. Afr. Pl. Welw. i. 1016.

Victoria Falls, Engler; Rogers, 5984; Chirinda Forest, 3700–4000 ft. early fr. June, Swyn. 434; Melsetter, Swyn.

**F. capreæfolia, Del.**

Sabi Riv. 1000 ft. fr. Dec. Swyn. 1101.

**F. exasperata, Vahl.**

Cat. Afr. Pl. Welw. i. 1010.

Chirinda Forest, 3700–4000 ft. fl. & fr. Aug. Oct. Swyn. 601.

**F. lutea, Vahl.**

Matopos, fr. Oct. Gibbs, 285; Rogers, 5411; Victoria Falls, Engler; Umtali, Engler.

**F. maschonae, Warb.**

Umtali, Engler.

**F. matabelae, Warb.**

Matopos, Engler; Salisbury, Engler.

**F. natalensis, Hochst.**

For. Fl. Port. E. Afr. 98; For. Fl. Cape, 307.

Matopos, Nov. Marloth, 3404.

**F. Rehmannii, Warb.**

Matopos, Engler.

**F. rhodesiaca, Warb.**

Salisbury, Engler.

**F. salicifolia, Vahl. var. australis, Warb.**

Matopos, Engler.

**F. Sonderi, Miq.**

Matopos, fr. Oct. Gibbs, 26; March, Flanagan, 2977; Rogers, 5251; Bulawayo, Rogers, 6203.

## Genus No.

**var. *villosa*, Warb.**

South Rhodesia, Marloth.

**F. *subcalcarata*, Warb. & Schweinf.**

South Melsetter, Swyn.

**F. *Victoriae*, Warb.**

Victoria Falls, Engler.

**F. spp.**Victoria Falls, April, Flanagan, 3303, cf. *F. Victoriae*, Warb.

Victoria Falls, Allen, 183; Rogers, 5125.

Salisbury, March, Flanagan, 3017, cf. *F. lutea*, Vahl.

Salisbury, Rand, 537, 538.

Victoria, Monro, 361, cf. *F. trachyphylla*, Fenzl.

Victoria, Monro, 390.

Matopos, Rogers, 5198, cf. *F. caffra*, Miq.

Matopos, Rogers, 5354, 5357; Govt. Herb. 899.

Lomagundi, Govt. Herb. 975.

South Rhodesia, Rand, 398, 399.

1966—**Myrianthus arboreus**, Beauv.

Cat. Afr. Pl. Welw. i. 995.

Chirinda Forest, 3700–4000 ft. Sep. Swyn. 111, 111a; Mt. Pene, 6500–7000 ft. Dec. Swyn. 1052.

## FAMILY LXV—URTICACEAE, Endl.

1978—**Urera obovata**, Benth.

Cat. Afr. Pl. Welw. i. 986.

Chirinda Forest, 3700–4000 ft. Jan. Swyn. 1518.

1982—**Fleurya capensis**, Wedd.

Nat. Pl. 577.

Chirinda Forest, 3700–4000 ft. fl. April, fr. May, Swyn. 338, 793.

1992—**Pouzolzia hypoleuca**, Wedd.

Victoria, Monro, 645, 892; Bulawayo, Chubb, 11a; Matopos, Rogers, 5362.

## SERIES PROTEALES.

## FAMILY LXVI.—PROTEACEAE, J. St. Hil.

2034—**Faurea racemosa**, Farmar.

Fl. Trop. Afr. VI. i. 208; Kew Bull. 1908, 58.

Chimanimani Mts. 7000 ft. Sep. Swyn. 639; Mt. Pene, 7000 ft. Oct. Swyn. 6096.

Genus No.

**F. saligna, Harv.**

Fl. Trop. Afr. VI. i. 209; Fl. Cap. V. i. 640; Cat. Afr. Pl. Welw. i. 921; For. Fl. Cape, 297.

Fig-tree, 4500 ft. Dec. Eyles, 156; Matopos, Marloth; Hutchins; Oct. Davy; Oct. Gibbs, 313; Engler; Rusapi, Engler; Victoria, Monro, 782; 617; Kocwe Hills, Govt. Herb. 953; Chirinda, 3500 ft. Sep. Swyn. 42; Chimanimani Mts. 7000 ft. Nov. Swyn. 1796; Odzani River Valley, Umtali, Teague, 139.

**F. speciosa, Welw.**

Fl. Trop. Afr. VI. i. 211; Fl. Cap. V. i. 642; Cat. Afr. Pl. Welw. i. 922.

Mazoe, 4800 ft. Sep. Eyles, 415; Salisbury, March, Flanagan, 3005; Melsetter, 6000 ft. Sep. Oct. Swyn. 625, 626; between Melsetter and Umvumvumvu Riv. Swyn.; Odzani River Valley, Umtali, Teague, 138.

var. *lanuginosa, Hiern.*

Cat. Afr. Pl. Welw. i. 922.

Salisbury, Engler.

**F. usambarensis, Engl.**

Fl. Trop. Afr. VI. i. 210.

Umtali, Engler.

2035—**Protea abyssinica, Willd.**

Fl. Trop. Afr. VI. i. 199; Fl. Cap. V. i. 581.

Matopos, Galpin, 7090; fl. & fr. Oct. Gibbs, 59; Rogers, 153; Nov. Marloth, 3229; Kolbe, 3615; Bulawayo, Kolbe; Chimanimani Mts. Johnson, 131?; Salisbury, Cecil, 260; Umgusa Riv. Baines; Umzingwani Riv. Baines; Odzani River Valley, Umtali, Teague, 272.

**P. angolensis, Welw. var. *albiflora, Engl.***

Odzani River Valley, Umtali, Teague, 93.

**P. grandiflora, Thunb.**

Fl. Cap. V. i. 580; For. Fl. Cape, 296.

Sengwe Riv. Govt. Herb. 955.

**P. madiensis, Oliv.**

Fl. Trop. Afr. VI. i. 204.

Melsetter, 6000 ft. Sep. Swyn. 629; Chimanimani Mts. 7000 ft. Oct. Swyn. 6097.

**P. maschonica, Engl.**

Hartley, Engler; Umtali, Engler.

**P. mellifera, Thunb.**

Fl. Cap. V. i. 576; For. Fl. Cape, 296.

Bulawayo, Engler.

Genus No.

**P. Swynnertonii, S. Moore.**

Journ. Linn. Soc. Bot. xl. 184.

Melsetter, 6000 ft. April, Swyn. 1411.

**P. uhehensis, Engl.**

Fl. Trop. Afr. VI. i. 202.

Chimanimani Mts. 4000 ft. Johnson, 131?; Chirinda, 3800 ft.  
Feb. Swyn. 190.**P. spp.**Mazoe, Jan. Eyles, 515, cf. *P. abyssinica*, Willd.

Gwanda, Noble, 74.

South Rhodesia, Rand, 394.

2036—**Leucospermum saxosum, S. Moore.**

Journ. Linn. Soc. Bot. xl. 185.

Chimanimani Mts. 7000 ft. Sep. Swyn. 652.

## SERIES SANTALALES.

## FAMILY LXVII.—LORANTHACEAE, D. Don.

2074—**Loranthus bulawayensis, Engl.** (*L. kraussianus*, Gibbs.)

Fl. Trop. Afr. VI. i. 364.

Bulawayo, on *Combretum* sp. Marloth, 3378; Chubb, 400;  
Matopos, Gibbs, 274; Umvumvumvu Riv. 4000 ft. Oct. Swyn.  
6001; Victoria, Monro, 717; Victoria Falls, Rogers, 5564.**L. Cecilae, N. E. Br.**

Fl. Trop. Afr. VI. i. 373; Kew Bull. 1906, 168.

Bulawayo, Cecil, 96.

**L. Dregei, Eckl. & Zeyh.**

Fl. Trop. Afr. VI. i. 311; Fl. Cap. ii. 575; Nat. Pl. 312.

Matopos, Engler; Sebakwe, 4000 ft. Oct. Eyles, 177.

var. **subcuneifolius, Sprague.**

Fl. Trop. Afr. VI. i. 312.

Matopos, Oct. Gibbs, 181.

**L. erianthus, Sprague.**

Fl. Trop. Afr. VI. i. 359.

Bulawayo, Chubb, 14a; Rogers, 5643; Sebakwe, Rogers; Victoria, Monro, 316, 827?

**L. Eylesii, Sprague.**

Fl. Trop. Afr. VI. i. 343; Kew Bull. 1911, 146.

Bulawayo, 4500 ft. Feb. Eyles, 1194; Victoria, Monro, 808.

**L. guttatus, Sprague.**

Fl. Trop. Afr. VI. i. 350; Kew Bull. 1911, 147.

Mazoe, 4700 ft. April, Eyles, 369.

Genus No.

- L. kalachariensis**, Schinz. (*L. curviflorus*, Schinz.)  
Fl. Trop. Afr. VI. i. 280.  
Bulawayo, 4500 ft. May, on *Acacia* sp. Eyles, 78; Chubb, 313;  
Rand, 393; Rogers, 5644?; Matopos, Davy; Tuli Riv. Penther,  
1626; Victoria Falls, July, Kolbe, 3184.
- L. kraussianus**, Meisn.  
Fl. Cap. ii. 577; Nat. Pl. 76.  
Mazoe, 4800 ft. April, Eyles, 301.
- L. mweroensis**, Baker.  
Fl. Trop. Afr. VI. i. 304.  
Salisbury, on *Protea* sp. Rand, 532.
- L. namaquensis**, Harv. (*L. Meyeri*, Presl.)  
Fl. Trop. Afr. VI. i. 361; Fl. Cap. ii. 577; Cat. Afr. Pl. Welw.  
i. 932.  
Victoria Falls, April, Flanagan, 3280; on *Salix* sp. Rogers, 5391.  
7225, 5588; Bulawayo, Rogers, 5822.
- L. quinquangulus**, Engl. & Schinz, var. *pedicellatus*, Sprague.  
(*L. zambesicus*, Gibbs.)  
Fl. Trop. Afr. VI. i. 362; Journ. Linn. Soc. Bot. xxxvii. 467.  
Victoria Falls, Allen, 138; fl. & fr. Sep. Gibbs, 140.
- L. Swynnertonii**, Sprague.  
Fl. Trop. Afr. VI. i. 390; Journ. Linn. Soc. Bot. xl. 188.  
Chirinda Forest, 3700–4000 ft. on *Vernonia podocoma*, Sch. Bip.  
Dec. Swyn. 141; also parasitic on peach-trees, Swyn.
- L. virescens**, N. E. Br.  
Fl. Trop. Afr. VI. i. 309; Kew Bull. 1906, 168.  
Salisbury, Rand, 1374, on *Grewia* sp.; Cecil, 147.
- L. spp.**  
Mazoe, March, Flanagan, 3022; Govt. Herb. 930.  
Inyoka, Govt. Herb. 950.  
Lomagundi, Govt. Herb. 989.  
South Rhodesia, Rand, 222, 391.
- 2093—**Viscum combreticola**, Engl. (*V. dichotomum*, Don.)  
Fl. Trop. Afr. VI. i. 404; Fl. Cap. ii. 581.  
Mazoe, 5000 ft. fr. Nov. Eyles, 456; Harvest Valley, Rogers,  
13577.
- V. matabelense**, Engl.  
Fl. Trop. Afr. VI. i. 410.  
Matopos, 5000 ft. Engler, 2846a.
- V. Menyharthii**, Engl. & Schinz.  
Fl. Trop. Afr. VI. i. 410.  
Matopos, on *Croton gratissimus*, Burch. Gibbs, 16.

Genus No.

**V. tuberculatum, A. Rich.**

Fl. Trop. Afr. VI. i. 396.

Matopos, Engler.

**V. verrucosum, Harv.**

Fl. Trop. Afr. VI. i. 408; Fl. Cap. ii. 581.

Matopos, Galpin, 7087; fl. & fr. Sep. Gibbs, 65; Bulawayo, 4500 ft. Dec. on *Acacia* sp. Eyles, 1139; Rogers, 5642.**V. sp.**

South Rhodesia, Rand, 393.

FAMILY LXIX.—SANTALACEAE, *R. Br.*2104—**Colpoon compressum, Berg.**

For. Fl. Cape, 303.

Matopos, Oct. Gibbs, 183; Engler; Govt. Herb. 891; Lomagundi, Govt. Herb. 974.

2108—**Osyris abyssinica, Hochst.**

Fl. Trop. Afr. VI. i. 433; Cat. Afr. Pl. Welw. i. 938.

Melsetter, 6000 ft. Sep. Swyn. 622; North Melsetter, 5000-6000 ft. fr. Oct. Swyn. 6102; Victoria, Monro, 643; Bulawayo, Rogers, 13677\*.

2118—**Thesium brevibarbatum, Pilger.**

Fl. Trop. Afr. VI. i. 416.

Umtali, 3900 ft. Sep. Engler, 3176.

**T. goetzeanum, Engl.**

Fl. Trop. Afr. VI. i. 418.

Between Hartley &amp; Gadzema, 5000 ft. Engler, 3013; Matopos, 5000 ft. Nov. Eyles, 1146; Salisbury, Marshall.

**T. gracile, A. W. Hill.**

Fl. Trop. Afr. VI. i. 419; Kew Bull. 1910, 185.

Sebakwe, 4000 ft. Dec. Eyles, 85.

**T. multiramulosum, Pilger.**

Fl. Trop. Afr. VI. i. 419.

Umtali, 3900 ft. Engler, 3138, 3146.

**T. rhodesiacum, Pilger.**

North of Hartley, Engler.

**T. Rogersii, A. W. Hill.**

Fl. Trop. Afr. VI. i. 1059; Kew Bull. 1913, 78.

Victoria Falls, on island, Rogers, 5467.

**T. scabridulum, A. W. Hill.**

Fl. Trop. Afr. VI. i. 424; Journ. Linn. Soc. Bot. xl. 189.

Melsetter, 6000 ft. fl. &amp; fr. Sep. Swyn. 2124.

Genus No.

**T. sp.**

South Rhodesia, Rand, 206.

FAMILY LXXI.—OPILIACEAE, *Valeton.*

2122—**Opilia amentacea**, *Roxb.*

Fl. Trop. Afr. i. 352; For. Fl. Port. E. Afr. 30; Cat. Afr. Pl. Welw. i. 142.

Sabi Riv. 1000 ft. Nov. Swyn. 1204.

FAMILY LXXII.—OLACACEAE, *Lindl.*

2131—**Olax dissitiflora**, *Oliv.*

Fl. Trop. Afr. i. 350; For. Fl. Port. E. Afr. 30.

Matopos, Oct. Gibbs, 263; Victoria Falls, Gibbs; Rogers, 7462; Victoria Monro, 560.

2136—**Ximenia americana**, *L.*

Fl. Trop. Afr. i. 346; For. Fl. Port. E. Afr. 30.

Victoria Falls, Sep. Galpin, 7060; Rogers, 5997; Chirinda, 3500 ft. Oct. Swyn. 175; Bulawayo, Monro, 64; Chubb, 332, 354; Rand, May, 423, cf. var. *microphylla*, Welw.

**X. caffra**, *Sond.*

Fl. Cap. i. 235; For. Fl. Port. E. Afr. 30.

Victoria Falls, Sep. Gibbs, 130; Allen, 159; Rogers, 5468, 5985; Matopos, Engler; Gibbs; Gwanda, Noble, 46; Victoria, Monro, 640; Bulawayo, Monro, 37, 82.

**X. spp.**

Bulawayo, Monro, 1; Chubb, 340.

Umtali, Swyn. 6619, cf. *X. americana*, L.

SERIES ARISTOLOCHIALES.

FAMILY LXXV.—RAFFLESIACEAE, *Dumort.*

2179—**Pilostyles aethiopica**, *Welw.*

Fl. Trop. Afr. VI. i. 131; Cat. Afr. Pl. Welw. i. 908.

Victoria, Monro, 962, 457, on *Brachystegia* sp.

FAMILY LXXVI.—HYDNORACEAE, *Solms-Laub.*

2182—**Hydnora africana**, *Thunb.*

Fl. Cap. V. i. 486; Cat. Afr. Pl. Welw. i. 910.

Bulawayo, Monro.

## SERIES POLYGONALES.

FAMILY LXXVII.—POLYGONACEAE, *Lindl.*

Genus No.

2195—**Rumex abyssinicus**, *Jacq.*

Fl. Trop. Afr. VI. i. 114; Cat. Afr. Pl. Welw. i. 905.  
Melsetter, 6000 ft. April, Swyn. 1506.

**R. nepalensis**, *Spreng.*

Fl. Trop. Afr. VI. i. 117; Fl. Cap. V. i. 473.  
Salisbury, Rogers, 4085.

2201—**Polygonum acuminatum**, *H. B. & K.*

Fl. Trop. Afr. VI. i. 112.

Upper Buzi, 3000 ft. June, Swyn. 356; Chirinda Forest,  
3700–4000 ft. Dec. Swyn. 1512.

**P. aviculare**, *L.*

Fl. Trop. Afr. VI. i. 105; Fl. Cap. V. i. 464.  
Bulawayo, 4500 ft. Aug. Eyles, 1245; Rogers, 5518, 13622;  
Chubb, 35; Victoria, Monro, 85.

**P. barbatum**, *L.*

Fl. Trop. Afr. VI. i. 109; Fl. Cap. V. i. 467.  
Victoria Falls, Engler; Salisbury, Rogers, 4083 ?; Bulawayo,  
Rogers, 13620.

**P. plebeium**, *R. Br.* (*P. herniaroides*, Del.)

Fl. Trop. Afr. VI. i. 105.  
Matopos, Sep. Gibbs, 63; Gwelo, Jan. Gardner, 44.

**P. serrulatum**, *Lag.*

Fl. Trop. Afr. VI. i. 107; Fl. Cap. V. i. 467.  
Victoria Falls, Rogers, 5030, 5575, 5578, 6016; Salisbury,  
Rogers, 4084; Odzani River Valley, Umtali, Teague, 183.

**P. tomentosum**, *Willd.*

Fl. Trop. Afr. VI. i. 110; Fl. Cap. V. i. 468; Cat. Afr. Pl. Welw.  
i. 905.  
Matopos, March, Flanagan, 2959; Rogers, 5647; Victoria Falls,  
Rogers, 5625, 7176; Salisbury, Marshall.

**P. sp.**

South Rhodesia, Rand, 223.

2204—**Oxygonum alatum**, *Burch.*

Fl. Trop. Afr. VI. i. 99; Fl. Cap. V. i. 460; Cat. Afr. Pl. Welw.  
i. 902.

Victoria Falls, Allen, 287.

**O. dregeanum**, *Meisn.*

Fl. Cap. V. i. 461.

Redbank, April, Flanagan, 3183.

Genus No.

**O. pubescens**, C. H. Wright.

Fl. Trop. Afr. VI. i. 101; Kew Bull. 1909, 187.

Between Salisbury and Headlands, Cecil, 155; between Salisbury and Umtali, Cecil, 44; Umtali, Cecil, 235a.

**O. Zeyheri**, Sond.

Fl. Cap. V. i. 460.

Bulawayo, Jan. Gardner, 61.

**O. spp.**

Victoria Falls, Rogers, 7198, probably n. sp.

Between Bulawayo and Plumtree, April, Flanagan, 3182.

SERIES CENTROSPERMAE.

FAMILY LXXVIII.—CHENOPODIACEAE, Less.

2223—**Chenopodium Botrys**, L.

Fl. Trop. Afr. VI. i. 79; Fl. Cap. V. i. 439.

Matopos, Rogers; Odzani River Valley, Umtali, Teague, 199.

**C. schraderianum**, Roem. & Schultes. (*C. fætidum*, Schrad.; *C. graveolens*, Lag. & Rodr.)

Fl. Trop. Afr. VI. i. 80; Fl. Cap. V. i. 439; Cat. Afr. Pl. Welw. i. 898.

Melsetter, 6000 ft. April, Swyn. 1507.

**C. sp.**

Mazoe, 4700 ft. Aug. Eyles, 180.

2240—**Kochia decumbens** (Hochst.), Torre & Harms. (*Pentodon decumbens*, Hochst.)

Victoria, Monro, 925.

FAMILY LXXIX.—AMARANTACEAE, Juss.

2292—**Celosia trigyna**, L.

Fl. Trop. Afr. VI. i. 19; Fl. Cap. V. i. 404; Cat. Afr. Pl. Welw. i. 884.

Matopos, March, Flanagan, 2941, 2951; Victoria Falls, April, Flanagan, 3294; Rogers, 7141; May, Eyles, 143; between Wankie and Victoria Falls, Rogers, 5272; Chipete Forest, 3800 ft. April, May, Swyn. 507; Upper Buzi, 3000 ft. Swyn. 1514; Matabeleland, Holub.

**C. sp.**

South Rhodesia, Rand, 201.

Genus No.

2293—***Hermbstædtia elegans*, Moq.**

Fl. Trop. Afr. VI. i. 26; Fl. Cap. V. i. 407.

Bulawayo, Rogers, 5928.

2299—***Amarantus græcizans*, L. (A. *Thunbergii*, Moq.)**

Fl. Trop. Afr. VI. i. 34; Fl. Cap. V. i. 411; Cat. Afr. Pl. Welw. i. 887.

Matopos, Rogers, 5247; Gwelo, Sr. Phil. 6; Chirinda, 3800 ft. May, Swyn. 463; Salisbury, Govt. Herb. 605.

***A. viridis*, L.**

Fl. Trop. Afr. VI. i. 33; Fl. Cap. V. i. 411; Cat. Afr. Pl. Welw. i. 888.

Victoria Falls, Rogers, 7066.

2309—***Cyphocarpa angustifolia*, Lopr. (*Sericocoma angustifolia*, Hook. f.)**

Fl. Trop. Afr. VI. i. 53; Fl. Cap. V. i. 415; Cat. Afr. Pl. Welw. i. 889.

Bulawayo, 4500 ft. Dec. Eyles; Gardner, 87; Victoria Falls, April, Flanagan, 3204; Victoria, Monro, 927.

2312—***Cyathula cylindrica*, Moq.**

Fl. Trop. Afr. VI. i. 46; Fl. Cap. V. i. 420.

Mazoe, 5000 ft. March, Eyles, 249.

***C. prostrata*, Blume.**

Fl. Trop. Afr. VI. i. 43.

Chirinda Forest, 3700–4000 ft. April, May, Swyn. 269a, 340.

2317—***Ærya lanata*, Juss.**

Fl. Trop. Afr. VI. i. 39; Fl. Cap. V. i. 426.

Bulawayo, 4500 ft. Eyles, 83.

***Æ. leucura*, Moq.**

Fl. Trop. Afr. VI. i. 39; Fl. Cap. V. i. 426.

Mazoe, 4500 ft. March, Eyles, 276; Matopos, March, Flanagan, 2952; Rogers, 5165; Plumtree, April, Flanagan, 3208; Salisbury, May, Flanagan, 3271; Victoria, Monro, 372; Odzani River Valley, Umtali, Teague, 107.

***Æ. sp.***

South Rhodesia, Rand, 203.

2324—***Psilotrichum gracilentum*, C. B. Cl.**

Fl. Trop. Afr. VI. i. 59.

Umvumvumvu Riv. 4000 ft. April, Swyn. 777; North Melsetter, 5000–6000 ft. Oct. Swyn. 6640.

2328—***Achyranthes aspera*, L.**

Fl. Trop. Afr. VI. i. 63; Fl. Cap. V. i. 428; Cat. Afr. Pl. Welw. i. 893.

Bulawayo, 4700 ft. Feb. Eyles, 105; Victoria Falls, fl. &amp; fr. Sep. Gibbs, 171; Engler; Rogers, 5056; Mazoe, March, Eyles, 299.

Genus No.

var. **argentea**, C. B. Cl. (*A. argentea*, Lam.)

Fl. Trop. Afr. VI. i. 63.

Mazoe, 4800 ft. March, Eyles, 298; Odzani River Valley, Umtali, Teague, 81.

var. **pinguispicata**, C. B. Cl.

Matabeleland, Oates.

**A. bidentata**, Blume.

Fl. Trop. Afr. VI. i. 64; Cat. Afr. Pl. Welw. i. 894.

Chirinda Forest, 3700–4000 ft. June, Swyn. 1510.

**A. leptostachya**, E. Mey. (*Achyropsis leptostachya*, Hook. f.)

Fl. Trop. Afr. VI. i. 66; Fl. Cap. V. i. 430.

Shashi Riv. Holub.

**A. sp.**

Mazoe, 5200 ft. Jan. Eyles, 520.

2335—**Alternanthera echinata**, Smith. (*A. achyrantha*, R. Br.)

Fl. Trop. Afr. VI. i. 74; Fl. Cap. V. i. 432; Cat. Afr. Pl. Welw. i. 896.

Victoria Falls, Rogers, 7193; Bulawayo, Rogers, 13621; Hartley, Mundy.

**A. nodiflora**, R. Br.

Fl. Trop. Afr. VI. i. 73.

Victoria, Monro, 944; Salisbury, Rogers.

**A. sessilis**, R. Br.

Fl. Cap. V. i. 432.

Victoria Falls, Sep. Gibbs, 121.

FAMILY LXXX.—NYCTAGINACEAE, Lindl.

2349—**Boerhavia pentandra**, Burch. (*B. grandiflora*, A. Rich.)

Fl. Trop. Afr. VI. i. 7; Fl. Cap. V. i. 396.

Bulawayo, 4500 ft. Dec. Eyles, 19; Aug. 1228; Gwelo, Sr. Phil. 56; Victoria Falls, Rogers, 7419?

**B. plumbaginea**, Cav. (*B. dichotoma*, Vahl.)

Fl. Trop. Afr. VI. i. 7; Cat. Afr. Pl. Welw. i. 883.

Gwelo, Gardner, 20; Mazoe, 5100 ft. April, Eyles, 333.

**B. repens**, L. var. **diffusa**, Hook. f.

Fl. Trop. Afr. VI. i. 5; Fl. Cap. V. i. 395.

Victoria Falls, Rogers, 5628?

FAMILY LXXXIII.—PHYTOLACCACEAE, Lindl.

2376—**Limeum fenestrata** (*Fenzl.*), Torre & Harms. (*Semonvillea fenes-trata*, Fenzl.)

Fl. Cap. i. 152.

North of Bulawayo, 3400 ft. Dec. Eyles, 1133; Victoria Falls, April, Flanagan, 3307; Rogers, 5607, 7264, 7436, 7207.

Genus No.

**L. viscosum, Fenzl.**

Fl. Trop. Afr. ii. 595; Cat. Afr. Pl. Welw. i. 421.

Shashi Riv. Jan. Rand, 57; Salisbury, March, Flanagan, 3006.

2380—**Phytolacca dodecandra, L'Hérit.** (*P. abyssinica*, Hoffm.)

Fl. Trop. Afr. VI. i. 97; Fl. Cap. i. 157, &amp; V. i. 457; Nat. Pl. 263; Cat. Afr. Pl. Welw. i. 901.

Salisbury, Engler; Lusitu Riv. 3000 ft. fl. &amp; fr. Sep. Oct. Swyn. 2118; Victoria Falls, Rogers, 7255\*.

**P. sp.**

Salisbury, March, Flanagan, 2998.

2382—**Gieseckia pharnaceoides, L.**

Fl. Trop. Afr. ii. 593; Cat. Afr. Pl. Welw. i. 419,

Shashi Riv. Jan. Rand. 56; Gwai, April, Flanagan, 3289; Victoria Falls, April, Flanagan, 3242; Rogers, 7263, 7005; Victoria, Monro, 881.

**G. spp.**

Bulawayo, Jan. Gardner, 4; Malindi, Jan. Allen, 235.

## FAMILY LXXXIV.—AIZOACEAE, A. Br.

2387—**Mollugo Cerviana, Seringe.**

Fl. Trop. Afr. ii. 591; Fl. Cap. i. 138; Cat. Afr. Pl. Welw. i. 417. Salisbury, Rogers.

**M. hirta, Thunb. var. *virens*, Fenzl.** (*M. Glinus*, A. Rich.; *Glinus lotoides*, L.)

Fl. Trop. Afr. ii. 590; Fl. Cap. i. 137; Cat. Afr. Pl. Welw. i. 416. Bulawayo, May, Rand, 331.

**M. nudicaulis, Lam.**

Fl. Trop. Afr. ii. 591; Cat. Afr. Pl. Welw. i. 417.

Victoria Falls, Rogers, 5701.

2388—**Glinus sp.**Victoria Falls, Allen, 284, cf. *G. Bainesii*, Pax.2389—**Pharnaceum verrucosum, E. & Z.** (*P. salsolooides*, Burch; *Hyper-telis verrucosa*, Fenzl.)

Fl. Trop. Afr. ii. 592; Fl. Cap. i. 144; Cat. Afr. Pl. Welw. i. 418.

Victoria, Monro, 850; Salisbury, Rogers, 5520.

**P. Zeyheri, Sond.**

Fl. Cap. i. 141.

Matopos, Sep. Oct. Gibbs, 45; Engler.

2393—**Orygia decumbens, Forsk.**

Fl. Trop. Afr. ii. 589; Fl. Cap. i. 136; Cat. Afr. Pl. Welw. i. 415.

Bulawayo, 4500 ft. Dec. Eyles, 30.

Genus No.

2405—**Mesembrianthemum Mahoni, N. E. Br.**

Gard. Chron. 1902, ii. 190.

Odzani River Valley, Umtali, Teague.

**M. sp.**

Matopos, Nov. Eyles, 1190.

FAMILY LXXXV.—PORTULACACEAE, *Reichb.*

2406—**Talinum caffrum, E. & Z.** (*Portulaca caffra*, Thunb.)

Fl. Trop. Afr. i. 150; Fl. Cap. ii. 385; Nat. Pl. 593; Cat. Afr. Pl. Welw. i. 54.

Bulawayo, Dec. Gardner, 67; Rogers, 5913; Victoria Falls, Rogers, 5623.

2412—**Anacampseros rhodesica, N. E. Br.**

Kew Bull. 1914, 132.

Matopos, J. G. McDonald & W. E. Dowsett; Salisbury, Mundy.

FAMILY LXXXVII.—CARYOPHYLLACEAE, *Reichb.*

2455—**Polycarpaea corymbosa, Lam.** (*Polia arenaria*, Lour.)

Fl. Trop. Afr. i. 145; Fl. Cap. i. 133; Cat. Afr. Pl. Welw. i. 51.

Bulawayo, May, Rand, 350; Victoria Falls, April, Flanagan, 3030; Rogers, 7028; Mazoe, 4400 ft. April, Eyles, 310; Victoria, Monro, 952; Chimanimani Mts. 7000 ft. Sep. Swyn. 1804.

2467—**Pollichia campestris, Ait.**

Fl. Trop. Afr. VI. i. 10; Fl. Cap. i. 133, & V. i. 399.

Victoria Falls, on islands, Sep. Gibbs, 118; Engler.

2469—**Corriola drymarioides, Bak. f.**

Journ. Linn. Soc. Bot. xl. 181.

Chimanimani Mts. 7000 ft. fl. & fr. Sep. Swyn. 2159.

**C. litoralis, L.**

Fl. Trop. Afr. VI. i. 12; Fl. Cap. i. 132, and V. i. 401.

Bulawayo, 4500 ft. Aug. Eyles, 1241; Macheke, Engler; Victoria, Monro, 364; Salisbury, Rogers.

2490—**Silene Burchellii, Otth.**

Fl. Trop. Afr. i. 139; Fl. Cap. i. 128; Cat. Afr. Pl. Welw. i. 49.

Gwelo, Jan. Gardner, 23; Salisbury, Engler; Rand, 1389; Mt. Pene, 7000 ft. Oct. Swyn. 6069; Harvest Valley, Rogers.

## SERIES RANALES.

## FAMILY LXXXVIII.—NYMPHAEACEAE, DC.

Genus No.

2513—**Nymphaea lotus**, L.

Fl. Trop. Afr. i. 52; Cat. Afr. Pl. Welw. i. 22.  
North of Bulawayo, Engler.

**N. stellata**, Willd. (*N. malabarica*, Poir.)

Fl. Trop. Afr. i. 52; Fl. Cap. i. 14; Nat. Pl. 33; Cat. Afr. Pl. Welw. i. 22; also see note in Kew Bull. 1906, 183.  
Matopos, Marloth; 4600 ft. April, Eyles, 35; Rogers; Bulawayo, Engler; Salisbury, May, Flanagan, 3248; South Rhodesia, Rand, 16.

## FAMILY XCI.—RANUNCULACEAE, Juss.

2541—**Anemone peneensis**, E. G. Baker.

Journ. Linn. Soc. Bot. xl. 16.  
Mt. Pene, 6500 ft. Sep. Swyn. 783.

2542—**Clematis brachiata**, Thunb.

Fl. Cap. i. 2.  
Bulawayo, Chubb, 19.

**C. Kirkii**, Oliv.

Fl. Trop. Afr. i. 5.  
Salisbury, Darling, in Herb. Bolus, 10797; between Bulawayo and Victoria Falls, Davy; Mazoe, May, Flanagan, 3200; Chirinda, Swyn.; Odzani River Valley, Umtali, Teague, 23.

**C. orientalis**, L.

Cat. Afr. Pl. Welw. i. 3.  
Victoria, Monro, 1002.

**C. simensis**, Fres. (*C. orientalis*, L. var. *simensis*, O. Kuntze.)

Fl. Trop. Afr. i. 6; Cat. Afr. Pl. Welw. i. 3.  
Chirinda, Swyn.

**S. Stanleyi**, Hook. (*C. villosa*, DC.)

Fl. Trop. Afr. i. 6; Fl. Cap. i. 2; Cat. Afr. Pl. Welw. i. 2.  
Salisbury, Dec. Rand, 1 and 436; Bulawayo, 4500 ft. Eyles, 1121; Monro, 108; Matopos, 4500 ft. Feb. Eyles, 1172; Rogers, 5266; Umtali, Engler; Chirinda, Swyn.; South Rhodesia, Rand, 289.

**C. Thunbergii**, Steud. (*C. orientalis*, L. var. *Thunbergii*, O. Kuntze.)

Fl. Trop. Afr. i. 6; Fl. Cap. i. 2; Cat. Afr. Pl. Welw. i. 3.  
Victoria Falls, April, Flanagan, 3244, 3238; Mazoe, 4300 ft. April, Eyles, 326; Victoria, Monro, 1002; Odzani River Valley, Umtali, Teague, 210.

Genus No.

**C. virona, L.**

South Rhodesia, Rand, 288.

**C. wightiana, Wall.**

Chirinda, Swyn.

**C. spp.**Gwelo, Jan. Gardner, 9, cf. *C. Kirkii*, Oliv.

Mazoe, 4800–5000 ft. March, Eyles, 281, probably n. sp.

Salisbury, May, Flanagan, 3199 (same as Eyles 281).

Victoria Falls, Rogers, 5077.

2546—**Ranunculus pinnatus, Poir.** (*R. pubescens*, Thunb.)

Fl. Trop. Afr. i. 9; Fl. Cap. i. 6; Cat. Afr. Pl. Welw. i. 4.

Salisbury, Dec. Rand, 79; July, Rand, 435; Bulawayo, May, Rand, 287; Gwelo, Jan. Gardner, 25; Mazoe, 4500 ft. Nov. Eyles, 450.

**R. plebeius, R. Br.**

Fl. Cap. i. 6.

Chirinda Forest, 3700–4000 ft. Swyn. 345.

2548—**Thalictrum rhynchocarpum, Dill. & Rich.**

Fl. Trop. Afr. i. 8.

Chipete and Chirinda, Swyn.

## FAMILY XCIV.—MENISPERMACEAE, DC.

2570—**Cocculus villosus, DC.** (*Cebatha hirsuta*, O. Kuntze.)

Fl. Trop. Afr. i. 45; Cat. Afr. Pl. Welw. i. 18.

Sabi Riv. 1000 ft. fr. Nov. Swyn. 1756a.

2574—**Cissampelos Pareira, L.**

Fl. Trop. Afr. i. 45; Fl. Cap. i. 11; Cat. Afr. Pl. Welw. i. 18.

North of Hartley, Engler; Victoria Falls, Rogers, 5616.

var. **mucronata, Engl.** (*C. mucronata*, A. Rich.)

Matopos, Oct. Gibbs, 243; Chipete Forest, 3800 ft. Jan. Swyn.

220; Chirinda, Swyn.

**C. torulosa, E. Mey.**

Fl. Trop. Afr. i. 46; Fl. Cap. i. 11.

Chipete Forest, 3800 ft. Jan. Swyn. 218, 219.

2577—**Tiliacora funifera, Oliv.**

Fl. Trop. Afr. i. 44.

Victoria Falls, Rain Forest, male, Sep. Gibbs, 302; Kirk;

Chirinda, Swyn.

2594—**Dioscoreophyllum chirindense, Swyn.**

Journ. Linn. Soc. Bot. xl. 19.

Chirinda Forest, 3700–4000 ft. fl. Jan. and March, Swyn. 100, 100a, fr. Dec. Swyn. 6521.

FAMILY XCVIII.—*ANONACEAE*, *L. C. Rich.*

Genus No.

2673—**Uvaria gazensis**, *Swyn. & E. G. Baker.*

Journ. Linn. Soc. Bot. xl. 17.

Chirinda, 3700–4000 ft. Oct. Swyn. 1326.

2691—**Popowia obovata**, *Engl. & Diels.*Victoria Falls, Allen, 144; Rogers, 7081, 5540, 5618; Sebawke,  
4000 ft. Dec. Eyles, 162; Chikore, 3000 ft. April, Swyn.  
187.2716—**Hexalobus senegalensis**, *A. DC.*

Fl. Trop. Afr. i. 27.

Matopos, Oct. Gibbs, 217; Sep. Galpin, 7086.

2724—**Artobotrys brachypetala**, *Benth.*

Fl. Trop. Afr. i. 28; For. Fl. Port. E. Afr. 8.

Matopos, Oct. Gibbs, 252; Victoria, Monro, 795.

**A. Monteiroae**, *Oliv.*

Chimanimani Mts. 7000 ft. Sep. Swyn. 1764.

2729—**Anona senegalensis**, *Pers.*Fl. Trop. Afr. i. 16; Fl. Cap. ii. 583; Cat. Afr. Pl. Welw. i. 8;  
For. Fl. Port. E. Afr. 7.Matopos, Davy; Oct. Gibbs, 256; Gwai Forest, 3600 ft. Allen,  
240; Hartley, Engler; Salisbury, Rand, 1342; Victoria,  
Monro, 305, 565; Chirinda, 3500 ft. Swyn. 191.var. **rhodesiaca**, *Engl. & Diels.*

Salisbury, Sep. Engler, 3080; Matopos, Nov. Marloth, 3376.

FAMILY CI.—*MONIMIACEAE*, *Dumort.*2759a—**Xymalos monospora**, *Baill.*Fl. Trop. Afr. VI. i. 169; Fl. Cap. V. i. 493; For. Fl. Cape, 288.  
Chirinda Forest, 3700–4000 ft. June, 663; Chimanimani Mts.  
7000 ft. Sep. Swyn. 1112; Chipete Forest, Swyn.FAMILY CII.—*LAURACEAE*, *Lindl.*2825—**Cassytha ciliolata**, *Nees.* (*C. capensis*, Meisn.)

Fl. Cap. V. i. 501.

Victoria Falls, April, Flanagan, 3275.

**C. filiformis**, *L.*Fl. Trop. Afr. VI. i. 188; Fl. Cap. V. i. 500; Cat. Afr. Pl. Welw.  
i. 915.

Victoria Falls, Rogers, 5596.

FAMILY CIII.—HERNANDIACEAE, Dumort.

Genus No.

2830—**Gyrocarpus** sp.

Victoria Falls, Allen, 401. This "may possibly belong to *G. asiaticus*, Willd. The fruits, however, differ in being glabrous." Fl. Trop. Afr. VI. i. 190.

SERIES RHOEADALES.

FAMILY CIV.—PAPAVERACEAE, B. Juss.

2852—**Argemone mexicana**, L.

Fl. Trop. Afr. i. 54; Cat. Afr. Pl. Welw. i. 23.  
Bulawayo, Rogers.

FAMILY CV.—CRUCIFERAE, B. Juss.

2875—**Heliophila** sp.

South Rhodesia, Rand, 96.

2949—**Brassica** spp.

Mazoe, 4800 ft. March, Eyles, 295; Bulawayo, Rogers, 5756;  
Salisbury, Rogers, 5770.

2965—**Nasturtium officinale**, E. Mey.

Fl. Cap. i. 21; Harv. Gen. S.A. Pl. 7.  
Bulawayo, Jan. Rand, 21.

FAMILY CVII.—CAPPARIDACEAE Linell.

3082—**Cleome hirta**, Oliv.

Fl. Trop. Afr. i. 81; Cat. Afr. Pl. Welw. i. 28.  
Victoria Falls, Allen, 108; Rogers, 7257, 6007; Bulawayo, Jan.  
Gardner, 59; Matopos, Rogers, 5151, 5161a.

**C. maculata**, Szyszyl. (*Tetratelia maculata*, Sond.)

Fl. Cap. i. 58.  
Shashi Riv. Jan. Rand, 22.

**C. monophylla**, L.

Fl. Trop. Afr. i. 76; Fl. Cap. i. 156.  
Bulawayo, Dec. Rand, 73; Chubb, 13a; Dec. Eyles, 8; Rogers,  
5757; Matopos, Flanagan, 2986; Redbank, April, Flanagan,  
3185; Victoria, Monro, 817; Victoria Falls, Rogers, 5579.

Genus No.

3087—**Gynandropsis pentaphylla**, DC. (*Pedicellaria pentaphylla*, Schrank.)

Fl. Trop. Afr. i. 82; Fl. Cap. i. 55.

Bulawayo, 4500 ft. Dec. Eyles, 1126; Jan. Rand, 23; Rogers, 5912; Victoria Falls, April, Flanagan, 3206; Chimanimani Mts. Swyn.

3101—**Capparis tomentosa**, Lam.

Fl. Trop. Afr. i. 96; Cat. Afr. Pl. Welw. i. 31.

Victoria Falls, fl. & fr. Sep. Gibbs, 138; Allen, 170; Sebakwe, 4000 ft. Oct. Eyles, 173; Victoria, Monro, 318, 563, 829, 521; Bulawayo, Chubb, 342.

**C. spp.**

Victoria, Monro, 448, 432.

3108—**Courbonia decumbens**, Brongn.

Fl. Trop. Afr. i. 88; For. Fl. Port. E. Afr. 10.

Sabi Riv. 1000 ft. fr. Nov. Swyn. 1207, 1384.

3109—**Cadaba juncea**, Hook. (*Schepperia juncea*, DC.)

Fl. Cap. i. 59; For. Fl. Cape, 121.

Bulawayo, Chubb, 347.

**C. natalensis**, Sond.

Fl. Cap. i. 59; Nat. Pl. 261; For. Fl. Cape, 121.

Bulawayo, 4500 ft. Oct. Eyles, 1087; Monro, 101.

3113—**Mærua arenicola**, Gilg.

Victoria, Monro, 789.

**M. caffra** (Bernh.), Pax. (*Niebhuria triphylla*, Wendl.)

Bulawayo, Engler.

**M. maschonica**, Gilg.

Umtali, Engler.

**M. nervosa**, Oliv. (*Niebhuria nervosa*, Hochst.)

Fl. Trop. Afr. i. 84; Nat. Pl. 260; For. Fl. Port. E. Afr. 9; Fl. Cap. i. 60.

Matopos, Galpin, 6967; Sabi Riv. Swyn.; Victoria, Monro, 302, 432, 448; Bulawayo, Monro, 85, 86.

var. **flagellaris**, Oliv.

Fl. Trop. Afr. i. 84.

Bulawayo, Rand, Sep. 576; Matopos, Oct. Gibbs, 205; Victoria, Monro, 364.

**M. sp.**

Victoria, Monro, 318.

3113—**Thylachium verrucosum**, Klotzsch. (*T. africanum*, Lour.)

Fl. Trop. Afr. i. 82; For. Fl. Port. E. Afr. 9.

Sabi Riv. 1000 ft. fr. Nov. Swyn. 1206.

## SERIES SARRACENIALES.

## FAMILY CXII.—DROSERACEAE, DC.

Genus No.

3136—**Drosera burkeana**, *Planch.*

Fl. Cap. i. 76; Fl. Trop. Afr. ii. 402.

Victoria Falls, Rogers\*.

**D. indica**, *L.*

Fl. Trop. Afr. ii. 402.

Victoria, Monro, 1032.

**D. ramentacea**, *Burch.*

Fl. Trop. Afr. ii. 403; Fl. Cap. i. 77.

Matopos, 5000 ft. April, Eyles, 53.

**D. sp.**

Matopos, 4500 ft. Nov. Eyles, 1099.

## SERIES ROSALES.

## FAMILY CXIII.—PODOSTEMONACEAE, L. C. Rich.

3140—**Tristicha alternifolia**, *Tul.*

Victoria Falls, fl. &amp; young fr. Sep. Gibbs, 321; Engler.

**T. trifaria**, *Tul.*

Fl. Trop. Afr. VI. i. 121.

Victoria Falls, Livingstone Island, Sep. Gibbs, 320.

3151—**Dicræa tenax**, *C. H. Wright.*

Fl. Trop. Afr. VI. i. 121; Kew Bull. 1909, 213.

Victoria Falls, Livingstone Island, July, Kolbe, 3149.

3159—**Sphærothylax** sp.

Victoria Falls, fr. Sep. Gibbs, 322.

## FAMILY CXIV.—HYDROSTACHYACEAE, Warm.

3160—**Hydrostachys polymorpha**, *Klotzsch.*

Fl. Trop. Afr. VI. i. 130.

North Melsetter, 4000 ft. Swyn. 818.

## FAMILY CXV.—CRASSULACEAE, DC.

3166—**Kalanchoe crenata**, *Haw.* (*K. ægyptiaca*, DC.)

Fl. Trop. Afr. ii. 394; Fl. Cap. ii. 379; Cat. Afr. Pl. Welw. i. 328.

Victoria Falls, Rogers, 5000a.

Genus No.

**K. glandulosa, Hochst.**

Fl. Trop. Afr. ii. 396; Cat. Afr. Pl. Welw. i. 328.

Victoria Falls, Rogers, 7443.

var. **rhodesica, Baker f.**

Journ. Bot. 1899, 434.

Salisbury, July, Rand, 465; Engler; Umtali, Engler; Gwelo, Sr. Phil. 8 and 14.

**K. paniculata, Harr.**

Fl. Cap. ii. 380.

Bulawayo, May, Rand, 321; Victoria Falls, Rogers, 7444.

**K. pilosa, Baker.**

Victoria Falls, Rogers, 5235, 5058, 7213.

**K. rotundifolia, Haw.**

Fl. Cap. ii. 379; Nat. Pl. 94.

Bulawayo, May, Rand, 319; Matopos, Rogers, 5265; Victoria, Monro, 1010; Odzani River Valley, Umtali, Teague, 254.

**K. thrysiflora, Harr.**

Fl. Cap. ii. 380.

Bulawayo, Rogers, 13723\*.

**K. spp.**Matopos, April, Flanagan, 3172, cf. *K. glandulosa*, Hochst.

Victoria Falls, Rogers, 5236; South Rhodesia, Rand, 320.

3168—**Crassula campestris, E. & Z.** (*Tillaea pharmaceoides*, Hochst.)

Fl. Trop. Afr. ii. 387; Fl. Cap. ii. 351.

Matopos, 4500–5000 ft. March, Eyles, 1027.

**C. nivalis, E. & Z.**

Fl. Cap. ii. 356.

Victoria Falls, Galpin, 7369.

**C. sarcolipes, Harr.**

Fl. Cap. ii. 355.

Victoria, Monro, 917.

**C. subulata, Hook.** (*Tillaea subulata*, Benth. & Hook. f.)

Fl. Trop. Afr. ii. 387; Fl. Cap. ii. 352; Cat. Afr. Pl. Welw. i. 325.

Victoria, Monro, 1072.

## FAMILY CXVII.—SAXIFRAGACEAE, DC.

3201—**Yahlia capensis, Thunb.**

Fl. Trop. Afr. ii. 384; Fl. Cap. ii. 306; Cat. Afr. Pl. Welw. i. 324; Harv. Gen. S.A. Pl. 98.

Bulawayo, May, Rand, 334; Eyles; Jan. Gardner, 83; Victoria Falls, Allen, 119; Matopos, Oct. Gibbs, 308; March, Flanagan, 2962; Engler; Matabeleland, Oates.

Genus No.

var. **linearis**, E. Mey.

Bulawayo, Dec. Rand, 63; Rogers, 5484.

**V. oldenlandioides**, Roxb.

Fl. Trop. Afr. ii. 384.

Between Wankie and Victoria Falls, Rogers, 5271.

3241—**Choristylis shirensis**, Baker f.

Melsetter, 6000 ft. Sep. Swyn. 607; Chirinda, 3800 ft. Swyn. 202, 203; Mt. Pene, 7000 ft. Oct. Swyn. 6202.

FAMILY CXVIII.—PITTOSPORACEAE, *Lindl.*3252—**Pittosporum viridiflorum**, Sims.Fl. Cap. i. 443; Cat. Afr. Pl. Welw. i. 41; For. Fl. Cape, 140  
Harv. Gen. S.A. Pl. 20.Mazoe, 4200 ft. Dec. Eyles, 206, 207; Mt. Pene Forest, 6500–  
7000 ft. fr. Sep. Swyn. 671.FAMILY CXXI.—MYROTHAMNACEAE, *Niedenzu*.3282—**Myrothamus flabellifolia**, Welw.Fl. Trop. Afr. ii. 404; Cat. Afr. Pl. Welw. i. 331; see also Fl.  
Cap. ii. 597, under *Cliffortia* ? *flabellifolia*.Gwelo, Dec. Rand, 5; Fort Gibbs, Matabeleland, Rand, 600 and  
601; Victoria Falls, Allen, 92; Mutopos, Galpin, 6952; Eyles,  
1208; Engler; Nov. Marloth, 3416; Sep. Gibbs, 309; Victoria,  
Monro, 901.FAMILY CXXVI.—ROSACEAE, *B. Juss.*3353—**Rubus Mundtii**, Cham. & Schlecht. (*R. rigidus*, Smith, var.  
*Mundtii*, Harv.)

Fl. Cap. ii. 287.

Melsetter, Sep. Swyn. 2077.

**R. rigidus**, Smith.

Fl. Trop. Afr. ii. 375; Fl. Cap. ii. 287.

Salisbury, July, Rand, 464; Mazoe, 4500 ft. Nov. Eyles, 472;  
Chirinda, May, Swyn. 454.3379—**Leucosidea sericea**, E. & Z.

Fl. Cap. ii. 289; For. Fl. Cape, 216.

Melsetter, 6000 ft. Sep. Swyn. 605.

3388—**Cliffortia linearifolia**, E. & Z.

Fl. Trop. Afr. ii. 379; Fl. Cap. ii. 301; For. Fl. Cape, 137.

Melsetter, 6000 ft. Swyn. 2078.

Genus No.

3393—**Pygeum africanum**, *Hook. f.*

Fl. Trop. Afr. ii. 373; Cat. Afr. Pl. Welw. i. 322; For. Fl. Port.

E. Afr. 60; For. Fl. Cape, 215.

Chipete Forest, 4000 ft. April, Swyn. 1344; Chirinda, 3700–4000 ft. April, Swyn. 107.

3405—**Parinarium capense**, *Harv.*

Fl. Trop. Afr. ii. 368; Fl. Cap. ii. 597; Cat. Afr. Pl. Welw. i. 321; Harv. Gen. S.A. Pl. 94.

Salisbury, Sep. Rand, 620, 559; North of Hartley, Engler; Marandellas, Engler; Sengwe Riv. Govt. Herb. 948; Lomagundi, Govt. Herb. 972.

**P. curatellæfolium**, *Planch.*

Fl. Trop. Afr. ii. 368.

Chikore Hills, 3500 ft. bud, Nov. Swyn. 30; Chirinda, 3700 ft. Swyn. 306.

**P. Gilletii**, *De Wild.*

Chirinda, Oct. Swyn. 555, 1303.

**P. Mobola**, *Oliv.*

Fl. Trop. Afr. ii. 368; For. Fl. Port. E. Afr. 61; Cat. Afr. Pl. Welw. i. 320.

Salisbury, Sep. Rand, 548, 630; Matopos, fr. Nov. Marloth, 3375; fl. &amp; fr. Oct. Gibbs, 64; Davy; Engler; Govt. Herb. 894; North of Hartley, Engler; Marandellas, Engler; Gwanda, Noble, 43; Victoria, Monro, 454, 537, North of Sengwe Riv. Govt. Herb. 945.

FAMILY CXXVII.—CONNARACEÆ, *R. Br.*3419—**Agelæa nitida**, *Solander.*

Chirinda, 3800 ft. fl. Oct. fr. Feb. Swyn. 228, 228a.

3421—**Brysocarpus coccineus**, *Schum. & Thonn.*

Fl. Trop. Afr. i. 452.

Victoria Falls, Rogers, 5469.

var. **parvifolius**, *Planch.*

Fl. Trop. Afr. i. 452.

Victoria Falls, Sep. Gibbs, 154.

3424—**Rourea sp.**

Victoria Falls, Allen, 414.

3428—**Cnestis natalensis**, *Planch. & Sond.*

Fl. Cap. i. 528.

Chirinda, 3700–4000 ft. Dec. Swyn. 166.

FAMILY CXVIII.—LEGUMINOSAE, Juss.

Genus No.

3443—**Albizia amara**, Boiv.

Fl. Trop. Afr. ii. 356.

Bulawayo, 4500 ft. Oct. Eyles, 1090.

**A. anthelmintica**, Bron.

Fl. Trop. Afr. ii. 357; Cat. Afr. Pl. Welw. i. 314; For. Fl. Port. E. Afr. 60.

Sabi Riv. 1000 ft. fr. Nov. Swyn. 1005; Victoria Falls, Rogers, 5319; Allen, 174; Matopos, Rogers, 5343.

**A. Antunesiana**, Harms.

Salisbury, Engler.

**A. fastigiata**, E. Mey. (*Zygia fastigiata*, E. Mey.)

Fl. Trop. Afr. ii. 361; For. Fl. Port. E. Afr. 59; For. Fl. Cape, 213; Nat. Pl. 27; Cat. Afr. Pl. Welw. i. 317; Fl. Cap. ii. 285.

Chirinda Forest, Swyn. 54 (forma).

var. **chirindensis**, Swyn.

Journ. Linn. Soc. Bot. xl. 65.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 52; and West of Mt. Mpengo, Swyn.

**A. Harveyi**, Fourn. (*A. hypoleuca*, Oliv.; *A. pallida*, Harv.)

Victoria Falls, Allen, 64; Rogers, 8675; Sabi Riv. 1000 ft. bud, Nov. Swyn. 1216; Bulawayo, Monro, 386, 377, 310; Victoria, Monro, 558.

**A. mozambicensis**, Sim.

For. Fl. Port. E. Afr. 59.

Plumtree, Govt. Herb. 2044.

**A. versicolor**, Welw.

Fl. Trop. Afr. ii. 359; Cat. Afr. Pl. Welw. i. 315.

Victoria Falls, Rogers, 5470.

**A. spp.**

Matopos, fl. & fr. Oct. Gibbs, 198, 187.

Galpin, Sep. 7082.

Lomagundi, Govt. Herb. 978.

3446—**Acacia albida**, Del.

Fl. Trop. Afr. ii. 339; For. Fl. Port. E. Afr. 54; Cat. Afr. Pl. Welw. i. 310.

Victoria Falls, Allen, 399; Inyoka, Govt. Herb. 947.

. **caffra**, Willd.

Fl. Trop. Afr. ii. 345; Fl. Cap. ii. 282; For. Fl. Port. E. Afr. 56; For. Fl. Cape, 210; Cat. Afr. Pl. Welw. i. 311.

Victoria, Monro, 681; South Melsetter, Swyn.

Genus No.

**A. farnesiana, Willd.**

Fl. Trop. Afr. ii. 346; Cat. Afr. Pl. Welw. i. 312.

Victoria Falls, Allen, 98; Gwanda, Noble, 4.

**A. giraffae, Burch.**

Fl. Cap. ii. 280; For. Fl. Cape, 213.

North of Bulawayo, Engler; South Rhodesia, Marloth.

**A. horrida, Willd.**

Fl. Cap. ii. 281; For. Fl. Port. E. Afr. 57; For. Fl. Cape, 211.

North of Bulawayo, Engler; Umtali, Engler; Umvumvumvu Riv. 2000 ft. April, Swyn. 59a; South Rhodesia, Marloth.

**A. mimosoides, L.**

Bulawayo, Monro, 20.

**A. natalitia, E. Mey.**

Fl. Cap. ii. 281; For. Fl. Port. E. Afr. 57.

Swynnerton in MSS. refers to this species as the common *Acacia* of his district, occurring at Chipete, Chirinda, South Chirinda and South Melsetter.**A. nigrescens, Oliv.**

Fl. Trop. Afr. ii. 340; For. Fl. Port. E. Afr. 54.

Matopos, Davy; Victoria Falls, Davy; Allen, 417; Rogers, 5297, 5299; South of Zambesi, Engler; Victoria, Monro, 1083; Leopard's Mine, Govt. Herb. 959; Lomagundi, Govt. Herb. 992.

var. **pallida, Oliv.**

North of Bulawayo, Engler.

**A. pennata, Willd.**

Fl. Trop. Afr. ii. 345; Fl. Cap. ii. 283; Cat. Afr. Pl. Welw. i. 312; Nat. Pl. 244; For. Fl. Port. E. Afr. 56.

Chirinda Forest, 3700–4000 ft. Jan. Swyn. 84; Chipete Forest, Swyn.

**A. rehmanniana, Schinz.**

Bulawayo, Davy; Rogers, 5488?

**A. Rovumae, Oliv.**

Fl. Trop. Afr. ii. 353.

Matopos, Rogers, 5346?

**A. Seyal, Del.**

Fl. Trop. Afr. ii. 351; For. Fl. Port. E. Afr. 57.

Bulawayo, Jan. Rand, 72.

var. **multijuga, Schweinf.**

Bulawayo, Dee, Rand, 37.

**A. Suma, Kurz.**

Victoria Falls, Allen, 68.

## Genus No.

**A. Verek**, Guill. & Perr. (*A. Senegal*, Willd.)

Fl. Trop. Afr. ii. 342; Cat. Afr. Pl. Welw. i. 311.

Bulawayo, Rogers, 5741; Victoria Falls, Rogers, 5544.

**A. Welwitschii**, Oliv.

Fl. Trop. Afr. ii. 341; For. Fl. Port. E. Afr. 55.

Victoria Falls, Sep. Gibbs, 128.

**A. xanthophloea**, Benth.

For. Fl. Port. E. Afr. 58.

Wankie, Davy.

**A. spp.**

Victoria Falls, April, Flanagan, 3093; Rogers, 5120, 5583, 5584.

Bulawayo, Dec. Gardner, 89; Monro, 26, 32, 34, 116; Rand, 449, 450; Eyles, 1088; Rogers, 5490, 5510.<sup>1</sup>

Salisbury, Rand, 4, 35, 70, 434.

Victoria, Monro, 453, 769, 388, 325, 488.

Lomagundi, Govt. Herb. 971, 981.

Charter, Govt. Herb. 3020.

South Rhodesia, Rand, 597, 598.

3449—**Mimosa asperata**, L.

Fl. Trop. Afr. ii. 335.

Victoria Falls, Allen, 65; April, Flanagan, 3111; Rogers, 5069, 7404.

3452—**Dichrostachys nutans**, Benth.

Fl. Trop. Afr. ii. 333; Fl. Cap. ii. 278; Nat. Pl. 243; For. Fl. Port. E. Afr. 53.

Bulawayo, Jan. Rand, 35; Eyles, Dec. 1212; Rogers, 5507; Victoria, Monro, 388; Gwanda, Noble, 67; Chirinda, 3500 ft. Oct. Swyn. 162; 2000 ft. Dec. Swyn. 1013; Chikore Hills, 3500 ft. Oct. Swyn. 1015; South Melsetter, 2000–3500 ft. Nov. Swyn. 1016; Lusitu Riv. Swyn. 1019; Victoria Falls, Rogers, 5394, 7449.

**D. spp.**

Bulawayo, Monro, 29.

Rusapi, Mundy, cf. *D. nutans*, Benth.Charter, Govt. Herb. cf. *D. nutans*, Benth.

South Rhodesia, Rand, 314.

3457—**Tetrapleura** sp.Victoria Falls, Allen, 424, cf. *T. andongensis*, Welw.3458—**Amblygonocarpus Schweinfurthii**, Harms.

Victoria Falls, Galpin, 6949.

**A. obtusangulus**, Harms.Victoria Falls, Rogers, 5970<sup>\*</sup>.<sup>1</sup> According to Rogers, his No. 5510 is *Acacia robusta*, Burch.

Genus No.

3463—**Piptadenia Buchanani**, *Baker.*

Upper Buzi, 3500 ft. Oct. Swyn. 1018; South of Lusitu Riv.  
Swyn.; between Inyamadzi and Buzi, Swyn.

**P. spp.**

Victoria, Monro, 798.

3467—**Elephantorrhiza Burchellii**, *Benth.*

Fl. Cap. ii. 277.

Matopos, Marloth; Engler; Rogers, 5335; Umtali, Engler;  
Lomagundi, Govt. Herb. 970; Victoria Falls, Rogers, 5783;  
Victoria, Monro, 543, 488.

**E. Burkei**, *Benth.*

Matopos, Davy

**E. rubescens**, *Gibbs.*

Journ. Linn. Soc. Bot. xxxvii. 441.

Matopos, Oct. Gibbs, 184; Victoria Falls, Galpin, 7062.

3468—**Entada sp.**

South Melsetter, Swyn. cf. *E. abyssinica*, Steud.

3471—**Erythrophleum pubistamineum**, *Henn.*

Victoria Falls, Allen, 168; Rogers, 5303.

3474—**Burkea africana**, *Hook.*

Fl. Trop. Afr. ii. 320; Fl. Cap. ii. 271; Cat. Afr. Pl. Welw. i. 304;  
Harv. Gen. S.A. Pl. 90.

Matopos, Galpin, 7059; Marloth, 3410; Davy; Gibbs; Victoria  
Falls, Galpin; Gibbs, Oct. 143; Rogers, 7439, 6028; Bulawayo,  
4500 ft. Oct. Eyles, 1093; Engler; Umtali, Govt. Herb. 847;  
Marandellas, Govt. Herb. 873; Chirinda and Chikore Hills, Swyn.

**B. sp.**

Victoria Falls, Allen, 48.

3490—**Copaifera coleosperma**, *Benth.*

Fl. Trop. Afr. ii. 314; For. Fl. Port. E. Afr. 52.

Victoria Falls, Galpin, 7014; fr. Sep. Gibbs, 144; Rogers, 7250,  
7219; Allen, 155; North of Bulawayo, Engler; Hartley;  
Engler; Salisbury, Rand, 456, 460.

**C. mopane**, *Kirk.*

Fl. Trop. Afr. ii. 315; For. Fl. Port. E. Afr. 51.

Bulawayo, Dec. Rand, 12; Engler; between Malindi and Victoria  
Falls, Galpin, 7011; South of Matopos, leaf, Oct. Gibbs,  
204; Matopos, Engler; Rogers, 5161; Melsetter Dist. Swyn.

3504—**Brachystegia appendiculata**, *Benth.*

Fl. Trop. Afr. ii. 305.

Sebakwe, 4000 ft. Sep. Eyles; Victoria Falls, Sep. Gibbs, 145;  
Allen, 165; Matopos, Flanagan, 3096; Gwanda, Noble, 33;  
Marandellas, Govt. Herb. 871.

Genus No.

**B. Bragæi, Harms.**

Journ. Linn. Soc. Bot. xl. 63.

Melsetter, 5000 ft. Sep. Swyn. 657.

**B. globiflora, Hook.**

Victoria, Monro, 541, 970; Melsetter, March, Swyn. 164;

Chirinda, Jan. Swyn. 6586.

**B. Goetzei, Harms.**

Hartley, Engler; Rusapi, Engler.

**B. Randii, E. G. Baker.**

Journ. Bot. 1899, 433.

Salisbury, Sep. Rand, 610, 611; Rogers, 5796; Victoria, Monro, 456, 468, 526, 664; Matopos, Govt. Herb. 872; Victoria Falls, Rogers, 7456; Sebakwe, Rogers.

**B. spicæformis, Benth.**

Fl. Trop. Afr. ii. 306; For. Fl. Port. E. Afr. 49; Cat. Afr. Pl. Welw. i. 298 &amp; 300; Journ. Linn. Soc. Bot. xl. 63.

Hartley, Engler; Salisbury, Engler; May, Flanagan, 3149; Umtali, Engler.

**B. tamarindoides, Welw.**

Fl. Trop. Afr. ii. 307; For. Fl. Port. E. Afr. 50; Cat. Afr. Pl. Welw. i. 301.

Matopos, 5000 ft. Oct. Eyles, 1250.

**B. spp.**

Victoria Falls, Galpin, 7057.

Victoria, Monro, 329, 330, 373.

Umtali, Govt. Herb. 849.

Lomagundi, Govt. Herb. 976, 987.

Marandellas, Govt. Herb. 916.

3506—**Schotia brachypetala, Sond.**

Fl. Cap. ii. 274; Nat. Pl. 390; For. Fl. Port. E. Afr. 51.

Victoria, Monro, 443.

**S. latifolia, Jacq.**

Fl. Cap. ii. 274; For. Fl. Cape, 206.

Abercorn, Govt. Herb. 933.

**S. sp.**

Victoria, Monro, 381.

3507—**Baikiæa plurijuga, Harms.**

Victoria Falls, Allen, 147; Rogers, 5715, 7256, 7163; North

Bulawayo, Engler; Dec. Eyles, 1122.

**B. sp.**

Between Malindi and Victoria Falls, 7047.

Genus No.

3509—**Afzelia cuanensis**, Welw. (*Intsia cuanensis*, O. Kuntze.)

Fl. Trop. Afr. ii. 302; For. Fl. Port. E. Afr. 48; Cat. Afr. Pl. Welw. i. 299.

Wankie, Hutchins; Matopos, Galpin, 7079; Marloth; Davy; Oct. Gibbs, 275; Victoria Falls, Galpin; Allen, 36; Gwanda, Noble, 24; Victoria, Monroe, 568; Lomagundi, Govt. Herb. 988.

3511—**Pahudia quangensis**, Prain.

Lusitu Riv. 2500 ft. bud, Sep. Swyn. 1447; Chikore Hills, Swyn.

3516—**Berlinia Eminii**, Taub.

East of Salisbury, Engler; Umtali, Engler.

**B. paniculata**, Benth.

Fl. Trop. Afr. ii. 295; Cat. Afr. Pl. Welw. i. 298.

Victoria Falls, Rogers, 5396; Galpin, 7047?

3528—**Bauhinia articulata**, DC. (*B. reticulata*, DC.)

Fl. Trop. Afr. ii. 290; Cat. Afr. Pl. Welw. i. 296; For. Fl. Port. E. Afr. 48.

Salisbury, mature pod, May, Flanagan, 3148; Bulawayo, Rogers, 5494; Chirinda, 3600 ft. bud, March, Swyn. 165; Victoria Falls, Galpin, 7068; Hartley, Engler; Matabeleland, Marloth.

**B. fassoglensis**, Kotschy.

Fl. Trop. Afr. ii. 286.

Matabeleland, Oates; Bulawayo, Dec. Rand, 78; Jan. Gardner, 77; Rogers, 5503; Chubb, 2; Salisbury, Darling, in Herb. Bolus, 11189; Rand, 1343, 1344; Gwanda, Noble, 15; Matopos, Rogers, 5161b; Umtali, Swyn.

**B. Galpini**, N. E. Br.

Umtali, Engler; Lomagundi, Govt. Herb.; Victoria Falls, Rogers, 5328; between Salisbury and Portuguese border, Rogers, 12924; Chirinda, 3500 ft. Dec. Swyn. 192; Chikore Hills, Swyn.; between Melsetter and Umtali, Swyn.; Bulawayo, Eyles, 571.

**B. macrantha**, Oliv.

Fl. Trop. Afr. ii. 289.

Victoria Falls, Rogers, 5576, 7247; North of Bulawayo, Eyles, 340.

**B. petersiana**, Bolle.

Fl. Trop. Afr. ii. 288.

Shashi Riv. Dec. Rand, 2; Victoria Falls, Rogers, 5141; between Melsetter and Umtali, Swyn.

**B. spp.**

Sebakwe, 1000 ft. Nov. Eyles, 172.

Victoria Falls, Allen, 137.

South Rhodesia, Rand, 315.

Genus No.

3530—**Dialium guineense**, Willd.

Fl. Trop. Afr. ii. 283; Cat. Afr. Pl. Welw. i. 294.  
Victoria Falls, Rogers, 5307.

3536—**Cassia abbreviata**, Oliv.

Fl. Trop. Afr. ii. 271.  
Matopos, Nov. Marloth, 3383; Engler; Mazoe, 4700 ft. Sep. Eyles, 435; Victoria Falls, Allen, 35; Inyoka, Govt. Herb. 949; Lomagundi, Govt. Herb. 979; Salisbury, Govt. Herb. 936; Bulawayo, Chubb, 359; Sebakwe, Rogers, 6199.

**C. Absus**, L.

Fl. Trop. Afr. ii. 279; Cat. Afr. Pl. Welw. i. 292.  
Victoria Falls, April, Flanagan, 3095, 3130; Rogers, 5728 ?<sup>1</sup>.

**C. arachoides**, Burch.

Fl. Cap. ii. 272.  
Bulawayo, Rand, 3 and 42; Rogers, 5824; Dec. Eyles, 48; Nov. Eyles, 1108; Matabeleland, Marloth.

**C. didymobotrya**, Fres.

Fl. Trop. Afr. ii. 276; Cat. Afr. Pl. Welw. i. 292.  
Bulawayo, July, Rand, 451; Victoria, Monro, 379; Salisbury, Mundy, Chirinda, 3500 ft. June, Swyn. 1419.

**C. fistula**, L.

Crescens Block, Matabeleland, Govt. Herb. 957.

**C. goratensis**, Fres.

Fl. Trop. Afr. ii. 273; Cat. Afr. Pl. Welw. i. 291.  
Victoria Falls, Rogers, 5152; Salisbury, Govt. Herb. 759; Bulawayo, Govt. Herb. 917; Victoria, Monro, 362.

**C. granitica**, E. G. Baker.

Journ. Bot. 1905, 45.  
Bulawayo, 4500 ft. Sep. Eyles, 1080; Matopos, Sep. Galpin, 7061; Davy; Oct. Gibbs, 97; Victoria Falls, Galpin; Davy.

**C. mimosoides**, L.

Fl. Trop. Afr. ii. 280; Fl. Cap. ii. 273; Cat. Afr. Pl. Welw. i. 293.  
Matopos, fl. & fr. Oct. Gibbs, 251; Victoria Falls, Allen, 8; Rogers, 5044; Victoria, Monro, 882, 1046; Salisbury, Rogers, 4073; Chirinda, Swyn.; Bulawayo, Rogers, 2824.

**C. occidentalis**, L.

Fl. Trop. Afr. ii. 274; Fl. Cap. ii. 272; Cat. Afr. Pl. Welw. i. 291.  
Victoria Falls, April, Flanagan, 3112; Rogers, 5727; Victoria, Monro, 896a; Salisbury, Kolbe, 4234.

<sup>1</sup> Rogers has this number named *C. Tora*, L.

Genus No.

**C. petersiana, Bolle.**

Fl. Trop. Afr. ii. 272.

Umtali, Engler; Melsetter, 3700 ft. April, Swyn. 199; 6000 ft. Sep. Swyn. 673; Umvumvumvu Mts. 4000 ft. April, Swyn. 1155; Salisbury, Govt. Herb. 759; Odzani River Valley, Umtali, Teague, 115.

**C. tettensis, Bolle.**

Fl. Trop. Afr. ii. 273.

Mazoe, 4300–4800 ft. June, Eyles, 372; April, Flanagan, 3102; Queque, Rogers, 6198\*; Victoria Falls, Rogers, 7533a\*.

**C. Tora, L.**

Fl. Trop. Afr. ii. 275; Cat. Afr. Pl. Welw. i. 292; Victoria Falls, Rogers, 7031\*; 7441\*, 13305\*.

**C. spp.**

Bulawayo, Monro, 63; Chubb, 361; Govt. Herb. 939.

Victoria, Monro, 449.

North of Bulawayo, Dec. Eyles, 1123.

Chikore Hills, 4500 ft. Nov. Swyn. 1472 (cf. *C. abbreviata*, Oliv.).

3544—**Gleditschia africana, Welw.**

Fl. Trop. Afr. ii. 265; Cat. Afr. Pl. Welw. i. 289, 315.

Victoria Falls, Sep. Gibbs, 137; Rogers, 7458, 5972.

3553—**Peterolobium lacerans, R. Br.** (*Cantuffa exosa*, Gmelin.)

Fl. Trop. Afr. ii. 264.

Matopos, Sep. Gibbs, 81; April, Flanagan, 3097; Engler; Mazoe, 4300 ft. March, Eyles, 282; fr. April, Flanagan, 3098; North Melsetter, 2000–6000 ft. fr. April, Swyn. 1041; South Rhodesia, Rand.

3591—**Peltophorum africanum, Sond.**

Fl. Trop. Afr. ii. 260; Fl. Cap. ii. 270; Cat. Afr. Pl. Welw. i. 287; For. Fl. Port. E. Afr. 47.

Bulawayo, Rand, 10 and 318 p.p.; Nov. Eyles, 1213; Rogers, 5476; Marloth; Galpin, 7009; Matopos, Hutchins; Oct. Gibbs, 307; Engler; Victoria Falls, Allen, 66; Inyamadzi Valley, 3300 ft. Dec. Swyn. 156; Chirinda, 3500 ft. fr. Jan. Swyn. 1020; Chikore Hills, Swyn.; South Melsetter, Swyn.

3574—**Swartzia madagascariensis, Desv.**

Fl. Trop. Afr. ii. 257; For. Fl. Port. E. Afr. 46.

Salisbury, Rand, 1364; Victoria, Monro, 574; Mrewas, Govt. Herb. 867; Lomagundi, Govt. IHerb. 994; Umtali, Swyn.; Umvumvumvu Mts. Swyn.; Charter, Govt. Herb. 3018; Victoria Falls, Rogers, 7232.

**S. sp.**

Mazoe, fr. April, Flanagan, 3147.

Genus No.

3597—**Ormosia angolensis**, Baker.

Fl. Trop. Afr. ii. 255; Cat. Afr. Pl. Welw. i. 286.

Chikore Hills, 3500 ft. fr. March, Swyn. 1473; Chirinda, 3000 ft.  
Swyn.; Victoria Falls, Rogers, 7475\*, 7520\*.

3601—**Castanospermum australe**, A. Cunn.

Salisbury, Govt. Herb. 2043.

3602—**Sophora ? zambesiaca**, Baker.

Fl. Trop. Afr. ii. 253.

Sabi Riv. 1000 ft. Nov. Swyn. 1452.

3607—**Calpurnia aurea**, Baker. (*C. lasiogyne*, E. Mey.)

Fl. Trop. Afr. ii. 253; Fl. Cap. ii. 267; Cat. Afr. Pl. Welw.  
i. 286; Nat. Pl. 4; For. Fl. Cape, 205.  
Chirinda, 3700–4000 ft. May, Swyn. 79; Chipete Forest, 3800 ft.  
Swyn.

3607a—**Bolusanthus speciosus** (*Bolus*), Harms. (*Lonchocarpus speciosus* ?)

For. Fl. Port. E. Afr. 44.

Victoria Falls, Sep. Gibbs, 126; Allen, 169; Rogers, 5314, 7239;  
Matopos, Oct. Gibbs; Bulawayo, Chubb, 301; Rogers, 5500;  
Mazoe, Govt. Herb. 928; Umtali, Govt. Herb. 823; Umvum-  
vumvu Riv. 4000 ft. Oct. Swyn. 6167.

**B. spp.**

Sebakwe, 4000 ft. Sep. Eyles, 176.

Victoria, Monro, 512.

Bulawayo, 4500 ft. Sep. Eyles, 1079; Dec. Chubb, 300.

3612—**Baphia spp.**

Salisbury, Govt. Herb. 1022.

Victoria Falls, Rogers, 5586, 7270, 7233.

3657—**Lotononis aristata**, Schinz, var. *gazensis*, Baker f.

Journ. Linn. Soc. Bot. xl. 51.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1418; Melsetter, 6000 ft.  
Oct. Swyn. 6196.

**L. Leobordea**, Benth.

Fl. Trop. Afr. ii. 5; Fl. Cap. ii. 61.

Bulawayo, May, Rand, 308, 309; Matopos, Sep. Gibbs, 19;  
Victoria Falls, April, Flanagan, 3087.

3658—**Listia heterophylla**, E. Mey.

Fl. Cap. ii. 66; Harv. Gen. S.A. Pl. 74.

Bulawayo, May, Rand, 312; Rogers, 5485; between Bulawayo  
and Salisbury, April, Flanagan, 3125; Matopos, Gibbs;  
Engler; Umtali, Engler; Rogers, 4028.

3659—**Rothia hirsuta**, Baker.

Fl. Trop. Afr. ii. 7; Cat. Afr. Pl. Welw. i. 195.

Bulawayo, April, Flanagan, 3088.

## Genus No.

3664—**Dichilus lebeckoides, DC.**

Fl. Cap. ii. 77.

Bulawayo, 4400 ft. Dec. Eyles, 1004.

3669—**Crotalaria anthylloopsis, Welw.**

Fl. Trop. Afr. ii. 15; Cat. Afr. Pl. Welw. i. 197; Journ. Linn.

Soc. Bot. xlvi. 263.

Salisbury, May, Flanagan, 3101.

**C. barnabassii, Dinter.**

Journ. Linn. Soc. Bot. xlvi. 356.

Victoria Falls, Rogers, 5598.

**C. brevidens, Benth.**

Fl. Trop. Afr. ii. 37; Journ. Linn. Soc. Bot. xlvi. 329.

Salisbury, April, Flanagan, 3118.

**C. capensis, Jacq.**

Fl. Trop. Afr. ii. 38; Fl. Cap. ii. 46; Nat. Pl. 92; Journ. Linn.

Soc. Bot. xlvi. 405.

Matopos, Govt. Herb. 900 (cultivated); Victoria Falls, Rogers, 5599.

**C. cephalotes, Steud.**

Fl. Trop. Afr. ii. 23; Cat. Afr. Pl. Welw. i. 199; Journ. Linn.

Soc. Bot. xlvi. 277.

Salisbury, fr. July, Rand, 463a, p.p.; Mazoe, 4600 ft. April, Eyles, 370; Enterprise, April, Flanagan, 3104.

**C. chirindae, Baker f.**

Journ. Linn. Soc. Bot. xlvi. 377.

Chirinda, 3800 ft. Swyn. 397, 1498.

**C. cylindrostachys, Welw.**

Fl. Trop. Afr. ii. 15; Cat. Afr. Pl. Welw. i. 197; Journ. Linn.

Soc. Bot. xlvi. 257.

Victoria, Monro, 1045.

**C. flavicarinata, Baker f.**

Journ. Linn. Soc. Bot. xxxvii. 437, and xlvi. 333.

Victoria Falls, Sep. Gibbs, 168; Allen, 31; Rogers, 5123.

**C. gazensis, Baker f.**

Journ. Linn. Soc. Bot. xl. 51, and xlvi. 396.

Nyahodi Riv. 5000 ft. fl. &amp; fr. April, Swyn. 1493.

**C. intermedia, Kotschy.**

Fl. Trop. Afr. ii. 37; Cat. Afr. Pl. Welw. i. 203; Journ. Linn.

Soc. Bot. xlvi. 327.

Mazoe, 4800 ft. March, Eyles, 274; Salisbury, April, Flanagan, 3119; South Rhodesia, Rand, 44.

Genus No.

3669—**C. laburnifolia**, L.

Journ. Linn. Soc. Bot. xlvi. 318.

Shashi Riv. Jan. Rand, 45; Bulawayo, 4500 ft. Feb. Eyles, 1061; Victoria Falls, Allen, 107, 125; Rogers, 5612; Victoria, Monro, 737; Manica, Johnston, in Herb. Kew.

**C. lachnocarpa**, Hochst. (*C. elata*, Welw.)

Fl. Trop. Afr. ii. 29; Cat. Afr. Pl. Welw. i. 201; Journ. Linn. Soc. Bot. xlvi. 404.

Chirinda, 3500 ft. April, Swyn. 373.

**C. lanceolata**, E. Mey. (*C. mossambicensis*, Klotsch.)

Fl. Trop. Afr. ii. 36; Fl. Cap. ii. 43; Nat. Pl. 291; Journ. Linn. Soc. Bot. xlvi. 343.

Chirinda, 3700–4000 ft. fl. &amp; fr. May, Swyn. 479.

**C. natalitia**, Meisn. (*C. kilimandscharica*, Taub.)

Fl. Trop. Afr. ii. 34; Fl. Cap. ii. 46; Cat. Afr. Pl. Welw. i. 203; Journ. Linn. Soc. Bot. xlvi. 410.

Salisbury, Rogers, 4024; Chipete Forest, 3800 ft. May, Swyn. 478; Nyahodi Riv. 5000 ft. April, Swyn. 1494; Victoria, Monro, 1779; Odzani River Valley, Umtali, Teague, 22.

**C. orthoclada**, Welw.

Fl. Trop. Afr. ii. 29; Cat. Afr. Pl. Welw. i. 201; Journ. Linn. Soc. Bot. xlvi. 369.

Salisbury, Govt. Herb. 756.

**C. petiolaris**, Franch. var. **australis**, Baker f.

Journ. Linn. Soc. Bot. xlvi. 319.

Victoria, Monro, 651.

**C. pisicarpa**, Welw.

Fl. Trop. Afr. ii. 16; Cat. Afr. Pl. Welw. i. 197; Journ. Linn. Soc. Bot. xlvi. 303.

Bulawayo, April, Flanagan, 3091.

**C. podocarpa**, DC.

Fl. Trop. Afr. ii. 17; Fl. Cap. ii. 593; Journ. Linn. Soc. Bot. xlvi. 406.

Bulawayo, Jan. Rand, 43; April, Flanagan, 3092; Victoria Falls, April, Flanagan, 3128.

**C. recta**, Steud.

Fl. Trop. Afr. ii. 40; Journ. Linn. Soc. Bot. xlvi. 352.

Salisbury, April, Flanagan, 3120; Chirinda, 3800 ft. Nov. Swyn. 365.

**C. Rogersii**, Baker f.

Journ. Linn. Soc. Bot. xlvi. 347.

Salisbury, Rogers, 4011; Darling, in Herb. Kew 10771; Rand, 455; Mazoe, 4300 ft. Aug. Eyles, 181.

Genus No.

**C. sericifolia**, Harms., var. *gweloensis*, Baker f.

Journ. Linn. Soc. Bot. xlii, 398.

Gwelo, fl. &amp; fr. Jan. Rand, 50.

**C. spartioides**, DC.

Fl. Cap. ii, 40; Journ. Linn. Soc. Bot. xliv, 270.

Bulawayo, 4500 ft. Feb. Eyles, 1192; Victoria Falls, Allen, 226.

**C. sphærocarpa**, Guill. & Perr.

Fl. Trop. Afr. ii, 23; Journ. Linn. Soc. Bot. xlii, 289.

Victoria Falls, Rogers, 5123a, 7170; Bulawayo, Rogers, 5921.<sup>1</sup>var. *angustifolia*, Hochst. (*C. nubica*, Benth.)

Fl. Trop. Afr. ii, 23; Fl. Cap. ii, 45.

Bulawayo, April, Flanagan, 3090; Victoria Falls, Rogers, 5555, 7197.

**C. striata** DC.

Fl. Trop. Afr. ii, 38; Fl. Cap. ii, 44; Cat. Afr. Pl. Welw. i, 203;

Nat. Pl. 532; Journ. Linn. Soc. Bot. xlii, 345.

Salisbury, Engler.

**C. spp.**

Victoria Falls, April, Flanagan, 3110.

Gwelo, Jan. Gardner, 38, cf. *C. stenoptera*, Welw.

Redbank, 4000 ft. March, Eyles, 4.

Sebakwe, 4000 ft. Dec. Eyles, 74.

Bulawayo, 4500 ft. Dec. Eyles, 84, cf. *C. obscura*, DC.; Monro, 99.

Victoria, Monro, 1047.

Salisbury, Govt. Herb. 757.

Charter, Govt. Herb. 3022.

3673—**Argyrolobium andrewsianum**, Steud.

Fl. Cap. ii, 75.

Chirinda, Swyn.; Melsetter, Swyn.

**A. collinum**, E. & Z.

Fl. Cap. ii, 72.

Umtali, Rogers, 4029.

**A. spp.**

Bulawayo, 4500 ft. Feb. Eyles, 1175.

South Rhodesia, Rand, 60.

3702—**Indigofera adenoides**, Baker f.

Matopos, April, Flanagan, 3136.

**I. arrecta**, Hochst.

Fl. Trop. Afr. . 97; Nat. Pl. 287.

Salisbury, April, Flanagan, 3142; Chikore Hills, 3500 ft. March, Swyn. 266; Bulawayo, Rogers, 6201.

<sup>1</sup> According to Rogers this is *C. squarrosa*, Schinz, var. *Dinteri*, Bkr. fil.

Genus No.

**I. Cecili, N. E. Br.**

Kew Bull. 1906, 101.

Inyanga, Cecil, 186; Chirinda, 3800 ft. fl. &amp; fr. Nov. Swyn. 262; fl. &amp; fr. April, Swyn. 263.

**I. cryptantha, Benth.**

Fl. Cap. ii. 195.

Matopos, fr. Sep. Gibbs, 303.

**I. daleoides, Benth.**

Fl. Trop. Afr. ii. 95; Fl. Cap. ii. 200; Cat. Afr. Pl. Welw. i. 214. Bulawayo, 4500 ft. Nov. Eyles, 1218; Matopos, April, Flanagan, 3135; between Plumtree &amp; Bulawayo, fr. April, Flanagan, 3134.

**I. diphylla, Vent.**

Fl. Trop. Afr. ii. 74.

Victoria Falls, April, Flanagan, 3132, 3145; Rogers, 7417.

**I. emarginella, Steud.**

Fl. Trop. Afr. ii. 99; Cat. Afr. Pl. Welw. i. 216.

Chikore Hills, 3500 ft. March, Swyn 1471.

**I. endecaphylla, Jacq.**

Fl. Trop. Afr. ii. 96; Fl. Cap. ii. 199; Cat. Afr. Pl. Welw. i. 214. Chirinda, 3800 ft. fr. April, Swyn. 371; fr. May, Swyn. 480; Victoria Falls, Rogers, 7109\*.

**I. filipes, Benth.**

Fl. Cap. ii. 198.

Victoria Falls, April, Flanagan, 3094

**I. Flanaganii, Bolus, MS.**

Victoria Falls, Rogers, 7206.

**I. flavicans, Baker.**

Fl. Trop. Afr. ii. 73.

Victoria Falls, Rogers, 7267, 5730.

**I. goniodes, Hochst.**

Fl. Trop. Afr. ii. 85.

Bulawayo, Jan. Rand, 38

**I. hedyantha, E. & Z.**

Fl. Cap. ii. 188.

Mt. Pene, 7000 ft. Sep. Swyn. 2094.

**I. heptaphylla, Hiern.**

Cat. Afr. Pl. Welw. i. 209.

Bulawayo, Rogers, 5922, 5923?

**I. heterotricha, DC.**

Fl. Cap. ii. 189.

Bulawayo, 4500 ft. Nov. Eyles, 1095; Monro, 61; Rogers, 5676, 5487, 5823; Matopos, Rogers, 5407.

**Genus No.****3702**—var. ***rhodesiana*, Baker f.**

Journ. Bot. 1903, 262.

Bulawayo, Dec. Rand, 62.

**I. *hilaris*, E. & Z.**

Fl. Cap. ii. 188.

Salisbury, Aug. Rand, 445 ; Matopos, 4500 ft. Nov. Eyles, 1158 ; Umtali, Engler ; Marandellas, Rogers, 4038 ; Melsetter, 5000–6000 ft. Oct. Swyn. 6187, 6189 ; Chirinda, 3500 ft. May, Swyn. 477.

**I. *hirsuta*, L.**

Fl. Trop. Afr. ii. 88 ; Fl. Cap. ii. 194 ; Cat. Afr. Pl. Welw. i. 212. Victoria Falls, April, Flanagan, 3133 ; Rogers, 7042, 7105, 5729 ; Victoria, Monro, 1046a.

**I. *inyangana*, N. E. Br.**

Kew Bull. 1906, 102.

Inyangana, Cecil, 174.

**I. *Lyallii*, Baker.**

Chimanimani Mts. 7000 ft. fr. Sep. Swyn. 1458.

**I. *oxalidea*, Welw.**

Fl. Trop. Afr. ii. 86 ; Cat. Afr. Pl. Welw. i. 210.

Melsetter, Govt. Herb. 751.

**I. *pentaphylla*, L.**

Fl. Trop. Afr. ii. 82.

Salisbury, Engler.

**I. *procera*, Schum. & Thonn.**

Fl. Trop. Afr. ii. 71 ; Cat. Afr. Pl. Welw. i. 207.

Chipetzana, 3000 ft. fr. April, Swyn. 1485.

**I. *Schimperi*, Jaub. & Spach.**

Fl. Trop. Afr. ii. 93.

Bulawayo, Dec. Rand, 39 (forma) ; Victoria Falls, Rogers, 5567.

**I. *secundiflora*, Poir.**

Fl. Trop. Afr. ii. 94.

South Rhodesia, Rand, 609.

**I. *senegalensis*, Lam.**

Fl. Trop. Afr. ii. 102.

Victoria Falls, April, Flanagan, 3139 ; Rogers, 6010 ; between Bulawayo and Plumtree, April, fr. Flanagan, 3131.

**I. *sericea*, Benth. forma *australis*, E. G. Baker.**

Journ. Bot. 1903, 235 ; Fl. Trop. Afr. ii. 76 (type).

Bulawayo, Rand, 59.

**I. *strobilifera*, Hochst.**

Fl. Trop. Afr. ii. 75.

Victoria Falls, Rogers, 7026<sup>a</sup>.

Genus No.

**I. transvaalensis, Bk. fil.**

Bulawayo, Rogers, 13672\*.

**I. spp.**

Victoria Falls, April, Flanagan, 3138, 3137, 3144; Rogers, 6020, 6014, 6023.

Salisbury, April, Flanagan, 3143; Darling in Herb. Bolus 11188; Govt. Herb. 755.

Bulawayo, Jan. Gardner, 62, 57, 11, 58.

Matopos, April, Flanagan, 3140; Rogers, 5686.

Mazoe, 4300–4700 ft. Nov. Eyles, 444.

Chikore Hills, Swyn. 267.

Melsetter, Swyn. 1459, 1460.

Chipetzana Riv. Swyn. 1486.

3703—**Psoralea foliosa, Oliv. var. *gazensis*, Baker f.**

Journ. Linn. Soc. Bot. xl. 52.

Melsetter, 6000 ft. Sep. Swyn. 1417.

3718—**Tephrosia Apollinea, DC.**

Fl. Trop. Afr. ii. 124.

Victoria Falls, Allen, 258.

**T. Forbesii, Baker.**

See note Fl. Trop. Afr. ii. 116.

Bulawayo, Dec. Eyles, 1206.

**T. grandiflora, Pers.**

Fl. Cap. ii. 209.

Chirinda, 3800 ft. fl. & fr. April, Swyn. 369

**T. lupinifolia, DC.**

Fl. Trop. Afr. ii. 107; Fl. Cap. ii. 204.

Victoria Falls, April, Flanagan, 3127; Rogers, 5716, 5605.

**var. *digitata*, DC.**

Fl. Trop. Afr. ii. 107.

Matopos, 4500–5000 ft. Nov. Eyles, 1154

**T. lurida, Sond.**

Fl. Cap. ii. 208.

Bulawayo, Jan. Rand, 41; Dec. Rand, 51; Matopos, fl. & young

fr. Oct. Gibbs, 249; Rogers, 5682; Mazoe, 4700 ft. March,

Eyles, 265.

**T. nyasae, Baker f.**

Chimanimani Mts. 7000 ft. Sep. Swyn. 1464.

**T. polystachya, E. Mey.**

Fl. Cap. ii. 206.

Victoria Falls, Rogers, 5626, 5558.

## Genus No.

**T. purpurea, Pers.**

Fl. Trop. Afr. ii. 124.

Victoria Falls, Rogers, 7041\*.

**T. radicans, Welw.**

Fl. Trop. Afr. ii. 121.

Matopos, April, Flanagan, 3099; Bulawayo, Rogers, 5486.

**var. rhodesiaca, Baker f.**

Journ. Bot. 1899, 430.

Bulawayo, fl. &amp; fr. Dec. Rand, 52.

**T. spp.**Bulawayo, Dec. Gardner, 95, cf. *T. bracteolata*, Guill. & Perr.

Feb. Eyles, 1062.

Victoria, Monro, 840.

3719—**Mundulea suberosa, Benth.**

Fl. Trop. Afr. ii. 126; Cat. Afr. Pl. Welw. i. 225.

Bulawayo, Dec. Rand, 77; Nov. Eyles, 1183; Monro, 96;

Rogers, 5742; Khami, Nov. Marloth, 3400; Sabi Riv. 1000 ft.

Swyn. 1453; Victoria, Monro, 464, 550; Matopos, Davy.

3721—**Schefflerodendron gazense, Baker f.**

Journ. Linn. Soc. Bot. xl. 55.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 13; Buzi Riv. Swyn.

3746—**Microcharis sp.**Matopos, April, Flanagan, 1341, cf. *M. Galpinii*, N. E. Br.3747—**Sesbania ægyptiaca, Pers.**

Fl. Trop. Afr. ii. 134.

Gwelo, Sr. Phil. 55.

**S. cinerascens, Welw.**

Fl. Trop. Afr. ii. 134; Cat. Afr. Pl. Welw. i. 231.

Victoria Falls, April, Flanagan, 3084, 3113.

**S. pubescens, DC.**

Fl. Trop. Afr. ii. 135; Cat. Afr. Pl. Welw. i. 231.

Victoria Falls, Engler; South of Zambesi, Engler; Matopos, Rogers, 5159 ?, 5099.

**S. punctata, DC.**

Fl. Trop. Afr. ii. 133; Cat. Afr. Pl. Welw. i. 230.

Bulawayo, July, Rand, 448; Victoria Falls, July, Kolbe, 3132; Rogers, 7407; Mazoe, April, Flanagan, 3122; Odzani River Valley, Umtali, Teague, 15.

**S. tetraptera, Hochst.**

Fl. Trop. Afr. ii. 136.

Victoria Falls, April, Flanagan, 3109.

Genus No.

**S. spp.**

Victoria Falls, Allen, 7, cf. *S. pubescens*, DC. ; May, Eyles, 144.  
Salisbury, April, Flanagan, 3121.

3756—**Lessertia pauciflora**, Harv.

Fl. Cap. ii. 222.  
Matopos, fl. & young fr. Sep. Gibbs, 104.

**L. stipulata**, E. G. Baker.

Journ. Bot. 1899, 430.  
Salisbury, fl. & young fr. Sep. Rand.

**L. sp.**

South Rhodesia, Rand, 614.

3766—**Astragalus burkeanus**, Benth.

Fl. Cap. ii. 224 ; Harv. Gen. S.A. Pl. 80.  
Salisbury, Engler.

3792—**Ormocarpum trichocarpum** (Taub.), Torre & Harms. (*Diphaca trichocarpa*, Taub.)

Bulawayo, Dec. Rand, 31.

**O. spp.**

Bulawayo, Eyles, 93 ; Chubb, 78 ; Gardner, 69, cf. *O. vibrat-eatum*, Baker.

3793—**Æschynomene cristata**, Vatke.

Victoria Falls, fl. & fr. Sep. Gibbs ; Engler ; April, Flanagan, 3085.

**A. elaphroxylon**, Desv.

Victoria Falls, Rogers, 5632 ?

**A. gazensis**, Baker f.

Journ. Linn. Soc. Bot. xl. 56.  
Melsetter, 6000 ft. Sep. Swyn. 1457.

**A. grandistipulata**, Harms.

Chimanimani Mts. 7000 ft. Swyn. 1499 ; W. Johnson, 232.

**A. mimosifolia**, Vatke.

North of Hartley, Engler ; Victoria Falls, Kolbe, 4243 : Victoria, Monro, 783 ; Umtali, Rogers, 4056 ; Salisbury, April, Flanagan, 3116 ; Darling in Herb. Bolus, 10766.

**A. nodulosa**, Baker f. (*Smithia nodulosa*, Baker.) (*A. shirensis*, Taub.)

Fl. Trop. Afr. ii. 153 ; Journ. Linn. Soc. Bot. xl. 56.  
Melsetter, 6000 ft. Sep. Swyn. 619.

**A. nyassana**, Tanb.

Matopos, 4500–5000 ft. Nov. Eyles, 1117.

**A. oligantha**, Welw.

Fl. Trop. Afr. ii. 146 ; Cat. Afr. Pl. Welw. i. 234.  
Victoria Falls, April, Flanagan, 3129.

## Genus No.

**A. uniflora**, *E. A. Mey.*

Fl. Cap. ii. 226; Fl. Trop. Afr. ii. 146.  
Victoria Falls, Rogers, 7062\*.

**A. spp.**

Bulawayo, Jan. Gardner, 17, cf. *A. heuchiana*, Baker.  
Salisbury, Rand, 459.  
Mazoe, 4300 ft. Jan. Eyles, 241, cf. *A. Ruppellii*, Baker; 5300 ft.  
Jan. Eyles, 523.  
Victoria Falls, Allen, 280.

3796—**Smithia strigosa**, *Benth.* (*Damapana strigosa*, O. Kuntze.)

Fl. Trop. Afr. ii. 154; Cat. Afr. Pl. Welw. i. 237.  
Chirinda, 3800 ft. April, Swyn. 264; Chipetzana Riv. 3000 ft.  
April, 1483; Mt. Pene, 7000 ft. Oct. Swyn. 6180.

**S. thymodora**, *Baker f.*

Journ. Linn. Soc. Bot. xl. 56.  
Melsetter, 6000 ft. Swyn. 655.

3802—**Stylosanthes erecta**, *Beauv.*

Fl. Trop. Afr. ii. 156; Cat. Afr. Pl. Welw. i. 238.  
Bulawayo, May, Rand, 310.

**S. mucronata**, *Willd.*

Fl. Trop. Afr. ii. 157.  
Bulawayo, Rogers, 13076\*, 13811\*.

**S. sp.**

Victoria, Monro, 854.

3803—**Arachis hypogea**, *L.*

Fl. Trop. Afr. ii. 158; Fl. Cap. ii. 227; Cat. Afr. Pl. Welw. i. 239.  
South Rhodesia, Rhod. Agric. Journ. April, 1904, 135; a common  
native crop of cultivation.

3804—**Zornia diphylla**, *Pers.*

Fl. Trop. Afr. ii. 158; Cat. Afr. Pl. Welw. i. 239.  
Redbank, April, Flanagan, 3187.

**Z. tetraphylla**, *Michx.*

Fl. Trop. Afr. ii. 159; Fl. Cap. ii. 225.  
Bulawayo, Jan. Rand, 61; Gwai, April, Flanagan, 3123; Victoria,  
Monro, 908; Victoria Falls, Rogers, 5706; Chirinda, Swyn.

3807—**Desmodium dimorphum**, *Welw.* (*Meibomia dimorpha*, O. Kuntze.)

Fl. Trop. Afr. ii. 161; Cat. Afr. Pl. Welw. i. 240.  
Victoria Falls, Rogers, 7152.

**D. lasiocarpum**, *DC.* (*D. latifolium*, DC.) (*Meibomia lasiocarpa*,  
O. Kuntze.)

Fl. Trop. Afr. ii. 162; Cat. Afr. Pl. Welw. i. 241.  
Chirinda, Swyn.

Genus No.

**D. paleaceum**, Guill. & Perr. (*Meibomia oxybractea*, O. Kuntze.)  
Fl. Trop. Afr. ii. 166 ; Cat. Afr. Pl. Welw. i. 242.  
Victoria Falls, Engler ; Rogers, 5026 ; July, Kolbe, 3152 ; April,  
Flanagan, 3115.

**D. Scalpe**, DC. (*Meibomia repanda*, O. Kuntze.)  
Fl. Trop. Afr. ii. 164 ; Cat. Afr. Pl. Welw. i. 242.  
Salisbury, April, Flanagan, 3106 ; Chirinda, Swyn.

**D. sp.**  
Victoria Falls, April, Flanagan, 3124, cf. *D. spirale*, DC.

3808—**Pseudarthria Hookeri**, Wight & Arn.

Fl. Trop. Afr. ii. 168 ; Nat. Pl. 219 ; Cat. Afr. Pl. Welw. i. 244.  
Matopos, 4500 ft. Feb. Eyles, 1167 ; Rogers, 4067 ; Victoria,  
Monro, 979 ; Salisbury, Darling ; Chirinda, Swyn. ; Odzani  
River Valley, Umtali, Teague, 10.

3810—**Alysicarpus rugosus**, DC. (*A. Wallichii*, Wight and Arn.)  
(*Fabricia rugosa*, O. Kuntze.)

Fl. Trop. Afr. ii. 171 ; Fl. Cap. ii. 230 ; Cat. Afr. Pl. Welw. i. 246.  
Bulawayo, 4500 ft. Eyles, 86 ; Gwelo, Jan. Gardner, 29 ; Umtali,  
Engler ; Salisbury, April, Flanagan, 3117.

**A. Zeyheri**, Harv. (*Fabricia Zeyheri*, O. Kuntze.)

Fl. Trop. Afr. ii. 170 ; Fl. Cap. ii. 230 ; Cat. Afr. Pl. Welw. i. 246.  
Bulawayo, Rogers, 5520 ; 5483.

3821—**Dalbergia dekindtiana**, Harms.

Umtali, Engler.

**D. lactea**, Vatke.

Lusitu Riv. 3000 ft. Sep. Swyn. 1468.

**D. melanoxylon**, Guill. & Perr.

Fl. Trop. Afr. ii. 233 ; For. Fl. Port. E. Afr. 41.  
Sabi Riv. 1000 ft. Nov. Swyn. 2093.

**D. Swynnertonii**, Baker f.

Journ. Linn Soc. Bot. xl. 60.

Nyahodi Riv. 4000 ft. Sep. Swyn. 1316.

**D. spp.**

Sabi Riv. Swyn. 1201, cf. *D. arbutifolia*, Baker.  
Victoria Falls, Rogers, 5477.

3828—**Pterocarpus erinaceus**, Poir. (*P. echinatus*, DC.) (*P. angolensis*,  
A. DC.)

Fl. Trop. Afr. ii. 239 ; For. Fl. Port. E. Afr. 44 ; Cat. Afr. Pl.  
Welw. i. 279.

Matopos, Davy ; Galpin, 6950 ; Oct. Gibbs, 207 ; Engler ;  
Gwanda, Noble, 26 ; North of Bulawayo, Dr. F. E. Weiss ;  
Bulawayo, Engler ; Salisbury, Engler ; Lomagundi, Govt.

## Genus No.

Herb. 984; Chirinda, 3300 ft. Oct. Swyn. 41; Nyahodi Riv. 5000 ft. Swyn. 1439; South Melsetter, Swyn.; South Rhodesia, Rand; Upper Buzi, Swyn.

**P. melliferus, Welw.**

Fl. Trop. Afr. ii. 239; Cat. Afr. Pl. Welw. i. 277.  
Victoria, Monro, 604, 750.

**P. sericeus, Benth.**

Fl. Cap. ii. 264.

Khauni Riv. Feb. Eyles, 1195; Matopos, Hutchins; Gwanda, Noble, 19; Umtali, Govt. Herb. 833; Salisbury, Govt. Herb. 932; Chirinda, 3500 ft. Jan. Swyn. 28; South of Chirinda, Swyn.

**P. spp.**

Victoria Falls, Allen, 85, cf. *P. Antunesii*?  
Victoria, Monro, 581.  
Salisbury, Rand, 1392.

3834—**Lonchocarpus capassa, Rolfe.** (*L. laxiflorus*, Guill. and Perr.)  
(*L. Philenoptera*, Benth.) (*L. violaceus*, Oliv.) (*Derris violacea*, Harms.)

Fl. Trop. Afr. ii. 242; Cat. Afr. Pl. Welw. i. 281.  
Matabeleland, Oates; Victoria Falls, Allen, 47; Gwanda, Noble, 9; Matopos, Govt. Herb. 887; Lomagundi, Govt. Herb. 991; North of Bulawayo, Engler; Sabi Riv. 1000 ft. young fr. Nov. Swyn. 1451, 1397?

3856—**Abrus precatorius, L.**

Fl. Trop. Afr. ii. 175; Fl. Cap. ii. 262; For. Fl. Port. E. Afr. 42;  
Cat. Afr. Pl. Welw. i. 247.  
Sebakwe, 4000 ft. Dec. Eyles, 41; Victoria Falls, Galpin, 6944;  
fr. Sep. Gibbs, 306; Engler; Rogers; Marandellas, Govt. Herb. 883.

3861—**Dumasia villosa, DC.**

Fl. Cap. ii. 234.  
Salisbury, April, Flanagan, 3146; Mazoe, 4500 ft. April, Eyles, 353; Chipete Forest, Swyn.

3864—**Glycine javanica, L.**

Fl. Trop. Afr. ii. 178; Cat. Afr. Pl. Welw. i. 249.  
Victoria Falls, fr. April, Flanagan, 3114; Rogers, 5136; Mazoe, April, Flanagan, 3082; Chirinda, Swyn.

3866—**Te ramnus labialis, Spreng.**

Fl. Trop. Afr. ii. 180; Fl. Cap. ii. 235; Cat. Afr. Pl. Welw. i. 249.  
Umtali, Rogers, 4032.

Genus No.

3870—**Erythrina humeana**, *Spreng.* (*E. Humei*, E. Mey.)

Fl. Trop. Afr. ii. 182; Fl. Cap. ii. 237; For. Fl. Port. E. Afr. 43; For. Fl. Cape, 202.

Chirinda, 3500 ft. fr. June, Swyn. 603; also by Swyn. at Chipete, Chipetzana, Mt. Pene, and between Melsetter and Haroni Riv.

**E. tomentosa**, *R. Br.* (*E. latissima*, E. Mey.)

Fl. Trop. Afr. ii. 184; Fl. Cap. ii. 238; Nat. Pl. 384, 385; For. Fl. Port. E. Afr. 43; For. Fl. Cape, 201.

Salisbury, July, Rand, 462; Engler; Matopos, Davy; Nov. Marloth, 3374; fl. & fr. Oct. Gibbs, 73; Engler; Gwanda, Noble, S; Victoria, Monro, 416, 455; Mazoe, 4500 ft. July, Eyles, 381; Melsetter, fl. & young fr. Sep. Swyn. 154; fl. Oct. Swyn. 668; Umtali, Rogers, 4017.

**E. sp.**

Victoria, Monro, 415.

3877—**Mucuna coriacea**, *Baker.*

Fl. Trop. Afr. ii. 187.

Mazoe, 4500–4800 ft. April, Eyles, 361; Chirinda, 3500 ft. May, Swyn. 450; Chipetzana Riv. 3000 ft. April, Swyn. 1487; Nahodi Riv. 5000 ft. April, Swyn. 1488.

3879—**Calopogonium lacerans**, *R. Br.*

Matopos, Rogers, 5167.

3882—**Galactia sp.**

Bulawayo, Dec. Gardner, 93, 94.

3891—**Canavalia ensiformis**, *DC.* (*C. incurva*, P. Thouars.)

Fl. Trop. Afr. ii. 190; Cat. Afr. Pl. Welw. i. 254.

Victoria Falls, Allen, 130; Rogers, 5137; Salisbury, Govt. Herb. 760; Chirinda, Swyn.

3897—**Rhynchosia adenodes**, *E. & Z.*

Fl. Cap. ii. 254.

Mazoe, April, Flanagan, 3083.

**R. antennulifera**, *Baker.*

See note Fl. Trop. Afr. ii. 223.

Salisbury, July, Band, 453.

**R. caribaea**, *DC.* (*Dolicholus caribaeus*, Hiern.)

Fl. Trop. Afr. ii. 220; Cat. Afr. Pl. Welw. i. 267.

Mazoe, April, Flanagan, 3103.

**R. clivorum**, *S. Moore.*

Chimanimani Mts. 7000 ft. Sep. Swyn. 1461; Mt. Pene, 7000 ft. Swyn. 6184.

**R. congensis**, *Baker.* (*Dolicholus angolensis*, Hiern.)

Fl. Trop. Afr. ii. 217; Cat. Afr. Pl. Welw. i. 266.

Victoria Falls, April, Flanagan, 3107 (var.).

Genus No.

3897—**R. cyanosperma**, *Benth.*

Fl. Trop. Afr. ii. 218.

Chikore Hills, 3500 ft. Feb. Swyn. 226.

**R. flavissima**, *Hochst.*

Fl. Trop. Afr. ii. 219.

Chirinda, 3700–4000 ft. Oct. Swyn. 448.

**R. Memnonia**, *DC.* var. **prostrata**, *Harv.*

Fl. Trop. Afr. ii. 220; Fl. Cap. ii. 253; Nat. Pl. 349. All of type.

Victoria, Monro, 644.

**R. minima**, *DC.*

Fl. Trop. Afr. ii. 219; Fl. Cap. ii. 254.

Salisbury, Aug. Rand, 454; Victoria Falls, April, Flanagan, 3108; Rogers, 5540, 5543, 5606; Bulawayo, Chubb, 73.

**R. monophylla**, *Schlechter.*

Rusapi, Engler; Chirinda, 3800 ft. Feb. Swyn. 390, 451, 1162; Melsetter, 6000 ft. Swyn. 6190; Mt. Pene, 6500–7000 ft. Sep. Swyn. 1466.

**R. Orthodanum**, *Benth.*

Fl. Cap. ii. 257; Nat. Pl. 220.

Umtali, Engler; Chipete, 3800 ft. Oct. Swyn. 1500.

**R. puberula**, *Harv.*

Fl. Cap. ii. 255.

Bulawayo, Jan. Rand, 46.

**R. resinosa**, *Hochst.*

Fl. Trop. Afr. ii. 218.

Salisbury, July, Rand, 457; Matopos, Sept.–Oct. Gibbs, 68; April, Flanagan, 3100; Rogers, 5181; Victoria, Monro, 1068.

**R. Totta**, *DC.*

Fl. Cap. ii. 255.

Victoria Falls, Rogers, 7213; Bulawayo, Rogers, 13686\*.

**R. viscidula**, *Steud.*

Fl. Cap. ii. 251.

Victoria, Monro, 549.

**R. spp.**

Gwelo, Jan. Gardner, 5.

Bulawayo, Jan. Gardner, 82; Oct. Eyles, 1086.

Victoria Falls, April, Flanagan, 3089.

Salisbury, April, Flanagan, 3105, same as Bolus, 10773; Salisbury, Darling, in Herb. Bolus, 10773, 10774, 11186, 11187; Rand, 452; Rogers, 4051, 4014.

Mazoe, 4300 ft. Aug. Eyles, 182; 4800 ft. June, Eyles, 375.

South Rhodesia, Rand, 608.

Genus No.

3898—**Eriosema Burkei**, Benth.

Fl. Cap. ii. 260.

Salisbury, Rogers, 4014; Selukwe, Rogers, 4092.

**E. cajanoides**, Hook. f. (*E. psoraleoides*, G. Don.)

Fl. Trop. Afr. ii. 227; Fl. Cap. ii. 261; Cat. Afr. Pl. Welw. i. 272.\*

Bulawayo, Jan. Rand, 49; fr. July, 447; Dec. Eyles, 28; Victoria Falls, Allen, 134; Umtali, Engler; Odzani River Valley, Teague, 7; Victoria, Monro, 926; Crocodile Riv. Holub; Chirinda, Swyn.; Chikore Hills, Swyn.; Salisbury, Rogers, 4066.

**E. ellipticum**, Welw.

Fl. Trop. Afr. ii. 227; Cat. Afr. Pl. Welw. i. 274.

Melsetter, 6000 ft. Sep. Swyn. 624.

**E. Engleri**, Harms.

North of Hartley, Engler, 3012; Salisbury, Engler, Sep. 3023; Macheke, Rogers, 4044, 4061; Bulawayo, Rogers, 10773\*.

**E. montanum**, Baker f.

Chirinda, 3800 ft. Sep. Swyn. 361, not typical form.

**E. oblongum**, Benth.

Fl. Cap. ii. 259.

Salisbury, fl. & fr. Sep. Rand, 590; Rogers, 4004; North of Bulawayo, 3400 ft. Dec. Eyles, 1131; Gwelo, Sr. Phil. 22.

**E. parviflorum**, E. Mey.

Fl. Cap. ii. 260; Fl. Trop. Afr. ii. 225.

Bulawayo, Rogers, 13674\*.

**E. polystachyum**, Baker.

Fl. Trop. Afr. ii. 225.

Bulawayo, Jan. Rand, 48.

**E. shirensse**, Baker f.

Lusitu Hills, 5000 ft. April, Swyn. 1497.

**E. spp.**

Bulawayo, 4500 ft. Sep. Eyles, 104, cf. *E. parviflora*, E. Mey.

Salisbury, Aug. Rand, 458, cf. *E. Engleri*, Harms, and *E. insigne*, O. Hoffm.

Victoria, Monro, 533, 553.

Mazoe, 4300–4800 ft. Nov. Eyles, 530.

Gwelo, Sr. Phil. 38.

3899—**Flemingia rhodocarpa**, Baker.

Fl. Trop. Afr. ii. 231.

Mazoe, 4600–4800 ft. July, Eyles, 382; Chirinda, 3700–4000 ft. July, Swyn. 1048.

Genus No.

3901—***Phaseolus lunatus*, L.**

Fl. Trop. Afr. ii. 192; Cat. Afr. Pl. Welw. i. 255.  
 Umtali, Rogers, 4055; South Rhodesia, Rhod. Agric. Journ.  
 April, 1906, 362. Native crop of cultivation.

**P. sp.**

Bulawayo, Dec. Gardner, 88.

3905—***Vigna Buchneri*, Harms.**

North of Hartley, Engler.

**V. Burchelli**, Harr.

Fl. Trop. Afr. ii. 196; Fl. Cap. ii. 239.

Bulawayo, Rogers, 5497.

**V. cærulea**, Baker.

Fl. Trop. Afr. ii. 203.

Gwai Riv. 3200 ft. Allen, 247.

**V. luteola**, Benth. (*V. glabra*, Savi.)

Fl. Trop. Afr. ii. 205; Fl. Cap. ii. 241; Cat. Afr. Pl. Welw. i. 260.

Victoria Falls, April, Flanagan, 3086; Salisbury, Rogers, 5522?; Chimanimani Mts, 7000 ft. Sep. Swyn. 1467; Mt. Pene, 7000 ft. Oct. Swyn. 6192.

var. **villosa**, Baker.

Fl. Trop. Afr. ii. 206; Cat. Afr. Pl. Welw. i. 260.

Victoria Falls, Sep. Gibbs, 142; Rogers, 7453, 5968.

**V. nilotica**, Hook. fil.

Fl. Trop. Afr. ii. 204.

Victoria Falls, Rogers, 7110\*.

**V. nuda**, N. E. Br.

Kew Bull. 1901, 121.

Mashonaland, Bryce; Salisbury, Darling in Herb. Bolus, 10772; Bulawayo, Rogers.

**V. triloba**, Walp.

Fl. Trop. Afr. ii. 204; Fl. Cap. ii. 241; Cat. Afr. Pl. Welw. i. 259.

Matopos, Sep. Gibbs, 206, forma; Victoria Falls, April, Flanagan, 3126; Rogers, 7111.

**V. vexillata**, Benth. (*V. hirta*, Hook.) (*V. capensis*, Walp.)

Fl. Trop. Afr. ii. 199; Fl. Cap. ii. 240; Cat. Afr. Pl. Welw. i. 257. Salisbury, Sep. Rand, 589; Umtali, Engler; Victoria, Monro, 1013; Chirinda, 3800 ft. April, Swyn. 363; Umvumvumvu Riv. 4000 ft. Oct. Swyn. 6191.

**V. spp.**

Victoria Falls, Allen, 160; May, Eyles, 139.

Gwai Forest, Jan. Allen, 245.

Matopos, 4500–5000 ft. Nov. Eyles, 1145.

Genus No.

3907—**Sphenostylis marginata**, E. Mey. (*Vigna marginata*, Benth.)

Fl. Trop. Afr. ii. 202; Fl. Cap. ii. 240.

Salisbury, Rand, 461; Engler; Rogers, 4059?; Victoria Falls, Allen, 176; Victoria, Monro, 766; Chirinda, 3800 ft. April, Swyn. 364; South Melsetter, 3500 ft. Oct. Swyn. 6624.

3910—**Dolichos euryphyllus**, Harms, forma **lobata**.

Sebakwe, 4000 ft. Dec. Eyles, 165.

**D. falciformis**, E. Mey.

Fl. Cap. ii. 246.

Victoria Falls, Galpin, 7336.

**D. gibbosus**, Thunb.

Fl. Cap. ii. 244.

Bulawayo, Eyles.

**D. Hendrickxii**, Wildem.

Without locality, Rogers\*.

**D. Lablab**, L.

Fl. Trop. Afr. ii. 210; Fl. Cap. ii. 243.

Matopos, Rogers, 5163; Mazoe, 4500 ft. Feb. Eyles, 526?

**D. lupiniflorus**, N. E. Br.

Kew Bull. 1906, 102.

Chirinda, 3500 ft., Nov. Swyn. 1045.

**D. stipulosus**, Welw. var. **Randii**, Baker f.

Journ. Bot. 1899, 432; Fl. Trop. Afr. ii. 212 (type).

Salisbury, Dec. Rand, 80.

**D. tricostatus**, Baker f.

Journ. Bot. 1899, 431.

Bulawayo, Jan. Rand, 82.

**D. spp.**

Bulawayo, Monro, 62.

Mazoe, 4800 ft. Dec. Eyles, 494.

South Rhodesia, Rand, 311.

3911—**Adenodolichos**?

Victoria, Monro, 673, 999.

#### SERIES GERANIALES.

##### FAMILY CXXIX.—GERANIACEAE, J. St. Hil.

3924—**Geranium caffrum**, E. & Z.

Fl. Cap. i. 258.‡

Melsetter, 6000 ft. fl. & fr. Sep. Swyn. 790.

**G. Thodei**, R. Kunth.

Matopos, Galpin, 6591.

Genus No

3925—**Monsonia biflora**, DC.

Fl. Trop. Afr. i. 290; Fl. Cap. i. 255; Nat. Pl. 96; Cat. Afr. Pl. Welw. i. 108.

Bulawayo, Dec. Rand, 19; Jan. Eyles, 70.

**M. burkeana**, Planch.

Fl. Cap. i. 255.

Salisbury, Aug. Rand, 441; Matopos, Oct. Gibbs, 222; Macheke, Rogers, 4049; Victoria, Monro, 852?

**M. ovata**, Cav.

Fl. Cap. i. 255; Nat. Pl. 97 (var.).

Bulawayo, 4500 ft. Jan. Eyles; Rogers, 5929; Matabeleland, Marloth.

**M. spp.**

Bulawayo, Feb. Eyles, 1174, 1193; Monro, 14.

South Rhodesia, Rand, 95.

3928—**Pelargonium aconitophyllum**, E. & Z. (forma).

Fl. Cap. i. 276.

Mt. Pene, 7000 ft. Oct. Swyn. 6099.

**P. sp.**

Bulawayo, Jan. Gardner, 64.

## FAMILY CXXX.—OXALIDACEAE, Lindl.

3936—**Oxalis corniculata**, L. var. **stricta**, Oliv.

Fl. Trop. Afr. i. 297; Cat. Afr. Pl. Welw. i. 109; Fl. Cap. i. 351 (type).

Bulawayo, May, Rand, 296.

**O. semiloba**, Sond.

Fl. Trop. Afr. i. 296; Fl. Cap. i. 350; Cat. Afr. Pl. Welw. i. 109. Salisbury, Rogers, 5773; Melsetter, Swyn.

**O. spp.**

Bulawayo, 4500 ft. Dec. Eyles, 73, cf. *O. caprina*, L.

Mazoe, 5000 ft. Dec. Eyles, 210; April, Eyles, 344.

Selukwe, Jan. Gardner, 50.

## FAMILY CXXXII.—LINACEAE, Dumort.

3945—**Linum Thunbergii**, E. & Z.

Fl. Cap. i. 310.

Matopos, Nov. Eyles, 1098; Matabeleland, Marloth.

FAMILY CXXXIV.—ERYTHROXYLACEAE, *Lindl.*

Genus No.

- 3956—**Erythroxylon monogynum**, Roxb. (*E. pictum*, E. Mey.) (*E. caffrum*, Sond.) (*E. emarginatum*, Schum. & Thonn.)

Sim places these all under *E. monogynum*, Roxb., see For. Fl. Cap. 149, and For. Fl. Port. E. Afr. 21.

Fl. Trop. Afr. i. 274; Fl. Cap. i. 233, 234, and ii. 591.

Victoria Falls, Rogers, 5375, 5539, 5560.

var. **caffrum**, O. E. Schultz.

Chipete Forest, 3800 ft. Dec. Swyn. 133; Oct. Swyn. 692; Chimanimani Mts. 7000 ft. bud Sep. Swyn. 1364, 1465.

FAMILY CXXXV.—ZYGOPHYLLACEAE, *Lindl.*

- 3965—**Zygophyllum simplex**, L.

Fl. Trop. Afr. i. 285; Fl. Cap. i. 357; Cat. Afr. Pl. Welw. i. 106.

Crocodile Riv. Oates.

**Z. sp.**

Victoria, Monro, 826.

- 3978—**Tribulus terrestris**, L.

Fl. Trop. Afr. i. 283; Fl. Cap. i. 352; Cat. Afr. Pl. Welw. i. 105.

Bulawayo, 4500 ft. Dec. (*Collector?*) 7; Khami Riv. March, Eyles,

11; Bulawayo, Rogers, 5736; Victoria Falls, Rogers, 5395.

FAMILY CXXXVII.—RUTACEAE, *Juss.*

- 3990—**Xanthoxylum capense**, Harv.

Fl. Cap. i. 446.

Victoria, Monro, 791.

- 4014—**Thamnosma africanum**, Engl.

Matopos, Engler; Rogers, 5176.

var. **rhodesicum**, Bak. f.

Journ. Bot. 1899, 426.

Bulawayo, fl. & young fr. Jan. Rand, 83; fr. May, Rand? 297;

Matopos, Sep.–Oct. Gibbs, 310; Rogers, 5255.

- 4076—**Vepris paniculata**, Lam.

Victoria, Monro, 739?

- 4077—**Toddalia aculeata**, Pers.

Chipete Forest, fl. & fr. Nov. Swyn. 213; Chirinda Forest, Swyn.

**T. lanceolata**, Lam. (*Vepris lanceolata*, A. Juss.)

Fl. Trop. Afr. i. 307; Fl. Cap. i. 447; For. Fl. Port. E. Afr. 24;

For. Fl. Cape, 156.

Matopos, Rogers, 5409.

Genus No.

4085—**Teclea natalensis**, Engl. (*Toddalia natalensis*, Sond.)

Fl. Cap. i. 447.

Chimanimani Mts. 7000 ft. bud Sep. Swyn. 1322.

**T. Swynnertonii**, Baker f.

Journ. Linn. Soc. Bot. xl. 35.

Chirinda Forest, Swyn. 12.

4100—**Citrus aurantium**, L.

Cat. Afr. Pl. Welw. i. 118.

Chirinda Forest, 3700–4000 ft. Swyn. 672; Lusitu Riv. Swyn.

**C. medica**, L. var. *limonium*, Rissso.

South Rhodesia, Rhod. Agric. Journ. Sep. 1904, 8; Mazoe, Eyles.

## FAMILY CXXXVIII.—SIMARUBACEAE, Lindl.

4128—**Kirkia acuminata**, Oliv.

Fl. Trop. Afr. i. 311; For. Fl. Port. E. Afr. 24.

Victoria Falls, Allen, 51, 96; Umtali, Engler; Gwanda, Noble, 12; Victoria, Monro, 637; Mazoe, Govt. Herb. 922; Abercorn, Govt. Herb. 935.

## FAMILY CXXXIX.—BURSERACEAE, Kunth.

4151—**Commiphora acutidens**, Engl.

Bulawayo, Engler.

**C. edulis**?

Victoria Falls, Rogers, 5788.

**C. Fischeri**, Engl.

Sabi Riv. 1000 ft. Nov. Swyn. 1208, 1450.

**C. spp.**

Matopos, Oct. Gibbs, 197; Rogers, 5341.

Gwanda, Noble, 51.

Victoria, Monro, 355; 637 cf. *C. natalense*, Sparm.

Bulawayo, Oct.–Dec. Chubb, 319.

Shashi, Baines.

## FAMILY CXL.—MELIACEAE, Vent.

4159—**Khaya nyasica**, Stapf.

Journ. Linn. Soc. Bot. xl. 42.

Chirinda Forest, Swyn. 15; between Chirinda and Chikore, Swyn.

4171—**Turræa Eylesii**, Baker f.

Journ. Bot. 1905, 45.

Matopos, 5000 ft. Jan. Eyles, 29; Davy.

Genus No.

**T. nilotica**, Kotschy. & Peyr. (Vide *T. Randii*, Bak. f. below.)

Fl. Trop. Afr. i. 331; For. Fl. Port. E. Afr. 25.

Victoria Falls, Dr. Meller; Allen, 400; Matopos, Engler; Salisbury, Engler.

**T. obtusifolia**, Hochst.

Fl. Trop. Afr. i. 331; Fl. Cap. i. 245; For. Fl. Cape, 159.

Matopos, Cecil, 105; Victoria, Monro, 731, 1070, 1100a.

var. **matopensis**, Baker f.

Journ. Bot. 1905, 45.

Matopos, 5000 ft. Jan. Eyles, 154.

**T. Randii**, Baker f. (Engler says same as *T. nilotica*, K. & P.)

Journ. Bot. 1899, 427.

Salisbury, July, Rand, 562; Matopos, Sep. Galpin, 7086; fl. & fr.

Oct. Gibbs, 2; Victoria, Monro, 360, 507; Bulawayo, Oct.-

Dec. Chubb, 320 p.p.; Victoria Falls, Rogers, 7228; Sebakwe,

Rogers.

**T. spp.**

Victoria Falls, Allen, 16; Rogers, 5135.

Victoria, Monro, 731a.

Mazoe, 4800 ft. July, Eyles, 385.

4175—**Melia azedarach**, L.

Fl. Trop. Afr. i. 332; Fl. Cap. i. 245.

Salisbury, Govt. Herb. 920, cultivated.

4193—**Ekebergia arborea**, Baker f.

Journ. Bot. 1899, 427.

Salisbury, Sep. Rand, 612; Victoria, Monro, 479; Chirinda,

3700–4000 ft. fl. & fr. Oct. Swyn. 25; Chikore, Swyn.

**E. Meyeri**, Presl.

Fl. Cap. i. 247; Nat. Pl. 6.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 18; Chirinda, 3000 ft.

Swyn.

**E. sp.**

Victoria, Monro, 587.

4195—**Trichilia chirindensis**, Swyn. & Baker f.

Journ. Linn. Soc. Bot. xl. 39.

Chirinda Forest, 3700–4000 ft. Swyn.

**T. emetica**, Vahl.

Fl. Trop. Afr. i. 335; Nat. Pl. 80; For. Fl. Port. E. Afr. 26;

For. Fl. Cape, 160; Cat. Afr. Pl. Welw. i. 134.

Victoria Falls, Sep. Galpin, 7019; Sep. Gibbs, 110; Allen, 61;

Rogers, 5119; Inyoka, Govt. Herb. 941.

Genus No.

4198—**Lovoa Swynnertonii**, Baker f.

Journ. Linn. Soc. Bot. xl. 41.

Chirinda Forest, 3700–4000 ft. Jan. Swyn. 16.

## FAMILY CXLI.—MALPIGHIACEAE, Vent.

4219—**Sphedamnocarpus Galphimiæfolius**, Szyszyl. (*Acridocarpus Galphimiæfolius*, Juss.)

Fl. Cap. i. 232.

Matopos, Oct. Gibbs, 281.

**S. pruriens**, Planch. (*Acridocarpus pruriens*, Juss.)

Fl. Cap. i. 232; Nat. Pl. 400.

Matabeleland, Oates; Bulawayo, May, Rand, 431; Eyles, 96; Monro, 46; Matopos, Galpin, 6951; Engler; March, Flanagan, 2975; Rogers, 5051; between Plumtree and Bulawayo, April, Flanagan, 3181; Victoria, Monro, 780, 781; Gwelo, Sr. Phil. 20; Selukwe, Rogers, 4097; Chirinda, 3800 ft. fl. &amp; fr. May, Swyn. 211 (forma); Chipete, 3800 ft. April, Swyn. 211a (forma).

**S. pulcherimus**, Gilg.

Matopos, 5000 ft. March, Eyles, 108.

**S. sp.**

Victoria, Monro, 875.

4237—**Tricomaria macrocarpa** ?.

South Rhodesia, Rand, 639.

## FAMILY CXLV.—POLYGALACEAE, Lindl.

4273—**Polygala abyssinica**, Fresn. (*P. hottentotta*, Presl.)

Fl. Trop. Afr. i. 130; Fl. Cap. i. 86.

Bulawayo, Dec. Rand, 14; Salisbury, Sep. Rand, 599; Matopos, Oct. Gibbs, 194; Victoria, Monro, 835, 861; Mt. Pene, 7000 ft. Dec. Swyn. 6154; Melsetter, 6000 ft. Oct. Swyn. 6157.

**P. africana**, Chod. (*P. micrantha*, Guill. & Perr.)

Fl. Trop. Afr. i. 131; Cat. Afr. Pl. Welw. i. 42.

Matopos, March, Eyles, 1030.

**P. amatymbica**, E. & Z.

Fl. Cap. i. 93.

Bulawayo, Rogers, 13547\*, 13731\*.

Genus No.

4273—**P. arenaria**, Willd.

Fl. Trop. Afr. i. 128; Cat. Afr. Pl. Welw. i. 43.

Matopos, March, Flanagan, 2968; Bulawayo, Monro, 90; Gwelo, Sr. Phil. 19; Chirinda, 3800 ft. May, Swyn. 282; Victoria Falls, Rogers; Odzani River Valley, Umtali, Teague, 182.

**P. capillaris**, E. Mey.

Fl. Trop. Afr. i. 131; Fl. Cap. i. 93; Nat. Pl. 83.

Matopos, March, Flanagan, 2972.

**P. erioptera**, DC. (*P. retusa*, Hochst.) (*P. triflora*, L.)

Fl. Trop. Afr. i. 128; Cat. Afr. Pl. Welw. i. 46.

Bulawayo, May, Rand, 290; Chubb, 12a.

**P. gazensis**, Baker f.

Journ. Linn. Soc. Bot. xl. 24.

Chimanimani Mts. 7000 ft. Sep. Swyn. 632.

**P. latipetala**, N. E. Br.

Kew Bull. 1906, 98.

Between Umtali and Salisbury, Cecil, 45.

**P. livingstoniana**, Chod.

Cat. Afr. Pl. Welw. i. 44.

Salisbury, Rand, 463b.

**P. persicariæfolia**, DC.

Fl. Trop. Afr. i. 129; Cat. Afr. Pl. Welw. i. 43.

Bulawayo, 4500 ft. Dec. Eyles, 45; Mazoe, 4300 ft. April, Eyles, 302; Victoria Falls, April, Flanagan, 3169; Rogers, 5667.

**P. petitiana**, Rich.

Fl. Trop. Afr. i. 133.

Salisbury, May, Flanagan, 3256.

**P. rarifolia**, DC. (*P. tenuifolia*, Link.)

Fl. Trop. Afr. i. 132; Cat. Afr. Pl. Welw. i. 47

Mazoe, 4300 ft. Dec. Eyles, 484.

**P. rigens**, A. DC

Matopos, Oct. Gibbs, 82; Feb. Eyles, 1113; Victoria, Monro, 953.

**P. virgata**, Thunb.

Fl. Cap. i. 85.

Crocodile Riv. Oates; Salisbury, July, Rand, 437; Mazoe, 4200 ft. Dec. Eyles, 198; Chirinda, Dec. Swyn. 284; Melsetter, 6000 ft. Oct. Swyn, 6158; Chimanimani Mts. 7000 ft. Sep. Swyn. 2042.

var. **decora**, Harv.

Fl. Cap. i. 85.

Salisbury, April, Flanagan, 3262; Odzani River Valley, Umtali, Teague, 95.

Genus No.

**P. spp.**

Victoria Falls, Allen, 101; Rogers, 5698.

Victoria, Monro, 534; 1030 cf. *P. filicaulis*, Baill.

South Rhodesia, Rand, 15.

4275—**Securidaca longipedunculata, Fres.**

Fl. Trop. Afr. i. 134; Cat. Afr. Pl. Welw. i. 47; For. Fl. Port.

E. Afr. 14.

Victoria Falls, Allen, 423; Salisbury, Rand, 1365; Lomagundi, Govt. Herb. 982; Matopos, Flanagan, 3009; Victoria, Monro, 328.

var. **parvifolia, Oliv.** (Perhaps same as *S. spinosa*, Sim.)

Fl. Trop. Afr. i. 134; For. Fl. Port. E. Afr. 14.

Matopos, fl. &amp; fr. Oct. Gibbs, 244; Umtali, Engler; Chikore Hills, 3500 ft. Swyn, 2038; Umvumvumvu Riv. Swyn. 6155; South Umtali, 2000–3000 ft. Swyn. 6613; South Melsetter, Swyn.

**S. spp.**

Victoria, Monro, 520, 567, 570.

Mazoe, Govt. Herb. 2085.

FAMILY CXLVI.—DICHAPETALACEAE, *Engl.*4283—**Dichapetalum cymosum (Hook.), Torre & Harms. (*Chailletia cymosa*, Hook.)**

Fl. Cap. i. 450; Harv. Gen. S.A. Pl. 49.

Crocodile Riv.?, Oates; Bulawayo, Govt. Herb. 938.

**D. rhodesicum, Sprague & Hutch.**

Kew Bull. 1908, 433.

Gwai Forest, Allen, 234.

FAMILY CXLVII.—EUPHORBIACEAE, *J. St. Hil.*4295—**Pseudolachnostylis Dekindtii, Pax.**

Fl. Trop. Afr. VI. i. 673.

Victoria Falls, Rogers, 5304; Allen, 164, 166; Wankie, Rogers, 5991; Bulawayo, Chubb, 80.

**P. maprouneæfolia, Pax.**

Fl. Trop. Afr. VI. i. 672.

Victoria, Monro, 724; Matopos, Rogers, 5334; Gibbs, 276 ♂; Umvumvumvu Riv. 4000 ft. fr. April, Swyn. 2128.

**P. spp.**

Matopos, Govt. Herb. 896.

Matabeleland, Monro, 207, 436.

Genus No.

4297—**Securinega verrucosa** (*Th.*), *Benth.*

Victoria Falls, Rogers, 5562.

4298—**Flüggea microcarpa**, *Blume.*

Fl. Trop. Afr. VI. i. 736; Cat. Afr. Pl. Welw. i. 961.

Sabi Riy. 1000 ft. Swyn. 1911; Umswirizwi Riv. 1000 ft. Nov.

Swyn. 1727; Bulawayo, Rogers, 5491.

4299—**Phyllanthus floribundus**, *Müll. Arg.*

Fl. Trop. Afr. VI. i. 701; Cat. Afr. Pl. Welw. i. 957.

South of Zambesi, Engler; Victoria, Monro, 916; Wankie  
Rogers, 5991\*.**P. graminicola**, *Hutch.*

Fl. Trop. Afr. VI. i. 708; Journ. Linn. Soc. Bot. xl. 191.

Chirinda, 3800 ft. Feb. Swyn. 261.

**P. hutchinsonianus**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 192.

Chimanimani Mts. 7000 ft. fl. &amp; fr. Sep. Swyn. 1524.

**P. maderaspensis**, *L.* (*P. longifolius*, Sond.)

Fl. Trop. Afr. VI. i. 722; Cat. Afr. Pl. Welw. i. 959.

Mazoe, 4200 ft. Jan. Eyles, 245; Chirinda, Feb. Swyn. 333;  
Bulawayo, 4500 ft. Dec. Eyles, 6; Rogers, 5765; Victoria  
Falls, Rogers, 5563.**P. myrtaceus**, *Sond.*

Fl. Trop. Afr. VI. i. 726; For. Fl. Cape, 325.

Mt. Pene, 6500–7000 ft. Sep. Swyn. 1522, 1523; Chimanimani  
Mts. 7000 ft. fr. Oct. Swyn. 6155a.**P. Niruri**, *L.*

Fl. Trop. Afr. VI. i. 731; Cat. Afr. Pl. Welw. i. 960.

Matopos, Oct. Gibbs, 314.

**P. nummulariæfolius**, *Poir.*

Fl. Trop. Afr. VI. i. 710.

Victoria, Monro, 712, 757; Mazoe, 4800–5000 ft. March, Eyles,  
292.**P. pentandrus**, *Schum. & Thonn.*

Fl. Trop. Afr. VI. i. 710; Cat. Afr. Pl. Welw. i. 957.

Victoria Falls, Rogers, 5564, 5703.

**P. reticulatus**, *Poir.*

Fl. Trop. Afr. VI. i. 700; Cat. Afr. Pl. Welw. i. 958.

Victoria Falls, fl. & fr. Sep. Gibbs, 129; Rogers, 5473; Sep.  
Galpin, 7016; Matopos, Rattray in Herb. Galpin, 6969.**P. spp.**Igusi, April, Flanagan, 3190; Matopos, Davy; Victoria, Monro,  
347, 457, 804; Victoria Falls, Rogers, 5148; South Rhodesia,  
Rand, 210, 211, 212.

Genus No.

4325—**Hymenocardia acida**, *Tul.*

Fl. Trop. Afr. VI. i. 651; Cat. Afr. Pl. Welw. i. 966.

Chikore Hills, fl. Nov. fr. March, Swyn. 1214, 1519.

4327—**Antidesma membranaceum**, *Müll. Arg.*

Fl. Trop. Afr. VI. i. 645; Cat. Afr. Pl. Welw. i. 965.

Chirinda, 5300 ft.; Chipetzana, 3000 ft.; Mt. Pene, 6500 ft.; fl. Sep.–Dec. fr. April, Swyn. 169, 169a, 631, 1111, 2011.

**A. venosum**, *Tul.*

Fl. Trop. Afr. VI. i. 646; Cat. Afr. Pl. Welw. i. 965.

South of Zambesi, Engler; Victoria, Monro, 762, 1059; Victoria Falls, Rogers, 5373.

4329—**Uapaca kirkiana**, *Müll. Arg.*

Fl. Trop. Afr. VI. i. 636.

Salisbury, Engler; Marandellas, Engler; Umtali, Engler; Melsetter, 4000 ft. Johnson, 128; Chirinda, 3500 ft. Jan. Swyn. 49; also by Swynnerton South of Umtali, Chimanimani Mts. and throughout Melsetter Dist.

**U. sansibarica**, *Pax.*

Fl. Trop. Afr. VI. i. 636.

Melsetter and Chirinda, Jan.–April, Swyn. 155, 6513.

4345—**Bridelia atroviridis**, *Mill. Arg.*

Fl. Trop. Afr. VI. i. 617; Cat. Afr. Pl. Welw. i. 953.

Chipete Forest, 3800 ft. fr. April, Swyn. 535.

**B. cathartica**, *Bertol. f.*

Fl. Trop. Afr. VI. i. 617; For. Fl. Port. E. Afr. 106.

Victoria Falls, Rogers, 5071, 7181; Galpin, 7015.

**B. micrantha**, *Baill.*

Fl. Trop. Afr. VI. i. 620.

Chirinda, 3500 ft. Nov. Swyn. 536; also throughout South Melsetter, Swyn.

**B. mollis**, *Hutch.* (*B. stipularis*, Müll. Arg.)

Fl. Trop. Afr. VI. i. 613; For. Fl. Port. E. Afr. 106; Kew Bull.

1912, 101.

Victoria, Monro, 684, 790, 643a; Bulawayo, Rogers, 5499.

**B. Niedenzui**, *Gehrm.*

Fl. Trop. Afr. VI. i. 616.

Mazoe, 4300–4500 ft. March, Eyles, 273; Umvumvumvu Riv. 2000 ft. fl. &amp; fr. April, Swyn. 1736.

**B. scandens**, *Willd.* (*B. stipularis*, Blume.)

Cat. Afr. Pl. Welw. i. 955; For. Fl. Port. E. Afr. 106.

Bulawayo, Rogers, 5499.

**B. sp.**

Victoria Falls, April, Flanagan, 3154.

Genus No.

4348—**Croton barotsensis**, Gibbs.

Fl. Trop. Afr. VI. i. 767; Journ. Linn. Soc. Bot. xxxvii. 469.  
Victoria Falls, Sep. Gibbs, 109; Allen, 175, 416; Rogers, 5474;  
Galpin, 7049.

**C. gratissimus**, Burch.

Fl. Trop. Afr. VI. i. 1051; For. Fl. Cape, 311.  
Victoria Falls, Sep.–Oct. Galpin, 6989; Matopos, Oct. Gibbs,  
209; Rogers, 5410; South of Zambesi, Engler; Victoria,  
Monro, 322, 306, 810.

**C. Gubouga**, S. Moore.

Fl. Trop. Afr. VI. i. 766.  
Sabi Riv. 1000 ft. Nov. Swyn. 1123.

**C. rivularis**, Müll. Arg.

For. Fl. Cape, 311.  
South of Zambesi, Engler.

**C. sylvaticus**, Hochst.

Fl. Trop. Afr. VI. i. 771; For. Fl. Cape, 310.  
Chirinda Forest, 3700–4000 ft. Nov. Swyn. 4.

**C. Zambesicus**, Müll. Arg. (*C. Welwitschianus*, Müll. Arg.)

Fl. Trop. Afr. VI. i. 758; Cat. Afr. Pl. Welw. i. 970.  
Victoria Falls, Rogers, 5146; Allen, 418 p.p.; South of Zambesi,  
Engler; Matopos, Rogers, 5252\*.

4354—**Tannodia Swynnertonii**, Prain. (*Croton Swynnertonii*, S. Moore.)

Fl. Trop. Afr. VI. i. 827; Journ. Linn. Soc. Bot. xl. 194; see  
Journ. Bot. 1912, 127.  
Chirinda Forest, 3700–4000 ft. Sep.–Dec. Swyn. 109, 6519.

4386—**Argomuellera macrophylla**, Pax.

Fl. Trop. Afr. VI. i. 925.  
Chirinda Forest, 3700–4000 ft. May, Oct., Nov. Swyn. 114.

4395—**Neoboutonia Melleri**, Prain. (*Mallotus Melleri*, Müll. Arg.)

Fl. Trop. Afr. VI. i. 922.  
North of Lusitu Riv. Swyn.; Chirinda, Swyn.

4400—**Macaranga mellifera**, Prain.

Fl. Trop. Afr. VI. i. 943; Journ. Linn. Soc. Bot. xl. 201.  
Chirinda, 3700–4000 ft. Oct. Swyn. 5 and 2120; Mt. Pene,  
7000 ft. Oct. Swyn. 6039.

4407—**Acalypha Allenii**, Hutch.

Fl. Trop. Afr. VI. i. 889; Kew Bull. 1911, 229.  
Gwai Forest, Allen, 238; North of Bulawayo, 3400 ft. Dec.  
Eyles, 1130; Salisbury, Rand, 1385, 1386; Bulawayo, Chubb,  
106.

Genus No.

**A. caperonioides, Baill.**

Fl. Trop. Afr. VI. i. 884, as *A. peduncularis*, Meisn. p.p. see Kew Bull. 1913, 23.

Inyanga, 6000–7000 ft. Cecil, 179, 182; between Umtali and Inyanga, Cecil, 167; Salisbury, Cecil, 68; Engler, 3052; Rogers, 4003; Gwelo, Jan. Gardner, 33; Matopos, 5000 ft. Nov. Eyles, 1153; Gibbs, 227?; Melsetter, 6000 ft. Oct. Swyn. 2015?; Melsetter, 5000–6000 ft. Oct. Swyn. 2015?; North Melsetter, 5000–6000 ft. Dec. Swyn. 6040?, 6227?

**A. chirindica, S. Moore.**

Fl. Trop. Afr. VI. i. 885; Journ. Linn. Soc. Bot. xl. 199. Chirinda, 3800 ft. Dec. Swyn. 380, 381.

**A. ciliata, Forsk.**

Fl. Trop. Afr. VI. i. 901.

Salisbury, Rand, 1388; Chirinda, 3700–4000 ft. June, Swyn. 734; Victoria, Monro, 946.

**A. indica, L.**

Fl. Trop. Afr. VI. i. 903; Cat. Afr. Pl. Welw. i. 978.

Victoria Falls, Rogers, 5386; North Melsetter, 2000–6000 ft. Dec. Swyn. 2014.

**A. ornata, Hochst.**

Fl. Trop. Afr. VI. i. 890; Cat. Afr. Pl. Welw. i. 976.

Victoria Falls, Rogers, 5417, 5550.

**A. paniculata, Miq.**

Fl. Trop. Afr. VI. i. 886; Cat. Afr. Pl. Welw. i. 976.

Melsetter, Johnson, 172.

**A. petiolaris, Hochst.**

Victoria Falls, April, Flanagan, 3192; Odzani River Valley, Umtali, Teague, 77.

**A. punctata, Meisn.**

Fl. Trop. Afr. VI. i. 884, as *A. peduncularis*, Meisn. p.p. see Kew Bull. 1913, 23.

Upper Buzi, 3000 ft. Swyn. 383; Sep. Swyn. 739?

**A. segetalis, Müll. Arg.**

Fl. Trop. Afr. VI. i. 904; Cat. Afr. Pl. Welw. i. 979.

Victoria Falls, Rogers, 5386a.

**A. senensis, Klotzsch. (*A. zambesica*, Müll. Arg.)**

Fl. Trop. Afr. VI. i. 888.

Matopos, Oct. Gibbs, 225; Victoria Falls, Allen, 197; Bulawayo, Jan. Gardner, 56; Chubb, 353; Chirinda, Swyn. 382.

Genus No.

**A. villicaulis, Hochst.**

Fl. Trop. Afr. VI. i. 893.

Salisbury, Engler; Rand, 1384; Bulawayo, Oct.-Dec. Chubb, 369; Chirinda, 3500-4000 ft. April, Swyn. 382, 383; Upper Buzi, 3000 ft. Dec. Swyn. 1153.

**A. spp.**

North of Bulawayo, 3400 ft. Dec. Eyles, 1120.

South Rhodesia, Rand, 204, 205.

4416—**Tragia dioica, Sond.**

Fl. Trop. Afr. VI. i. 993.

Bulawayo, Kolbe, in Herb. Bolus, 4109.

**T. Gardneri, Prain.**

Fl. Trop. Afr. VI. i. 994; Kew Bull. 1909, 52.

Gwelo, Jan. Gardner, 34.

**T. kirkiana, Müll. Arg.**

Fl. Trop. Afr. VI. i. 998.

Bulawayo, Rogers, 5915; Victoria Falls, Rogers, 5594.<sup>1</sup>**T. natalensis, Sond.** (*T. ambigua*, S. Moore, and var. *urticans*, S. Moore.)

Fl. Trop. Afr. VI. i. 974; Journ. Linn. Soc. Bot. xl. 202.

Chirinda Forest, 3700-4000 ft. June, Swyn. 795; May, Swyn. 446.

**T. Okanyua, Pax.** (*T. angustifolia*, Pax.)

Fl. Trop. Afr. VI. i. 986.

Bulawayo, Jan. Gardner, 55; Chubb, 66; Victoria Falls, Rogers, 5594\*.

**T. rhodesiae, Pax.**

Fl. Trop. Afr. VI. i. 979.

Salisbury, Sep. Engler, 3073; Rand, 644, 1387; Marshall.

4424—**Ricinus communis, L.**

Fl. Trop. Afr. VI. i. 945; Cat. Afr. Pl. Welw. i. 983.

South Rhodesia, Rhod. Agric. Journ. 1904, 135. Naturalized.

Odzani River Valley, Umtali, Teague, 269.

4436—**Hevea sp.**

Matopos, Govt. Herb. 901, cultivated.

4444—**Manihot Glaziovii, Müll. Arg.**

Fl. Trop. Afr. VI. i. 839.

Salisbury, Govt. Herb. 765, cultivated.

4448—**Cluytia inyangensis, Hutch.**

Fl. Trop. Afr. VI. i. 804.

Inyanga, 6000-7000 ft. Cecil, 181.

<sup>1</sup> Rogers had this number named *T. okanyua*, Pax, by Mr. Spencer Moore.

## Genus No.

- C. monticola, S. Moore.**  
 Fl. Trop. Afr. VI. i. 803; Journ. Linn. Soc. Bot. xl. 197.  
 Mt. Pene, 6500–7000 ft. Sep.–Oct. Swyn. 2012, 6159.
- C. Paxii, Knauf. (*C. phyllanthoides*, S. Moore.)**  
 Fl. Trop. Afr. VI. i. 809; Journ. Linn. Soc. Bot. xl. 198.  
 Melsetter, 6000 ft. Sep. Swyn. 1120, 1722.
- C. robusta, Pax.**  
 Fl. Trop. Afr. VI. i. 811.  
 Melsetter, Swyn. 1530; Mt. Pene, Swyn. 6042; Chirinda, Swyn. 1531a.
- C. stellerooides, S. Moore.**  
 Fl. Trop. Afr. VI. i. 804; Journ. Linn. Soc. Bot. xl. 198.  
 North Melsetter, 5000–6000 ft. Oct. Swyn. 6214.
- C. Swynnertonii, S. Moore.**  
 Fl. Trop. Afr. VI. i. 811; Journ. Linn. Soc. Bot. xl. 197.  
 Chipete and Chirinda, 3700–4000 ft. May–June, Swyn. 197, 530a, 530b, 530c.
- C. volubilis, Hutch.**  
 Fl. Trop. Afr. VI. i. 809.  
 Chimanimani, Johnson, 188.
- 4463—**Ricinodendron Rautanenii, Schinz.**  
 Fl. Trop. Afr. VI. i. 746.  
 Victoria Falls, Kirk; Allen, 191.
- 4464—**Gelonium procerum, Prain.**  
 Fl. Trop. Afr. VI. i. 948; Journ. Linn. Soc. Bot. xl. 201.  
 Chirinda Forest, 3700–4000 ft. Oct. Swyn. 104; Chimanimani Mts. 7000 ft. Swyn. 1115.
- 4478—**Excæcaria sp.**  
 Gwanda, Noble, 23.
- 4483—**Sapium madagascariense, Prain. (*Excæcaria sylvestris*, S. Moore.)**  
 Fl. Trop. Afr. VI. i. 1010; Journ. Linn. Soc. Bot. xl. 204.  
 Chirinda Forest, 3700–4000 ft. Oct. Jan. Swyn. 72, 72a.
- S. Mannianum, Benth.**  
 Fl. Trop. Afr. VI. i. 1016; Cat. Afr. Pl. Welw. i. 986.  
 Chipete Forest, 3800 ft. March, Swyn. 103; Chirinda, 3800 ft. Sep. Swyn. 741.
- 4498—**Euphorbia abyssinica, Gmelin.**  
 Fl. Trop. Afr. VI. i. 588.  
 South Rhodesia, Rand.
- E. angularis, Klotzsch.**  
 Fl. Trop. Afr. VI. i. 584.  
 Matopos, Nov. Marloth, 3418.

Genus No.

4498—**E. crotonoides**, Boiss.

Fl. Trop. Afr. VI. i. 518.

Redbank, Flanagan, 3186.

**E. cyparissioides**, Pax. (*E. ericoides*, Lam.)

Fl. Trop. Afr. VI. i. 542; Cat. Afr. Pl. Welw. i. 951.

Rusapi, Engler, 3112; North Melsetter, Swyn. 6217.

var. **minor**, N. E. Br.

Fl. Trop. Afr. VI. i. 542.

North Melsetter, 6000 ft. Sep. Swyn. 6043, 6044; Haroni Riv.

5000 ft. Oct. Swyn. 1529; Macheke, Rogers, 4027.

**E. depauperata**, Hochst.

Fl. Trop. Afr. VI. i. 537.

Mt. Pene, 7000 ft. Sep. Swyn. 6041; Haroni Riv. 5500 ft. Oct.

Swyn. 1528.

**E. espinosa**, Pax.

Fl. Trop. Afr. VI. i. 547.

Bulawayo, Chubb, 345; Victoria, Monro, 319.

**E. Eylesii**, Rendle.

Fl. Trop. Afr. VI. i. 512; Journ. Bot. 1905, 52.

Deka, 2400 ft. May, Eyles, 130; Kesi, April, Flanagan, 3284;

Victoria, Monro, 910; Victoria Falls, Rogers, 5559\*, 7138\*.

**E. grandidens**, Haw.

For. Fl. Port. E. Afr. 105; For. Fl. Cape, 317.

Matopos, Davy.

**E. griseola**, Pax, var. **robusta**, Pax.

Fl. Trop. Afr. VI. i. 578.

Matopos, 5000 ft., Engler, 2860b.

**E. helioscopia**, L.

Bulawayo, 4500 ft. Jan. Eyles, 62.

**E. livida**, E. Mey. ?

Victoria Falls, Galpin, 7351.

**E. matabensis**, Pax. (*E. jægeriana*, Pax, *E. trifurca*, N. E. Br.)

Fl. Trop. Afr. VI. i. 546.

Matopos, Sep. Gibbs, 24; Engler; Victoria Falls, Galpin, 7056;

Rogers, 5306; Victoria, Monro, 424; between Umtali and

Melsetter and other parts of Mashonaland, Swyn. 691, 6611;

Matabeleland, Penther, 944; Chirinda, 3500 ft. Oct. Swyn. 691.

**E. mozambicensis**, N. E. Br.

Fl. Trop. Afr. VI. i. 509.

Victoria Falls, Rogers, 7002\*.

Genus No.

**E. Oatesii, Rolfe.**

Fl. Trop. Afr. VI. i. 522.

Matabeleland, Oates; Gwelo, Rand, 218.

**E. Reinhardtii, Volk.**

Fl. Trop. Afr. VI. i. 590.

Bulawayo, Nov. Marloth, 3417; Matopos, Davy; Engler.

**E. rubriflora, N. E. Br.**

Fl. Trop. Afr. VI. i. 509.

Victoria Falls, Rogers, 5565; Allen.

**E. Schimperiana, Scheele.**

Fl. Trop. Afr. VI. i. 533.

Chirinda, 3700–4000 ft. Swyn. 1531.

var. **Buchananii, N. E. Br.**

Fl. Trop. Afr. VI. i. 534.

Chirinda Forest, 3800 ft. Sep. Swyn. 238.

**E. Schinzii, Pax.**

Fl. Trop. Afr. VI. i. 567.

Bulawayo, 4500 ft. Eyles, 1247; Rand, 396.

**E. tettensis, Klotzsch.**

Fl. Trop. Afr. VI. i. 494.

Igusi, April, Flanagan, 3191.

**E. tortistyla, N. E. Br.**

Fl. Trop. Afr. VI. i. 569.

Victoria, Monro, 490.

**E. trichadenia, Pax. (E. benguellensis, Pax.)**

Fl. Trop. Afr. VI. i. 523.

Matopos, Oct. Gibbs, 234; Victoria, Monro, 141.

**E. whyteana, Baker f.**

Fl. Trop. Afr. VI. i. 540.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1526.

**E. spp.**

Gwai Forest, Allen, 264.

Mazoe, 4400 ft. April, Eyles, 314, cf. *E. Eylesii*, Rendle.

Mazoe, 4400 ft. April, Eyles, 365.

Victoria Falls, April, Flanagan, 3246.

South Rhodesia, Rand, 395, 397.

4500—**Synadenium gazenae, N. E. Br.**

Fl. Trop. Afr. VI. i. 467; Journ. Linn. Soc. Bot. xl. 190.

Chipetzana Riv. 3000 ft. April, Swyn. 1505.

SERIES SAPINDALES.

FAMILY CLIII.—ANACARDIACEAE, *Lindl.*

Genus No.

4558—**Sclerocarya caffra**, *Sond.*

Fl. Trop. Afr. i. 449; Fl. Cap. i. 525; For. Fl. Port. E. Afr. 39; Cat. Afr. Pl. Welw. i. 176; Harv. Gen. S.A. Pl. 64; Nat. Pl. 307.

Matopos, Davy; Oct. Gibbs, 261; Bulawayo, Engler; Chubb, 321; Gwanda, Noble, 10; Umtali, Govt. Herb. 843; Sabi Riv. fr. Nov. Swyn. 1210; Melsetter, Swyn.; Victoria, Monro, 531.

4563—**Lannea discolor** (*Sond.*), *Engl.* (*Odina discolor*, *Sond.*)

Fl. Cap. i. 504.

Umtali, Engler; Salisbury, Engler.

**L. edulis** (*Sond.*), *Engl.* (*Odina edulis*, *Sond.*)

Fl. Cap. i. 503.

Matopos, fl. Sep. fr. Oct. Gibbs, 71; Salisbury, Darling; Chirinda, 3800 ft. fl. & fr. Oct. Swyn. 441; South Melsetter, Swyn.; Charter, Govt. Herb. 3017; Victoria, Monro, 523; North of Bulawayo, Engler.

var. *integritifolia*, *Engl.*

Salisbury, Engler.

**L. Schimperi** (*Hochst.*), *Engl.* (*Odina Schimperi*, *Hochst.*)

Fl. Trop. Afr. i. 445.

Matopos, Oct. ♂ Gibbs, 268.

**L. Stuhlmanni** (*Engl.*), *Torre & Harms.* (*Odina Stuhlmanni*, *Engl.*)

Sabi Riv. 1000 ft. Nov. Swyn. 1205.

**L. Wodier**, *Roxb.* var. *brevifolia*, *Engl.*

Victoria, Monro, 745.

**L. spp.**

Victoria, Monro, 552; 587, 641.

Mazoe, 4300–4800 ft. Sep. Eyles, 422.

Bulawayo, Oct.–Dec. Chubb, 306.

4589—**Heeria insignis**, *O. Kuntze*, var. *reticulata*, *Baker f.*

Journ. Bot. 1899, 428.

Bulawayo, Jan. Rand, 64; fr. May, Rand, 307; between Mt.

Pene and Haroni Riv. 6000 ft. fr. Sep. Swyn. 680.

**H. paniculosa**, *Engl.*

Matopos, Rogers, 5412.

Genus No.

- H. pulcherrima** (*Schweinf.*), *O. Kuntze*. (*Rhus pulcherrima*, Oliv.  
Fl. Trop. Afr. i. 436.  
Matopos, Engler; Salisbury, Rogers, 5769; Charter, Govt. Herb.  
3016.
- H. reticulata** (*Baker*), *Engl.*  
Salisbury, Engler; Victoria, Monro, 695; Matopos, Rogers, 5363.
- H. spp.**  
Victoria, Monro, 332, 437.
- 4594—**Rhus bulawayensis**, *Diels*.  
Bulawayo, Sep. Engler, 2923.
- R. chirindensis**, *Baker f.*  
Journ. Linn. Soc. Bot. xl. 49.  
Chirinda, 3800 ft. Swyn. 168.
- R. erosa**, *Thunb.*  
Fl. Cap. i. 516; For. Fl. Cape, 194.  
Victoria, Monro, 307.
- R. lœvigata**, *L.*  
Fl. Cap. i. 514; For. Fl. Cape, 195.  
Victoria, Monro, 739.
- R. lancea**, *L. f.*  
Fl. Cap. i. 514; For. Fl. Cape, 194.  
Bulawayo, July, Rand, 444; May, Rand, 302, 304; Chubb, 41,  
45, 51, 315; Matopos, Sep. Galpin, 7066; Davy; fl. & fr. Sep.  
Gibbs, 1; Gwanda, Noble, 36.
- R. lanceolata** ?  
Matopos, Govt. Herb. 895; Salisbury, Govt. Herb. 937.
- R. leptodictya**, *Diels*.  
Bulawayo, Sep. Engler, 2915.
- R. lucida**, *L.*  
Fl. Cap. i. 517.  
Chimanimani Forest, 6500 ft. fl. & young fr. Sep. Swyn. 635.
- R. mucronifolia**, *Sond.* (*R. salicifolia*, Presl.)  
Fl. Cap. i. 521; For. Fl. Cape, 193.  
Gwanda, Noble, 65; Mazoe, Govt. Herb. 2089 ?
- R. paniculosa**, *Sond.* (*Anaphrenium paniculosum*, Engl.)  
Fl. Cap. i. 522.  
Bulawayo, 4500 ft. Dec. Eyles, 13; Rogers, 5508; Matopos,  
March, Flanagan, 2945; Rogers, 5413, 5639.
- R. rehmannia**, *Engl.*  
Bulawayo, Chubb, 4a.
- R. Sonderi**, *Engl.*  
Chirinda, 3500 ft. fl. & fr. Oct. Swyn. 174; Chipete Forest,  
3800 ft. Oct. Swyn. 174a.

Genus No.

var. *pilosa*, *Engl.*

Melsetter, 6000 ft. Swyn. 6165.

**R. tenuinervis**, *Engl.*

Cat. Afr. Pl. Welw. i. 182.

Bulawayo, May, Rand, 306.

**R. tomentosa**, *L.*

Fl. Cap. i. 508; For. Fl. Cape, 195.

Melsetter, 6000 ft. Sep. Swyn. 667.

**R. trifoliolata**, *Baker f.*

Journ. Bot. 1899, 429.

Bulawayo, Dec. Rand, 66.

**R. villosa**, *L. f.*

Fl. Trop. Afr. i. 439; Fl. Cap. i. 510; Cat. Afr. Pl. Welw. i. 182;

For. Fl. Cape, 196.

Bulawayo, Jan. Rand, 65; Rogers, 5506; Matopos, Oct. Gibbs, 247; Engler; Mazoe, 4600 ft. Aug. Eyles, 398; Salisbury, Engler; Victoria, Monro, 1004.

**R. Welwitschii**, *Engl.* var. *angustifolia*, *Baker f.*

Journ. Bot. 1899, 429.

Bulawayo, Jan. Rand, 97.

**R. spp.**

Victoria Falls, fr. April, Flanagan, 3211.

Victoria, Monro, 314.

Salisbury, Rogers, 5574.

Lomagundi, Govt. Herb. 985.

Umvukwe Hills, Govt. Herb. 1090.

Mazoe, Govt. Herb. 2082.

South Rhodesia, Rand, 303, 305.

FAMILY CLVII.—AQUIFOLIACEAE, *DC.*

4614—**Ilex capensis**, *Sond. & Harv.* (*I. mitis*, Radl.)

Fl. Trop. Afr. i. 359; Fl. Cap. i. 473; For. Fl. Port. E. Afr. 22; For. Fl. Cape, 151; Cat. Afr. Pl. Welw. i. 143.

Mt. Pene, 7000 ft. Oct. Swyn. 6210; Mazoe, 4300 ft. Sep. Eyles, 436.

FAMILY CLVIII.—CELASTRACEAE, *Lindl.*

4625—**Celastrus concinnus**, *N. E. Br.*

Kew Bull. 1906, 16.

Chirinda, 3700–4000 ft. fl. & fr. Oct. Swyn. 118.

## Genus No.

**C. mossambicensis**, Klotzsch.

Fl. Trop. Afr. i. 362.

Chikore Hills, 3500 ft. April, Swyn. 185.

**C. polyacanthus**, Sond.

Fl. Cap. i. 455.

Victoria, Monro, 1100.

4627—**Gymnosporia buxifolia** (Sond.), Szyszyl. (*Celastrus buxifolius*, L.)

Fl. Cap. i. 459; Nat. Pl. 535; For. Fl. Cape, 185.

Matopos, Engler; Victoria, Monro, 1023; Bulawayo, Rogers 13520\*.

**G. senegalensis**, Loes. (*Celastrus senegalensis*, Lam.)

Fl. Trop. Afr. i. 361; Cat. Afr. Pl. Welw. i. 145.

Matopos, Engler; fr. Sep. Galpin, 7077; Rogers, 5244; Victoria Falls, Engler; Rogers, 7420; Victoria, Monro, 382; Upper Buzi, 3500 ft. May, Swyn. 2069.

var. **inermis** ?.

Bulawayo, May, Rand, 298; Victoria Falls, July, Allen, 411.

var. **spinosa** ?.

Bulawayo, May, Rand, 413; Mazoe, 4800 ft., June, Eyles, 374.

**G. spp.**

Victoria, Monro, 386, 738a.

South Rhodesia, Rand, 324, 442.

4629—**Catha edulis**, Forsk.

Fl. Trop. Afr. i. 365; For. Fl. Cape, 181; Harv. Gen. S.A. Pl. 53.

Salisbury, fr. July, Rand, 567; Chipete, 3800 ft. April, Swyn. 102; Chirinda Forest, 3700–4000 ft. May, Swyn. 102? Chirinda, 3500 ft. fr. Oct. Swyn. 1342; Odzani River Valley, Umtali, Teague, 112.

4630—**Pterocelastrus rostratus**, Walp.

Fl. Cap. i. 463; For. Fl. Port. E. Afr. 36; For. Fl. Cape, 187.

Mt. Pene Forest, 6500 ft. Sep. Swyn. 1301; Chimanimani Mts. 7000 ft. Sep. Swyn. 1302.

4640—**Elæodendron capense**, E. & Z.

Fl. Cap. i. 468; For. Fl. Cape, 190.

Chikore, 3600 ft. March, Swyn. 167; Chirinda, 3700–4000 ft. Oct. Swyn. 1174.

**E. matabelicum**, Loes.

Matopos, Sep. Engler, 2835; Oct. Gibbs, 365; Victoria, Monro, 738, 844.

**E. sp.**

South Rhodesia, Rand, 427.

FAMILY CLIX.—HIPPOCRATEACEAE, H. B. & K.

Genus No.

4661—**Hippocratea Buchanani**, Loes.

Victoria Falls, Rogers, 5371.

**H. cymosa**, De Wild. & Th. Dur.

Victoria Falls, Engler.

**H. obtusifolia**, Roxb.

Fl. Trop. Afr. i. 369 ; Cat. Afr. Pl. Welw. i. 149.

Victoria Falls, Sep. Galpin, 7017 ; Sep. Gibbs, 139 ; Rogers, 5785 ; Sabi Riv. 1000 ft. Nov. Swyn. 1200 ; fr. Nov. Swyn. 1203.

FAMILY CLXII.—ICACINACEAE, Miers.

4686—**Apodytes dimidiata**, E. Mey.

Fl. Trop. Afr. i. 355 ; Fl. Cap. i. 235 ; Cat. Afr. Pl. Welw. i. 142 ;

For. Fl. Port. E. Afr. 31 ; For. Fl. Cape, 135.

Chirinda, 3800 ft. Swyn. 184.

FAMILY CLXV.—SAPINDACEAE, Juss.

4724—**Paulinia pinnata**, L.

Fl. Trop. Afr. i. 419 ; For. Fl. Port. E. Afr. 31 ; Cat. Afr. Pl. Welw. i. 166.

Victoria Falls, Sep. Galpin, 7018 ; fl. & fr. Sep. Gibbs, 124 ; Engler ; Rogers, 5101, 8674 ; Matopos, March, Flanagan, 2967.

4726—**Cardiospermum corindum**, L. (*C. canescens*, Wall.)

Fl. Trop. Afr. i. 418 ; Cat. Afr. Pl. Welw. i. 167.

Matopos, fl. & fr. Sep.–Oct. Gibbs, 78 ; Engler ; Rogers, 5199.

**C. Halicacabum**, L.

Fl. Trop. Afr. i. 417 ; Cat. Afr. Pl. Welw. i. 167.

Bulawayo, Rogers.

4734—**Allophylus alnifolius** (Baker), Radlk. (*Schmidelia alnifolia*, Baker.)

Fl. Trop. Afr. i. 422.

Matopos, Engler.

**A. chirindensis**, Baker f.

Journ. Linn. Soc. Bot. xl. 48.

Chirinda Forest, 3700–4000 ft. Swyn. 112.

**A. rubrifolius** (Hochst.), Torre & Harms. (*Schmidelia rubrifolia*, Hochst.)

Fl. Trop. Afr. i. 423.

Victoria Falls, Allen, 143 ; Rogers, 5538.

**Genus No.**

**4784—*Pappea capensis*, E. & Z. (*Sapindus Pappea*, Sond.)**

Fl. Cap. i. 241 ; For. Fl. Port. E. Afr. 33 ; For. Fl. Cape, 171.

Bulawayo, Galpin, 7064 ; Matabeleland, Davy.

**P. fulva**, *Conrad.*

Victoria, Monro, 947 ; Bulawayo, Chubb, 44 ; Salisbury, Rogers, 4077.

**P. spp.**

Victoria, Monro, 944, 988.

**4831—*Dodonæa viscosa*, L.**

Fl. Trop. Afr. i. 433 ; Fl. Cap. i. 242.

Victoria, Monro, 576 ; Melsetter and Nyahodi Riv. Swyn. ; Odzani River Valley, Umtali, Teague, 86.

FAMILY CLXVII.—MELIANTHACEAE, *Endl.*

**4853—*Bersama maschonensis*, Gürke.**

Umtali, Sep. Engler, 3141.

**B. Swynnertoni**, *Baker f.*

Journ. Bot. 1907, 14.

Melsetter, 3800 ft. Swyn. 9 ; Chipete Forest, Dec. Swyn.

FAMILY CLXVIII.—BALSAMINACEAE, *Lindl.*

**4856—*Impatiens Cecili*, N. E. Br.**

Kew Bull. 1906, 101.

Manica Dist. Cecil, 169 ; Melsetter, 6000 ft. Sep. Swyn. 618.

**I. walleriana**, *Hook. f.*

Fl. Trop. Afr. i. 302.

Chirinda Forest, 3700 ft. April, Swyn. 344.

**I. zombensis**, *Baker*, forma.

Chirinda Forest, 3700–4000 ft. April, Swyn. 343

## SERIES RHAMNALES.

FAMILY CLIXIX.—RHAMNACEAE, *Lindl.*

**4861—*Zizyphus spinosus*, Buettn.**

South Rhodesia, Rand, 301.

**Z. jujuba**, *Lam.*

Fl. Trop. Afr. i. 379 ; For. Fl. Port. E. Afr. 35.

Mazoe, 4300 ft. Sep. Eyles, 407 ; Victoria Falls, Rogers, 5726.

## Genus No.

**var. *nanus*, Engl.**

Salisbury, Engler.

**Z. mucronata, Willd.**

Fl. Trop. Afr. i. 380; Fl. Cap. i. 475; Nat. Pl. 47; For. Fl. Port. E. Afr. 35; For. Fl. Cape, 177.

Bulawayo, Dec. Rand, 9; Chubb, 27; Rogers, 5505; Nov. Eyles, 1209; Govt. Herb. 915; Matopos, Davy; Govt. Herb. 905; Gwanda, Noble, 30; Umtali, Govt. Herb. 836; Victoria, Monro, 985; Gambadzia Riv. 3300 ft. fr. May, Swyn. 1385; Umvumvumvu Riv. 4000 ft. fr. April, Swyn. 2070; South Melsetter, Swyn.; Salisbury, Rogers, 5779; Matabeleland, Marloth.

**Z. spp.**

Bulawayo, Chubb, 396.

Victoria, Monro, 779.

South Rhodesia, Rand, 589.

4868—**Berchemia discolor, Hemsl.**

Fl. Trop. Afr. i. 381; For. Fl. Port. E. Afr. 35.

Sabi Riv. 1000 ft. Nov. Swyn. 1215; Hartley, Govt. Herb. 2095.

4875—**Rhamnus prinoides, L'Hérit.**

Fl. Trop. Afr. i. 382; Fl. Cap. i. 477; For. Fl. Cape, 179.

Chipete, 3800 ft. fr. May, Swyn. 428.

**R. sp.**

Bulawayo, 4500 ft. Dec. Eyles, 1005.

4886—**Phyllica paniculata, Willd.**

Fl. Cap. i. 482; For. Fl. Cape, 180.

Chimanimani Mts. 7000 ft. fr. Sep. Swyn. 632a.

4888—**Lasiodiscus Holtzii, Engl.**

Chirinda Forest, 3700–4000 ft. fl. &amp; fr. Oct. Swyn. 121; young fr. Dec. Swyn. 6227.

4902—**Gouania longispicata, Engl.**

Chirinda Forest, 3700–4000 ft. April, Swyn. 96.

4905—**Helinus mystacinus, Hemsl.**

Fl. Trop. Afr. i. 385.

South Rhodesia, Rand, 36.

**H. mystacinus, E. Mey.**

Chirinda, 3700–4000 ft. fl. &amp; fr. May, Swyn. 217.

**H. ovatus, E. Mey.**

Fl. Trop. Afr. i. 384; Fl. Cap. i. 479; Nat. Pl. 44; Cat. Afr. Pl. Welw. i. 151.

Matopos, 4500 ft. Nov. Eyles, 1185; Rogers, 5646; Victoria, Monro, 1067; Victoria Falls, Rogers, 7146.

FAMILY CLXX.—VITACEAE, *Lindl.*

Genus No.

4909—***Vitis* spp.**

Victoria, Monro, 1026.

Victoria Falls, Rogers, 5062, 5070.

4910—***Ampelocissus Grantii*, *Planch.***

Victoria Falls, Rogers, 5541.

***A. mossambicensis*, *Planch.***

South Melsetter, Swyn.

***A. obtusata*, *Planch.* (*Vitis obtusata*, Welw.)**

Fl. Trop. Afr. i. 414; Cat. Afr. Pl. Welw. i. 156.

Salisbury, Rand, 1362.

4917—***Rhoicissus capensis*, *Planch.***

Chirinda, 3700–4000 ft. Nov. Swyn. 1370; Chikore Hills, 3700–4000 ft. bud Nov. Swyn. 1376.

***R. cuneifolia*, *Planch.***

Chirinda, 3800 ft. bud Nov. Swyn. 221.

***R. erythrodies*, *Planch.* (*Vitis erythrodies*, Fresen.)**

Fl. Trop. Afr. i. 401; Cat. Afr. Pl. Welw. i. 157.

Salisbury, July, Rand, 443.

var. ***ferruginea* (Baker), *Planch.***

Mazoe, 4700 ft. Jan. Eyles, 507.

***R. rhomboidea*, *Planch.***

Mt. Pene Forest, 6500–7000 ft. Swyn. 1382; Chimanimani Mts. 7000 ft. Swyn. 1381; Chirinda Forest, 3700 ft. fr. Oct. Swyn. 92.

***R. sansibarensis*, *Gilg.***

Lusitu Riv. 3000 ft. fr. April, Swyn. 1380.

***R. spp.***Victoria, Monro, 1060, cf. *R. sansibarensis*, Gilg.; 1080, cf. *R. sericea*, E. & Z.; and 577.Umvumvumvu Riv. Swyn. 1379, cf. *R. sansibarensis*, Gilg.4918—***Cissus Buchanani*, *Planch.***

Cat. Afr. Pl. Welw. i. 164.

Chipete, 3800 ft. fr. March, Swyn. 231.

***C. congesta*, *Planch.***

Salisbury, Rogers, 5775.

***C. crotalariaeoides*, *Planch.***

Salisbury, Rand, 1339, 1340.

***C. cymosa*, *Schum.* (*Vitis Thonningii*, Baker.)**

Fl. Trop. Afr. i. 407.

Salisbury, Sep. Rand, 606.

Genus No.

- C. fragilis**, *E. Mey.*  
Fl. Cap. i. 249.  
Victoria Falls, Rogers, 5572, 5614.
- C. gracilis**, *Guill. & Perr.*  
Victoria, Monro, 1043 ; Victoria Falls, Rogers, 5552.
- C. hypargyrea**, *Gilg.*  
Salisbury, Rand, 1338.
- C. jatrophoides**, *Planch.* (*Vitis jatrophoides*, Welw.)  
Fl. Trop. Afr. i. 400 ; Cat. Afr. Pl. Welw. i. 161.  
Salisbury, Rand, 1337.
- C. Marlothii**, *Gilg.*  
Matopos, Nov. Marloth, 3386.
- C. rhodesiae**, *Gilg.*  
Salisbury, Engler.
- C. rotundifolia**, *Vahl.*  
Sabi Riv. 1000 ft. bud Nov. Swyn. 2071.
- C. zombensis**, *Gilg. & Brandt*, forma.  
Chirinda, 3500 ft. fr. Sep. Swyn. 194.
- C. spp.**  
Bulawayo, 4500 ft. Feb. Eyles, 101, cf. *C. Sandersoni*, Harv.  
Salisbury, Rand, 1336, 1363.  
Victoria, Monro, 519.  
Victoria Falls, Galpin, 7380.  
Mazoe, 4400 ft. Jan. Eyles, 504 ; 4800 ft. Nov. Eyles, 459.

## SERIES MALVALES.

FAMILY CLXXIV.—TILIACEAE, *Juss.*

- 4953—**Corchorus asplenifolius**, *Burch.*  
Fl. Cap. i. 229.  
Bulawayo, Dec. Gardner, 97 ; Rogers, 5743, 5495 ; Wankie,  
Rogers, 6012.
- C. hirsutus**, *L.*  
Fl. Trop. Afr. i. 264.  
Matopos, Nov. Eyles, 1150 ; fl. and fr. Oct. Gibbs, 237 ; Engler ;  
March, Flanagan, 2978 ; Rogers, 5650 ; Victoria, Monro, 1066.
- C. Kirkii**, *N. E. Br.*  
Matopos, Rogers, 5345, 5349.
- C. mucilagineus**, *Gibbs.*  
Journ. Linn. Soc. Bot. xxxvii. 433.  
Matopos, Sep. Gibbs, 8.

## Genus No.

**C. muricatus, Hochst.**

Fl. Trop. Afr. i. 263.

Victoria Falls, Allen, 87.

**C. serræfolius, Burch.**

Fl. Cap. i. 229.

Bulawayo, Dec. Rand, 8.

**C. tridens, L.**

Fl. Trop. Afr. i. 264 ; Cat. Afr. Pl. Welw. i. 101.

Victoria Falls, July, Kolbe, 3174 ; Rogers, 5537 ; Ngomi, April, Flanagan, 3290.

**C. trilocularis, L.**

Fl. Trop. Afr. i. 262 ; Fl. Cap. i. 229 ; Cat. Afr. Pl. Welw. i. 100.

Bulawayo, 4500 ft. Dec. Eyles, 5 ; Victoria, Monro, 974 ; Chipete Forest, 3800 ft. fl. &amp; fr. May, Swyn. 469 ; Upper Buzi, 3800 ft. fr. April, Swyn. 1480 ; Chipetzana Riv. 3000 ft. fr. April, Swyn. 1481.

**C. sp.**Gwelo, Jan. Gardner, 40, cf. *C. trilocularis*, L.4957—**Sparmannia palmata, E. Mey., forma.**

Fl. Cap. i. 224.

Chipete Forest, 3800 ft. April, Swyn. 225 ; Melsetter, 6000 ft. fr. April, Swyn. 789 ; Chirinda, Swyn.

4966—**Grewia cana, Sond.**

Fl. Cap. i. 225.

Bulawayo, 4500 ft. Oct. Eyles, 1089 ; Monro, 55 ; Khami, Nov. Marloth, 3394.

**G. chirindae, Baker f.**

Journ. Linn. Soc. Bot. xl. 31.

Chirinda, 3700–4000 ft. Nov. Swyn. 131 ; Chipete, Swyn.

**G. flava, DC.**

Fl. Trop. Afr. i. 250 ; Fl. Cap. i. 225 ; For. Fl. Cape, 148.

Matopos, Oct. Gibbs, 226 ; Engler ; Victoria Falls, Rogers, 5144.

**G. flavescens, Juss.**

Victoria Falls, Rogers, 5597.

**G. guazumifolia, Juss.**

Fl. Trop. Afr. i. 245.

Victoria Falls, Rogers, 5590.

**G. monticola, Sond.**

Fl. Cap. i. 226.

Bulawayo, 4500 ft. Nov. Eyles, 1225 ; Chubb, 357 ; Rogers, 5498 ; Victoria, Monro, 667.

**G. obovata, K. Schum.**

Sabi Riv. 1000 ft. fr. Nov. Swyn. 1217.

Genus No.

**G. occidentalis, L.**

Fl. Trop. Afr. i. 246; Fl. Cap. i. 225; For. Fl. Cape, 147; Nat. Pl. 210.

Gwai Forest, 3800 ft. Allen, 236; Chirinda, 3800 ft. Dec. Swyn. 6628.

**G. pilosa, Lam.**

Fl. Trop. Afr. i. 250; Cat. Afr. Pl. Welw. i. 96.

Plumtree, fr. April, Flanagan, 3207?; Victoria Falls, Rogers, 5591.

**G. spp.**

Bulawayo, Dec. Gardner, 92, cf. *G. subspathulata*, N. E. Br.; Monro, 67, 81; Eyles, 1010.

Victoria Falls, Allen, 81, cf. *G. salvifolia*, Heyne; Allen, 67; Allen, 150, cf. *G. occidentalis*, L.; Rogers, 7265, cf. *G. cana*, Sond. Mazoe, 4300 ft. Dec. Eyles, 208.

Victoria, Monro, 361, 740, 794, 919, 700.

South Rhodesia, Rand, 40, cf. *G. salvifolia*, Heyne; Rand, 11 and 294.

4975—**Triumfetta angolensis, Sprague & Hutchinson.**

Journ. Linn. Soc. Bot. xxxix. 256 (1909).

Odzani River Valley, Umtali, Teague, 204.

**T. annua, L.**

Fl. Trop. Afr. i. 256; Cat. Afr. Pl. Welw. i. 97.

Mazoe, 5000 ft. March, Eyles, 255; Victoria Falls, April, Flanagan, 3236; Chirinda, 3800 ft. fl. & fr. April, Swyn. 272; fl. May, Swyn. 473.

**T. annuletum, Sprague.**

Gwelo, Sr. Phil. 39; Umtali, 3900 ft. Engler, 3121a.

**T. dekindtiana, Engl.**

Umvumvumvu Riv. 4000 ft. fr. April, Swyn. 2062.

**T. diversifolia, E. Mey.**

Victoria, Monro, 886.

**T. effusa, E. Mey.**

Fl. Cap. i. 228; Nat. Pl. 318 (as *T. pilosa*, Roth.).

Victoria Falls, April, Flanagan, 3171; Chirinda, 3800 ft. fr. April, Swyn. 1156; Victoria, Monro, 902.

**T. Mastersii, Baker f.**

Salisbury, Aug. Rand, 440; fl. & young fr. Sep. Rand, 592;

Bulawayo, Rogers, 5472?; Chipetzana Riv. 3000 ft. bud Oct.

Swyn. 2061; Nyahodi Riv. 5000 ft. bud Sep. Swyn. 2060;

Matabeleland, Oates (as *T. Welwitschii*, Mast.), South Rhodesia, Rand, 81.

Genus No.

**T. pilosa, Roth.**

Fl. Trop. Afr. i. 257; Fl. Cap. i. 227; Cat. Afr. Pl. Welw. i. 98.  
 Chirinda, 3500 ft. Feb. Swyn. 271; Melsetter, W. H. Johnson,  
 120.

**T. rhomboidea, Jacq.**

Fl. Trop. Afr. i. 257; Fl. Cap. i. 227; Cat. Afr. Pl. Welw. i. 98;  
 Nat. Pl. 252 (as *T. effusa*, E. Mey.).  
 Matopos, March, Flanagan, 2988; Gwelo, Sr. Phil. 23; Chirinda,  
 3800 ft. Feb. Swyn. 270; fr. May, Swyn. 472; April, Swyn.  
 1157; Upper Buzi, 3000 ft. fr. April, Swyn. 2063.

**T. Sonderi, Fic. & Hiern.**

Victoria Falls, Rogers, 5707.

**T. trichocarpa, Sond.** (? See note Fl. Trop. Afr. i. 260.)

Fl. Cap. i. 228.  
 Victoria Falls, Rogers, 7030, 7021.<sup>1</sup>

**T. Welwitschii, Mast.**

Fl. Trop. Afr. i. 255; Cat. Afr. Pl. Welw. i. 97.  
 Matopos, fl. and fr. Oct. Gibbs, 261; Mazoe, 4300 ft. Sep. Eyles,  
 426; Matopos, Engler; Salisbury, May, Flanagan, 3230;  
 Rand, 1341; Odzani River Valley, Umtali, Teague, 266.  
 var. *laxiflora*, Sprague & Hutch. (*T. laxiflora*, Engl.)  
 Salisbury, 4800 ft. Engler, 3025.

var. *Rehmanni*, Sprague & Hutch.  
 Rusapi, 4200 ft. Engler, 3116.

**T. spp.**

Salisbury, May, Flanagan, 3197, cf. *T. semitriloba*, L.  
 Victoria, Monro, 502, 589.  
 Bulawayo, 4500 ft. Sep. Eyles, 1078.

## FAMILY CLXXV.—MALVACEAE, Juss.

4983—**Abutilon angulatum, Mast.** (*A. intermedium*, Hochst.)

Fl. Trop. Afr. i. 183; Cat. Afr. Pl. Welw. i. 65.  
 Victoria Falls, Allen, 420; April, Flanagan, 3304; Rogers, 5114,  
 7122; Umvumvumvu Riv. Swyn.; Bulawayo, Rogers.

**A. Cecili, N. E. Br.**

Kew Bull. 1906, 99.  
 Inyangwa, etc. 5400–6300 ft. Cecil, 196.

**A. fruticosum, Guill. & Perr.**

Fl. Trop. Afr. i. 187; Cat. Afr. Pl. Welw. i. 67.  
 Bulawayo, Dec. Rand, 27.

<sup>1</sup> Rogers has this number named *T. pentandra*, Reich.

## Genus No.

**A. hirsutissimum**, Moench. (*A. asiaticum*, Don.)

Cat. Afr. Pl. Welw. i. 66.

Bulawayo, Dec. Rand, 7.

**A. matopense**, Gibbs.

Journ. Linn. Soc. Bot. xxxvii. 431.

Matopos, Sep. Gibbs, 98.

**A. Sonneratianum**, Sweet.

Chirinda, 3800 ft. fl. &amp; fr. May, Swyn. 504; Chippinga, Swyn.;

Bulawayo, Rogers, 13603\*.

**A. zanzibanicum**, Bojer.

Fl. Trop. Afr. i. 186; Cat. Afr. Pl. Welw. i. 66.

Mazoe, 4500 ft. April, Eyles, 354.

4985—**Wissadula hernandoides**, Garcke.

Victoria Falls, 3000 ft. May, Eyles, 142.

**W. rostrata**, Planch.

Fl. Trop. Afr. i. 182.

Victoria Falls, July, Kolbe, 3154; April, Flanagan, 3297;  
Rogers, 5011.4995—**Malvastrum**, spp.

Khami Riv. 4500 ft. Oct. Eyles, 12.

Bulawayo, Rogers, 13602.

Victoria Falls, Rogers, 7170.

4998—**Sida acuta**, Burm. (*S. carpinifolia*, L.)

Fl. Trop. Afr. i. 180; Cat. Afr. Pl. Welw. i. 63.

Salisbury, Rogers, 4020.

**S. cordifolia**, L.

Fl. Trop. Afr. i. 181; Fl. Cap. i. 168; Cat. Afr. Pl. Welw. i. 64.

Victoria Falls, 3000 ft. May, Eyles, 145 (forma); Allen, 72;  
Rogers, 5709; Matopos, Nov. Marloth, 3358; Rogers, 5185,  
7088; Gwelo, Sr. Phil. 32; Chippinga, Swyn.;  
Bulawayo, Rogers, 5759.**S. longipes**, E. Mey. (*S. capensis*, E. & Z.)

Fl. Cap. i. 167.

Bulawayo, 4500 ft. Jan. Eyles, 3; Dec. Rand, 30; fl. & fr. May,  
Rand, 292; Matopos, Sep. Gibbs, 79; Engler; Gwelo,  
Sr. Phil. 28; Victoria Falls, Rogers, 5627, 7168; Salisbury,  
Rogers, 5799; Matabeleland, Marloth.var. **canescens**, Szyszyl.

Bulawayo, Rogers, 5735.

**S. rhombifolia**, L.

Fl. Trop. Afr. i. 181; Fl. Cap. i. 167; Cat. Afr. Pl. Welw. i. 64.

Bulawayo, Dec. Gardner, 91; Mazoe, 4500 ft. March, Eyles, 272

Victoria Falls, Rogers, 7073.

Genus No.

**S. spp.**

- Bulawayo, Chubb, 304, 355.  
 Victoria Falls, Rogers, 5153.  
 Salisbury, Rogers, 5768, probably sp. n.

5006—**Urena lobata**, *L.*

- Fl. Trop. Afr. i. 189; Cat. Afr. Pl. Welw. i. 67; For. Fl. Port. E. Afr. 17.  
 Victoria Falls, 3000 ft. May, Eyles, 146; April, Flanagan, 3278; Rogers, 5108, 6021.

5007—**Pavonia clathrata**, *Mast.*

- Fl. Trop. Afr. i. 193.  
 North of Bulawayo, 3400 ft. Dec. Eyles, 1124; Bulawayo, Rogers, 13603\*.

**P. columella**, *Cav.*

- Chirinda, 3800 ft. April, Swyn. 299; May, Swyn. 525; Melsetter, 6000 ft. Swyn. 2049.

**P. macrophylla**, *E. Mey.*

- Fl. Trop. Afr. i. 190; Fl. Cap. i. 169.  
 Mazoe, 4300 ft. Dec. Eyles, 205; Khami Riv. 4500 ft. Feb. Eyles, 1198; Victoria, Monro, 848; Salisbury, Rogers, 5794; Bulawayo, Rogers, 5761, 13603; South Rhodesia, Rand, 29.

**P. Meyheri**, *Mast.* (*P. galpiniana*, Schinz.)

- Fl. Trop. Afr. i. 191.  
 Salisbury, March, Flanagan, 3021; Mazoe, 4500 ft. April, Eyles, 355; Odzani River Valley, Umtali, Teague, 98.

**P. schimperiana**, *Hochst.*

- Fl. Trop. Afr. i. 192.  
 Chirinda, 3700–4000 ft. May, Swyn. 523.

**P. spp.**

- Bulawayo, Chubb, 338; Rogers, 5762.  
 Matopos, Rogers, 5168.  
 Victoria Falls, Rogers, 5710, 7202.  
 South Rhodesia, Rand, 94.

5013—**Hibiscus æthiopicus**, *L.*

- Fl. Cap. i. 174.  
 North Melsetter, 5000–6000 ft. Oct. Swyn. 6222; Bulawayo, Monro, 103 (var.).

**H. Allenii**, *Sprague & Hutch.*

- Kew Bull. 1907, 45.  
 Victoria Falls, Allen, 103.

**H. articulatus**, *Hochst.*

- Fl. Trop. Afr. i. 200.  
 Gwelo, Jan. Gardner, 32; Victoria Falls, Rogers, 7240a.

Genus No.

5013—**H. calycinus**, Willd. (*H. calyphyllus*, Cav.)

Fl. Trop. Afr. i. 202; Fl. Cap. i. 170; Cat. Afr. Pl. Welw. i. 72.  
Bulawayo, Rogers, 5760.

**H. cannabiinus**, L.

Fl. Trop. Afr. i. 204; Fl. Cap. i. 176; Cat. Afr. Pl. Welw. i. 72.  
Bulawayo, fl. & fr. May, Rand, 293; Victoria Falls, Rogers, 7192,  
7124, 7418; Chirinda, Swyn.; Odzani River Valley, Umtali,  
Teague, 130.

**H. diversifolius**, Jacq.

Fl. Trop. Afr. i. 198; Fl. Cap. i. 171.  
Victoria Falls, Rogers, 5275.

**H. furcatus**, Roxb.

Fl. Cap. i. 176; Fl. Trop. Afr. i. 201.  
Victoria Falls, Rogers, 7007\*.

**H. gossypinus**, Thunb.

Fl. Trop. Afr. i. 205; Fl. Cap. i. 175.  
Chirinda, 3500 ft. July, Swyn. 2053.

**H. Kirkii**, Mast.

Fl. Trop. Afr. i. 199.  
Matopos, Rogers, 5367\*.

**H. micranthus**, L. (*H. rhodanthus*, Gürke.)

Fl. Trop. Afr. i. 205; Cat. Afr. Pl. Welw. i. 74.  
Matopos, fl. & fr. Oct. Gibbs, 255 (forma); Engler; Rogers,  
5649; Salisbury, Darling, in Herb. Bolus, 10765 (var.);  
Hartley, Engler; Victoria, Monro.

forma **macranthus** ?.

Salisbury, Sep. Rand, 438, 591; Mazoe, 4300–4700 ft. Aug.  
Eyles, 183.

**H. mutatus**, N. E. Br.

Kew Bull. 1906, 99.  
Matopos, Cecil, 108.

**H. panduriformis**, Burm.

Fl. Trop. Afr. i. 203; Cat. Afr. Pl. Welw. i. 72.  
Mazoe, 4400–4800 ft. Jan. Eyles, 531; Salisbury, Rogers, 5771;  
Kolbe, 4189; South Rhodesia, Govt. Herb. 737.

**H. pentaphyllus**, F. Muell.

Fl. Trop. Afr. i. 199.  
Victoria Falls, April, Flanagan, 3158; Rogers, 5584.

**H. physaloides**, Guill. & Perr. (*H. caesius*, Gärcke.)

Fl. Trop. Afr. i. 199; Fl. Cap. i. 172; Nat. Pl. 319; Cat. Afr. Pl.  
Welw. i. 69.  
Victoria Falls, Allen, 71; Rogers, 7209; Ngomi, April, Flanagan,  
3292; Matopos, Flanagan, 3008; Rogers, 5645.

Genus No.

5013—**H. pusillus**, *Thunb.*

Fl. Cap. i. 175; Cat. Afr. Pl. Welw. i. 75.

Bulawayo, Jan. Rand, 25; Rogers, 5744; Matopos, March, Eyles, 110; Victoria Falls, Rogers.

**H. rhodesicus**, *Baker f.*

Journ. Bot. 1899, 424.

Bulawayo, fl. &amp; fr. Dec. Rand, 28.

**H. Schinzii**, *Gürke.*

Victoria Falls, Rogers, 5016.

**H. shirensis**, *Sprague & Hutch.*

Chirinda, 3700–4000 ft. Swyn. 298.

**H. Solandra**, *L'Her.*

Fl. Trop. Afr. i. 206; Cat. Afr. Pl. Welw. i. 74.

North of Bulawayo, May, Eyles, 81.

**H. surattensis**, *L.*

Fl. Trop. Afr. i. 201; Fl. Cap. i. 177; Nat. Pl. 358; Cat. Afr. Pl. Welw. i. 71

Victoria Falls, April, Flanagan, 3157; Chirinda, Swyn.

**H. Swynnertonii**, *Baker f.*

Journ. Linn. Soc. Bot. xl. 28.

Sabi Riv. 1000 ft. Swyn.

**H. ternatus**, *Mast.*

Fl. Trop. Afr. i. 206.

Bulawayo, Jan. Rand, 69; Victoria Falls, Rogers, 7004.

**H. Trionum**, *L.*

Fl. Trop. Afr. i. 196; Fl. Cap. i. 176.

Bulawayo, Dec. Rand, 6; Rogers, 5745; Gwelo, Sr. Phil. 7.

**H. vitifolius**, *L.*

Fl. Trop. Afr. i. 197; Cat. Afr. Pl. Welw. i. 68.

Victoria Falls, Allen, 116; Rogers, 5050, 7095; Matopos, Rogers, 5658; South Rhodesia, Rand, 26.

**H. spp.**

Victoria Falls, April, Flanagan, 3232; Allen, 113, 133; Rogers, 5121.

Bulawayo, Monro, 22.

Mazoe, 4300 ft. Dec. Eyles, 225.

Victoria, Monro, 1098.

South Rhodesia, Rand, 74.

5015—**Kosteletzky** *Büttneri*, *Gürke.*

Cat. Afr. Pl. Welw. i. 68.

Mazoe, 4300 ft. Dec. Eyles, 224.

Genus No.

**K. spp.**

Victoria Falls, April, Flanagan, 3281, cf. *K. flava*, Bak. f.  
Rogers, 5010, 5113.

5018—**Thespesia garckeana**, *F. Hoffm.*

Salisbury, Engler; Umtali, Engler; Govt. Herb. 834.

**T. spp.**

Victoria Falls, Allen, 277; Rogers, 5142, 5389.  
Bulawayo, 4700 ft. Feb. Eyles, 1196.  
South Rhodesia, Rand, 430.

5020—**Gossypium sp.**

Bulawayo, Monro, 30.

FAMILY CLXXVII.—BOMBACACEAE, *K. Schum.*

5023—**Adansonia digitata**, *L.*

Fl. Trop. Afr. i. 212; Cat. Afr. Pl. Welw. i. 79; For. Fl. Port.  
E. Afr. 16.  
Victoria Falls, Davy; Gwanda, Noble, 39; Sabi Valley, Inya-  
madzi Riv. and Tanganda Riv. Swyn.

FAMILY CLXXVIII.—STERCULIACEAE, *Schott. & Endl.*

5047—**Melhania acuminata**, *Mast.*

Fl. Trop. Afr. i. 231.  
Victoria Falls, Rogers, 7051\*.

**M. ferruginea**, *A. Rich.*

Fl. Trop. Afr. i. 231; Cat. Afr. Pl. Welw. i. 88.  
Victoria Falls, Rogers, 5611.

**M. Forbesii**, *Planch.*

Fl. Trop. Afr. i. 231; Cat. Afr. Pl. Welw. i. 88.  
Victoria, Monro, 751.

**M. linearifolia**, *Sond.*

Fl. Cap. i. 222.  
North of Bulawayo, 3400 ft. Dec. Eyles, 1127; Matabeleland,  
Marloth.

**M. obtusa**, *N. E. Br.*

Kew Bull. 1906, 99.  
Bulawayo, Cecil, 94; Matopos, Oct. Gibbs, 283; March, Flanagan,  
2979.

**M. prostrata**, *DC.*

Fl. Cap. i. 222.  
Salisbury, Engler.

## Genus No.

*forma latifolia* ?.

Bulawayo, Dec. Rand, 24.

**M. Randii**, *Baker f.*

Salisbury, fl. &amp; fr. Aug. Rand, 439; Rogers, 4058, 4007; May, Flanagan.

**M. sp.**

Mazoe, 5000 ft. Sep. Eyles, 411.

5053—**Dombeya densiflora**, *Planch.*

Fl. Cap. ii. 589.

Matopos, Davy; Odzani River Valley, Umtali, Teague, 248.

**D. reticulata**, *K. Schum.*

Chirinda, July, Swyn. 47.

**D. rosea**, *Baker f.*

Journ. Linn. Soc. Bot. xl. 29.

Chirinda, 3900 ft. April, Swyn. 196.

**D. rotundifolia**, *Harv.*

Fl. Cap. i. 221; Nat. Pl. 229.

Salisbury, July, Rand, 568 *forma*; Matopos, Sep. Gibbs, 24; Engler; Bulawayo, Engler; Aug. Eyles, 1066; Chubb, 343; Victoria Falls, Allen, 419; Rogers, 5004; Mazoe, 4800 ft. July, Eyles, 377; Govt. Herb. 923; Gwanda, Noble, 70; Inyoka, Govt. Herb. 951.5056—**Hermannia boraginiflora**, *Hook.*

Fl. Cap. i. 201.

Victoria Falls, July, Kolbe, 3179; Gwelo, Sr. Phil. 35; Bulawayo, Oct.–Dec. Chubb, 303.

**H. brachypetala**, *Harv.*

Fl. Cap. i. 202.

Matopos, Sep. Gibbs, 7; Galpin, 7004.

**H. depressa**, *N. E. Br.*

Salisbury, July, Rand, 569; Bulawayo, May, Rand, 332; Monro, 107; Mazoe, 4300–4800 ft. Sep. Eyles, 423.

**H. filipes**, *Harv.*

Fl. Trop. Afr. i. 232; Fl. Cap. i. 206.

Victoria Falls, Rogers, 5732.

**H. quartiniana**, *Rich.* (*Mahernia abyssinica*, Hochst.)

Fl. Trop. Afr. i. 234; Fl. Cap. i. 216.

Matopos, fl. &amp; fr. Sep.–Oct. Gibbs, 77.

**H. viscosa**, *Hiern.*

Bulawayo, Monro, 59; Matopos, Sep. Gibbs, 5; Victoria Falls, April, Flanagan, 3228.

Genus No.

var. **Randii**, Baker f.

Journ. Bot. 1901, 128.

Bulawayo, May, Rand, 295.

**H. spp.**

Kesi, April, Flanagan, 3283.

Bulawayo, 4500 ft. Jan. Eyles, 2.

South Rhodesia, Rand, 18.

5057—**Melochia corchorifolia**, L.

Fl. Trop. Afr. i. 236; Cat. Afr. Pl. Welw. i. 90.

Victoria Falls, Allen, 397.

5059—**Waltheria americana**, L. (*W. indica*, L.)

Fl. Trop. Afr. i. 235; Fl. Cap. i. 180; Cat. Afr. Pl. Welw. i. 91.

Bulawayo, Dec. Rand, 53; Matopos, Galpin, 6957; between

Plumtree and Bulawayo, April, Flanagan, 3180; Gwelo, Sr.

Phil. 40; Victoria Falls, Rogers, 5001; 7159, 7201; Chimanimani Mts. 7000 ft. Sep. Swyn. 2057; Chipetzana, 3000 ft.

April, Swyn. 2058; Odzani River Valley, Umtali, Teague, 205.

5083—**Sterculia diversicolor** ?.

Matopos, Govt. Herb. 902.

**S. livingstoneana**, Engl.

Victoria Falls, Sep. Engler, 2936.

**S. spp.**

Between Malindi and Victoria Falls, Galpin, 7056a.

Victoria, Monro, 885.

## SERIES PARIETALES.

### FAMILY CLXXXII.—OCHNACEAE, DC.

5112—**Ochna Antunesii**, Engl. & Gilg.

Victoria Falls, Sep. Gibbs, 305; Allen, 50; Rogers, 5301, 5302, 7450, 7459.

**O. chirindica**, Baker f.

Journ. Linn. Soc. Bot. xl. 37.

Chirinda Forest, 3700 ft. Oct. Swyn. 106, leaf in May.

**O. leptoclada**, Oliv.

Fl. Trop. Afr. i. 318.

Chikore Hills, 3500 ft. Nov. Swyn. 1356; Mt. Pene, 7000 ft. Oct. Swyn. 6172.

**O. pulchra**, Hook f.

Fl. Trop. Afr. i. 317; Fl. Cap. i. 449; Cat. Afr. Pl. Welw. i. 121.

Matopos, Davy; North of Bulawayo, Engler; Victoria Falls, Rogers, 7450.

## Genus No.

**O. schweinfurthiana, F. Hoffm.**

Matopos, fl. &amp; fr. Oct. Gibbs, 218.

**O. spp.**Victoria Falls, Sep. Galpin, 7050 ; Allen, 172 cf. *O. Antunesii*, Engl. & Gilg.Salisbury, Rand, 1351 cf. *O. humilis*, Engl.

Bulawayo, Eyles, 1184.

Chipete Forest, 3800 ft. Swyn. cf. *O. chirindica*, Bak: f. Charter, Govt. Herb. 3021.

Mazoe, 4600 ft. Jan. Eyles, 506.

5114—**Brackenridgea zanguebarica, Oliv.** (*Pleuroridyea zanguebarica*, Van Tieghem.)

Chirinda, 3600 ft. fr. Dec. Swyn. 189 ; Chikore, Swyn.

## FAMILY CLXXXVII.—GUTTIFERAE, Juss.

5168—**Hypericum aethiopicum, Thunb.**

Fl. Cap. i. 117.

Chirinda, 3800 ft. April, Swyn. 374 ; May, Swyn. 508; between Umtali and Imyanga Mts. Cecil.

**H. Lalandii, Choisy.**

Fl. Trop. Afr. i. 155 ; Fl. Cap. i. 118 ; Cat. Afr. Pl. Welw. i. 56.

Matopos, Gibbs ; Rogers, 5175, 5364 ; Victoria, Monro, 1021 ; Mt. Pene, 6000 ft. Oct. Swyn. 6173.

**H. lanceolatum, Lam.**

Fl. Trop. Afr. i. 156 ; For. Fl. Port. E. Afr. 14.

Melsetter, 6000 ft. Sep. Swyn. 681, 681a ; Mt. Pene, 7000 ft. Oct. Swyn. 6091 ; between Melsetter and Umyumvumvu Riv. Swyn.

5171—**Vismia corymbosa, A. Chev.**

Victoria Falls, Rogers, 7245.

5172—**Psorospermum febrifugum, Spach.**

Fl. Trop. Afr. i. 158 ; Cat. Afr. Pl. Welw. i. 57 ; For. Fl. Port. E. Afr. 14.

Victoria Falls, Rogers, 7259 ; Chirinda, 3800 ft. Oct. Swyn. 195.

**P. sp.**

Salisbury, Rand, 1367.

5173—**Haronga madagascariensis, Choisy.** (*Harungana paniculata*, Pers.)

Fl. Trop. Afr. i. 160 ; Cat. Afr. Pl. Welw. i. 58 ; For. Fl. Port. E. Afr. 14.

Chirinda, 3800 ft. fl. &amp; fr. Feb. Swyn. 161.

Genus No.

5199—**Garcinia Livingstonei**, *T. And.*

Fl. Trop. Afr. i. 165; For. Fl. Port. E. Afr. 15.

Victoria Falls, Galpin, 7024; Davy; Sep. Gibbs, 114; Allen, 190; Rogers, 5316, 7463; Engler.

**G. sp.**

Chimanimani Mts. Swyn. 574.

FAMILY CLXXXVIII.—DIPTEROCARPACEAE, *Heim.*

5228—**Monotes africanus**, *A.DC.* var. **denudans**, *Hiern.* (*Vatica africana*, Welw. var. *laxa*, Oliv.)

Fl. Trop. Afr. i. 173; Cat. Afr. Pl. Welw. i. 61.

Mazoe, 4300 ft. Jan. Eyles, 242; Salisbury, Rand, 1398.

**M. glaber**, *Sprague.* (*Vatica africana*, Welw. var. *glabra*, Oliv.)

Kew Bull. 1909, 305; Fl. Trop. Afr. i. 173.

Hunyani Valley, Allen, 734; Salisbury, Rand, 557.

**M. hypoleucus**, *Gilg.* (*Vatica africana*, Welw. var. *hypoleuca*, Oliv.)

Fl. Trop. Afr. i. 173; Cat. Afr. Pl. Welw. i. 62.

Mazoe, 5000 ft. Dee. Eyles, 211; between Inyamadzi and Buzi, 3400 ft. Dee. Swyn. 157; Upper Buzi, 3000 ft. fr. Oct. Swyn. 1314; Chirinda, Swyn.

**M. sp.**

Victoria, Monro, 870, cf. *M. Engleri*, Gilg.

FAMILY CLXXXIX.—ELATINACEAE, *Lindl.*

5230—**Bergia decumbens**, *Planch.*

Fl. Trop. Afr. i. 153; Fl. Cap. i. 116.

Bulawayo, Rand, 333 and 337 p.p.; Oct. Eyles, 1092; Monro, 69, 236; Rogers, 5480; Matopos, Sep.–Oct. Gibbs, 30; Engler.

FAMILY CXCVIII.—VIOLACEAE, *DC.*

5262—**Rinorea convallarioides** (*Baker f.*), *Torre & Harms.* (*Alsodeia convallarioides*, *Baker f.*)

Journ. Linn. Soc. Bot. xl, 21.

Chirinda Forest, Sep. Swyn. 2119; fr. Oct. 2119a; also Swyn. 1110 fr. only taken from same shrub as flowers.

Genus No.

**R. gazensis** (*Baker f.*), *Torre & Harms.* (*Alsodeia gazensis*, *Baker f.*)

Journ. Linn. Soc. Bot. xl. 22.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 132 ; fr. Dec. Swyn. 6500.

**5271—*Hybanthus enneaspermum* (*Vent.*), *Torre & Harms.* (*Ionidium enneaspermum*, *Vent.*)**

Fl. Trop. Afr. i. 105.

Bulawayo, Rand, 58 ; Monro, 95.

**H. sp.**

Bulawayo, 4500 ft. Nov. Eyles, 1214.

**5274—*Viola abyssinica*, *Steud.***

Fl. Trop. Afr. i. 105.

Mt. Pene, 7000 ft. Oct. Swyn. 6203.

FAMILY CXCIX.—FLACOURTIACEAE, *Dumort.***5275—*Rawsonia lucida*, *Harv. & Sond.***

Fl. Cap. i. 67 ; Nat. Pl. 575 ; For. Fl. Port. E. Afr. 12 ; For. Fl. Cape, 128.

Chirinda Forest, 3800 ft. Oct. Swyn. 658.

**5284—*Oncoba spinosa*, *Forsk.***Fl. Trop. Afr. i. 115 ; Fl. Cap. ii. 583 : For. Fl. Port. E. Afr. 12 ; Cat. Afr. Pl. Welw. i. 38.  
Victoria Falls, Sep. Gibbs, 304.**O. sp.**Victoria Falls, Allen, 110 cf. *O. spinosa*, *Forsk.***5296—*Kigelia africana*, *L.***

Fl. Cap. i. 71 ; For. Fl. Cape, 128.

Chimanimani Mts. 7000 ft. Swyn. 2039 ; Mt. Pene Forest, 6500–7000 ft. bud Sep. Swyn. 2040.

**5299—*Paropsia reticulata*, *Engl.***

Victoria Falls, Allen, 135 ; April, Flanagan, 3205 ; July, Kolbe, 3133 ; Rogers, 5629, 7460, 7161.

**5326—*Neumannia theæformis* (*Benn.*), *Torre & Harms.* (*Aphloia theæformis*, *Benn.*)**

Chimanimani Mts. 7000 ft. Sep. Swyn. 634 ; Mt. Pene, 6000–6500 ft. Sep. Swyn. 634a ; fr. Oct. Swyn. 6168.

**5327—*Flacourtie hirtiuscula*, *Oliv.***

Fl. Trop. Afr. i. 121.

Victoria, Monro, 638.

**F. Ramontchi**, *L'Hér.*

Fl. Trop. Afr. i. 120 ; For. Fl. Port. E. Afr. 13.

Matopos, Engler.

Genus No.

**F. spp.**

- Victoria Falls, Allen, 192.  
Victoria, Monro, 527.  
Matopos, Rogers, 5895, 5696.  
South Rhodesia, Rand, 605.

5328—**Doryalis (Dovyalis) caffra**, Sim. (*Aberia caffra*, Hook. f.)

- Fl. Cap. ii. 584; For. Fl. Port. E. Afr. 13; For. Fl. Cape, 129;  
Harv. Gen. S. A. Pl. 16.  
Gwanda, Noble, 45; Victoria, Monro, 472; Lomagundi, Govt.  
Herb. 977.

**D. macrocalyx**, Warb. (*Aberia ? macrocalyx*, Oliv.)

- Fl. Trop. Afr. i. 122; Cat. Afr. Pl. Welw. i. 40.  
Chirinda Forest, 3800–4000 ft. fr. Oct. Swyn. 68.

**D. Zeyheri** (Sond.), Torre & Harms. (*Aberia Zeyheri*, Sond.)

- Fl. Cap. i. 70.  
Victoria, Monro, 545, 763; Victoria Falls, Rogers, 13057\*.

**D. sp.**

- Victoria, Monro, 833.

FAMILY CCI.—TURNERACEAE, H. B. & K.

5355—**Wormskioldia lobata**, Urb.

- Cat. Afr. Pl. Welw. i. 381.  
Bulawayo, Dec. Rand, 13; Victoria, Monro, 686, 817, 897; Victoria Falls, Rogers, 5631\* 7013\*.

**W. longepedunculata**, Mast.

- Fl. Trop. Afr. ii. 502.  
Matabeleland, Oates; Bulawayo, Dec. Rand, 20 (forma); Nov. Eyles, 24; Salisbury, fl. and fr. Sep. Rand, 613; May, Flanagan, 3254; Matopos, Sep. Gibbs, 48; Victoria Falls, Gibbs; Allen, 95; North of Hartley, Engler; Rusapi, Engler; Mazoe, 4300–4800 ft. Nov. Eyles, 453; Victoria, Monro, 687; Gwelo, Sr. Phil. 24.

**W. petersiana** ?.

- South Rhodesia, Rand.

**W. tanacetifolia**, Klotzsch. (? *W. heterophylla*, Schum.)

- See note Fl. Trop. Afr. ii. 503.  
Victoria, Monro, 1053.

**W. sp.**

- Victoria Falls, Allen, 142.

5356—**Streptopetalum serratum**, Hochst.

- Bulawayo, Jan. Rand, 68; Victoria Falls, Rogers, 7253.

FAMILY CCHI.—PASSIFLORACEAE, *Lindl.*

Genus No.

5369—**Tryphostemma apetalum**, *Baker f.* var. **serratum**, *Baker f.*

Journ. Bot. 1899, 437.

Salisbury, fl. and fr. Dec. Marshall; April, Flanagan, 3150; Rand, 1347; Rogers, 4022; Gwibi Flats, 5000 ft. Sep. Eyles, 412; Rusapi, Engler; Umtali, Engler; Mazoe, 4300 ft. Nov. Eyles, 461.

**T. Mastersii ?.**

South Rhodesia, Rand.

**T. parvifolium**, *Baker f.*

Journ. Linn. Soc. Bot. xl. 73.

Between Lusitu and Melsetter, 6000 ft. Sep. Swyn. 1415.

**T. pedatum**, *Baker f.*

Journ. Bot. 1899, 436.

Shasi Riv. Jan. Rand, 67.

**T. spp.**

Salisbury, Rand, 470.

South Rhodesia, Flanagan, 3159.

5370—**Adenia senensis**, *Engl.*

Salisbury, Rand, 1345, 1346; Bulawayo, Monro, 68.

## SERIES OPUNTIALES.

FAMILY CCX.—CACTACEAE, *Lindl.*5416—**Rhipsalis Cassytha**, *Gaertn.* (*Hariota parasitica*, O. Kuntze.)

Fl. Trop. Afr. ii. 581; Fl. Cap. ii. 480; Cat. Afr. Pl. Welw. i. 407; Nat. Pl. 394.

Chirinda Forest, 3700–4000 ft. Nov. Swyn. 1086; Chipete, Swyn.

## SERIES MYRTIFLORAEE.

FAMILY CCXIII.—OLINIACEAE, *C. Presl.*5428—**Olina vanguerioides**, *Baker f.*

Journ. Linn. Soc. Bot. xl. 72.

Umswirizwi Riv. 3500 ft. Dec. Swyn. 158.

FAMILY CCXIV.—THYMELAEACEAE, *Reichb.*5434—**Peddiea Dregei**, *Meisn.*

Chipete Forest, Jan. Swyn. 123; Mt. Pene, 6500 ft. Swyn. 123a; Chirinda Forest, Swyn.

Genus No.

5435—**Gnidia anthylloides?**

Bulawayo, Chubb, 57.

**G. Buchananii,** Gilg.

Fl. Trop. Afr. VI. i. 219.

Nyahodi Riv. 5000 ft. Sep.-Oct. Swyn. 1834, 6136.

**G. chrysantha,** Gilg. (*Arthrosolen chrysantha*, Solms-Laub.)

Fl. Trop. Afr. VI. i. 234.

Between Umtali and Salisbury, Cecil, 55.

**G. kraussiana,** Meisn. (*Lasiosiphon Kraussii*, Meisn.)

Fl. Trop. Afr. VI. i. 231; Nat. Pl. 256; For. Fl. Cape, 302.

Matopos, Oct. Gibbs, 229; Engler; Mazoe, 4300–4800 ft. Aug.

Eyles, 396; Salisbury, Rogers, 4015, 4016; North of Hartley, Engler; Mt. Pene, 6500–7000 ft. Sept. Swyn. 1787; Bulawayo, Chubb, 307; Rogers, 5920.

**G. microcephala,** Meisn.

Fl. Trop. Afr. VI. i. 225.

North of Hartley, Engler; Salisbury, Rand., 1373; Victoria, Munro, 888.

**G. microphylla,** Meisn.

Matopos, 4800 ft. Nov. Eyles, 1186.

**G. phyllodinea,** S. Moore.

Journ. Linn. Soc. Bot. xl. 186.

Melsetter, 6000 ft. April, Swyn. 1833.

**G. roridus** (S. Moore), Torre & Harms. (*Lasiosiphon roridus*, S. Moore.)

Journ. Linn. Soc. Bot. xl. 187.

Melsetter, 6000 ft. Oct. Swyn. 6134.

**G. spp.**

Salisbury, Rand, 528, 529, 530; March, Flanagan, 3024; Darling, in Herb. Bolus 10787.

Bulawayo, Chubb, 385, 366.

South Rhodesia, Rand, 204, 205, 390, 643, 646.

5442—**Synaptolepis longiflora,** Gilg.

Fl. Trop. Afr. VI. i. 246.

Chirinda, 3500 ft. Oct. Swyn. 188.

FAMILY CCXVI.—LYTHRACEAE, Lindl.

5473—**Rotala cataractae** Kochne.

Victoria Falls, Sep. Engler, 2990.

**R. filiformis,** Hiern.

Fl. Trop. Afr. ii. 468; Cat. Afr. Pl. Welw. i. 372.

Victoria Falls, Kirk.

Genus No.

**R. heteropetala**, Koehne, var. **Engleri**, Koehne.

Victoria Falls, Sep. Engler, 2983.

**R. longistyla**, Gibbs.

Journ. Linn. Soc. Bot. xxxvii. 445.

Victoria Falls, Sep. Gibbs, 170.

**R. spp.**

Victoria Falls, 3000 ft. May, Eyles, 124 ; Rogers, 7416.

Victoria, Monro, 1072.

5474—**Ammannia baccifera**, L.

Fl. Trop. Afr. ii. 478 ; Cat. Afr. Pl. Welw. i. 374.

Ngomi, April, Flanagan, 3291 ; Victoria Falls, Rogers, 7096\*.

**A. senegalensis**, Lam.

Fl. Trop. Afr. ii. 477 ; Cat. Afr. Pl. Welw. i. 373.

Bulawayo, May, Rand, 337, 574 ; Victoria, Monro, 1016, 1093.

**A. sp.**

Victoria, Monro, 1050.

5476—**Lythrum sagittifolium**, Sond.

Fl. Cap. ii. 516.

Bulawayo, 4500 ft. Oct. Eyles, 1070.

5486—**Nesaea erecta**, G. & P.

Fl. Trop. Afr. ii. 474.

Victoria Falls, Rogers, 7150\*.

**N. floribunda**, Sond.

Fl. Trop. Afr. ii. 474 ; Fl. Cap. ii. 517 ; Cat. Afr. Pl. Welw. i. 376.

Victoria Falls, Galpin, 7032 ; Sep. Gibbs, 164 ; Kirk ; Allen, 38 ;

Rogers, 5237 ; Matopos, Gibbs ; Umtali, Engler ; Gwelo, Sr.

Phil. 29 ; Victoria, Monro, 815 &amp; 348 ?

**N. heptamera**, Hiern.

Fl. Trop. Afr. ii. 472.

Marandellas, Rogers, 4039.

**N. mucronata**, Koehne.

Bulawayo, Chubb, 350, 324.

**N. passerinoides**, Koehne.

Cat. Afr. Pl. Welw. i. 377.

Salisbury, April, Flanagan, 3260.

**N. radicans**, Guill. & Perr.

Fl. Trop. Afr. ii. 474 ; Cat. Afr. Pl. Welw. i. 376.

Victoria Falls, 3000 ft. May, Eyles, 122 (forma) ; Engler ;

Rogers, 5123.

**N. rigidula**, Koehne.

Khami Riv. 4500 ft. Oct. Eyles, 1084.

**N. sagittifolia**, Sond.

Bulawayo, May, Rand, 330.

## Genus No.

**N. Stuhlmannii**, Kochne.

Marandellas, Engler.

**N. triflora**, H. B. Kunth.

Salisbury, Sep. Rand, 588.

**N. spp.**

Gwai, Jan. Allen, 246.

Victoria, Monro, 1049.

Bulawayo, Chubb, 365.

Salisbury, Rand, 1390 cf. *N. linifolia*, Hiern.FAMILY CCXX.—RHIZOPHORACEAE, *Lindl.*5528—**Weihia Gerrardi**, Schinz.

Mt. Pene Forest, 6500–7000 ft. Sep. Swyn. 1325.

FAMILY CCXXI.—COMBRETACEAE, *R. Br.*5538—**Combretum abbreviatum**, Engl.

Chirinda Forest, Oct. Swyn. 95.

**C. apiculatum**, Sond.Fl. Trop. Afr. ii. 429; Fl. Cap. ii. 510; For. Fl. Port. E. Afr. 63.  
Bulawayo, Jan. Rand, 33; Nyamandhlovu, fr. April, Flanagan,  
3195; Sabi Riv. 1000 ft. Nov. Swyn. 700; Victoria Falls,  
Rogers, 5569, 5525; Wankie, Rogers, 5992.var. **parvifolium**, Baker f.

Journ. Bot. 1905, 46.

Bulawayo, 4500 ft. Oct. Eyles, 1094.

**C. arbuscula**, Engl.Bulawayo, Monro, 6 & 84; Chirinda, 3700 ft. Oct. Swyn. 43;  
Inyamadzi Valley, fr. April, Swyn. 43a.**C. atelanthum**, Diels.

Salisbury, Sep. Engler, 3098.

**C. Bragae**, Engl.

Umtali, Engler.

**C. cataractarum**, Diels.Victoria Falls, Sep. Engler, 2925; Allen, 46; Sep. Gibbs, 127;  
Galpin, 7048; Rogers, 5289; Wankie, Rogers, 5994.**C. cognatum**, Diels.

North of Bulawayo, Sep. Engler, 2885.

**C. erythrophylum**, Sond.

Fl. Cap. ii. 509; For. Fl. Cape, 222.

Bulawayo, Monro, 89; Nyahodi Riv. 5500 ft. Sep. Swyn. 701.

Genus No.

**C. glomeruliflorum, Sond.**

Fl. Cap. ii. 509.

Bulawayo, Rand, 585; Monro, 87, 88; Chubb, 50.

**C. Gueinzii, Sond.**

Fl. Cap. ii. 509.

Khami, Nov. Marloth, 3389; Matopos, Engler; Victoria Falls, Rogers, 5571.

**C. hereroense, Schinz.**

Bulawayo, Engler.

**C. holosericeum, Sond.**

Fl. Trop. Afr. ii. 430; Fl. Cap. ii. 510; Cat. Afr. Pl. Welw. i. 350; For. Fl. Port. E. Afr. 63.

Matabeleland, Oates; Marloth; Mashonaland, Mundy.

**C. imberbe, Wawra.**

South of Zambesi, Engler.

**C. Junodii, Dümmer.**

Victoria, Monro, 481, 508.

**C. Lindenbergianum, Engl. & Diels.**

Victoria, Monro, 499; Mashonaland, Mundy.

**C. microphyllum, Klotzsch.**

Fl. Trop. Afr. ii. 427; For. Fl. Port. E. Afr. 63.

Victoria, Monro, 467; Sabi Riv. 1000 ft. Nov. Swyn. 2083.

**C. mossambicense, Engl.**

Sabi Riv. 1000 ft. Nov. Swyn. 590, 591.

**C. oblongum, F. Hoffm.**

Victoria Falls, Rogers, 5792?

**C. patelliforme, Engl. & Diels.**

Victoria Falls, Rogers, 5589.

**C. platypetalum, Welw. (C. Oatesii, Rolfe.)**

Fl. Trop. Afr. ii. 433; Cat. Afr. Pl. Welw. i. 353.

Matabeleland, Oates; Bulawayo, Sep. Rand, 322; Nov. Eyles, 1109; Salisbury, Sep. Rand, 466; Rogers, 4060; Darling, in Herb. Bolus, 10775; Khami, Nov. Marloth, 3392; Matopos, Sep. Gibbs; Mazoe, 4300 ft. Sep. Eyles, 432; Gwibi Flats, 5000 ft. Oct. Eyles, 441; North of Hartley, Engler; Victoria, Monro, 451, 567, 504, 544; Marandellas, Rogers, 4037.

**C. primigenum, Marloth & Engl.**

Victoria Falls, April, Flanagan, 3227; Rogers, 5702, 5708;

Victoria, Monro, 869, 646.

**C. rhodesicum, Baker f.**

Journ. Bot. 1899, 435.

Bulawayo, fl. &amp; fr. Sep. Rand, 582, 583; Rogers, 5924, 5502;

Matopos, fl. &amp; fr. Oct. Gibbs, 267; Rogers, 5635; Zambesi

Genus No.

banks, Sep. Galpin, 7013; Umtali-Melsetter road, 2000-3000 ft. Oct. Swyn. 6600; Victoria Falls, Rogers, 5534, 5353.

**C. salicifolium, E. Mey.**

Fl. Cap. ii. 511; For. Fl. Port. E. Afr. 64; For. Fl. Cape, 222. Bulawayo, Monro, 80; Victoria, Monro, 208; Gwanda, Noble, 50.

**C. tetraphyllum, Diels.**

South of Zambesi, Sep. Engler, 2906.

**C. ulugurense, Engl.**

Victoria, Monro, 466.

**C. Zeyheri, Sond.**

Fl. Cap. ii. 511; For. Fl. Port. E. Afr. 63; Cat. Afr. Pl. Welw. i. 352.

Matopos, Oct. Gibbs, 221; Mazoe, 4300 ft. Sep. Eyles, 434?; Umvumvumvu Riv. 2000 ft. April, Swyn. 2081; Victoria, Monro, 509, 564; Victoria Falls, Rogers, 5700; Bulawayo, Monro, 368, 346; Sebakwe, Rogers, 8591; Wankie, Rogers, 5990; between Bulawayo & Victoria Falls, Galpin; Queque, Rogers, 5451\*.

**C. spp.**

Bulawayo, Chubb, 339, 372.

Salisbury, Rand, 467.

Victoria, Monro, 302, 475, 535, 650, 698, 699.

Victoria Falls, Gibbs, 127; Rogers, 5273, 5305, 5570.

Matopos, Rogers, 5344; Govt. Herb. 884.

Gockwe Hills, Govt. Herb. 952, 946.

Lomagundi, Govt. Herb. 963, 969.

Mazoe, Govt. Herb. 2084.

South Rhodesia, Rand, 32, 132, 323, 324, 426, 429, 579, 580, 584, 602.

5539—**Pteleopsis myrtifolia, Engl. & Diels.**

Upper Inyamadzi, Dec. Swyn. 48; Inyamadzi Valley, 3300 ft. fr. April, Swyn. 2084; Chirinda, Swyn.; Chikore, Swyn.

5541—**Quisqualis indica, L.**

Fl. Trop. Afr. ii. 435.

Chirinda, cultivated, Swyn.

5544—**Terminalia Brownii, Fresen.**

Fl. Trop. Afr. ii. 415; For. Fl. Port. E. Afr. 64.

Bulawayo, Monro, 48.

**T. prunioides, Laws.**

Fl. Trop. Afr. ii. 415; For. Fl. Port. E. Afr. 64.

Victoria Falls, Allen, 122.

## Genus No.

**T. Randii, Baker f.**

Journ. Bot. 1899, 435.

Bulawayo, fl. & fr. May, Rand, 325; Chubb, 9a; Rogers, 5452; Nov. Eyles, 1210.

**T. sericea, Burch.**

Fl. Trop. Afr. ii. 416; Fl. Cap. ii. 508; Cat. Afr. Pl. Welw. i. 338; For. Fl. Port. E. Afr. 64; Harv. Gen. S.A. Pl. 110. Bulawayo, 4500 ft. Eyles, 1221; Engler; Mouro, 105; from Bulawayo to Victoria Falls, Galpin, 6955; Matopos, Davy; Engler; Victoria Falls, Davy; Allen, 425; Umtali, Engler; Gwanda, Noble, 35; Victoria, Monro, 668 var.; Fort Gibbs, Rand, 600, 601; Gwelo, Rand, 5; Chirinda, Swyn.; Chikore Hills, Swyn.; Nyahodi Riv. Swyn.

var. **angolensis, Hiern.**

Cat. Afr. Pl. Welw. i. 338.

Bulawayo, May, Rand, 416.

**T. silozensis, Gibbs.**

Journ. Linn. Soc. Bot. xxxvii. 444.

Matopos, Silozi Hill, fl. & fr. Oct. Gibbs, 277.

**T. spinosa, Engl.**

South of Zambesi, Engler.

**T. Stuhlmannii, Engl.**

Victoria Falls, Allen, 123; Rogers, 5526.

**T. torulosa, F. Hoffm.**

Victoria Falls, Rogers, 5568; Victoria, Monro, 880.

**T. trichopoda, Diels.**

Matopos, Sep. Engler, 2847; Umtali, Engler, 3142.

**T. velutina, Rolfe.**

Bulawayo, Chubb, 105.

**T. spp.**

Victoria Falls, Allen, 63 cf. *T. spinosa*, Engl.; Allen, 163.

Between Plumtree and Bulawayo, fr. April, Flanagan, 3209.

## FAMILY CCXXII.—MYRTACEAE, Pers.

5578—**Eugenia angolensis, Engl.**

Chirinda, 3800 ft. Aug. Swyn. 242.

**E. chirindensis, Baker f.**

Journ. Linn. Soc. Bot. xl. 70.

Chirinda Forest, 3700–4000 ft. Dec. Swyn. 128; Oct. Swyn. 443;

Chipete Forest, Oct. Swyn. 1343.

Genus No.

**E. cordata**, Laws. (*Syzygium cordatum*, Hochst.)  
Fl. Trop. Afr. ii. 438; Fl. Cap. ii. 521; For. Fl. Port. E. Afr. 67; For. Fl. Cape, 226; Cat. Afr. Pl. Welw. i. 360.

Victoria Falls, Allen, 53; Galpin; Engler; Umtali, Engler; Mazoe, Govt. Herb. 925; North of Sengwe Riv. Govt. Herb. 954; Chirinda, 3800 ft. Oct. Swyn. 25; Haroni Riv. 3500 ft. Nov. Swyn. 1309; Melsetter Dist. Swyn.

**E. owariensis**, P. Beauv. (*Syzygium owariense*, Benth.; *Syzygium guineense*, DC.)

Fl. Trop. Afr. ii. 438; For. Fl. Port. E. Afr. 67; Cat. Afr. Pl. Welw. i. 359.

Salisbury, Aug. Rand, 468; Sep. Rand, 586 (forma); Engler; Mazoe, 4800 ft. Sep. Eyles, 403; Victoria Falls, Engler; Galpin, 7022; Allen, 69; Rogers, 6027; Umtali, Engler; Victoria, Monro, 480; Chirinda, 3500 ft. June, Swyn. 23; Chimanimani Mts. 7000 ft. Sep. Swyn. 642; Mt. Pene, 6500-7000 ft. Sep. Swyn. 638; Sabi Riv. 1000 ft. Nov. Swyn. 1311; Chipete Forest, Swyn.

forma *latifolia*, Engl. & Gilg.

Chirinda, 3500 ft. Oct. Swyn. 24; Chikore Hills, Nov. Swyn. 1304.

**E. spp.**

Victoria Falls, Allen, 56 cf. *E. cordata*, Laws.

Salisbury, Rand, 1366.

Victoria Monro, 547, 759, 764.

Mazoe, Govt. Herb. 926, 927.

5583—**Syzygium benguelense** (Welw.), Engl. (*Eugenia benguellensis*, Welw.)

Cat. Afr. Pl. Welw. i. 360.

North of Hartley, Engler.

**S. huillense** (Hiern), Engl. (*Eugenia guineensis*, var. *huillensis*, Hiern.)

Cat. Afr. Pl. Welw. i. 359.

North of Hartley, Engler; Salisbury, Engler; Marandellas, Engler.

**S. intermedium**, Engl.

Victoria Falls, Engler.

FAMILY CCXXIII.—MELASTOMATAEAE, R. Br.

5651—**Antherotoma Naudini**, Hook. f. (*Osbeckia antherotoma*, Naud.)

Fl. Trop. Afr. ii. 444; Cat. Afr. Pl. Welw. i. 363.

Chirinda, 3800 ft. fr. July, Swyn. 516.

## Genus No.

5658—**Osbeckia Swynnertonii**, Baker f.

Journ. Linn. Soc. Bot. xl. 71.

Chimanimani Mts. 7000 ft. Sep. Swyn. 2085.

5659—**Dissotis debilis**, Triana.

Cat. Afr. Pl. Welw. i. 366.

Matopos, 4500 ft. Jan. Eyles, 153.

**D. incana**, Triana.

Mazoe, 4300 ft. Jan. Eyles, 509; Salisbury, Rogers, 4070;

Chirinda, 3800 ft. Dec. Swyn. 296; Odzani River Valley, Umtali, Teague, 101.

**D. phæotricha**, Hook. f. (*Osbeckia phæotricha*, Hochst.)

Fl. Trop. Afr. ii. 451; Fl. Cap. ii. 519.

Salisbury, Dee. Rand, 76; Matopos, 4500–5000 ft. March, Eyles, 1017; Victoria, Monro, 648, 815.

**D. princeps**, Triana.

Chirinda, 3800 ft. May, Swyn. 526; Odzani River Valley, Umtali, Teague, 227.

**D. segregata**, Hook. f.

Fl. Trop. Afr. ii. 448.

Victoria Falls, Allen, 111; Rogers, 5585, 7270.

**D. spp.**

Victoria Falls, April, Flanagan, 3165 cf. *D. segregata*.

Victoria, Monro, 348.

## FAMILY CCXXIV.—OENOTHERACEAE, Lindl.

5791—**Jussiaea repens**, L. (*J. diffusa*, Forsk.)

Fl. Trop. Afr. ii. 488; Cat. Afr. Pl. Welw. i. 379.

Victoria Falls, Allen, 73; April, Flanagan, 3282; North of Bulawayo, Engler.

**J. suffruticosa**, L. (*J. angustifolia*, Lam.; *J. villosa*, Lam.)

Fl. Trop. Afr. ii. 489; Fl. Cap. ii. 504; Cat. Afr. Pl. Welw. i. 380.

Victoria Falls, Allen, 32; May, Eyles, 120; Engler; April, Flanagan, 3233; Rogers, 5283; Matopos, Rogers, 5691; Victoria, Monro, 923.

**J. sp.**

Victoria, Monro, 872 cf. *J. linifolia*, Vahl.

5793—**Ludwigia jussiæoides**, Harv. (non Lam.).

Harv. Gen. S.A. Pl. 117.

Victoria Falls, 3000 ft. May, Eyles, 103.

**L. pulvinaris**, Gily.

Victoria Falls, Rogers, 5286.

Genus No.

**L. sp.**

Victoria Falls, April, Flanagan, 3300 cf. *L. parviflora*, Benth.

5795—**Epilobium neriophyllum**, Hausskn.

Odzani River Valley, Umtali, Teague, 323.

**E. hirsutum**, L.

Fl. Trop. Afr. ii. 487; Fl. Cap. ii. 506.

Mazoe, 4500 ft. Feb. Eyles, 524.

**E. sp.**

Matopos, Rogers, 5257.

SERIES UMBELLIFLORAE.

FAMILY CCXXVII.—ARALIACEAE, Vent.

5872—**Cussonia natalensis**, Sond.

Fl. Cap. ii. 568.

Matopos, fl. & fr. Sep. Gibbs, 107; Engler.

**C. spicata**, Thunb.

Fl. Trop. Afr. iii. 32; Fl. Cap. ii. 568; For. Fl. Port. E. Afr. 70;  
For. Fl. Cape, 229.

Umtali, Engler; Chirinda, 3800 ft. Swyn. 159; Chimanimani  
Mts. 7000 ft. Swyn. 2092; Mazoe, Govt. Herb. 2087.

**C. umbellifera**, Sond.

Fl. Cap. ii. 570; For. Fl. Cape, 230.

Chimanimani Forest, fr. Sep. Swyn. 653a.

**C. sp.** .

Victoria, Monro, 718.

FAMILY CCXXVIII.—UMBELLIFERAEE, Morison.

5893—**Hydrocotyle asiatica**, L.

Fl. Trop. Afr. iii. 6; Fl. Cap. ii. 527; Cat. Afr. Pl. Welw. i. 423.

Victoria Falls, Engler.

**H. moschata**, Forst.

Fl. Trop. Afr. iii. 5.

Chirinda Forest, 3800 ft. fr. April, Swyn. 347.

**H. sp.**

Victoria Falls, Rogers, 5324 cf. *H. verticillata*, Thunb. & *H. Bonariensis*, Lam.

5918—**Sanicula europaea**, L.

Fl. Trop. Afr. iii. 8; Fl. Cap. ii. 533.

Chirinda Forest, 3700–4000 ft. April, Swyn. 346.

Genus No.

5922—**Alepidea propinqua**, Dümmer.

Trans. R. S. S. Afr. iii. 9; Fl. Trop. Afr. iii. 7, as *A. amatymbica*, E. & Z.

Chimanimani Mts. 4500 ft. Johnson, 184; Swyn. 6208; Chirinda, 3500 ft. Swyn. 233; Odzani River Valley, Umtali, Teague, 212.

**A. Swynnertonii**, Dümmer.

Trans. R. S. S. Afr. iii. 15.

Chimanimani Mts. 7000 ft. Swyn. 6208a.

5990—**Lichtensteinia** sp.

Bulawayo, 4500 ft. Sep. Eyles, 1251.

5992—**Heteromorpha arborescens**, Cham. & Schlecht.

Fl. Trop. Afr. iii. 10; Fl. Cap. ii. 542; For. Fl. Port. E. Afr. 69; For. Fl. Cape, 229; Harv. Gen. S.A. Pl. 140.

Mazoe, 4400 ft. March, Eyles, 279; Matopos, Rogers; Victoria, Monro, 778, 895; Chirinda, 4000 ft. fl. & fr. April, Swyn. 182; Lusitu Riv. 4000 ft. Swyn. 2091.

**H. spp.**

Victoria, Monro, 320.

South Rhodesia, Rand, 17, 329.

6020—**Carum copticum**, Benth. & Hook.

Fl. Trop. Afr. iii. 12.

Salisbury, Govt. Herb. 752.

6038—**Sium** sp.

Mazoe, 4300 ft. Dec. Eyles, 228.

6054—**Diplolophium zambesianum**, Hiern.

Fl. Trop. Afr. iii. 18.

Salisbury, Dec. Rand, 71; July, Rand, 473; May, Flanagan, 3247; Mazoe, 4300–4600 ft. March, Eyles, 269?; Bulawayo, Rogers, 13106\*.

6055—**Physotrichia Swynnertonii**, Baker f.

Journ. Linn. Soc. Bot. xl. 76.

Melsetter, 6000 ft. fl. and young fr. Sep. Swyn. 649.

6116—**Peucedanum araliaceum**, Benth. & Hook.

Fl. Trop. Afr. iii. 21.

South of Zambesi, Engler; Rusapi, Engler; Umtali, Engler.

**P. benguellensis** (Welw.), Torre & Harms. (*Lefeburia benguelensis*, Welw.)

Cat. Afr. Pl. Welw. i. 430 (*Lefeburia*).

Chirinda, 3800 ft. fr. May, Swyn, 395.

**P. fraxinifolium**, Hiern.

Fl. Trop. Afr. iii. 22; Cat. Afr. Pl. Welw. i. 427.

Matopos, fl. and old fr. Sep. Gibbs, 83; Victoria Falls, Gibbs; Allen, 407; Bulawayo, Oct.-Dec. Chubb, 318; Victoria, Monro, 307.

Genus No.

**P. spp.**

Mazoe, 4800 ft. March, Eyles, 268.

Salisbury, May, Flanagan, 3270. Same as Eyles 268, cf.  
*Lefeburia abyssinica*, Rich.

Victoria, Monro, 436, 524.

FAMILY CCXXIX.—CORNACEAE, *Link.*

6156—**Curtisia faginea**, *Ait.*

Fl. Cap. ii. 570.

Chimanimani Mts. 7000 ft. fl. & fr. Sep. Swyn. 637; Odzani  
River Valley, Umtali, Teague, 211.

SUBCLASS METACHLAMYDEAE.

SERIES ERICALES.

FAMILY CCXXXIII.—ERICACEAE, *DC.*

6237—**Erica lanceolifera**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 126.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1288.

**E. pleiotricha**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 127.

Chimanimani Mts. 7000 ft. Sep. Swyn. 648a.

**E. Swynnertonii**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 128.

Melsetter, 6000 ft., between Lusitu and Nyahodi Rive., 5000 ft.,

Chimanimani Mts. 6000 ft. fl. April, Sep. Swyn. 648, 1063,  
1064, 1065.

**E. thryptomenoides**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 126.

Chimanimani Mts. 7000 ft. Sep. Swyn. 647.

6240—**Philippia hexandra**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 129.

Melsetter, 5000–6000 ft. Oct. Swyn. 1147; North Melsetter,  
Swyn. 6072.

**P. milanjiensis**, *Britt. & Rendle.*

Mazoe, 5200 ft. April, Eyles, 336; Hunyani Riv. Rand, 501.

Genus No.

**P. Simii**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 128.

Melsetter, 6000 ft. Oct. Swyn. 612.

## SERIES PRIMULALES.

FAMILY CCXXXVI.—MYRSINACEAE, *Lindl.*6283—**Maesa lanceolata**, *Forsk.* (*M. rufescens*, A. DC.)

Fl. Trop. Afr. iii. 492; Fl. Cap. IV. i. 432; For. Fl. Cape, 249; Cat. Afr. Pl. Welw. i. 637.

Mazoe, 4300 ft. Jan. Eyles, 502; April, Eyles, 303; Salisbury, March, Flanagan, 3020; Chirinda, 3500 ft., North Melsetter, 5000–6000 ft. fl. &amp; fr. April, Sep. Oct. Swyn. 142, 172, 6074; also Inyamadzi Riv., Chikore Hills and Lusitu Valley, etc. Swyn.

**M. sp.**

Chirinda, Swyn. 669.

6310—**Embelia nyassana**, *Gily.*

Chirinda, 3700 ft. Swyn. 120.

**E. oleifolia**, *S. Moore.*

Journ. Bot. 1909, 297.

Bulawayo, Rand, 504; Monro, 31.

**E. spp.**

Salisbury, Rand, 558.

Victoria, Monro, 419.

6313—**Myrsine africana**, *L.*

Fl. Trop. Afr. iii. 493; Fl. Cap. IV. i. 434; Cat. Afr. Pl. Welw. i. 638; For. Fl. Cape, 250.

Melsetter, 6000 ft., Mt. Pene, 7000 ft., Chimanimani Mts. 7000 ft.

S.p. Swyn. 633, 6153a, 6154a.

6314—**Rapanea umbratilis**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 130.

Melsetter, 6000 ft. Oct. Swyn. 6163.

FAMILY CCXXXVII.—PRIMULACEAE, *Vent.*6338—**Anagallis Hanningtonii**, *Baker.*

Chipetzana Riv. 3000 ft. fl. &amp; fr. Dee. Swyn. 357.

6340—**Samolus valerandi**, *L.*

Fl. Trop. Afr. iii. 490; Fl. Cap. IV. i. 430; Cat. Afr. Pl. Welw. i. 637.

Victoria Falls, Engler; Rogers, 5811.

FAMILY CCXXXVIII.—PLUMBAGINACEAE, *Lindl.*

Genus No.

6343—**Plumbago zeylanica**, *L.*

Fl. Trop. Afr. iii. 486; Fl. Cap. IV. i. 425; Cat. Afr. Pl. Welw. i. 634.

Matopos, Sep. Gibbs, 14; Rogers, 5065; Bulawayo, March, Monro; Rogers, 13610; Chubb, 209, 210; Victoria Falls, April, Flanagan, 3153; Salisbury, Rand, 505.

SERIES EBENALES.

FAMILY CCXXXIX.—SAPOTACEAE, *Dumort.*

6368—**Sideroxylon cinereum** (*Pierre*), *Torre & Harms.* (*Pachystela cinerea*, *Pierre*.)

Inyamadzi Valley, 3000 ft. Swyn. 571a.

6377—**Chrysophyllum argyrophyllum**, *Hiern.*

Cat. Afr. Pl. Welw. i. 641.

Mazoe, 4300 ft. fl. Sep. fr. Nov. Eyles, 378; Chimanimani Mts. 7000 ft. Sep. Nov. Swyn. 22b; also at Mt. Pene Forest and Inyamadzi Riv. Swyn.

**C. fulvum**, *S. Moore*.

Journ. Linn. Soc. Bot. xl. 131.

Chirinda Forest, 3700–4000 ft. fl. & fr. Dec. Swyn. 19.

**C. natalense**, *Sond.*

Fl. Cap. IV. i. 437; Nat. Pl. 378; For. Fl. Port. E. Afr. 79; For. Fl. Cape, 252.

Chipete Forest, Dec. Swyn. 21.

6386—**Mimusops decorifolia**, *S. Moore*.

Journ. Bot. 1911, 154.

Victoria, Monro, 811.

**M. Kirkii**, *Baker*.

Fl. Trop. Afr. iii. 507; For. Fl. Port. E. Afr. 80.

Victoria Falls, Rogers, 5117, 5310, 5672.

**M. Mochisia**, *Baker*.

Fl. Trop. Afr. iii. 506; For. Fl. Port. E. Afr. 80.

Victoria Falls, Galpin, 7052; Allen, 185.

**M. Monroi**, *S. Moore*.

Journ. Bot. 1911, 154.

Victoria, Monro, 761, 690.

## Genus No.

**M. Zeyheri**, *Sond.* var. *laurifolia*, *Engl.*

Fl. Cap. IV. i. 441 (type).

Victoria Falls, Galpin, 7044; Engler.

**M. sp.**

Mazoe, Govt. Herb. 2090.

FAMILY CCXL.—EBENACEAE, *Vent.*6403—**Royena hirsuta**, *L.*

Fl. Cap. IV. i. 451; For. Fl. Cape, 258.

Salisbury, Engler.

**R. pallens**, *Thunb.* (*R. pubescens*, Willd.)

Fl. Trop. Afr. iii. 510; Fl. Cap. IV. i. 453; For. Fl. Cape, 258; Nat. Pl. 232; Cat. Afr. Pl. Welw. i. 647.

Victoria Falls, Sep. Gibbs, 112; Allen, 177; Engler; Matopos, Gibbs; Bulawayo, 4500 ft. Oct. Eyles, 1091; Monro, 39, 40; 113; Chubb, 378; Rogers, 5501, 13609; Chirinda, 3800 ft. Oct. Swyn. 62; Mt. Pene, 7000 ft. Swyn. 6070; South Rhodesia, Rand, 615.

**R. villosa**, *L.*

Fl. Cap. IV. i. 450; For. Fl. Cape, 257; Nat. Pl. 201.

Umtali, Engler.

6404—**Euclea divinorum**, *Hiern.*

Fl. Trop. Afr. iii. 513; Fl. Cap. IV. i. 469; For. Fl. Port. E. Afr. 81.

Victoria Falls, Kirk; Matopos, Sep. Gibbs, 34; Galpin, 7078; Gwelo, Sr. Phil. 50.

**E. Eylesii**, *Hiern.*

Journ. Bot. 1907, 47.

Sebakwe, 4000 ft. Dec. Eyles, 44; Victoria, Monro, 643b.

**E. Kellau**, *Hochst.*

Fl. Trop. Afr. iii. 514.

Bulawayo, 4500 ft. Nov. Eyles, 1252.

**E. lancea**, *Thunb.*

Fl. Cap. IV. i. 464; For. Fl. Cape, 260.

Matopos, Engler.

**E. lanceolata**, *E. Mey.*

Fl. Trop. Afr. iii. 512; Fl. Cap. IV. i. 467; Cat. Afr. Pl. Welw. i. 648; For. Fl. Cape, 261.

Bulawayo, Monro, 42, 43; Victoria, Monro, 517; Matopos, Galpin, 7005; Chirinda, 3500 ft. Swyn. 743; Chipete Forest, Swyn. 1298; Umvumvumvu Riv. 2000 ft. Swyn. 1305; in fl. April, Sep. Swyn.; South Rhodesia, Rand, 131, 361.

Genus No.

var. *angustifolia*, *Hiern.*

Mazoe, 5300 ft. ♀ Nov. Eyles, 470.

var. *confertiflora*, *Hiern.*

Mazoe, 4200 ft. ♂ Sep. Eyles, 410.

var. *parvifolia*, *Hiern.*

Mazoe, 5000 ft. ♂ Nov. Eyles, 457.

**E. macrophylla**, *E. Mey.*

Fl. Cap. IV. i. 472; For. Fl. Cape, 262.

Victoria Falls, Engler.

**E. multiflora**, *Hiern.*

Fl. Trop. Afr. iii. 513; Fl. Cap. IV. i. 470; Cat. Afr. Pl. Welw. i  
649; For. Fl. Cape, 262.

Matopos, ♂ Sep. Gibbs, 46; Victoria, Monro, 423, 419; Odzani  
River Valley, Umtali, Teague, 237 ♂.

**E. undulata**, *Thunb.*

Fl. Cap. IV. i. 474; For. Fl. Cape, 263.

Matopos, Davy; Lomagundi, Govt. Herb. 973.

**E. spp.**

Victoria Falls, Allen, 161.

Matopos, Sep. Galpin, 7070 cf. *E. natalensis*, A. DC.

Salisbury, Rand, 563.

Leopard Mine, Govt. Herb. 942.

6405—**Maba Mualala**, *Welw.*

Fl. Trop. Afr. iii. 515.

Chirinda Forest, 3700–4000 ft. Jan. Swyn. 3.

6406—**Diospyros mashuma** ?. (NOTE.—Swyn. gives native name of  
*D. sabiensis*, *Hiern.*, as "Mashuma.")

Matopos, Govt. Herb. 886; Lomagundi, Govt. Herb. 980.

**D. mespiliformis**, *Hochst.*

Fl. Trop. Afr. iii. 518; Fl. Cap. IV. i. 477; Cat. Afr. Pl. Welw. i.  
651; For. Fl. Port. E. Afr. 83.

Victoria Falls, Rogers, 5118; South Umtali, 2000–3000 ft. fr.  
Oct. Swyn. 6071; Umvumvumvu Riv. 4000 ft. Dec. Swyn.  
6622; Victoria, Monro, 391, 713.

**D. sabiensis**, *Hiern.*

Journ. Linn. Soc. Bot. xl. 134.

Sabi Riv. 1000 ft. Nov. Swyn. 1209.

**D. spp.**

Gwanda, Noble, 6.

Victoria Falls, Sep. Allen, 395.

Victoria, Monro, 413.

## SERIES CONTORTAE.

FAMILY CCXLIII.—OLEACEAE, *Lindl.*

Genus No.

6422—**Schrebera mazoensis**, *S. Moore.*

Journ. Bot. 1907, 48.

Mazoe, 4300–5300 ft. Dec. Eyles, 202; Marandellas, Mundy.

**S. spp.**Victoria Falls, Allen, 148 cf. *S. golungensis*, Welw.

Victoria, Monro, 675, 978.

6434—**Olea chrysophylla**, *Lam.*

Fl. Trop. Afr. IV. i. 18.

Victoria, Monro, 367, 744.

**O. laurifolia**, *Lam.*

Fl. Cap. IV. i. 487; For. Fl. Cape, 264.

Victoria, Monro, 404; Matopos, Govt. Herb. 892.

**O. verrucosa**, *Link.* (*O. woodiana*, Knobl.)

Fl. Cap. IV. i. 486; Nat. Pl. 237; For. Fl. Port. E. Afr. 83;

For. Fl. Cape, 266.

Gwanda, Noble, 7; Matopos, Govt. Herb. 888, 889; Victoria Falls, Rogers, 5557; Chimanimani Mts. 7000 ft. bud Sep. Swyn. 1281.

**O. sp.**

Matopos, Govt. Herb. 893.

6435—**Dekindtia africana**, *Gilg.*

Fl. Trop. Afr. IV. i. 588.

Chirinda, 3800 ft. Oct. Swyn. 171.

6438—**Menodora heterophylla**, *Moric.*

Fl. Cap. IV. i. 484.

South Rhodesia, Rand, 595.

6440—**Jasminum mauritianum**, *Bojer.*

Fl. Trop. Afr. IV. i. 10; Fl. Cap. IV. i. 482; Cat. Afr. Pl. Welw. i. 655.

Victoria Falls, Sep. Galpin, 7020; fl. &amp; fr. Sep. Gibbs, 111; Allen, 178; Rogers, 5155; Engler; Mazoe, 4200 ft. Jan. Eyles, 246; Sabi Riv. 1000 ft. Nov. Swyn. 2033.

**J. oleæcarpum**, *Baker.*

Fl. Trop. Afr. IV. i. 8.

Gwelo, Jan. Gardner, 21.

Genus No.

**J. stenolobum, Rolfe.**

Fl. Trop. Afr. IV. i. 4; Fl. Cap. IV. i. 481.

Matabeleland, Oates; Elliott; Matopos, Cecil, 113; Gwelo, Cecil, 132; Victoria Falls, Allen, 37; Rogers, 5493; Bulawayo, Dec. Gardner, 85; Monro, 4; Mazoe, 4400 ft. Nov. Eyles, 443; Victoria, Monro, 514, 515; Sabi Riv. 1000 ft. Nov. Swyn. 2034; South Rhodesia, Rand, 125.

**J. spp.**

Bulawayo, 4500 ft. Dec. Eyles, 55.

Victoria, Monro, 746, 836.

FAMILY CCXLV.—LOGANIACEAE, *Lindl.*

6449—**Mostuea Walleri, Baker.**

Fl. Trop. Afr. IV. i. 507.

Chirinda Forest, 3800 ft. Dec. Swyn. 6511.

6460—**Strychnos Burtoni, Baker.**

Fl. Trop. Afr. IV. i. 533.

Chirinda, Dec. Swyn. 1959; also Chipetzana and between Chirinda and Chipinga, Swyn.

**S. matopensis, S. Moore.**

Journ. Bot. 1905, 48.

Matopos, 4500 ft. Nov. Eyles, 1182.

**S. mellodora, S. Moore.**

Journ. Linn. Soc. Bot. xl. 147.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 101.

**S. micans, S. Moore.**

Journ. Linn. Soc. Bot. xl. 146.

Chirinda Forest, 3700–4000 ft. Dec. Swyn. 125.

**S. mitis, S. Moore.**

Journ. Linn. Soc. Bot. xl. 146.

Chirinda Forest, 3700–4000 ft. fl. Jan. fr. Oct. Swyn. 17, 17a.

**S. pungens, Solered.**

Fl. Trop. Afr. IV. i. 530; Fl. Cap. IV. i. 1051; Cat. Afr. Pl. Welw. i. 704.

Matopos, Davy; North of Bulawayo, Engler.

**S. spinosa, Lam.**

Fl. Trop. Afr. IV. i. 536; Fl. Cap. IV. i. 1055; Cat. Afr. Pl. Welw. i. 702; For. Fl. Port. E. Afr. 89; For. Fl. Cape, 274. Chirinda, 3800 ft. Oct. Swyn. 55, 55a; throughout South Melsetter Dist.; South Rhodesia, Rand, 426; Victoria Falls, Rogers, 5976\*, 7237\*.

Genus No.

**S. tonga**, *Gily.*

Salisbury, Eugler.

**S. sp.**

Lomagundi, Govt. Herb. 983.

6466—**Anthocleista zambesiaca**, *Baker.*

Fl. Trop. Afr. IV. i. 540; Fl. Cap. IV. i. 1049.

Chirinda, Swyn.

6469—**Nuxia dentata**, *R. Br.*

Fl. Trop. Afr. IV. i. 513; Fl. Cap. IV. i. 1040; Cat. Afr. Pl. Welw. i. 700.

Odzani Riv. Cecil, 235; Lusitu Riv. 3000 ft. Nov. Swyn. 1294; Victoria, Monro, 497, 605, 748, 894.

**N. Holstii**, *Gily.*

Fl. Trop. Afr. IV. i. 515.

Melsetter, April, Swyn. 1902.

**N. sambesina**, *Gily.*

Fl. Trop. Afr. IV. i. 514.

Melsetter, 6000 ft. Sep. Swyn. 606.

**N. viscosa**, *Gibbs.*

Journ. Linn. Soc. Bot. xxxvii. 454.

Matopos, Oct. Gibbs, 246; Victoria, Monro, 435, 735.

6470—**Gomphostigma scopariooides**, *Turcz.*

Bulawayo, 4500 ft. Dec. Eyles, 14; Tengwe Riv. Baines.

6471—**Chilianthus arboreus**, *A. DC.* (*C. oleaceus*, Burch.)

Fl. Cap. IV. i. 1043; For. Fl. Cape, 276.

Bulawayo, 4500 ft. Dec. Eyles, 1138.

6473—**Buddleia salvifolia**, *Lam.*

Fl. Trop. Afr. IV. i. 516; Fl. Cap. IV. i. 1046; For. Fl. Cape, 277.

Bulawayo, Monro, 77; Melsetter, 6000 ft. Sep. Swyn. 609, 675;

Mt. Pene, 6500–7000 ft. Oct. Swyn. 6090.

FAMILY CCXLVI.—GENTIANACEAE, *Dumort.*6479—**Exacum quinquenervium**, *Griseb.*

Fl. Trop. Afr. IV. i. 546.

Victoria Falls, Rogers, 7101.

6481—**Sebaea barbeyiana**, *Schinz.*

Fl. Trop. Afr. IV. i. 549.

Victoria Falls, Kirk; Allen, 40.

**S. leiostyla**, *Gily.*

Fl. Trop. Afr. IV. i. 548; Fl. Cap. IV. i. 1086.

Melsetter, 6000 ft. April, Swyn. 1898.

Genus No.

6483—**Exochænum**, in place of *Belmontia*, after A. W. Hill, in Kew Bull. 1908, pp. 317–341.

**Exochænum exiguum**, A. W. Hill. (*Chironia exigua*, Oliv.)

Kew Bull. 1909, 50.

Matopos, 4500 ft. March, Eyles, 1032.

**E. grande**, Griseb. (*Belmontia grandis*, E. Mey.; *Parasia grandis*, Hiern.)

Fl. Trop. Afr. IV. i. 553; Fl. Cap. IV. i. 1094; Cat. Afr. Pl. Welw. i. 707; Harv. Gen. S.A. Pl. 252.

Mazoe, 4400 ft. April, Eyles, 319; Chipetzana source, 4000 ft. April, Swyn. 2031.

6500—**Canscora diffusa** (Vahl.), R. Br.

Fl. Trop. Afr. IV. i. 558.

Victoria Falls, Engler.

**C. Kirkii**, N. E. Br.

Fl. Trop. Afr. IV. i. 558.

Victoria Falls, Kirk; Rogers, 5043; fl. & fr. Sep. Gibbs, 152; Allen, 413; July, Kolbe, 3147; Matopos, Rogers.

6503—**Chironia gratissima**, S. Moore.

Journ. Linn. Soc. Bot. xl. 148.

Melsetter, 6000 ft. Sep. Swyn. 1892; North Melsetter, 5000–6000 ft. Oct. Swyn. 6162.

**C. humilis**, Gilg.

Fl. Cap. IV. i. 1107.

Matopos, Nov. Eyles, 1143?; Victoria, Monro, 756?

var. **Wilmsii**, Prain. (*C. humilis*, Bak. & Br.; *C. purpurascens*, Rolfe.)

Fl. Cap. IV. i. 1107; Fl. Trop. Afr. IV. i. 555; see Kew Bull. 1908, pp. 350, 373, 375.

South Rhodesia, Rand, 168; Matabeleland, Oates; Inyangana, 6000–7000 ft. Cecil, 190.

**C. transvaalensis**, Gilg. (*C. palustris*, Gilg.)

Fl. Trop. Afr. IV. i. 555; Fl. Cap. IV. i. 1105.

Umtali, Cecil, 162; Victoria Falls, Allen, 208; Gwelo, Jan. Gardner, 46; Mazoe, 4400 ft. Feb. Eyles, 527; Victoria, Monro, 662.

**C. spp.**

Bulawayo, Eyles, 90.

Gwai, 3000 ft. Jan. Allen, 228.

6512—**Sweertia stellaroides**, Ficalho. (*S. Welwitschii*, Engl.)

Fl. Trop. Afr. IV. i. 581; Fl. Cap. IV. i. 1119; Cat. Afr. Pl. Welw. i. 711.

Salisbury, March, Flanagan, 3019; Melsetter, 6000 ft. April, Swyn, 1919; Odzani River Valley, Umtali, Teague, 99.

## Genus No.

**6545—*Limnanthemum indicum*, Dur. & De Wild.**

Fl. Trop. Afr. IV. i. 587.

South Rhodesia, Rand, 173.

**L. thunbergianum**, Griseb.

Fl. Trop. Afr. IV. i. 584; Fl. Cap. IV. i. 1120; Nat. Pl. 34.

Victoria Falls, Allen, 82; Upper Umswirizwi, 2600 ft. fl. & fr.  
Oct. Swyn. 393.

FAMILY CCXLVII.—APOCYNACEAE, *Lindl.*

**6558—*Acocanthera venenata*, G. Don.**

Fl. Trop. Afr. IV. i. 94; Fl. Cap. IV. i. 501; For. Fl. Cape, 270.  
Bulawayo, Rand, 572; Matopos, Sep. Galpin, 7076.

**6559—*Carissa Arduina*, Lam. (*C. acuminata*, DC.)**

Fl. Trop. Afr. IV. i. 91; Fl. Cap. IV. i. 498; Nat. Pl. 203;  
For. Fl. Port. E. Afr. 86; For. Fl. Cape, 269.  
Bulawayo, Rand, 285; Matopos, Davy; Chirinda Forest, 3700–  
4000 ft. Swyn.; Mt. Pene, 7000 ft. Swyn., fl. Sep. Dec. Swyn.

**C. edulis**, Vahl.

Fl. Trop. Afr. IV. i. 89; For. Fl. Port. E. Afr. 86.  
Victoria Falls, Kirk; Davy.

var. **tomentosa**, Staph. (*C. tomentosa*, A. Rich.)

Fl. Trop. Afr. IV. i. 90; Fl. Cap. IV. i. 497.  
Matabeleland, Oates; Bulawayo, Rand, 176; Engler; Khami,  
Nov. Marloth, 3393; Matopos, Davy; Engler; Govt. Herb. 885;  
Victoria Falls, Davy; Bulawayo, 4500 ft. Sep. Eyles, 23;  
Chubb, 314; Rogers, 5509; Mrewa, Govt. Herb. 865;  
Chirinda, 3800 ft. Swyn. 70; South Umtali Dist. 2000–3000 ft.  
Swyn. 6621, 6623; fl. Oct. Dec. Swyn.; Victoria, Monro, 450.

**6562—*Landolphia Buchananii*, Staph.**

Fl. Trop. Afr. IV. i. 35; For. Fl. Port. E. Afr. 85.  
Umtali, Engler.

**L. Kirkii**, Dyer.

Fl. Trop. Afr. IV. i. 55; For. Fl. Port. E. Afr. 85.  
Chirinda, 3800 ft. Oct. Dec. Swyn. 81a; South Melsetter, Govt.  
Herb. 716.

**L. (?) lucida**, K. Schum.

Fl. Trop. Afr. IV. i. 59.  
Chirinda Forest, 3700 ft. Feb. Swyn. 83.

**L. Swynnertonii**, S. Moore.

Journ. Linn. Soc. Bot. xl. 136.  
Chirinda Forest, 3700–4000 ft. Nov. Swyn. 82; Chipete, Swyn.

Genus No.

**L. sp.**

Victoria Falls, Engler.

6563—**Clitandra orientalis**, K. Schum.

Fl. Trop. Afr. IV. i. 594.

Victoria Falls, Rogers, 7234\*, 7491\*, 7505\*.

6577—**Pleiocarpa Swynnertonii**, S. Moore.

Journ. Linn. Soc. Bot. xl. 138.

Chirinda Forest, fl. Sep. fr. Dec. Swyn. 14 & 6503.

6581—**Gonioma Kamassi**, E. Mey.

Fl. Cap. IV. i. 503 ; For. Fl. Cape, 272.

Gwanda, Noble, 16 ; Lomagundi, Govt. Herb. 995.

6582—**Holarrhena febrifuga**, Klotzsch.

Fl. Trop. Afr. IV. i. 162.

South Melsetter, Swyn. ; Victoria, Monroe, 809.

6589—**Diplorrhynchus mossambicensis**, Benth.

Fl. Trop. Afr. IV. i. 107 ; For. Fl. Port. E. Afr. 86.

Matopos, Oct. Gibbs, 273 ; Govt. Herb. 890 ; Engler ; Chikore Hills, fr. April, Swyn. ; Umswirizwi Riv. Swyn. ; Victoria Falls, Rogers, 7221\*.

6597—**Lochnera rosea**, Reichb. (*Vinca rosea*, L.)

Fl. Trop. Afr. IV. i. 118 ; Fl. Cap. IV. i. 504.

Salisbury, Darling.

6605—**Conopharyngia elegans**, Stapf.

Fl. Trop. Afr. IV. i. 149 ; Fl. Cap. IV. i. 506 ; For. Fl. Port. E. Afr. 87.

Chikore Hills, Swyn.

**C. stapfiana**, Stapf.

Fl. Trop. Afr. IV. i. 147.

Mt. Pene, 7000 ft., Oct. Swyn. 6148, 560.

**C. usambarensis**, Stapf.

Fl. Trop. Afr. IV. i. 148.

Chirinda Forest, 3700–4000 ft. fl. & young fr. Oct. Swyn. 37 & 37a.

6619—**Rauwolfia caffra**, Sond.

Fl. Trop. Afr. IV. i. 110 ; Fl. Cap. IV. i. 502.

Bulawayo, Govt. Herb. 1081 ; Mashonaland, Govt. Herb. 1000.

**R. inebrians**, K. Schum.

Fl. Trop. Afr. IV. i. 112.

Chirinda Forest, 3700–4000 ft. ; Sep. Nov. Swyn. 6 ; Inyamadzi Valley, 3000 ft. Swyn. 602 ; Melsetter, 5000 ft. Swyn. ; Mt. Pene Forest, Swyn.

**R. sp.**

Victoria Falls, Engler.

## Genus No.

6632—**Thevetia nerifolia** ?.

Matopos, Govt. Herb. 898 (cultivated).

6680—**Adenium multiflorum**, Klotzsch.

Fl. Trop. Afr. IV. i. 229; Fl. Cap. IV. i. 514; For. Fl. Port. E. Afr. 89.

Sabi Riv. 1000 ft. fr. Nov. Swyn. 557.

6686—**Oncinotis chirindica**, S. Moore.

Journ. Linn. Soc. Bot. xl. 141.

Chirinda Forest, 3700–4000 fl. &amp; fr. Oct. Swyn. 87; Chipete, Swyn.

FAMILY CCXLVIII.—ASCLEPIADACEAE, *Lindl.*6688—**Strophantus** sp.

Wankie, Rogers, 58370 (near S. arnoldianus, Wildern &amp; Dur.)

6729—**Chlorocodon Whytei**, Hook. f.

Fl. Trop. Afr. IV. i. 255; Fl. Cap. IV. i. 542; Cat. Afr. Pl. Welw. i. 680; Nat. Pl. 31.

Mazoe, 4300 ft. Dec. Eyles, 204; Victoria Falls, Allen, 259.

6730—**Tacazzea Kirkii**, N. E. Br.

Fl. Trop. Afr. IV. i. 268; Fl. Cap. IV. i. 540.

Victoria Falls, Allen, 252, 283; Rogers, 5091, 5566, 7403; Victoria, Monro, 1099, 797.

6740—**Crytolepsis oblongifolia**, Schlechter. (*Ectadiopsis oblongifolia*, Benth.)

Fl. Trop. Afr. IV. i. 249; Fl. Cap. IV. i. 529; Nat. Pl. 513.

Mazoe, 5000–5300 ft. Nov. Eyles, 469; Bulawayo, Monro, 109; Victoria, Monro, 752; Chirinda, fl. &amp; fr. Oct. Swyn. 243.

**C. producta**, N. E. Br.

Fl. Trop. Afr. IV. i. 247.

Gwai Forest, 3600 ft. Allen, 239; Salisbury, Rand, 1368.

**C. transvaalensis**, Schlechter.

Fl. Cap. IV. i. 528.

Victoria, Monro, 812.

6747—**Raphiacme lanceolata**, Schinz, var. **latifolia**, N. E. Br.Fl. Trop. Afr. IV. i. 274 (*Raphionacme*).

Bulawayo, Rand, 284; Monro, 94.

**R. longifolia**, N. E. Br.

Fl. Trop. Afr. IV. i. 274.

Mazoe, 5300 ft. Nov. Eyles, 468.

**R. procumbens**, Schlechter.

Fl. Cap. IV. i. 535.

Bulawayo, Monro, 111.

Genus No.

**R. spp.**

Gwelo, Jan. Gardner, 13.  
Bulawayo, Monro, 100.

6777—**Xysmalobium bellum**, N. E. Br.

Fl. Trop. Afr. IV. i. 311.  
Mazoe, 4800 ft. Dec. Eyles, 492.

**X. Cecilae**, N. E. Br.

Fl. Trop. Afr. IV. i. 310.  
Salisbury, Cecil, 60; Rand, 1358; Victoria, Monro.

**X. dispar**, N. E. Br.

Fl. Trop. Afr. IV. i. 307.  
Mazoe, 4400 ft. Feb. Eyles, 529.

**X. gramineum**, S. Moore.

Fl. Trop. Afr. IV. i. 302.  
Bulawayo, Rand, 193.

**X. recticulatum**, N. E. Br.

Fl. Trop. Afr. IV. i. 303.  
Mazoe, 4200 ft. Nov. Eyles, 467; between Umtali and Salisbury,  
Cecil, 51; between Enkeldoorn and Rocky Spruit, Cecil, 135;  
Malindi, Gwai Forest, Allen, 227; Chirinda, 3800 ft. Oct.  
Swyn. 247; Victoria, Monro, 628.

**X. sp.**

Bulawayo, Chubb, 7a, cf. *X. decipiens*, N. E. Br.

6778—**Schizoglossum aciculare**, N. E. Br.

Fl. Trop. Afr. IV. i. 363; Fl. Cap. IV. i. 620.  
Salisbury, Rand, 1359.

**S. biflorum**, Schlechter.

Fl. Cap. IV. i. 641.  
Victoria, Monro, 657.

var. **gwelense**, N. E. Br. (*S. gwelense*, N. E. Br.)

Fl. Cap. IV. i. 642; Fl. Trop. Afr. IV. i. 360.  
Gwelo, Cecil, 131; Salisbury, Rand, 190, 1354.

**S. Carsoni**, N. E. Br.

Fl. Trop. Afr. IV. i. 366.  
Between Umtali and Salisbury, Cecil, 48; Selukwe, Cecil, 48a;  
Salisbury, Darling; Rand, 1361; Mazoe, 4800 ft.  
Dec. Eyles, 216.

**S. chirindense**, S. Moore.

Journ. Bot. 1908, 295.  
Chirinda, 3800 ft. Swyn. 246, Mt. Pene, 7000 ft. in fl. Sep. Oct.  
Swyn. 246, 6095.

## Genus No.

**S. Eylesii**, *S. Moore.*

Journ. Bot. 1914, 149.

Mazoe, 4800 ft. Jan. Eyles, 500.

**S. Pentheri**, *Schlechter.*

Eyles, 1116.

**S. strictissimum**, *S. Moore.*

Fl. Trop. Afr. IV. i. 358.

Bulawayo, Rand, 195; Victoria, Monro, 842.

6780—**Kanahia glaberrima**, *N. E. Br.*

Fl. Trop. Afr. IV. i. 297.

Shashi Riv. Baines.

**K. Monroi**, *Moore.*

Journ. Bot. 1911, 156.

Victoria, Monro, 1100.

6781—**Margareta Holstii**, *K. Schum.*

Fl. Trop. Afr. IV. i. 374.

Victoria Falls, Allen, 194.

**M. Whytei**, *K. Schum.*

Fl. Trop. Afr. IV. i. 374.

Salisbury, Rand, 124, 547, 632; March, Flanagan, 2999; Darling in Herb. Bolus 11192; Rand, 1360; Rogers, 4008; Mazoe, 4300 ft. Sep. Eyles, 428; Chirinda, 3800 ft. Oct. Swyn. 1912.

6783—**Cordylogyne kassnerianum** (*Schlechter.*), *Torre & Harms.* (*Periglossum kassnerianum*, *Schlechter.*)

Fl. Cap. IV. i. 584.

Victoria, Monro, 624.

**C. mossambicense** (*Schlechter.*), *Torre & Harms.* (*Periglossum mossambicense*, *Schlechter.*)

Fl. Cap. IV. i. 583.

Salisbury, Rand, 1355.

6787—**Gomphocarpus concolor**, *Decne.* (*Pachycarpus concolor*, *E. Mey.*)

Fl. Trop. Afr. IV. i. 377; Fl. Cap. IV. i. 729.

Bulawayo, Rand, 187; Rogers, 5930; Salisbury, Rand, 1356.

6791—**Asclepias aurea**, *Schlechter.* (*Gomphocarpus aureus*, *Schltr.*)

Fl. Trop. Afr. IV. i. 345; Fl. Cap. IV. i. 685.

Salisbury, Rand, 638; Cecil, 144; Gwelo, Rand, 188; Matopos, 5000 ft. Nov. Eyles, 1152; Victoria, Monro, 313.

**A. densiflora**, *N. E. Br.*

Fl. Trop. Afr. IV. i. 320; Fl. Cap. IV. i. 705.

Between Salisbury and Bulawayo, Cecil, 78.

Genus No.

6791—**A. eminens**, Schlechter.

Fl. Trop. Afr. IV. i. 351; Fl. Cap. IV. i. 685.

Between Enkeldoorn and Rocky Spruit, Cecil, 134; Bulawayo, Rand, 183, 189; Gwelo, Jan. Gardner, 52; Mazoe, 4200 ft. Nov. Eyles, 460; Victoria, Monro, 618.

**A. Engleri**, Schlechter.

Umtali, Engler.

**A. fallax**, Schlechter.

Fl. Cap. IV. i. 706.

Salisbury, Rand, 1352; Bulawayo, Monro, 19.

**A. fruticosa**, L. (*Gomphocarpus fruticosus*, R. Br.)

Fl. Trop. Afr. IV. i. 330; Fl. Cap. IV. i. 691.

Shangani Riv. Rand, 191; Shashi Riv. Baines; Matopos, fl. & fr. Oct. Gibbs, 103; Victoria Falls, Allen, 275; Salisbury, Govt. Herb. 921; Victoria, Monro, 913.

**A. fulva**, N. E. Br.

Fl. Trop. Afr. IV. i. 321.

Chirinda, 3600 ft. Jan. Swyn. 1914.

**A. glaucophylla**, Schlechter. (*Gomphocarpus glaucophyllus*, Schlechter.)

Fl. Trop. Afr. IV. i. 321; Fl. Cap. IV. i. 696.

Salisbury, Cecil, 57; Rand, 185, 1357; Charter, Govt. Herb. 3023.

**A. lineolata**, Schlechter. (*Gomphocarpus lineolatus*, Decne.)

Fl. Trop. Afr. IV. i. 322.

Bulawayo, Rand, 184; Salisbury, Rand, 1353; Cecil, 66; Sebakwe, 4000 ft. Dec. Eyles, 166; Victoria Falls, Allen, 86; Upper Buzi, 3200 ft. Nov. Swyn. 245.

**A. palustris**, Schlechter.

Fl. Trop. Afr. IV. i. 349.

Mazoe, 4300–4800 ft. Nov. Eyles, 448.

**A. physocarpa**, Schlechter. (*Gomphocarpus physocarpus*, E. Mey.)

Fl. Trop. Afr. IV. i. 328; Fl. Cap. IV. i. 692; Nat. Pl. 217.

Eyles, 1129.

**A. Randii**, S. Moore.

Fl. Trop. Afr. IV. i. 351.

Salisbury, Rand, 194.

**A. reflexa**, Britten & Pendle.

North of Umtali, Cecil, 160; Sebakwe, 4000 ft. Dec.

Eyles, 169.

**A. scabrifolia**, S. Moore.

Journ. Bot. 1908, 297.

Chimanimani Mts. 7000 ft. Swyn. 1915; Mt. Pene, 7000 ft.

Swyn. 6094, 6140, fl. Sep. Oct. Swyn.

Genus No.

**A. Swynnertonii, S. Moore.**

Journ. Linn. Soc. Bot. xl. 142.

Mt. Pene, 7000 ft. Oct. Swyn. 6092; Melsetter, 6000 ft. Swyn. 6093.

**A. tenuifolia, N. E. Br.**

Fl. Trop. Afr. IV. i. 337.

Mangwe, Baines; Matopos, 5000 ft. March, Eyles, 1011; Sep. Gibbs, 100; March, Flanagan, 2989; Victoria, Monro, 422, 754, 1065; South Rhodesia, Rand, 192.

**A. spp.**

Salisbury, Darling in Herb. Bolus, 10796.

Matopos, Eyles, 1156.

6810—**Pentarrhinum insipidum, E. Mey.**

Fl. Trop. Afr. IV. i. 378; Fl. Cap. IV. i. 741; Nat. Pl. 517;

Cat. Afr. Pl. Welw. i. 687.

Bulawayo, 4500 ft. Feb. Eyles, 106.

6834—**Cynanchum chirindense, S. Moore.**

Journ. Bot. 1908, 305.

Chirinda Forest, 3900 ft. Feb. Swyn. 137.

**C. præcox, Schlechter.**

Fl. Trop. Afr. IV. i. 399.

Mazoe, Rand, 512.

**C. sp.**

South Rhodesia, Rand, 362.

6849—**Sarcostemma viminale, R. Br.**

Fl. Trop. Afr. IV. i. 384; Fl. Cap. IV. i. 755; Cat. Afr. Pl.

Welw. i. 689.

Matopos, Cecil, 106; Oct. Gibbs, 239; Engler; Nov. Eyles, 1155?; Bulawayo, Rand, 363; Chubb, 1a.

6860—**Secamone Alpini, Schult.**

Fl. Trop. Afr. IV. i. 279; Fl. Cap. IV. i. 544.

Chirinda, 3700–4000 ft. Dec. Swyn. 88; Bulawayo, Rogers, 13576\*.

6862—**Oranthera jasminiflora, N. E. Br.**

Fl. Trop. Afr. IV. i. 434.

Victoria Falls, Rogers, 7468\*.

6865—**Macropetalum Burchellii, Decne.**

Fl. Cap. IV. i. 798; Harv. Gen. S.A. Pl. 241.

Fig-tree, 4500 ft. Dec. Eyles, 155.

6870—**Brachystelma Barberiae, Harv.**

Fl. Cap. IV. i. 864; Nat. Pl. 587.

Bulawayo, March, Monro.

Genus No.

6874—**Ceropagia abyssinica**, Decne.

Fl. Trop. Afr. IV. i. 462.

Salisbury, Rand, 1400.

**C. hispidipes**, S. Moore.

Journ. Bot. 1908, 309.

Chirinda, 3800 ft. Feb. Swyn. 1137.

**C. mazoensis**, S. Moore.

Journ. Bot. 1908, 309.

Mazoe, 4700 ft. Jan. Eyles, 518.

**C. tentaculata**, N. E. Br.

Fl. Trop. Afr. IV. i. 443; Cat. Afr. Pl. Welw. i. 694.

Victoria, Monro, 834, 889.

**C. sp.**

Salisbury, Rand, 1399.

6875—**Riocreuxia profusa**, N. E. Br.

Fl. Trop. Afr. IV. i. 465.

Chikore Hills, 3500 ft. April, Swyn. 205.

6880—**Decabellone elegans**, Decne. (*Tavaresia angolensis*, Welw.)

Fl. Trop. Afr. IV. i. 493; Cat. Afr. Pl. Welw. i. 697.

South Rhodesia, Rand, 286.

6884—**Caralluma lateritia**, N. E. Br.

Fl. Trop. Afr. IV. i. 486.

Bulawayo, 4500 ft. Feb. Eyles, 22.

6885—**Stapelia gigantea**, N. E. Br.

Fl. Trop. Afr. IV. i. 501; Fl. Cap. IV. i. 948; Nat. Pl. 531.

Bulawayo, Monro.

**S. Marlothii**, N. E. Br.

Kew Bull. 1908, 436.

Matopos, Marloth, 3414.

6887—**Heurnia** sp.

Salisbury, Darling in Herb. Bolus 10767.

6891—**Gymnema sylvestre**, R. Br.

Fl. Trop. Afr. IV. i. 413; Fl. Cap. IV. i. 782.

Victoria Falls, Rogers, 5731.

6911—**Marsdenia zambesiaca**, Schlechter.

Fl. Trop. Afr. IV. i. 420.

Victoria Falls, Allen, 84.

6911a—**Swynnertonia cardinea**, S. Moore.

Journ. Bot. 1908, 308.

Chirinda Forest, 3700–4000 ft. Oct. Dec. Swyn. 1080, 6518.

6924—**Fockea Monroi**, S. Moore.

Journ. Bot. 1914, 149.

Victoria, Monro, 828, 837.

## SERIES TUBIFLORAE.

## FAMILY CCXLIX.—CONVOLVULACEAE, Vent.

## Genus No.

6968—**Cuscuta kilimanjari**, Oliv.

Fl. Trop. Afr. IV. ii. 205.

Chirinda, 3800 ft. May, Swyn. 453, on *Mellera lobulata*, S. Moore.

**C. obtusiflora**, var. **cordofana**, Engelm.

Fl. Trop. Afr. IV. ii. 204.

Mazoe, 4300 ft. April, Eyles, 352; Govt. Herb. 2081.

**C. planiflora**, Ten.

Fl. Trop. Afr. IV. ii. 203; Cat. Afr. Pl. Welw. i. 743.

Mazoe, 5000 ft. April, Eyles, 327.

6973—**Evolvulus alsinoides**, L.

Fl. Trop. Afr. IV. ii. 67; Fl. Cap. IV. ii. 79; Cat. Afr. Pl. Welw. i. 724.

Matabeleland, Oates; Elliott; Cecil, 116; Rand, 127; Victoria Falls, Allen, 124; April, Flanagan, 3156; Bulawayo, Dec. Gardner, 90; Rogers, 5758; Odzani River Valley, Teague, 262.

**E. spp.**

Bulawayo, 4500 ft. Jan. Eyles, 1.

6978—**Seddera capensis**, Hallier f. (*Breweria capensis*, Baker.)

Fl. Trop. Afr. IV. ii. 77; Fl. Cap. IV. ii. 80.

Salisbury, Rand, 126; Matabeleland, Gardner.

6991—**Jacquemontia capitata**, G. Don.

Fl. Trop. Afr. IV. ii. 85; Fl. Cap. IV. ii. 69; Nat. Pl. 13; Cat. Afr. Pl. Welw. i. 725.

Wankie, 2500 ft. May, Eyles, 129; Victoria Falls, Rogers, 7004.

6993—**Convolvulus Randii**, Rendle.

Fl. Trop. Afr. IV. ii. 94.

Gwelo, Rand, 274.

**C. sagittatus**, var. **abyssinica**, Hallier f.

Fl. Trop. Afr. IV. ii. 96.

Salisbury, Rand, 510; Cecil, 74; Chirinda, 3500 ft. June, Swyn. 1798.

**C. ulosepalus**, Hallier f.

Fl. Trop. Afr. IV. ii. 95; Fl. Cap. IV. ii. 73.

Salisbury, Engler.

**C. sp.**

Mazoe, 5000 ft. Nov. Eyles, 1106.

Genus No.

- 6995—**Hewittia bicolor**, Wight. (*Shutereia bicolor*, Choisy.)  
Fl. Cap. IV. ii. 68; Cat. Afr. Pl. Welw. i. 727; Nat. Pl. 281.  
Chirinda, 3700–4000 ft. June, Swyn. 1187.
- 6997—**Merremia angustifolia**, Hallier f. (*Ipomoea angustifolia*, Jacq.)  
Fl. Trop. Afr. IV. ii. 111; Fl. Cap. IV. ii. 54; Cat. Afr. Pl. Welw. i. 729.  
Matopos, Oct. Gibbs, 228; Victoria Falls, Allen, 285; April, Flanagan, 3170; Rogers, 5532; Bulawayo, Rand, 130.
- M. palmata**, Hallier f.  
Fl. Trop. Afr. IV. ii. 108.  
Bulawayo, Rand, 128, 129, 364; Rogers, 5753.
- M. pinnata**, Hallier f.  
Fl. Trop. Afr. IV. ii. 113.  
Mazoe, April, Eyles, 313; Victoria Falls, April, Flanagan, 3239.
- M. pterygocaulos**, Hallier f. (*Ipomoea pterygocaulos*, Choisy.)  
Fl. Trop. Afr. IV. ii. 105; Cat. Afr. Pl. Welw. i. 727.  
Victoria Falls, Allen, 39; Rogers, 5006\*; Engler; July, Kolbe, 3185; Rogers, 5385.
- 7000—**Astrochlaena malvacea**, Hallier f.  
Fl. Trop. Afr. IV. ii. 121; Fl. Cap. IV. ii. 69.  
North of Hartley, Engler; Salisbury, Engler; Mazoe, 4300–4800 ft. Nov. Eyles, 454; Chirinda, 3800 ft. Sep. Swyn. 300; Victoria, Monro, 1014, 566b.
- var. **epedunculata**, Rendle.  
Fl. Trop. Afr. IV. ii. 122.  
Salisbury, Rand, 511; Matopos, Oct. Gibbs, 84; South Umtali Dist. Melsetter Road, 2000–3000 ft. Oct. Swyn.
- A. Stuhlmanni**, Hallier f.  
Fl. Trop. Afr. IV. ii. 122.  
Umtali, Cecil, 35.
- 7003—**Ipomoea aquatica**, Forsk. (*I. reptans*, Poir.)  
Fl. Trop. Afr. IV. ii. 170; Cat. Afr. Pl. Welw. i. 738.  
Bulawayo, Jan. Gardner, 86.
- I. blepharophylla**, Hallier f.  
Fl. Trop. Afr. IV. ii. 141; Cat. Afr. Pl. Welw. i. 732.  
Victoria Falls, Allen, 1114; North of Hartley, Engler.
- I. bolusiana**, Schinz. (*I. angustisecta*, Engl.)  
Fl. Trop. Afr. IV. ii. 175; Fl. Cap. IV. ii. 49.  
Matabeland, Elliott.
- I. cardiosepala**, Hochst. (*I. calycina*, Benth.)  
Fl. Trop. Afr. IV. ii. 147; Fl. Cap. IV. ii. 61; Cat. Afr. Pl. Welw. i. 733.  
Bulawayo, Rand, 366; Rogers, 5752.

Genus No.

7003—**I. Cecilae**, N. E. Br.

Kew Bull. 1906, 166.

Umtali, Cecil, 36.

**I. coscinosperma**, Hochst. var. **hirta**, Rich.

Fl. Trop. Afr. IV. ii. 138 (type).

Bulawayo, Engler.

**I. crassipes**, Hook.

Fl. Cap. IV. ii. 56; Cat. Afr. Pl. Welw. i. 732.

Victoria, Monro, 566; Rogers, 5755?.

var. **cordifolia**, Rendle.

Journ. Bot. 1908, 180.

Bulawayo, 4500 ft. Oct. Eyles, 21.

var. **thunbergioides**, Hallier f.

Fl. Cap. IV. ii. 56.

Bulawayo, March, Monro.

**I. dammarana**, Rendle.

Fl. Trop. Afr. IV. ii. 183.

Bulawayo, Rand, 273.

**I. dissecta**, Willd.

Fl. Cap. IV. ii. 67; Fl. Trop. Afr. IV. ii. 176.

Victoria Falls, Rogers, 7097<sup>o</sup>, 7129<sup>o</sup>.**I. eriocarpa**, R. Br.

Fl. Trop. Afr. IV. ii. 136; Cat. Afr. Pl. Welw. i. 732.

Victoria Falls, April, Flanagan, 3301; Rogers, 5031; Bulawayo, Monro, 83.

**I. fragilis**, Choisy.

Fl. Trop. Afr. IV. ii. 165.

Bulawayo, Monro, 60.

var. **pubescens**, Hallier f.

Fl. Trop. Afr. IV. ii. 165.

Bulawayo, Rand, 603; Chubb, 335; Salisbury, Cecil, 75; Matabeleland, Oates; Victoria Falls, Rogers, 7009<sup>o</sup>.var. **Randii** ?.

Bulawayo, Monro, 58.

**I. Holubii**, Baker.

Fl. Trop. Afr. IV. ii. 188.

Matopos, Rogers, 5647.

**I. involucrata**, Beauv.

Fl. Trop. Afr. IV. ii. 150; Cat. Afr. Pl. Welw. i. 735.

Salisbury, Rand, 561.

**I. lapathifolia**, Hallier f.

Fl. Trop. Afr. IV. ii. 168.

Victoria Falls, Rogers, 5007.

Genus No.  
7003—

- I. *lilacina*, Blume.**  
Fl. Trop. Afr. IV. ii. 187; Cat. Afr. Pl. Welw. i. 741.  
Victoria Falls, 3000 ft. May, Eyles, 140; Rogers, 5145.
- I. *Lugardi*, N. E. Br. var. *parviflora*, Rendle.**  
Fl. Trop. Afr. IV. ii. 163.  
Matabeleland, Elliott.
- I. *magnusiana*, Schinz.**  
Fl. Trop. Afr. IV. ii. 162; Fl. Cap. IV. ii. 65.  
Bulawayo, Rogers, 5748; Victoria Falls, Rogers, 5668\*.
- I. *obscura*, Ker.**  
Fl. Trop. Afr. IV. ii. 164; Fl. Cap. IV. ii. 62.  
Bulawayo, Rand, 604; Chubb, 91, 334; Matopos, Oct. Gibbs.  
248; Odzani River Valley, Umtali, Teague, 110.
- I. *Papilio*, Hallier f.**  
Fl. Trop. Afr. IV. ii. 167; Fl. Cap. IV. ii. 63.  
Bulawayo, Rand, 365; Rogers, 5736; Matopos, 4500 ft. March,  
Eyles, 109; North of Hartley, Engler.
- I. *Pes-tigridis*, L.**  
Fl. Trop. Afr. IV. ii. 158; Cat. Afr. Pl. Welw. i. 735.  
Victoria Falls, Allen, 278.
- I. *pileata*, Roxb.**  
Fl. Cap. IV. ii. 53; Fl. Trop. Afr. IV. ii. 151.  
Victoria Falls, Rogers, 7086\*.
- I. *pubescens*, Choisy, var. *pubescens*, Hallier f.**  
North of Hartley, Engler.
- I. *Randii*, Rendle.**  
Fl. Trop. Afr. IV. ii. 146.  
Bulawayo, Rand, 271; Salisbury, Rand, 1423.
- I. *rhodesiana*, Rendle.**  
Fl. Trop. Afr. IV. ii. 188.  
Bulawayo, Rand, 141.
- I. *shirambensis*, Baker.**  
Fl. Trop. Afr. IV. ii. 186.  
Victoria Falls, Rogers, 5293; Wankie, Rogers, 5995.\*
- I. *shupangensis*, Baker.**  
Fl. Trop. Afr. IV. ii. 170.  
South of Zambesi, Engler.
- I. *simplex*, var. *obtusisepala*, Rendle.**  
Fl. Trop. Afr. IV. ii. 174.  
Salisbury, Rand, 272, 1391; Bulawayo, Chubb, 397.
- I. *stenosiphon*, Hallier f.**  
Fl. Trop. Afr. IV. ii. 192.  
Matopos, 5000 ft. April, Eyles, 58; Victoria, Monro, 1037.

Genus No.

**I. verbascoidea**, Choisy. (*I. Elliottii*, Baker.)

Fl. Trop. Afr. IV. ii. 183; Cat. Afr. Pl. Welw. i. 741.

Matabeleland, Elliott; Gwai Forest, 3600 ft. Allen, 233.

**I. Welwitschii**, Vatke.

Fl. Trop. Afr. IV. ii. 174; Cat. Afr. Pl. Welw. i. 739.

Chirinda, 3500 ft. Nov. Swyn. 301.

**I. Wightii**, Choisy.

Fl. Trop. Afr. IV. ii. 157; Fl. Cap. IV. ii. 63.

Bulawayo, Rand, 555; Salisbury, Rogers, 4019; Chirinda, 3800 ft. April, Swyn. 783; Melsetter, 6000 ft. June, Swyn. 1165; Odzani River Valley, Umtali, Teague, 108.

**I. spp.**

Victoria Falls, Sep. Galpin, 7012; April, Flanagan, 3293; Allen, 49; Rogers, 5232.

Salisbury, Darling in Herb. Bolus 10784.

Bulawayo, Monro, 16.

Gwai, 2400 ft. Allen, 244.

Matopos, Rogers, 5195.

## FAMILY CCLII.—BORAGINACEAE, Lindl.

7038—**Cordia ovalis**, R. Br.

Fl. Trop. Afr. IV. ii. 15; Cat. Afr. Pl. Welw. i. 713.

Victoria, Monro, 726.

**C. spp.**

Matopos, Oct. Gibbs, 199.

Victoria, Monro, 767, 832, 1019.

7043—**Ehretia amœna**, Klotzsch. (*E. mossambicensis*, Klotzsch.)

Fl. Trop. Afr. IV. ii. 24; Fl. Cap. IV. ii. 5.

Enkeldoorn, Cecil, 89; Bulawayo, Monro, 5; Victoria, Monro, 730a; South Rhodesia, Rand, 280.

**E. caffra**, Sond.

Matopos, Nov. Marloth, 3381.

**E. divaricata**, Baker.

Fl. Trop. Afr. IV. ii. 26.

Chirinda Forest, 3700–4000 ft. Sep. Swyn. 8.

**E. Fischeri**, Gürke.

Fl. Trop. Afr. IV. ii. 27.

Victoria, Monro, 939.

**E. hottentotica**, Burch.

Fl. Cap. IV. ii. 5; For. Fl. Port. E. Afr. 90; For. Fl. Cape, 279.

Bulawayo, 4500 ft. Oct. Eyles, 1069; Matopos, fl. &amp; fr. Oct. Gibbs, 279; South Rhodesia, Rand, 279.

## Genus No.

**E. sp.**

Bulawayo, Chubb, 344.

7051—**Tournefortia sp.**

Bulawayo, 4500 ft. Dec. Eyles, 20.

7052—**Heliotropium marifolium, Retz.**

Fl. Trop. Afr. IV. ii. 40.

Victoria Falls, Allen, 289.

**H. ovalifolium, Forsk.**

Fl. Trop. Afr. IV. ii. 34; Fl. Cap. IV. ii. 8; Cat. Afr. Pl. Welw. i. 718.

Gwai Forest, 3000 ft. Allen, 248; Victoria, Monro, 863.

**H. zeylanicum, Lam.**

Fl. Trop. Afr. IV. ii. 31; Cat. Afr. Pl. Welw. i. 720.

South Rhodesia, Rand, 106.

**H. sp.**

Bulawayo, Jan. Gardner, 19.

7056—**Trichodesma angustifolium, Harv.**

Fl. Cap. IV. ii. 11.

South Rhodesia, Rand, 636.

**T. physaloides, A. DC. (*Borraginoides physaloides*, Hiern.)**

Fl. Trop. Afr. IV. ii. 46; Fl. Cap. IV. ii. 11; Cat. Afr. Pl. Welw. i. 721.

Matabeleland, Oates; Elliott; Mashonaland, Bryce; Cecil; Bulawayo, 4500 ft. Sep. Eyles, 1081; Matopos, fl. Sep. fr. Oct. Gibbs, 74; Galpin, 6994; Engler; Salisbury, Engler; Darling in Herb. Bolus, 10785; Rand, 388, 571; Rogers, 4018; Marandellas, Engler; Victoria Falls, Rogers, 5003; Umvumvumvu Riv. Oct. Swyn. 2112; Nyahodi Valley, 4000 ft. Swyn. 6003; Victoria, Monro, 453, 482, 530, 1023; South Rhodesia, Rand, 633, 634, 635; Odzani River Valley, Umtali, Teague, 267.

**T. zeylanicum, R. Br. (*Borraginoides zeylanica*, Hiern.)**

Fl. Trop. Afr. IV. ii. 51; Cat. Afr. Pl. Welw. i. 720.

Victoria Falls, Rogers, 7216.

7064—**Cynoglossum lanceolatum, Forsk. (*C. micranthum*, Desf.)**

Fl. Trop. Afr. IV. ii. 54; Fl. Cap. IV. ii. 14; Cat. Afr. Pl. Welw. i. 721.

Mazoe, 4400–4800 ft. Dec. Eyles, 214; Odzani River Valley, Umtali, Teague, 114.

7109—**Lithospermum sp.**

South Rhodesia, Rand, 107.

## FAMILY CCLIII.—VERBENACEAE, Juss.

Genus No.

7138—***Verbena officinalis*, L.**

Fl. Trop. Afr. v. 286; Fl. Cap. V. i. 209.

Mazoe, 4800 ft. March, Eyles, 297; Salisbury, April, Flanagan, 3261; South Rhodesia, Rand, 105.

7144—***Lantana salvifolia*, Jacq.**

Fl. Trop. Afr. v. 276; Fl. Cap. V. i. 190; Cat. Afr. Pl. Welw. i. 827.

Bulawayo, 4500 ft. Eyles, 89; Chubb, 316, 367, 380; Dec. Gardner, 66; Rogers, 5914; Mazoe, 4400–4800 ft. Jan. Eyles, 505, 532; Matabeleland, Marloth; Elliott; Umtali, Engler; Odzani River Valley, Teague, 3; Victoria Falls, Rogers, 5795; Salisbury, Rogers, 5795, 4069; Melsetter, 6000 ft. April, Swyn.; Chirinda, 3700–4000 ft. Dec. Swyn. 259, 116, 2002; Victoria, Monro, 960; South Rhodesia, Rand, 114.

**L. sp.**

Salisbury, Rand, 513.

7145—***Lippia asperifolia*, Rich.**

Fl. Trop. Afr. v. 280; Fl. Cap. V. i. 195.

Matabeleland, Oates; Elliott; Mazoe, 4400 ft. March, Eyles, 278; Matopos, July, Galpin, 6954; Victoria Falls, Rogers; Chirinda, 3800 ft. Melsetter, 6000 ft. April, May, Dec. Swyn. 260, 475, 475a, 1160, 2003; Victoria, Monro, 311; Odzani River Valley, Umtali, Teague, 229.

**L. Oatesii, Rolfe.**

Fl. Trop. Afr. v. 279.

Matabeleland, Oates; Nyamandhlovu, April, Flanagan, 3194 (forma); Bulawayo, Oct. Dec. Chubb, 382; Rogers, 5927; South Rhodesia, Rand, 103.

**L. Wilmsii, Pearson.**

Fl. Cap. V. i. 196.

Inyanga Mts. 6000–7000 ft. Cecil, 219; Gwelo, Jan. Gardner, 47; Chirinda, May, Dec. Swyn. 258, 474.

7148—***Bouchea hederacea*, Sond.**

Fl. Cap. V. i. 200.

Victoria, Monro, 169, 671; Bulawayo, Rogers, 5750.

**B. pinnatifida, Schauer.**

Fl. Cap. V. i. 205.

Bulawayo, 4500 ft. Dec. Eyles, 1142; Oct. Dec. Chubb, 373 p.p. Rogers, 5919; between Plumtree and Bulawayo, April, Flanagan, 3210; South Rhodesia, Rand, 283.

Genus No.

**B. Wilmsii, Gürke.**

Fl. Cap. V. i. 200.

Bulawayo, Monro, 102.

7153—**Priva leptostachya, Juss.**

Fl. Trop. Afr. v. 285; Fl. Cap. V. i. 206.

Chirinda, 3800 ft. May, June, Swyn. 269, 517.

**P. sp.**

Bulawayo, Eyles, 16.

7162—**Duranta Plumieri, Jacq.**

Fl. Trop. Afr. v. 287; Fl. Cap. V. i. 210; Harv. Gen. S.A. Pl. 291.

Mazoe, 4200–4500 ft. Nov. Eyles, 193; Dec. Eyles, 213; Govt. Herb. 2083; Matopos, fl. & fr. Oct. Gibbs, 280; Victoria, Monro, 683, 793, 1033.

NOTE.—According to the Floras this is an introduction from Tropical America, but it is so common in kloofs and river-beds remote from European occupation, that this seems doubtful.

7186—**Vitex Cienkowskii, Kot. & Peyr.**

Fl. Trop. Afr. v. 328; Cat. Afr. Pl. Welw. i. 836.

Lusitu Riv. Swyn.

V. Eylesii, S. Moore.

Journ. Bot. 1907, 154.

Bulawayo, 4500 ft. Dec. Eyles, 1201; Chirinda, 3500 ft., Chikore Hills, 3500 ft. throughout S. Melsetter Dist. fl. April, Nov. Dec. fr. May, June, Swyn. 34, 34b, 1059.

**V. flavescens, Rolfe, var. *parviflora*, Gibbs.**

Journ. Linn. Soc. Bot. xxxvii. 463; Fl. Trop. Afr. v. 321 (type).

Victoria Falls, Sep. Gibbs, 135.

**V. gürkeana, Engl.**

Umtali, Engler.

**V. isotjensis, Gibbs.**

Journ. Linn. Soc. Bot. xxxvii. 463.

Matopos, Isotje Hill, Oct. Gibbs, 236; Victoria, Monro, 803.

**V. Kirkii, Baker.**

Fl. Trop. Afr. v. 321; For. Fl. Port. E. Afr. 94.

Victoria Falls, Allen, 60; Rogers, 5377.

**V. sp.**

Salisbury, Rand, 553.

7191—**Clerodendron amplifolium, S. Moore.**

Journ. Linn. Soc. Bot. xl. 167.

Chirinda Forest, 3700–4000 ft. April, Swyn. 335.

Genus No.

7191—**C. glabrum**, E. Mey. (*C. ovale*, Klotzsch.) (*Siphonanthus glabra*, Hiern.)

Fl. Trop. Afr. v. 297 & *C. ovale*, p. 298 partly; Fl. Cap. V. i. 219; Cat. Afr. Pl. Welw. i. 842; For. Fl. Port. E. Afr. 91 & 92; For. Fl. Cape, 286; Nat. Pl. 45.

Bulawayo, Monro, 115; Matopos, Engler; Victoria Falls, Rogers, 5561; Allen, 257 (var.).

**C. hirsutum**, Pearson.

Fl. Cap. V. i. 221.

Chimanimani Mts. 7000 ft. Sep. Swyn. 2004; Mt. Pene, 7000 ft. Oct. Swyn. 6086.

**C. lanceolatum**, Gürke.

Fl. Trop. Afr. v. 312; For. Fl. Port. E. Afr. 93.

Victoria Falls, Allen, 99; Mazoe, 4400–4800 ft. Nov. Eyles, 447; Bulawayo, Rogers, 5914, 5378, 5530.

**C. myricoides**, R. Br. (*Siphonanthus myricoides*, Hiern.)

Fl. Trop. Afr. v. 310 & 519; Fl. Cap. V. i. 223; For. Fl. Port. E. Afr. 93; Cat. Afr. Pl. Welw. i. 844; Nat. Pl. 282.

Matopos, Oct. Gibbs, 282; Bulawayo, Oct. Dec. Chubb, 383, 393, 394, 395; Chirinda, 3500 ft. Sep. Dec. Swyn. 173; Mt. Pene, 7000 ft. Swyn. 1296; Haroni Riv. 5000 ft. Swyn. 1297; Victoria, Monro, 734.

var. **cuneatum**, Pearson.

Fl. Cap. V. i. 223.

Bulawayo, Monro, 114.

var. **discolor**, Baker.

Fl. Trop. Afr. v. 310.

Victoria Falls, Allen, 102; Mazoe, 4800 ft. Nov. Eyles, 458.

**C. reflexum**, Pearson.

Trans. S.A. Phil. Soc. xv. 182.

Bulawayo, 4500 ft. Dec. Eyles, 1006; Victoria Falls, Rogers, 5634.

**C. spinescens**, Gürke.

Fl. Trop. Afr. v. 313; Fl. Cap. V. i. 221.

Victoria Falls, Allen, 402; Rogers, 5329.

**C. Swynnertonii**, S. Moore.

Journ. Linn. Soc. Bot. xl. 166.

Chirinda Forest, 3700–4000 ft. fl. & fr. May, Swyn. 85.

**C. sp.**

Victoria Falls, Rogers, 5378.

FAMILY CCLIV.—LABIATAE, *B. Juss.*

Genus No.

7213—**Tinnea rhodesiana**, *S. Moore.*

Journ. Bot. 1905, 51.

Matopos, 4500 ft. Jan. Eyles, 159.

**T. zambesiaca**, *Baker.*

Fl. Trop. Afr. v. 499.

Bulawayo, 4500 ft. March, Eyles, 1063; Victoria, Monro, 747 or 947.

7234—**Scutellaria Livingstonei**, *Baker.*

Fl. Trop. Afr. v. 462.

Mashonaland, Bryce; Salisbury, Sep. Rand, 520; Darling in Herb. Bolus 11198; North of Hartley, Engler; Mazoe, 4300–4800 ft. Sep. Eyles, 427, 433; Victoria, Monro.

36—**Acrotome sp.**

Redbank, April, Flanagan, 3188.

7264—**Leonotis Melleri**, *Baker.*

Fl. Trop. Afr. v. 491.

Odzani River Valley, Umtali, Teague, 268.

**L. mollissima**, *Gürke.*

Fl. Trop. Afr. v. 493.

Chirinda, 3700–4000 ft. June, Swyn. 235; plentiful throughout Melsetter Dist.

**L. nepetifolia**, *R. Br.*

Fl. Trop. Afr. v. 491; Cat. Afr. Pl. Welw. i. 879.

Mazoe, 5000 ft. Nov. Eyles, 462; Victoria, Monro, 1063.

**L. randii**, *S. Moore.*

Journ. Bot. 1900, 465.

Bulawayo, Dec. Rand, 165.

**L. spectabilis**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 180.

Chimanimani Mts. Sep. Swyn. 2013.

7268—**Leucas capensis**, *Engl.* (*Lasiocorys capensis*, Benth.)

Fl. Cap. V. i. 373.

Bulawayo, Dec. Rand, 162.

**L. martinicensis**, *R. Br.*

Fl. Trop. Afr. v. 479; Fl. Cap. V. i. 371; Cat. Afr. Pl. Welw. i. 876.

Bulawayo, May, Rand, 385; Mazoe, 4800 ft. March, Eyles, 294; Marandellas, Rogers, 4042.

Genus No.

- L. milanjiana**, *Gürke.*  
 Fl. Trop. Afr. v. 478.  
 Mazoe, 4300–4800 ft. Sep. Eyles, 429; Gwelo, Jan. Gardner,  
 22; Umtali, Engler, Odzani River Valley, Teague, 185;  
 Chirinda, 3800 ft. April, Swyn. 385.
- L. neuflizeana**, *Courb.*  
 Fl. Trop. Afr. v. 480; Fl. Cap. V. i. 372.  
 Matopos, March, Flanagan, 2960.
- L. nyassae**, *Gürke.*  
 Fl. Trop. Afr. v. 485.  
 Salisbury, May, Flanagan, 3250; Bulawayo, Rogers, 5817\*.
- L. Randii**, *S. Moore.*  
 Journ. Bot. 1900, 464.  
 Salisbury, July, Rand, 522.
- L. stricta**, *Baker.*  
 Fl. Trop. Afr. v. 484.  
 Victoria Falls, April, Flanagan, 3152.
- L. spp.**  
 South Rhodesia, Rand, 376; Flanagan, 3151.
- 7281—**Stachys æthiopica**, *L.*  
 Fl. Trop. Afr. v. 467; Fl. Cap. V. i. 348.  
 Chimanimani Mts. 7000 ft. Sep. Swyn. 1972.
- 7283—**Achyrospermum Carvalhi**, *Gürke.*  
 Fl. Trop. Afr. v. 464.  
 Chirinda Forest, 3700–4000 ft. May, Swyn. 78.
- 7290—**Salvia runcinata**, *L. f.*  
 Fl. Cap. V. i. 327.  
 Bulawayo, Jan. Rand, 134.
- S. stenophylla**, *Burch.*  
 Fl. Cap. V. i. 326.  
 Bulawayo, 4500 ft. Dec. Eyles, 1003.
- S. sp.**  
 South Rhodesia, Rand, 142.
- 7305—**Satureia biflora**, *Briq.* (*Micromeria biflora*, Benth.)  
 Fl. Trop. Afr. v. 452; Fl. Cap. V. i. 306.  
 Melsetter, 6000 ft. Sep. Swyn. 1971; Odzani River Valley,  
 Umtali, Teague, 78.
- S. masukensis** (*S. Moore*), *Torre & Harms.* (*Calamintha masukensis*, *S. Moore*) (*Leucas masukensis*, *Baker.*)  
 Fl. Trop. Afr. v. 476.  
 Melsetter, 6000 ft. April, Swyn. 1990, 1991.

Genus No.

7328—**Mentha longifolia**, Huds. (*M. sylvestris*, L.)

Fl. Trop. Afr. v. 451; Fl. Cap. V. i. 303.

Salisbury, Dec. Rand, 145; Gwelo, Jan. Gardner, 1; Sr. Phil. 33; Mazoe, 4400 ft. Feb. Eyles, 528.

7342—**Hyptis pectinata**, Poit. (*Mesosphærum pectinatum*, O. Kuntze.)

Fl. Trop. Afr. v. 448; Fl. Cap. V. i. 297; Cat. Afr. Pl. Welw. i. 873.

Victoria Falls, April, Flanagan, 3277; Rogers, 5025; Victoria, Monro, 1054; Odzani River Valley, Umtali, Teague, 270.

7345—**Eolanthus crenatus**, S. Moore.

Journ. Bot. 1907, 94.

Matopos, 5000 ft. March, Eyles, 1013; Victoria, Monro, 749.

**Æ. Rehmannii**, Gürke.

Odzani River Valley, Umtali, Teague, 202.

**Æ. sericeus**, Gürke.

Matopos, 4800 ft. April, Eyles, 42.

**Æ. sp.**

Matopos, March, Flanagan, 2973.

7337—**Pycnostachys remotifolia**, Baker.

Fl. Trop. Afr. v. 381.

Mazoe, 4300 ft. April, Eyles, 325; Salisbury, May, Flanagan, 3273.

**P. reticulata**, Benth.

Fl. Trop. Afr. v. 382; Fl. Cap. V. i. 291.

Upper Buzi, 3500 ft. May, Swyn. 1954.

**P. urticifolia**, Hook.

Fl. Trop. Afr. v. 386; Fl. Cap. V. i. 291.

Salisbury, July, Rand, 525; May, Flanagan, 3274; Darling, in Herb. Bolus, 10786; Chirinda, 3800 ft. May, Swyn. 521; Victoria, Monro, 354, 1052.

7350—**Plectranthus caudatus**, S. Moore.

Journ. Linn. Soc. Bot. xl. 176.

Chimanimam Mts. 7000 ft. Sep. Swyn. 2010.

**P. chimanimanensis**, S. Moore.

Journ. Linn. Soc. Bot. xl. 174.

Chimanimani Mts. 7000 ft. Sep. Swyn. 2019.

**P. esculentus**, N. E. Br.

Fl. Cap. V. i. 285.

Melsetter, Govt. Herb. 753 (cultivated).

**P. floribundus**, N. E. Br.

Fl. Cap. V. i. 273.

Salisbury, Aug. Rand, 524; Matopos, Sep. Gibbs, 9; Umtali, Engler.

Genus No.

**var. *longipes*, N. E. Br.**

Fl. Trop. Afr. v. 403.

Umzingwane Riv. Baines; Mazoe, 4800 ft. Aug. Eyles, 196;  
Chirinda, 3800 ft. Sep. Swyn. 237.**P. grandidentatus, Gürke.**

Fl. Cap. V. i. 278.

Odzani River Valley, Umtali, Teague, 148.

**P. hoslundioides, Baker.**

Fl. Trop. Afr. v. 418.

Chirinda, April, Swyn. 445; Chipetzana Riv. 3000 ft. May,  
Swyn. 1989.**P. laxiflorus, Benth.**

Fl. Cap. V. i. 276.

Chirinda Forest, April, May, Swyn. 341, 467; Odzani River  
Valley, Umtali, Teague, 89.**P. marruboides, Hochst.**

Fl. Trop. Afr. v. 414.

Odzani River Valley, Umtali, Teague, 127.

**P. matabensis, Baker.**

Fl. Trop. Afr. v. 417.

Shashi Riv. Holub, 1403–1406.

**P. petrensis, S. Moore.**

Journ. Linn. Soc. Bot. xl. 175.

Chimanimani Mts. 7000 ft. Sep. Swyn. 2018.

**P. selukwensis, N. E. Br.**

Kew Bull. 1906, 167.

Selukwe, Cecil, 123; Mazoe, 5200 ft. Dee. Eyles, 200; 5000 ft.  
March, Eyles, 251.**P. Swynnertonii, S. Moore.**

Journ. Linn. Soc. Bot. xl. 176.

Chirinda Forest, 3700–4000 ft. fl. &amp; fr. Feb. Swyn. 337.

**P. spp.**Victoria Falls, April, Flanagan, 3237, cf. *P. Whytei*, Baker.

Mazoe, March, Flanagan, 3011.

Selukwe, Jan. Gardner, 53.

Matopos, Rogers, 5254, cf. *P. myrianthus*, Briq.7353—**Englerastrum Schweinfurthii, Briq.**

Fl. Trop. Afr. v. 445; Cat. Afr. Pl. Welw. i. 860.

Victoria Falls, 3000 ft. May, Eyles, 111; Allen, 410; Matopos,  
Rogers, 5160 (var).7355—**Coleus gazensis, S. Moore.**

Journ. Linn. Soc. Bot. xl. 178.

Melsetter, 6000 ft. April, Swyn. 1998.

Genus No.

**C. latifolius, Hochst.**

Fl. Trop. Afr. v. 437.

Mazoe, 4700 ft. March, Eyles, 267.

**C. matopensis, S. Moore.**

Journ. Bot. 1907, 96.

Matopos, 5000 ft. March, Eyles, 1024.

**C. palliolatus, S. Moore.**

Journ. Bot. 1900, 464.

Bulawayo, Jan. Rand, 144.

**C. Pentheri, Gürke.**

Fl. Cap. V. i. 289.

Bulawayo, Rogers, 5933.

**C. polyanthus, S. Moore.**

Journ. Bot. 1907, 96.

Matopos, 5000 ft. March, Eyles, 1012; Mazoe, 5300 ft. April,

Eyles, 335.

**C. shirensis, Gürke.**

Fl. Trop. Afr. v. 443.

Umtali, Engler.

**C. Swynnertonii, S. Moore.**

Journ. Linn. Soc. Bot. xl. 177.

Chirinda, 3700-4000 ft. May, Swyn. 349.

**C. umbrosus, Vatke.**

Fl. Trop. Afr. v. 434.

Matopos, 4800 ft. April, Eyles, 54.

7357—**Hoslundia decumbens, Benth.** (*H. opposita*, Vahl, var. *decumbens*, Baker.)

Fl. Trop. Afr. v. 377; Fl. Cap. V. i. 298.

Victoria Falls, Rogers, 5420, 5577.

**H. verticillata, Vahl.**

Cat. Afr. Pl. Welw. i. 860.

Bulawayo, Dec. Rand, 163; Umtali, Engler; Chirinda, Nov.

Swyn. 386.

7362—**Acrocephalus callianthus, Briq.**

Fl. Trop. Afr. v. 360.

Lusitu Riv. 5000 ft. April, Swyn. 1955.

**A. chirindensis, S. Moore.**

Journ. Linn. Soc. Bot. xl. 181.

Chirindia, April, Swyn. 313.

**A. picturatus, S. Moore.**

Journ. Linn. Soc. Bot. xl. 171.

Chirinda, Swyn. 257.

Genus No.

**A. sericeus, Briq.**

Fl. Trop. Afr. v. 362; Cat. Afr. Pl. Welw. i. 887.

Bulawayo, Jan. Rand, 146; Matopos, 4600 ft. April, Eyles, 46; Victoria, Monro, 357.

**A. spp.**Mazoe, 4300 ft. April, Eyles, 324, cf. *A. sericeus*, Briq.

Between Plumtree and Bulawayo, April, Flanagan, 3179.

Salisbury, April, Flanagan, 3264.

7363—**Geniosporum angolense, Briq.**

Fl. Trop. Afr. v. 351; Fl. Cap. V. i. 293; Cat. Afr. Pl. Welw. i. 852.

Salisbury, March, Flanagan, 3014; April, Flanagan, 3263.

7364—**Moschosma multiflorum, Benth.**

Fl. Trop. Afr. v. 354.

Salisbury, May, Flanagan, 3259?; Odzani River Valley, Umtali, Teague, 143.

**M. riparium, Hochst. (*Iboza riparia*, N. E. Br.; *Basilicum myriostachyum*, O. Kuntze.)**

Fl. Trop. Afr. v. 354 &amp; 523; Fl. Cap. V. i. 300; Nat. Pl. 1 &amp; 2; Cat. Afr. Pl. Welw. i. 858; Harv. Gen. S.A. Pl. 303.

Matopos, ♂ ♀ Sep. Gibbs, 3 (forma); Salisbury, July, Rand, 526; Mazoe, 4300 ft. ♀ March, Eyles, 290; Bulawayo, 4600 ft. Aug. Eyles, 1234.

**M. sp.**

Victoria Falls, Rogers, 5133.

7365—**Hemizygia flabellifolia, S. Moore.**

Journ. Linn. Soc. Bot. xl. 173.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1414.

**H. ornata, S. Moore.**

Journ. Linn. Soc. Bot. xl. 172.

Mt. Pene, 6500–7000 ft. Sep. Oct. Swyn. 1999, 6078.

7366—**Ocimum americanum, L. (*O. canum*, Sims.)**

Fl. Trop. Afr. v. 337 &amp; 521; Fl. Cap. V. i. 235; Cat. Afr. Pl. Welw. i. 848.

Bulawayo, 4500 ft. Nov. Eyles, 1219; Jan. Rand, 164; June, Rand, 516.

**O. angustifolium, Benth. (*Becium angustifolium*, N. E. Br.)**

Fl. Cap. V. i. 231.

Bulawayo, Rogers, 5481\*.

**O. Buchananii, Baker.**

Fl. Trop. Afr. v. 348.

Salisbury, Rogers, 4010.

Genus No.

**O. filamentosum, Forsk.**

Fl. Trop. Afr. v. 343.

North of Hartley, Engler.

**O. knyanum, Vatke.**

Fl. Trop. Afr. v. 346; Cat. Afr. Pl. Welw. i. 850.

Bulawayo, Oct.-Dec. Chubb, 305; Chirinda, Feb. May, Nov. Swyn. 277, 468, 1988.

**O. obovatum, E. Mey. (*Becium obovatum*, N. E. Br.)**

Nat. Pl. 257; Fl. Cap. V. i. 230.

Matopos, Oct. Gibbs, 102; Salisbury, Sep. Rand, 621; Darling, in Herb. Bolus; Rogers, 4009; Odzani River Valley, Umtali, Teague, 137.

**O. odontosepalum, S. Moore.**

Journ. Linn. Soc. Bot. xl. 170.

Melsetter, 6000 ft. Oct. Swyn. 6087, 6088.

**O. Randii, S. Moore.**

Journ. Bot. 1900, 463.

Salisbury, Sep. Rand, 618.

**O. scoparium, Gürke.**

Fl. Trop. Afr. v. 339.

Salisbury, May, Flanagan, 3267.

**O. suave, Willd.**

Fl. Trop. Afr. v. 338; Fl. Cap. V. i. 234; Cat. Afr. Pl. Welw. i. 849; Nat. Pl. 325.

Chirinda, 3700-4000 ft. Aug. Swyn. 384, 466.

**O. sp.**

Allen, Victoria Falls, 195.

7367—**Orthosiphon bracteosus, Baker.** (*Ocimum bracteosum*, Benth.; *Hemizygia bracteosa*, Briq.)

Fl. Trop. Afr. v. 375; Fl. Cap. V. i. 248.

Mazoe, 4400 ft. Dec. Eyles, 489; Gwai, April, Flanagan, 3295; Umtali, Engler; Odzani River Valley, Teague, 21; Salisbury, Dec. Rand, 166; Rogers, 4071; Victoria, Monroe, 973; Chikore Hills, 3500 ft. March, Swyn. 268; Umvumvumvu Riv. 4000 ft. April, Swyn. 1956; Victoria Falls, Rogers, 5608; Bulawayo, Rogers, 5482.

**O. Elliottii, Baker.**

Fl. Trop. Afr. v. 376; Fl. Cap. V. i. 249.

Bulawayo, Dec. Rand, 167; Dec. Gardner 96; Matabeleland, Elliott.

**O. Kirkii, Baker.**

Fl. Trop. Afr. v. 376.

Bulawayo, May, Rand, 384; Deka, 2400 ft. May, Eyles, 134.

Genus No.

**O. linearis, Benth.**

Fl. Trop. Afr. v. 374.

Matabeleland, Oates; Bulawayo, May, Rand, 386.

**O. rhodesianus, S. Moore.**

Journ. Bot. 1905, 50.

Deka, 2400 ft. May, Eyles, 132.

**O. shirensis, Baker.**

Fl. Trop. Afr. v. 368.

Bulawayo, Jan. Rand, 143; Jan. Gardner, 65; Sebawke, 4000 ft.

Dec. Eyles, 71.

**O. teucriifolius, N. E. Br. (*Hemizygia teucriifolia*, Briq.)**

Fl. Cap. V. i. 254.

Mt. Pene, 7000 ft. Oct. Swyn. 6075.

**O. Woodii, Gürke.**

Mt. Pene, 6500–7000 ft. Sep. Swyn. 1974.

## FAMILY CCLVI.—SOLANACEAE, Hall.

7377—**Nicandra physaloides, Gærtn.** (*Pentagonia physalodes*, Hiern.)

Fl. Cap. IV. ii. 109; Cat. Afr. Pl. Welw. i. 752; Harv. Gen. S.A. Pl. 257.

Salisbury, Darling, in Herb. Bolus 10795; Odzani River Valley, Umtali, Teague, 104.

7379—**Lycium tetrandrum, Thunb.** (*L. horridum*, Thunb.)

Fl. Cap. IV. ii. 114.

Salisbury, Rand, 514; South Rhodesia, Rand, 382.

**L. persicum, Miers.** (*L. arabicum*, Schweinf.)

Fl. Trop. Afr. IV. ii. 254.

Bulawayo, 4500 ft. Oct. Eyles, 1073; Monro, 10; Salisbury, Rand, 515; South Rhodesia, Rand, 147.

7400—**Withania somifera, Dunal.** (*Physaloides somnifera*, Moench.)

Fl. Trop. Afr. IV. ii. 249; Fl. Cap. IV. ii. 107; Cat. Afr. Pl. Welw. i. 752; Harv. Gen. S.A. Pl. 258.

Bulawayo, 4500 ft. Dec. Eyles, 15; Tati Riv. Holub; Mazoe, 4300 ft. Jan. Eyles, 239; Rusapi, Engler; Matabeleland, Marloth.

7401—**Physalis minima, L.**

Fl. Trop. Afr. IV. ii. 247; Fl. Cap. IV. ii. 106; Cat. Afr. Pl. Welw. i. 750.

Victoria Falls, April, Flanagan, 3305.

Genus No.

**P. peruviana, L.**

Fl. Trop. Afr. IV. ii. 248; Fl. Cap. IV. ii. 106; Harv. Gen. S.A. Pl. 257.

Mazoe, 4800 ft. Jan. Eyles, 236; Odzani River Valley, Umtali, Teague, 129.

7407—**Solanum acanthocalyx, Klotzsch.**

Fl. Trop. Afr. IV. ii. 234.

Chirinda Forest, 3700–4000 ft. Nov. Swyn. 93.

**S. aculeastrum, Dun.**

Fl. Trop. Afr. IV. ii. 243; Fl. Cap. IV. ii. 95; For. Fl. Cape, 278. Chirinda, cultivated for hedges, Swyn.

**S. bifurcum, Hochst.**

Fl. Trop. Afr. IV. ii. 213; Fl. Cap. IV. ii. 94; Cat. Afr. Pl. Welw. i. 746.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 86.

**S. incanum, L.**

Fl. Trop. Afr. IV. ii. 238; Fl. Cap. IV. ii. 101. Salisbury, Rogers, 5802.

**S. indicum, L.**

Fl. Trop. Afr. IV. ii. 232; Fl. Cap. IV. ii. 101; Cat. Afr. Pl. Welw. i. 750.

Chirinda, 3800 ft. fl. Oct. fr. May, Swyn. 388, 482, on cultivated ground.

**S. nigrum, L.**

Fl. Trop. Afr. IV. ii. 218; Fl. Cap. IV. ii. 89; Cat. Afr. Pl. Welw. i. 745.

Bulawayo, 4500 ft. Jan. Eyles, 1009; Rogers, 6202; Victoria Falls, Rogers, 5131; Victoria, Monro, 1024; South Rhodesia, Rand, 171; Odzani River Valley, Umtali, Teague, 74.

**S. nodiflorum, Jacq.**

Fl. Trop. Afr. IV. ii. 218; Cat. Afr. Pl. Welw. i. 745.

Melsetter, 6000 ft. fl. & fr. April, May, Swyn. 342; Chirinda Forest, 3800 ft. Swyn. 481; Chirinda, on cultivated ground, Swyn. 1794.

**S. panduræforme, E. Mey. (S. delagoense, Dun.)**

Fl. Trop. Afr. IV. ii. 214; Fl. Cap. IV. ii. 99; Cat. Afr. Pl. Welw. i. 747; Nat. Pl. 596.

Matabeleland, Oates; Elliott; Sebakwe, 4000 ft. Dec. Eyles, 123; Plumtree, April, Flanagan, 3177; Bulawayo, Chubb, 390; Rogers, 5504; Chirinda, 3800 ft. Nov. Swyn. 1793; Salisbury, Rogers, 5772; Matopos, May, Rogers; Victoria Falls, April, Rogers; South Rhodesia, Rand, 170.

Genus No.

**S. sodomeum**, var. **Hermannii**, *Dun.*

Fl. Cap. IV. ii. 96.

Bembesi, Jan. Gardner, 49.

7415—**Datura Stramonium**, *L.*

Fl. Trop. Afr. IV. ii. 257; Fl. Cap. IV. ii. 118; Cat. Afr. Pl.

Welw. i. 753; Harv. Gen. S.A. Pl. 258.

Mazoe, 4400 ft. March, Eyles, 280; Bulawayo, Chubb, 349;  
South Rhodesia, Rand, 169.7436—**Petunia violacea**, *Lindl.*

Umgusa Riv. 4400 ft. Nov. Eyles, 1189.

FAMILY CCLVII.—SCROPHULARIACEAE, *Lindl.*7467—**Apostimum decumbens**, *Schinz.*

Fl. Trop. Afr. IV. ii. 272; Cat. Afr. Pl. Welw. i. 755.

Victoria Falls, Allen, 105; April, Flanagan, 3202; Rogers, 7212.

**A. elongatum**, *Engl.*

Fl. Trop. Afr. IV. ii. 273.

Mashonaland, Bryce; South Rhodesia, Rand, 641.

**A. lineare**, *Mart. & Engl.* (*A. Randii*, *S. Moore.*)Fl. Trop. Afr. IV. ii. 269; Fl. Cap. IV. ii. 129; Cat. Afr. Pl.  
Welw. i. 755.Bulawayo, 4500 ft. Nov. Eyles, 87; Cecil, 115; Rand, 180;  
Rogers, 5925; Jan. Gardner, 63; Chubb, 327; Matopos, Sep.  
Gibbs, 13; Gwelo, Sr. Phil. 57; Matabeleland, Elliott:  
Marloth.7476—**Nemesia affinis**, *Benth.*

Fl. Trop. Afr. IV. ii. 286; Fl. Cap. IV. ii. 182.

Matopos, Sep. Gibbs, 49.

**N. dentata**, *G. Don.*

Fl. Trop. Afr. IV. ii. 286.

Matabeleland, Herb. Desfontaines.

**N. divergens**, *Benth.*

Fl. Cap. IV. ii. 193.

Bulawayo, 4600 ft. Aug. Eyles, 1229.

**N. foetens**, *Vent.* Fl. Cap. IV. ii. 193.

Bulawayo, 4500 ft. Dec. Eyles, 31; Matopos, Sep. Gibbs, 312.

7477—**Diclis petiolaris**, *Benth.*

Fl. Trop. Afr. IV. ii. 287; Fl. Cap. IV. ii. 201.

Bulawayo, May, Rand, 372; Matopos, Sep. Gibbs, 76; March,  
Flanagan, 2955; Victoria Falls, Allen, 409.

Genus No.

7493—**Halleria lucida**, L.

Fl. Trop. Afr. IV. ii. 295; Fl. Cap. IV. ii. 207; Nat. Pl. 545.  
Chirinda Forest, 3700–4000 ft. Sep. Swyn. 124; Melsetter,  
6000 ft., Dec. Swyn. 1138.

7494—**Teedia lucida**, Rud.

Fl. Cap. IV. ii. 210.  
Chimanimani Mts. 7000 ft. Sep. Swyn. 785.

7497—**Freylinia tropica**, S. Moore.

Journ. Linn. Soc. Bot. xl. 152.  
Melsetter, 6000 ft. Sep. Swyn. 608.

7517—**Manulea rhodesiana**, S. Moore.

Journ. Bot. 1911, 156.  
Victoria, Monro, 924.

7519—**Sutera atropurpurea**, Hiern. (*Lyperia atropurpurea*, Benth.)

Fl. Trop. Afr. IV. ii. 309; Fl. Cap. IV. ii. 306.  
Bulawayo, May, Rand, 370; June, Eyles, 148.

**S. Bolusii**, Hiern.

Fl. Cap. IV. ii. 300.  
Bulawayo, Chubb, 6a.

**S. brunnea**, Hiern.

Fl. Cap. IV. ii. 305.  
Bulawayo, Rogers, 5749.

**S. burkeana**, Hiern. (*Lyperia burkeana*, Benth.)

Fl. Trop. Afr. IV. ii. 308; Fl. Cap. IV. ii. 299; Cat. Afr. Pl. Welw. i. 757.  
Matabeleland, Baines; Oates; Bulawayo, May, Rand, 371;  
Chubb, 317, 331; Matopos, fl. & fr. Sep. Oct. Gibbs, 15;  
March, Flanagan, 2994; Gwelo, Sr. Phil. 5; Odzani River  
Valley, Umtali, Teague, 18.

**S. Carvalhoi**, Skan.

Fl. Trop. Afr. IV. ii. 307.  
Inyanga, Cecil, 198; Melsetter, 6000 ft. Sep. Swyn. 1980;  
North Melsetter, 5000–6000 ft. Oct. Swyn. 6228.

**S. floribunda**, O. Kuntze.

Fl. Cap. IV. ii. 277.  
Melsetter, 6000 ft. Sep. Swyn. 1996; North Melsetter, 5000–  
6000 ft. Oct. Swyn. 6149.

**S. micrantha**, Hiern. (*S. fissifolia*, S. Moore; *Chaenostoma micranthum*, Engl.)

Fl. Trop. Afr. IV. ii. 303; Fl. Cap. IV. ii. 263; Journ. Bot. 1900, 467.  
Bulawayo, Jan. Rand, 155; Oct. Eyles, 1077; Gwelo, Gardner,  
16; Matengwe Riv. Holub, 1312, 1313; Matopos, Sep. Gibbs,  
36; Bulawayo, 4500 ft. Aug. Eyles, 1243.

Genus No.

**S. spp.**

Bulawayo, Rogers, 13612 and 5681.

7523—**Zaluzianskya capensis**, Wulp.

Fl. Cap. IV. ii. 338.

Melsetter, 6000 ft. Sep. Swyn. 1981.

7524—**Mimulus gracilis**, R. Br. (*M. angustifolius*, Hochst.; *M. strictus*, Benth.)

Fl. Trop. Afr. IV. ii. 310; Fl. Cap. IV. ii. 354; Cat. Afr. Pl. Welw. i. 758.

Bulawayo, Dec. and May, Rand, 156, 368, 506; Dec. Eyles, 57; Aug. Eyles, 1230; Gardner, 70; Rogers, 13604.

7532—**Limnophila ceratophylloides**, Skan. (*Stemodiacaeratophylloides*, Hiern.)

Fl. Trop. Afr. IV. ii. 317; Cat. Afr. Pl. Welw. i. 759.

Salisbury, Rand, 539.

**L. gratioloides**, R. Br.

Fl. Trop. Afr. IV. ii. 319.

Salisbury, July, Rand, 518.

**L. sessiflora**, Blume.

Fl. Trop. Afr. IV. ii. 318.

Matopos, Oct. Gibbs, 212.

**L. sp.**

Mazoe, 4300 ft. Jan. Eyles, 511.

7535—**Stemodiopsis Eylesii**, S. Moore.

Journ. Bot. 1908, 71.

Mazoe, 5000 ft. March, Eyles, 252.

**S. humilis**, Skan.

Fl. Trop. Afr. IV. ii. 316.

Matopos, 5000 ft. Feb. Eyles, 1166.

7558—**Limosella aquatica**, L. var. **tenuifolia**, Hook.f.

Fl. Trop. Afr. IV. ii. 352; Fl. Cap. IV. ii. 357.

Mazoe, 4200 ft. Sep. Eyles, 408, 409.

7560—**Craterostigma nanum**, Oliv.

Fl. Trop. Afr. IV. ii. 331; Fl. Cap. IV. ii. 360.

Inyanga, 6000–7000 ft. Cecil, 208.

**C. plantagineum**, Hochst.

Fl. Trop. Afr. IV. ii. 329; Fl. Cap. IV. ii. 361; Cat. Afr. Pl. Welw. i. 761.

Matabeleland, Oates; Bulawayo, Dec. Rand, 157; Chubb, 401; Iron Mine Hill, Cecil, 93; Victoria, Monro, 838; Matopos, Nov. Marloth, 3405.

**C. sp.**

Victoria, Monro, 788.

Genus No.

7564—**Ilysanthes conferta**, Hiern. (*I. Plantaginella*, S. Moore.)

Fl. Trop. Afr. IV. ii. 347; Fl. Cap. IV. ii. 365; Journ. Bot. 1905, 49.

Matopos, 4500 ft. April, Eyles, 47; March, Flanagan, 2987.

**I. micrantha**, S. Moore.

Journ. Bot. 1911, 158.

Victoria, Monro, 1031.

**I. Muddii**, Hiern.

Fl. Cap. IV. ii. 366.

Matopos, 4500 ft. March, Eyles, 1033.

7566—**Hebenstreitia dentata**, L. f.

Fl. Cap. V. i. 101; Cat. Afr. Pl. Welw. i. 825.

Nyahodi Riv. 5000 ft. April, Swyn. 1888.

**H. elongata**, Bolus.

Fl. Cap. V. i. 99.

Mt. Pene, 6500–7000 ft. Sep. Swyn. 1887.

**H. Holubii**, Rolfe.

Victoria Falls, fl. & fr. Sep. Gibbs, 116; Engler; Odzani River Valley, Umtali, Teague, 230.

7568—**Selago Cecilae** (Rolfe), Torre & Harms. (*Walafrida Cecilae*, Rolfe.)

Kew Bull. 1906, 167.

Bulawayo, Cecil.

**S. chongweensis** (Rolfe), T. & H. (*Walafrida chongweensis*, Rolfe.)

Journ. Linn. Soc. Bot. xxxvii. 462.

Victoria Falls, Allen, 120; Sep. Gibbs, 117.

**S. Hoepfneri**, Rolfe.

Sieumy Vlei, 3200 ft. Allen, 231.

**S. Swynnertonii** (S. Moore), T. & H. (*Walafrida Swynnertonii*, S. Moore.)

Journ. Linn. Soc. Bot. xl. 165.

Nyahodi Riv. 5000 ft. fl. & fr. April, Swyn. 2135.

**S. spp.**

Matopos, Engler, cf. *S. micrantha*, Choisy.

Bulawayo, Rand, 551.

7597—**Melasma communis** (Hemsl.), Torre & Harms. (*Alectra communis*, Hemsl.)

Fl. Trop. Afr. IV. ii. 372.

Chirinda, 3700–4000 ft. June, Swyn. 1975.

**M. orobanchoides**, Engl. (*Alectra pumila*, Benth.; *Alectra kilimandjarica*, Hemsl.)

Fl. Trop. Afr. IV. ii. 365, where see note that this name probably includes several distinct species.

Fl. Cap. IV. ii. 376; Cat. Afr. Pl. Welw. i. 768.

Mazoe, 5000 ft. April, Eyles, 332; March, Eyles, 289; Matopos, 5000 ft. March, Eyles, 1016.

Genus No.

**M. sessiliflorum**, *Hiern.* (*Alectra melampyroides*, Benth.)

Fl. Trop. Afr. IV. ii. 371; Fl. Cap. IV. ii. 375; Cat. Afr. Pl.

Welw. i. 767; Nat. Pl. 397.

Victoria Falls, Sep. Gibbs, 293; Rogers, 5780.

**M. sp.**Victoria Falls, April, Flanagan, 3163, cf. *M. indicum*, Hiern.7614—**Graderia scabra**, *Benth.* (*Bopusia scabra*, Presl.)

Fl. Cap. IV. ii. 389; Cat. Afr. Pl. Welw. i. 772.

Mt. Pene, 6500–7000 ft. Sep. Swyn. 1977, 1978; Haroni Riv.

5500 ft. Oct. Swyn. 6077.

7616—**Sopubia cana**, *Harr.*

Fl. Cap. IV. ii. 386; Cat. Afr. Pl. Welw. i. 774.

Mazoe, 4300 ft. April, Eyles, 322.

**S. leprosa**, *S. Moore.*

Fl. Trop. Afr. IV. ii. 453; Journ. Bot. 1900, 468.

Salisbury, Dec. Rand, 158.

**S. ramosa**, *Hochst.*

Fl. Trop. Afr. IV. ii. 449; Cat. Afr. Pl. Welw. i. 773.

Salisbury, May, Flanagan, 3272; Chirinda, 3800 ft. fl. &amp; fr. April, June, Swyn. 389; Chipetzana Riv. 3000 ft. Swyn. 2125; Upper Buzi Riv. 3000 ft. Swyn. 2126; Odzani River Valley, Umtali, Teague, 224; Victoria Falls, Rogers, 13310\*; Matopos, Rogers, 7919\*.

**S. simplex**, *Hochst.***S. dregeana**, *Benth.*

In Fl. Cap. IV. ii. 386, 1904, these two species are treated as synonymous, but in Fl. Trop. Afr. IV. ii. 450, 451, 1906, they are again separated. As I am unable to allocate all the records of various collectors, I give them here, distinguishing the species where known:—

See also Cat. Afr. Pl. Welw. i. 773 &amp; Nat. Pl. 364.

*S. simplex*, Matabeleland, Bryce; Matopos, Oct. Gibbs, 99; Mazoe, 4300 ft. Dec. Eyles, 481; Mt. Pene, 6500–7000 ft. Sep. Oct. Swyn. 1976, 6209.

*S. dregeana*, Umtali, Cecil, 231.

Doubtful, Matopos, 4800 ft. Nov. Eyles, 1102; Salisbury, Dec. Rand, 159; Victoria, Monro, 582, 799, 948, 1028.

7622—**Buchnera ciliolata**, *Engl.*

Fl. Trop. Afr. IV. ii. 379; Cat. Afr. Pl. Welw. i. 775.

Victoria, Monro, 1029.

**B. dura**, *Benth.*

Fl. Cap. IV. ii. 391.

Matopos, 5000 ft. March, Eyles, 1014.

## Genus No.

**B. Eylesii**, S. Moore.

Journ. Bot. 1908, 72.

Mazoe, 5000 ft. April, Eyles, 334.

**B. Henriquesii**, Engl. (*B. rhodesiana*, S. Moore.)

Fl. Trop. Afr. IV. ii. 396; Journ. Bot. 1900, 468; Cat. Afr. Pl. Welw. i. 775.

Salisbury, Dec. Rand, 154; Engler; Matabeleland, Elliott; Mashonaland, Bryce; Charter Flats, Cecil, 83; Bulawayo, 4500 ft. Nov. Eyles, 1111; Chirinda, 3800 ft. May–Nov. Swyn. 303a; Melsetter, 6000 ft. Swyn. 1982; Upper Buzi, 3500 ft. Swyn. 6106; Mt. Pene, 7000 ft. Swyn. 6109; Victoria Falls, Rogers, 7295.

**B. hispida**, Buch.-Ham.

Fl. Trop. Afr. IV. ii. 397.

Victoria Falls, Rogers, 7071\*, 7093\*.

**B. Lastii**, Engl.

Fl. Trop. Afr. IV. ii. 392.

Mt. Pene, 7000 ft. Oct. Nov. Swyn. 6105, 6150.

**B. leptostachya**, Benth.

Fl. Trop. Afr. IV. ii. 394.

Selukwe, Rogers, 4093?.

**B. pusilliflora**, S. Moore.

Journ. Bot. 1908, 310.

Mazoe, 4300 ft. April, Eyles, 367.

**B. Randii**, S. Moore.

Fl. Trop. Afr. IV. ii. 387; Journ. Bot. 1900, 467.

Salisbury, July, Rand, 573.

**B. sp.**

Matopos, March, Flanagan, 2985, 2971.

7622a—**Eylesia buchneroides**, S. Moore.

Journ. Bot. 1908, 311.

Mazoe, 4300 ft. April, Eyles, 366.

7623—**Cycnum adonense**, E. Mey.

Fl. Trop. Afr. IV. ii. 431; Fl. Cap. IV. ii. 395; Cat. Afr. Pl. Welw. i. 777; Nat. Pl. 273.

Bulawayo, 4500 ft. Dec. Eyles, 18; Dec. Rand, 161; Salisbury, Darling; Chipete Forest, 3800 ft. April, Swyn. 234; Melsetter, 6000 ft. Oct. Swyn. 6076; also Chirinda, Lusitu Valley, etc. Odzani River Valley, Umtali, Teague, 121.

**C. palustre** ?.

Victoria Falls, Davy.

Genus No.

**7624—*Rhamphicarpa fistulosa*, Benth.**

Fl. Trop. Afr. IV. ii. 419; Fl. Cap. IV. ii. 398; Cat. Afr. Pl. Welw. i. 778.

Bulawayo, May, Rand, 387; Matopos, March, Flanagan, 2963a.

***B. montana*, N. E. Br.**

Fl. Trop. Afr. IV. ii. 427; Kew Bull. 1901, 129; Fl. Cap. IV. ii. 400.

Matabeleland, Elliott; Bulawayo, Rand, 160; between Charter and Bulawayo, Cecil, 90; Bulawayo, 4500 ft. Nov. Eyles, 1112; Rogers, 5511; Chubb, 399; Victoria, Monro, 611, 792.

***R. tubulosa*, Benth. (*Cycnium tubulosum*, Engl.)**

Fl. Trop. Afr. IV. ii. 428; Fl. Cap. IV. ii. 399; Harv. Gen. S.A. Pl. 271.

Victoria Falls, Sep. Galpin; Allen, 34; fl. & fr. Sep. Gibbs, 131, 101; Engler; April, Flanagan, 3164; Rogers, 5277; Mashonaland, Bryce; Victoria, Monro, 921, 948a.

***R. sp.***

Matopos, March, Flanagan, 2963 ?, n. sp.

**7625—*Striga elegans*, Benth.**

Fl. Trop. Afr. IV. ii. 408; Fl. Cap. IV. ii. 382; Cat. Afr. Pl. Welw. i. 779.

Mashonaland, Cecil, 259; Mazoe, 4400 ft. April, Eyles, 368; Victoria, Monro, 975.

***S. Forbesii*, Benth.**

Fl. Trop. Afr. IV. ii. 410; Fl. Cap. IV. ii. 384; Cat. Afr. Pl. Welw. i. 780.

Victoria Falls, April, Flanagan, 3155.

***S. lutea*, Lour. (*S. coccinea*, Benth.)**

Fl. Trop. Afr. IV. ii. 409; Fl. Cap. IV. ii. 382; Cat. Afr. Pl. Welw. i. 780.

Gwelo, Jan. Gardner, 42; Matabeleland, Cecil, 128; Matopos, March, Flanagan, 2992; Upper Buzi, 3000 ft. April, Swyn. 1985; Odzani River Valley, Umtali, Teague, 84.

***S. orobanchoides*, Benth.**

Fl. Trop. Afr. IV. ii. 402; Fl. Cap. IV. ii. 380; Cat. Afr. Pl. Welw. i. 778.

Matopos, March, Flanagan, 2993; Mazoe, 4600 ft. Jan. Eyles, 508; Victoria Falls, April, Flanagan, 3202; Rogers, 7023.

***S. Thunbergii*, Benth.**

Fl. Trop. Afr. IV. ii. 404; Fl. Cap. IV. ii. 380; Cat. Afr. Pl. Welw. i. 779; Nat. Pl. 370.

Salisbury, July, Rand, 521; Engler; Manica, Cecil, 159; Gwelo, Jan. Gardner, 54; Matabeleland, Elliott; Victoria, Monro, 976.

FAMILY CCLVIII.—BIGNONIACEAE, Pers.

Genus No.

7716a—**Podranea Brycei**, Sprague. (*Tecoma Brycei*, N. E. Br.)

Fl. Trop. Afr. IV. ii. 515; Kew Bull. 1901, 130.

Mashonaland, Bryce; Bulawayo, Franklin White; Mazoe, 4300 ft. June, Eyles, 373; Victoria, Monro, 1087; Chipete Forest, 3800 ft. May, Swyn. 429; Melsetter Dist. 3000–5000 ft. Swyn.; Selukwe, Rogers, 4099.

7722—**Rhigozum brevispinosum**, O. Kuntze.

Fl. Trop. Afr. IV. ii. 531.

Shashi Riv. Baines.

7744—**Markhamia acuminata**, Sprague.

Fl. Trop. Afr. IV. ii. 524.

Sebakwe, 4000 ft. Dec. Eyles, 171; Victoria Falls, Allen, 149.

**M. lanata**, K. Schum.

Fl. Trop. Afr. IV. ii. 527.

Upper Buzi, 3000 ft. Dec. Swyn. 33; also western slopes of Mpengo Mt., Chirinda, Chikore Hills and Umswirizwi.

7761—**Kigelia pinnata**, DC. var. **tomentella**, Sprague.

Fl. Trop. Afr. IV. ii. 537; & for type Fl. Cap. IV. ii. 454;

Nat. Pl. 386, 387; Cat. Afr. Pl. Welw. i. 793; For. Fl. Port.

E. Afr. 91; Harv. Gen. S.A. Pl. 276.

Victoria Falls, Sep. Galpin, 7025; Davy; Cartwright; Allen, 30; Salisbury, Darling; Gwanda, Noble, 38; Mazoe, Govt. Herb. 929; Victoria, Monro, 495.

FAMILY CCLIX.—PEDALIACEAE, Lindl.

7769—**Pterodiscus Elliottii**, Baker.

Fl. Trop. Afr. IV. ii. 542.

Matabeleland, Elliott.

**P. speciosus**, Hook.

Fl. Trop. Afr. IV. ii. 542; Fl. Cap. IV. ii. 456.

Shashi Riv. Rand, 197; Victoria, Monro, 659, 825.

**P. sp.**

Gwai Forest, Jan. Allen, 272.

7771—**Harpagophytum procumbens**, DC.

Fl. Trop. Afr. IV. ii. 548; Fl. Cap. IV. ii. 458.

Victoria Falls, Allen, 74; April, Flanagan, 3240; Bulawayo, Rogers, 5602.

var. **sublobatum**, Engl.

Fl. Trop. Afr. IV. ii. 548.

Matabeleland, Elliott; Shashi Riv. Rand, 200; Victoria Falls, Rogers, 5384.

Genus No.

7776—**Rogeria adenophylla**, J. Gay.

Fl. Trop. Afr. IV. ii. 549; Cat. Afr. Pl. Welw. i. 796.  
South Rhodesia, Rand, 199.

7777—**Sesamum alatum**, Thonn.

Fl. Trop. Afr. IV. ii. 559.  
South Rhodesia, Rand, 378.

**S. angustifolium**, Engl.

Fl. Trop. Afr. IV. ii. 554.  
Mazoe, 4800 ft. Jan. Eyles, 234; Victoria Falls, Allen, 132;  
Rogers, 5140, 5601, 7242, 7144; July, Kolbe, 3134; April,  
Flanagan, 3161.

**S. Baumii**, Stapf.

Fl. Trop. Afr. IV. ii. 554.  
Victoria Falls, Sep. Gibbs, 115.

**S. calycinum**, Welw.

Fl. Trop. Afr. IV. ii. 555; Cat. Afr. Pl. Welw. i. 797.  
Salisbury, Cecil, 142; Rand.

**S. capense**, Burm. f. (*Sesamopteris pentaphylla*, DC.)

Fl. Trop. Afr. IV. ii. 560; Fl. Cap. IV. ii. 461; Cat. Afr. Pl.  
Welw. i. 800; Harv. Gen. S.A. Pl. 278.  
Bulawayo, Jan. Gardner, 60; Eyles; Matabeleland, Marloth;  
South Rhodesia, Rand, 196.

**S. indicum**, L.

Fl. Trop. Afr. IV. ii. 558; Fl. Cap. IV. ii. 460; Cat. Afr. Pl.  
Welw. i. 797.  
Chirinda, 3800 ft. cultivated ground, April, Swyn. 251; Upper  
Buzi, 3000 ft. May, Swyn. 2000.

7778—**Ceratotheca kraussiana**, Kunth.

Victoria, Monro, 993.

**C. sesamoides**, Endl.

Fl. Trop. Afr. IV. ii. 563.  
Deka, 2400 ft. May, Eyles, 133; Victoria Falls, April, Flanagan,  
3204; Rogers, 5621.

**C. triloba**, E. Mey.

Fl. Trop. Afr. IV. ii. 564; Fl. Cap. IV. ii. 462; Nat. Pl. 367.  
Shashi Riv. Holub; Matengwe Riv. Holub, 1283; Bulawayo,  
Rand, 379; Matabeleland, Elliott; Rogers, 5112; between  
Umtali and Salisbury, Cecil, 52; Odzani River Valley, Umtali,  
Teague, 11; Manica, Bryce; Matopos, 4500 ft. March, Eyles,  
107; Oct. Gibbs, 258; Rogers, 5365, 5408, 1112; Salisbury,  
May, Flanagan, 3258; North Melsetter, 5000–6000 ft. Oct.  
Swyn. 6221; Victoria, Monro, 1093a.

Genus No.

7780—**Pretrea zanguebarica**, J. Gay. (*P. eriocarpa*, Decne.)

Fl. Trop. Afr. IV. ii. 565; Fl. Cap. IV. ii. 463; Cat. Afr. Pl. Welw. i. 801; Harv. Gen. S.A. Pl. 277.

Bulawayo, 4500 ft. Nov. Eyles, 80; Monro, 3 & 17; Salisbury, Cecil, 73; Matopos, Oct. Gibbs, 264; Engler; March, Flanagan, 2995; Victoria Falls, Allen, 157; Umtali, Engler; Odzani River Valley, Teague, 94; Matabeleland, Marloth; South Rhodesia, Rand, 198, 377.

FAMILY CCLXI.—OROBANCHACEAE, *Lindl.*

7791—**Orobanche minor**, Sutton.

Fl. Trop. Afr. IV. ii. 467.

Mazoe, 5000 ft. April, Eyles, 331.

FAMILY CCLXII.—GESNERIACEAE, *Nees.*

7823—**Streptocarpus spp.**

Matopos, 5000 ft. March, leaf only, Eyles, 1041; Nov. fl. Eyles, 1097; Selukwe, Rogers.

FAMILY CCLXIV.—LENTIBULARIACEAE, *Lindl.*

7899—**Genlisea africana**, Oliv.

Fl. Trop. Afr. IV. ii. 497; Cat. Afr. Pl. Welw. i. 789.

Matopos, fl. & fr. Oct. Gibbs, 219; Victoria Falls, Engler.

7901—**Utricularia exoleta**, R. Br.

Fl. Trop. Afr. IV. ii. 495; Fl. Cap. IV. ii. 435; Cat. Afr. Pl. Welw. i. 786.

Victoria Falls and Matopos, Oct. Gibbs, 174; Victoria Falls, Engler; July, Kolbe, 3151; Rogers, 5291.

**U. firmula**, Welw.

Fl. Trop. Afr. IV. ii. 479; Cat. Afr. Pl. Welw. i. 788.

Victoria Falls, Kirk; Victoria Falls and Matopos, Sep. Gibbs, 172, 173.

**U. Gibbsiae**, Stapf.

Fl. Trop. Afr. IV. ii. 574.

Victoria Falls, Sep. Gibbs, 177; Rogers, 5024; Galpin, 7038; Engler.

Genus No.

**U. Kirkii, Staph.**

Fl. Trop. Afr. IV. ii. 476; Fl. Cap. IV. ii. 428.

Victoria Falls, Sep. Gibbs, 176; Sep. Galpin, 7039; Engler: Rogers, 5027.

**U. transrugosa, Staph.**

Fl. Trop. Afr. IV. ii. 473 &amp; 574; Fl. Cap. IV. ii. 428.

Salisbury, Rand, 517; Matopos, Sep. Gibbs, 50; 4500 ft. Nov. Eyles, 1099 partly.

**U. Welwitschii, Oliv.**

Fl. Trop. Afr. IV. ii. 478; Cat. Afr. Pl. Welw. i. 788.

Matopos, Oct. Gibbs, 230, 214.

**U. sp.**

Mazoe, 4300 ft. Jan. Eyles, 510.

FAMILY CCLXVI.—ACANTHACEAE, *Juss.*7909—**Nelsonia campestris, R. Br.**

Fl. Trop. Afr. v. 28; Cat. Afr. Pl. Welw. i. 805.

Victoria Falls, Sep. Galpin, 7026.

**N. tomentosa, Willd.**

Victoria Falls, Sep. Gibbs, 122.

7914—**Thunbergia affinis, S. Moore.**

Fl. Trop. Afr. v. 11; Cat. Afr. Pl. Welw. i. 801.

Mazoe, 4200–4600 ft. Dec. Eyles, 191, 199.

**T. alata, Boj.**

Fl. Trop. Afr. v. 16; Fl. Cap. V. i. 10; Nat. Pl. 300; Cat. Afr.

Pl. Welw. i. 803.

Khami, March, Eyles, 10; Chirinda, 3700–4000 ft. Jan. Swyn. 353; Chipete Forest, 3000 ft. May, Swyn. 452.

**T. Bachmanni, Lindau.**

Fl. Cap. V. i. 8.

Victoria, Monro, 652, 653a.

**T. glaberrima, Lindau.**

North of Hartley, Engler.

**T. lancifolia, T. Anders.**

Fl. Trop. Afr. v. 25; Cat. Afr. Pl. Welw. i. 804.

Salisbury, Sep. Rand, 631, 1383; Darling, in Herb. Bolus, 11194; Inyati Riv. Bryce; Mazoe, 4300–4800 ft. Oct. Nov. Eyles, 190; Nyahodi Riv. 5000 ft. Sep. Swyn. 1925.

**T. Monroi, S. Moore.**

Journ. Bot. 1913, 209.

Victoria, Monro, 652a, 653.

Genus No.

**T. oblongifolia**, Oliv. var. **Berringtonii**, Burkill.

Fl. Trop. Afr. v. 24 & 508.

Mashonaland, Berrington.

**T. Randii**, S. Moore.

Fl. Trop. Afr. v. 508 ; Journ. Bot. 1900, 201.

Bulawayo, Dec. Rand, 275, 276 ; Mazoe, 4400-4600 ft. Dec. Eyles, 479 ; Salisbury, Rand, 1381 ; Gwelo, Sr. Phil. 49 ; Umvumvumvu Riv. 4000 ft. Oct. Swyn. 6098 ; Mt. Pene, 7000 ft. Swyn. 6216.

**T. Swynnertonii**, S. Moore.

Journ. Linn. Soc. Bot. xl. 157.

Chirinda Forest, 3700-4000 ft. May, Swyn. 339.

7915—**Pseudocalyx africanus**, S. Moore.

Journ. Linn. Soc. Bot. xl. 156.

Chirinda Forest, 3800 ft. May, Swyn. 97.

7924—**Synnema Acinos**, S. Moore.

Journ. Bot. 1908, 73.

Bulawayo, 4500, Aug. Eyles, 1242 ; Victoria, Monro, 414a, 590.

7925—**Brillantaisia grandidentata**, S. Moore.

Journ. Bot. 1907, 331.

Mt. Pene, 6500-7000 ft. Sep. Swyn. 336, 1145.

7926—**Hygrophila cataractae**, S. Moore.

Journ. Linn. Soc. Bot. xxxvii. 459.

Victoria Falls, Sep. Gibbs, 159 ; Sep. Galpin, 7035.

**H. rhodesiana**, S. Moore.

Journ. Bot. 1900, 201 ; Fl. Trop. Afr. v. 509.

Salisbury, July, Rand, 519 ; Gwibi Flats, Sep. Eyles 413.

7929—**Mellera lobulata**, S. Moore.

Fl. Trop. Afr. v. 50.

Chirinda, 3700-4000 ft. June, Swyn. 1141.

7932—**Phaylopsis (Phaulopsis) longifolia**, T. Thoms.

Fl. Trop. Afr. v. 84 ; Fl. Cap. V. i. 21.

Victoria Falls, Sep. Gibbs, 160 ; Melsetter, 6000 ft. June, Swyn.

1929 ; Chirinda, 3700-4000 ft. Sep. Swyn. 1930.

**P. parviflora**, Willd.

Fl. Trop. Afr. v. 83 ; Fl. Cap. V. i. 20 ; Nat. Pl. 255.

Victoria Falls, Engler ; Rogers, 5021 ; Odzani River Valley, Umtali, Teague, 147.

7934—**Petalidium** sp. ?.

Matopos, Rogers, 5177.

7939—**Dyschoriste alba**, S. Moore.

Journ. Bot. 1907, 89.

Mazoe, 4300-4800 ft. Jan. Eyles, 237.

## Genus No.

**D. depressa, Nees.**

Fl. Cap. V. i. 16; Fl. Trop. Afr. v. 72.

Victoria Falls, Rogers, 7408\*.

**D. Fischeri, Lindau.**

Fl. Trop. Afr. v. 77; Fl. Cap. V. i. 17.

Bulawayo, Dec. Jan. May, Rand, 181, 182, 383; Nov. Eyles, 1160; Monro, 93; Rogers, 5733.

**D. matopensis, N. E. Br.**

Kew Bull. 1906, 166.

Matopos, Cecil, 114.

**D. Monroi, S. Moore.**

Journ. Bot. 1910, 251.

Victoria, Mouro, 950; Bulawayo, Gardner, 98.

**D. Perrottetii, O. Kuntze.**

Fl. Trop. Afr. v. 72.

Victoria Falls, Sep. Gibbs, 296; Sep. Galpin, 7036; Engler; Rogers, 7138a.

**D. radicans (T. And.), O. Kuntze.**

North of Hartley, Engler.

**D. sp.**

Matopos, March, Flanagan, 2991.

7940—**Disperma densiflorum, C. B. Cl.**

Fl. Trop. Afr. v. 82.

Mazoe, March, Flanagan, 3028.

**D. quadrisepalum, C. B. Cl. var. *grandifolium*, S. Moore.**

Journ. Bot. 1908, 73; Flor. Trop. Afr. v. 80 (type).

Mazoe, 4500 ft. Jan. Eyles, 513.

**D. viscidissimum, S. Moore.**

Journ. Linn. Soc. Bot. xxxvii. 460.

Victoria Falls, Sep. Gibbs, 123.

7941—**Chætacanthus Persoonii, Nees.**

Fl. Cap. V. i. 18.

Matopos, 5000 ft. Nov. Eyles, 1104; Chirinda, 3800 ft. April, Swyn. 377.

7945—**Hemigraphis myostiflora, Staff.**

Victoria Falls, Allen, 180, 412.

**H. prunelloides, S. Moore.**

Journ. Linn. Soc. Bot. xxxvii. 459.

Victoria Falls, Sep. Gibbs, 161; Engler; Rogers, 5279, 5292, 5224; July, Kolbe, 3146; Sep. Galpin, 7037.

7953—**Strobilanthes hircina, S. Moore.**

Fl. Trop. Afr. v. 511; Journ. Bot. 1900, 202.

Fort Gibbs, Sep. Rand, 640.

Genus No.

7965—**Ruellia ovata**, Thunb.

Fl. Cap. V. i. 14.

Chirinda, 3500 ft. Nov. Swyn. 1931; Victoria, Monro, 623; Bulawayo, Rogers, 13592\*.

**R. patula**, Jacq.

Fl. Trop. Afr. v. 45; Fl. Cap. V. i. 12; Cat. Afr. Pl. Welw. i. 808. Bulawayo, Jan. Rand, 177, 178; Monro, 21; Oct. Eyles, 1071; Jan. Gardner, 31, 41; Matabeleland, Elliott; Salisbury, Rand, 1369, 1382; Victoria, Monro, 652, 849.

**R. praetermissa**, Lindau.

Fl. Trop. Afr. v. 45.

Victoria Falls, Allen, 62.

7966—**Eranthemum subviscosum**, C. B. Cl.

Fl. Trop. Afr. v. 173.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 130.

7971—**Lepidagathis scariosa**, Nees.

Fl. Trop. Afr. v. 122.

Victoria Falls, Rogers, 7217\*.

7972—**Crabbea nana**, Nees. (*C. crisioides*, Nees.)

Fl. Trop. Afr. v. 118; Fl. Cap. V. i. 38.

Bulawayo, May, Rand, 428; Victoria Falls, April, Flanagan, 3176; Chirinda, 3800 ft. April, Swyn. 304; Salisbury, Rogers, 5800; Selukwe, Rogers, 4091.

**C. velutina**, S. Moore.

Fl. Trop. Afr. v. 119.

Victoria Falls, Rogers, 5399, 5763.

7973—**Barleria albostellata**, C. B. Cl.

Fl. Trop. Afr. v. 162.

Shashi Riv. Holub, 1397; Matopos, Rogers, 5637\*, 7908\*.

**B. Boehmii**, Lindau.

Fl. Trop. Afr. v. 167.

Victoria Falls, Allen, 75.

**B. Eylesii**, S. Moore.

Journ. Bot. 1905, 50.

Matopos, 4500 ft. Feb. Eyles, 160; Davy; Victoria, Monro, 805.

**B. Mackenii**, Hook. f.

Matabeleland, Elliott; Bulawayo, Dec. Rand, 117; Victoria, Monro, 955.

**B. matopensis**, S. Moore.

Journ. Bot. 1907, 91.

Matopos, 5000 ft. Feb. Eyles, 1165; Victoria Falls, Rogers, 5527, 5680.

## Genus No.

**B. meyeriana**, Nees.

Fl. Cap. V. i. 53.

Victoria Falls, Allen, 109.

**B. Randi**, S. Moore.

Fl. Trop. Afr. v. 512; Journ. Bot. 1900, 203.

Bulawayo, Dec. Rand, 115; Nov. Eyles, 88; Rogers, 5663.

**B. spinulosa**, Klotzsch.

Fl. Trop. Afr. v. 152.

Bulawayo, 4500 ft. Feb. Eyles, 1199; Victoria, Monro, 954.

**B. spp.**Victoria Falls, Allen, 398, cf. *B. spinulosa*, Klotzsch.

Victoria Falls, Allen, 406.

Matopos, Rogers, 5264, 5412.

7978—**Sclerochiton harveyanus**, Nees.

Fl. Cap. V. i. 36.

Chirinda Forest, 3700–4000 ft. &amp; Mt. Pene, fl. May, Oct. Dec.

Swyn. 424, 455, 6119, 6638.

7980—**Blepharis Bainesii**, S. Moore.

Fl. Trop. Afr. v. 98.

Bulawayo, May, Rand, 381.

**B. boerhaaviaefolia**, Pers.

Fl. Trop. Afr. v. 96; Fl. Cap. V. i. 24; Cat. Afr. Pl. Welw. i. 811.

Victoria Falls, April, Flanagan, 3168; Victoria, Monro, 938.

**B. diversispina**, C. B. Cl.

Fl. Trop. Afr. v. 104; Fl. Cap. V. i. 31; Cat. Afr. Pl. Welw. i. 813.

Shashi Riv. Jan. and Bulawayo, May, Rand, 116, 380; Victoria, Monro, 398, 977.

**B. innocua**, C. B. Cl.

Fl. Cap. V. i. 25.

Bulawayo, Jan. Rand, 281.

**B. molluginifolia**, Pers.

Fl. Cap. V. i. 24; Fl. Trop. Afr. v. 98.

Bulawayo, Rogers, 13634\*.

**B. spp.**

Victoria Falls, April, Flanagan, 3285, 3245.

Victoria Falls, Rogers, 5110, cf. *B. pungens*, Klotzsch.

Salisbury, March, Flanagan, 3026.

Matopos, 4800 ft. Feb. Eyles, 1164 ?.

Gwelo, Sr. Phil. 46 ? sp. n.

Genus No.

8007—**Asystasia coromandeliana**, Nees.

Fl. Trop. Afr. v. 131; Fl. Cap. V. i. 42; Cat. Afr. Pl. Welw. i. 817.

Victoria Falls, 3000 ft. May, Eyles, 141; April, Flanagan, 3235; Sep. Gibbs, 119.

8026—**Peristrophe usta**, C. B. Cl.

Fl. Trop. Afr. v. 244.

Salisbury, Sep. Rand, 507; Mazoe, 4300 ft. Aug. Eyles, 189; North of Hartley, Engler.

**P. sp.**

Matopos, 4600 ft. March, Eyles, 1025. cf. *P. caulopsis*, Presl.

8030—**Macrorungia pubinervia**, C. B. Cl.

Fl. Trop. Afr. v. 255.

Chirinda Forest, 3700–4000 ft. May, Oct Swyn. 77, 77a.

8031—**Dicliptera cephalantha**, S. Moore.

Journ. Linn. Soc. Bot. xl. 162.

Chirinda, on cultivated ground, 3800 ft. May, Swyn. 514.

**D. Melleri**, Rolfe. (*Diapodium Melleri*, S. Moore.)

Fl. Trop. Afr. v. 261 & 515.

Matabeleland, Oates, Salisbury, Sep. Rand, 507b; Mazoe, 4300 ft. Aug. Eyles, 188; Matopos, Oct. Gibbs, 80; Victoria, Monro, 474.

**D. Monroi**, S. Moore.

Journ. Bot. 1911, 189.

Victoria, Monro, 1039.

**D. nobilis**, S. Moore.

Journ. Linn. Soc. Bot. xl. 164.

Chirinda, 3500 ft. June, Swyn. 1935; Melsetter, 6000 ft. Sep. Swyn. 1936.

**D. Swynnertonii**, S. Moore.

Journ. Linn. Soc. Bot. xl. 163.

Chirinda Forest, 3700–4000 ft. May, June, July, Swyn. 528, 528a, 528b.

**D. tanganyikensis**, C. B. Cl.

North of Hartley, Engler.

8032—**Hypoëstes aristata**, R. Br.

Fl. Trop. Afr. v. 245; Fl. Cap. V. i. 86.

Umtali, Engler; Chirinda, 3800 ft. May, Swyn. 105.

**H. verticillaris**, R. Br.

Fl. Trop. Afr. v. 250; Fl. Cap. V. i. 88.

Bulawayo, May, Rand, 373; Mazoe, 4300 ft. April, Eyles, 304; Sep. Eyles, 430; March, Flanagan, 3013; Salisbury, Darling; Gwelo, Sr. Phil. 27; Upper Buzi, 3000 ft. April, Swyn. 1932.

Genus No.

8049—**Siphonoglossa tubulosa**, Lindau. (*Justicia prostrata*, Nees.)

Fl. Cap. V. i. 74.

Victoria, Monro, 822; Salisbury, Engler?

8054—**Rhinacanthus communis**, Nees.

Fl. Trop. Afr. v. 224; Fl. Cap. V. i. 78; Cat. Afr. Pl. Welw. i. 823.

Matengwe Riv. Holub, 1285, 1286; Victoria Falls?, Rogers, 5104.

8079—**Isoglossa mossambicensis**, Lindau.

Fl. Trop. Afr. v. 231.

Chirinda Forest, 3700–4000 ft. May, Swyn. 248a, 1146.

8094—**Justicia Bagshawei** (*S. Moore*), Torre & Harms. (*Adhatoda Bagshawei*, S. Moore.)

Journ. Bot. 1907, 333.

Chirinda Forest, 3700–4000 ft. fl. &amp; fr. Oct. Swyn. 127, 127a.

**J. Betonica**, L.

Fl. Trop. Afr. v. 184; Fl. Cap. V. i. 57.

Bulawayo, May, Rand, 375; Chirinda, Chimanimani Mts. 7000 ft.

Mt. Pene, 7000 ft. fl. June, July, Sep. Oct. Swyn. 136, 1121, 1987, 6120.

**J. betonicoides**, C. B. Cl.

Fl. Trop. Afr. v. 184; Fl. Cap. V. i. 58.

Mazoe, 5000 ft. March, Eyles, 254; Plumtree, April, Flanagan, 3178; Gwelo, Sr. Phil. 25.

**J. debillis**, Vahl. (*Monechma bracteatum*, Hochst.)

Fl. Trop. Afr. v. 214; Fl. Cap. V. i. 68.

South Rhodesia, Rand, 374; Redbank, April, Flanagan, 3189; Gwai, April, Flanagan, 3296; Gwelo, Sr. Phil. 9; Bulawayo, Rogers, 5751; Victoria Falls, Rogers, 7024\*, 7199\*.

**J. elegantula**, S. Moore.Fl. Trop. Afr. v. 513: Journ. Bot. 1900, 204; includes also vars. *elatior* & *repens*, S. Moore, see Journ. Linn. Soc. Bot. xxxvii. 461, 462.

Salisbury, Sep. Rand, 508, 509, 642; Rogers, 4023; Bulawayo, Dec. Rand, 179; Matopos, 4800 ft. Nov. Eyles, 1101; Sep. Oct. Gibbs, 32; Somabula, May, Flanagan, 3266; Victoria, Monro, 399, 430, 959.

**J. exigua**, S. Moore.

Fl. Trop. Afr. v. 514; Fl. Cap. V. i. 66; Journ. Bot. 1900, 204. Bulawayo, May, Rand, 389.

**J. Eylesii** (*S. Moore*), Torre & Harms. (*Adhatoda Eylesii*, S. Moore.)

Journ. Bot. 1910, 253.

Mazoe, 4500–4800 ft. Jan. Eyles, 560.

Genus No.

**J. filifolia, Lindau.**

Fl. Trop. Afr. v. 198.  
Victoria, Monro, 896.

**J. flava, Vahl.**

Fl. Trop. Afr. v. 190; Fl. Cap. V. i. 58; Cat. Afr. Pl. Welw. i. 820.  
Bulawayo, Dec. Rand, 101; Victoria Falls, April, Flanagan, 3241, forma.

**J. glabra, Roxb.**

Fl. Trop. Afr. v. 208.  
South Rhodesia, Victoria Falls, Rogers, 5066.

**J. matammensis, Oliv.**

Fl. Trop. Afr. v. 209; Fl. Cap. V. i. 66.  
Matabeleland, Elliott; Bulawayo, Jan. Gardner, 15; Matopos, March, Flanagan, 2954; Victoria Falls, Rogers, 5374; Odzani River Valley, Umtali, Teague, 145.

**J. Melampyrum, S. Moore.**

Fl. Trop. Afr. v. 199.  
Chirinda, 3700–4000 ft. May, Swyn. 505, 506.

**J. pulegioides, E. Mey. (*J. protracta*, T. And.)**

Fl. Cap. V. i. 62; Nat. Pl. 216; Journ. Bot. 1911, 243.  
Salisbury, Rand, 1380.

**J. rhodesiana, S. Moore.**

Journ. Bot. 1913, 188.  
Bulawayo, Rogers, 5740.

**J. uncinulata, Oliv.**

Fl. Trop. Afr. v. 210.  
Victoria, Monro, 853.

**J. spp.**

Salisbury, Darling, in Herb. Bolus, 11195, 11196.  
Bulawayo, Feb. Eyles, 1197.

SERIES RUBIALES.

FAMILY CCLXX.—RUBIACEAE, *B. Juss.*

8136—**Oldenlandia angolensis, K. Schum.**

Cat. Afr. Pl. Welw. i. 449.  
South Rhodesia, Rand, 119.

Genus No.

**O. Bojeri, Hiern.**

Fl. Trop. Afr. iii. 53; Cat. Afr. Pl. Welw. i. 440.

Matopos, Galpin, 6953; March, Flanagan, 2980; Salisbury, Rand, 474; Victoria, Monro, 845; Gwelo, Sr. Phil. 37; Chirinda, fl. & fr. May, Swyn. 500; South Rhodesia, Rand, 118; Odzani River Valley, Umtali, Teague, 197.

**O. caffra, E. & Z.**

Fl. Trop. Afr. iii. 58; Fl. Cap. iii. 10; Cat. Afr. Pl. Welw. i. 444.

Bulawayo, 4500 ft. Nov. Eyles, 1220; Salisbury, May, Flanagan, 3255; Victoria, Monro, 851; Victoria Falls, Rogers, 5531.

**O. capensis, Linn. f. (*Hedyotis capensis*, Lam.)**

Fl. Trop. Afr. iii. 62; Fl. Cap. iii. 9; Cat. Afr. Pl. Welw. i. 446. South Rhodesia, Rand, 336.

**O. cuspidata, K. Schum.**

Cat. Afr. Pl. Welw. i. 443.

Gwai Forest, 3200 ft. Allen, 241.

**O. cynanchica, K. Schum.**

Melssetter, 6000 ft. Oct. Swyn. 6107.

**O. decumbens, Hiern. (*Hedyotis decumbens*, Hochst.)**

Fl. Trop. Afr. iii. 54; Fl. Cap. iii. 11; Cat. Afr. Pl. Welw. i. 442.

Victoria Falls, April, Flanagan, 3166.

**O. Heynei, Oliv. (*Hedyotis Heynei*, R. Br.)**

Fl. Trop. Afr. iii. 59; Fl. Cap. iii. 10.

Mazoe, 4600 ft. March, Eyles, 264; Bulawayo, Jan. Gardner, 73; Matopos, March, Flanagan, 2969; Victoria Falls, Rogers, 6026a; South Rhodesia, Rand, 335; Odzani River Valley, Umtali, Teague, 271.

**O. hirtula, O. Kuntze. (*Hedyotis hirtula*, Harv.)**

Fl. Cap. iii. 12.

Mazoe, 5100 ft. April, Eyles, 346; Chimanimani Mts. 7000 ft. Sep. Swyn. 2152.

**O. lasiocarpa, Hiern.**

Fl. Trop. Afr. iii. 55.

Victoria Falls, April, Flanagan, 3243; Gwai, April, Flanagan, 3288.

**O. natalensis, O. Kuntze. (*Hedyotis natalensis*, Hochst.)**

Fl. Cap. iii. 12.

Chirinda, 3800 ft. fl. &amp; fr. July, Swyn. 303.

**O. obtusiloba, Hiern.**

Fl. Trop. Afr. iii. 56.

Mazoe, 4400 ft. April, Eyles, 315.

Genus No.

**O. papillosa, K. Schum.**

Cat. Afr. Pl. Welw. i. 443.  
Salisbury, Rand, 120.

**O. rhodesiana, S. Moore.**

Salisbury, Rand, 122.

**O. thymifolia, Prantl.** (*Hedyotis thymifolia*, Presl.)

Fl. Cap. iii. 11.  
Bulawayo, Monro, 56; Rand, 121, 369; Odzani River Valley,  
Umtali, Teague, 260.

**O. trinervia, Retz.**

Fl. Trop. Afr. iii. 63; Cat. Afr. Pl. Welw. i. 449.  
Chimanimani Mts. 7000 ft. Sep. Swyn. 1534.

**O. Welwitschii, Hiern.**

Cat. Afr. Pl. Welw. i. 442.  
Gwelo, Jan. Gardner, 14.

**O. sp.**

Matopos, March, Flanagan, 2981.

8154—**Pentas carnea, Benth.** (*Neurocarpaea lanceolata*, R. Br.)

Fl. Trop. Afr. iii. 46; Cat. Afr. Pl. Welw. i. 438.  
Salisbury, March, Flanagan, 3018; Rogers, 4072; Odzani River  
Valley, Umtali, Teague, 174.

**P. nobilis, S. Moore.**

Journ. Bot. 1908, 37.  
Mazoe, 5000 ft. March, Eyles, 248; Dec. Eyles, 496.

**P. purpurea, Oliv.**

Fl. Trop. Afr. iii. 46.  
Chirinda, 3800 ft. fl. Feb., April, June, Swyn. 274, 1152, 2143.

**P. Woodii, Scott-Elliott.**

Mazoe, 4500 ft. March, Eyles, 275; Salisbury, Rand, 1394;  
Victoria, Monro, 816, 1040; Gwelo, Sr. Phil. 30.

8156—**Otomeria dilatata, Hiern.**

Fl. Trop. Afr. iii. 50; Cat. Afr. Pl. Welw. i. 440.  
Upper Buzi, 3000 ft. fl. & fr. Nov. Dec. Swyn. 355, 2144; also  
Umswirizwi Riv., Chipinga, etc. Swyn.

8160—**Dirichletia pubescens, Klotzsch.**

Fl. Trop. Afr. iii. 51.  
Victoria Falls, Allen, 106; Matopos, Rogers, 5414, 5533.

8212—**Crossopteryx kotschyana, Fenzl.**

Fl. Trop. Afr. iii. 44; Cat. Afr. Pl. Welw. i. 437.  
Bulawayo, Rand, 415; Govt. Herb. 1076; Victoria Falls,  
Rogers, 5529.

Genus No.

8226—**Adina microcephala**, *Hiern.*

Fl. Trop. Afr. iii. 40 : Cat. Afr. Pl. Welw. i. 434 ; For. Fl. Port. E. Afr. 70.

Upper Inyamadzi, 3300 ft. Dec. Swyn. 26 ; also Nyahodi, Lusitu, Upper Umswirizwi and between Umtali and Melsetter, Swyn.

8230—**Cephalanthus natalensis**, *Oliv.*

Lusitu Riv. 4000 ft. Sep. Swyn. 645 ; also Mt. Pene and Chimanimani Mts. Swyn.

8238—**Mussaenda arcuata**, *Poir.*

Fl. Trop. Afr. iii. 68 ; Cat. Afr. Pl. Welw. i. 453.

Chirinda Forest, 3800 ft. fl. & young fr. March, Swyn. 6636.

8255—**Urophyllum symplocoides**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 79.

Mt. Pene Forest, 6500 ft. Sep. Swyn. 1278.

8274—**Leptactinia lanceolata**, *K. Schum.*

Mazoe, 5200 ft. Jan. Eyles, 519 ; Salisbury, Rand ; Victoria, Monro, 421.

8283—**Randia vestita**, *S. Moore.*

Journ. Bot. 1911, 150.

Salisbury, Rand, 1395 ; Victoria, Monro.

8285—**Gardenia asperula**, *Stapf & Hutch.*

Melsetter, 3500 ft. Oct. Swyn. 56 ; Chikore Hills, Nov. Swyn. 56a ; Victoria, Monro, 384.

**G. Neuberia**, *E. & Z.*

Fl. Cap. III. 6 ; For. Fl. Cape, 234.

Umvumvumvu Riv. 4000 ft. April, Swyn. 1401.

**G. Norae** *Swynnerton.*

Journ. Linn. Soc. Bot. xl. 80.

Chirinda Forest, 3700–4000 ft. Jan. Swyn. 11.

**G. posoquerioides**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 81.

Chirinda Forest, 3700–4000 ft. Nov. Jan. Swyn. 71, 6504.

**G. resiniflua**, *Hiern.*

Fl. Trop. Afr. iii. 102 ; For. Fl. Port. E. Afr. 73.

Victoria Falls, Allen, 59.

**G. rothmannia**, *Linn. f.*

Victoria, Monro, 733, 1051.

**G. spatulifolia**, *Stapf & Hutch.*

Sabi Riv. 1000 ft. Nov. Swyn. 715.

Genus No.

**G. thunbergia**, Linn. f.

Fl. Trop. Afr. iii. 100; Fl. Cap. iii. 6; For. Fl. Port. E. Afr. 72; For. Fl. Cape, 234; Nat. Pl. 40.  
Sebakwe, 4000 ft. Sep. Eyles, 175; Umtali, Engler.

**G. tigrina**, Welw.

Cat. Afr. Pl. Welw. i. 462.  
Chirinda Forest, 3700–4000 ft. Oct. Swyn. 10.

**G. spp.**

Salisbury, Rand, 570.  
Shangani, Govt. Herb. 958.  
Lomagundi, Govt. Herb. 986.

8293—**Oxyanthus Gerrardi**, Sond. ?

Fl. Cap. iii. 3; For. Fl. Cape, 235.  
Chirinda Forest, 3700–4000 ft. fl. & fr. Jan. Feb. Swyn. 116.

**O. Swynnertonii**, S. Moore.

Journ. Linn. Soc. Bot. xl. 82.  
Chirinda Forest, 3700–4000 ft. fl. Oct.–Dec. fr. Dec. Swyn. 76.

var. **breviflorus**, S. Moore.

Journ. Linn. Soc. Bot. xl. 83.  
Chirinda Forest, Nov. Swyn. 76a.

8299—**Feretia æruginescens**, Stapf.

Kew Bull. 1906, 79.  
Victoria Falls, Allen, 57.

8303—**Empogona Allenii**, Stapf.

Kew Bull. 1906, 79.  
Victoria Falls, Oct. Nov. Allen, 55.

8308—**Tricalysia ligustrina**, S. Moore.

Journ. Linn. Soc. Bot. xl. 84.  
Upper Buzi, 3000 ft. Sep. Oct. Swyn. 685, 1284.

**T. myrtifolia**, S. Moore.

Journ. Linn. Soc. Bot. xl. 83.  
Upper Inyamadzi Valley, 3000 ft. Sep. Swyn. 1133; Upper Buzi Riv. 3500 ft. Oct. Swyn. 1283.

**T. pachystigma**, K. Schum. (*T. jasminiflora*, Hook.; *Coffea Engleri*, K. Krause.)

Fl. Trop. Afr. iii. 124; Journ. Bot. 1907, 199.  
Bulawayo, Rand, 637; Matopos, Sep. Oct. Gibbs, 67; Galpin, 7085; Engler; Chimanimani Mts. 6500 ft. Sep. Swyn. 641, 1134; Mt. Pene, 6500–7000 ft. Oct. Swyn. 6068.

8326—**Heinsia jasminiflora**, DC.

Fl. Trop. Afr. iii. 81; For. Fl. Port. E. Afr. 71.  
Chirinda Forest, 3700 ft. Nov. Dec. Swyn. 1258.

Genus No.

8337—***Heinsenia sylvestris*, S. Moore.**

Journ. Linn. Soc. Bot. xl. 85.

Chirinda Forest, 3700–4000 ft. Oct. Swyn. 576, 689.

8338—***Cremaspora africana*, Benth.**

Fl. Trop. Afr. iii. 126; Cat. Afr. Pl. Welw. i. 471.

Chirinda Forest, 3700–4000 ft. Dec. Swyn. 1285; also Chipete Forest, Swyn.

8348—***Pentanisia rhodesiana*, S. Moore.**

Salisbury, Rand, 575, 1396.

**P. Schweinfurthii**, Hiern.

Fl. Trop. Afr. iii. 131.

Melsetter, 6000 ft., Mt. Pene, 7000 ft., North Melsetter, 5000–6000 ft. in fl. April, Oct. Swyn. 2146, 6103, 6104, 6213.

**P. sericocarpa**, S. Moore. (*P. crassifolia*, K. Krause.)

See Journ. Bot. 1907, 198.

South Rhodesia, Rand, 619; North of Hartley, Engler; Salisbury, Sep. Engler, 3022.

**P. variabilis**, Harr.

Fl. Cap. iii. 24; Harv. Gen. S.A. Pl. 154; Nat. Pl. 251 (var.).

Salisbury, Darling; Odzani River Valley, Umtali, Teague, 83.

var. **intermedia**, Sond.

Fl. Cap. iii. 24.

Chirinda, 3800 ft. Swyn. 425.

8351—***Vangueria apiculata*, K. Schum.**

Chirinda Forest, Dee. Swyn. 64; also along eastern border of South Melsetter, Swyn.

**V. esculenta**, S. Moore.

Journ. Linn. Soc. Bot. xl. 91.

Chirinda Forest, 3700–4000 ft. Sep. Oct. Swyn. 65.

var. **glabra**, S. Moore.

Journ. Linn. Soc. Bot. xl. 91.

Chirinda Forest, Dee. Swyn. 1307.

**V. infasta**, Burch.

Fl. Trop. Afr. iii. 147; Fl. Cap. iii. 13; Cat. Afr. Pl. Welw. i. 480; Nat. Pl. 369; For. Fl. Port. E. Afr. 75; For. Fl. Cape, 243.

Victoria Falls, Rogers, 5615, 5471; Chirinda, Swyn. 63; Chikore Hills, Swyn. 1290; fl. Oct. Dec. Swyn.

var. **virescens**, Sond. (*V. edulis*, Vahl, var. *Bainesii*, Hiern.)

Fl. Cap. iii. 14; see note Fl. Trop. Afr. iii. 148.

Mangwe Riv. Baines; Victoria Falls, Rogers, 5388; Bulawayo, Chubb 3a.

## Genus No.

**V. munjiro**, S. Moore.

Journ. Linn. Soc. Bot. xl. 92.  
Victoria, Monro, 605a.

**V. Randii**, S. Moore.

Journ. Bot. 1902, 252.  
Bulawayo, Rand, 123; Monro, 97; Victoria, Monro, 692;  
Matabeleland, Eyles, 1191.

**V. rhodesiana**, S. Moore.

Journ. Bot. 1909, 130.  
Salisbury, Rand, 1349.

**V. velutina** Hiern.

Fl. Trop. Afr. iii. 151; For. Fl. Port. E. Afr. 75.  
Mazoe, 5300 ft. Dec. Eyles, 201; Victoria Falls, Allen, 415;  
Victoria, Monro, 639.

**V. spp.**

Victoria Falls, Allen, 184, cf. *V. parvifolia*, Sond.  
Victoria, Monro, 548, 753a, 768.

8352—**Plectronia abbreviata**, K. Schum. (*Canthium abbreviatum*, S. Moore.)

Matopos, Oct. Gibbs, 278.

**P. ciliata**, Sond.

Fl. Cap. iii. 18; For. Fl. Cape, 241.  
Victoria Falls, Rogers, 5587 (var.).

**P. Gueinzii**, Sim. (*Canthium Gueinzii*, Sond.)

Fl. Cap. ii. 16; For. Fl. Cape, 241.  
Chipete Forest, April, Swyn. 170; Mt. Pene, 7000 ft. fr. Oct.  
Swyn. 6101; also at Chikore and near Chirinda, Swyn.

**P. lanciflora** (Hiern), Torre & Harms. (*Canthium lanciflorum*, Hiern.)

Fl. Trop. Afr. iii. 146.  
Victoria Falls, Kirk; Salisbury, Rand, 552.

**P. livida** (Hiern), Torre & Harms. (*Canthium lividum*, Hiern.)

Fl. Trop. Afr. iii. 144.  
Victoria, Monro, 796.

**P. Oatesii** (Rolfe), Torre & Harms. (*Canthium Oatesii*, Rolfe.)  
Matabeleland, Oates.**P. Randii** (S. Moore), Torre & Harms. (*Canthium Randii*, S. Moore.)  
Journ. Bot. 1911, 152.

Salisbury, Rand, 1393; Victoria, Monro, 691.

**P. Swynnertonii** (S. Moore), Torre & Harms. (*Canthium Swynnertonii*, S. Moore.)

Journ. Linn. Soc. Bot. xl. 88.

Chirinda Forest, 3700–4000 ft. Nov. Swyn. 546.

## Genus No.

- P. ventosa**, L. (*Canthium ventosum*, S. Moore.)  
 Fl. Cap. iii. 17; Cat. Afr. Pl. Welw. i. 369; For. Fl. Cape, 240.  
 Mt. Pene, 6500 ft. Sep. Swyn. 547.
- P. sp.**  
 Gwai Forest, 3000 ft. Allen, 250.
- 8354—**Craterispermum laurinum**, Benth.  
 Fl. Trop. Afr. iii. 160; Cat. Afr. Pl. Welw. i. 485.  
 Chirinda, Oct. Swyn. 183.
- 8359—**Pachystigma Cienkowskii** (*Schweinf.*), Torre & Harms. (*Fadogia Cienkowskii*, Schweinf.)  
 Fl. Trop. Afr. iii. 154; Cat. Afr. Pl. Welw. i. 481.  
 Chirinda Forest, Swyn. 241; Mt. Pene, Swyn. 6122, 6502; in fl. Sep.–Dec. Swyn.
- P. lateritica** (*K. Krause*), Torre & Harms. (*Fadogia lateritica*, K. Krause.)  
 North of Hartley, Engler.
- P. obovata** (*N. E. Br.*), Torre & Harms. (*Fadogia obovata*, N. E. Br.)  
 Kew Bull. 1906, 105.  
 Salisbury, Cecil, 141; Rand, 1348; Mazoe, 4300 ft. Dec. Eyles, 209.
- P. stenophylla** (*Welw.*), Torre & Harms. (*Fadogia stenophylla*, Welw.)  
 Fl. Trop. Afr. iii. 155; Cat. Afr. Pl. Welw. i. 483.  
 Salisbury, Rand, 629, 1370.
- P. tetraquetra** (*K. Krause*), Torre & Harms. (*Fadogia tetraquetra*, K. Krause.)  
 Umtali, Sep. Engler, 3139.
- P. Zeyheri**, Sond. (*Fadogia Zeyheri*, Sond.; *Vangueria Zeyheri*, Sond.)  
 Fl. Trop. Afr. iii. 153; Fl. Cap. iii. 15.  
 Between Bulawayo and Victoria Falls, Davy; Lomagundi, Govt. Herb. 990.
- 8360—**Ancylanthus Bainesii**, Hiern.  
 Fl. Trop. Afr. iii. 160.  
 Victoria Falls, Allen, 97.
- 8381—**Coffea ligustroides**, S. Moore.  
 Journ. Linn. Soc. Bot. xl. 94.  
 Chipete Forest, 3800 ft. fl. Dec. ripe fr. July, Swyn. 67.
- C. Swynnertonii**, S. Moore.  
 Journ. Linn. Soc. Bot. xl. 95.  
 Chirinda, 3000 ft. in cultivation, fl. Oct. fr. Dec. Swyn. 578.
- 8383—**Pavetta angolensis**, Hiern.  
 Cat. Afr. Pl. Welw. i. 485.  
 Victoria, Monro, 666; Matopos, Rogers, 5260.

Genus No.

**P. assimilis, Sond.**

Fl. Cap. iii. 20.

Sebakwe, 4000 ft. Dec. Eyles, 168; Bulawayo, Monro, 49;  
Victoria, Monro, 806.

**P. Cecilae, N. E. Br.**

Kew Bull. 1906, 106.

Selukwe, Cecil, 124; Mazoe, 5300 ft. Dec. Eyles, 203.

**P. comostyla, S. Moore.**

Journ. Linn. Soc. Bot. xl. 98.

Chiranda Forest, 3700–4000 ft. Jan. Swyn. 75.

**P. Eylesii, S. Moore.**

Journ. Bot. 1905, 47. .

Matopos, 4500–5000 f. Nov. Eyles, 1159.

**P. gardeniæfolia, Hochst.**

Fl. Trop. Afr. iii. 177.

South Rhodesia, Rand, 421.

**P. luteola, Stapf.**

Kew Bull. 1906, 80.

Victoria Falls, Oct. Allen, 54.

**P. neurophylla, S. Moore.**

Journ. Bot. 1905, 47.

Bulawayo, 4500 ft. Dec. Eyles, 1140; Monro, 52.

**P. obovata, E. Mey.**

Fl. Cap. iii. 20; Nat. Pl. 313; For. Fl. Cape, 237.

Bulawayo, Monro, 54.

**P. schumanniana, K. Hoffm.**

Cat. Afr. Pl. Welw. i. 488.

Bulawayo, Monro, 104; Victoria Falls, Rogers, 7244; Chikore  
Hills, 3500 ft. Nov. Swyn. 1212.

**P. stipulopallium, K. Schum.**

Salisbury, Rand, 1350; Victoria, Monro, 666, 1056a; Nyahodi

Riv. 5000 ft. April, Swyn. 2147.

**P. Swynnertonii, S. Moore.**

Journ. Linn. Soc. Bot. xl. 99.

Chirinda Forest, 3700–4000 ft. Jan. Swyn. 117.

**P. spp.**

Victoria Falls, Allen, 94, ? n. sp.; Rogers, 5049.

Victoria Falls, Rogers, 5553, cf. *P. gracilis*, Klotzsch.

Bulawayo, Monro, 53.

8399—**Psychotria hirtella, Oliv.**

Victoria Falls, Rogers, 5382.

**P. sp.**

Victoria, Monro, 802.

## Genus No.

8402—**Grumilea punicea**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 101.

Chimanimani Mts. 7000 ft. fl. &amp; unripe fr. Sep. Swyn. 563.

8410—**Geophila uniflora**, *Hiern.*

Fl. Trop. Afr. iii. 221; Cat. Afr. Pl. Welw. i. 498.

Chirinda Forest, 3700–4000 ft. March, Swyn. 350.

8435—**Galopina circæoides**, *Thunb.*

Fl. Cap. iii. 26.

Chirinda, fl. &amp; fr. April, Swyn. 317.

8438—**Anthospermum ammannioides**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 102.

Melsetter, 6000 ft. April, Swyn. 2156.

**A. ciliare**, *L.*

Fl. Cap. iii. 28.

Matopos, Oct. Gibbs, 186.

**A. hispidulum**, *E. Mey.*

Fl. Cap. iii. 29.

Mazoe, 5100 ft. April, Eyles, 343.

**A. lanceolatum**, *Thunb.*

Fl. Cap. iii. 30.

Matopos, Sep. Gibbs, 93; Odzani River Valley, Umtali, Teague, 181.

**A. Randii**, *S. Moore.*

Salisbury, Rand, 475; Victoria, Monro, 326.

**A. rigidum**, *E. & Z.*

Fl. Cap. iii. 31.

Victoria, Monro, 884; South Rhodesia, Rand, 338; Bulawayo, Rogers, 13537\*.

**A. vallicolum**, *S. Moore.*

Journ. Linn. Soc. Bot. xl. 103.

Chimanimani Mts. 7000 ft. Sep. Swyn. 2155.

**A. sp.**

Salisbury, May, Flanagan, 3196.

8450—**Otiophora inyangana**, *N. E. Br.*

Kew Bull. 1906, 107.

Inyangana, Cecil, 203; Mt. Pene, 7000 ft. Sep. Oct. Swyn. 2007, 6146.

**O. scabra**, *Zucc.*

Cat. Afr. Pl. Welw. i. 499; Journ. Bot. 1908, 76.

Mazoe, 5200 ft. Jan. Eyles, 522.

Genus No.

8464—**Richardsonia brasiliensis**, Hayne.

Chirinda, 3700 ft. fl. & fr. Nov. Swyn. 2134.

**R. scabra**, St. Hil. (*Richardia scabra*, L.)

Fl. Trop. Afr. iii. 242.

Salisbury, Rand, 1397.

8473—**Borreria arvensis**, K. Schum. (*Tardavel arvensis*, Hiern.)

Cat. Afr. Pl. Welw. i. 504.

Victoria, Monro, 981, 1020.

**D. dibrachiata**, K. Schum. (*Spermacoce dibrachiata*, Oliv. ; *Tardavel dibrachiata*, Hiern.)

Fl. Trop. Afr. iii. 239 ; Cat. Afr. Pl. Welw. i. 507.

Umtali, Engler, Odzani River Valley, Teague, 12, 119 ;

Matopos, March, Flanagan, 2946 ; Mazoe, 4300–4800 ft. Jan.

Eyles, 243 ; Salisbury, Rogers, 5797, Kolbe.

**B. natalensis**, K. Schum. (*Spermacoce natalensis*, Hochst.)

Fl. Cap. iii. 24.

Chirinda, May, Swyn. 376, 518.

**B. Ruelliae**, K. Schum. (*Spermacoce Ruelliac*, DC. ; *Tardavel scabra*, Hiern.)

Fl. Trop. Afr. iii. 238 ; Cat. Afr. Pl. Welw. i. 504.

Mazoe, 4400–4600 ft. March, Eyles, 271 ; Bulawayo, Monro, 941 ; Victoria Falls, Rogers, 5081a\*.

**B. stricta**, K. Schum. (*Spermacoce stricta*, Linn. f. ; *Tardavel stricta*, Hiern.)

Fl. Trop. Afr. iii. 236 ; Cat. Afr. Pl. Welw. i. 503.

Mazoe, 4600 ft. March, Eyles, 260.

**B. subvulgata**, K. Schum.

Odzani River Valley, Umtali, Teague, 225 ; Victoria Falls, Rogers, 7032\*.

**B. spp.**

Gwai, April, Flanagan, 3193.

Salisbury, May, Flanagan, 3198.

8486—**Galium stenophyllum**, Baker.

Chipete, 3800 ft. fl. & fr. July, Swyn. 2141.

8489—**Rubia cordifolia**, L.

Fl. Trop. Afr. iii. 244 ; Fl. Cap. iii. 35.

Chirinda, 3800 ft. April, Swyn. 216 ; Odzani River Valley, Umtali, Teague, 215.

**R. petiolaris**, DC.

Fl. Cap. iii. 35.

Bulawayo, Jan. Gardner, 8 ; Rogers, 5684.

FAMILY CCLXXIV.—DIPSACACEAE, *Lindl.*

Genus No.

8546—**Scabiosa columbaria, L.**

Fl. Trop. Afr. iii. 252; Fl. Cap. iii. 43; Cat. Afr. Pl. Welw. i. 512.

Bulawayo, 4500 ft. Jan. Eyles, 61 (var.); Salisbury, Engler; Darling: Mazoe, 4300–4800 ft. Nov. Eyles, 452; Victoria, Monro, 949; Chirinda, April, Swyn. 278; Mt. Pene, Sep. Swyn. 1143; South Rhodesia, Rand, 98; Odzani River Valley, Umtali, Teague, 75.

## SERIES CAMPANULATAE.

FAMILY CCLXXV.—CUCURBITACEAE, *Hall.*8562—**Melothria longepedunculata, Cogn.**

Chirinda Forest, 3700–4000 ft. Jan. Swyn. 232 (forma).

8591—**Momordica Balsamina, L.**

Fl. Trop. Afr. ii. 537; Fl. Cap. ii. 491; Cat. Afr. Pl. Welw. i. 394.

Victoria Falls, fl. & fr. Sep. Gibbs, 299; Allen, 179; Engler: July, Kolbe, 3135; Rogers, 5604, 5111.

**M. clematidea, Sond.**

Fl. Cap. ii. 491.

Wankie, Rogers, 13244\*; Victoria Falls, Rogers, 13164\*.

**M. foetida, Schum. & Thonn.**

Chirinda Forest, 3700–4000 ft. Dec. Swyn. 94.

**M. involucrata, E. Mey.**

Fl. Cap. ii. 491; Nat. Pl. 516.

Bulawayo, May, Rand, 327.

**M. Morkorra, A. Rich. (M. cordifolia, Sond.)**

Fl. Trop. Afr. ii. 538; Fl. Cap. ii. 492.

Mazoe, 4500 ft. Nov. Eyles, 473; Odzani River Valley, Umtali, Teague, 91.

**M. spp.**

Victoria Falls, Dec. Allen, 224.

South Rhodesia, Rand, 93.

8598—**Citrullus vulgaris, Schrad. (Colocynthis amarissima, Schrad.)**

Fl. Trop. Afr. ii. 549; Fl. Cap. ii. 494; Cat. Afr. Pl. Welw. i. 397.

Matopos, Rogers, 5659.

Genus No.

8599—**Cucumis Cecili**, N. E. Br.

Kew Bull. 1906, 104.

Inyanga, Cecil, 225.

**C. Figarei**, Delile. (*C. chrysocomus*, Schum. & Thonn.)

Fl. Trop. Afr. ii. 543; Cat. Afr. Pl. Welw. i. 396.

Victoria Falls, April, Flanagan, 3306; Matopos, Rogers, 5659a ?.

**C. hirsutus**, Sond.

Fl. Trop. Afr. ii. 546; Fl. Cap. ii. 497.

Bulawayo, Jan. Rand, 90 & 91.

**C. naudinianus**, Sond.

Fl. Cap. ii. 496 in part; Fl. Trop. Afr. ii. 549.

Bulawayo, Rogers, 5739.

**C. Zeyheri**, Sond.

Fl. Cap. ii. 496.

Chirinda, 3800 ft. May, Swyn. 496.

**C. spp.**

Bulawayo, Dec. Eyles, 50; Chubb, 322, 328.

8608—**Trochomeria macrocarpa**, Hook. f. (*Zehneria macrocarpa*, Sond.)

Fl. Trop. Afr. ii. 524; Fl. Cap. ii. 488; Harv. Gen. S.A. Pl. 125.

Mazoe, 4600 ft. Sep. Eyles, 424; Bulawayo, Monro, 70.

8612—**Peponium (Peponia) chirindensis**, Baker f.

Journ. Linn. Soc. Bot. xl. 74.

Chirinda, 3700–4000 ft. Nov. Swyn. 2102.

8628—**Coccinia palmata**, Cogn. (*Cephalandra palmata*, Sond.)

Fl. Cap. ii. 493; Nat Pl. 283.

Bulawayo, Jan. Rand, 87 & 89.

**C. pubescens**, Sond. (*Cephalandra pubescens*, Sond.)

Fl. Trop. Afr. ii. 551; Fl. Cap. ii. 493.

Bulawayo, Rogers, 5660.

**C. sp.**

Bulawayo, Rogers, 5708.

FAMILY CCLXXVI.—CAMPANULACEAE, Juss.

8663—**Prismatocarpus spp.**

Victoria Falls, Allen, 118; Rogers, 5617; April, Flanagan, 3162

8668—**Wahlenbergia arenaria**, A. DC.

Fl. Cap. iii. 581.

Between Salisbury and Macheke, Rogers, 4025.

**W. banksiana**, A. DC.

Fl. Cap. iii. 574.

Matabeleland, Oates.

*Genus No.***W. Caledonica, Sond.**

Fl. Cap. iii. 579.

Matopos, 5000 ft. March, Eyles, 1065; March, Flanagan, 2964;  
 Oct. Gibbs, 220; Mazoe, 4400 ft. April, Eyles, 306; Bulawayo,  
 Monro, 12; Rand, 476; Victoria, Monro, 876; Inyanga,  
 Cecil; South Rhodesia, Rand, 358, 616.

**W. mashonica, N. E. Br.**

Kew Bull. 1906, 165.

Between Salisbury and Headlands, Cecil, 157.

**W. Oatesii, Rolfe.**

Matabeleland, Oates.

**W. rhodesiana, S. Moore.**

Journ. Linn. Soc. Bot. xl. 125.

Melsetter, 5000–6000 ft. fl. &amp; fr. Oct. Swyn. 6225.

**W. rivularis, Diels ?.**

Victoria, Monro, 928.

**W. saginoides, S. Moore.**

Journ. Bot. 1911, 153.

Victoria, Monro, 649.

**W. undulata, A. DC.**

Fl. Cap. iii. 579; Nat. Pl. 37.

Gwelo, Jan. Gardner, 18; Bulawayo, Jan. Gardner, 71.

**W. virgata, Engl.**

Melsetter, April, Swyn. 2020; Mt. Pene, 6500–7000 ft. Sep.

Swyn. 2021.

**W. Zeyheri, E. & Z.**

Fl. Cap. iii. 580.

Matabeleland, Jan. Eyles, 1056; North of Hartley, Engler;  
 Marandellas, Engler; Umtali, Engler; Victoria, Monro, 753,  
 909.

**W. spp.**Salisbury, May, Flanagan, 3268, cf. *W. paniculata*, A. DC.

Salisbury, May, Flanagan, 3253.

Matopos, March, Flanagan, 2974; Eyles, 1028, 1147; Rogers,  
 5685.

Victoria Falls, Feb. Allen, 288.

Gwai Forest, Jan. Allen, 242.

8670—**Lightfootia abyssinica, Hochst.**

Fl. Trop. Afr. iii. 474.

Mazoe, 4300–4800 ft. Sep. Eyles, 421; March, Flanagan, 3012;  
 Salisbury, Rand, 478, 479; Chirinda, 3800 ft. May, Swyn.  
 515; Odzani River Valley, Umtali, Teague, 259.

Genus No.

**L. denticulata, Sond.** (*L. capillaris*, Buek.)

Fl. Cap. iii. 559.

Matopos, 4800 ft. March, Eyles, 1038; March, Flanagan, 2961; Rogers, 5685; Gwelo, Sr. Phil. 47.

**L. glomerata, Engl.**

Mazoe, 5100 ft. March, Eyles, 285; Flanagan, May, 3257.

**L. juncea, Sond.**

Fl. Cap. iii. 563.

Salisbury, Engler.

**L. tenuifolia, A. DC.**

Fl. Trop. Afr. iii. 475; Cat. Afr. Pl. Welw. i. 629.

Matopos, Sep. Gibbs, 35; Engler; Salisbury, Rand, 477; South Rhodesia, Rand, 359, 360.

**L. sp.**

Salisbury, May, Flanagan, 3229.

8681—**Cyphia alba, N. E. Br.**

Kew Bull. 1906, 165.

North of Umtali, Cecil, 163.

**C. mazoensis, S. Moore.**

Journ. Bot. 1907, 46.

Mazoe, 4700–4900 ft. Jan. Eyles, 231.

8694—**Lobelia Boivini, Sond.**

Fl. Cap. iii. 546.

Matopos, 5000 ft. March, Eyles, 1040.

**L. cobaltica, S. Moore.**

Journ. Linn. Soc. Bot. xl. 124.

Chimanimani Mts. 7000 ft. Sep. Swyn. 2036.

**L. decipiens, Sond.**

Fl. Cap. iii. 540.

Matabeleland, Oates; Matopos, Sep. Oct. Gibbs, 87; Marandellas, Engler; Rogers, 4041; Mt. Pene, 6000 ft. Oct. Swyn. 6081; Victoria, Monro, 583.

**L. Erinus, L.**

Fl. Cap. iii. 544.

Victoria Falls, Rogers, 5290.

**L. fervens, Thunb.**

Fl. Trop. Afr. iii. 468; Fl. Cap. iii. 548; Cat. Afr. Pl. Welw. i. 627.

Chirinda, 3800 ft. May, Swyn. 513.

**L. fonticola, Engl. & Gilg.**

Matopos, Sep. Gibbs, 96.

**L. jugosa, S. Moore.**

Journ. Linn. Soc. Bot. xl. 125.

Between Lusitu and Nyahodi Rive. 5000 ft. Sep. Swyn. 2037;

Mt. Pene, Swyn. 6080?, 6085?, Victoria, Monro, 309.

## Genus No.

- L. microdon**, A. DC. (*L. Erinus*, L. var. *microdon*, Sond.)  
 Fl. Cap. iii. 545.  
 Matopos, Sep. Oct. Gibbs, 37.
- L. minutidentata**, Engl. & Gilg.  
 Matopos, Oct. Gibbs, 272.
- L. natalensis**, A. DC.  
 Fl. Trop. Afr. iii. 469 ; Fl. Cap. iii. 545.  
 Plumtree, April, Flanagan, 3184 ; Mazoe, 5200 ft. April, Eyles, 348 ; Victoria, Monro, 327 ; South Rhodesia, Rand, 172 ; Odzani River Valley, Umtali, Teague, 222.
- L. thermalis**, Thunb. (*Parastranthus thermalis*, Sond.)  
 Fl. Cap. iii. 537 ; Cat. Afr. Pl. Welw. i. 625.  
 Bulawayo, 4500 ft. Oct. Eyles, 1076 ; Monro, 71 ; Gwelo, Jan. Gardner, 10 & 26 ; Matopos, Sep. Oct. Gibbs, 31.
- L. trullifolia**, Hemsl.  
 Fl. Trop. Afr. iii. 466.  
 Matopos, Oct. Gibbs, 271.
- L. spp.**  
 Salisbury, March, Flanagan, 3025.  
 Victoria Falls, Allen, 19, cf. *L. Erinus*, L. ; Rogers, 5134.  
 Matopos, Nov. Eyles, 1105.

## FAMILY CCLXXX.—COMPOSITÆ, Vail.

8734—**Ethulia conyzoides**, L.

Fl. Trop. Afr. iii. 262 ; Fl. Cap. iii. 47.  
 Victoria Falls, Allen, 83 ; April, Flanagan, 3035 ; Rogers, 5082.

8740—**Erlangea Eylesii**, S. Moore.

Journ. Bot. 1908, 38.  
 Mazoe, 4400 ft. April, Eyles, 309.

**E. laxa**, S. Moore.

Matopos, 4800 ft. April, Eyles, 43 ; Mazoe, 4800 ft. March, Eyles, 293.

**E. longipes**, S. Moore.

Chirinda, Swyn. 391 ; Melsetter, Swyn. 1809.

**E. Schinzii**, O. Hoffm.

Victoria Falls, Sep. Gibbs, 298.

**E. spp.**

Gwai, April, Flanagan, 3070.

Victoria Falls, April, Flanagan, 3063 ; Rogers, 6156.

8746—**Bothriocline inyangana**, N. E. Br.

Kew Bull. 1906, 107.

Inyanga, Cecil, 227a.

Genus No.

**Vernonia acuminatissima, S. Moore.**

Journ. Linn. Soc. Bot. xl. 104.

Upper Buzi, 3500 ft. May, Swyn. 1906.

**V. Bainesii, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 272.

Salisbury, April, Flanagan, 3046 ; Chipetzana Riv. 4000 ft. April, Swyn. 1903 ; between Lusitu and Nyahodi Rive. 5000 ft. Swyn. 1903a ; Victoria, Monro, 1272 ; Odzani River Valley, Umtali, Teague, 176.

**V. cinerea, Less.**

Fl. Trop. Afr. iii. 275 ; Cat. Afr. Pl. Welw. i. 521.

Victoria Falls, Rogers, 5042.

**V. cistifolia, O. Hoffm. var. rosea, O. Hoffm.**

Chirinda, 3800 ft. May, Swyn. 496.

**V. fastigiata, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 282.

Bulawayo, May, June, Rand, 277 &amp; 352 ; Chubb, 379 ; Gwelo, Sr. Phil. 42 ; Nyamandhlovu, April, Flanagan, 3066.

**V. gerberæformis, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 285.

Salisbury, Sep. Rand, 626 ; Melsetter, 6000 ft. Sep. Oct. Swyn. 1900 ; Mt. Pene, 6500-7000 ft. Swyn. 6112.

**V. glabra, Vatke.**

Fl. Trop. Afr. iii. 286.

Bulawayo, May, Rand, 353 ; Mazoe, 4300 ft. April, Eyles, 317 ; April, Flanagan, 3058 ; Victoria Falls, April, Flanagan, 3064 ; Chirinda, 3500 ft. April, Swyn. 1814 ; Chipetzana Riv. 3000 ft. Aug. Swyn. 1831 ; Salisbury, Sep. Rand, 622 (var.) ; Odzani River Valley, Umtali, Teague, 106.

**V. gracilipes, S. Moore.**

Journ. Linn. Soc. Bot. xl. 105.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1830, 1830a ; Mt. Pene, 6000 ft. Oct. Swyn. 6126, 6127.

var. **minor, S. Moore.**

Journ. Linn. Soc. Bot. xl. 106.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1909.

**V. hirsuta, Sch. Bip.**

Fl. Cap. iii. 51 ; Nat. Pl. 335.

North Melsetter, 5000-6000 ft. Oct. Swyn. 6116, 6138.

**V. Holstii, O. Hoffm.**

Chirinda, 3700-4000 ft. June, Swyn. 523a.

**V. humilis, C. H. Wright.**

Salisbury, Dec. Rand, 153 ; May, Rand, 492.

Genus No.

**V. integra, S. Moore.**

Journ. Bot. 1908, 39.

Mazoe, 4300–4800 ft. March, Eyles, 277; Gwelo, Sr. Phil. 3; Umtali, Rogers, 4079\*.

**V. Kraussii, Sch. Bip.**

Fl. Trop. Afr. iii. 276; Fl. Cap. iii. 51; Nat. Pl. 334.

Bulawayo, Dee. Rand, 150; Salisbury, May, Rand, 624; Darling; Rogers, 4080; Matopos, Engler; Oct. Gibbs, 342; North of Hartley, Engler; Umtali, Engler; Mt. Pene, 6000–7000 ft. Sep., Umvumvumvu Riv. 4000 ft. Oct. Swyn. 1827, 6002, 6141, 6142.

**V. lancibracteata, S. Moore.**

Journ. Bot. 1908, 293.

Mazoe, 4500–5000 ft. March, Eyles, 291.

**V. livingstoniana, Hiern.**

Fl. Trop. Afr. iii. 295.

Chirinda, Swyn.

**V. mashonica, N. E. Br.**

Kew Bull. 1906, 108.

Salisbury and Umtali, Cecil, 70, 229.

**V. Melleri, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 282.

Salisbury, Aug. Rand, 494; April, Flanagan, 3047; Mazoe, 4500–4800 ft. Aug. Eyles, 185; Odzani River Valley, Umtali, Teague, 97.

**V. monocephala, Harv.**

Fl. Cap. iii. 53; Nat. Pl. 331.

Melsetter, 6000 ft. Sep. Swyn. 1829; Chimanimani Mts. 7000 ft. Oct. Swyn. 6144.

**V. natalensis, Sch. Bip.**

Fl. Trop. Afr. iii. 277; Fl. Cap. iii. 51; Nat. Pl. 333; Cat. Afr. Pl. Welw. i. 522.

Salisbury, Engler; Chirinda, 3800 ft. Oct. Swyn. 275; Mt. Pene, 7000 ft. Swyn. 6145.

**V. pauciflora, Less.**

Fl. Trop. Afr. iii. 283.

Matopos, Rogers, 5360?.

**V. Petersii, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 273; Cat. Afr. Pl. Welw. i. 519.

Deka, 2400 ft. May, Eyles, 135.

Genus No.

8751—**V. podocoma**, Sch. Bip.

Fl. Trop. Afr. iii. 296; Cat. Afr. Pl. Welw. i. 539.

Victoria Falls, Sep. Galpin, 7029; Matopos, fl. & fr. Sep. Gibbs, 66; Mazoe, 4700 ft. Aug. Eyles, 386; Chirinda, Sep. Swyn. 113; Odzani River Valley, Umtali, Teague, 258.

**V. porphyrolepis**, S. Moore.

Journ. Bot. 1908, 39.

Mazoe, 4800–5000 ft. May, Eyles, 371; Odzani River Valley, Umtali, Teague, 71.

**V. Poskeana**, Vatke & Hildebr. var. **chlorolepis**, Steetz.  
(*V. steetziana*, Oliv. & Hiern.)

Fl. Trop. Afr. iii. 273, 274; Cat. Afr. Pl. Welw. i. 520.

Bulawayo, May, Rand, 344; Victoria Falls, 3000 ft. May, Eyles, 137; Chipetzana Riv. 3000 ft. Dec. Swyn. 1828a; Mazoe, 4400 ft. April, Eyles, 311; Plumtree, April, Flanagan, 2067; Odzani River Valley, Umtali, Teague, 96.

**V. purpurea**, Sch. Bip.

Fl. Trop. Afr. iii. 281.

Salisbury, April, Flanagan, 3042.

**V. Randii**, S. Moore.

Journ. Bot. 1899, 369.

Salisbury, July, Rand, 495, 1371; Mazoe, 4300–4800 ft. July, Aug. Eyles, 380, 387; Victoria, Monro, 338b, 358, 692; Matopos, Rogers, 5162; Victoria Falls, Rogers, 5295; Odzani River Valley, Umtali, Teague, 250.

**V. senegalensis**, Less.

Fl. Trop. Afr. iii. 283; Fl. Cap. iii. 50; Cat. Afr. Pl. Welw. i. 528; For. Fl. Port. E. Afr. 77.

Victoria Falls, Allen, 33; Engler; Rogers, 5054; Mazoe, April, Flanagan, 3052; Victoria, Monro, 338; Umvukwe, Govt. Herb. 1091.

**V. tenoreana**, Oliv.

Fl. Trop. Afr. iii. 290.

Salisbury, July, Rand, 497.

**V. Wollastonii**, S. Moore.

Victoria, Monro, 1550, 1990.

**V. Woodii**, O. Hoffm.

Salisbury, May, Flanagan, 3038; Victoria Falls, April, Flanagan, 3065; Victoria, Monro, 346; Melsetter, 6000 ft. April, Swyn. 1824; Upper Buzi, 3000 ft. May, Swyn. 1824a; also Chirinda, Swyn.

Genus No.

7851—**V.** spp.

- Mazoe, April, Flanagan, 3078, cf. *V. turbinata*, Oliv. & Hiern.  
 Victoria Falls, April, Flanagan, 3074 ; Allen, 131 ; Rogers, 5156,  
 5295a, 7015, cf. *V. demulans*, Vatke.  
 Bulawayo, Dec. Gardner, 84.  
 Matopos, March, Eyles, 1045 ; Rogers, 5171 & 5360, cf. *V.  
 pauciflora*, Less.

8775—**Elephantopus scaber**, L.

Fl. Trop. Afr. iii. 299 ; Cat. Afr. Pl. Welw. i. 540.

Mazoe, 4500–4800 ft. March, Eyles, 256.

8785—**Adenostemma viscosum**, Forst. (*A. caffrum*, DC. ; *A. Dicgei*, DC.)

Fl. Trop. Afr. iii. 299 ; Fl. Cap. iii. 58 ; Cat. Afr. Pl. Welw. i.  
 542 ; Nat. Pl. 346.

Matopos, 5000 ft. Feb. Eyles, 1168 ; Rogers, 5693 ; Mazoe,  
 4300 ft. Dec. Eyles, 226 ; Salisbury, May, Flanagan, 3050 ;  
 between Salisbury and Umtali, Rogers, 4072 ; Victoria Falls,  
 April, Flanagan, 3049.

8816—**Eupatorium africanum**, Oliv. & Hiern.

Fl. Trop. Afr. iii. 301 : Cat. Afr. Pl. Welw. i. 542.

Gwelo, Jan. Gardner, 43 ; North of Hartley, Engler ; Umtali,  
 Engler ; Mazoe, 4300–4800 ft. Sep. Eyles, 431 ; Salisbury,  
 Darling in Herb. Bolus, 10779 ; Rogers, 4012 ; South Rhodesia,  
 Rand, 153.

8818—**Mikania scandens**, Willd. (*M. capensis*, DC. ; *Willugbaeya  
 scandens*, O. Kuntze.)

Fl. Trop. Afr. iii. 301 ; Fl. Cap. iii. 59 ; Cat. Afr. Pl. Welw. i. 543.

Mazoe, 4400 ft. April, Eyles, 362 ; Umtali, Engler ; Victoria  
 Falls, Sep. Galpin, 6962 ; Rogers, 5124, 7218 ; Victoria,  
 Monro, 823.

8865—**Grangea maderaspatana**, Poir.

Fl. Trop. Afr. iii. 304 ; Cat. Afr. Pl. Welw. i. 545.

Victoria Falls, Allen, 100.

8901—**Erigeron canadense**, L.

Fl. Cap. iii. 86 ; Harv. Gen. S.A. Pl. 173.

Salisbury, Aug. Rand, 481 ; Bulawayo, 4600 ft. Aug. Eyles, 1232 ;  
 Macheke, Engler ; Odzani River Valley, Umtali, Teague, 136.

8919—**Felicia angustifolia**, Nees.

Fl. Cap. iii. 73.

Bulawayo, Rogers, 13619\*, 13668\*.

**F. fascicularis**, DC. (*Aster muricatus*, Less. var. *fascicularis*,  
 E. Mey.)

Fl. Cap. iii. 72.

South Rhodesia, Rand, 347.

Genus No.

**F. hyssopifolia**, Nees.

Bulawayo, Jan. Gardner, 79.

**F. lutea**, N. E. Br.

Kew Bull. 1901, 123.

Bulawayo, 4500 ft. Nov. Eyles, 1216; Sebakwe, 4000 ft. Dec.

Eyles, 161; Victoria, Monro, 1076; Gwelo, Sr. Phil. 34; Odzani River Valley, Umtali, Teague, 118.

**F. simulans?** (*Detris simulans?*)

Salisbury, Aug. Rand, 491.

**F. tenella**, DC. (*Aster tenellus*, L.)

Fl. Cap. iii. 71.

South Rhodesia, Jan. Rand, 135.

**F. sp.**

Bulawayo, Chubb, 364, cf. *F. rigidula*, DC.

8923—**Psiadia arabica**, Jaub. & Spach.

Fl. Trop. Afr. iii. 319; Cat. Afr. Pl. Welw. i. 553.

Bulawayo, Jan. Rand, 138.

8925—**Nidorella auriculata**, DC.

Fl. Cap. iii. 88.

Matabeleland, Oates; Matopos, Rogers, 5359; Odzani River Valley, Umtali, Teague, 4.

**N. depauperata**, Harv.

Fl. Cap. iii. 90.

Victoria Falls, July, Kolbe, 3144; Swartz.

**N. hirta**, DC.

Fl. Cap. iii. 88.

Rusapi, Engler.

**N. microcephala**, Steetz.

Fl. Trop. Afr. iii. 310.

Umtali, Engler; Bulawayo, Chubb, 402; Chirinda, 3700–4000 ft. May, Swyn. 287.

**N. namaquensis?**

Matabeleland, Marloth.

**N. resedifolia**, DC.

Fl. Cap. iii. 88; Cat. Afr. Pl. Welw. i. 550.

Bulawayo, Dec. Rand, 137; Chubb, 320 p.p., 398; Nov. Eyles, 1110; Dec. Gardner, 99; Victoria Falls, Allen, 121.

**N. sp.**

Matopos, Rogers, 5186.

8926—**Conyza ægyptiaca**, Ait. (*Marsea ægyptiaca*, Hiern.)

Fl. Trop. Afr. iii. 314; Cat. Afr. Pl. Welw. i. 550.

Victoria Falls, Rogers, 5014.

Genus No.

**C. costata**, Harv.

Fl. Cap. iii. 114.

Odzani River Valley, Umtali, Teague, 217.

**C. paucifolia**, Oliv. & Hiern.

Victoria Falls, Rogers, 5015.

**C. persicæfolia**, Oliv. & Hiern. (*Marsea persicæfolia*, Hiern.)

Fl. Trop. Afr. iii. 312; Cat. Afr. Pl. Welw. i. 550.

Victoria Falls, Swartz; Chirinda, 3700-4000 ft. June, Swyn. 2066, 2065a; Odzani River Valley, Umtali, Teague, 144.

**C. pinnatifida**, Less.

Fl. Cap. iii. 113.

Odzani River Valley, Umtali, Teague, 249.

**C. variegata**, Sch. Bip.

Fl. Trop. Afr. iii. 315.

Bulawayo, May, Rand, 357; Melsetter, 6000 ft. Oct. Swyn. 6128.

**C. sp.**Victoria Falls, Rogers, 5325.<sup>1</sup>8929—**Nolletia**.Victoria Falls, Rogers, 5109, cf. *N. rariiflora*, Steetz.8936—**Brachylæna discolor**, DC.

Fl. Cap. iii. 117; Nat. Pl. 23 &amp; 24; For. Fl. Port. E. Afr. 77;

Flor. Fl. Cape, 247.

Victoria, Monro, 573.

**B. rhodesiana**, S. Moore.

Journ. Linn. Soc. Bot. xxxvii. 448.

Matopos, Sep. Gibbs, 72; Galpin, 7069; Bulawayo, Chubb, 25; Inyamadzi Valley, 3000 ft. Swyn. 1856; Chipetzana Riv. 3000 ft. Swyn. 1857; also Chikore and Lusitu, Swyn.

**B. rotundata**, S. Moore.

Victoria, Monro, 516.

**B. spp.**

Victoria, Monro, 478, 965.

8937—**Tarchonanthus camphoratus**, L.

Fl. Cap. iii. 118; For. Fl. Port. E. Afr. 77; For. Fl. Cape, 245.

South of Bulawayo, Galpin, 7008; Bulawayo, Engler; April, Eyles, 64; Matopos, Sep. Gibbs, 315; Engler; Gwelo, Sr. Phil. 52.

**T. sp.**

South Rhodesia, Rand, 342.

<sup>1</sup> Rogers has this named *Microglossa volubilis*, DC.

Genus No.

8939—**Blumea Gariepina**, DC. (*Placus gariepinus*, O. Kuntze.)

Fl. Cap. iii. 120; Cat. Afr. Pl. Welw. i. 556.

Bulawayo, Dec. Rand, 278; Oct. Eyles, 1075; Chubb, 312; Mazoe, 4800 ft. Jan. Eyles, 235; Matopos, Sep. Gibbs; Victoria Falls, Allen, 408; Galpin, 7007; Gwelo, Sr. Phil. 51 &amp; 55; South Rhodesia, Rand, 341.

**B. lacera**, DC. (*Placus lacerus*, O. Kuntze.)

Fl. Trop. Afr. iii. 322; Fl. Cap. iii. 119; Cat. Afr. Pl. Welw. i. 555.

Matopos, Sep. Gibbs, 269; Victoria Falls, Engler; Sep. Galpin, 7031; Bulawayo, Chubb, 302.

**B. sp.**

Victoria Falls, Rogers, 7421.

8940—**Laggera alata**, Sch. Bip.

Fl. Trop. Afr. iii. 326; Nat. Pl. 324; Cat. Afr. Pl. Welw. i. 556.

Matopos, Galpin, 6956; Rogers, 5179; Salisbury, April, Flanagan, 3053; Chirinda, 3800 ft. May, Swyn. 498; Odzani River Valley, Umtali, Teague, 133.

**L. brevipes**, Oliv. & Hiern.

Fl. Trop. Afr. iii. 327; Cat. Afr. Pl. Welw. i. 557.

Chirinda, 3500 ft. July, Swyn. 2066.

**L. pterodonta**, Sch. Bip. (*L. purpurascens*, Sch. Bip.)

Fl. Trop. Afr. iii. 324.

Salisbury, July, Aug. Rand, 480, 500; Mazoe, 4800 ft. June, Eyles, 376; Matopos, Rogers, 5385.

8941—**Pluchea Dioscoridis**, DC.

Fl. Trop. Afr. iii. 329.

Victoria Falls, Rogers, 7134\*.

8949—**Denekia capensis**, Thunb.

Fl. Trop. Afr. iii. 331; Fl. Cap. iii. 119; Nat. Pl. 365.

Crocodile Riv. Oates; Matopos, Galpin, 6961; Nov. Eyles, 1118; Gibbs, 39; Victoria Falls, May, Eyles, 138; Gibbs, 156; Allen, 405; Rogers, 5278, 5039; Victoria, Monroe, 335; Gwelo, Jan. Gardner, 45; Marandellas, Engler; Mazoe, 4200 ft. Sep. Eyles, 406.

8951—**Nicolasia nitens**, S. Moore.

Victoria Falls, Rogers, 7099\*.

8953—**Epaltes gariepina**, Steetz.

Fl. Trop. Afr. iii. 332; Cat. Afr. Pl. Welw. i. 558.

Bulawayo, May, Rand, 354; Chubb, 360; Khami Riv. Oct. Eyles, 1085; Matopos, Oct. Gibbs, 195; Engler; Chipete Forest, 3800 ft. April, Swyn. 198; North Melsetter, Swyn. 1819.

Genus No.

8954—***Porphyrostemma alata* ?.**

Umtali, Rogers, 4036.

8955—***Sphæranthus peduncularis*, DC.**

Fl. Cap. iii. 115.

Bulawayo, May, Rand, 355 ; Aug. Eyles, 1231.

***S. Randii*, S. Moore.**

Journ. Bot. 1908, 40.

Salisbury, Rand, 527 ; Mazoe, 4200 ft. Sep. Eyles, 405.

***S. Steetzii*, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 334.

Victoria Falls, Sep. Galpin, 7030.

8972—***Amphidoxa* sp.**

Gwelo, Jan. Gardner, 51.

8990—***Achyrocline batocana*, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 339.

Matopos, Rogers, 5190 ; Macheke, Rogers, 4046.

8992—***Gnaphalium luteo-album*, L.**

Fl. Trop. Afr. iii. 313 ; Fl. Cap. iii. 262.

Bulawayo, Dee. Rand, 136 ; Salisbury, Rand, 151 ; Bulawayo, 4600 ft. Aug. Eyles, 1236 ; Matopos, Sep. Gibbs, 40 ; Rogers, 5248 ; Gwelo, Jan. Gardner, 12.

9006—***Helichrysum acervatum*, S. Moore.**

Journ. Linn. Soc. Bot. xl. 109.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1845.

***H. adenocarpum*, DC.**

Fl. Trop. Afr. iii. 350 ; Fl. Cap. iii. 229.

Chirinda, Chipetzana Riv., Nyahodi Riv. fl. April, May, Swyn. 1842, 1843, 1843a, 1843b.

***H. appendiculatum*, Less.**

Fl. Cap. iii. 242.

Chirinda, 3700 ft. May, Swyn. 1851 ; Upper Buzi, 3500 ft. Nov. Swyn. 1851a.

***H. argyrosphærum*, DC.**

Fl. Trop. Afr. iii. 351 ; Fl. Cap. iii. 222 ; Cat. Afr. Pl. Welw. i. 562. Bulawayo, Galpin, 7063 ; April, Flanagan, 3056 ; Matopos, Sep. Gibbs, 27 ; Engler ; Chirinda, 3700 ft. Aug. Swyn. 1806.

***H. auriculatum*, Less.**

Fl. Trop. Afr. iii. 347 ; Fl. Cap. iii. 253 ; Cat. Afr. Pl. Welw. i. 562.

Chirinda, 3700 ft. June, Swyn. 1838.

***H. brunoioides*, S. Moore.**

Journ. Linn. Soc. Bot. xl. 111.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1847.

Genus No.

9006—**H. Buchanani, Engl.**

Melsetter, 6000 ft. Sep. Swyn. 1905.

**H. cæspititium, Sond.**

Fl. Cap. iii. 217.

Bulawayo, Jan. Rand, 100.

**H. callicomum, Harv.**

Fl. Cap. iii. 247.

Salisbury, May, Flanagan, 3048.

**H. cymosum, Less.**

Fl. Trop. Afr. iii. 353; Fl. Cap. iii. 245.

Matopos, 4500 ft. Feb. Eyles, 1169; Rogers, 5188; Umtali, Engler.

**H. declinatum, Less.**

Fl. Cap. iii. 218.

Salisbury, Dec. Rand, 152; Bulawayo, May, Rand, 351; Victoria Falls, Rogers, 5470.

**H. ericæfolium, Less.**

Fl. Cap. iii. 217.

Matopos, Sep. Gibbs, 10.

**H. fulgidum, Willd.**

Fl. Cap. iii. 232.

Matopos, Rogers, 5653.

**H. gazense, S. Moore.**

Journ. Linn. Soc. Bot. xl. 110.

Melsetter, 6000 ft. Sep. Swyn. 1853.

**H. Kraussii, Sch. Bip.**

Fl. Cap. iii. 249; Nat. Pl. 269.

Salisbury, July, Rand, 531; Matopos, Engler; Melsetter, May, Swyn. 1835; Upper Buzi, 3600 ft. Sep. Swyn. 1835a.

**H. latifolium, Less.**

Fl. Cap. iii. 237.

Umtali, Rogers, 4030; Chirinda, May, Swyn. 510.

**H. leiopodium, DC.**

Fl. Cap. iii. 239; Cat. Afr. Pl. Welw. i. 565.

Victoria, Monro, 859; Chirinda, 3800 ft. April, Swyn. 307; Lusitu Riv. 4000 ft. May, Swyn. 502; Mt. Pene, 6500–7000 ft. Sep. Swyn. 1837, 1852.

**H. leptolepis, DC.**

Fl. Cap. iii. 222.

Bulawayo, May, Rand, 348; Matopos, Sep. Gibbs, 11; Mazoe, April, Flanagan, 3055; Victoria, Monro, 452; Bulawayo, Aug. Eyles, 1246.

## Genus No.

**H. nitens**, Oliv. & Hiern.

Fl. Trop. Afr. iii. 350.

Chirinda, Chimanimani Mts., Mt. Pene, Melsetter, in fl. Aug.-Oct. Swyn. 280, 1836, 1839, 1840, 6111.

**H. quinquenerve**, Less.

Fl. Cap. iii. 240.

Victoria Falls, Rogers, 5688\*.

**H. Saweri**, S. Moore.

Journ. Bot. 1905, 170.

Penhalonga, 6000 ft. E. R. Sawer.

**H. setosum**, Harv.

Fl. Cap. iii. 231.

Salisbury, July, Rand, 499 ; Bulawayo, 4500 ft. Feb. Eyles, 1170 ; Matabeleland, Marloth ; Mazoe, 4300 ft. April, Eyles, 350 ; Matopos, Rogers, 5653 ? ; Chirinda, Swyn. 279, 279a ; Melsetter, 6000 ft. April, Swyn. 281.

**H. stenopterum**, DC.

Fl. Cap. iii. 244.

Salisbury, April, Flanagan, 3044.

var. **citrinum**, S. Moore.

Journ. Bot. 1908, 41.

Mazoe, 4400 ft. April, Eyles, 363 ; Melsetter, June, Swyn. 1841 ; Chirinda Sep. Swyn. 1841a.

**H. Swynnertonii**, S. Moore.

Journ. Linn. Soc. Bot. xl. 109.

Melsetter, 6000 ft. Oct. Swyn. 6110.

**H. spp.**Sicumy Vlei, 3200 ft. Allen, 230, cf. *H. setosum*, Harv.

Bulawayo, 4500 ft. June, Eyles, 152.

Matopos, Rogers, 5182, 5192.

9019—**Humea africana**, S. Moore.

Journ. Linn. Soc. Bot. xl. 112.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1849.

9055—**Athrixia elata**, Sond.

Fl. Cap. iii. 292.

Mazoe, Sep. Rand, 484 ; July, Eyles, 383 ; Olzani River Valley, Umtali, Teague, 196.

**A. foliosa**, S. Moore.

Journ. Linn. Soc. Bot. xl. 113.

Melsetter, 6000 ft. July, Swyn. 1820.

**A. oblonga**, S. Moore.

Journ. Linn. Soc. Bot. xl. 112.

Chirinda, 3800 ft. Oct. Swyn. 276.

Genus No.

**B. rosmarinifolia**, Oliv. & Hiern.

Fl. Trop. Afr. iii. 355.

North Melsetter, 5000-6000 ft. Umyumvumvu, 4000 ft. Oct.  
Swyn. 6135, 6137, 6137a, 6219.

9061—**Inula acervata**, S. Moore.

Chirinda, 3800 ft. May, Swyn. 460.

**I. glomerata**, Oliv. & Hiern.

Fl. Trop. Afr. iii. 359; Cat. Afr. Pl. Welw. i. 566.

Umtali, Engler, Odzani River Valley, Teague, 155.

9069—**Calostephane divaricata**, Benth.

Fl. Trop. Afr. iii. 363; Cat. Afr. Pl. Welw. i. 569.

North of Bulawayo, 3400 ft. May, Eyles, 82; between Salisbury  
and Bulawayo, April, Flanagan, 3069 (var.).

**C. sp.**

Salisbury, April, Flanagan, 3062.

9073—**Pegolettia senegalensis**, Cass.

Fl. Trop. Afr. iii. 361; Cat. Afr. Pl. Welw. i. 568.

Deka, 2400 ft. May, Eyles, 131; Victoria Falls, April, Flanagan,  
3071; Rogers, 5063, 7052.

9078—**Pulicaria capensis**, DC.

Fl. Cap. iii. 121.

Bulawayo, May, Rand, 356; Matopos, Rogers, 5243.

**P. longifolia**, Boiss.

Gwelo, Jan. Gardner, 48.

9083—**Philgrophyllum Schinzii**, O. Hoffm.

Matopos, Rogers, 7928\*; Wankie, Rogers\*.

9087—**Sphacophyllum flexuosum**, Hutch.

Kew Bull. 1906, 249.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1866.

**S. sparsum**, S. Moore.

Journ. Linn. Soc. Bot. xl. 114.

Lusitu Riv. 3000 ft. April, Swyn. 1867.

9090—**Geigeria passerinoides**, Harv.

Fl. Cap. iii. 125.

Matopos, 4600 ft. March, Eyles, 1035.

**G. protensa**, Harv. var. **pubigera**, S. Moore.

Journ. Bot. 1899, 375; Fl. Cap. iii. 125 (type).

Bulawayo, Dec. Rand, 104.

**G. pubescens**, S. Moore.

Journ. Bot. 1899, 374.

Bulawayo, May, Rand, 345.

## Genus No.

**G. Randii, S. Moore.**

Journ. Bot. 1899, 374.

Bulawayo, May, Rand, 346.

**G. rhodesiana, S. Moore.**

Journ. Bot. 1908, 41.

Mazoe, 4300 ft. April, Eyles, 318; Flanagan, 3061; Victoria, Monro, 968; Chirinda, 3800 ft. 490, Nyahodi Riv. 5000 ft., Chipetzana Riv. 3000 ft. fl. April, May, Swyn. 490, 1817, 1823.

**G. Zeyheri, Harv.**

Fl. Cap. iii. 126.

Crocodile Riv. Oates; Matopos, April, Flanagan, 3059.

**G. spp.**Matopos, April, Flanagan, 3060, cf. *G. africana*, Gr.

Matopos, Eyles, 1059.

Bulawayo, Chubb, 323.

9148—**Xanthium spinosum, L.**

Bulawayo, 4500 ft. Eyles, 99?; Salisbury, Govt. Herb. 797.

9160—**Siegesbeckia abyssinica, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 372.

Victoria Falls, Rogers, 5032.

9169—**Sclerocarpus africanus, Jacq.**

Fl. Trop. Afr. iii. 374; Cat. Afr. Pl. Welw. i. 575.

Salisbury, April, Flanagan, 3037.

9192—**Wedelia abyssinica, Vatke.**

Fl. Trop. Afr. iii. 377.

Umtali, Rogers, 4063?; Bulawayo, 13559?.

**W. africana, P. Beauv.**

Fl. Trop. Afr. iii. 376; Cat. Afr. Pl. Welw. i. 576.

Salisbury, April, Flanagan, 3037a.

**W. diversipapposa, S. Moore.**

Journ. Bot. 1899, 401.

Bulawayo, Jan. Rand, 111.

**W. menotricha, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 377.

Bulawayo, Rogers, 5910?; Salisbury, Rogers, 13089?.

**W. spp.**

Victoria Falls, Allen, 10, apparently undescribed.

Victoria Falls, Allen, 21, cf. *W. Menotricha*, Oliv. & Hiern.

Bulawayo, Chubb, 333.

9195—**Aspilia brachyphylla, S. Moore.**

Journ. Linn. Soc. Bot. xl. 115.

Chirinda, May, Swyn. 292, 495; Salisbury, Rogers, 13092?.

Genus No.

9411—**A. Eylesii**, S. Moore.

Journ. Bot. 1907, 45.

Sebakwe, 4000 ft. Dec. Eyles, 164.

**A. vulgaris**, N. E. Br.

Kew Bull. 1906, 164.

Between Salisbury and Umtali, Cecil, 43.

**A. zombensis**, Baker.

Victoria Falls, Allen, 199.

**A. sp.**

Victoria Falls, Allen, 254, cf. *A. Kotschyi*, Bth. & Hook.

9204—**Melanthera Brownii**, Sch. Bip.

Fl. Trop. Afr. iii. 382; Cat. Afr. Pl. Welw. i. 579.

Victoria Falls, Rogers, 5012, 5581; Chirinda, 3500 ft. Oct.  
Swyn. 293, 294.

9222—**Guizotia abyssinica**, Cass.

Fl. Trop. Afr. iii. 384.

Salisbury, April, Flanagan, 3039.

**G. Eylesii**, S. Moore.

Journ. Bot. 1908, 43.

Mazoe, 4300 ft. April, Eyles, 349; Chirinda, 3800 ft. May,  
Swyn. 295; Odzani River Valley, Umtali, Teague, 175.

9227—**Coreopsis insecta**, S. Moore.

Journ. Bot. 1908, 42.

Mazoe, 4700 ft. March, Eyles, 266.

**C. Steppia**, Steetz.

Fl. Trop. Afr. iii. 388; Cat. Afr. Pl. Welw. i. 584.

Mazoe, 4400 ft. April, Eyles, 307.

**C. sp.**

Between Wankie and Victoria Falls, Rogers, 6001.

9232—**Chrysanthellum procumbens**, Pers.

Fl. Trop. Afr. iii. 395; Cat. Afr. Pl. Welw. i. 588.

Bulawayo, Jan. Rand, 148; Jan. Gardner, 81; Rogers, 5926;  
Victoria Falls, Rogers, 6026\*.

9237—**Bidens pilosa**, L.

Fl. Trop. Afr. iii. 392; Fl. Cap. iii. 133; Cat. Afr. Pl. Welw.  
i. 587.

Bulawayo, May, Rand, 340; Mazoe, 4300–4800 ft. March,  
Eyles, 296; Victoria Falls, Rogers; Odzani River Valley,  
Umtali, Teague, 149.

**B. prolixus**, S. Moore.

Journ. Linn. Soc. Bot. xl. 116.

Melsetter, fl. & fr. April, Swyn. 1884.

Genus No.

- B. Schimperi**, *Sch. Bip.*  
 Fl. Trop. Afr. iii. 393.  
 Victoria Falls, April, Flanagan, 3036, 3041; Gwelo, Kolbe.
- 9262—Jaumea compositarum**, *Benth. & Hook.*  
 Fl. Trop. Afr. iii. 395.  
 Salisbury, April, Flanagan, 3077; Gwelo, Sr. Phil. 36.
- J. elata** (*N. E. Br.*), *Torre & Harms.* (*Hypericophyllum elatum*,  
*N. E. Br.*)  
 Chipetzana Riv. 3000 ft. April, Swyn. 1816.
- 9291—Schkuhria bonariensis**, *L.*  
 Bulawayo, Rogers, 5911, a weed of cultivation.
- 9311—Tagetes glandulifera**, *Schrank.*  
 Bulawayo, Monro, 79; Chubb, 341.
- T. minuta**, *L.*  
 Salisbury, March, Flanagan, 3015; Gwelo, Sr. Phil. 54;  
 Bulawayo, Chubb, 10a.
- 9351—Cotula anthemoides**, *L.*  
 Fl. Trop. Afr. iii. 397; Fl. Cap. iii. 182; Cat. Afr. Pl. Welw. i.  
 590.  
 Bulawayo, 4600 ft. Aug. Eyles, 1238; Monro, 36; Matopos,  
 Rogers, 5245.
- 9356—Schistostephium artemisiifolium**, *Baker.*  
 Umtali, Engler.
- S. heptalobum**, *Benth. & Hook.*  
 Fl. Trop. Afr. iii. 399.  
 Salisbury, April, Flanagan, 3041; Chirinda, 3500 ft. May, Swyn.  
 491; Melsetter, 6000 ft. Sep. Swyn. 1808.
- S. oxylobum**, *S. Moore.*  
 Journ. Linn. Soc. Bot. xl. 117.  
 Chimanimani Mts. 7000 ft. Sep. Swyn. 1871; Mt. Pene, 7000 ft.  
 Oct. Swyn. 6132.
- 9358—Artemisia afra**, *Jacq.*  
 Fl. Cap. iii. 170; Cat. Afr. Pl. Welw. i. 590; Harv. Gen. S.A.  
 Pl. 185.  
 Crocodile Riv. Oates; Salisbury, July, Rand, 496; April,  
 Flanagan, 3045; Mazoe, 4300 ft. April, Eyles, 351; Chirinda,  
 3700 ft. July, Swyn. 446; Melsetter, 6000 ft. Swyn. 646;  
 Lusitu Riv. Swyn. 646a, 646b; Nyahodi Riv. Swyn. 1822;  
 Odzani River Valley, Umtali, Teague, 92.
- 9374—Congrothamus sp.**  
 Victoria, Monro 1018.

Genus No.

9401—**Lopholæna brickellioides**, S. Moore.

Journ. Linn. Soc. Bot. xl. 118.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1802; Mt. Pene, 7000 ft.  
Oct. Swyn. 6033.

**L. Randii**, S. Moore.

Gwelo, Sr. Phil. 4.

9405—**Gynura cernua**, Benth. (*Crassocephalum cernuum*, Moench.)

Fl. Trop. Afr. iii. 402; Cat. Afr. Pl. Welw. i. 593.  
Salisbury, Aug. Rand, 493.

**G. crepidoides**, Benth. (*Crassocephalum diversifolium*, Hiern, var.  
*crepidiooides*, Hiern.)

Fl. Trop. Afr. iii. 403; Cat. Afr. Pl. Welw. i. 594.  
Salisbury, April, Flanagan, 3072.

**G. sarcobasis**, DC.

Matopos, 4800 ft. April, Eyles, 40.

**G. vitellina**, Benth.

Fl. Trop. Afr. iii. 402.  
Mazoe, 4300 ft. Dec. Eyles, 227.

9406—**Cineraria lobata**, L'Herit.

Fl. Cap. iii. 311.  
Melsetter, 6000 ft. Sep. Swyn. 1875.

**C. mazoensis**, S. Moore.

Journ. Bot. 1908, 43.  
Mazoe, 5000–5200 ft. April, Eyles, 345.

9411—**Senecio acervatus**, S. Moore.

Journ. Linn. Soc. Bot. xl. 121.  
Chirinda Forest, 3700–4000 ft. Oct. Swyn. 665.

**S. barbertonicus**, Klatt, var. *microcephala*, S. Moore.

Journ. Linn. Soc. Bot. xxxvii. 451.  
Matopos, Oct. Gibbs, 250; Bulawayo, 4500 ft. Aug. Eyles, 1239.

**S. bupleuroides**, DC.

Fl. Trop. Afr. iii. 414; Fl. Cap. iii. 378.  
Salisbury, Darling; May, Flanagan, 3079.

**S. deltoideus**, Less.

Fl. Trop. Afr. iii. 420; Fl. Cap. iii. 403; Nat. Pl. 382.  
Chirinda, 3700–4000 ft. Feb. Swyn. 288; Chipete Forest, 3800  
ft. June, Swyn. 288a; Mt. Pene, Oct. Swyn. 6131.

**S. discifolius**, Oliv.

Fl. Trop. Afr. iii. 410.  
Gwelo, Jan. Gardner, 35.

Genus No.

**S. erubescens, Ait.**

Fl. Cap. iii. 363; Cat. Afr. Pl. Welw. i. 597.

Matopos, Oct. Gibbs, 241; Chirinda, 3700–4000 ft. Nov. Swyn. 1812; Macheke, Rogers, 4045\*; Bulawayo, Rogers, 5519\*.

**S. gazensis, S. Moore.**

Journ. Linn. Soc. Bot. xl. 121.

Melsetter, 6000 ft. Oct. Swyn. 6143.

**S. homoplasticus, S. Moore.**

Journ. Linn. Soc. Bot. xl. 120.

Chirinda, 3500 ft. Oct. Swyn. 288.

var. **tomentellus, S. Moore.**

Journ. Linn. Soc. Bot. xl. 121.

Chirinda, 3500 ft. Swyn. 288a.

**S. lasiorhizus, DC. (S. coronatus, Harv.)**

Fl. Trop. Afr. iii. 415; Fl. Cap. iii. 369; Cat. Afr. Pl. Welw. i. 598.

Bulawayo, Dec. Rand, 139; Nov. Eyles, 1222; Salisbury, Sep. Rand, 628 (var.); Engler; Darling; Matopos, Sep. Gibbs, 189; Salisbury, Rogers, 4026.

**S. latifolius, DC.**

Fl. Cap. iii. 377; Cat. Afr. Pl. Welw. i. 598.

Bulawayo, Dec. Rand, 140; Salisbury, Engler; Chirinda, Nov. Swyn. 1876, 1944; also Melsetter Dist. Swyn.

**S. longiflorus, Oliv. & Hiern. (Kleinia longiflora, DC.)**

Bulawayo, 4500 ft. fl. Sep. fr. Oct. Eyles, 1083; Engler.

**S. othonnæflorus, DC.**

Fl. Cap. iii. 373.

Bulawayo, 4500 ft. Nov. Eyles, 1223.

**S. oxyriæfolius, DC.**

Fl. Cap. iii. 376.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1946; Bulawayo, Rogers, 13563\*.

**S. picridifolius, DC.**

Fl. Trop. Afr. iii. 413; Fl. Cap. iii. 379; Cat. Afr. Pl. Welw. i. 597.

Salisbury, April, Flanagan, 3076; Umtali, Rogers, 4052.

**S. propior, S. Moore.**

Journ. Linn. Soc. Bot. xl. 118.

Chimanimani Mts. 7000 ft. Sep. Swyn. 1879.

**S. protracta (S. Moore), Torre & Harms. (Emilia protracta, S. Moore.)**

Journ. Bot. 1905, 48.

Victoria Falls, 3000 ft. May, Eyles, 119; April, Flanagan, 3234; Rogers, 5023.

## Genus No.

**S. purpureus, L.**

Fl. Cap. iii. 363.

Macheke, Rogers, 4048.

**S. Randii, S. Moore.**

Journ. Bot. 1899, 402.

Salisbury, Sep. Rand, 625.

**S. rosmarinifolius, L. f.**

Fl. Cap. iii. 100.

Matopos, Oct. Gibbs, 43; April, Flanagan, 3081; Gwelo, Sr. Phil. 31.

**S. sagittata (DC.), Torre & Harms. (*Emilia sagittata*, DC.; *Emilia flammea*, Cass.)**

Fl. Trop. Afr. iii. 405; Cat. Afr. Pl. Welw. i. 595.

Mazoe, 5000 ft. March, Eyles, 288; April, Flanagan, 2057; Odzani River Valley, Umtali, Teague, 16.

**S. sarmentosus, O. Hoffm.**

Mazoe, 4300 ft. July, Eyles, 379.

**S. Serra, Sond.**

Fl. Cap. iii. 389.

Matopos, May, Flanagan, 3080.

**S. tamoides, DC.**

Fl. Cap. iii. 404; Nat. Pl. 95.

Chipete Forest, 3800 ft. Swyn. 1877.

**S. tenellulus, S. Moore.**

Journ. Linn. Soc. Bot. xxxvii. 449.

Matopos, Oct. Gibbs, 203.

**S. spp.**Salisbury, April, Flanagan, 3073, cf. *S. myriocephalus*, Sch. Bip.

Salisbury, Darling, in Herb. Bolus, 10780.

Matopos, Rogers, 5183.

Victoria Falls, Allen, 15, cf. *S. sagittata* (DC.)9417—**Euryops osteospermum, S. Moore.**

Journ. Bot. 1899, 403.

Salisbury, July, Rand, 498.

var. **parvifolia, S. Moore.**

Journ. Bot. 1899, 403.

Salisbury, Dec. Rand, 109.

9420—**Othonna ambifaria, S. Moore.**

Journ. Bot. 1899, 403.

Shashi Riv. Jan. Rand, 110.

9427—**Osteospermum herbaceum, Linn. f.**

Fl. Cap. iii. 435.

Salisbury, Aug. Rand, 489.

**Genus No.****O. moniliferum, Linn.**

Fl. Cap. iii. 436; Nat. Pl. 55.

Salisbury, Aug. Rand, 487 (var.) ; Melsetter, 6000 ft. Swyn. 497 ; Chirinda, 3500 ft. Swyn. 1858 ; Mt. Pene, Swyn. 1858a ; Haroni Riv. 5000 ft. Swyn. 6130 ; in fl. May, Sep. Oct. Swyn.

**O. muricatum, E. Mey.**

Fl. Trop. Afr. iii. 425; Fl. Cap. iii. 441; Cat. Afr. Pl. Welw. i. 607.

Salisbury, Aug. Rand, 339 ; Matopos, fl. & fr. Sep. Gibbs, 22 ; Galpin, 6990 ; Bulawayo, Chubb, 351, 371 ; Rogers, 5932.

**9428—*Tripteris amplexicaulis*, Less.**

Fl. Cap. iii. 427 ; Cat. Afr. Pl. Welw. i. 607.

Salisbury, Sep. Rand, 485 ; Mazoe, 4300–4800 ft. Oct. Eyles, 437 ; Victoria, Monro, 727 ; Mt. Pene, 6500–7000 ft. Sep. Swyn. 1859.

**T. monocephala, Oliv. & Hiern.**

Fl. Trop. Afr. iii. 424.

Salisbury, Rogers, 4001 ; Mt. Pene, 7000 ft. Oct. Swyn. 6161.

**T. sp.**

Salisbury, Darling, in Herb. Bolus, 10777, cf. *T. monocephala*, Oliv. & Hiern.

**9432—*Arctotis scaposa* (Harr.) Torre & Harms. (*Haplocarpha scaposa*, Harr.)**

Fl. Trop. Afr. iii. 427 ; Fl. Cap. iii. 465.

Bulawayo, Dec. Rand, 99 ; Gwelo, Jan. Gardner, 80 ; Plumtree, April, Flanagan, 3032.

**9434—*Gazania krebsiana*, Less.**

Fl. Cap. iii. 475.

Salisbury, Rand, 490.

**var. *hispidula*, Harr.**

Fl. Cap. iii. 476.

Mazoe, 4300 ft. Aug. Eyles, 184 ; Matopos, fl. & fr. Sep. Gibbs, 75 ; Victoria, Monro, 444 ; Mt. Pene, Oct. Swyn. 6115.

**9436—*Berkheyopsis integrifolia*, Volk.**

Bulawayo, Dec. Rand, 133.

**B. bechuanensis, S. Moore.**

Bulawayo, Rogers, 5496\*, 13554\*.

**B. spp.**

Plumtree, April, Flanagan, 3033.

**9438—*Berkheya Adlami*, Hook. f.**

Sebakwe, 4000 ft. Dec. Eyles, 118 ; Victoria, Monro, 964 ; Bulawayo, Rand, 149.

Genus No.

**B. gorterioides**, Oliv. & Hiern.

Fl. Trop. Afr. iii. 429.

Bulawayo, Rogers, 13555\*.

**B. setifera**, DC. var. *tropica*, S. Moore.

Journ. Linn. Soc. Bot. xl. 123 ; Fl. Cap. iii. 509 (type).

Lusitu Riv. 5000 ft. Sep. Swyn. 1869.

**B. subulata**, Harv.

Fl. Cap. iii. 507 ; Nat. Pl. 225.

Mazoe, 4500 ft. Aug. Eyles, 178 ; Salisbury, Darling ; Odzani River Valley, Umtali, Teague, 9.

**B. Zeyheri**, Sond. & Harv.

Fl. Trop. Afr. iii. 429.

Gwelo, Jan. Gardner, 6 ; Bulawayo, Jan. Rand, 113 ; Haroni Riv. 5600 ft. Sep. Swyn. 1868 ; Melsetter, 6000 ft. Oct. Swyn. 6114.

**B. spp.**

Salisbury, Rogers, 4065.

Victoria Falls, Flanagan, 3031, 3034.

9476—**Centaurea rhizocephala**, Oliv. & Hiern. var. *australis* ?

Fl. Trop. Afr. iii. 438 (type).

Salisbury, Aug. Rand, 482 ; Mazoe, 4400–4800 ft. Aug. Eyles, 397.

**C. sp.**

Salisbury, Darling in Herb. Bolus, 10776.

9499—**Pleiotaxis Antunessii**, O. Hoffm.

Cat. Afr. Pl. Welw. i. 611.

Mazoe, 4500–5000 ft. March, Eyles, 287 ; April, Flanagan, 3054.

**P. spp.**

Gwelo, Sr. Phil. 2 ; Salisbury, Rogers, 4079.

9501—**Dicoma anomala**, Sond.

Fl. Trop. Afr. iii. 443 ; Fl. Cap. iii. 517 ; Cat. Afr. Pl. Welw. i. 614.

Bulawayo, June, Rand, 486 ; Salisbury, Darling ; Matopos, Rogers, 5358 ; Victoria Falls, Rogers, 7151 ; North Melsetter, April, Swyn. 1818 ; Odzani River Valley, Umtali, Teague, 153.

var. *microcephala*, Harv.

Fl. Trop. Afr. iii. 443 ; Fl. Cap. iii. 517.

Matopos, 4500 ft. Feb. Eyles, 1176 ; Victoria, Monro, 883.

var. *Sonderi*, Harv.

Fl. Trop. Afr. iii. 443 ; Fl. Cap. iii. 517.

Plumtree, April, Flanagan, 3029.

**D. Kirkii**, Harv.

Fl. Trop. Afr. iii. 444 ; Fl. Cap. iii. 518.

Salisbury, May, Flanagan, 3051 ; Gwelo, Sr. Phil. 41 ; Odzani River Valley, Umtali, Teague, 154.

## Genus No.

- var. *angustifolia*, S. Moore.**  
 Journ. Linn. Soc. Bot. xl. 123.  
 Chirinda, 3800 ft. May, Swyn. 444; Victoria, Monro, 413, 1100c.
- D. Schinzii, O. Hoffm.**  
 Victoria Falls, Rogers, 5300 (var.).
- D. sessiflora, Harr.**  
 Fl. Trop. Afr. iii. 444; Fl. Cap. iii. 518.  
 Mazoe, 4800 ft. Aug. Eyles, 186 (var.?).
- D. tomentosa, Cass.**  
 Fl. Trop. Afr. iii. 443; Cat. Afr. Pl. Welw. i. 613.  
 Deka, 2400 ft. May, Eyles, 136.
- 9504—*Erythrocephalum zambesianum*, Oliv. & Hiern.**  
 Fl. Trop. Afr. iii. 441.  
 Chirinda, Oct. Swyn. 236.
- 9528—*Gerbera abyssinica*, Sch. Bip. (*Perdicium abyssinicum*, Hiern.)  
 Fl. Trop. Afr. iii. 445; Cat. Afr. Pl. Welw. i. 615.  
 Salisbury, Sep. Rand, 623; Gwelo, Jan. Gardner, 36; Mt. Pene,  
 6500 ft. Sep. Oct. Swyn. 1821, 6113.**
- G. ambigua, Sch. Bip.**  
 Fl. Cap. iii. 522.  
 Umtali, Rogers, 4033.
- G. discolor, Sond.**  
 Fl. Cap. iii. 522.  
 Salisbury, April, Flanagan, 3043.
- G. piloselloides, Cass. (*Perdicium piloselloides*, Hiern.)  
 Fl. Trop. Afr. iii. 445; Fl. Cap. iii. 522; Cat. Afr. Pl. Welw. i. 615.  
 Salisbury, Dec. Rand, 112; Matopos, fl. & fr. Oct. Gibbs, 257;  
 Chirinda, 4500 ft. Nov. Swyn. 1870.**
- G. plantaginea, Harr.**  
 Fl. Cap. iii. 522.  
 Mazoe, 4800 ft. Aug. Eyles, 400 ?
- G. viridifolia, Sch. Bip. (*G. natalensis*, Sch. Bip.)  
 Fl. Cap. iii. 523; Nat. Pl. 546.  
 Crocodile Riv. Oates; Salisbury, Darling; Rogers, 4006, 4005.**
- G. sp.**  
 Salisbury, Rogers, 4076.
- 9561—*Tolpis* sp. (*Swertia* sp.)  
 Victoria, Monro, 580.**
- 9595—*Sonchus Bipontini*, Aschers. var. *pinnatifidus*, Oliv. & Hiern.  
 Fl. Trop. Afr. iii. 458.  
 Chirinda, 3800 ft. May, Swyn. 1886.**

Genus No.

**S. elliotanus, Hiern.**

Cat. Afr. Pl. Welw. i. 623.

Salisbury, Sep. Rand, 483; Bulawayo, Chubb, 348.

**S. macer, S. Moore.**

Journ. Bot. 1899, 404.

Salisbury, Sep. Rand, 627.

**S. oleraceus, L.**

Fl. Trop. Afr. iii. 457; Fl. Cap. iii. 528; Cat. Afr. Pl. Welw. i. 622.

Gwelo, Sr. Phil. 45; a common weed, Rogers.

**S. violaceus, O. Hoffm.**

Salisbury, Rogers, 4062\*.

9596—**Lactuca capensis, Thunb.**

Fl. Trop. Afr. iii. 452; Fl. Cap. iii. 526; Cat. Afr. Pl. Welw. i. 621.

Bulawayo, May, Rand, 349; Jan. Eyles, 67; Chubb, 374, 376, 381; Salisbury, July, Rand, 488; Darling; Matopos, Nov. Eyles, 1149; fl. & fr. Sep. Gibbs, 52; Gwelo, Jan. Gardner, 39; North of Hartley, Engler; Mazoe, 4300–4800 ft. Oct. Eyles, 438; Victoria, Monro, 446, 446a; Odzani River Valley, Umtali, Teague, 76, 122, 123.

**L. virosa, Thunb. (L. dregeana, DC.)**

Fl. Cap. iii. 526.

Matopos, Engler.

## ALPHABETICAL LIST.

Names of Families are given in capitals.

Names of Genera are printed close to margin and not repeated.

Names of Species are slightly inset.

Names of Synonyms are printed in *italics*.

	PAGE		PAGE
<i>Aberia</i> .....	423	<i>Acalypha</i> —	
<i>caffra</i> , Hook f. ....	423	<i>caperonioides</i> , <i>Baill.</i> .....	396
<i>macrocalyx</i> , Oliv. ....	423	<i>chrindica</i> , <i>S. Moore</i> .....	396
<i>Zeyheri</i> , Sond. ....	423	<i>ciliata</i> , <i>Forsk.</i> .....	396
<i>Abrus</i> .....	380	<i>indica</i> , <i>L.</i> .....	396
<i>preatorius</i> , <i>L.</i> ....	380	<i>ornata</i> , <i>Hochst.</i> .....	396
<i>Abutilon</i> .....	412	<i>paniculata</i> , <i>Miq.</i> .....	396
<i>angulatum</i> , <i>Mast.</i> ....	412	<i>peduncularis</i> , <i>Meisn.</i> .....	396
<i>asiaticum</i> , <i>Don.</i> ....	413	<i>petiolaris</i> , <i>Hochst.</i> .....	396
<i>Cecilia</i> , <i>N. E. Br.</i> .....	412	<i>punctata</i> , <i>Meisn.</i> .....	396
<i>Fruticosum</i> , <i>G. &amp; P.</i> .....	412	<i>segetalis</i> , <i>Müll. Arg.</i> .....	396
<i>hirsutissimum</i> , <i>Moench</i> .....	413	<i>senensis</i> , <i>Klotzsch</i> .....	396
<i>intermedium</i> , <i>Hochst.</i> .....	412	<i>villiacaulis</i> , <i>Hochst.</i> .....	397
<i>matopense</i> , <i>Gibbs</i> .....	413	<i>zambesica</i> , <i>Müll. Arg.</i> .....	396
<i>Somnerianum</i> , <i>Sweet</i> .....	413	<i>ACANTHACEAE</i> .....	480
<i>zanzibaricum</i> , <i>Boj.</i> .....	413	<i>Achyranthes</i> .....	348
<i>Acacia</i> .....	361	<i>argentea</i> , <i>Laun.</i> .....	349
<i>albida</i> , <i>Del.</i> ....	361	<i>aspera</i> , <i>L.</i> .....	348
<i>caffra</i> , <i>Willd.</i> ....	361	var. <i>argentea</i> , <i>C. B. Cl.</i> .....	349
<i>farnesiana</i> , <i>Willd.</i> ....	362	var. <i>pinguispianta</i> , <i>C. B. Cl.</i> .....	349
<i>giraffae</i> , <i>Burch.</i> ....	362	<i>bidentata</i> , <i>Blume</i> .....	349
<i>horrida</i> , <i>Willd.</i> ....	362	<i>leptostachya</i> , <i>E. Mey.</i> .....	349
<i>mimosoides</i> , <i>L.</i> ....	362	<i>Achyrocline</i> .....	510
<i>natalitia</i> , <i>E. Mey.</i> ....	362	<i>batocarpa</i> , <i>O. &amp; H.</i> .....	510
<i>nigrescens</i> , <i>Oliv.</i> ....	362	<i>Achyropsis</i> .....	349
var. <i>pallida</i> , <i>Oliv.</i> ....	362	<i>leptostachya</i> , <i>Hook f.</i> .....	349
<i>pennata</i> , <i>Willd.</i> ....	362	<i>Achyrospermum</i> .....	462
<i>rechmanniana</i> , <i>Schinz</i> .....	362	<i>Carvalhi</i> , <i>Gürke</i> .....	462
<i>Rovunnae</i> , <i>Oliv.</i> ....	362	<i>Acocanthera</i> .....	444
<i>Senegal</i> , <i>Willd.</i> ....	362	<i>venenata</i> , <i>G. Don.</i> .....	444
<i>Seyal</i> , <i>Del.</i> ....	362	<i>Acridocarpus</i> .....	390
var. <i>multijuga</i> , <i>Schnnf.</i> ....	362	<i>Galpiniaefolius</i> , <i>Juss.</i> .....	390
<i>Suma</i> , <i>Kurz</i> .....	362	<i>pruriens</i> , <i>Juss.</i> .....	390
<i>Verek</i> , <i>G. &amp; P.</i> ....	363	<i>Acrocephalus</i> .....	465
<i>Welwitschii</i> , <i>Oliv.</i> ....	363	<i>callianthus</i> , <i>Briq.</i> .....	465
<i>xanthophloea</i> , <i>Benth.</i> ....	363	<i>chirindensis</i> , <i>S. Moore</i> .....	465
<i>Acalypha</i> .....	395	<i>picturatus</i> , <i>S. Moore</i> .....	465
<i>Allenii</i> , <i>Hutch.</i> ....	395	<i>sericeus</i> , <i>Briq.</i> .....	466

PAGE		PAGE	
Aerostichum . . . . .	288	Albizzia . . . . .	361
latifolium, Sw. . . . .	288	amara, Boiv. . . . .	361
lineare, Fée . . . . .	288	anthelmintica, Brongn. . . . .	361
viscosum, Sw . . . . .	288	antunesiana, Harms . . . . .	361
Aerotome sp. . . . .	461	fastigiata, E. Mey. . . . .	361
Actiniopteris . . . . .	286	var. chirindensis, Swyn. . . . .	361
radiata, Link. . . . .	286	Harveyi, Fourn. . . . .	361
Adansonia . . . . .	417	hypoleuca, Oliv. . . . .	361
digitata, L. . . . .	417	mozambiqueensis, Sim . . . . .	361
Adenia . . . . .	424	pallida, Harv. . . . .	361
semensis, Engl. . . . .	424	versicolor, Welw. . . . .	361
Adenium . . . . .	446	Albuca . . . . .	323
multiflorum, Klotzsch . . . . .	446	caudata, Jacq. . . . .	323
Adenodolichos sp. . . . .	385	Melleri, Bak. . . . .	323
Adenostemma . . . . .	506	tayloriana, Rendle . . . . .	323
caffrum, DC. . . . .	506	Wakefieldii, Bak. . . . .	323
Dregei, DC. . . . .	506	Alectra . . . . .	473
viscosum, Forst. . . . .	506	communis, Hemsl. . . . .	473
Adhatoda . . . . .	486	kilimandjarica, Hemsl. . . . .	473
Baysharwei, S. Moore . . . . .	486	melampyroides, Benth. . . . .	474
Eylesii, S. Moore . . . . .	486	pumila, Benth. . . . .	473
Adiantum . . . . .	286	Alepidea . . . . .	434
æthiopicum, L. . . . .	286	amatymbica, E. & Z. . . . .	434
capillus-veneris, L. . . . .	286	propinqua, Dümmer . . . . .	434
caudatum, L. . . . .	286	Swynnertonii, Dümmer . . . . .	434
lunulatum, Burm. . . . .	286	ALISMACEAE . . . . .	293
Oatesii, Bak. . . . .	286	Allophylus . . . . .	405
Adina . . . . .	490	alufolius, (Bak.) Radlk. . . . .	405
microcephala, Hiern . . . . .	490	chirindensis, Bak. f. . . . .	405
Æolanthus . . . . .	463	rubrifolius, (Hochst.) . . . . .	405
crenatus, S. Moore . . . . .	463	Aloe . . . . .	322
Rehmanni, Gürke . . . . .	463	excelsa, Berger . . . . .	322
sericeus, Gürke . . . . .	463	rhodesiana, Rendle . . . . .	323
Aerva . . . . .	348	Swynnertonii, Rendle . . . . .	323
lanata, Juss. . . . .	348	Alsodeia . . . . .	421
leucura, Moq. . . . .	348	convallarioides, Bak. f. . . . .	421
Aeschynomene . . . . .	377	gazensis, Bak. f. . . . .	422
cristata, Vatke . . . . .	377	Alternanthera . . . . .	349
elathroxylon, Desv. . . . .	377	achyrantha, R. Br. . . . .	349
gazensis, Bak. f. . . . .	377	echinata, Smith . . . . .	349
grandistipulata, Harms . . . . .	377	nodiflora, R. Br. . . . .	349
nodulosa, Bak. f. . . . .	377	sessilis, R. Br. . . . .	349
nyassana, Taub. . . . .	377	Alysicarpus . . . . .	379
oligantha, Welw. . . . .	377	rugosus, DC. . . . .	379
shirensis, Taub. . . . .	377	Wallichii, Wight & Arn. . . . .	379
uniflora, E. Mey. . . . .	378	Zeyheri, Harv. . . . .	379
Afzelia . . . . .	366	AMARANTACEAE . . . . .	347
cuanzensis, Welw. . . . .	366	Amarantus . . . . .	348
Agelaea . . . . .	360	graecizans, L. . . . .	348
nitida, Soland. . . . .	360	Thunbergii, Moq. . . . .	348
Agropyrum . . . . .	310	viridis, L. . . . .	348
lepidus ? var. tamba . . . . .	310	AMARYLLIDACEAE . . . . .	327
AIZOACEAE . . . . .	350	Amblystegium . . . . .	278

	PAGE		PAGE
Amblystegium—		Andropogon—	
varium, <i>Lindb.</i> .....	278	<i>marginalis</i> , <i>L.</i> .....	296
Amblygonocarpus .....	363	<i>monticola</i> , <i>Schult.</i>	
<i>obtusangulus</i> , <i>Harms</i> .....	363	var. <i>Trinii</i> , <i>Hook.</i> .....	296
<i>Schweinfurthii</i> , <i>Harms</i> .....	363	corrected in text to .....	296
Ammannia .....	426	<i>muricatum</i> , <i>Beauv.</i> .....	296
<i>baccifera</i> , <i>L.</i> .....	426	<i>Nardus</i> , <i>L.</i> var. <i>validus</i> , <i>Stapf</i> .....	296
<i>senegalensis</i> , <i>Lam.</i> .....	426	<i>pertusus</i> , <i>Willd.</i> .....	296
Ammocharis .....	327	<i>rufus</i> , <i>Kunth.</i> .....	296
<i>falcata</i> , <i>Herb.</i> .....	327	var. <i>fulvicomus</i> , <i>Rendle</i> .....	297
Amomum sp. ....	333	Ruprechti, <i>Hack.</i> .....	297
Amorphophallus .....	317	Schimpéri, <i>Hochst.</i> .....	297
<i>mossambicensis</i> , <i>Klotzsch</i> .....	317	schirensis, <i>Hochst.</i> .....	297
Ampelocissus .....	408	Schœnanthus, <i>L.</i> .....	297
<i>Grantii</i> , <i>Planch.</i> .....	408	var. <i>densiflorus</i> , <i>Hack.</i> .....	297
<i>mossambicensis</i> , <i>Planch.</i> .....	408	var. <i>versicolor</i> , <i>Hack.</i> .....	297
<i>obtusata</i> , <i>Planch.</i> .....	408	serratus, <i>Thunb.</i> .....	
Amphidoxa sp. ....	509	var. <i>versicolor</i> , <i>Hack.</i> .....	297
Anacampseros .....	351	sorghum, <i>Brot.</i> .....	297
<i>rhodesica</i> , <i>N. E. Br.</i> .....	351	squarrosum, <i>Linu. f.</i> .....	297
ANACARDIACEAE .....	401	tamba, <i>Rendle</i> .....	297
Anagallis .....	436	corrected in text to .....	296
<i>Hanningtonii</i> , <i>Bak.</i> .....	436	Trini, <i>Steud.</i> .....	
Anaphrenium .....	402	var. <i>simplicior</i> , <i>Hack.</i> .....	296
<i>paniculosum</i> , <i>Engl.</i> .....	402	corrected in text to .....	296
Ancylanthus .....	494	Aneilema .....	319
<i>Bainesii</i> , <i>Hiern.</i> .....	494	<i>adhaerens</i> , <i>Kunth.</i> .....	319
Androcymbium .....	321	<i>aequinoctiale</i> , <i>Kunth.</i> .....	319
<i>melanthoides</i> , <i>Willd.</i> .....	321	<i>dregeana</i> , <i>Kunth.</i> .....	319
<i>subulatum</i> , <i>Bak.</i> .....	321	<i>Johnstoni</i> , <i>K. Schum.</i> .....	319
Andropogon .....	295	<i>Nicholsoni</i> , <i>C. B. Cl.</i> .....	319
<i>amplectens</i> , <i>Nees</i> .....	295	<i>nyasense</i> , <i>C. B. Cl.</i> .....	319
<i>cereisiformis</i> , <i>Nees</i> .....	295	<i>sinicum</i> , <i>Lindl.</i> .....	320
<i>connatus</i> , <i>Chiov.</i> .....	295	var. <i>longifolia</i> , <i>C. B. Cl.</i> .....	320
<i>contortus</i> , <i>L.</i> .....	295	Aneimia .....	289
<i>cymbarius</i> , <i>L.</i> .....	295	<i>anthriscifolia</i> , <i>Schrad.</i> .....	289
var. <i>lepidus</i> , <i>Stapf</i> .....	295	<i>tomentosa</i> , <i>Sw.</i> .....	289
corrected in text to .....	295	Anemone .....	352
<i>eucomis</i> , <i>Nees</i> .....	295	<i>pencensis</i> , <i>Bak. f.</i> .....	352
<i>filipendulus</i> , <i>Hochst.</i> .....	295	Angrecum .....	337
<i>gayanus</i> , <i>Kunth.</i> .....	295	<i>leonis</i> ? .....	337
<i>gazense</i> , <i>Rendle</i> .....	295	<i>rhodesianum</i> , <i>Rendle</i> .....	337
<i>giganteus</i> , <i>Chiov.</i> .....	296	Anona .....	354
<i>halapensis</i> , <i>Brot.</i> .....	296	<i>senegalensis</i> , <i>Pers.</i> .....	354
<i>hiritflorus</i> , <i>Kunth.</i> .....	296	var. <i>rhodesiaca</i> , <i>Engl. &amp; Diels</i> ..	354
var. <i>semiberbis</i> , <i>Stapf</i> .....	296	ANONACEAE .....	354
<i>hirtus</i> , <i>L.</i> .....	296	Ansellia .....	335
<i>intermedius</i> , <i>R. Br.</i> .....	296	<i>africana</i> , <i>Lindl.</i> .....	335
<i>Jeffreysii</i> , <i>Hack.</i> .....	296	<i>humilis</i> , <i>Bull.</i> .....	335
<i>Lecontei</i> , <i>Franch.</i> .....	296	Anthericum .....	321
<i>Lepidus</i> , <i>Nees</i> .....	296	<i>uncipes</i> , <i>Bak.</i> .....	321
var. <i>tamba</i> , <i>Hack.</i> .....	296	<i>elongatum</i> , <i>Willd.</i> .....	321
corrected in text to .....	296	<i>filiforme</i> , <i>Thunb.</i> .....	321

PAGE		PAGE	
Anthericum—		Aristea . . . . .	330
<hispidum, <i="">L. . . . . .</hispidum,>	321	compressa, <i>Buching</i> . . . . .	330
longistylum, <i>Bkr.</i> . . . . .	321	zombensis, <i>Bak.</i> . . . . .	330
matabelense, <i>Bak.</i> . . . . .	321	Aristida . . . . .	304
Oatesii, <i>Bak.</i> . . . . .	321	adscensionis, <i>L.</i> . . . . .	304
recurvifolium, <i>Bak.</i> . . . . .	321	æquiglumis, <i>Hack.</i> . . . . .	304
rhodesianum, <i>Rendle</i> . . . . .	321	angustata, <i>Stapf</i> . . . . .	304
Antherotoma . . . . .	431	barbicollis, <i>Trin. &amp; Rupr.</i> . . . . .	304
Naudini, <i>Hook. f.</i> . . . . .	431	bipartita, <i>Trin. &amp; Rupr.</i> . . . . .	304
Authistiria . . . . .	298	ciliata, <i>Desf.</i> . . . . .	304
<i>imberbis</i> , Retz. . . . .	298	congesta, <i>Roem. &amp; Schult.</i> . . . . .	304
Anthocleista . . . . .	442	sieberiana, <i>Trin.</i> . . . . .	
var. <i>stipitata</i> , <i>Stapf.</i> . . . . .	442	var. <i>stipitata</i> , <i>Stapf.</i> . . . . .	304
Antholyza sp. . . . .	332	<i>stipitata</i> , <i>Hack.</i> . . . . .	304
Anthospermum . . . . .	496	<i>stipooides</i> , <i>Lam.</i> . . . . .	304
ammanioides, <i>S. Moore</i> . . . . .	496	Artabotrys . . . . .	354
ciliare, <i>L.</i> . . . . .	496	<i>brachypetala</i> , <i>Benth.</i> . . . . .	354
hispidulum, <i>E. Mey.</i> . . . . .	496	<i>Monteiroae</i> , <i>Oliv.</i> . . . . .	354
lanceolatum, <i>Thunb.</i> . . . . .	496	Artemisia . . . . .	516
Randii, <i>S. Moore</i> . . . . .	496	<i>afra</i> , <i>Jacq.</i> . . . . .	516
rigidum, <i>E. &amp; Z.</i> . . . . .	496	Arthrosolen . . . . .	425
vallicolum, <i>S. Moore</i> . . . . .	496	<i>chrysantha</i> , <i>Solms-Laub.</i> . . . . .	425
Antidesma . . . . .	394	Arundinella . . . . .	298
membranaceum, <i>Müll. Arg.</i> . . . . .	394	<i>Ecklonii</i> , <i>Nees</i> . . . . .	298
venosum, <i>Tul.</i> . . . . .	394	ASCLEPIADACEAE . . . . .	446
Antoschmidia . . . . .	307	Asclepias . . . . .	448
<i>pappophoroides</i> , <i>Boiss.</i> . . . . .	307	<i>aurea</i> , <i>Schlecht.</i> . . . . .	448
Aphloia . . . . .	422	<i>densiflora</i> , <i>N. E. Br.</i> . . . . .	448
<i>theiformis</i> , <i>Benn</i> . . . . .	422	<i>eminens</i> , <i>Schlecht.</i> . . . . .	449
APOCYNACEAE . . . . .	444	<i>Engleri</i> , <i>Schlecht.</i> . . . . .	449
Apodytes . . . . .	405	<i>fallax</i> , <i>Schlecht.</i> . . . . .	449
dimidiata, <i>E. Mey.</i> . . . . .	405	<i>fruticosa</i> , <i>L.</i> . . . . .	449
Aponogeton sp. . . . .	293	<i>fulva</i> , <i>N. E. Br.</i> . . . . .	449
APONOGETONACEAE . . . . .	293	<i>glaucophylla</i> , <i>Schlecht.</i> . . . . .	449
Aptosimum . . . . .	470	<i>lineolata</i> , <i>Schlecht.</i> . . . . .	449
decumbens, <i>Schinz.</i> . . . . .	470	<i>palustris</i> , <i>Schlecht.</i> . . . . .	449
elongatum, <i>Engl.</i> . . . . .	470	<i>physocarpa</i> , <i>Schlecht.</i> . . . . .	449
lineare, <i>Marl. &amp; Engl.</i> . . . . .	470	<i>Randii</i> , <i>S. Moore</i> . . . . .	449
<i>Randii</i> , <i>S. Moore</i> . . . . .	470	<i>reflexa</i> , <i>Brit. &amp; Rendle</i> . . . . .	449
AQUIFOLIACEAE . . . . .	403	<i>seabrifolia</i> , <i>S. Moore</i> . . . . .	449
ARACEAE . . . . .	317	<i>Swynnertonii</i> , <i>S. Moore</i> . . . . .	450
Arachis . . . . .	378	<i>tenuifolia</i> , <i>N. E. Br.</i> . . . . .	450
<i>hypogaea</i> , <i>L.</i> . . . . .	378	Ascolepis . . . . .	311
ABALIACEAE . . . . .	433	<i>capensis</i> , <i>(Kunth.) Ridley</i> . . . . .	311
Arctotis . . . . .	520	<i>protea</i> , <i>Welw.</i> . . . . .	311
<i>scaposa</i> , <i>(Harr.)</i> . . . . .	520	var. <i>bellidiflora</i> , <i>Welw.</i> . . . . .	311
Argemone . . . . .	355	Asparagus . . . . .	325
<i>mexicana</i> , <i>L.</i> . . . . .	355	<i>aethiopicus</i> , <i>L.</i> . . . . .	325
Argomuellera . . . . .	395	<i>africanus</i> , <i>Lam.</i> . . . . .	325
<i>macrophylla</i> , <i>Pax</i> . . . . .	395	<i>angolensis</i> , <i>Bak.</i> . . . . .	325
Argyrolobium . . . . .	372	<i>asiaticus</i> , <i>L.</i> . . . . .	325
<i>andrewsianum</i> , <i>Steud.</i> . . . . .	372	<i>falcatus</i> , <i>L.</i> . . . . .	325
<i>collinum</i> , <i>E. &amp; Z.</i> . . . . .	372	<i>laricinus</i> , <i>Burch.</i> . . . . .	326

	PAGE		PAGE
Asparagus—		Astragalus—	
medeoloides, <i>Thunb.</i> . . . . .	326	burkeanus, <i>Benth.</i> . . . . .	377
pilosus, <i>Bak.</i> . . . . .	326	Astrochilena . . . . .	453
plumosus, <i>Bak.</i> . . . . .	326	malvaea, <i>Hal. f.</i> . . . . .	443
racemosus, <i>Wild.</i> . . . . .	326	var. <i>epedunculata</i> , <i>Rendle</i> . . . . .	453
stipulaceus, <i>Lam.</i> . . . . .	326	Stuhlmanni, <i>Hal. f.</i> . . . . .	453
virgatus, <i>Bak.</i> . . . . .	326	Asystasia . . . . .	485
Aspidium . . . . .	279	coronandeliana, <i>Nees</i> . . . . .	485
neuleatum, <i>Swartz</i>		Athrixia . . . . .	512
var. <i>pungens</i> , <i>Klf.</i> . . . . .	279	elata, <i>Sond.</i> . . . . .	512
ammifolium, <i>Poir.</i> . . . . .	279	foliosa, <i>S. Moore</i> . . . . .	512
Aspilia . . . . .	514	oblonga, <i>S. Moore</i> . . . . .	512
brachyphylla, <i>S. Moore</i> . . . . .	514	rosmarinifolia, <i>O. &amp; H.</i> . . . . .	513
Eylesii, <i>S. Moore</i> . . . . .	515	Axonopus . . . . .	299
vulgaris, <i>N. E. Br.</i> . . . . .	515	<i>seminalatus</i> , <i>Hook. f.</i>	
zombensis, <i>Bak.</i> . . . . .	515	var. <i>Ecklonii</i> , <i>Stapf.</i> . . . . .	299
Asplenium . . . . .	281	Babiana . . . . .	331
adiantoides, <i>Lam.</i> . . . . .	281	Bainesii, <i>Bak.</i> . . . . .	331
adiantum-nigrum, <i>L.</i> . . . . .	281	Baikiaea . . . . .	365
anisophyllum, <i>Kze.</i> . . . . .	281	plurijuga, <i>Harms</i> . . . . .	365
aspidoïdes, <i>Schl.</i> . . . . .	281	BALSAMINACEAE . . . . .	406
circinatum, <i>Sw.</i>		Baphia spp. . . . .	369
var. <i>abyssinicum</i> , <i>Bak.</i> . . . . .	282	Barbacia . . . . .	328
dregeanum, <i>Kze.</i> . . . . .	282	<i>equisetoides</i> , <i>Engl.</i> . . . . .	328
erectum, <i>Bory</i> . . . . .	282	Barleria . . . . .	483
var. <i>erectum</i> , <i>Bory</i> . . . . .	282	albostellata, <i>C. B. Cl.</i> . . . . .	483
var. <i>lobatum</i> , <i>Sim</i> . . . . .	282	Boehmii, <i>Lindau</i> . . . . .	483
var. <i>lunulatum</i> , <i>Sim</i> . . . . .	282	Eylesii, <i>S. Moore</i> . . . . .	483
Eylesii, <i>Sim</i> . . . . .	282	Mackenii, <i>Hook. f.</i> . . . . .	483
filix-femina, <i>Bernh.</i> . . . . .	282	matopensis, <i>S. Moore</i> . . . . .	483
furcatum, <i>Thunb.</i> . . . . .	282	meyeriiana, <i>Nees</i> . . . . .	484
var. <i>tripinnatum</i> , <i>Bak.</i> . . . . .	282	Randii, <i>S. Moore</i> . . . . .	484
gemmiferum, <i>Schr.</i> . . . . .	282	spinulosa, <i>Klotzsch</i> . . . . .	484
var. <i>flexuosum</i> , <i>Schr.</i> . . . . .	282	Bartramia sp. . . . .	278
var. <i>laciniatum</i> , <i>Mett.</i> . . . . .	283	Basilicum . . . . .	466
laetum, <i>Sw.</i> . . . . .	283	<i>myriostachyum</i> , <i>O. Ktze.</i> . . . . .	466
Mannii, <i>Hook</i> . . . . .	283	Bauhinia . . . . .	366
monanthemum, <i>L.</i> . . . . .	283	urticulata, <i>DC.</i> . . . . .	366
proteansum, <i>Schr.</i> . . . . .	283	fassoglensis, <i>Kotschy</i> . . . . .	366
resectum, <i>Sm.</i> . . . . .	283	Galpini, <i>N. E. Br.</i> . . . . .	366
rufefolium, <i>Kze.</i> . . . . .	283	maerantha, <i>Oliv</i> . . . . .	366
Sandersoni, <i>Hook.</i> . . . . .	283	petriana, <i>Bolle</i> . . . . .	366
Schimperi, <i>A. Br.</i> . . . . .	283	reticulata, <i>DC.</i> . . . . .	366
serra, <i>Langs.</i> . . . . .		Becium . . . . .	466
var. <i>natalensis</i> , <i>Bak.</i> . . . . .	283	<i>angustifolium</i> , <i>N. E. Br.</i> . . . . .	466
Thunbergii, <i>Kze.</i> . . . . .	283	<i>obovatum</i> , <i>N. E. Br.</i> . . . . .	467
trichomanes, <i>L.</i> . . . . .	283	Behnia . . . . .	326
varians, <i>Hook. &amp; Gr.</i> . . . . .	283	retivenata, <i>Didr.</i> . . . . .	326
Aster . . . . .	506	Belmontia . . . . .	443
muricatus, <i>Less.</i> . . . . .		<i>grandis</i> , <i>E. Mey.</i> . . . . .	443
var. <i>fasciculatus</i> , <i>E. Mey.</i> . . . . .	506	Berehemia . . . . .	407
tenellus, <i>L.</i> . . . . .	507	<i>discolor</i> , <i>Hemsl.</i> . . . . .	407
Astragalus . . . . .	377		

	PAGE		PAGE
Bergia.....	421	Borreria—	
decumbens, <i>Planch.</i> .....	421	dibrachiata, <i>K. Schum.</i> .....	497
Berkeyha .....	520	natalensis, <i>K. Schum.</i> .....	497
Adlami, <i>Hook. f.</i> .....	520	Ruelliae, <i>K. Schum.</i> .....	497
gorterioides, <i>O. &amp; H.</i> .....	521	stricta, <i>K. Schum.</i> .....	497
setifera, <i>DC.</i> .....		subvulgata, <i>K. Schum.</i> .....	497
var. <i>tropica</i> , <i>S. Moore</i> .....	521	Bosquiea .....	339
subulata, <i>Harr.</i> .....	521	Phoberos, <i>Baill.</i> .....	339
Zeyheri, <i>Sond.</i> & <i>Harr.</i> .....	521	Bothriocline .....	502
Berkheyopsis.....	520	inyangana, <i>N. E. Br.</i> .....	502
bechuanensis, <i>S. Moore</i> .....	520	Bouchea .....	458
integrifolia, <i>Volk.</i> .....	520	hederacea, <i>Sond.</i> .....	458
Berlia.....	366	pinnatifida, <i>Schauer</i> .....	458
Eminii, <i>Taub.</i> .....	366	Wilmsii, <i>Gürke</i> .....	459
panienlata, <i>Benth.</i> .....	366	Bowiea .....	322
Bersama.....	406	volubilis, <i>Harr.</i> .....	322
maschonensis, <i>Gürke</i> .....	406	Brachyceorythis .....	334
Swynnertonii, <i>Bak. f.</i> .....	406	acutiloba, <i>Rendle</i> .....	334
Bidens .....	515	hispidula? .....	334
pilosa, <i>L.</i> .....	515	Brachylæna .....	508
prolixus, <i>S. Moore'</i> .....	515	discolor, <i>DC.</i> .....	508
Schimperi, <i>Sch. Bip.</i> .....	516	rhodesiana, <i>S. Moore</i> .....	508
BIGNONIACEAE .....	477	rotundata, <i>S. Moore</i> .....	508
Blepharis .....	484	Brachystegia .....	364
Bainesii, <i>S. Moore</i> .....	484	appendiculata, <i>Benth.</i> .....	364
boerhaaviaefolia, <i>Pers.</i> .....	484	Bragei, <i>Harms</i> .....	365
diversipina, <i>C. B. Cl.</i> .....	484	globiflora, <i>Hook.</i> .....	365
innocua, <i>C. B. Cl.</i> .....	484	Goetzei, <i>Harms</i> .....	365
molluginifolia, <i>Pers.</i> .....	484	Randii, <i>Bak. f.</i> .....	365
Blumea .....	509	spicæformis, <i>Benth.</i> .....	365
gariepina, <i>DC.</i> .....	509	tamarindoides, <i>Welw.</i> .....	365
lacea, <i>DC.</i> .....	509	Brachystelma .....	450
Blyxa sp. .....	293	Barberiae, <i>Harr.</i> .....	450
Bobartia sp. .....	330	Brackenridgea .....	420
Boerhavia .....	349	zanguebarica, <i>Oliv.</i> .....	420
dichotoma, <i>Vahl</i> .....	349	Brassica sp. .....	355
grandiflora, <i>A. Rich.</i> .....	349	Breweria .....	452
pentandra, <i>Burch.</i> .....	349	capensis, <i>Bak.</i> .....	452
plumbaginea, <i>Car.</i> .....	349	Bridelia .....	394
repens, <i>L. var. diffusa</i> , <i>Hk. f.</i> .....	349	atroviridis, <i>Müll. Arg.</i> .....	394
Bolusanthus .....	369	cathartica, <i>Bertol. f.</i> .....	394
speciosus, ( <i>Bolus</i> ) <i>Harms</i> .....	369	micrantha, <i>Baill.</i> .....	394
BOMBACACEAE .....	417	mollis, <i>Hutch.</i> .....	394
Bonatea .....	334	Niedenzui, <i>Gehrm.</i> .....	394
anteunifera, <i>Rolfe</i> .....	334	scandens, <i>Willd.</i> .....	394
Bopusia .....	474	stipularis, <i>Blume</i> .....	394
scabra, <i>Presl.</i> .....	474	stipularis, <i>Müll. Arg.</i> .....	394
BORAGINACEAE .....	456	Brillantaisia .....	481
Borraginoideæ .....	457	grandidentata, <i>S. Moore</i> .....	481
physaloides, <i>Hiern</i> .....	457	Brunsvigia sp. .....	327
zeylanica, <i>Hiern</i> .....	457	Bryoscarpus .....	360
Borreria .....	497	eoccineus, <i>Sch. &amp; Thon.</i> .....	360
arvensis, <i>K. Schum.</i> .....	497	var. <i>parvifolius</i> , <i>Planch.</i> .....	360

	PAGE		PAGE
Buchnera .....	474	Canna—	
<i>ciliolata</i> , Engl. ....	474	<i>indica</i> , <i>L.</i>	
<i>dura</i> , Benth. ....	474	var. <i>orientalis</i> , <i>Rosc.</i> ....	333
<i>Eylesii</i> , S. Moore .....	475	CANNACEAE.....	333
<i>Henriquesii</i> , Engl. ....	475	Canseora .....	443
<i>hispidia</i> , Buch.-Ham. ....	475	<i>diffusa</i> , ( <i>Vahl</i> ) <i>R. Br.</i> ....	443
<i>Lastii</i> , Engl. ....	475	<i>Kirkii</i> , N. E. Br. ....	443
<i>leptostachya</i> , Benth. ....	475	Canthium .....	493
<i>pusilliflora</i> , S. Moore .....	475	<i>abbreviatum</i> , S. Moore....	493
<i>Randii</i> , S. Moore .....	475	<i>Gueinzii</i> , Sond. ....	493
<i>rhodesiana</i> , S. Moore .....	475	<i>lanciflorum</i> , Hiern .....	493
Buddleia .....	442	<i>tirifolium</i> , Hiern .....	493
<i>salvifolia</i> , <i>Lam.</i> ....	442	<i>Oatesii</i> , Rolfe .....	493
Bulbostylis .....	315	<i>Randii</i> , S. Moore....	493
<i>Burchelli</i> , C. B. Cl....	315	<i>Scymnertonii</i> , S. Moore .....	493
<i>schnoides</i> , Kunth. ....	316	<i>Ventosum</i> , S. Moore .....	494
Buphanie .....	327	Cantuaria .....	368
<i>disticha</i> , <i>Herb.</i> ....	327	<i>exosa</i> , Gmelin .....	368
<i>toxicaria</i> , <i>Herb.</i> ....	327	CAPPARIDACEAE .....	355
Burkea .....	364	Capparis .....	356
<i>africana</i> , <i>Hook.</i> ....	364	<i>tomentosa</i> , <i>Lam.</i> .....	356
Burmannia .....	333	Caralluma .....	451
<i>bicolor</i> , <i>Mart.</i> ....		<i>lateritia</i> , N. F. Br. ....	451
var. <i>africana</i> , <i>Ridl.</i> ....	333	Cardiospermum .....	405
BURMANNIACEAE.....	333	<i>canescens</i> , <i>Wall.</i> ....	405
Burnatia .....	293	<i>corindum</i> , <i>L.</i> ....	405
<i>enneandra</i> , <i>Mich.</i> ....	293	<i>Halicacabum</i> , <i>L.</i> ....	405
BURSERACEAE.....	388	Carex .....	316
CACTACEAE .....	424	<i>condensata</i> , <i>Nees</i> .....	316
Cadaba .....	356	<i>spicato-paniculata</i> , C. B. Cl....	316
<i>juncea</i> , <i>Hook.</i> ....	356	Carissa .....	444
<i>natalensis</i> , <i>Sond.</i> ....	356	<i>acuminata</i> , DC. ....	444
Calamintha .....	462	<i>Arduina</i> , <i>Lam.</i> ....	444
<i>masukensis</i> , S. Moore .....	462	<i>edulis</i> , <i>Vahl</i> ....	444
Calanthe .....	335	var. <i>tomentosa</i> , <i>Stapf.</i> ....	444
<i>natalensis</i> , <i>Rchb. f.</i> ....	335	<i>tomentosa</i> , A. Rich. ....	444
<i>sanderiana</i> ? .....	335	Carum .....	434
Callitris .....	292	<i>copticum</i> , <i>Bth.</i> & <i>Hk.</i> ....	434
<i>Whytei</i> , (Rendle) ....	292	CARYOPHYLLACEAE .....	351
Calopogonium .....	381	Cassia .....	367
<i>lacerans</i> , R. Br. ....	381	<i>abbreviata</i> , <i>Oliv.</i> ....	367
Calostephane.....	513	<i>absus</i> , <i>L.</i> ....	367
<i>divaricata</i> , Benth. ....	513	<i>araeoides</i> , <i>Burch.</i> ....	367
Calpurnia .....	369	<i>didymobotrya</i> , <i>Fres.</i> ....	367
<i>aurea</i> , <i>Bak.</i> ....	369	<i>fistula</i> , <i>L.</i> ....	367
<i>lasiogyne</i> , E. Mey. ....	369	<i>goratensis</i> , <i>Fres.</i> ....	367
CAMPANULACEAE .....	499	<i>granitica</i> , <i>Bak. f.</i> ....	367
Canavalia .....	381	<i>mimosoides</i> , <i>L.</i> ....	367
<i>ensiformis</i> , DC. ....	381	<i>occidentalis</i> , <i>L.</i> ....	367
<i>incurva</i> , P. Thouars .....	381	<i>petersiana</i> , <i>Bolle</i> ....	368
Canna.....	333	<i>tettensis</i> , <i>Bolle</i> ....	368
		<i>Tora</i> , <i>L.</i> ....	368
		Castanospermum .....	369

	PAGE		PAGE
Castanospermum—		Chenopodium—	
<a href="#">australe</a> , <i>A. Cunn.</i> .....	369	<i>Botrys, L.</i> .....	347
Cassytha .....	354	<i>futidum, Schrad.</i> .....	347
<a href="#">capensis</a> , <i>Meisn.</i> .....	354	<i>graveolens, Lag. &amp; Rodr.</i> .....	347
<a href="#">ciliolata</a> , <i>Nees</i> .....	354	<i>schraderianum, Roem. &amp; Schlt.</i> .....	347
<a href="#">filiformis</a> , <i>L.</i> .....	354	Chielanthes .....	285
Catha .....	404	<i>Bolusii, Bak.</i> .....	285
<a href="#">edulis</a> , <i>Forsk.</i> .....	404	<i>farinosa, Kaulf.</i> .....	285
Catharinea .....	278	<i>hirta, Sw.</i> .....	285
<a href="#">androgyna</a> , <i>C. Muell.</i> .....	278	<i>Kirkii, Hook.</i> .....	285
Cebatha .....	353	<i>multifida, Sw.</i> .....	285
<a href="#">hirsuta</a> , <i>O. Kuntze</i> .....	353	Chilianthus .....	442
CELASTRACEAE .....	403	<i>arboreus, A. DC.</i> .....	442
Celastrus .....	403	<i>oleaceus, Burch.</i> .....	442
<a href="#">buxifolius</a> , <i>L.</i> .....	404	Chironia .....	443
<a href="#">concinnum</a> , <i>N. E. Br.</i> .....	403	<i>exigua, Oliv.</i> .....	443
<a href="#">mossambicensis</a> , <i>Kltzch.</i> .....	404	<i>gratissima, S. Moore</i> .....	443
<a href="#">polyacanthus</a> , <i>Sond.</i> .....	404	<i>humilis, Gilg.</i> .....	443
<a href="#">senegalensis</a> , <i>Lam.</i> .....	404	var. <i>Wilmsii, Prain</i> .....	443
Celosia .....	347	<i>humilis, Bak. &amp; Br.</i> .....	443
<a href="#">trigyna</a> , <i>L.</i> .....	347	<i>palustris, Gilg.</i> .....	443
Celtis .....	338	<i>purpurascens, Rolfe</i> .....	443
<a href="#">dioica</a> , <i>S. Moore</i> .....	338	<i>transvaalensis, Gilg.</i> .....	443
<a href="#">kraussiana</a> , <i>Bernh.</i> .....	339	Chloris .....	306
<a href="#">rhamnifolia</a> , <i>Presl.</i> .....	339	<i>abyssinica, Hochst</i> .....	306
Centaurea .....	520	<i>barbata, Sw.</i> .....	306
<a href="#">rhizocephala</a> , <i>O. &amp; H.</i> .....		<i>gayana, Kunth.</i> .....	306
var. <i>australis?</i> .....	520	<i>petræa, Thunb.</i> .....	306
Cephaelandra .....	499	<i>pycnothrix, Trin.</i> .....	306
<a href="#">palmata</a> , <i>Sond.</i> .....	499	<i>virgata, Sw.</i> .....	306
<a href="#">pubescens</a> , <i>Sond.</i> .....	499	var. <i>elegans, Stapp</i> .....	306
Cephalanthus .....	490	Chloristylis .....	359
<a href="#">natalensis</a> , <i>Oliv.</i> .....	490	<i>shirensis, Bak. f.</i> .....	359
Ceratotheca .....	478	Chlorocodon .....	446
<a href="#">kraussiana</a> , <i>Kunth.</i> .....	478	<i>Whytei, Hook. f.</i> .....	446
<a href="#">sesamoides</a> , <i>Endl.</i> .....	478	Chlorophytum .....	322
<a href="#">triloba</a> , <i>E. Mey.</i> .....	478	<i>andongense, Bak.</i> .....	322
Ceropegia .....	451	<i>blepharophyllum, Schwnf.</i> .....	322
<a href="#">abyssinica</a> , <i>Decne.</i> .....	451	<i>elatum, R. Br.</i> .....	
<a href="#">hispidipes</a> , <i>S. Moore</i> .....	451	var. <i>Burchelli, Bak.</i> .....	322
<a href="#">mazoensis</a> , <i>S. Moore</i> .....	451	<i>gazense, Rendle</i> .....	322
<a href="#">tentaculata</a> , <i>N. E. Br.</i> .....	451	<i>polystachyum, Bak.</i> .....	322
Chænostoma .....	471	Chrysanthellum .....	515
<a href="#">micranthum</a> , <i>Engl.</i> .....	471	<i>procumbens, Pers.</i> .....	515
Chætacanthus .....	482	Chrysophyllum .....	437
<a href="#">Persoonii</a> , <i>Nees</i> .....	482	<i>argyrophyllum, Hiern</i> .....	437
Chailletia .....	392	<i>fulvum, S. Moore</i> .....	437
<a href="#">cymosa</a> , <i>Hook.</i> .....	392	<i>natalense, Sond.</i> .....	437
Chara .....	277	Cineraria .....	517
<a href="#">capensis</a> , <i>E. Mey.</i> .....	277	<i>lobata, L'Herit.</i> .....	517
CHARACEAE .....	277	<i>mazoensis, S. Moore</i> .....	517
CHENOPODIACEAE .....	347	Cissampelos .....	353
Chenopodium .....	347	<i>mucronata, A. Rich.</i> .....	353

	PAGE		PAGE
Cissampelos—		Cliffortia .....	359
Pareira, <i>L.</i> .....	353	linearifolia, <i>E. &amp; Z.</i> .....	359
var. mucronata, <i>Engl.</i> .....	353	Clitandra .....	445
torulosa, <i>E. Mey.</i> .....	353	orientalis, <i>K. Schum.</i> .....	445
Cissus.....	408	Cluytia .....	397
Buchananii, <i>Planch.</i> .....	408	inyangensis, <i>Hutch.</i> .....	397
congesta, <i>Planch.</i> .....	408	monticola, <i>S. Moore</i> .....	398
crotalariaeoides, <i>Planch.</i> .....	408	Paxii, <i>Kuanf.</i> .....	398
cymosa, <i>Schum.</i> .....	408	phyllanthoides, <i>S. Moore</i> .....	398
fragilis, <i>E. Mey.</i> .....	409	robusta, <i>Pax.</i> .....	398
gracilis, <i>Guill. &amp; Perr.</i> .....	409	stelleroides, <i>S. Moore</i> .....	398
hypargyreia, <i>Gily.</i> .....	409	Swynnertonii, <i>S. Moore</i> .....	398
jatrophoides, <i>Planch.</i> .....	409	vulabilis, <i>Hutch.</i> .....	398
Marlothii, <i>Gily.</i> .....	409	Cnestis .....	360
rhodesiae, <i>Gily.</i> .....	409	natalensis, <i>Pitch. &amp; Sud.</i> .....	360
rotundifolia, <i>Vahl.</i> .....	409	Coccinia .....	499
zombensis, <i>Gily. &amp; Brndt.</i> .....	409	palmata, <i>Cogn.</i> .....	499
Citrullus .....	498	pubescens, <i>Sond.</i> .....	499
vulgaris, <i>Schrad.</i> .....	493	Cocculus .....	353
Citrus .....	388	villosus, <i>DC.</i> .....	353
aurantium, <i>L.</i> .....	388	Coffea .....	494
medica, <i>L.</i> .....		Englerii, <i>K. Krause</i> .....	491
var. limonium, <i>Risso.</i> .....	388	ligustroides, <i>S. Moore</i> .....	494
Cleistachne .....	298	Swynnertonii, <i>S. Moore</i> .....	494
sorghoides, <i>Benth.</i> .....	298	Coleus .....	464
Clematis.....	352	gazensis, <i>S. Moore</i> .....	464
brachiata, <i>Thunb.</i> .....	352	latifolius, <i>Hochst.</i> .....	465
Kirkii, <i>Oliv.</i> .....	352	matopensis, <i>S. Moore</i> .....	465
orientalis, <i>L.</i> .....	352	palliolatus, <i>S. Moore</i> .....	465
var. simensis, <i>O. Kuntze</i> .....	352	Pentheri, <i>Gürke</i> .....	465
var. Thunbergii, <i>O. Kntze.</i> .....	352	polyanthus, <i>S. Moore</i> .....	465
simensis, <i>Fres.</i> .....	352	shirensis, <i>Gürke</i> .....	465
Stanleyi, <i>Hook.</i> .....	352	Swynnertonii, <i>S. Moore</i> .....	465
Thunbergii, <i>Steud.</i> .....	352	umbrosus, <i>Vatke</i> .....	465
villosa, <i>DC.</i> .....	352	Colocephthis .....	498
virona .....	353	amarissima, <i>Schrad.</i> .....	498
Wightiana, <i>Wall.</i> .....	353	Colpoon .....	344
Cleome .....	355	compressum, <i>Berg.</i> .....	344
hirta, <i>Oliv.</i> .....	355	COMBRETACEAE .....	427
maculata, <i>Szyszyl.</i> .....	355	Combretum .....	427
monophylla, <i>L.</i> .....	355	abbreviatum, <i>Engl.</i> .....	427
Clerodendron .....	459	apiculatum, <i>Sond.</i> .....	427
amplifolium, <i>S. Moore</i> .....	459	var. parvifolium, <i>Bak. f.</i> .....	427
glabrum, <i>E. Mey.</i> .....	460	arbuseula, <i>Engl.</i> .....	427
hirsutum, <i>Pearson</i> .....	460	atelanthum, <i>Diels</i> .....	427
lanceolatum, <i>Gürke</i> .....	460	Bragae, <i>Engl.</i> .....	427
myricoides, <i>R. Br.</i> .....	460	entrauctatum, <i>Diels</i> .....	427
var. cuneatum, <i>Pearson</i> .....	460	cognatum, <i>Diels</i> .....	427
var. discolor, <i>Bak.</i> .....	460	erythrophyllum, <i>Sond.</i> .....	427
ovale, <i>Klotzsch.</i> .....	460	glomeruliflorum, <i>Sond.</i> .....	428
reflexum, <i>Pearson</i> .....	460	Gueinzii, <i>Sond.</i> .....	428
spinescens, <i>Gürke</i> .....	460	hereroense, <i>Schinz</i> .....	428
Swynnertonii, <i>S. Moore</i> .....	460	holosericeum, <i>Sond.</i> .....	428

PAGE		PAGE	
Combretum —			
imberbe, <i>Wauwa</i> .....	428	Copaifera .....	508
Junodii, <i>Dummer</i> .....	428	coleosperma, <i>Benth.</i> .....	364
lindenbergianum, <i>Engl.</i> & <i>Diels</i> ..	428	mopane, <i>Kirk</i> .....	364
microphyllum, <i>Klotzsch</i> .....	428	Corchorus .....	409
mossambicense, <i>Engl.</i> .....	428	asplenifolius, <i>Burch.</i> .....	409
Oatesii, <i>Rolfe</i> .....	428	hirsutus, <i>L.</i> .....	409
oblongum, <i>F. Hoffm.</i> .....	428	Kirkii, <i>N. E. Br.</i> .....	409
patelliforme, <i>Engl.</i> & <i>Diels</i> .....	428	mucilagineus, <i>Gibbs.</i> .....	409
platypetalum, <i>Welw.</i> .....	428	muricatus, <i>Hochst.</i> .....	410
primigenum, <i>Marl.</i> & <i>Engl.</i> .....	428	serratifolius, <i>Burch.</i> .....	410
rhodesicum, <i>Bak. f.</i> .....	428	tridens, <i>L.</i> .....	410
salicifolium, <i>E. Mey.</i> .....	429	trilocularis, <i>L.</i> .....	410
tetraphyllum, <i>Diels</i> .....	429	Cordia.....	456
ulugurensse, <i>Engl.</i> .....	429	ovalis, <i>R. Br.</i> .....	456
Zeyheri, <i>Sond.</i> .....	429	Cordylogyne .....	448
Commelinina .....	318	kassnerianum, ( <i>Schlhr.</i> ).....	448
Africana, <i>L.</i> .....	318	mossambicense, ( <i>Schlhr.</i> ) .....	448
Bainesii, <i>C. B. Cl.</i> .....	318	Coreopsis .....	515
benghalensis, <i>L.</i> .....	318	insecta, <i>S. Moore</i> .....	515
Cecilae, <i>C. B. Cl.</i> .....	319	Steppia, <i>Steetz</i> .....	515
Forskalei, <i>Vahl.</i> .....	319	CORNACEAE .....	435
krebsiana, <i>Kunth</i> .....	319	Corrigiola .....	351
Livingstoni, <i>C. B. Cl.</i> .....	319	drymariooides, <i>Bak. f.</i> .....	351
nudiflora, <i>L.</i> .....	319	litoralis, <i>L.</i> .....	351
spectabilis, <i>C. B. Cl.</i> .....	319	Cotula .....	516
zambesica, <i>C. B. Cl.</i> .....	319	anthemoides, <i>L.</i> .....	516
COMMELINACEAE.....	318	Courbonia .....	356
Commiphora .....	388	decumbens, <i>Bougu.</i> .....	356
acutidens, <i>Engl.</i> .....	388	Courtoisia .....	313
edulis ? .....	388	assimilis, <i>C. B. Cl.</i> .....	313
Fischeri, <i>Engl.</i> .....	388	cyperoides, <i>Nees</i> .....	313
COMPOSITAE .....	502	Crabbea .....	483
Congrothamus sp. ....	516	erisioides, <i>Nees</i> .....	483
CONIFERAES .....	292	nana, <i>Nees</i> .....	483
CONNARACEAE .....	360	velutina, <i>S. Moore</i> .....	483
Conopharyngia .....	445	Craspedorhachis .....	306
elegans, <i>Stapf</i> .....	445	rhodesiana, <i>Rendle</i> .....	306
stapfiana, <i>Stapf</i> .....	445	Crassocephalum .....	517
usambarensis, <i>Stapf</i> .....	445	cernuum, <i>Moench</i> .....	517
CONVOLVULACEAE .....	452	<div style="text-align: center;">diversifolium, <i>Hiern</i></div> var. <i>crepidioides</i> , <i>Hiern</i> .....	517
Convolvulus .....	452	Crassula .....	358
Randii, <i>Rendle</i> .....	452	campestris, <i>E. &amp; Z.</i> .....	358
sagittatus		nivalis, <i>E. &amp; Z.</i> .....	358
var. <i>abyssinica</i> , <i>Hal. f.</i> .....	452	sarcolipes, <i>Harr.</i> .....	358
ulosepalus, <i>Hal. f.</i> .....	452	subulata, <i>Hook.</i> .....	358
Conyzza .....	507	CRASSULACEAE .....	357
egyptiaca, <i>Ait.</i> .....	507	Craterispermum .....	494
costata, <i>Harv.</i> .....	508	laurinum, <i>Benth.</i> .....	494
paucifolia, <i>O. &amp; H.</i> .....	508	Craterostigma .....	472
persicæfolia, <i>O. &amp; H.</i> .....	508	nanum, <i>Oliv.</i> .....	472
pinnatifida, <i>Less.</i> .....	508	plantagineum, <i>Hochst.</i> .....	472
variegata, <i>Sch. Bip.</i> .....	508	Cremaspora .....	492

	PAGE		PAGE
Cremaspora—		Croton—	
<africana, a="" benth.<=""> .....</africana,>	492	<i>sylvaticus, Hochst.</i> .....	395
Crinum .....	327	<i>welwitschianus, Müll. Arg.</i> .....	395
<i>Harmsii, Bak.</i> .....	327	<i>zambesicus, Müll. Arg.</i> .....	395
<i>Kirkii, Bak.</i> .....	327	CRUCIFERAE .....	355
<i>zeylanicum, L.</i> .....	327	Cryptolepsis .....	446
Crocospmia .....	331	<i>oblongifolia, Schlechter</i> .....	446
<i>aurea, Planch.</i> .....	331	<i>producta, N. E. Br.</i> .....	446
Cronartium .....	277	<i>transvaalensis, Schltr.</i> .....	446
<i>bresadolaeannum, Henn.</i> .....		Crystopteris .....	286
var. <i>eucleae, Henn.</i> .....	277	<i>fragilis, Bernh.</i> .....	286
Crossopteryx .....	489	Ctenium sp. .....	306
<i>kotschyana, Fenzl.</i> .....	489	Cucumis .....	499
Crossotropis .....	307	<i>Cecilii, N. E. Br.</i> .....	499
<i>grandiglumis, Rendle</i> .....	307	<i>chrysocomus, Sch. &amp; Thnn.</i> .....	499
Crotalaria .....	370	Figarei, <i>Delile</i> .....	499
<i>anthyllopsis, Welw.</i> .....	370	<i>hirsutus, Sond.</i> .....	499
<i>Barabassii, Dinter.</i> .....	370	<i>maudinianus, Sond.</i> .....	499
<i>brevidens, Benth.</i> .....	370	<i>Zeyheri, Sond.</i> .....	499
<i>capensis, Jacq.</i> .....	370	CUCURBITACEAE .....	498
<i>cephalotes, Steud.</i> .....	370	Culeasia .....	317
<i>chirindiae, Bak. f.</i> .....	370	<i>scandens, Beauv.</i> .....	317
<i>cylindrostachys, Welw.</i> .....	370	Curtisia .....	435
<i>elata, Welw.</i> .....	371	<i>faginea, Ait.</i> .....	435
<i>flaviearinata, Bak. f.</i> .....	370	Cuseuta .....	452
<i>gazensis, Bak. f.</i> .....	370	<i>kilimanjari, Oli.</i> .....	452
<i>intermedia, Kotschy.</i> .....	370	<i>obtusiflora</i> .....	
<i>kilianandscharica, Taub.</i> .....	371	var. <i>cordofana, Engelm.</i> .....	452
<i>laburnifolia, L.</i> .....	371	<i>planiflora, Ten.</i> .....	452
<i>lachnocarpa, Hochst.</i> .....	371	Cussonia .....	433
<i>lanceolata, E. Mey.</i> .....	371	<i>natalensis, Sond.</i> .....	433
<i>mossambicensis, Klotsch.</i> .....	371	<i>spicata, Thub.</i> .....	433
<i>natalitia, Meissn.</i> .....	371	<i>umbellifera, Sond.</i> .....	433
<i>nubica, Benth.</i> .....	371	CYANOPHYCEAE .....	277
<i>orthoclada, Welw.</i> .....	371	Cyanotis .....	320
<i>petiolaris, Franch.</i> .....		<i>fœunda, Hassk.</i> .....	320
var. <i>australis, Bak. f.</i> .....	371	<i>nodiflora, Kunth.</i> .....	320
<i>pisicarpa, Welw.</i> .....	371	CYATHEACEAE .....	279
<i>podocarpa, DC.</i> .....	371	Cyathea .....	279
<i>recta, Steud.</i> .....	371	<i>Dregei, Kunze.</i> .....	279
<i>Rogersii, Bak. f.</i> .....	371	<i>Manniana, Hook.</i> .....	279
<i>sericeifolia, Harms.</i> .....		<i>Thomsonii, Bak.</i> .....	279
var. <i>gweloensis, Bak. f.</i> .....	372	Cyatula .....	348
<i>spartioides, DC.</i> .....	372	<i>cylindrica, Moq.</i> .....	348
<i>sphaerocarpa, G. &amp; P.</i> .....	372	<i>prostrata, Blume</i> .....	348
var. <i>angustifolia, Hochst.</i> .....	372	Cyenium .....	475
<i>strinta, DC.</i> .....	372	<i>adomense, E. Mey.</i> .....	475
Croton .....	395	<i>palustre?</i> .....	475
<i>barotensis, Gibbs.</i> .....	395	<i>tabulosum, Engl.</i> .....	476
<i>gratissimus, Burch.</i> .....	395	Cymbopogon .....	295
<i>Gubonga, S. Moore</i> .....	395	<i>elegans, Spreng.</i> .....	295
<i>rivularis, Müll. Arg.</i> .....	395	<i>filipendulus, Rendle</i> .....	295
<i>Swynnertonii, S. Moore</i> .....	395	<i>gazense, Rendle</i> .....	295

PAGE		PAGE	
<i>Cymbopogon</i> —		Dactyloctenium—	
<i>giganteus</i> , Chiov.	296	<i>aegyptiacum</i> , Willd.	307
<i>rufus</i> , Rendle	296	<i>Dalbergia</i> . . . . .	379
<i>Ruprechtii</i> , Rendle	297	<i>dekindtiana</i> , Harms	379
<i>Schimperi</i> , Rendle	297	<i>lactea</i> , Vatke	379
<i>Schananthus</i> , Spreng.	297	<i>melanoxylon</i> , G. & P.	379
<i>tumba</i> , Rendle	297	<i>Swynnertonii</i> , Bak. f.	379
<i>Cynanchum</i> . . . . .	450	<i>Damapana</i> . . . . .	378
<i>chirindense</i> , S. Moore	450	<i>strigosa</i> , O. Ktze.	378
<i>praecox</i> , Schlechter	450	<i>Danthonia</i> . . . . .	305
<i>Cynodon</i> . . . . .	306	<i>inermis</i> , Stapf	305
<i>Dactylon</i> , Pers.	306	<i>Datura</i> . . . . .	470
<i>incompletus</i> , Nees	306	<i>Stramonium</i> , L.	470
<i>Cynoglossum</i> . . . . .	457	<i>Davallia</i> . . . . .	281
<i>lanceolatum</i> , Forsk.	457	<i>Concinna</i> , Schrad.	281
<i>micranthum</i> , Desf.	457	<i>Hollandii</i> , Sim	281
<b>CYPERACEAE</b> . . . . .	311	<i>theциfera</i> , HBK.	281
<i>Cyperus</i> . . . . .	311	<i>Decabelone</i> . . . . .	451
<i>albostriatus</i> , Schrad.	311	<i>elegans</i> , Decne	451
<i>amabilis</i> , Vahl.	311	<i>Dekindtia</i> . . . . .	440
<i>aristatus</i> , Rottb.	311	<i>africana</i> , Gilg.	440
<i>auricomus</i> , Spr.	311	<i>Denekia</i> . . . . .	509
<i>betschuanus</i> , Boeck.	311	<i>capensis</i> , Thunb.	509
<i>compactus</i> , Lam.	311	<i>Derris</i> . . . . .	380
var. <i>flavissimus</i> , C. B. Cl.	311	<i>violacea</i> , Harms	380
<i>denudatus</i> , Linn. f.	312	<i>Desmodium</i> . . . . .	378
<i>distans</i> , Linn. f.	312	<i>dimorphum</i> , Welw.	378
<i>dregeanus</i> , Kunth.	312	<i>lasiocarpum</i> , DC.	378
<i>esculentus</i> , L.	312	<i>latifolium</i> , DC.	378
<i>globosus</i> , Boeck.	312	<i>paleaceum</i> , G. & P.	379
<i>Haspan</i> , L.	312	<i>Scalpe</i> , DC.	379
var. <i>americana</i> , Boeck.	312	<i>Detris</i> . . . . .	507
<i>hemisphaericus</i> , C. B. Cl.	312	<i>simulans</i> ? . . . . .	507
<i>margaritaceus</i> , Vahl.	312	<i>Dialium</i> . . . . .	367
<i>Mundtii</i> , Kunth.	312	<i>guineense</i> , Willd.	367
<i>papyrus</i> , L.	312	<i>Diapodium</i> . . . . .	485
<i>polystachyus</i> , Rottb.	312	<i>Melleri</i> , S. Moore	485
var. <i>laxiflora</i> , Benth.	313	<i>DICHRAPETALACRAE</i> . . . . .	392
<i>pulcher</i> , Thunb.	313	<i>Dichapetalum</i> . . . . .	392
<i>radiatus</i> , Vahl.	313	<i>cymosum</i> , Hook.	392
<i>sieberianus</i> , Nees	313	<i>rhodesicum</i> , Sprg. & Htch.	392
<i>sphaerospermus</i> , Schrad.	313	<i>Dichilus</i> . . . . .	370
<i>textilis</i> , Thunb.	313	<i>lebeckioides</i> , DC.	370
<i>Zollingeri</i> , Steud.	313	<i>Dichrostachys</i> . . . . .	363
<i>Cyphia</i> . . . . .	501	<i>nutans</i> , Beuth.	363
<i>alba</i> , N. E. Br.	501	<i>Dicliptera</i> . . . . .	485
<i>mazoensis</i> , S. Moore	501	<i>cephalantha</i> , S. Moore	485
<i>Cyphocarpa</i> . . . . .	348	<i>Melleri</i> , Rolfe	485
<i>angustifolia</i> , Lopr.	348	<i>Monroi</i> , S. Moore	485
<i>Cyrtanthus</i> . . . . .	327	<i>nobilis</i> , S. Moore	485
<i>angustifolius</i> , Ait.	327	<i>Swynnertonii</i> , S. Moore	485
<i>rhodesianus</i> , Rendle	327	<i>tanganyikensis</i> , C. B. Cl.	485
<i>Dactyloctenium</i> . . . . .	307	<i>Diclis</i> . . . . .	470

	PAGE		PAGE
Diclis—		DIPSACACEAE . . . . .	498
<petiolaris, <i="">Benth. . . . . .</petiolaris,>	470	DIPTEROCARPACEAE . . . . .	421
Dicoma . . . . .	521	Dirichletia . . . . .	489
anomala, <i>Sond.</i> . . . . .	521	pubescens, <i>Klotzsch.</i> . . . . .	489
var. microcephala, <i>Harr.</i> . . . . .	521	Disa . . . . .	335
var. Sonderi, <i>Harr.</i> . . . . .	521	equestris, <i>Reichb. f.</i> . . . . .	335
Kirkii, <i>Harr.</i> . . . . .	521	hamatopetala, <i>Rendle</i> . . . . .	335
var. angustifolia, <i>S. Moore</i> . . . . .	522	Disperma . . . . .	482
Schinzii, <i>O. Hoffm.</i> . . . . .	522	densiflorum, <i>C. B. Cl.</i> . . . . .	482
sessiflora, <i>Harr.</i> . . . . .	522	quadrisepalum, <i>C. B. Cl.</i> . . . . .	482
tomentosa, <i>Cass.</i> . . . . .	522	var. <i>grandifolium</i> , <i>S. Moore</i> . . . . .	482
Dieraca . . . . .	357	viscidissimum, <i>S. Moore</i> . . . . .	482
tenax, <i>C. H. Wright</i> . . . . .	357	Dissotis . . . . .	432
Didymochlæna . . . . .	286	debilis, <i>Triana</i> . . . . .	432
lunulata, <i>Desv.</i> . . . . .	286	incana, <i>Triana</i> . . . . .	432
sinuosa, <i>Desv.</i> . . . . .	286	phaeotricha, <i>Hook. f.</i> . . . . .	432
Dierama . . . . .	330	princeps, <i>Triana</i> . . . . .	432
pendula, <i>Bak.</i> . . . . .	330	segregata, <i>Hook. f.</i> . . . . .	432
Digitaria . . . . .	299	Dodonaea . . . . .	406
eriantha, <i>Steud.</i> . . . . .	299	viscosa, <i>L.</i> . . . . .	406
monodactyla, <i>Stapf.</i> . . . . .	300	Dolicholus . . . . .	381
sanguinalis, <i>Scop.</i> . . . . .	301	angolensis, <i>Hiern</i> . . . . .	381
Dioscorea . . . . .	329	caribaeus, <i>Hiern</i> . . . . .	381
beccariana, <i>Mart.</i> . . . . .	329	Dolichos . . . . .	385
Buchananii, <i>Benth.</i> . . . . .	329	euryphyllus, <i>Harms</i> . . . . .	
dumetorum, <i>Pax</i> . . . . .	329	forma lobata . . . . .	385
quartiniana, <i>A. Rich.</i> . . . . .	329	falciformis, <i>E. Mey.</i> . . . . .	385
sativa, <i>L.</i> . . . . .	329	gibbosus, <i>Thunb.</i> . . . . .	385
schimperiiana, <i>Hochst.</i> . . . . .	329	Hendrickxii, <i>Wildem.</i> . . . . .	385
var. vestita, <i>Pax</i> . . . . .	330	Lablab, <i>L.</i> . . . . .	385
sylvatica, <i>Eckl.</i> . . . . .	330	lupiniflorus, <i>N. E. Br.</i> . . . . .	385
DIOSCOREACEAE . . . . .	329	stipulosus, <i>Welw.</i> . . . . .	
Dioscoreophyllum . . . . .	353	var. <i>Randii</i> , <i>Bak. f.</i> . . . . .	385
chirindense, <i>Swyn.</i> . . . . .	353	tricostatus, <i>Bak. f.</i> . . . . .	385
Diospyros . . . . .	439	Dombeya . . . . .	418
mashuma ? . . . . .	439	densiflora, <i>Planch.</i> . . . . .	418
mespiliformis, <i>Hochst.</i> . . . . .	439	reticulata, <i>K. Schum.</i> . . . . .	418
sabiensis, <i>Hiern</i> . . . . .	439	rosea, <i>Bak. f.</i> . . . . .	418
Dipcadi . . . . .	324	rotundifolia, <i>Harr.</i> . . . . .	418
anthericoides, <i>Engl.</i> . . . . .	324	Doryalis . . . . .	423
filamentosum, <i>Medie.</i> . . . . .	324	caffra, <i>Sim.</i> . . . . .	423
hyacinthoides, <i>Bak.</i> . . . . .	324	macrocalyx, <i>Warb.</i> . . . . .	423
viride, <i>Moench.</i> . . . . .	324	Zeyheri, ( <i>Sond.</i> ) . . . . .	423
Diphaca . . . . .	377	Doryalis . . . . .	423
trichocarpa, <i>Tamb.</i> . . . . .	377	Dracena . . . . .	325
Diplachne . . . . .	307	fragrans, <i>Gawl.</i> . . . . .	325
alopecuroides, <i>Stapf.</i> . . . . .	307	gazensis, <i>Rendle</i> . . . . .	325
bitflora, <i>Hack.</i> . . . . .		Drimiopsis . . . . .	325
var. Buchananii, <i>Stapf</i> . . . . .	307	maculata, <i>Lindl.</i> . . . . .	325
Diplolophium . . . . .	434	Drosera . . . . .	357
zambesianum, <i>Hiern</i> . . . . .	434	burkeana, <i>Planch.</i> . . . . .	357
Diplorrhynchus . . . . .	445	indica, <i>L.</i> . . . . .	357
mossambicensis, <i>Benth.</i> . . . . .	445	ramamentacea, <i>Burch.</i> . . . . .	357

	PAGE		PAGE
DROSERACEAE.....	357	Empogona.....	491
Dunasia .....	380	Allenii, Stapf .....	491
<i>villosa</i> , DC. ....	380	Englerastrum .....	464
Duranta.....	459	Schweinfurthii, Briq. ....	464
<i>Plumieri</i> , Jacq. ....	459	Enneapogon .....	307
Dyschoriste .....	481	<i>mollis</i> , Lehmann .....	307
<i>alba</i> , S. Moore .....	481	Entada sp. ....	364
<i>depressa</i> , Nees .....	482	Epaltes .....	509
<i>Fischeri</i> , Lindau .....	482	<i>gariepina</i> , Steetz .....	509
<i>matopensis</i> , N. E. Br. ....	482	Epilobium .....	433
<i>Monroi</i> , S. Moore .....	482	<i>neriophyllum</i> , Hausknecht .....	433
<i>Perrottetii</i> , O. Ktze. ....	482	<i>hirsutum</i> L. ....	433
<i>radicans</i> , (T. And.) O. Ktze. ....	482	EQUISETACEAE .....	290
EBENACEAE .....	438	Equisetum .....	290
<i>Ectadiopsis</i> .....	446	<i>ramosissimum</i> , Desf. ....	290
<i>oblongifolia</i> , Benth. ....	446	Eragrostis .....	308
<i>Ehretia</i> .....	456	<i>abyssinica</i> ? ....	308
<i>amena</i> , Klotsch .....	456	<i>aspera</i> , Nees .....	308
<i>caffra</i> , Sond. ....	456	Atherstonei, Staph. ....	308
<i>divaricata</i> , Bak. ....	456	barbinodis, Hack. ....	308
<i>Fischeri</i> , Gürke .....	456	brizoides, Nees .....	308
<i>hottentotica</i> , Bureh. ....	456	chalcontha, Trin. ....	308
<i>mossambicensis</i> , Klotsch .....	456	Chapelieri, Nees .....	308
<i>Ekebergia</i> .....	389	chloronellas, Steud. ....	308
<i>arborea</i> , Bak. f. ....	389	congesta, Oliv. ....	308
<i>Meyeri</i> , Presl. ....	389	curvula, Nees .....	308
<i>Elæodendron</i> .....	404	denudata, Hack. ....	309
<i>capense</i> , E. & Z. ....	404	gangetica, Steud. ....	309
<i>matabelicum</i> , Loes. ....	404	gummiflua, Nees .....	309
ELATINACEAE .....	421	hispida, K. Schum. ....	309
<i>Eleocharis</i> .....	315	interrupta, Beauvois. ....	
<i>capitata</i> , R. Br. ....	315	var. <i>namaquensis</i> , Dur. & Schnz. ....	309
<i>Kirkii</i> , C. B. Cl. ....	315	Jeffreysi, Hack. ....	309
<i>Elephantopus</i> .....	506	Lappula, Nees. ....	
<i>scaber</i> , L. ....	506	var. <i>divaricata</i> , Staph. ....	309
<i>Elephantorrhiza</i> .....	364	lehmmaniiana, Nees .....	309
<i>Burchelli</i> , Benth. ....	364	major, Host .....	309
<i>Burkei</i> , Benth. ....	364	Marlothii, Hack. ....	308
<i>rubescens</i> , Gibbs .....	364	namaquensis, Nees .....	309
<i>Eleusine</i> .....	307	var. <i>robusta</i> , Staph. ....	309
<i>corocana</i> , Gaertn. ....	307	patentipilosa, Hack. ....	309
<i>indica</i> , Gaertn. ....	307	plana, Nees .....	309
<i>Elionurus</i> .....	295	plumosa, Link. ....	309
<i>argenteus</i> , Nees .....	295	selerantha, Nees .....	
var. <i>thymodora</i> , Staph. ....	295	var. <i>retinorrhœa</i> , Steud. ....	310
<i>Embelia</i> .....	436	superba, Peyr. ....	310
<i>nyassana</i> , Gilg. ....	436	tenella, Staph. ....	
<i>oleifolia</i> , S. Moore .....	436	var. <i>plumosa</i> .....	310
<i>Emilia</i> .....	518	tenella, Beauvois. ....	
<i>flammea</i> , Cass. ....	519	var. <i>viscosa</i> , Staph. ....	310
<i>protracta</i> , S. Moore .....	518	unigluminis, Hack. ....	310
<i>sagittata</i> , DC. ....	519	viscosa, Trin. ....	310
		Wilmsii, Staph. ....	310

	PAGE		PAGE
Eranthemum .....	483	Erythroxylon—	
subviseosum, C. B. Cl. ....	483	<i>emarginatum</i> , Shum. & Thn. ....	387
Erianthus .....	294	<i>monogynum</i> , Roxb. ....	387
teretifolius, Stapf .....	294	var. <i>caffrum</i> , O. E. Schz. ....	387
Erica .....	435	<i>pictum</i> , E. Mey. ....	387
lanceolifera, S. Moore .....	435	Ethulia .....	502
pleiotricha, S. Moore .....	435	<i>conyzoides</i> , L. ....	502
Swynnertonii, S. Moore .....	435	Euclea .....	438
thryptomenoides, S. Moore.....	435	<i>divinorum</i> , Hiern .....	438
ERICACEAE.....	435	Eylesii, Hiern .....	438
Erigeron .....	506	Kellau, Hochst. ....	438
canadense, L. ....	506	lancea, Thunb. ....	438
ERIOCAULACEAE .....	318	lanceolata, E. Mey. ....	438
Eriocaulon .....	318	var. <i>angustifolia</i> , Hiern .....	439
africanum, Hochst. ....	318	var. <i>confertiflora</i> , Hiern .....	439
amphibium, Rendle .....	318	var. <i>parvifolia</i> , Hiern .....	439
bifistulosum, Van Heurek .....	318	<i>macrophylla</i> , E. Mey. ....	439
lacteum, Rendle .....	318	<i>multiflora</i> , Hiern .....	439
matopense, Rendle .....	318	<i>undulata</i> , Thunb. ....	439
submersum, Welw. ....	318	Eucomis .....	324
subulatum, N. E. Br. ....	318	<i>undulata</i> , Ait. ....	324
Eriosema .....	383	<i>zambesiaca</i> , Bak. ....	325
Burkei, Benth. ....	383	Eugenia .....	430
cajanooides, Hogk. f. ....	383	<i>angolensis</i> , Engl. ....	430
ellipticum, Welw. ....	383	<i>benguellensis</i> , Welw. ....	431
Engleri, Harms .....	383	<i>chirindensis</i> , Bak. f. ....	430
montanum, Bak. f. ....	383	<i>cordata</i> , Laws. ....	430
oblongum, Benth. ....	383	<i>guineensis</i>	
parviflorum, E. Mey. ....	383	var. <i>huillensis</i> , Hiern .....	431
polystachyum, Bak. ....	383	<i>owariensis</i> , P. Beauv. ....	431
<i>psoraleoides</i> , G. Don .....	383	forma, <i>latifolia</i> , E. & G. ....	431
shirense, Bak. f. ....	383	Eulophia .....	336
Eriospermum .....	322	<i>arenaria</i> , Bolus .....	335
Cecili, Bak. ....	322	<i>Buchananii</i> , Bol. ....	335
Eriospora .....	316	<i>dregeana</i> , Lindl. ....	336
villosula, C. B. Cl. ....	316	<i>Krebsii</i> , Bolus .....	336
Erlangea .....	502	<i>milanjiana</i> , Rendle .....	336
Eylesii, S. Moore .....	502	<i>saccatus</i> , Rendle .....	336
laxa, S. Moore .....	502	<i>speciosa</i> , Bolus .....	336
longipes, S. Moore .....	502	<i>Swynnertonii</i> , Rendle .....	336
Schinzii, O. Hoffm. ....	502	<i>undulata</i> ? .....	337
Erythrina .....	381	Welwitschii, Rolfe .....	337
huineana, Spreng. ....	381	Eupatorium .....	506
Humei, E. Mey. ....	381	<i>africanum</i> , O. & H. ....	506
latissima, E. Mey. ....	381	Euphorbia .....	398
tomentosa, R. Br. ....	380	<i>abyssinica</i> , Gmelin .....	398
Erythrocephalum .....	522	<i>angularis</i> , Klotzsch .....	398
zambesianum, O. & H. ....	522	<i>benguellensis</i> , Pax .....	400
Erythrophlœum .....	364	<i>crotonoides</i> , Boiss. ....	399
pubistamineum, Henn. ....	364	<i>eparisiooides</i> , Pax .....	399
ERYTHROXYLACEAE .....	387	var. <i>minor</i> , N. E. Br. ....	399
Erythroxylon .....	387	<i>depauperata</i> , Hochst. ....	399
caffrum, Sond. ....	387	<i>ericoides</i> , Lam. ....	399

PAGE	PAGE
Euphorbia—	
<i>espinosa</i> , <i>Pax</i> .....	399
<i>Eylesii</i> , <i>Rendle</i> .....	399
<i>grandidens</i> , <i>Haw.</i> .....	399
<i>griseola</i> , <i>Pax</i> .....	
var. <i>robusta</i> , <i>Pax</i> .....	399
<i>helioscopia</i> , <i>L.</i> .....	399
<i>jaegeriana</i> , <i>Pax</i> .....	399
<i>livida</i> , <i>E. Mey.</i> .....	399
<i>matabensis</i> , <i>Pax</i> .....	399
<i>Mozambicensis</i> , <i>N. E. Br.</i> .....	399
<i>Oatesii</i> , <i>Rolfe</i> .....	400
<i>Reinhardtii</i> , <i>Volk.</i> .....	400
<i>rubriflora</i> , <i>N. E. Br.</i> .....	400
<i>schimperiana</i> , <i>Scheele</i> .....	400
var. <i>Buchananii</i> , <i>N. E. Br.</i> .....	400
<i>Schinzii</i> , <i>Pax</i> .....	400
<i>tettensis</i> , <i>Klotzsch</i> .....	400
<i>tortistyla</i> , <i>N. E. Br.</i> .....	400
<i>trichadenia</i> , <i>Pax</i> .....	400
<i>trifurca</i> , <i>N. E. Br.</i> .....	399
<i>whyteana</i> , <i>Bak. f.</i> .....	400
EUPHORBIACEAE .....	392
Euryops .....	519
<i>Osteospermum</i> , <i>S. Moore</i> .....	519
var. <i>parvifolia</i> , <i>S. Moore</i> .....	519
Evolvulus .....	452
<i>alsinooides</i> , <i>L.</i> .....	452
Exacum .....	442
<i>quinquennervium</i> , <i>Griseb.</i> .....	442
Excoecaria sp. .....	398
<i>sylvestris</i> , <i>S. Moore</i> .....	398
Exochænum .....	443
<i>exiguum</i> , <i>A. W. Hill</i> .....	443
<i>grande</i> , <i>Griseb.</i> .....	443
Eylesia .....	475
<i>buchneroides</i> , <i>S. Moore</i> .....	475
Fabricia .....	379
<i>rugosa</i> , <i>O. Ktze</i> .....	379
<i>Zeyheri</i> , <i>O. Ktze</i> .....	379
Fadogia .....	494
<i>Cienkowskii</i> , <i>Schweinf.</i> .....	494
<i>lateritica</i> , <i>K. Krause</i> .....	494
<i>obovata</i> , <i>N. E. Br.</i> .....	494
<i>stenophylla</i> , <i>Welw.</i> .....	494
<i>tetraquetra</i> , <i>K. Krause</i> .....	494
<i>Zeyheri</i> , <i>Sond.</i> .....	494
Faurea .....	340
<i>racemosa</i> , <i>Farmar</i> .....	340
<i>saligna</i> , <i>Harv.</i> .....	341
<i>speciosa</i> , <i>Welw.</i> .....	341
var. <i>lanuginosa</i> , <i>Hiern</i> .....	341
<i>Faurea</i> —	
<i>usambarensis</i> , <i>Engl.</i> .....	341
Felicia .....	506
<i>angustifolia</i> , <i>Nees</i> .....	506
<i>fascicularis</i> , <i>DC.</i> .....	506
<i>hyssopifolia</i> , <i>Nees</i> .....	507
<i>lutea</i> , <i>N. E. Br.</i> .....	507
<i>simulans</i> ? .....	507
<i>tenella</i> , <i>DC.</i> .....	507
Feretia .....	491
<i>aeruginescens</i> , <i>Stapf</i> .....	491
Ferraria .....	330
<i>Randii</i> , <i>Rendle</i> .....	330
Festuca sp. .....	310
Ficus .....	339
<i>caffra</i> , <i>Miq.</i> .....	339
<i>capensis</i> , <i>Thunb</i> .....	339
<i>capreæfolia</i> , <i>Del.</i> .....	339
<i>exasperata</i> , <i>Vahl</i> .....	339
<i>lutea</i> , <i>Vahl</i> .....	339
<i>maschonae</i> , <i>Warb.</i> .....	339
<i>matabiae</i> , <i>Warb.</i> .....	339
<i>natalensis</i> , <i>Hochst.</i> .....	339
<i>Rehmannii</i> , <i>Warb.</i> .....	339
<i>rhodesiaca</i> , <i>Warb.</i> .....	339
<i>salicifolia</i> , <i>Vahl</i> .....	
var. <i>australis</i> , <i>Warb.</i> .....	339
<i>Sonderi</i> , <i>Miq.</i> .....	339
var. <i>villosa</i> , <i>Warb.</i> .....	340
<i>subcalearata</i> , <i>Wrb. &amp; Schf.</i> .....	340
<i>victoriae</i> , <i>Warb.</i> .....	340
Fimbraria .....	278
<i>marginata</i> , <i>Nees</i> .....	278
Fimbristylis .....	315
<i>Burchellii</i> , <i>Fic. &amp; Hiern</i> .....	315
<i>diphylla</i> , <i>Vahl</i> .....	315
<i>exilis</i> , <i>Roem. &amp; Schl.</i> .....	315
<i>rhodesiana</i> , <i>Rendle</i> .....	315
<i>schoenoides</i> , <i>Kunth</i> .....	316
Flacourtiea .....	422
<i>hirtiuscula</i> , <i>Oliv.</i> .....	422
<i>Ramontchi</i> , <i>L'Hér.</i> .....	422
FLACOURTIACEAE .....	422
Flemingia .....	383
<i>rhodocarpa</i> , <i>Bak.</i> .....	383
Fleuraya .....	340
<i>capensis</i> , <i>Wedd.</i> .....	340
Floscopa .....	320
<i>glomerata</i> , <i>Hassk.</i> .....	320
Flüggea .....	393
<i>microcarpa</i> , <i>Blume</i> .....	393
Fockea .....	451
<i>Monroi</i> , <i>S. Moore</i> .....	451

	PAGE		PAGE
Freylinia . . . . .	471	Geranium—	
tropica, S. Moore . . . . .	471	Thodei, R. Kuauth . . . . .	385
Fuirena . . . . .	314	Gerbera . . . . .	522
glomerata, Lam . . . . .	314	abyssinica, Sch. Bip . . . . .	522
hirta, Vahl . . . . .	314	ambigua, Sch. Bip . . . . .	522
Œdipus, C. B. Cl. . . . .	314	discolor, Sond . . . . .	522
pachyrhiza, Ridl . . . . .	314	natalensis, Sch. Bip . . . . .	522
pubescens, Kunth . . . . .	314	piloselloides, Cass . . . . .	522
stricta, Steud . . . . .	314	plantaginea, Harr . . . . .	522
subdigitata, C. B. Cl. . . . .	314	viridifolia, Sch. Bip . . . . .	522
umbellata, Rottb . . . . .	314	GESNERIACEAE . . . . .	479
Welwitschii, Ridley . . . . .	314	Gibbera . . . . .	277
<i>Galactia</i> sp . . . . .	381	tinctoria, Massee . . . . .	277
Galiun . . . . .	497	Gieseckia . . . . .	350
stenophyllum, Bak . . . . .	497	pharnaceoides, L . . . . .	350
Galopina . . . . .	496	Gladiolus . . . . .	331
circaeoides, Thunb . . . . .	496	atropurpureus, Bak . . . . .	331
Garcinia . . . . .	421	brevicaulis, Bak . . . . .	331
Livingstonei, T. And . . . . .	421	brevifolius, Jacq . . . . .	331
Gardenia . . . . .	490	dracocephalus, Hook. f . . . . .	331
asperula, Stpf. & Htch . . . . .	490	gazensis, Rendle . . . . .	331
Neuberia, E. & Z . . . . .	490	Melleri, Bak . . . . .	331
Norae, Syng . . . . .	490	Oatesii, Rolfe . . . . .	331
posoquerioides, S. Moore . . . . .	490	permeabilis, Delar . . . . .	331
resiniflua, Hiern . . . . .	490	prinulinus, Bak . . . . .	331
rothmannia, Linu. f . . . . .	490	quartinianus, A. Rich . . . . .	331
spatulifolia, S. & H . . . . .	490	Gleditschia . . . . .	368
thunbergia, Linn. f . . . . .	491	africana, Welw . . . . .	368
tigrina, Welw . . . . .	491	Gleichenia . . . . .	288
Gazania . . . . .	520	diehotoma, Willd . . . . .	288
krebsiana, Less . . . . .	520	polypodioides, Sm . . . . .	289
var. hispidula, Hrc . . . . .	520	umbraeulifera, T. Moore . . . . .	289
Geigeria . . . . .	513	GLEICHENIACEAE . . . . .	288
passerinoides, Harr . . . . .	513	Glinus sp . . . . .	350
protensa, Harr . . . . .	513	lotooides, L . . . . .	350
var. pubigera, S. Moore . . . . .	513	Gloriosa . . . . .	320
pubescens, S. Moore . . . . .	513	simplex, L . . . . .	321
Randii, S. Moore . . . . .	514	superba, L . . . . .	320
rhodesiana, S. Moore . . . . .	514	virescens, Lindl . . . . .	321
Zeyheri, Harr . . . . .	514	Glycine . . . . .	380
Gelonium . . . . .	398	javanica, L . . . . .	380
procerrum, Prain . . . . .	398	Gnaphalium . . . . .	510
Geniosporum . . . . .	466	luteo-album, L . . . . .	510
angolense, Briq . . . . .	466	Gnidia . . . . .	425
Genlisea . . . . .	479	anthylloides ? . . . . .	425
africana, Oliv . . . . .	479	Buchananii, Gilg . . . . .	425
GENTIANACEAE . . . . .	442	chrysantha, Gilg . . . . .	425
Geophilia . . . . .	496	kraussiana, Meisn . . . . .	425
uniflora, Hiern . . . . .	496	microcephala, Meisn . . . . .	425
GERANIACEAE . . . . .	385	microphylla, Meisn . . . . .	425
Geranium . . . . .	385	phyllodinea, S. Moore . . . . .	425
caffrum, E. & Z . . . . .	385	roridus, (S. Moore) . . . . .	425
		Gomphocarpus . . . . .	448

PAGE		PAGE	
Gomphocarpus—		Gynura—	
<aureus< a="">, Schlechter .....</aureus<>	448	<cernua, ....<="" benth.="" td=""><td>517</td></cernua,>	517
<concolor, deene.....<="" td=""><td>448</td><td>  crepidiooides, Benth.....</td><td>517</td></concolor,>	448	crepidiooides, Benth.....	517
<fruticosus ....<="" br.="" r.="" td=""><td>449</td><td>  sarcobasis, DC.....</td><td>517</td></fruticosus>	449	sarcobasis, DC.....	517
<glaucocephalus, ....<="" schltr.="" td=""><td>449</td><td>  vitellina, Benth. ....</td><td>517</td></glaucocephalus,>	449	vitellina, Benth. ....	517
<lincolatus, .....<="" deene="" td=""><td>449</td><td>Gyrocarpus sp.....</td><td>355</td></lincolatus,>	449	Gyrocarpus sp.....	355
<physocarpus, ....<="" e.="" mey.="" td=""><td>449</td><td></td><td></td></physocarpus,>	449		
Gomphostigma .....	442	Habenaria .....	334
scoparioides, Turcz.....	442	antennifera, Rolfe .....	334
Gonioma .....	445	malacophylla, Rehb. f. ....	334
Kamassi, E. Mey.....	445	pedicellaris, Rehb. f. ....	334
Gossypium sp. ....	417	Rehmanni, Bolus.....	334
Gouania .....	407	Hæmanthus .....	327
longispicata, Engl. ....	407	Cecilae, Bak.....	327
Graderia.....	474	multiflorus, Martyn.....	327
scabra, Benth. ....	474	zambesiacus, Bak. ....	327
GRAMINEAE.....	293	Halleria .....	471
Grangea .....	506	Incida, L. ....	471
maderaspatana, Poir .....	506	Haplocarpha .....	520
Grewia .....	410	scaposa, Harv. ....	520
cana, Sond. ....	410	Hariota .....	424
chirindae, Bak f. ....	410	parasitica, O. Ktze. ....	424
flava, DC. ....	410	Haronga .....	420
flavescens, Juss. ....	410	madagascariensis, Chois. ....	420
guazumifolia, Juss. ....	410	Harpagophytum .....	477
monticola, Sond. ....	410	procumbens, DC. ....	477
obovata, K. Schum. ....	410	var. sublobatum, Engl. ....	477
occidentalis, L. ....	411	Harringtonia .....	420
pilosa, Lam. ....	411	paniculata, Pers. ....	420
Grumilea .....	496	Hebenstreitia .....	473
panicea, S. Moore.....	496	dentata, Linn. f. ....	473
Guizotia .....	515	elongata, Bolus.....	473
abyssinica, Cass. ....	515	Holubii, Rolfe .....	473
Eylesii, S. Moore .....	515	Hedyotis .....	488
GUTTIFERAE .....	420	capensis, Lam. ....	488
Gymnema .....	451	decumbens, Hochst. ....	488
sylvestre, R. Br. ....	451	Heynei, R. Br. ....	488
Gymnogramme.....	283	hirtula, Harv. ....	488
argentea, Mett. ....	283	natalensis, Hochst. ....	488
var. aurea, Mett. ....	284	thymifolia, Presl.....	489
cordata, Schlecht.....	284	Heeria .....	401
var. namaquensis, P. & R. ....	284	insignis, O. Ktze. ....	
lanceolata, Hook. ....	284	var. reticulata, Bak. f. ....	401
leptophylla, Desv. ....	284	paniculosa, Engl.....	401
rosea, Desv. ....	284	pulcherrima, (Schuf.), O. Ktze. ....	402
Gymnosporia.....	404	reticulata, (Bak.) Engl. ....	402
buxifolia, (Sl.) Szyszyl. ....	404	Heinsenia .....	492
senegalensis, Loess. ....	404	sylvestris, S. Moore .....	492
var. inermis ? ....	404	Heinsia .....	491
var. spinosa ? ....	404	jasminiflora, DC. ....	491
Gyandropsis .....	356	Heleocharis .....	315
pentaphylla, DC. ....	356	capitata, Boeck.....	315
Gynura .....	517	Kirkii, C. B. Cl. ....	315

	PAGE		PAGE
Helichrysum . . . . .	510	Hermbstaedtia—	
aceratum, <i>S. Moore</i> . . . . .	510	<i>elegans, Moq.</i> . . . . .	348
adenocarpum, <i>DC.</i> . . . . .	510	HERNANDIACEAE . . . . .	355
appendiculatum, <i>Less.</i> . . . . .	510	Hesperantha . . . . .	330
argyrosphaerum, <i>DC.</i> . . . . .	510	<i>matopensis, Gibbs.</i> . . . . .	330
auriculatum, <i>Less.</i> . . . . .	510	Heteromorpha . . . . .	434
brunoioides, <i>S. Moore</i> . . . . .	510	<i>arborescens, Cham. &amp; Scht.</i> . . . . .	434
Buchananii, <i>Eugl.</i> . . . . .	511	Heteropogon . . . . .	295
cæspititum, <i>Sond.</i> . . . . .	511	<i>contortus, Roem. &amp; Schl.</i> . . . . .	295
calliecum, <i>Harr.</i> . . . . .	511	Hevea sp. . . . .	397
cymosum, <i>Less.</i> . . . . .	511	Hewittia . . . . .	453
declinatum, <i>Less.</i> . . . . .	511	<i>bicolor, Wight.</i> . . . . .	453
ericæfolium, <i>Less.</i> . . . . .	511	Hexalobus . . . . .	354
fulgidum, <i>Willd.</i> . . . . .	511	<i>senegalensis, A. DC.</i> . . . . .	354
gazense, <i>S. Moore</i> . . . . .	511	Hibiscus . . . . .	414
Kraussii, <i>Sch. Bip.</i> . . . . .	511	<i>aethiopicus, L.</i> . . . . .	414
latifolium, <i>Less.</i> . . . . .	511	<i>Allenii, Sprague &amp; Htch.</i> . . . . .	414
leiopodium, <i>DC.</i> . . . . .	511	<i>articulatus, Hochst.</i> . . . . .	414
leptolepis, <i>DC.</i> . . . . .	511	<i>caesioides, Gareke.</i> . . . . .	415
nitens, <i>O. &amp; H.</i> . . . . .	512	<i>calycinus, Willd.</i> . . . . .	415
quinquenerve, <i>Less.</i> . . . . .	512	<i>calyphyllus, Cav.</i> . . . . .	415
Saweri, <i>S. Moore</i> . . . . .	512	<i>cannabinus, L.</i> . . . . .	415
setosum, <i>Harr.</i> . . . . .	512	<i>diversifolius, Jacq.</i> . . . . .	415
stenopterum, <i>DC.</i> . . . . .	512	<i>fureatus, Roxb.</i> . . . . .	415
var. <i>citrinum, S. Moore</i> . . . . .	512	<i>gossypinus, Thunb.</i> . . . . .	415
Swynnertonii, <i>S. Moore</i> . . . . .	512	<i>Kirkii, Mast.</i> . . . . .	415
Helinus . . . . .	407	<i>micanthus, L.</i> . . . . .	415
mystacinus, <i>Hensl.</i> . . . . .	407	<i>forma maeranthus?</i> . . . . .	415
mystacinus, <i>E. Mey.</i> ? . . . . .	407	<i>mutatus, N. E. Br.</i> . . . . .	415
ovatus, <i>E. Mey.</i> . . . . .	407	<i>panduriformis, Burm.</i> . . . . .	415
Heliophila sp. . . . .	355	<i>pentaphyllus, F. Muell.</i> . . . . .	415
Heliotropium . . . . .	463	<i>physaloides, G. &amp; P.</i> . . . . .	415
marifolium, <i>Retz.</i> . . . . .	463	<i>pusillus, Thunb.</i> . . . . .	416
ovalifolium, <i>Forsk.</i> . . . . .	463	<i>rhodaanthus, Gürke</i> . . . . .	415
zeylanicum, <i>Lam.</i> . . . . .	463	<i>rhodesiens, Bak. f.</i> . . . . .	416
Heinigraphis . . . . .	482	<i>Sehniæ, Gürke</i> . . . . .	416
myosotiflora, <i>Staff.</i> . . . . .	482	<i>shirensis, Sprague &amp; H.</i> . . . . .	416
prunelloides, <i>S. Moore</i> . . . . .	482	<i>Solandra, L'Hér.</i> . . . . .	416
Hemizygia . . . . .	466	<i>surratensis, L.</i> . . . . .	416
bracteosa, <i>Briq.</i> . . . . .	467	<i>Swynnertonii, Bak. f.</i> . . . . .	416
flabellifolia, <i>S. Moore</i> . . . . .	466	<i>ternatus, Mast.</i> . . . . .	416
ornata, <i>S. Moore</i> . . . . .	466	<i>Trionum, L.</i> . . . . .	416
teucriifolia, <i>Briq.</i> . . . . .	468	<i>vitifolius, L.</i> . . . . .	416
HEPATICÆ . . . . .	278	Hippeastrum . . . . .	328
Hermannia . . . . .	418	<i>equestre, Herb.</i> . . . . .	328
boraginiflora, <i>Hook.</i> . . . . .	418	Hippocratea . . . . .	405
brachypetalu, <i>Harr.</i> . . . . .	418	<i>Buchananii, Loes.</i> . . . . .	405
depressa, <i>N. E. Br.</i> . . . . .	418	<i>cymosa, De Wild. &amp; Th. Dur.</i> . . . . .	405
filipes, <i>Harr.</i> . . . . .	418	<i>obtusifolia, Roxb.</i> . . . . .	405
quartianiana, <i>Rich.</i> . . . . .	418	HIPPOCRATEACEAE . . . . .	405
viscosa, <i>Hiern.</i> . . . . .	418	Holarrhena . . . . .	445
var. <i>Randii, Bak. f.</i> . . . . .	419	<i>febrifuga, Klotzsch</i> . . . . .	445
Hermbstaedtia . . . . .	348	Holothrix . . . . .	333

	PAGE		PAGE
Holothrix—		Hypolepis . . . . .	285
grandiflora, <i>Rchb. f.</i> . . . . .	333	anthriscifolia, <i>Presl.</i> . . . . .	285
Randii, <i>Rendle</i> . . . . .	334	bergiana, <i>Hook.</i> . . . . .	286
Hoslundia . . . . .	465	Schimperi, <i>Sim.</i> . . . . .	286
decumbens, <i>Benth.</i> . . . . .	465	Hypoxis . . . . .	328
opposita, <i>Vahl</i> . . . . .	465	angustifolia, <i>Lam.</i> . . . . .	328
var. <i>decumbens</i> , <i>Bak.</i> . . . . .	465	rigidula, <i>Bak.</i> . . . . .	328
verticillata, <i>Vahl</i> . . . . .	465	var. <i>pilosissima</i> , <i>Bak.</i> . . . . .	328
Huernia sp. . . . .	451	Rooperii, <i>S. Moore</i> . . . . .	328
Humea . . . . .	512	villosa, <i>Linn. f.</i> . . . . .	328
africana, <i>S. Moore</i> . . . . .	512	Hyptis . . . . .	463
Hybanthus . . . . .	422	pectinata, <i>Poit.</i> . . . . .	463
enneaspernum, ( <i>Vent.</i> ) . . . . .	422	Iboza . . . . .	466
Hydnora . . . . .	345	<i>riparia</i> , <i>N. E. Br.</i> . . . . .	466
africana, <i>Thunb.</i> . . . . .	345	ICACTINACEAE . . . . .	405
HYD NORACEAE . . . . .	345	Ilex . . . . .	403
Hydrilla . . . . .	293	capensis, <i>Sond. &amp; Harv.</i> . . . . .	403
verticillata, <i>Royle</i> . . . . .	293	mitis, <i>Radl.</i> . . . . .	403
HYDROCHARITACEAE . . . . .	293	Ilysanthes . . . . .	473
Hydrocotyle . . . . .	433	conferta, <i>Hiern</i> . . . . .	473
asiatica, <i>L.</i> . . . . .	433	micantha, <i>S. Moore</i> . . . . .	473
moschata, <i>Forst.</i> . . . . .	433	Muddii, <i>Hiern</i> . . . . .	473
HYDROSTACHYACEAE . . . . .	357	<i>Plantaginella</i> , <i>S. Moore</i> . . . . .	473
Hydrostachys . . . . .	357	Impatiens . . . . .	406
polymorpha, <i>Klotzsch</i> . . . . .	357	Cecili, <i>N. E. Br.</i> . . . . .	406
Hygrophila . . . . .	481	walleriana, <i>Hook. f.</i> . . . . .	406
cataractae, <i>S. Moore</i> . . . . .	481	zombensis, <i>Bak.</i> . . . . .	406
rhodesiana, <i>S. Moore</i> . . . . .	481	Imperata . . . . .	293
Hymenocallis		arundinacea, <i>Cyr.</i> . . . . .	293
senegambica, <i>Kunth &amp; Bouchi</i> . . . . .	326	var. <i>Thunbergii</i> , <i>Hack.</i> . . . . .	294
Hymenocardia . . . . .	394	<i>cylindrica</i> , <i>Beauv.</i> . . . . .	293
acida, <i>Tul.</i> . . . . .	394	Indigofera . . . . .	372
Hymenochæte . . . . .	277	adenoides, <i>Bak. f.</i> . . . . .	372
rubiginosa, <i>Lér.</i> . . . . .	277	arrecta, <i>Hochst.</i> . . . . .	372
HYMENOPHYLLACEAE . . . . .	279	Cecili, <i>N. E. Br.</i> . . . . .	373
Hymenophyllum . . . . .	279	cryptantha, <i>Benth.</i> . . . . .	373
gracile, <i>Bory.</i> . . . . .	279	daleoides, <i>Benth.</i> . . . . .	373
Hypericophyllum . . . . .	516	diphylla, <i>Vent.</i> . . . . .	373
elatum, <i>N. E. Br.</i> . . . . .	516	emarginella, <i>Steud.</i> . . . . .	373
Hypericum . . . . .	420	endecaphylla, <i>Jacq.</i> . . . . .	373
æthiopicum, <i>Thunb.</i> . . . . .	420	filipes, <i>Benth.</i> . . . . .	373
Lalandii, <i>Choisy</i> . . . . .	420	Flanaganii, <i>Bolus</i> . . . . .	373
lanceolatum, <i>Lam.</i> . . . . .	420	flavicans, <i>Bak.</i> . . . . .	373
Hypertelis . . . . .	350	goniodes, <i>Hochst.</i> . . . . .	373
verrucosa, <i>Fenzl.</i> . . . . .	350	hedyantha, <i>E. &amp; Z.</i> . . . . .	373
Hyphaene . . . . .	316	heptaphylla, <i>Hiern</i> . . . . .	373
crinita, <i>Gaertn.</i> . . . . .	316	heterotricha, <i>DC.</i> . . . . .	373
ventricosa, <i>Kirk</i> . . . . .	316	var. <i>rhodesiana</i> , <i>Bak. f.</i> . . . . .	374
HYPHOMYCETES . . . . .	277	hilari, <i>E. &amp; Z.</i> . . . . .	374
Hypnum sp. . . . .	278	hirsuta, <i>L.</i> . . . . .	374
Hypoestes		inyangana, <i>N. E. Br.</i> . . . . .	374
aristata, <i>R. Br.</i> . . . . .	485	Lyallii, <i>Bak.</i> . . . . .	374
verticularis, <i>R. Br.</i> . . . . .	485		

PAGE		PAGE	
Indigofera—		Iponema—	
oxalidea, <i>Welw.</i> . . . . .	374	Randii, <i>Rendle</i> . . . . .	455
pentaphylla, <i>L.</i> . . . . .	374	reptans, <i>Poir.</i> . . . . .	453
procera, <i>Schum. &amp; Thonn.</i> . . . . .	374	rhodesiaca, <i>Rendle</i> . . . . .	455
Schimperi <i>Jaub. &amp; Spch.</i> . . . . .	374	shiranbensis, <i>Bak.</i> . . . . .	455
secundiflora, <i>Poir.</i> . . . . .	374	shupangensis, <i>Bak.</i> . . . . .	455
senegalensis, <i>Lam.</i> . . . . .	374	simplex	
sericea, <i>Benth.</i>		var. obtusisepala, <i>Rendle</i> . . . . .	455
var. australis, <i>Bak. f.</i> . . . . .	374	stenosiphon, <i>Hal. f.</i> . . . . .	455
strobilifera, <i>Hochst.</i> . . . . .	374	verbascoides, <i>Choisy</i> . . . . .	456
transvaalensis, <i>Bkr. fil.</i> . . . . .	375	Welwitschii, <i>Vatke</i> . . . . .	456
<i>Intsia</i> . . . . .	366	Wightii, <i>Choisy</i> . . . . .	456
<u>cauanensis</u> , O. Kuntze . . . . .	366	IRIDACEAE . . . . .	330
<i>Inula</i> . . . . .	513	Isachne . . . . .	299
acervata, <i>S. Moore</i> . . . . .	513	albens, <i>Trin.</i> . . . . .	299
glomerata, <i>O. &amp; H.</i> . . . . .	513	Ischaemum . . . . .	294
<i>Ionidium</i> . . . . .	422	fasciculatum, <i>Broun.</i> . . . . .	294
<u>enneaspernum</u> , <i>Vent.</i> . . . . .	422	var. arcuatum, <i>Hack.</i> . . . . .	294
<i>Ipomea</i> . . . . .	453	Isoglossa . . . . .	486
<u>angustifolia</u> , <i>Jacq.</i> . . . . .	453	mossambicensis, <i>Lindau.</i> . . . . .	486
<u>angustisecta</u> , <i>Engl.</i> . . . . .	453	Jacquemontia . . . . .	452
aquatica, <i>Forsk.</i> . . . . .	453	capitata, <i>G. Don</i> . . . . .	452
blepharophylla, <i>Hal. f.</i> . . . . .	453	Jasminum . . . . .	440
bolusiana, <i>Schinz.</i> . . . . .	453	mauritianum, <i>Bojer</i> . . . . .	440
calycina, <i>Benth.</i> . . . . .	453	oleocarpum, <i>Bak.</i> . . . . .	440
cardiosepala, <i>Hochst.</i> . . . . .	453	stenolobum, <i>Rolfe</i> . . . . .	441
Cecilae, <i>N. E. Br.</i> . . . . .	454	Jaumea . . . . .	516
cosmosperma, <i>Hochst.</i>		compositarum, <i>Bth. &amp; Hk.</i> . . . . .	516
var. hirta, <i>Rich.</i> . . . . .	454	elata, ( <i>N. E. Br.</i> ) . . . . .	516
crassipes, <i>Hook.</i> . . . . .	454	JUNCACEAE . . . . .	320
var. cordifolia, <i>Rendle</i> . . . . .	454	Juncus . . . . .	320
var. thunbergioides, <i>Hal. f.</i> . . . . .	454	Fontanesii, <i>J. Gay</i> . . . . .	320
dammaramana, <i>Rendle</i> . . . . .	454	Jussiaea . . . . .	432
dissecta, <i>Willd.</i> . . . . .	454	<u>angustifolia</u> , <i>Lam.</i> . . . . .	432
Elliotii, <i>Bak.</i> . . . . .	456	<u>diffusa</u> , <i>Forsk.</i> . . . . .	432
eriocarpa, <i>R. Br.</i> . . . . .	454	repens, <i>L.</i> . . . . .	432
fragilis, <i>Choisy</i> . . . . .	454	suffruticosa, <i>L.</i> . . . . .	432
var. pubescens, <i>Hal. f.</i> . . . . .	454	villlosa, <i>Lam.</i> . . . . .	432
var. Randii? . . . . .	454	Justicia . . . . .	486
Holubii, <i>Bak.</i> . . . . .	454	Bagshawei, ( <i>S. Moore</i> ) . . . . .	486
involucrata, <i>Beauv.</i> . . . . .	454	Betonica, <i>L.</i> . . . . .	486
lapathifolia, <i>Hal. f.</i> . . . . .	454	betonicoides, <i>C. B. Cl.</i> . . . . .	486
lilacina, <i>Blume</i> . . . . .	455	debilis, <i>Vahl</i> . . . . .	486
Lugardi, <i>N. E. Br.</i>		elegantula, <i>S. Moore</i> . . . . .	486
var. parviflora, <i>Rendle</i> . . . . .	455	var. elatior, <i>S. Moore</i> . . . . .	486
magnusiana, <i>Schinz.</i> . . . . .	455	var. repens, <i>S. Moore</i> . . . . .	486
obscura, <i>Ker.</i> . . . . .	455	exigua, <i>S. Moore</i> . . . . .	486
Papilio, <i>Hal. f.</i> . . . . .	455	Eylesii, ( <i>S. Moore</i> ) . . . . .	486
Pes-tigididis, <i>L.</i> . . . . .	455	filifolia, <i>Lindau</i> . . . . .	487
pileata, <i>Roxb.</i> . . . . .	455	flava, <i>Vahl</i> . . . . .	487
pterygocaulos, <i>Choisy</i> . . . . .	453	glabra, <i>Roxb.</i> . . . . .	487
pubescens, <i>Choisy</i>		matamensis, <i>Oliv.</i> . . . . .	487
var. pubescens, <i>Hal. f.</i> . . . . .	455		

	PAGE		PAGE
<i>Justicia</i> —		<i>Laggera</i> —	
<i>Melampyrum</i> , <i>S. Moore</i> .....	487	<i>alata</i> , <i>Sch. Bip.</i> .....	509
<i>prostrata</i> , <i>Nees</i> .....	486	<i>brevipes</i> , <i>O. &amp; H.</i> .....	509
<i>protracta</i> , <i>T. And.</i> .....	487	<i>pterodonta</i> , <i>Sch. Bip.</i> .....	509
<i>pulegioides</i> , <i>E. Mey.</i> .....	487	<i>purpurascens</i> , <i>Sch. Bip.</i> .....	509
<i>rhodesiana</i> , <i>S. Moore</i> .....	487	<i>Landolphia</i> .....	444
<i>uncinulata</i> , <i>Oliv.</i> .....	487	<i>Buchananii</i> , <i>Stapf</i> .....	444
<i>Kæmpferia</i> .....	333	<i>Kirkii</i> , <i>Dyer</i> .....	444
<i>Carsonii</i> , <i>Bak.</i> .....	333	? <i>lucida</i> , <i>K. Schum.</i> .....	444
<i>Kirkii</i> , <i>K. Schum.</i> .....	333	<i>Swyunertonii</i> , <i>S. Moore</i> .....	444
var. <i>elatior</i> , <i>Stapf</i> .....	333	<i>Lamnea</i> .....	401
<i>Kalanchoe</i> .....	357	<i>discolor</i> , <i>Engl.</i> .....	401
<i>agyptiaca</i> , <i>DC.</i> .....	357	<i>edulis</i> , <i>Engl.</i> .....	401
<i>crenata</i> , <i>Haw.</i> .....	357	var. <i>integrifolia</i> , <i>Engl.</i> .....	401
<i>glandulosa</i> , <i>Hochst.</i> .....	358	<i>Schimpéri</i> , <i>Engl.</i> .....	401
var. <i>rhodesica</i> , <i>Bak. f.</i> .....	358	<i>Stuhlmanni</i> , <i>Engl.</i> .....	401
<i>paniculata</i> , <i>Harr.</i> .....	358	<i>Wodier</i> , <i>Roxb.</i> .....	
<i>pilosa</i> , <i>Bak.</i> .....	358	var. <i>brevifolia</i> , <i>Engl.</i> .....	401
<i>rotundifolia</i> , <i>Haw.</i> .....	358	<i>Lantana</i> .....	458
<i>thyrsiflora</i> , <i>Harr.</i> .....	358	<i>salvifolia</i> , <i>Jacq.</i> .....	458
<i>Kanahia</i> .....	448	<i>Lapeyrouisia</i> .....	332
<i>glaberrima</i> , <i>N. E. Br.</i> .....	448	<i>candata</i> , <i>Schinz.</i> .....	332
<i>Monroi</i> , <i>S. Moore</i> .....	448	<i>eruenta</i> , <i>Bkr.</i> .....	332
<i>Khaya</i> .....	388	<i>cyanescens</i> , <i>Bak.</i> .....	332
<i>nyasica</i> , <i>Stapf</i> .....	388	<i>grandiflora</i> , <i>Bak.</i> .....	332
<i>Kigelia</i> .....	477	<i>odoratissima</i> , <i>Bak.</i> .....	332
<i>pinnata</i> , <i>DC.</i> .....		<i>porphyrosiphon</i> , <i>Bak.</i> .....	332
var. <i>tomentella</i> , <i>Sprague</i> .....	477	<i>rhodesiana</i> , <i>N. E. Br.</i> .....	332
<i>Kiggelaria</i> .....	422	<i>Sandersoni</i> , <i>Bak.</i> .....	332
<i>africana</i> , <i>L.</i> .....	422	<i>Welwitschiai</i> , <i>Bak.</i> .....	332
<i>Kirkia</i> .....	388	<i>Lasicorys</i> .....	461
<i>aeuminata</i> , <i>Oliv.</i> .....	388	<i>capensis</i> , <i>Benth.</i> .....	461
<i>Kleinia</i> .....	518	<i>Lasiodiscus</i> .....	407
<i>longijlora</i> , <i>DC.</i> .....	518	<i>Holtzii</i> , <i>Engl.</i> .....	407
<i>Kniphofia</i> .....	322	<i>Lasiosiphon</i> .....	425
<i>rhodesiana</i> , <i>Rendle</i> .....	322	<i>Kraussii</i> , <i>Meisn.</i> .....	425
<i>Kochia</i> .....	347	<i>roridus</i> , <i>S. Moore</i> .....	425
<i>decumbens</i> , <i>Hochst.</i> .....	347	<i>LAURACEAE</i> .....	354
<i>Koeleria</i> .....	310	<i>Lefeburia</i> .....	434
<i>cristata</i> , <i>Pers.</i> .....	310	<i>benguelliensis</i> , <i>Welw.</i> .....	434
<i>Kosteletzkya</i> .....	416	<i>LEGUMINOSAE</i> .....	361
<i>Büttneri</i> , <i>Gürke</i> .....	416	<i>LENTIBULARIACEAE</i> .....	479
<i>Kyllinga</i> .....	313	<i>Leonotis</i> .....	461
<i>alba</i> , <i>Nees</i> .....	313	<i>mellieri</i> , <i>Baker</i> .....	461
<i>erecta</i> , <i>Schum.</i> .....	313	<i>mollissima</i> , <i>Gürke</i> .....	461
<i>LABIATAE</i> .....	461	<i>nepetifolia</i> , <i>R. Br.</i> .....	461
<i>Lactuca</i> .....	523	<i>Randii</i> , <i>S. Moore</i> .....	461
<i>capensis</i> , <i>Thunb.</i> .....	523	<i>spectabilis</i> , <i>S. Moore</i> .....	461
<i>dregeana</i> , <i>DC.</i> .....	523	<i>Lepidagathis</i> .....	
<i>virosa</i> , <i>Thunb.</i> .....	523	<i>scariosa</i> , <i>Nees</i> .....	483
<i>Laggera</i> .....	509	<i>Leptactinia</i> .....	490
		<i>lanceolata</i> , <i>K. Schum.</i> .....	490
		<i>Leptaspis</i> .....	303

	PAGE		PAGE
Leptaspis—		Lippia—	
<i>coelilenta</i> , Thw. ....	303	<i>asperifolia</i> , Rich. ....	458
<i>Leptocarydion</i> ....	307	<i>Oatesii</i> , Rolfe ....	458
<i>alopécuroïdes</i> , Stapf. ....	307	<i>Wilmsii</i> , Pearson ....	158
<i>Leptochoea</i> ....	308	<i>Lissochilus</i> ....	335
<i>falcata</i> , Hack. ....	308	<i>arenarius</i> , Lindl. ....	335
<i>Leptogium</i> sp. ....	277	<i>Buchananii</i> , Rehb. f. ....	335
<i>Lessertia</i> ....	377	<i>clitellifer</i> , Rehb. f. ....	336
<i>pancitlora</i> , Hart. ....	377	<i>dilectus</i> , Rehb. f. ....	335
<i>stipulata</i> , Bak. f. ....	377	<i>Eylesii</i> , Rendle ....	335
<i>Leucas</i> ....	461	<i>Krebsii</i> , Rehb. f. ....	336
<i>epensis</i> , Engl. ....	461	<i>livingstonianus</i> , Rehb. f. ....	336
<i>martinicensis</i> , R. Br. ....	462	<i>microceras</i> , Rehb. f. ....	336
<i>masikensis</i> , Bak. ....	462	<i>milanjanus</i> , Rendle ....	336
<i>milanjiana</i> , Gürke ....	462	<i>Oatesii</i> , Rolfe ....	336
<i>neuflicheana</i> , Courb. ....	462	<i>papillionaceus</i> , Rendle ....	336
<i>nyassae</i> , Gürke ....	462	<i>saccatus</i> , Rendle ....	336
<i>Randii</i> , S. Moore ....	462	<i>speciosus</i> , R. Br. ....	336
<i>stricta</i> , Bak. ....	462	<i>Wakefieldii</i> , Rehb. f. & S. Moore ...	336
<i>Leucosidea</i> ....	359	<i>Listia</i> ....	369
<i>sericea</i> , E. & Z. ....	359	<i>heterophylla</i> , E. Mey. ....	369
<i>Leucospermum</i> ....	342	<i>Lithospermum</i> sp. ....	457
<i>saxosum</i> , S. Moore ....	342	<i>Lobelia</i> ....	501
<i>LICHENES</i> ....	277	<i>Boivini</i> , Sond. ....	501
<i>Lichtensteinia</i> sp. ....	434	<i>cobaltica</i> , S. Moore ....	501
<i>Lightfootia</i> ....	500	<i>decipiens</i> , Sond. ....	501
<i>abyssinica</i> , Hochst. ....	500	<i>Erinus</i> , L. ....	501
<i>capillaris</i> , Buek. ....	500	var. <i>microdon</i> , Sond. ....	501
<i>denticulata</i> , Sond. ....	501	<i>fervens</i> , Thunb. ....	501
<i>glomerata</i> , Engl. ....	501	<i>fonticola</i> , Engl. & Gilg. ....	501
<i>junccea</i> , Sond. ....	501	<i>jugosa</i> , S. Moore ....	501
<i>tenuifolia</i> , A. DC. ....	501	<i>microdon</i> , A. DC. ....	502
<i>LILIACEAE</i> ....	320	<i>minutidentata</i> , Engl. & G. ....	502
<i>Limeum</i> ....	349	<i>natalensis</i> , A. DC. ....	502
<i>fenestrata</i> , Fenzl. ....	349	<i>thermalis</i> , Thunb. ....	502
<i>viscosum</i> , Fenzl. ....	349	<i>trullifolia</i> , Hemsl. ....	502
<i>Limnanthemum</i> ....	444	<i>Lochnera</i> ....	445
<i>indicum</i> , Dur. & De Wild. ....	444	<i>rosea</i> , Reichb. ....	445
<i>thunbergianum</i> , Griseb. ....	444	<i>LOGANIACEAE</i> ....	441
<i>Limnophila</i> ....	472	<i>Lolium</i> sp. ....	310
<i>ceratophylloides</i> , Skan. ....	472	<i>Lomaria</i> ....	281
<i>gratiolioides</i> , R. Br. ....	472	<i>attenuata</i> , Willd. ....	281
<i>sessiflora</i> , Blume ....	472	<i>Boryana</i> , Willd. ....	281
<i>Limosella</i> ....	472	<i>procera</i> , Spreng. ....	281
<i>aquatica</i> , L. ....		<i>punctulata</i> , Kze. ....	281
var. <i>teucriifolia</i> , Hk. f. ....	472	<i>Lonehoearpus</i> ....	380
<i>LINACEAE</i> ....	386	<i>capassa</i> , Rolfe ....	380
<i>Linum</i> ....	386	<i>laxiflorus</i> , G. & P. ....	380
<i>Thunbergii</i> , E. & Z. ....	386	<i>Philenoptera</i> , Benth. ....	380
<i>Lipoearpha</i> ....	311	<i>speciosus?</i> ....	369
<i>argentea</i> , R. Br. ....	311	<i>violaceus</i> , Oliv. ....	380
<i>monocephala</i> , Turrill ....	311	<i>Lopholaema</i> ....	517
<i>Lippia</i> ....	458	<i>brickellioides</i> , S. Moore ....	517

	PAGE		PAGE
Lopholena—		Lythrum—	
<i>Randii</i> , S. Moore .....	517	<i>sagittifolium</i> , Sond.....	426
LORANTHACEAE .....	342	<i>Maba</i> .....	439
Loranthus.....	342	<i>Mualala</i> , Welw.....	439
<i>bulawayensis</i> , Engl. ....	342	<i>Macaranga</i> .....	395
<i>Cecilae</i> , N. E. Br. ....	342	<i>mellifera</i> , Prain .....	395
<i>curviflorus</i> , Schinz .....	342	<i>Macropetalum</i> .....	450
<i>Dregei</i> , E. & Z.....	342	<i>Burchellii</i> , Decne .....	450
var. <i>subuncifolius</i> , Sprague .....	342	<i>Macrorungia</i> .....	485
<i>erianthus</i> , Sprague .....	342	<i>pubinervia</i> , C. B. Cl. ....	485
<i>Eylesii</i> , Sprague .....	342	<i>Madotheca</i> .....	278
<i>guttatus</i> , Sprague.....	342	<i>capensis</i> , Gottsche .....	278
<i>kalachariensis</i> , Schinz .....	343	<i>Maerua</i> .....	356
<i>kraussianus</i> , Meisn.....	343	<i>arenicola</i> , Gilg. ....	356
<i>kraussianus</i> , Gibbs .....	343	<i>caffra</i> , Pax.....	356
<i>Meyeri</i> , Presl. ....	343	<i>maschonica</i> , Gilg. ....	356
<i>mweroensis</i> , Bak.....	343	<i>nervosa</i> , Oliv. ....	356
<i>namaquensis</i> , Harv. ....	343	var. <i>flagellaris</i> , Oliv. ....	356
<i>quinquangulus</i> , Engl. & Schnz. ....	343	<i>Maesa</i> .....	436
var. <i>pedicellatus</i> , Sprague .....	343	<i>lanceolata</i> , Forsk.....	436
<i>Swynnertonii</i> , Sprague .....	343	<i>rufescens</i> , A. DC. ....	436
<i>virescens</i> , N. E. Br. ....	343	<i>Mahernia</i> .....	418
<i>zambesicus</i> , Gibbs.....	343	<i>abyssinica</i> , Hochst. ....	418
Lotononis .....	369	<i>Mallotus</i> .....	395
<i>aristata</i> , Schinz .....		<i>Melleri</i> , Müll. Arg. ....	395
var. <i>gazensis</i> , Bak. f. ....	369	<i>MALPIGHIACEAE</i> .....	390
<i>Leobordea</i> , Benth. ....	369	<i>MALVACEAE</i> .....	412
<i>Lovoa</i> .....	390	<i>Malvastrum</i> spp. ....	413
<i>Swynnertonii</i> , Bak. f. ....	390	<i>Manihot</i> .....	397
<i>Ludwigia</i> .....	432	<i>Glaziovii</i> , Müll. Arg. ....	397
<i>jussiaeoides</i> , Harv. ....	432	<i>Manulea</i> .....	471
<i>pulvinaris</i> , Gilg. ....	432	<i>rhodesiana</i> , S. Moore .....	471
<i>Lycium</i> .....	468	<i>Marattia</i> .....	290
<i>arabicum</i> , Schweinf. ....	468	<i>fraxinea</i> , Sm. ....	290
<i>horridum</i> , Thunb. ....	468	<i>MARATTIACEAE</i> .....	290
<i>persicum</i> , Miers .....	468	<i>Marchantia</i> .....	278
<i>tetrandrum</i> , Thunb. ....	468	<i>polymorpha</i> , L. ....	278
LYCOPIDIACEAE .....	291	<i>Margareta</i> .....	448
<i>Lycopodium</i> .....	291	<i>Holstii</i> , K. Schum. ....	448
<i>carolinianum</i> , L. ....	291	<i>Whytei</i> , K. Schum. ....	448
<i>cernuum</i> , L. ....	291	<i>Mariscus</i> .....	
<i>clavatum</i> , L. ....		<i>hemisphaericus</i> , C. B. Cl. ....	312
var. <i>inflexum</i> , Spring.....	291	<i>radiatus</i> ? .....	313
<i>verticillatum</i> , L. ....	291	<i>sieberianus</i> , Nees .....	313
<i>Lygodium</i> .....	289	<i>Markhamia</i> .....	477
<i>Brycei</i> , Bak. ....	289	<i>acuminata</i> , Sprague .....	477
<i>Kerstenii</i> , Kuhn. ....	289	<i>lanata</i> , K. Schum. ....	477
<i>subulatum</i> , Bojer .....	289	<i>Marsdenia</i> .....	451
<i>Lyperia</i> .....	471	<i>zambesiaca</i> , Schlechter .....	451
<i>atropurpurea</i> , Benth. ....	471	<i>Marsea</i> .....	
<i>burkeana</i> , Benth. ....	471	<i>egyptiaca</i> , Hiern .....	507
LÝTHRACEAE .....	425	<i>persicifolia</i> , Hiern .....	508
<i>Lythrum</i> .....	426		

	PAGE		PAGE
Marsilia . . . . .	290	Mesospherum . . . . .	463
<b>biloba</b> , Willd. . . . .	290	<i>pectinatum</i> , O. Kuntze . . . . .	463
<b>capensis</b> , A. Br. . . . .	290	Microcharis sp. . . . .	376
<b>macrocarpa</b> , Presl. . . . .		Microchloa . . . . .	306
var. <i>lobata</i> , Sim . . . . .	290	<i>caffra</i> , Nees . . . . .	306
<b>MARSILIACEAE</b> . . . . .	290	<b>Micromeria</b> . . . . .	
<i>Meibomia</i> . . . . .		<i>biflora</i> , Benth. . . . .	462
<i>dimorpha</i> , O. Kuntze . . . . .	378	<i>Mikania</i> . . . . .	506
<i>lasiocarpa</i> , O. Kuntze . . . . .	378	<i>capensis</i> . . . . .	506
<i>oxybractea</i> , O. Kuntze . . . . .	379	<i>scandens</i> , Willd. . . . .	506
<i>repanda</i> , O. Kuntze . . . . .	379	<b>Mimosa</b> . . . . .	363
<i>Melanthera</i> . . . . .	515	<i>asperata</i> , L. . . . .	363
<i>Brownii</i> , S.-h. Bip. . . . .	515	<b>Mimulus</b> . . . . .	472
<i>Melasma</i> . . . . .	473	<i>angustifolius</i> , Hochst. . . . .	472
<i>communis</i> ( <i>Hemsl.</i> ) . . . . .	473	<i>gracilis</i> , R. Br. . . . .	472
<i>orobanchoides</i> , Engl. . . . .	473	<i>strictus</i> , Benth. . . . .	472
<i>sessiliflorum</i> , Hiern . . . . .	474	<b>Mimusops</b> . . . . .	437
<b>MELASTOMATACEAE</b> . . . . .	431	<i>decorifolia</i> , S. Moore . . . . .	437
<i>Melania</i> . . . . .	417	<i>Kirkii</i> , Bak. . . . .	437
<i>acuminata</i> , Mast. . . . .	417	<i>Mochisia</i> , Bak. . . . .	437
<i>ferruginea</i> , A. Rich. . . . .	417	<i>Monroi</i> , S. Moore . . . . .	437
<i>Forbesii</i> , Planch. . . . .	417	<i>Zeyheri</i> , Sond. . . . .	
<i>linearifolia</i> , Sond. . . . .	417	var. <i>laurifolia</i> , Engl. . . . .	438
<i>obtusa</i> , N. E. Br. . . . .	417	<b>Mohria</b> . . . . .	289
<i>prostrata</i> , DC. . . . .	417	<i>caffrorum</i> , Desv. . . . .	289
forma <i>latifolia</i> ? . . . . .	417	<i>lepidera</i> , Bak. . . . .	289
<i>Randii</i> , Bak. f. . . . .	417	<b>Mollugo</b> . . . . .	350
<i>Melia</i> . . . . .	389	<i>Cerviana</i> , Seringe . . . . .	350
<i>azedarach</i> , L. . . . .	389	<i>Glinus</i> , A. Rich. . . . .	350
<b>MELIACEAE</b> . . . . .	388	<i>hirta</i> , Thunb. . . . .	
<i>Melinis</i> . . . . .	298	var. <i>virens</i> , Hieru . . . . .	350
<i>minutiflora</i> , Beauv. . . . .	298	<i>nudicaulis</i> , Lam. . . . .	350
<i>Mellera</i> . . . . .	481	<b>Momordica</b> . . . . .	498
<i>lobulata</i> , S. Moore . . . . .	481	<i>Balsamina</i> , L. . . . .	498
<i>Melochia</i> . . . . .	419	<i>clematidea</i> , Sond. . . . .	498
<i>corchorifolia</i> , L. . . . .	419	<i>cordifolia</i> , Sond. . . . .	498
<i>Melothoria</i> . . . . .	498	<i>fœtida</i> , Schum. & Thonn. . . . .	498
<i>longepedunculata</i> , Cogn. . . . .	498	<i>invulnerata</i> , E. Mey. . . . .	498
<b>MENISPERMACEAE</b> . . . . .	353	<i>Morkorra</i> , A. Rich. . . . .	498
<i>Menodora</i> . . . . .	440	<b>Monechma</b> . . . . .	
<i>heterophylla</i> , Moric. . . . .	440	<i>bracteatum</i> , Hochst. . . . .	486
<i>Mentha</i> . . . . .	463	<b>MONIMIACEAE</b> . . . . .	354
<i>longifolia</i> , Huds. . . . .	463	<b>Monotes</b> . . . . .	421
<i>sylvestris</i> , L. . . . .	463	<i>africanus</i> , A. DC. . . . .	
<i>Merremia</i> . . . . .	453	var. <i>denudans</i> , Hieru . . . . .	421
<i>angustifolia</i> , Hal. f. . . . .	453	<i>glaber</i> , Sprague . . . . .	421
<i>palmata</i> , Hal. f. . . . .	453	<i>hypoleucus</i> , Gilg. . . . .	421
<i>pinnata</i> , Hal. f. . . . .	453	<b>Monsonia</b> . . . . .	386
<i>pterygoaulos</i> , Hal. f. . . . .	453	<i>biflora</i> , DC. . . . .	386
<i>Mesembrianthemum</i> . . . . .	351	<i>burkeana</i> , Planch. . . . .	386
<i>Malionii</i> , N. E. Br. . . . .	351	<i>ovata</i> , Cav. . . . .	386
sp. . . . .	351	<b>MORACEAE</b> . . . . .	339
		<i>Morea</i> . . . . .	330

	PAGE		PAGE
Morea—		Nephrodium—	
<i>edulis</i> , Ker. ....	330	<i>Filix-mas</i> , Rich. ....	
<i>iridioides</i> , L. ....	330	var. <i>elongatum</i> , Hook. ....	280
<i>Randii</i> , Rendle....	330	<i>hippocratea</i> , Desv. ....	280
Moschosma ....	466	<i>inæquale</i> , Hook. ....	280
<i>miltiflorum</i> , Benth. ....	466	<i>mauritanum</i> , Fée. ....	280
<i>riparium</i> , Hochst. ....	466	<i>molle</i> , Desv. ....	280
Mostuea ....	441	var. <i>violaceum</i> , Mett. ....	280
<i>Walleri</i> , Bak. ....	441	<i>Thelypteris</i> , Desv. ....	280
Mucuna ....	381	v. <i>squamuligera</i> , Sch. ....	280
<i>coriacea</i> , Bak. ....	381	<i>unitum</i> , R. Br. ....	280
Mundulea ....	375	Nephrolepis ....	281
<i>suberosa</i> , Benth. ....	375	<i>cordifolia</i> , Presl. ....	281
Musa ....	333	<i>exaltata</i> , Schott. ....	280
<i>ensete</i> , Gmel. ....	333	Nesea ....	426
MUSACEAE ....	333	<i>erecta</i> , G. & P. ....	426
MUSCI ....	278	<i>floribunda</i> , Sond. ....	426
Mussaenda ....	490	<i>heptameria</i> , Hiern ...	426
<i>areuata</i> , Poir. ....	490	<i>muuronata</i> , Koehne .....	426
Myrianthus ....	340	<i>passerinoides</i> , Koehne .....	426
<i>arboreus</i> , Beaur. ....	340	<i>radicans</i> , Guill. & Perr. ....	426
Myrica ....	338	<i>rigidula</i> , Koehne .....	426
<i>aethiopica</i> , L. ....	338	<i>sagittifolia</i> , Sond. ....	426
<i>pilulifera</i> , Rendle ....	338	<i>Stuhlmannii</i> , Koehne .....	427
var. <i>puberula</i> , Rendle ....	338	<i>triflora</i> , H. B. Kunth .....	427
MYRICACEAE ....	338	Neumannnia ....	422
MYROTHAMNACEAE ....	359	<i>theiformis</i> , (Benn.) ....	422
Myrothamnus ....	359	Neurocarpava ....	489
<i>flabellifolia</i> , Welw. ....	359	<i>lanceolata</i> , R. Br. ....	489
MYRSINACEAE ....	436	Nicandra ....	468
Myrsine ....	436	<i>physaloides</i> , Gaertn. ....	468
<i>africana</i> , L. ....	436	Nicolasia ....	509
MYRTACEAE ....	430	<i>nitens</i> , Sp Moore .....	509
Mystacidium sp. ....	337	Nidorella ....	507
Nasturtium ....	355	<i>auriculata</i> , DC. ....	507
<i>fluviale</i> , E. Mey. ....	355	<i>depauperata</i> , Harr. ....	507
Nelsonia ....	480	<i>hirta</i> , DC. ....	507
<i>campestris</i> , R. Br. ....	480	<i>microcephala</i> , Steetz .....	507
<i>tomentosa</i> , Willd. ....	480	<i>namaquensis</i> , ? ....	507
Nemesia ....	470	<i>resedifolia</i> , DC. ....	507
<i>affinis</i> , Benth. ....	470	Niebuhria ....	356
<i>dentata</i> , G. Don. ....	470	<i>nervosa</i> , Hochst. ....	356
<i>divergens</i> , Benth. ....	470	<i>triphylla</i> , Wendl. ....	356
<i>fœtens</i> , Vent. ....	470	Nitella ....	277
Neoboutonia ....	395	<i>hyalina</i> , Ag .....	277
<i>Melleri</i> , Prain ....	395	Nolletia sp. ....	508
Nephrodium ....	279	Nostoc ....	277
<i>albo-punctatum</i> , Desr. ....	279	<i>commune</i> , Vaucher. ....	277
<i>athamanticum</i> , Hook. ....	279	Notochlæna ....	285
<i>bergianum</i> , Bak. ....	280	<i>Buchananii</i> , Bak. ....	285
<i>captopteron</i> , Hook. ....	280	<i>inæqualis</i> , Kze. ....	285
<i>cicutarium</i> , Bak. ....	280	Nuxia ....	442
		<i>dentata</i> , R. Br. ....	442

	PAGE		PAGE
Nuxia—		Oldenlandia—	
<i>Holsti</i> , Gilg. ....	442	<i>natalensis</i> , O. Kuntze .....	488
<i>Sambesina</i> , Gilg. ....	442	<i>obtusiloba</i> , Hiern.....	488
<i>viscosa</i> , Gibbs .....	442	<i>papillosa</i> , K. Schum.....	489
NYCTAGINACEAE .....	349	<i>rhodesiana</i> , S. Moore .....	489
Nymphaea .....	352	<i>thymifolia</i> , Prantl.....	489
<i>lotus</i> , L. ....	352	<i>trimervia</i> , Retz.....	489
<i>malabarica</i> , Poir. ....	352	<i>Welwitschii</i> , Hiern .....	489
<i>stellata</i> , Willd. ....	352	Olea .....	440
NYMPHAEACEAE .....	352	<i>chrysophylla</i> , Lam.....	440
Ochna .....	419	<i>lauroifolia</i> , Lam.....	440
<i>Antunesii</i> , Engl. & Gilg. ....	419	<i>verrucosa</i> , Link.....	440
<i>chirindia</i> , Bak. f. ....	419	<i>woodiana</i> , Knobl.....	440
<i>leptoclada</i> , Oliv. ....	419	OLEACEAE .....	440
<i>pulehra</i> , Hook. f. ....	419	Olinia .....	424
<i>schweinfurthiana</i> , F. Ifm. ....	420	<i>vanguerioides</i> , Bak. f. ....	424
Ochnaceae .....	419	OLINIACEAE .....	424
Oeimum .....	466	Olyra .....	303
<i>americanum</i> , L. ....	466	<i>latifolia</i> , L. ....	303
<i>angustifolium</i> , Benth. ....	466	Oneinotis .....	416
<i>bracteosum</i> , Benth. ....	467	<i>chirindiea</i> , S. Moore .....	446
<i>Buchananii</i> , Bak. ....	466	Oncoba .....	422
<i>canum</i> , Sims ....	467	<i>spinosa</i> , Forsk. ....	422
<i>filamentosum</i> , Forsk. ....	467	OPHIOGLOSSACEAE .....	290
<i>knyanum</i> , Vatke .....	467	Ophioglossum .....	290
<i>obovatum</i> , E. Mey. ....	467	<i>reticulatum</i> , L. ....	290
<i>odontosepalum</i> , S. Moore .....	467	<i>vulgatum</i> , L. ....	290
<i>Randii</i> , S. Moorr .....	467	Opilia .....	345
<i>scoparium</i> , Gürke .....	467	<i>amentacea</i> , Roxb. ....	345
<i>sauve</i> , Willd. ....	467	OPILIACEAE .....	345
Octodiceras .....	278	Oplismenus .....	302
<i>julianum</i> , Brid. ....	278	<i>africanus</i> , Beauv. ....	302
Odina .....		Oranthera .....	
<i>discolor</i> , Sond. ....	401	<i>jasminiflora</i> , N. E. Br. ....	450
<i>edulis</i> , Sond. ....	401	ORCHIDACEAE .....	333
<i>Schimpieri</i> , Hochst. ....	401	Ormocarpum .....	377
<i>Stuhlmanni</i> , Engl. ....	401	<i>trichocarpum</i> , Taub. ....	377
OENOTHERACEAE .....	432	Ormosia .....	369
OLACACEAE .....	345	<i>angolensis</i> , Bak. ....	369
Olax .....	345	Ornithoglossum .....	321
<i>dissitillora</i> , Oliv. ....	345	<i>glaucum</i> , Salisb. ....	321
Oldenlandia .....	487	<i>v. grandiflorum</i> , Bak. ....	321
<i>angolensis</i> , K. Schum .....	487	OROBANCHACEAE .....	479
<i>Bojeri</i> , Hiern .....	488	Orobanche .....	479
<i>caffra</i> , E. & Z. ....	488	<i>minor</i> , Sutton .....	479
<i>capensis</i> , Linn. f. ....	488	Orthosiphon .....	467
<i>cuspidata</i> , K. Schum. ....	488	<i>bracteosus</i> , Bak. ....	467
<i>cynanchica</i> , K. Schum. ....	488	<i>Elliottii</i> , Bak. ....	467
<i>decumbens</i> , Hiern .....	488	<i>Kirkii</i> , Bak. ....	467
<i>Heynei</i> , Oliv. ....	488	<i>linearis</i> , Benth. ....	467
<i>hirtula</i> , O. Kuntze .....	488	<i>rhodesianus</i> , S. Moore .....	467
<i>lasiocarpa</i> , Hiern .....	488	<i>shirensis</i> , Bak. ....	467
		<i>teuerifolius</i> , N. E. Br. ....	467

	PAGE		PAGE
<b>Orthosiphon</b> —		<b>Pachystigma</b> —	
<i>Woodii</i> , <i>Gürke</i> .....	468	<i>stenophylla</i> , ( <i>Welw.</i> ) .....	494
<b>Orthotrichum</b> sp. ....	278	<i>tetraquetra</i> , ( <i>K. Krause</i> ) .....	494
<b>Orygia</b> .....	350	<i>Zeyheri</i> , <i>Sond.</i> .....	494
<i>decumbens</i> , <i>Forsk.</i> .....	350	<b>Pepalanthus</b> .....	318
<b>Osbeckia</b> .....	432	<i>Wahlbergii</i> , <i>Körn.</i> .....	318
<i>antherotoma</i> , <i>Naud.</i> .....	431	<b>Pahudia</b> .....	366
<i>phototricha</i> , <i>Hoehst.</i> .....	432	<i>quangensis</i> , <i>Prain</i> .....	366
<i>Swynnertonii</i> , <i>Bak. f.</i> .....	432	<b>PALMAE</b> .....	316
<b>Osmunda</b> .....	289	<b>Pancratium</b> .....	327
<i>regalis</i> , <i>L.</i> .....	289	<i>Chapmanni</i> , <i>Harv.</i> .....	327
<b>OSMUNDACEAE</b> .....	289	<i>trianthum</i> , <i>Herb.</i> .....	327
<b>Osteospermum</b> .....	519	<b>Panicum</b> .....	299
<i>herbaeum</i> , <i>Linn. f.</i> .....	519	<i>bolbodes</i> , <i>Schwnf.</i> .....	299
<i>moniliforme</i> , <i>L.</i> .....	520	<i>bizanthum</i> , <i>Hochst.</i> .....	299
<i>murieatum</i> , <i>E. Mey.</i> .....	520	<i>bulawayense</i> , <i>Hack.</i> .....	299
<b>Osyris</b> .....	344	<i>capillare</i> , <i>L.</i> .....	299
<i>abyssinica</i> , <i>Hochst.</i> .....	344	<i>colonum</i> , <i>L.</i> .....	299
<b>Othonna</b> .....	519	<i>coloratum</i> , <i>L.</i> .....	299
<i>ambifaria</i> , <i>S. Moore</i> .....	519	<i>commutatum</i> , <i>Nees</i> .....	299
<b>Otiophora</b> .....	496	<i>dregeanum</i> , <i>Nees</i> .....	300
<i>inyangana</i> , <i>N. E. Br.</i> .....	496	<i>Helopus</i> , <i>Trin.</i> .....	300
<i>scrabra</i> , <i>Zucc.</i> .....	496	<i>heterostachyum</i> , <i>Hack.</i> .....	300
<b>Otomeria</b> .....	489	<i>Isachne</i> , <i>Roth. &amp; Roem.</i> .....	300
<i>dilatata</i> , <i>Hiern.</i> .....	489	<i>lævifolium</i> , <i>Hack.</i> .....	300
<b>Ottelia</b> .....	293	<i>madagascariense</i> , <i>Spreng.</i> .....	300
<i>paucifolia</i> , <i>A. Rich.</i> .....	293	<i>maximum</i> , <i>Jacq.</i> .....	300
<i>vesiculata</i> , <i>Ridl.</i> .....	293	var. <i>triehoglume</i> .....	300
<b>OXALIDACEAE</b> .....	386	<i>monodactylum</i> , <i>Nees</i> .....	300
<b>Oxalis</b> .....	386	<i>myosuroides</i> , <i>R. Br.</i> .....	300
<i>corniculata</i> , <i>L.</i> .....		<i>nigropedatum</i> , <i>Munro</i> .....	300
var. <i>stricta</i> , <i>Oliv.</i> .....	386	<i>ramosum</i> , <i>L.</i> .....	300
<i>semiloba</i> , <i>Sond.</i> .....	386	<i>repens</i> , <i>L.</i> .....	300
<b>Oxyanthus</b> .....	491	<i>sanguinale</i> , <i>L.</i> .....	301
<i>Gerrardi</i> , <i>Sond.</i> .....	491	var. <i>ciliare</i> , <i>Hook. f.</i> .....	301
<i>Swynnertonii</i> , <i>S. Moore</i> .....	491	<i>serratum</i> , <i>Spreng.</i> .....	301
var. <i>breviflorus</i> , <i>S. Moore</i> .....	491	v. <i>holosericeum</i> , <i>Hack.</i> .....	301
<b>Oxygonum</b> .....	346	<i>staginum</i> , <i>Retz.</i> .....	301
<i>alatum</i> , <i>Burch.</i> .....	346	<i>Swynnertonii</i> , <i>Rendle</i> .....	301
<i>dregeanum</i> , <i>Meisn.</i> .....	346	<i>trichopus</i> , <i>Hochst.</i> .....	301
<i>pubescens</i> , <i>C. H. Wright</i> .....	347	<i>uncinatum</i> , <i>Raddi</i> .....	301
<i>Zeyheri</i> , <i>Sond.</i> .....	347	<i>zizanioides</i> , <i>H. B. K.</i> .....	301
<b>Oxytenanthera</b> .....	310	<b>PAPAVERACEAE</b> .....	355
<i>abyssinica</i> , <i>Munro</i> .....	310	<b>Pappea</b> .....	406
<b>Pachycarpus</b> .....		<i>capensis</i> , <i>E. &amp; Z.</i> .....	406
<i>concolor</i> , <i>E. Mey.</i> .....	448	<i>fulva</i> , <i>Conrad</i> .....	406
<b>Pachystela</b> .....		<b>Pappophorum</b> .....	307
<i>cinerea</i> , <i>Pierre</i> .....	437	<i>molle</i> , <i>Kunth</i> .....	307
<b>Pachystigma</b> .....	494	<b>Parasia</b> .....	
<i>Cienkowskii</i> , ( <i>Schwnf.</i> ) .....	494	<i>grandis</i> , <i>Hiern.</i> .....	443
<i>lateritica</i> , ( <i>K. Krause</i> ) .....	494	<b>Parastranths</b> .....	
<i>obovata</i> , ( <i>N. E. Br.</i> ) .....	494	<i>thermalis</i> , <i>Sond.</i> .....	502
		<b>Parinarium</b> .....	360

	PAGE		PAGE
Parinarium—		Pelargonium . . . . .	386
<i>capense</i> , Harr. . . . .	360	<i>aconitophyllum</i> , E. & Z. . . . .	386
<i>curatellifolium</i> , Planck . . . . .	360	Peltrophorum . . . . .	368
<i>Gilletii</i> , De Wild. . . . .	360	<i>africanum</i> , Sond. . . . .	368
<i>Mobola</i> , Oliv. . . . .	360	Pennisetum . . . . .	303
Parmelia sp. . . . .	277	<i>Benthamii</i> , Steud. . . . .	303
Paropsia. . . . .	422	<i>eenchroides</i> , Rich. . . . .	303
<i>reticulata</i> , Engl. . . . .	422	<i>ciliare</i> , Link. . . . .	303
Paspalum . . . . .	299	<i>dioicum</i> , Rich. . . . .	303
<i>scrobiculatum</i> , L. . . . .	299	<i>hordeiforme</i> , Spreng. . . . .	303
<i>semialatus</i> , Hook. f. var. <i>Eeklonii</i> , Stapf. . . . .	299	<i>longisetum</i> , K. Schum. . . . .	303
PASSIFLORACEAE . . . . .	424	<i>maerournum</i> , Trin. . . . .	303
Paullinia . . . . .	405	<i>purpureum</i> , Schumach. . . . .	303
<i>pinnata</i> , L. . . . .	405	<i>setosum</i> , Rich. . . . .	303
Pavetta . . . . .	191	<i>unisetum</i> , Benth. . . . .	303
<i>angolensis</i> , Hiern . . . . .	191	Pentagonia . . . . .	
<i>assimilis</i> , Sond. . . . .	495	<i>physalodes</i> , Hiern . . . . .	468
<i>Cecilae</i> , N. E. Br. . . . .	495	Pentanisia . . . . .	492
<i>comostyla</i> , S. Moore . . . . .	495	<i>crassifolium</i> , K. Krause . . . . .	492
<i>Eylesii</i> , S. Moore . . . . .	495	<i>rhodesiana</i> , S. Moore . . . . .	492
<i>gardeniaefolia</i> , Hochst. . . . .	495	<i>Schweinfurthii</i> , Hiern . . . . .	492
<i>luteola</i> , Stapf . . . . .	495	<i>sericocarpa</i> , S. Moore . . . . .	492
<i>neurophylla</i> , S. Moore . . . . .	495	<i>variabilis</i> , Harr. . . . .	492
<i>obovata</i> , E. Mey. . . . .	495	var. <i>intermedia</i> , Sond. . . . .	492
<i>schnemanniana</i> , K. Hoffm. . . . .	495	Pentarrhinum . . . . .	450
<i>stipulopallium</i> , K. Schum. . . . .	495	<i>insipidum</i> , E. Mey. . . . .	450
<i>Swynnertonii</i> , S. Moore . . . . .	495	Pentas . . . . .	489
Pavonia . . . . .	414	<i>carnea</i> , Benth. . . . .	489
<i>clathrata</i> , Mast. . . . .	414	<i>nobilis</i> , S. Moore . . . . .	489
<i>columella</i> , Car. . . . .	414	<i>purpurea</i> , Oliv. . . . .	489
<i>galpiniana</i> , Schinz. . . . .	414	<i>Woodii</i> , Scott-Elliott . . . . .	489
<i>macrophylla</i> , E. Mey. . . . .	414	Pentaschistis . . . . .	
<i>Meyheri</i> , Mast. . . . .	414	<i>inermis</i> ? . . . . .	305
<i>schimpiana</i> , Hochst. . . . .	414	Pentodon . . . . .	
PEDALIACEAE . . . . .	477	<i>decumbens</i> , Hochst. . . . .	347
Peddiea . . . . .	424	Peperomia . . . . .	337
<i>Dregei</i> , Meissn. . . . .	424	<i>brachytrichoides</i> , Engl. . . . .	337
Pedicellaria		<i>masharena</i> , C. DC. . . . .	337
<i>pentaphylla</i> , Schrank . . . . .	356	<i>reflexa</i> , A. Dietr. . . . .	338
Pegolettia . . . . .	513	Peponium, (Peponia) . . . . .	499
<i>senegalensis</i> , Cass. . . . .	513	<i>chirindensis</i> , Bak. f. . . . .	499
Pellaea . . . . .	281	Perdicium . . . . .	522
<i>burkeana</i> , Bk. . . . .	281	<i>abyssinicum</i> , Hiern . . . . .	522
<i>calomelanos</i> , Lk. . . . .	281	<i>piloselloides</i> , Hiern . . . . .	522
<i>consobrina</i> , Hk. . . . .	281	Periglossum . . . . .	
<i>Doniana</i> , Hk. . . . .	281	<i>kassnerianum</i> , Schltr. . . . .	448
<i>dura</i> , Hk. . . . .	281	<i>mossambicense</i> , Schltr. . . . .	448
<i>geranicaefolia</i> , Fée . . . . .	281	Peristrophe . . . . .	485
<i>hastata</i> , Lk. . . . .	285	<i>usta</i> , C. B. Cl. . . . .	485
var. <i>glauca</i> , Sim . . . . .	285	Perotis . . . . .	298
var. <i>macrophylla</i> , Hk. . . . .	285	<i>indica</i> , Schum. . . . .	298
<i>peptiniformis</i> , Bk. . . . .	285	<i>latifolia</i> , Ait. . . . .	298
		Petalidium, sp. . . . .	481

	PAGE		PAGE
Petunia . . . . .	470	Pilosyles—	
<i>violacea</i> , Lindl. . . . .	470	<i>aethiopica</i> , Welw. . . . .	345
Peucedanum . . . . .	434	PINACEAE . . . . .	292
<i>araliaceum</i> , Bth. & Hk. . . . .	434	Piper . . . . .	337
<i>benguelensis</i> , (Welw.) . . . . .	434	<i>capense</i> , L. . . . .	337
<i>fraxinifolium</i> , Hiern . . . . .	434	PIPERACEAE . . . . .	337
Pharnaceum . . . . .	350	Piptadenia . . . . .	364
<i>salsolooides</i> , Burch. . . . .	350	<i>Buchananii</i> , Bak. . . . .	364
<i>verrucosum</i> , E. & Z. . . . .	350	PITTOSPORACEAE . . . . .	359
<i>Zeyheri</i> , Sond. . . . .	350	Pittosporum . . . . .	359
Phaseolus . . . . .	384	<i>viridiflorum</i> , Sims . . . . .	359
<i>lunatus</i> , L. . . . .	384	Placus . . . . .	
Phaylospis . . . . .	481	<i>gariepinus</i> , O. Ktze. . . . .	509
<i>longifolia</i> , T. Thoms. . . . .	481	<i>lacerus</i> , O. Ktze. . . . .	509
<i>parviflora</i> , Willd. . . . .	481	Plagiochasma sp. . . . .	278
Philiphyllum		Platycerium . . . . .	288
<i>Schinzii</i> , O. Hoffm. . . . .	513	<i>alicorne</i> , Desr. . . . .	288
Philippia . . . . .	435	Plectranthus . . . . .	463
<i>hexandra</i> , S. Moore . . . . .	435	<i>candatus</i> , S. Moore . . . . .	463
<i>milanjiensis</i> , Brit. & Rndl. . . . .	435	<i>chimanimanensis</i> , S. Moore . . . . .	463
<i>Simii</i> , S. Moore . . . . .	436	<i>esculentus</i> , N. E. Br. . . . .	463
Phœnix . . . . .	316	<i>floribundus</i> , N. E. Br. . . . .	463
<i>dactylifera</i> , L. . . . .	316	var. <i>longipes</i> , N. E. Br. . . . .	464
<i>reclinata</i> , Jacq. . . . .	316	<i>grandidentatus</i> , Gürke . . . . .	464
Phragmites . . . . .	307	<i>hoslundioides</i> , Bak. . . . .	464
<i>communis</i> , Trin. . . . .	307	<i>laxiflorus</i> , Benth. . . . .	464
Phylica . . . . .	407	<i>marrubiooides</i> , Hochst. . . . .	464
<i>paniculata</i> , Willd. . . . .	407	<i>matabensis</i> , Bak. . . . .	464
Phyllanthus . . . . .	393	<i>petrensis</i> , S. Moore . . . . .	464
<i>floribundus</i> , Müll. Arg. . . . .	393	<i>selukwensis</i> , N. E. Br. . . . .	464
<i>graminicola</i> , Hutch. . . . .	393	<i>Swynnertonii</i> , S. Moore . . . . .	464
<i>hutchinsonianus</i> , S. Moore . . . . .	393	Plectronia . . . . .	493
<i>longifolius</i> , Sond. . . . .	393	<i>abbreviata</i> K. Schum . . . . .	493
<i>maderaspatensis</i> , L. . . . .	393	<i>ciliata</i> , Sond. . . . .	493
<i>myrtaceus</i> , Sond. . . . .	393	<i>Gueinzii</i> , Sim . . . . .	493
Niruri, L. . . . .	393	<i>lanceiflora</i> , (Hiern) . . . . .	493
<i>nummulariaefolius</i> , Poir. . . . .	393	<i>livida</i> , (Hiern) . . . . .	493
<i>pentandrus</i> , Schum. & Thonn. . . . .	393	<i>Oatesii</i> , (Rolle) . . . . .	493
<i>reticulatus</i> , Poir. . . . .	393	<i>Randii</i> , (S. Moore) . . . . .	493
Physalis . . . . .	468	<i>Swynnertonii</i> , (S. Moore) . . . . .	493
<i>minima</i> , L. . . . .	468	<i>ventosa</i> , L. . . . .	494
<i>peruviana</i> , L. . . . .	469	Pleiocarpa . . . . .	445
Physaloides . . . . .		<i>Swynnertonii</i> , S. Moore . . . . .	445
<i>sonnifera</i> , Moench . . . . .	468	Pleiotaxis . . . . .	520
Physcia . . . . .	277	<i>Antunesii</i> , O. Hoffm. . . . .	520
<i>flavicans</i> , DC. . . . .	277	Plenoridgea . . . . .	
Physotrichia . . . . .	434	<i>zanguebarica</i> , Van Tghm. . . . .	420
<i>Swynnertonii</i> , Bak. f. . . . .	434	Pluchea . . . . .	
Phytolæcca . . . . .	350	<i>Dioscoridis</i> , DC. . . . .	509
<i>ahysinica</i> , Hoffm. . . . .	350	PLUMBAGINACEAE . . . . .	437
<i>dodecandra</i> , L'Hérit. . . . .	350	Plumbago . . . . .	437
PHYTOLACCACEAE . . . . .	349	<i>zeylanica</i> , L. . . . .	437
Pilosyles . . . . .	345	Podocearpus . . . . .	292

	PAGE		PAGE
Podocearpus—		Polypodium—	
<i>milanjiana</i> , Rendle .....	292	<i>incanum</i> , Sw. ....	287
<i>Thunbergii</i> , Hook.		<i>irioides</i> , Lam. ....	288
var. <i>falcata</i> .....	292	<i>lanceolatum</i> , L. ....	288
PODOSTEMONACEAE.....	357	<i>lepidotum</i> , Willd. ....	288
Podramea .....	477	<i>normale</i> , Don ....	288
<i>Brycei</i> , Sprague .....	477	<i>obtusilobum</i> , Desv. ....	288
Poecilotachys .....	310	<i>phymatodes</i> , L. ....	288
<i>flaccidula</i> , Staph. ....	310	<i>proliferum</i> , Presl .....	288
Pogonarthria .....	308	<i>nnitum</i> , Hook. ....	288
<i>falcata</i> , Rendle .....	308	Polystachya .....	335
<i>Marlothii</i> , Hack. ....	308	<i>Hislopiae</i> , Rolfe .....	335
Polia .....		Polystictus .....	277
<i>arenaria</i> , Lour. ....	351	<i>sanguineus</i> , Meyer .....	277
Pollichia .....	351	Popowia .....	354
<i>campestris</i> , Ait. ....	351	<i>obovata</i> , Engl. & Diels .....	354
Pollinia .....	294	Porphyrostemma .....	510
<i>villosa</i> , Spreng. ....	294	<i>alata</i> ? .....	510
Polycarpaea .....	351	Portulaca .....	351
<i>corymbosa</i> , Lam. ....	351	<i>caffra</i> , Thunb. ....	351
Polygala.....	390	PORTULACACEAE .....	351
<i>abyssinica</i> , Fresn. ....	390	Potamogeton .....	292
<i>africana</i> , Chod. ....	390	<i>fluviatilis</i> , Roth. ....	292
<i>amatymbica</i> , E. & Z. ....	390	<i>natans</i> , L. ....	293
<i>arenaria</i> , Willd. ....	391	<i>pusillum</i> , L. ....	293
<i>capillaris</i> , E. Mey. ....	391	POTAMOGETONACEAE .....	292
<i>erioptera</i> , DC. ....	391	Pouzolzia .....	340
<i>gazensis</i> , Bak. f. ....	391	<i>hypoleuca</i> , Wedd. ....	340
<i>hottentotta</i> , Presl. ....	390	Pretrea .....	479
<i>latipetala</i> , N. E. Br. ....	391	<i>eriocarpa</i> , Decne .....	479
<i>livingstoniana</i> , Chod. ....	391	<i>zanguebarica</i> , J. Gay .....	479
<i>micrantha</i> , Guill. & Perr. ....	390	PRIMULACEAE .....	436
<i>persicariifolia</i> , DC. ....	391	Prismatocarpus sp. ....	499
<i>petitiana</i> , Rich. ....	391	Priva .....	159
<i>rarifolia</i> , Link. ....	391	<i>leptostachya</i> , Juss. ....	459
<i>retusa</i> , Hochst. ....	391	Protea .....	341
<i>rigens</i> , A. DC. ....	391	<i>abyssinica</i> , Willd. ....	341
<i>triflora</i> , L. ....	391	<i>angolensis</i> , Welw. var. <i>albiflora</i> ,	
<i>virgata</i> , Thunb. ....	391	Engl. ....	341
var. <i>decora</i> , Harv. ....	391	<i>grandiflora</i> , Thunb. ....	341
POLYGALACEAE .....	390	<i>madieniorum</i> , Oliv. ....	341
POLYGONACEAE .....	346	<i>maschonica</i> , Engl. ....	341
Polygonum .....	346	<i>mellifera</i> , Thunb. ....	341
<i>neuminatum</i> , H. B. & K. ....	346	<i>Swynnertonii</i> , S. Moore .....	342
<i>avieulare</i> , L. ....	346	<i>uhehensis</i> , Engl. ....	342
<i>barbatum</i> , L. ....	346	PROTEACEAE .....	340
<i>herniarioides</i> , Del. ....	346	Pseudarthria .....	379
<i>plebeium</i> , R. Br. ....	346	<i>Hookeri</i> , Wight & Aru. ....	379
<i>serrulatum</i> , Lag. ....	346	Pseudocalyx .....	481
<i>tomentosum</i> , Willd. ....	346	<i>africanus</i> , S. Moore .....	481
POLYPODIACEAE .....	279	Pseudolachnostylis .....	392
Polypodium .....	287	<i>Dekindtii</i> , Pax .....	392
<i>africanum</i> , Mett. ....	287	<i>maprouneæfolia</i> , Pax .....	392

	PAGE		PAGE
Psiadia .....	507	Pycreus—	
arabica, <i>Jaub. &amp; Spach</i> .....	507	<i>polystachyus</i> , <i>Beauv.</i> .....	312
Psilotrichum .....	348	Pygeum .....	360
gracilentum, <i>C. B. Cl.</i> .....	348	<i>africanum</i> , <i>Hook. f.</i> .....	360
Psilotum .....	291	Quisqualis .....	429
<triquetrum, <i="">Sw. .....</triquetrum,>	291	<i>indica</i> , <i>L.</i> .....	429
Psoralea .....	375	Racopilum sp. .....	278
foliosa, <i>Oliv.</i>		RAFFLESIACEAE .....	345
var. <i>gazensis</i> , <i>Bak. f.</i> .....	375	Randia .....	490
Psorospermum .....	420	<i>vestita</i> , <i>S. Moore</i> .....	490
febrifugum, <i>Spach</i> .....	420	RANUNCULACEAE .....	352
Psychotria.....	495	Ranunculus .....	353
<i>hirtella</i> , <i>Oliv.</i> .....	495	<i>pinnatus</i> , <i>Poir.</i> .....	353
Pteleopsis .....	429	<i>plebeius</i> , <i>R. Br.</i> .....	353
<i>myrtifolia</i> , <i>Engl. &amp; Diels</i> .....	429	<i>pubescens</i> , <i>Thunb.</i> .....	353
Pteridium .....		Rapanea .....	436
<i>aquilinum</i> , <i>Kuhn.</i> .....	287	<i>umbratilis</i> , <i>S. Moore</i> .....	436
Pteris .....	287	Raphiaeme ( <i>Raphionacme</i> ) .....	446
<i>aquilina</i> , <i>L.</i> .....	287	<i>lanceolata</i> , <i>Schinz</i>	
var. <i>lanuginosa</i> , <i>Hk.</i> .....	287	var. <i>latifolia</i> , <i>N. E. Br.</i> .....	446
<i>arguta</i> , <i>Sw.</i> .....	287	<i>longifolia</i> , <i>N. E. Br.</i> .....	446
<i>atrovirens</i> , <i>Willd.</i> .....	287	<i>procumbens</i> , <i>Schltr.</i> .....	446
<i>brevisora</i> , <i>Bak.</i> .....	287	Rauwolfia .....	445
<i>cretica</i> , <i>L.</i> .....	287	<i>caffra</i> , <i>Sond.</i> .....	445
<i>flabellata</i> , <i>Thunb.</i> .....	287	<i>inebrians</i> , <i>K. Schum.</i> .....	445
<i>longifolia</i> , <i>L.</i> .....	287	Rawsonia .....	422
<i>quadriaurita</i> , <i>Retz.</i> .....	287	<i>lucida</i> , <i>Harr. &amp; Sond.</i> .....	422
Pterocarpus .....	379	RHAMNACEAE .....	406
<i>angoleensis</i> , <i>A. DC.</i> .....	379	Rhamnus .....	407
<i>echinatus</i> , <i>DC.</i> .....	379	<i>prinoides</i> , <i>L'Herit.</i> .....	407
<i>erinaceus</i> , <i>Poir.</i> .....	379	Rhamphicarpa .....	476
<i>melliferus</i> , <i>Welw.</i> .....	380	<i>fistulosa</i> , <i>Benth.</i> .....	476
<i>sericeus</i> , <i>Benth.</i> .....	380	<i>montana</i> , <i>N. E. Br.</i> .....	476
Pterocephalus .....	404	<i>tubulosa</i> , <i>Benth.</i> .....	476
<i>rostratus</i> , <i>Walp.</i> .....	404	Rhigozum .....	477
Pterodiscus .....	477	<i>brevispinosum</i> , <i>O. Ktze.</i> .....	477
<i>Elliottii</i> , <i>Bak.</i> .....	477	Rhinacanthus .....	486
<i>speciosus</i> , <i>Hook.</i> .....	477	<i>communis</i> , <i>Nees</i> .....	486
Pteroglossaspis sp. .....	337	Rhipsalis .....	424
Pterolobium .....	368	<i>Cassytha</i> , <i>Gaertn.</i> .....	424
<i>lacerans</i> , <i>R. Br.</i> .....	368	RHIZOPHORACEAE .....	427
Pulicaria .....	513	Rhoicissus .....	408
<i>capensis</i> , <i>DC.</i> .....	513	<i>capensis</i> , <i>Planch.</i> .....	408
<i>longifolia</i> , <i>Boiss.</i> .....	513	<i>cuneifolia</i> , <i>Planch.</i> .....	408
Pyrostachys .....	463	<i>erythrododes</i> , <i>Planch.</i> .....	408
<i>remotifolia</i> , <i>Bak.</i> .....	463	var. <i>ferruginea</i> , <i>Planch.</i> .....	408
<i>reticulata</i> , <i>Benth.</i> .....	463	<i>rhomboidea</i> , <i>Planch.</i> .....	408
<i>urticifolia</i> , <i>Hook.</i> .....	463	<i>sansibarensis</i> , <i>Gily.</i> .....	408
Pycreus .....		Rhus .....	402
<i>betschuanus</i> , <i>C. B. Cl.</i> .....	311	<i>bulawayensis</i> , <i>Diels</i> .....	402
<i>globosus</i> , <i>Reichb.</i>		<i>chirindensis</i> , <i>Bak. f.</i> .....	402
var. <i>nilagirica</i> , <i>C. B. Cl.</i> .....	312		
Mundtia, <i>Nees</i> .....	312		

	PAGE		PAGE
Rhus		Riocreuxia	451
erosa, <i>Thunb.</i> . . . . .	402	profusa, <i>N. E. Br.</i> . . . . .	451
lævigata, <i>L.</i> . . . . .	402	Rogeria . . . . .	478
lancea, <i>Linn. f.</i> . . . . .	402	adenophylla, <i>J. Gay</i> . . . . .	478
laneeolata ? . . . . .	402	ROSACEAE . . . . .	359
leptodietya, <i>Diels</i> . . . . .	402	Rotala . . . . .	425
lueida, <i>L.</i> . . . . .	402	cataractae, <i>Kochne</i> . . . . .	425
mucronifolia, <i>Sond.</i> . . . . .	402	filiformis, <i>Hieren</i> . . . . .	425
paniculosa, <i>Sond.</i> . . . . .	402	heteropetala, <i>Kochne</i> . . . . .	
pulcherrima, <i>Oliv.</i> . . . . .	402	var. <i>Engleri</i> , <i>Kochne</i> . . . . .	426
rehmannia, <i>Engl.</i> . . . . .	402	<i>longistyla</i> , <i>Gibbs</i> . . . . .	426
salicifolia, <i>Presl.</i> . . . . .	402	Rothia . . . . .	369
Sonderi, <i>Engl.</i> . . . . .	402	<i>hirsuta</i> , <i>Birk.</i> . . . . .	369
var. <i>pilosa</i> , <i>Engl.</i> . . . . .	403	Rotthelia . . . . .	294
tenuinervis, <i>Engl.</i> . . . . .	403	<i>compressa</i> , <i>L.</i> . . . . .	294
tomentosa, <i>L.</i> . . . . .	403	var. <i>fasciculata</i> , <i>Hack.</i> . . . . .	294
trifoliolata, <i>Bak. f.</i> . . . . .	403	<i>exalata</i> , <i>Linn fil.</i> . . . . .	294
villosa, <i>Linn. f.</i> . . . . .	403	Rourea sp. . . . .	360
Welwitschii, <i>Engl.</i>		Royena . . . . .	438
var. <i>angustifolia</i> , <i>Bak. f.</i> . . . . .	403	<i>hirsuta</i> , <i>L.</i> . . . . .	438
Rhynchosia	381	<i>pallens</i> , <i>Thunb.</i> . . . . .	438
adenodes, <i>E. &amp; Z.</i> . . . . .	381	<i>pubescens</i> , <i>Willd.</i> . . . . .	438
attenuiflora, <i>Bak.</i> . . . . .	381	<i>villosa</i> , <i>L.</i> . . . . .	438
caribaea, <i>DC.</i> . . . . .	381	Rubia . . . . .	497
clivornis, <i>S. Moore</i> . . . . .	381	<i>cordifolia</i> , <i>L.</i> . . . . .	497
congenis, <i>Bak.</i> . . . . .	381	<i>petiolaris</i> , <i>DC.</i> . . . . .	497
cyanosperma, <i>Benth.</i> . . . . .	382	RUBIACEAE . . . . .	487
flavissima, <i>Hochst.</i> . . . . .	382	Rubus . . . . .	359
Memnonia, <i>DC.</i>		<i>Mundtii</i> , <i>Chm. &amp; Schlt.</i> . . . . .	359
var. <i>prostrata</i> , <i>Harr.</i> . . . . .	382	<i>rigidus</i> , <i>Smith</i> . . . . .	359
minima, <i>DC.</i> . . . . .	382	var. <i>Mundtii</i> , <i>Harv.</i> . . . . .	359
monophylla, <i>Schltr.</i> . . . . .	382	Ruellia . . . . .	483
Orthodanum, <i>Beuth.</i> . . . . .	382	<i>ovata</i> , <i>Thunb.</i> . . . . .	483
puberula, <i>Harr.</i> . . . . .	382	<i>patula</i> , <i>Jacq.</i> . . . . .	483
resinosa, <i>Hochst.</i> . . . . .	382	<i>pratermissa</i> , <i>Lindau</i> . . . . .	483
Totta, <i>DC.</i> . . . . .	382	Rumex . . . . .	346
viscidula, <i>Steud.</i> . . . . .	382	<i>abyssinicus</i> , <i>Jacq.</i> . . . . .	346
Rhytachne sp. . . . .	294	<i>nepalensis</i> , <i>Spreng.</i> . . . . .	346
Riccia	278	RUTACEAE . . . . .	387
fluitans, <i>L.</i> . . . . .	278		
Richardia		Saccharum . . . . .	294
melanoleuca, <i>Hook. f.</i> . . . . .	317	<i>munroannum</i> , <i>Hack.</i> . . . . .	294
scabra, <i>L.</i> . . . . .	497	Saccobolium sp. . . . .	337
Richardsonia	197	SALICACEAE . . . . .	338
brasiliensis, <i>Hayne</i> . . . . .	497	Salix . . . . .	338
scabra, <i>St. Hil.</i> . . . . .	497	<i>capensis</i> , <i>Thunb.</i> . . . . .	338
Ricinodendron	398	<i>ramiflora</i> , <i>R. v. Seem.</i> . . . . .	338
Rautanenii, <i>Schinz</i> . . . . .	398	<i>Salsaf</i> , <i>Forsk.</i> . . . . .	338
Ricinus	397	Salvia . . . . .	462
communis, <i>L.</i> . . . . .	397	<i>runcinata</i> , <i>Linn. f.</i> . . . . .	462
Rinorea	421	<i>stenophylla</i> , <i>Burch.</i> . . . . .	462
convallarioides, ( <i>Bk. f.</i> ) . . . . .	421	Samolus . . . . .	436
gazensis, ( <i>Bk. f.</i> ) . . . . .	422	<i>Valerandi</i> , <i>L.</i> . . . . .	436

	PAGE		PAGE
Saniula.....	433	<i>Schmidelia</i> —	
<i>europaea</i> , <i>L.</i> .....	433	<i>rubrifolia</i> , Hochst. ....	405
Sansevieria .....	325	<i>Schmidtia</i>	
<i>angolensis</i> , Welw. ....	325	<i>bulbosa</i> , <i>Stapf</i> .....	307
<i>cylindrica</i> , <i>Boj.</i> ....	325	<i>pappophorooides</i> , <i>Steud.</i> .....	307
<i>senegalensis?</i> .....	325	<i>Schotia</i> .....	365
SANTALACEAE .....	344	<i>brachypetala</i> , <i>Sond.</i> .....	365
SAPINDACEAE .....	405	<i>latifolia</i> , <i>Jacq.</i> .....	365
<i>Sapindus Pappea</i> , <i>Sond.</i> .....	406	<i>Schrebera</i> .....	440
Sapium .....	398	<i>mazoensis</i> , <i>S. Moore</i> .....	440
<i>madagascariense</i> , <i>Prain</i> .....	398	<i>Scilla</i> .....	324
<i>Maunianum</i> , <i>Benth.</i> .....	398	<i>ciliata</i> , <i>Bak.</i> .....	324
SAPOTACEAE .....	437	<i>hispidula</i> , <i>Bak.</i> .....	324
Sarcostemma .....	450	<i>indica</i> , <i>Bak.</i> .....	324
<i>viminale</i> , <i>R. Br.</i> .....	450	<i>lanceaefolia</i> , <i>Bak.</i> .....	324
Satureia .....	462	<i>maesta</i> , <i>Bak.</i> .....	324
<i>biflora</i> , <i>Briq.</i> .....	462	<i>rigidifolia</i> , <i>Kunth.</i> .....	324
<i>masukensis</i> , ( <i>S. Moore</i> ) .....	462	<i>Scirpus</i> .....	314
Satyrium .....	334	<i>articulatus</i> , <i>L.</i> .....	314
<i>Buchananii</i> , <i>Schl.</i> .....	334	<i>corymbosus</i> , <i>Roth</i> .....	315
<i>maerophyllum</i> , <i>Lindl.</i> .....	334	<i>fluitans</i> , <i>L.</i> .....	315
<i>occultum</i> , <i>Rolfe</i> .....	334	<i>paludicola</i> , <i>Kunth.</i> .....	315
<i>trinerve</i> , <i>Lindl.</i> .....	334	<i>spinus</i> , <i>L.</i> .....	315
<i>speciosum</i> , <i>Rolfe</i> .....	334	<i>Scleria</i> .....	316
SAXIFRAGACEAE .....	358	<i>Buchananii</i> , <i>Boeck.</i> .....	316
Scabiosa .....	498	<i>foliosa</i> , <i>A. Rich.</i> .....	316
<i>columbaria</i> , <i>L.</i> .....	498	<i>Sclerocarpus</i> .....	514
Schefflerodendron .....	376	<i>africanus</i> , <i>Jacq.</i> .....	514
<i>gazense</i> , <i>Bak. f.</i> .....	376	<i>Sclerocarya</i> .....	401
Schepperia <i>junccea</i> , DC. ....	356	<i>caffra</i> , <i>Sond.</i> .....	401
Schistostephium .....	516	<i>Sclerochiton</i> .....	484
<i>artenisiifolium</i> , <i>Bak.</i> .....	516	<i>harveyanus</i> , <i>Nees</i> .....	484
<i>heptalobum</i> , <i>Bth. &amp; Hook.</i> .....	516	<i>SCROPHULARIACEAE</i> .....	470
<i>oxylobum</i> , <i>S. Moore</i> .....	516	<i>Scutellaria</i> .....	461
SCHIZAEACEAE .....	289	<i>Livingstonei</i> , <i>Bak.</i> .....	461
Schizobasis .....	322	<i>Sebaea</i> .....	442
<i>angolensis</i> , <i>Bak.</i> .....	322	<i>barbeyiana</i> , <i>Schinz</i> .....	442
Schizochilus .....	335	<i>leiostyla</i> , <i>Gily.</i> .....	442
<i>Cecili</i> , <i>Rolfe</i> .....	335	<i>Secamone</i> .....	450
Schizoglossum .....	447	<i>Alpini</i> , <i>Schult.</i> .....	450
<i>aciculare</i> , <i>N. E. Br.</i> .....	447	<i>Securidaca</i> .....	392
<i>biflorum</i> <i>Schltr.</i> .....	447	<i>longipedunculata</i> , <i>Fres.</i> .....	392
var. <i>gwelense</i> , <i>N. E. Br.</i> .....	447	var. <i>parvifolia</i> , <i>Oliv.</i> .....	392
Carsonia, <i>N. E. Br.</i> .....	447	<i>spinosa</i> , <i>Sim</i> .....	392
chirindense, <i>S. Moore</i> .....	447	<i>Securinaga</i> .....	393
Eylesii, <i>S. Moore</i> .....	448	<i>verrucosa</i> , <i>Benth.</i> .....	393
<i>gwelense</i> , <i>N. E. Br.</i> .....	447	<i>Seddera</i> .....	452
Pentheria, <i>Schltr.</i> .....	448	<i>capensis</i> , <i>Hal. f.</i> .....	452
<i>strictissimum</i> , <i>S. Moore</i> .....	448	<i>Selaginella</i> .....	291
Schkuhria .....	516	<i>imbricata</i> , <i>Spring</i> .....	291
<i>bonariensis</i> , <i>L.</i> .....	516	<i>depressa</i> , <i>A. Braun</i> .....	291
Schmidelia .....		<i>kraussiana</i> , <i>A. Braun</i> .....	291
<i>alnifolia</i> , <i>Bak.</i> .....	405	<i>rupestris</i> , <i>Spreng.</i> .....	291

	PAGE		PAGE
SELAGINELLACEAE .....	291	Setaria—	
Selago .....	473	aurea, <i>A. Br.</i> .....	302
<i>Cecilae, (Rolfe)</i> .....	473	flabellata, <i>Stapf</i> .....	302
<i>chongweensis, (Rolfe)</i> .....	473	Gerrardii, <i>Stapf</i> .....	302
<i>Hoepfneri, Rolfe</i> .....	473	imberbis, <i>Roem. &amp; Schult.</i> .....	302
<i>Swynnertonii, (S. Moore)</i> .....	473	italica, <i>Beauv.</i> .....	302
Semonvillea <i>fenestrata</i> , Fnzl. ....	349	mauritiana, <i>Spreng.</i> .....	303
Seneoio .....	517	nigrirostris, <i>Dur. &amp; Sch.</i> .....	303
<i>acervatus, S. Moore</i> .....	517	verticillata, <i>Beauv.</i> .....	303
<i>barbertonicus, Klatt.</i>		<i>Shuterecia</i> .....	453
var. <i>microcephala, S. Moore</i> .....	517	<i>bicolor, Choisy</i> .....	453
<i>bupleurooides, DC.</i> .....	517	Sida .....	413
<i>coronatus, Harv.</i> .....	518	<i>acuta, Burm.</i> .....	413
<i>deltoidens, Less.</i> .....	517	<i>capensis, E. &amp; Z.</i> .....	413
<i>discifolius, Oliv.</i> .....	517	<i>carpinifolia, L.</i> .....	413
<i>ernbeseensis, Ait.</i> .....	517	<i>cordifolia, L.</i> .....	413
<i>gazensis, S. Moore</i> .....	517	<i>longipes, E. Mey.</i> .....	413
<i>homoplasticus, S. Moore</i> .....	517	var. <i>eamescens, Szyszyl.</i> .....	413
var. <i>tomentellus, S. Moore</i> .....	517	<i>rhombifolia, L.</i> .....	413
<i>lasiorhizus, DC.</i> .....	517	Sideroxylon .....	437
<i>latifolius, DC.</i> .....	517	<i>cinereum, (Pierre)</i> .....	437
<i>longiflorus, O. &amp; H.</i> .....	517	Siegesbeckia .....	514
<i>othomæflorus, DC.</i> .....	517	<i>abyssinica, O. &amp; H.</i> .....	514
<i>oxyriæfolius, DC.</i> .....	517	Silene .....	351
<i>pieridifolius, DC.</i> .....	517	<i>Burehellii, Ott.</i> .....	351
<i>propior, S. Moore</i> .....	517	SIMARUBACEAE .....	388
<i>protracta, (S. Moore)</i> .....	517	<i>Siphonanthus</i> .....	
<i>purpureus, L.</i> .....	518	<i>glabra, Hiern</i> .....	460
<i>Randii, S. Moore</i> .....	518	<i>myricoides, Hiern</i> .....	460
<i>rosmarinifolius, Linn. f.</i> .....	518	Siphonoglossa .....	486
<i>sagittata, (DC.)</i> .....	518	<i>tubulosa, Lindau</i> .....	486
<i>sarmentosus, O. Hoffm.</i> .....	518	Sium sp. .....	434
<i>Serra, Sond.</i> .....	518	Smilax .....	326
<i>tamoides, DC.</i> .....	518	<i>kraussiana, Meisn.</i> .....	326
<i>tenellulus, S. Moore</i> .....	518	Smithia .....	378
Sericocoma .....		<i>nodulosa, Bak.</i> .....	378
<i>angustifolia, Hook. f.</i> .....	348	<i>strigosa, Benth.</i> .....	378
Sesamopteris .....		<i>thymodora, Bak. f.</i> .....	378
<i>pentaphylla, DC.</i> .....	478	SOLANACEAE .....	468
Sesamum .....	478	Solanum .....	469
<i>alatum, Thonn.</i> .....	478	<i>acanthoalyx, Klotzsch.</i> .....	469
<i>angustifolium, Engl.</i> .....	478	<i>aculeastrum, Dun.</i> .....	469
<i>Baumii, Stapf</i> .....	478	<i>bifureum, Hochst.</i> .....	469
<i>catycinum, Welw.</i> .....	478	<i>delagoense, Dun.</i> .....	469
<i>capense, Burm. f.</i> .....	478	<i>ineanum, L.</i> .....	469
<i>indicum, L.</i> .....	478	<i>indicum, L.</i> .....	469
Sesbania .....	376	<i>nigrum, L.</i> .....	469
<i>ægyptiaca, Pers.</i> .....	376	<i>nodiflorum, Jacq.</i> .....	469
<i>cinerascens, Welw.</i> .....	376	<i>pandureforme, E. Mey.</i> .....	469
<i>pubescens, DC.</i> .....	376	<i>sodomaeum</i> .....	
<i>punctata, DC.</i> .....	376	var. <i>Hermannii, Dun.</i> .....	470
<i>tetraptera, Hochst.</i> .....	376	Sonchus .....	522
Setaria .....	402	<i>Bipontini, Aschers.</i> .....	

PAGE		PAGE	
Sonchus—		<i>Stemodiaca</i>	
var. <i>pinnatifidus</i> , <i>O. &amp; H.</i> . . . . .	522	<i>ceratophylloides</i> , <i>Hiern</i> . . . . .	472
<i>elliottanus</i> , <i>Hiern</i> . . . . .	523	<i>Stemodiopsis</i> . . . . .	472
<i>macer</i> , <i>S. Moore</i> . . . . .	523	<i>Eylesii</i> , <i>S. Moore</i> . . . . .	472
<i>oleraceus</i> , <i>L.</i> . . . . .	523	<i>humilis</i> , <i>Skan</i> . . . . .	472
<i>violaceus</i> , <i>O. Hoffm.</i> . . . . .	523	<i>Sterculia</i> . . . . .	419
Sophora . . . . .	369	<div style="text-align: center;">diversicolor ?</div>	419
<i>zambesiaca</i> , <i>Bak.</i> . . . . .	369	<i>livingstoneana</i> , <i>Engl.</i> . . . . .	419
Sopubia . . . . .	474	<b>STERCULIACEAE</b> . . . . .	417
<i>cana</i> , <i>Harr.</i> . . . . .	474	<i>Stereochlaena</i> . . . . .	301
<i>leprosa</i> , <i>S. Moore</i> . . . . .	474	<i>Jeffreyi</i> , <i>Hack.</i> . . . . .	301
<i>ramosa</i> , <i>Hoehst.</i> . . . . .	474	<i>Streptocarpus</i> sp. . . . .	479
<i>simplex</i> , <i>Hochst.</i> . . . . .	474	<i>Streptopetalum</i> . . . . .	424
<i>dregeana</i> , <i>Benth.</i> . . . . .	474	<i>serratum</i> , <i>Hochst.</i> . . . . .	424
Sparmannia . . . . .	410	<i>Striga</i> . . . . .	476
<i>palmata</i> , <i>E. Mey.</i> . . . . .	410	<i>coecinea</i> , <i>Benth.</i> . . . . .	476
Sorghum		<i>elegans</i> , <i>Benth.</i> . . . . .	476
<i>rulgare</i> , <i>Pers.</i> . . . . .	297	<i>Forbesii</i> , <i>Benth.</i> . . . . .	476
Spermatoce		<i>lutea</i> , <i>Lour.</i> . . . . .	476
<i>dibrachiata</i> , <i>Oliv.</i> . . . . .	497	<i>orobanchoides</i> , <i>Benth.</i> . . . . .	476
<i>natalensis</i> , <i>Hochst.</i> . . . . .	497	<i>Thunbergii</i> , <i>Benth.</i> . . . . .	476
<i>Ruelliac</i> , <i>DC.</i> . . . . .	497	<b>Strobilanthesopsis</b> . . . . .	482
<i>stricta</i> , <i>Linn. f.</i> . . . . .	497	<i>bircina</i> , <i>S. Moore</i> . . . . .	482
Sphacophyllum . . . . .	513	<b>Strophantus</b> sp. . . . .	446
<i>flexuosum</i> , <i>Hutch.</i> . . . . .	513	<b>Strychnos</b> . . . . .	441
<i>sparsum</i> , <i>S. Moore</i> . . . . .	513	<i>Burtoni</i> , <i>Bak.</i> . . . . .	441
Sphaeranthus . . . . .	510	<i>matopensis</i> , <i>S. Moore</i> . . . . .	441
<i>peduncularis</i> , <i>DC.</i> . . . . .	510	<i>mellodora</i> , <i>S. Moore</i> . . . . .	441
<i>Randii</i> , <i>S. Moore</i> . . . . .	510	<i>micans</i> , <i>S. Moore</i> . . . . .	441
<i>Steetzii</i> , <i>O. &amp; H.</i> . . . . .	510	<i>mitis</i> , <i>S. Moore</i> . . . . .	441
Sphærothylax sp. . . . .	357	<i>pungens</i> , <i>Soleded</i> . . . . .	441
Sphedamnocarpus . . . . .	390	<i>spinosa</i> , <i>Lam.</i> . . . . .	441
<i>Galphiniæfolius</i> , <i>Szyszyl.</i> . . . . .	390	<i>tonga</i> , <i>Gily.</i> . . . . .	442
<i>pruriens</i> , <i>Planck</i> . . . . .	390	<b>Stylosanthes</b> . . . . .	378
<i>pulcherinus</i> , <i>Gily.</i> . . . . .	390	<i>erecta</i> , <i>Beaur.</i> . . . . .	378
Phenostylos . . . . .	385	<i>mucronata</i> , <i>Willd.</i> . . . . .	378
<i>marginata</i> , <i>E. Mey.</i> . . . . .	385	<b>Sutera</b> . . . . .	471
Sporobolus . . . . .	304	<i>atropurpurea</i> , <i>Hiern</i> . . . . .	471
<i>centrifugus</i> , <i>Nees</i> . . . . .	304	<i>Bolusii</i> , <i>Hiern</i> . . . . .	471
<i>festivus</i> , <i>Hochst.</i> . . . . .	304	<i>brunnea</i> , <i>Hiern</i> . . . . .	471
var. <i>fibrosus</i> ? . . . . .	304	<i>burkeana</i> , <i>Hiern</i> . . . . .	471
var. <i>stuppeus</i> , <i>Stapf</i> . . . . .	305	<i>Carvalhoi</i> , <i>Skan</i> . . . . .	471
<i>fimbriatus</i> , <i>Nees</i> . . . . .	305	<i>fiissifolia</i> , <i>S. Moore</i> . . . . .	471
<i>indicus</i> , <i>R. Br.</i> . . . . .	305	<i>floribunda</i> , <i>O. Ktze.</i> . . . . .	471
var. <i>laxus</i> , <i>Stapf</i> . . . . .	305	<i>mierantha</i> , <i>Hiern</i> . . . . .	471
<i>panicoides</i> , <i>Rich</i> . . . . .	305	<b>Swartzia</b> . . . . .	368
<i>pyramidalis</i> , <i>Nees</i> . . . . .	305	<i>madagascariensis</i> , <i>Desv</i> . . . . .	368
Stachys . . . . .	462	<b>Sweertia</b> . . . . .	443
<i>aethiopica</i> , <i>L.</i> . . . . .	462	<i>stellaroides</i> , <i>Fisch.</i> . . . . .	443
Stapelia . . . . .	451	<i>Welwitschii</i> , <i>Engl.</i> . . . . .	443
<i>gigantea</i> , <i>N. E. Br.</i> . . . . .	451	<b>Swertia</b> sp. . . . .	522
<i>Marlothii</i> , <i>N. E. Br.</i> . . . . .	451	<b>Swynnertonia</b> . . . . .	451
		<i>cardinea</i> , <i>S. Moore</i> . . . . .	451

	PAGE		PAGE
Synadenium . . . . .	400	Tephrosia . . . . .	PAGE
gazense, N. E. Br. . . . .	400	radicans, Welw . . . . .	376
Synaptolepis . . . . .	425	var. rhodesiaca, Bak. f. . . . .	376
longiflora, Gilg. . . . .	425	Teramnus . . . . .	380
Synema . . . . .	481	labialis, Spreng. . . . .	380
Acinos, S. Moore . . . . .	481	Terminalia . . . . .	429
Syzygium . . . . .	431	Brownii, Fresen. . . . .	429
beunguelense, Engl. . . . .	431	prunioides, Laws. . . . .	429
cordatum, Hochst. . . . .	431	Randii, Bak. f. . . . .	430
guineense, DC. . . . .	431	sericea, Burch. . . . .	430
huillense, Engl. . . . .	431	var. angolensis, Hiern. . . . .	430
intermedium, Engl. . . . .	431	silozensis, Gibbs . . . . .	430
owariense, Benth. . . . .	431	spinosa, Engl. . . . .	430
Tacazzea . . . . .	446	Stuhlmannii, Engl. . . . .	430
Kirkii, N. E. Br. . . . .	446	torulosa, F. Hoffm. . . . .	430
Tacea . . . . .	329	trichopoda, Diels . . . . .	430
pinnatifida, Forst. . . . .	329	velutina, Rolfe . . . . .	430
TACCACEAE . . . . .	329	Testudinaria . . . . .	330
Tagetes . . . . .	516	sylvatica, Benth. . . . .	330
glandulifera, Schrank. . . . .	516	Tetrapleura sp . . . . .	363
minuta, L. . . . .	516	Tetratelia . . . . .	355
Talimum . . . . .	351	maculata, Sond. . . . .	355
eafrum, E. & Z. . . . .	351	Thalictrum . . . . .	353
Tannodia . . . . .	395	rhynchoscarpum, Dill. & Rich. . . . .	353
Swynnertonii, Prain . . . . .	395	Thamnosma . . . . .	387
Tarchonanthus . . . . .	508	africanum, Engl. . . . .	387
camphoratus, L. . . . .	508	var. rhodesicum, Bak. f. . . . .	387
Tardavel . . . . .	497	Themeda . . . . .	298
arvensis, Hiern . . . . .	497	Forskallii, Hochst. . . . .	
dibrachiata, Hiern . . . . .	497	var. glauca, Hack. . . . .	298
seabra, Hiern . . . . .	497	triandra, Forsk. . . . .	298
stricta, Hiern . . . . .	497	var. glauca, Hack. . . . .	298
Taravesia . . . . .		var. imberbis, Hack. . . . .	298
angolensis, Welw. . . . .	451	Thesium . . . . .	344
TAXACEAE . . . . .	292	brevibarbatum, Pilger . . . . .	344
Teclea . . . . .	388	goetzeanum, Engl. . . . .	344
natalensis, Engl. . . . .	388	gracile, A. W. Hill . . . . .	344
Swynnertonii, Bak. f. . . . .	388	multiramulosum, Pilger . . . . .	344
Tecomia . . . . .		rhodesiacum, Pilger . . . . .	344
Brycei, N. E. Br. . . . .	477	Rogersii, A. W. Hill . . . . .	344
Teedia . . . . .	471	seabridulum, A. W. Hill . . . . .	344
lucida, Rud. . . . .	471	Thespesia . . . . .	417
Tephrosia . . . . .	375	garekeana, F. Hoffm. . . . .	417
Apollinea, DC. . . . .	375	Thevetia . . . . .	446
Forbesii, Bak. . . . .	375	nerifolia? . . . . .	446
grandiflora, Pers. . . . .	375	Thunbergia . . . . .	480
lupinifolia, DC. . . . .	375	affinis, S. Moore . . . . .	480
var. digitata, DC. . . . .	375	alata, Boj. . . . .	480
lurida, Sond. . . . .	375	Bachmanni, Lindau . . . . .	480
nyasae, Bak. f. . . . .	375	glaberrima, Lindau . . . . .	480
polysachya, E. Mey. . . . .	375	lancefolia, T. And. . . . .	480
purpurea, Pers. . . . .	376	Monroi, S. Moore . . . . .	480
		oblongifolia, Oliv. . . . .	481
		var. Berringtonii, Burkl. . . . .	481

	PAGE		PAGE
Thunbergia—		Trichodesma—	
<i>Randii, S. Moore</i> .....	481	<i>zeylanicum, R. Br.</i> .....	457
<i>Swynnertonii, S. Moore</i> .....	481	<i>Tricholæna</i> .....	301
Thylæhium .....	356	<i>glabra, Stapp</i> .....	301
<i>africanum, Lour.</i> .....	356	<i>rhodesiana, Rendle</i> .....	302
<i>verrucosum, Klotzsch</i> .....	356	var. <i>glabrescens, Rendle</i> .....	302
THYMELAEACEAE .....	424	<i>rosea, Nees</i> .....	302
TILIACEAE .....	409	Trichoön	
Tiliacora .....	353	<i>Phragmites, Rendle</i> .....	307
<i>funifera, Oliv.</i> .....	354	Trichopteryx .....	305
Tilia		<i>gigantea, Stapp</i> .....	305
<i>pharnaceoides, Hochst.</i> .....	358	<i>simplex, Hack</i> .....	305
<i>subulata, Bth. &amp; Hk. f.</i> .....	358	var. <i>minor, Stapp</i> .....	305
Tinnea .....	461	Triconaria .....	390
<i>rhodesiana, S. Moore</i> .....	461	<i>macrocarpa</i> ? .....	390
<i>zambesiaca, Bak.</i> .....	461	Tripogon .....	306
Toddalia .....	387	<i>abyssinicus, Nees</i> .....	306
<i>aculeata, Pers.</i> .....	387	Tripteris .....	520
<i>lanceolata, Lam.</i> .....	387	<i>amplexicaulis, Less.</i> .....	520
<i>natalensis, Sond.</i> .....	388	<i>monocephala, O. &amp; H.</i> .....	520
Todea .....	289	Tristachya .....	305
<i>africana, Willd.</i> .....	289	<i>biseriata, Stapp</i> .....	305
<i>barbara, S. Moore</i> .....	289	<i>leucothrix, Trin.</i> .....	305
Tolpis sp. .....	522	Tristicha .....	357
Tournefortia sp. .....	457	<i>alternifolia, Tul.</i> .....	357
Trachypogon .....	294	<i>trifaria, Tul.</i> .....	357
<i>polymorphus, Hack.</i> .....	294	Tritonia .....	331
Tragia .....	397	<i>aurea, Pappe</i> .....	331
<i>ambigua, S. Moore</i> .....	397	Triumfetta .....	411
<i>angustifolia, Pax</i> .....	397	<i>angolensis, Sprague &amp; Hutch.</i> .....	411
<i>dioica, Sond.</i> .....	397	<i>annua, L.</i> .....	411
<i>Gardneri, Prain</i> .....	397	<i>annuletum, Sprague</i> .....	411
<i>kirkiana, Mill. Arg.</i> .....	397	<i>dekindtiana, Engl.</i> .....	411
<i>natalensis, Sond.</i> .....	397	<i>diversifolia, E. Mey.</i> .....	411
<i>Okanyua, Pax</i> .....	397	<i>effusa, E. Mey.</i> .....	411
<i>rhodesiae, Pax</i> .....	397	<i>effusa, E. Mey.</i> .....	412
Tragus .....	298	<i>laxiflora, Engl.</i> .....	412
<i>racemosus, All.</i> .....	298	<i>Mastersii, Bak. f.</i> .....	411
Trema .....	339	<i>pilosa, Roth</i> .....	412
<i>guineensis, Priemer</i> .....	339	<i>pilosa, Roth</i> .....	411
Tribulus .....	387	<i>rhomboidea, Jacq.</i> .....	412
<i>terrestris, L.</i> .....	387	<i>Sonderi, Fic. &amp; Hiern</i> .....	412
Tricalysia .....	491	<i>trichocarpa, Sond.</i> .....	412
<i>jasminiflora, Hook.</i> .....	491	<i>Welwitschii, Mast.</i> .....	412
<i>ligustrina, S. Moore</i> .....	491	var. <i>laxiflora, Sprg. &amp; Hutch.</i> .....	412
<i>myrtifolia, S. Moore</i> .....	491	var. <i>Rehmanni</i> , <i>Sprg. &amp; Hutch.</i> .....	412
<i>pachystigma, K. Schum.</i> .....	491	<i>Welwitschii, Mast.</i> .....	411
Trichilia .....	389	Trochomeria .....	499
<i>chirindensis, Swyn. &amp; Bk. f.</i> .....	389	<i>macrocarpa, Hook. f.</i> .....	499
<i>emetica, Vahl</i> .....	389	Tryphostemma .....	424
Trichodesma .....	457	<i>apetalum, Bak. f.</i> .....	424
<i>angustifolium, Harv.</i> .....	457	var. <i>serratum, Bak. f.</i> .....	424
<i>physaloïdes, A. DC.</i> .....	457	<i>Mastersii?</i> .....	424

	PAGE		PAGE
Tryphostemma—		Vangueria—	
<i>parvifolium</i> , <i>Bak.</i> <i>f.</i> .....	424	<i>edulis</i> , <i>Vahl.</i>	
<i>pedatum</i> , <i>Bak.</i> <i>f.</i> .....	424	var. <i>Bainesii</i> , <i>Hiern</i> .....	492
Tulbaghia.....	323	<i>esculenta</i> , <i>S. Moore</i> .....	492
<i>acutiloba</i> , <i>Harr.</i> .....	323	var. <i>glabra</i> , <i>S. Moore</i> .....	492
<i>alliacea</i> , <i>L. f.</i> .....	323	<i>infausta</i> , <i>Burch.</i> .....	492
<i>campanulata</i> , <i>N. E. Br.</i> .....	323	var. <i>virescens</i> , <i>Sond.</i> .....	492
TURNERACEAE .....	423	<i>munjiro</i> , <i>S. Moore</i> .....	493
Turraea .....	388	<i>Randii</i> , <i>S. Moore</i> .....	493
<i>Eylesii</i> , <i>Bak.</i> <i>f.</i> .....	388	<i>rhodesiana</i> , <i>S. Moore</i> .....	493
<i>nilotica</i> , <i>Kot.</i> & <i>Peyr.</i> .....	389	<i>velutina</i> , <i>Hieron</i> .....	493
<i>obtusifolia</i> , <i>Hochst.</i> .....	389	<i>Zeyheri</i> , <i>Sond.</i> .....	494
var. <i>matopensis</i> , <i>Bak.</i> <i>f.</i> .....	389		
<i>Randii</i> , <i>Bak.</i> <i>f.</i> .....	389		
Typha .....	292	Vatica .....	
<i>australis</i> , <i>Sch.</i> & <i>Thom.</i> .....	292	<i>africana</i> , <i>Welw.</i>	
TYPHACEAE .....	292	var. <i>glabra</i> , <i>Oliv.</i> .....	421
<i>Uapaca</i> .....	394	var. <i>hypoleuca</i> , <i>Oliv.</i> .....	421
<i>Kirkiana</i> , <i>Müll. Arg.</i> .....	394	var. <i>laxa</i> , <i>Oliv.</i> .....	421
<i>sansibarica</i> , <i>Pax</i> .....	394		
ULMACEAE .....	338	Vellozia .....	328
Ulota .....	278	<i>equisetoides</i> , <i>Bak.</i> .....	328
<i>crispia</i> , <i>Br.</i> & <i>Schimp.</i> .....	278	<i>humilis</i> , <i>Bak.</i> .....	329
UMBELLIFERAE .....	433	<i>retinervis</i> , <i>Bak.</i> .....	329
Urena .....	414		
<i>lobata</i> , <i>L.</i> .....	414	VELLOZIACEAE .....	328
Urera .....	340	Vepris .....	387
<i>obovata</i> , <i>Benth.</i> .....	340	<i>lanceolata</i> , <i>A. Juss.</i> .....	387
Urginea .....	323	<i>paniculata</i> , <i>Lam.</i> .....	387
<i>altissima</i> , <i>Bak.</i> .....	323	Verbena .....	458
<i>sanguinea</i> , <i>Schinz</i> .....	324	<i>officinalis</i> , <i>L.</i> .....	458
Urophyllum .....	490	VERBENACEAE .....	458
<i>symplocoides</i> , <i>S. Moore</i> .....	490	Vernonia .....	503
URTICACEAE .....	340	<i>acuminatissima</i> , <i>S. Moore</i> .....	503
Usnea .....	278	<i>Bainesii</i> , <i>O. &amp; H.</i> .....	503
<i>barbata</i> , <i>Ach.</i> .....	278	<i>cinerea</i> , <i>Less.</i> .....	503
<i>longissima</i> , <i>Ach.</i> .....	278	<i>cistifolia</i> , <i>O. Hoffm.</i>	
Utricularia .....	479	var. <i>rosea</i> , <i>O. Hoffm.</i> .....	503
<i>exoleta</i> , <i>R. Br.</i> .....	479	<i>fastigiata</i> , <i>O. &amp; H.</i> .....	503
<i>firmula</i> , <i>Welw.</i> .....	479	<i>gerbereformis</i> , <i>O. &amp; H.</i> .....	503
<i>Gibbsiae</i> , <i>Stapf.</i> .....	479	<i>glabra</i> , <i>Vatke</i> .....	503
<i>Kirkii</i> , <i>Stapf.</i> .....	480	<i>gracilipes</i> , <i>S. Moore</i> .....	503
<i>transrugosa</i> , <i>Stapf.</i> .....	480	var. <i>minor</i> , <i>S. Moore</i> .....	503
<i>Welwitschii</i> , <i>Oliv.</i> .....	480	<i>hirsuta</i> , <i>Sch. Bip.</i> .....	503
Uvaria .....	354	<i>Holstii</i> , <i>O. Hoffm.</i> .....	503
<i>gazensis</i> , <i>Swyn.</i> & <i>Bak.</i> <i>f.</i> .....	354	<i>humilis</i> , <i>C. H. Wright</i> .....	503
Vahlia .....	358	<i>integra</i> , <i>S. Moore</i> .....	504
<i>capensis</i> , <i>Thunb.</i> .....	358	<i>Kraussii</i> , <i>Sch. Bip.</i> .....	504
var. <i>linearis</i> , <i>E. Mey.</i> .....	359	<i>lancibracteata</i> , <i>S. Moore</i> .....	504
<i>oldenlandioides</i> , <i>Roxb.</i> .....	359	<i>livingstoniana</i> , <i>Hieron</i> .....	504
Vangueria .....	492	<i>mashoniea</i> , <i>N. E. Br.</i> .....	504
<i>apiculata</i> , <i>K. Schum.</i> .....	492	<i>Melleri</i> , <i>O. &amp; H.</i> .....	504
		<i>monocephala</i> , <i>Harr.</i> .....	504
		<i>natalensis</i> , <i>Sch. Bip.</i> .....	504
		<i>pauciflora</i> , <i>Less.</i> .....	504
		<i>Petersii</i> , <i>O. &amp; H.</i> .....	504
		<i>podocoma</i> , <i>Sch. Bip.</i> .....	505

	PAGE		PAGE
<i>Vernonia</i> —		<i>Vitis</i> spp.—	PAGE
<i>porphyrolepis</i> , <i>S. Moore</i> .....	505	<i>Thonningii</i> , <i>Bak.</i> .....	408
<i>poskeana</i> , <i>Vtk.</i> & <i>Hildbr.</i>		<i>Vittaria</i> .....	284
var. <i>chlorolepis</i> , <i>Steetz</i> :.....	505	<i>isctifolia</i> , <i>Bory</i> . .....	284
<i>purpurea</i> , <i>Sch. Bip.</i> .....	505	<i>lineata</i> , <i>Sw.</i> .....	284
<i>Randii</i> , <i>S. Moore</i> .....	505	<i>Wahlenbergia</i> .....	499
<i>senegalensis</i> , <i>Less.</i> .....	505	<i>arenaria</i> , <i>A. DC.</i> .....	499
<i>steetziana</i> , <i>O. &amp; H.</i> .....	505	<i>banksiana</i> , <i>A. DC.</i> .....	499
<i>enoreana</i> , <i>Oliv.</i> .....	505	<i>Caledonica</i> , <i>Sond.</i> .....	500
<i>vitellina</i> ? .....	505	<i>mashonica</i> , <i>N. E. Br.</i> .....	500
<i>Wollastonii</i> , <i>S. Moore</i> .....	505	<i>Oatesii</i> , <i>Rolfe</i> .....	500
<i>Woodii</i> , <i>O. Hoffm.</i> .....	505	<i>rhodesiana</i> , <i>S. Moore</i> .....	500
<i>Vigna</i> .....	384	<i>rivularis</i> , <i>Diels</i> ? .....	500
<i>Buchneri</i> , <i>Harms</i> .....	384	<i>saginooides</i> , <i>S. Moore</i> .....	500
<i>Burelli</i> , <i>Harr.</i> .....	384	<i>undulata</i> , <i>A. DC.</i> .....	500
<i>cærulea</i> , <i>Bak.</i> .....	384	<i>virgata</i> , <i>Engl.</i> .....	500
<i>capensis</i> , <i>Walp.</i> .....	384	<i>Zeyheri</i> , <i>E. &amp; Z.</i> .....	500
<i>glabra</i> , <i>Savi</i> .....	384	<i>Walujfrida</i>	
<i>hirta</i> , <i>Hook.</i> .....	384	<i>Cecilae</i> , <i>Rolfe</i> .....	473
<i>luteola</i> , <i>Benth.</i> .....	384	<i>chongweensis</i> , <i>Rolfe</i> .....	473
var. <i>villosa</i> , <i>Bak.</i> .....	384	<i>Swynnertonii</i> , <i>S. Moore</i> .....	473
<i>marginata</i> , <i>Benth.</i> .....	384	<i>Walleria</i> .....	328
<i>nilotica</i> , <i>Hook. fil.</i> .....	384	<i>nutans</i> , <i>Kirk</i> .....	328
<i>nuda</i> , <i>N. E. Br.</i> .....	384	<i>Waltheria</i> .....	419
<i>triloba</i> , <i>Walp.</i> .....	384	<i>americana</i> , <i>L.</i> .....	419
<i>vexillata</i> , <i>Benth.</i> .....	384	<i>indica</i> , <i>L.</i> .....	419
<i>Vinca</i>		<i>Wedelia</i> .....	514
<i>rosea</i> , <i>L.</i> .....	445	<i>abyssinica</i> , <i>Vatke</i> .....	514
<i>Viola</i> .....	422	<i>africana</i> , <i>P. Beaur.</i> .....	514
<i>abyssinica</i> , <i>Steud.</i> .....	422	<i>diversipapposa</i> , <i>S. Moore</i> .....	514
<i>VIOLACEAE</i> .....	421	<i>menotrichia</i> , <i>O. &amp; H.</i> .....	514
<i>Viscum</i> .....	343	<i>Weihea</i> .....	427
<i>combrethicola</i> , <i>Engl.</i> .....	343	<i>Gerrardi</i> , <i>Schinz</i> .....	427
<i>dichotomum</i> , <i>Don</i> .....	343	<i>Widdringtonia</i>	
<i>matabelense</i> , <i>Engl.</i> .....	343	<i>Mahoni</i> , <i>Masters</i> .....	292
<i>Menyanthidii</i> , <i>Engl. &amp; Schz.</i> .....	343	<i>Whytei</i> , <i>Rendle</i> .....	292
<i>tuberiferum</i> , <i>A. Rich.</i> .....	344	<i>Willugbyea</i>	
<i>verrucosum</i> , <i>Harr.</i> .....	344	<i>scandens</i> , <i>O. Ktze.</i> .....	506
<i>Vismia</i> .....	420	<i>Wissadula</i>	
<i>corymbosa</i> , <i>A. Chev.</i> .....	420	<i>hernandioides</i> , <i>Garcke</i> .....	413
<i>VITACEAE</i> .....	408	<i>rostrata</i> , <i>Planch.</i> .....	413
<i>vitex</i> .....	459	<i>Withania</i> .....	468
<i>Cienkowskii</i> , <i>Kot. &amp; Peyr.</i> .....	459	<i>sonnifera</i> , <i>Dunal</i> .....	468
<i>Eylesii</i> , <i>S. Moore</i> .....	459	<i>Wormskioldia</i> .....	423
<i>flavescens</i> , <i>Rolfe</i>		<i>heterophylla</i> , <i>Schum.</i> .....	423
var. <i>parviflora</i> , <i>Gibbs</i> .....	459	<i>lobata</i> , <i>Urb.</i> .....	423
<i>gürkeana</i> , <i>Engl.</i> .....	459	<i>longepedunculata</i> , <i>Mast.</i> .....	423
<i>isotjensis</i> , <i>Gibbs</i> .....	459	<i>petersiana</i> ? .....	423
<i>Kirkii</i> , <i>Bak.</i> .....	459	<i>tanacetifolia</i> , <i>Klotzsch</i> .....	423
<i>Vitis</i> spp. .....	408	<i>Xanthium</i> .....	514
<i>erythrodes</i> , <i>Welw.</i> .....	408	<i>spinosum</i> , <i>L.</i> .....	514
<i>jatrophoides</i> , <i>Welw.</i> .....	409		
<i>obtusata</i> , <i>Welw.</i> .....	408		

	PAGE		PAGE
Xanthoxylum .....	387	Zaluzianskya—	
capense, <i>Harv.</i> .....	387	<i>capensis</i> , <i>Walp.</i> .....	472
Ximenia .....	345	Zantedeschia .....	317
<i>americana</i> , <i>L.</i> .....	345	<i>melanoleuca</i> , <i>Engl.</i> .....	
<i>caffra</i> , <i>Sond.</i> .....	345	var. <i>tropicalis</i> , <i>N. E. Br.</i> .....	317
Xymalos .....	354	Zea .....	293
<i>monospora</i> , <i>Baill.</i> .....	354	<i>Mays</i> , <i>L.</i> .....	293
XYRIDACEAE .....	317	Zehneria .....	
Xyris .....	317	<i>macrocarpa</i> , <i>Sond.</i> .....	499
<i>capensis</i> , <i>Thunb.</i> .....	317	ZINGIBERACEAE .....	333
<i>dispar</i> , <i>N. E. Br.</i> .....	317	Zizyphus .....	406
<i>Hildebrandtii</i> , <i>Nilss.</i> .....	317	<i>espinosus</i> ? .....	406
<i>multicaulis</i> , <i>N. E. Br.</i> .....	317	<i>jujuba</i> , <i>Lam.</i> .....	406
<i>obscura</i> , <i>N. E. Br.</i> .....	317	var. <i>nanus</i> , <i>Engl.</i> .....	407
<i>Umbilonis</i> , <i>Nilss.</i> .....	317	<i>mueronata</i> , <i>Willd.</i> .....	407
Xysmalobium .....	447	Zornia .....	378
<i>bellum</i> , <i>N. E. Br.</i> .....	447	<i>diphylla</i> , <i>Pers.</i> .....	378
<i>Cecilae</i> , <i>N. E. Br.</i> .....	447	<i>tetraphylla</i> , <i>Michx.</i> .....	378
<i>dispar</i> , <i>N. E. Br.</i> .....	447	Zygia .....	
<i>gramineum</i> , <i>S. Moore</i> .....	447	<i>fastigiata</i> , <i>E. Mey.</i> .....	361
<i>reticulatum</i> , <i>N. E. Br.</i> .....	447	ZYGOPHYLLACEAE .....	387
Zaluzianskya .....	472	Zygophyllum .....	387
		<i>simplex</i> , <i>L.</i> .....	387



TRANSACTIONS  
OF THE  
ROYAL SOCIETY OF SOUTH AFRICA.

---

Vol	I. Part 1 .....	1909 .....	Price	£	s.	d
"	I. Part 2 .....	1910 .....	Price	0	10	0
"	II. Part 1 .....	1910 .....	Price	0	10	0
"	II. Part 2 .....	1911 .....	Price	0	18	0
"	II. Part 3 .....	1912 .....	Price	0	7	6
"	II. Part 4 .....	1912 .....	Price	0	2	6
"	II. Part 5 .....	1912 .....	Price	0	3	6
"	III. Part 1 .....	1913 .....	Price	0	17	0
"	III. Part 2 .....	1913 .....	Price	0	17	0
"	III. Part 3 .....	1913 .....	Price	0	10	0
"	IV. Part 1 .....	1914 .....	Price	0	10	0
"	IV. Part 2 .....	1914 .....	Price	0	5	0
"	IV. Part 3 .....	1915 .....	Price	0	12	6
"	V. Part 1 .....	1915 .....	Price	0	12	0
"	V. Part 2 .....	1915 .....	Price	0	16	0
"	V. Part 3 .....	1915 .....	Price	0	10	6
"	V. Part 4 .....	1916 .....	Price	0	12	6

Copies may be obtained from the Honorary Secretary; or from  
Messrs. WAT. WESLEY & SON, 28, Essex Street, Strand, London.

*Members of the Society may obtain the publication, from the  
Secretary only, at half of the above prices.*





New York Botanical Garden Library  
QK 401 .E9  
Eyles, Fred/A record of plants collected



3 5185 00062 3155

