A SHORT HISTORY OF DYNAMICAL SYSTEMS THEORY: 1885-2007

Philip Holmes

Princeton University, Princeton, NJ 08544, U.S.A.

Keywords: Arnold diffusion, bifurcation, center manifold, deterministic chaos, dimension reduction, ergodic, homoclinic orbit, hyperbolic set, instability, invariant manifold, K system, Kolmogorov-Arnold Moser theorem, Melnikov function, mixing, quasiperiodic orbit, nonlinear dynamics, nonlinear oscillators, normal form theory, Poincare map, random, Smale horseshoe, stability, strange attractor, structural stability, symbolic dynamics, unfolding, van der Pol equation.

Contents

- 1. Introduction
- 2. The qualitative theory of dynamical systems
- 2.1. Early History: Homoclinic Points and Global Behavior
- 2.1.1. Poincaré and Birkhoff
- 2.1.2. Andronov and Kolmogorov
- 2.1.3. Smale's Topological Viewpoint
- 2.1.4. Perturbations and Applications
- 2.2. The Middle Period: Center Manifolds and Local Bifurcations
- 3. Central themes
- 3.1. Dimension Reduction
- 3.2. Judicious Linearization
- 3.3. Good Coordinates
- 3.4. Structural Stability and Generic Properties
- 3.5. Canonical Models
- 4. Some recent extensions and applications of dynamical systems
- 4.1. Infinite-dimensional Evolution Equations
- 4.2. Completely Integrable Partial Differential Equations
- 4.3. Stochastic Differential Equations
- 4.4. Numerically-assisted Proofs and Integration Algorithms
- 4.5. Low Dimensional Models of Turbulence
- 4.6. Nonlinear Elasticity
- 4.7. Nonlinear Dynamics in Neuroscience and Biology
- 5. Epilogue and further reading

Acknowledgements

Glossary

Bibliography

Biographical Sketch

Summary

This chapter reviews the early (1885-1975) and more recent (1975-2007) history of dynamical systems theory, identifying key principles and themes, including those of

dimension reduction, normal form transformation and unfolding of degenerate systems. Some recent extensions and applications are also sketched.

1. Introduction

Dynamical systems theory (also known as nonlinear dynamics or chaos theory) comprises a broad range of analytical, geometrical, topological, and numerical methods for analyzing differential equations and iterated mappings. As a mathematical theory, it should perhaps be viewed as a "normal" development within mathematics, rather than a scientific revolution or paradigm shift (cf. [Kuhn, 1970]), as some popular accounts have claimed [Gleick, 1987]. However, crucial motivations and ideas have entered this area of mathematics from the applied sciences, and a still-accelerating stream of applications driven by recent developments in dynamical systems theory began in the last third of the 20th century. See [Aubin and Dahan Dalmedico, 2002] for a "sociohistorical" analysis which discusses such extra-mathematical influences and describes the confluence of ideas and traditions that occurred in Western Europe and the US in the turbulent decade around 1970.

This chapter provides a brief and possibly idiosyncratic survey of the development of dynamical systems theory from approximately 1885 through 1965-75, with some comments on more recent work and central themes that have emerged. I focus on finite-dimensional, deterministic systems: ordinary differential equations and iterated mappings; the important topic of ergodic theory [Katok and Hasselblatt, 1995] is mentioned only in passing. There is also a growing qualitative theory of stochastic dynamical systems, see, e.g. [L. Arnold, 1974, L. Arnold 1998]. This article is not a tutorial: technical details and precise statements are largely omitted, and the reader is referred to the many textbooks and monographs on dynamical systems, examples of which are cited in Section 5. Otherwise, the bibliography emphasizes original references, early review articles, and papers that were influential in directing the field (sometimes long after their publication). The mathematical viewpoint taken here does not intend to downplay important extra-mathematical motivations and contributions, some references to which are made, but to do them justice would demand a separate article.

2. The Qualitative Theory of Dynamical Systems

I start by declaring my belief that "chaos theory" lacks the status of, say, the quantum or relativity theories, and that "nonlinear science" is not a science in the manner of physics, chemistry or biology. Dynamical systems theory neither addresses specific phenomena nor proposes particular models of (parts of) reality; it is, rather, a loosely-related set of *methods* for analyzing ordinary differential equations (ODEs) and iterated mappings, the canonical problems addressed having the forms:

$$\dot{x}_j = f_j(x_1, x_2, ..., x_n; \mu_1, ..., \mu_k), \text{ or } x_j(l+1) = F_j(x_1(l), ..., x_n(l); \mu_1, ..., \mu_k)$$
 (1)

where $x_1,...,x_n$ are *state variables* and $\mu_1,...,\mu_k$ are external *control parameters*, usually regarded as fixed for the purpose of solving (1) to obtain *orbits* $\mathbf{x}(t) = (x_1(t), x_2(t),...,x_n(t))$ or $\{\mathbf{x}(t)\}_{t=0}^{\infty}$. The methods emphasize the study of *all* orbits

or solution curves of (1), the dependence of the set of solutions or *phase portrait* on the parameters, and the description of *qualitative* properties such as the existence of periodic solutions, rather than derivation of explicit closed form expressions or approximations. Very few nonlinear ODEs or maps can be solved exactly, but as noted below, much can be deduced from the study of systems linearized around fixed points or other invariant sets. For example, the linearization of the ODE of (1) about a *fixed point* $\overline{\mathbf{x}} = (\overline{x}_1, \overline{x}_2, ..., \overline{x}_n)$, where $f_i(\overline{x}_1, \overline{x}_2, ..., \overline{x}_n) = 0$ for j = 1, ..., n, is

$$\dot{\xi} = \mathbf{D}\mathbf{f}(\overline{\mathbf{x}})\,\xi\tag{2}$$

where $\mathbf{Df}(\overline{\mathbf{x}})$ is the $n \times n$ Jacobian matrix of first partial derivatives of the *vector field* $\mathbf{f} = (f_1, f_2, ..., f_n)$, evaluated at $\overline{\mathbf{x}}$. This constant coefficient linear system is easily solved by assuming an exponential form $\xi = \mathbf{v} \exp \lambda t$ and computing the eigenvalues λ_j and eigenvectors \mathbf{v}_j of $\mathbf{Df}(\overline{\mathbf{x}})$. Thus the power of linear analysis can be locally brought to bear on a nonlinear system.

The qualitative theory of dynamical systems (to give it its full title) is a *mathematical theory* largely built on the pillars of analysis, geometry, and topology, the first and last of which, in turn, had their origins in Newtonian mechanics. While claims of scientific revolution may be exaggerated, the increasing reach of dynamical systems theory beyond the mathematical sciences is a fact. Its goal of classifying dynamical systems provides a unifying structure across a wide range of applications: it does not help one *formulate* models *per se*, but knowing the nature of some creatures in the mathematical jungle is clearly useful. However, while the theory might allow one to prove that models of the solar system, weather, or the world economy are chaotic (or stable), the validity of conclusions drawn regarding asteroid impacts, hurricanes or stock-market crashes will depend on the quality of the models themselves.

2.1. Early History: Homoclinic Points and Global Behavior

In naming the next three subsections after five major contributors to the theory, I wish primarily to provide a mnemonic device, not to denigrate the collaborative process of mathematical discovery and invention.

2.1.1. Poincaré and Birkhoff

The modern theory of dynamical systems derives from the work of H.J. Poincaré (1854-1912) on the three-body problem of celestial mechanics [Poincaré, 1892, 1893, 1899], and primarily from a single, massive and initially-flawed paper [Poincaré 1890]. In this paper, which won a prize celebrating the 60th birthday of King Oscar II of Sweden and Norway, Poincaré laid the foundations for qualitative analysis of nonlinear differential equations, and began to develop a coherent set of mathematical tools for their study. His paper describes the use of first return (Poincaré) maps for the study of periodic motions; defines *stable and unstable manifolds*; discusses stability issues at length, develops perturbation methods, and includes the (Poincaré) recurrence theorem. Of particular relevance in the present context, while correcting the proofs, Poincaré realised that

certain differential equations describing "simple" mechanical systems with two or more degrees of freedom were not integrable in the classical sense, due to the presence of "doubly-asymptotic" points, now called homo- and heteroclinic orbits. Moreover, he saw that these orbits had profound implications for the stability of motion in general, and that his previous belief that a version of the restricted three-body problem of celestial mechanics had only stable behavior, was false. In December 1889 and January 1990 he created a perturbation theory to detect what is now called chaos, and provided the first explicit example of it [Barrow-Green, 1997, Holmes, 1990].

Following Poincaré's work, J. Hadamard (1865-1963) considered the dynamics of geodesic flows, but the next major thrust was due to G.D. Birkhoff (1884-1944), who early in his career had proved Poincaré's "last theorem" on fixed points of annulus maps [Birkhoff, 1913]. In a book on two degree-of-freedom Hamiltonian systems [Birkhoff, 1927] that still bears reading, Birkhoff showed that, close to any homoclinic point of a two-dimensional mapping, there is a sequence of periodic points with periods approaching infinity. He subsequently proved that annulus maps having points of two distinct periods contain complex limit sets separating their domains of attraction [Birkhoff, 1932], thus providing a key clue for Cartwright and Littlewood in their studies of the van der Pol equation (see below).

2.1.2. Andronov and Kolmogorov

While Birkhoff was working in the U.S., A.A. Andronov (1901-1952), a student of L. Mandelstam (1879-1944), established a strong group in dynamics in the U.S.S.R at Gorki (Nizhni-Novgorod), and he and L.S. Pontryagin introduced the key idea of structural stability under the name "systèmes grossieres" (coarse systems) [Andronov and Pontryagin, 1937]. This notion, now a central theme of the theory, asks what properties are necessary and sufficient for the qualitative behavior of the flow comprising all solutions of a given ODE to survive a small perturbation to the vector field defining it. Here "survive" implies that the flows of the original and perturbed system must be topologically equivalent (homeomorphic). While subtle technical questions remain on function space topologies and norms that define "small" and "equivalent," this approach launched the study of structurally stable systems, and of degenerate or bifurcation points at which arbitrarily small perturbations can produce qualitatively different behaviors [Andronov et al., 1971]. The classification and universal unfoldings of such points provided for the first time lists of behaviors that one might expect when studying families of ODEs or maps depending on one or more (control) parameters. In the special case of gradient systems (vector fields derived from a potential function), this culminated in R. Thom's (1923-2002) catastophe theory [Thom, 1975]. Thom's book, and the work of Christopher Zeeman (b. 1925) [Zeeman, 1977] led the way in exporting previously-abstract mathematical ideas to the sciences at large, e.g. in [Chillingworth, 1976] and [Poston and Stewart, 1977], albeit not without controversy over the relevance of generic and universal ideas to specific problems in what were then new areas for mathematics [Sussmann and Zahler, 1978, Smale, 1980].

Andronov's work was motivated by radio and electronic applications, and it led to further detailed studies of specific nonlinear oscillators, summarized in a classic text [Andronov, Vitt and Khaiken, 1966]. (Vitt's name was missing from the title page of

the first (1937) Russian edition, appearing only in the second edition with the enigmatic prefatory note that it had been omitted "by an unfortunate mistake." The omission was due to Vitt's death in a prison camp in Kolyma, Siberia in the winter of 1936-7. The book focused on planar ODEs, starting with conservative (Hamiltonian) systems, moving on to dissipative systems and discussing bifurcations of fixed points and limit cycles, including global (homoclinic) bifurcations. Unlike much of the Western mathematical literature, it contained explicit and practical examples. (For information on Andronov's work in control theory and the Mandelstam school in mathematical physics, see http://ict.open.ac.uk/reports/1.pdf.) Following Andronov's early death in 1952, his widow Leontovich continued to lead the Gorki group and two important early texts were produced [Andronov *et al.*, 1971, Andronov *et al.*, 1973].

A more abstract approach was developed from the mid 1930's in the "Moscow school," gaining attention outside the U.S.S.R. via the translation of Nemytskii and Stepanov, 1960], originally published in 1946, with an introduction by S. Lefshetz, who had himself written a key text a few years earlier [Lefschetz, 1957]. Here the first clearlydefined strange attractor – the solenoid – was described. The work of A.N. Kolmogorov (1903-1987), D.V. Anosov (b. 1936), V.I. Arnold (b. 1937) and Ya. G. Sinai (b. 1935) flourished in the 1950-60's, largely in the context of Kolmogorov's seminar. Important work was done on ergodic theory [Sinai, 1966], geodesic flows [Anosov, 1967] and billiards [Sinai, 1970], using Kolmogorov's idea of K-systems. Some of this was motivated by S. Smale's visit to Moscow in 1961, during which he met Anosov, Arnold and Sinai and told them of his discovery that structurally stable systems with infinitely many periodic orbits could exist (the Smale horseshoe: see below). While Russian mathematicians were somewhat isolated at the height of the cold war in the 1950-80s, and were rarely able to travel outside the Soviet Bloc, they eagerly sought contacts with the West, and visits such as those of Smale and Moser (see below), and the International Congress of Mathematicians held in Moscow in 1966 (which Smale also attended), helped maintain communications with European and American colleagues. Those able to visit Moscow found a hospitable welcome among their fellow mathematicians.

During this period M.M. Peixoto (b 1921) generalized the Andronov-Pontryagin results to flows on two-dimensional manifolds [Peixoto, 1962]. He proved that a flow on a compact two-dimensional manifold is structurally stable if and only if it has a finite number of fixed points and periodic orbits, all of which are hyperbolic, there are no orbits connecting saddle points, and the non-wandering set consists of fixed points and periodic orbits alone.

2.1.3. Smale's Topological Viewpoint

S. Smale (b. 1930) brought topological ideas to these problems in the late 1950's and began to generalize to n > 2 dimensions, defining gradient-like flows that are now called Morse-Smale systems. Such a flow (or map) has a finite set of fixed points and periodic orbits, all of which are hyperbolic and all of whose stable and unstable manifolds intersect transversely, but no other nonwandering or recurrent points. Smale

¹I am indebted to an article by C. Bissell in the Times Higher Educational Supplement of January 28th, 1994 for this information.

conjectured that a system is structurally stable if and only if it is Morse-Smale. N. Levinson subsequently drew Smale's attention to a short paper on the periodically-forced van der Pol equation [Cartwright and Littlewood, 1945]. Levinson had worked on a simplified version of the problem [Levinson, 1949], and he suggested that it might provide a counterexample in the form of a structurally stable ODE with infinitely many periodic orbits. This led to Smale's creation of the *horseshoe map* in 1960, allegedly on the Leme beach of Rio de Janiero, while visiting Peixoto's Institute of Pure and Applied Mathematics. The story is recounted in [Smale, 1980], in the biography of [Batterson, 2000], and in [Diacu and Holmes, 1996]. The contributions of Cartwright and Littlewood are less well known: see [Cartwright, 1974, McMurran and Tattersall, 1996].

Smale's work appeared after a considerable delay [Smale, 1965], and became widely known only after an extensive survey article was published [Smale, 1967]. J. Moser (1928-1999) subsequently gave a beautiful exposition of the horseshoe [Moser, 1973], providing explicitly-testable criteria to prove its presence in two-dimensional maps and explaining clearly how the presence of dense orbits precludes the existence of additional integrals of motion. This implies that the problem for which King Oscar's prize was awarded is essentially insoluble. A pictorial account of the horseshoe can be found in [Shub 2005].

A footnote in [Cartwright and Littlewood, 1945] remarks that the authors' "faith in [their] results was at one time sustained only by the experimental evidence that stable sub-harmonics of two distinct orders did occur," referring to [van der Pol and van der Mark, 1927] and (implicitly) to [Birkhoff, 1932]. Smale was almost certainly ignorant of this work and of [Poincaré, 1890], but in proving that diffeomorphisms containing transverse homoclinic points possess nearby hyperbolic invariant sets on which the dynamics is conjugate to a shift on a finite alphabet of symbols, he completed the story that Poincaré had begun, connecting ODEs and deterministic maps with probabilistic Markov processes and showing that, in a deep sense, their orbits are indistinguishable. This is now referred to as the Smale-Birkhoff homoclinic theorem [Guckenheimer and Holmes, 1983]. Although significant progress was made on the piecewise-linear Levinson version [Levi, 1981] and the existence of strange attractors and invariant measures has been proved for related problems [Wang and Young, 2002], the van der Pol equation remains a research topic, e.g. [Guckenheimer et al., 2002, Bold et al., 2003].

2.1.4. Perturbations and Applications

Much of the work described above, including that of Peixoto and Smale, was topological in nature. Krylov and Bogoliubov developed analytical perturbation and averaging theories for nonlinear oscillation problems [Krylov and Bogoliubov, 1947]; these were employed extensively in Andronov's group, and generalized by [Hale, 1969] and others. Such methods were then used to prove the existence of transverse homoclinic orbits to periodic motions in periodically-forced oscillators [Melnikov, 1963] and in two- and three degree-of-freedom Hamiltonian systems [Arnold, 1964]. This provided the final link in a chain of methods and results that allows one to prove the existence of chaotic invariant sets in specific ODEs. Since then, "Melnikov's method" has been extended to multi- and infinite-dimensional systems including partial

differential equations (PDEs) [Wiggins, 1988, Holmes and Marsden, 1981], and related ideas have been used to approximate Poincaré return maps near homoclinic orbits to equilibria and find similar chaotic sets [Silnikov, 1965]. In a return to the origins of Poincaré's work, it has been suggested that heteroclinic connections among unstable *n*-body orbits might provide routes for low energy space missions [Koon *et al.*, 2000].

The work of Lorenz (b. 1917) on a three-dimensional ODE modeling Rayleigh-Bénard convection was done almost independently of that described above, although in presenting his discovery of *sensitive dependence on initial conditions*, [Lorenz, 1963] appealed to Birkhoff's work and (thanks to a perceptive reviewer) also to that of [Nemytskii and Stepanov, 1960]. But not until 1971, when Lorenz heard Ruelle speak on the proposal of [Ruelle and Takens, 1970] that structurally stable strange attractors might describe turbulence, were "dynamical" connections made between the meteorologists and mathematicians [Lorenz, 1993, Ruelle, 1991]. An earlier extramathematical discovery had taken place in 1961 when Y. Ueda, a graduate student in Electrical Engineering at Kyoto University, found motions that were neither periodic nor quasiperiodic in analog computer simulations of a periodically-forced van der Pol-Düffing equation. These solutions were mentioned as "complicated phenomena," in Ueda's PhD thesis, but remained otherwise unpublished until considerably later [Hayashi *et al.*, 1970, Ueda *et al.*, 1973], allegedly due to reservations of Ueda's advisor, C. Hayashi. For more on Ueda's work, see [Ueda, 2001].

•

TO ACCESS ALL THE 24 PAGES OF THIS CHAPTER.

Visit: http://www.eolss.net/Eolss-sampleAllChapter.aspx

Bibliography

R. Anderson and R.M. May (1992). *Infectious Diseases of Humans: Dynamics and Control.* Oxford University Press, Oxford, UK. [Text on mathematical models in epidemiology.]

A.A. Andronov and L. Pontryagin (1937). Systèmes grossieres. Dokl. Akad. Nauk. SSSR, 14, 247-251.

A.A. Andronov, E.A. Leontovich, I.I. Gordon and A.G. Maier (1971). *Theory of Bifurcations of Dynamic Systems on a Plane*. Jerusalem, Israel Program for Scientific Translations. (Available from the U.S. Dept. of Commerce, National Technical Information Service, Springfield, VA.) [Early text on qualitative theory of dynamical systems.]

A.A. Andronov, E.A. Leontovich, I.I. Gordon and A.G. Maier (1973). *Qualitative Theory of Second-Order Dynamic Systems*. Jerusalem, Israel Program for Scientific Translations, John Wiley, New York. [Early text on bifurcation theory.]

A.A. Andronov, A. A. Vitt and S.E. Khaikin (1937,1966). *Theory of Oscillators* (tr. F. Immerzi from the Russian, rst edition Moscow, 1937). Pergamon, London, UK. [Early text on qualitative theory, with many applications in physics and engineering.]

D.V. Anosov (1967). Geodesic flows on closed Riemannian manifolds with negative curvature. *Proc. Steklov Inst. Math.* 90.

- D. Armbruster, J. Guckenheimer and P. Holmes (1988). Heteroclinic cycles and modulated traveling waves in systems with O(2) symmetry. *Physica D* 29, 257-282.
- L. Arnold (1974). *Stochastic Differential Equations*. John Wiley, New York. [The "classical" view of SDEs.]
- L. Arnold (1998). Random Dynamical Systems. Springer, Heidelberg. [The "modern" view of SDEs.]
- V.I. Arnold (1963a). Proof of A.N. Kolmogorov's theorem on the preservation of quasiperiodic motions under small perturbations of the Hamiltonian. *Russian Math. Surveys*, 18(5), 9-36.
- V.I. Arnold (1963b). Small divisor problems in classical and celestial mechanics. *Russian Math. Surveys*, 18(6), 85-192.
- V.I. Arnold (1964). Instability of dynamical systems with several degrees of freedom. *Sov. Math. Doklady*, 5, 342-355.
- V.I. Arnold (1972). Lectures on bifurcations in versal families. *Russian Math. Surveys*, 27, 54-123. [An important early review paper on bifurcations.]
- V.I. Arnold (1978). Mathematical Methods of Classical Mechanics. Springer, New York.

[Classical mechanics from the geometric viewpoint.]

- V.I. Arnold (1983). *Geometrical Methods in the Theory of Ordinary Differential Equations*. Springer, New York. [A fine advanced text on the qualitative theory of ODEs; dense, but rewards careful study.]
- V.I. Arnold and A. Avez (1968). *Ergodic Problems of Classical Mechanics*. W.A. Benjamin, Inc., New York. [Early lecture notes, much of which reappears in [Arnold, 1978].]
- D. Aubin and A. Dahan Dalmedico (2002). Writing the history of dynamical systems and chaos: Longue durée and revolution, disciplines and cultures. *Historia Mathematica*, 29, 273-339. [A scholarly study of the "chaos revolution."]
- N. Aubry, P. Holmes, J.L. Lumley and E. Stone (1988). The dynamics of coherent structures in the wall region of the turbulent boundary layer. *J. Fluid Mech.* 192, 115-173.
- N. Aubry, W-Y. Lian and E.S. Titi (1993). Preserving symmetries in the proper orthogonal decomposition. *SIAM J. on Sci. Comput.* 14, 483-505.
- A. Back, J. Guckenheimer and M. Myers (1993). A dynamical simulation facility for hybrid systems. In *Lecture Notes in Computer Science*, Vol. 736, pp 255-267. Springer, Berlin.
- J.M. Ball and R.D. James (1987). Fine phase mixtures as minimizers of energy. *Arch. RationalMech. and Anal.*, 100, 13-52.
- J.M. Ball, P.J. Holmes, R.D. James, R.L. Pego and P.J. Swart (1991). On the dynamics of ne structure. *J. Nonlinear Sci.*, 1(1), 17-70.
- J. Barrow-Green (1997). *Poincaré and the Three Body Problem*. American Mathematical Society, Providence, RI. [A fine study of Poincaré's work in dynamics and celestial mechanics by an historian of mathematics.]
- S. Batterson (2000). Stephen Smale: *The Mathematician Who Broke the Dimension Barrier*. American Mathematical Society, Providence, RI. [A biography of Smale with emphasis on his work in topology and dynamical systems.]
- G.D. Birkhoff (1913). Proof of Poincaré's geometric theorem. Trans. Amer. Math. Soc., 14, 14-22.
- G.D. Birkhoff (1927). *Dynamical Systems* (reprinted with an introduction by J. Moser and a preface by M. Morse, 1966). American Mathematical Society, Providence, RI. [An early text, focusing on conservative mechanical systems including billiards, that still provides a useful introduction.]
- G.D. Birkhoff (1932). Sur quelques courbes fermées remarquables. Bull. Soc. Math. de France, 60, 1-26.
- R.I. Bogdanov (1975). Versal deformations of a singular point on the plane in the case of zero eigenvalues. *Funct. Anal. and Appls.*, 9 (2) 144-145.

- K. Bold, C. Edwards, J. Guckenheimer, S. Guharay, K. Hoffman, J. Hubbard, R. Oliva and W. Weckesser (2003). The forced van der Pol equation II: Canards in the Reduced System. *SIAM J. App. Dyn. Sys.*, 2, 570-608.
- P. Boxler (1991). How to construct stochastic center manifolds on the level of vector fields. In *Lyapunov Exponents*, L. Arnold, H. Crauel, and J.-P. Eckmann (eds), pp 141-158. *Springer Lecture Notes in Mathematics* 1486, Heidelberg.
- D. Cai, L. Tao and D. McLaughlin (2004). An embedded network approach for scale-up of fluctuation-driven systems with preservation of spike information. Proc. Nat Acad. Sci., 101 (39), 14288-14293.
- D. Cai, L. Tao, A.V. Rangan and D.W. McLaughlin (2006). Kinetic theory for neuronal network dynamics. *Commun. Math. Sci.*, 4 (1), 97-127.
- S.A. Campbell and E. Stone (2004). Stability and bifurcation analysis of a nonlinear DDE model for drilling. *J. Nonlinear Sci.*, 14, 27-57.
- J. Carr (1981). *Applications of Centre Manifold Theory*. Springer, New York. [An early monograph on center manifolds and bifurcations.]
- M.L. Cartwright (1974). Some points in the history of the theory of nonlinear oscillations. *Bull.Inst. Math. and its Applications* (UK), 10, 329-333.
- M.L. Cartwright and J.E. Littlewood (1945). On nonlinear differential equations of the second order, I: the equation $y''+k(1-y2)y'+y=b k \cos(t+a)$, k large. J. London Math. Soc., 20, 180-189.
- A. Chenciner (1985). *Systèmes dynamiques différentiables*. Encyclopaedia Universalis. [A fine review article: the state of the subject in the mid 1980's.]
- D.R.J. Chillingworth (1976). *Differential Topology with a View to Applications*. Pitman, London. [One of the rst pedagogical texts for non-specialists.]
- P. Constantin, C. Foias, B. Nicolaenko and R. Temam (1989). *Integral Manifolds and Inertial Manifolds for Dissipative Partial Differential Equations*. Springer, New York. [A technical account of invariant manifold methods for PDEs.]
- P. Dayan and L.F. Abbott (2001). *Theoretical Neuroscience: Computational and Mathematical Modeling of Neural Systems*. MIT Press, Cambridge, MA. [A general introduction to the subject, from the standpoint of theoretical physics.]
- F. Diacu and P. Holmes (1996). *Celestial Encounters: The Origins of Chaos and Stability*. Princeton University Press, Princeton, NJ. [A popular history of dynamical systems from Newton to Smale and beyond, with emphasis on celestial mechanics.]
- M.H. Dickinson, C.T. Farley, R.J. Full, M.A.R. Koehl, R. Kram and S. Lehman (2000). How animals move: an integrative view. *Science*, 288, 100-106.
- E. Doedel, A. Champneys, T. Fairgrieve, Y. Kuznetsov, B. Sandstede and X.Wang (2000). AUTO 97: Continuation and bifurcation software for ordinary differential equations. Concordia University Technical Report, available from /pub/doedel/auto at ftp.cs.concordia.ca.
- P.G. Drazin and R.S. Johnson (1989). *Solitons: An Introduction*. Cambridge University Press, Cambridge, UK. [A lucid introduction to a huge subject.]
- S.P. Ellner and J. Guckenheimer (2006). *Dynamic Models in Biology*. Princeton University Press, Princeton, NJ. [Introductory text, covering a broad range of applications.]
- T. Faria and L. Magalhães (1995). Normal forms for retarded functional differential equations with parameters and applications to Hopf bifurcations, and Normal forms for retarded functional differential equations with parameters and applications to Bogdanov-Takens singularity. *J. Diff. Eqns.*, 122, 181-200 and 201-224.
- M.J. Feigenbaum (1978). Quantitative universality for a class of nonlinear transformations. *J.Stat. Phys.*, 19, 25-52.
- N. Fenichel (1971). Persistence and smoothness of invariant manifolds for flows. *Indiana U. Math. J.*, 1, 193-225.

- E. Fermi, J. Pasta, and S.M. Ulam (1955,1965). Studies of non-linear problems. Document LA-1940, Los Alamos National Lab, 1955. (Reprinted in *E. Fermi Collected Papers*, University of Chicago Press, 1965.)
- G. Gallavotti (1983). *The Elements of Mechanics*. Springer, New York. [A good complement to [Arnold, 1978]; contains a proof of the KAM theorem.]
- R.V. Gamkrelidze (Ed-in-Chief) (1988-1990). *Encyclopaedia of Mathematical Sciences: Dynamical Systems I VII.* (tr. various hands from the Russian). Springer, New York. [A very useful compliation from the Russian school of dynamical systems.]
- C.W. Gardiner (1985). *Handbook of Stochastic Methods* (second edition). Springer, New York. [A useful reference book.]
- C.S. Gardner, J.M. Greene, M.D. Kruskal and R.M. Miura (1967). Method for solving the Korteweg-de Vries equation. *Phys. Rev. Lett.*, 19, 1095-1097.
- L. Glass and M.C. Mackey (1988). *From Clocks to Chaos: The Rhythms of Life*. Princeton University Press, Princeton, NJ. [An elementary introduction to nonlinear dynamics for biologists and physiologists.]
- J. Gleick (1988). *Chaos: Making a New Science*. Penguin Books, New York. [An engaging popular account, albeit better on the personalities than the science.]
- H. Goldstein (1980. *Classical Mechanics* (second edition). Addison-Wesley, Reading, MA. [A classical text on the mechanics of particles and rigid bodies.]
- M. Golubitsky and D.G. Schaeffer (1985). Singularities and Groups in Bifurcation Theory, I. Springer, New York. [With volume II below, forms the authoritative account of bifurcations with symmetry.]
- M. Golubitsky, I. Stewart and D.G. Schaeffer (1988). Singularities and Groups in Bifurcation Theory, II. Springer, New York. [With volume I above, forms the authoritative account of bifurcations with symmetry.]
- J. Guckenheimer (2002). Bifurcation and degenerate decomposition in multiple time scale dynamical systems. In *Nonlinear Dynamics and Chaos: where do we go from here?* J.
- Hogan, A. Champneys, B. Krauskopf, M. di Bernardo, E. Wilson, H. Osinga and M.E. Homer (eds), Institute of Physics Publishing, Bristol, pp. 1-21.
- J. Guckenheimer, K. Hoffman and W. Weckesser (2002). The forced van der Pol equation I: the slow flow and its bifurcations. SIAM J. App. Dyn. Sys., 2, 1-35.
- J. Guckenheimer and P. Holmes (1983). *Nonlinear Oscillations, Dynamical Systems and Bifurcations of Vector Fields*. Springer, New York. [The first "post-Smale" text on dynamical systems with applications.]
- O. Gurel and O.E. R ossler (eds) (1979). *Bifurcation Theory and Applications in the Scientific Disciplines*. Annals of the NY Acad. Sci., 316, 1-708. [Proceedings of a key early conference, with papers by many early contributors to the theory and applications of dynamical systems.]
- H. Haken (1983). Advanced Synergetics: Instability Heirarchies of Self-Organizing Systems and Devices. Springer, Berlin. [An early monograph on deterministic and stochastic systems from a physical viewpoint.]
- J.K. Hale (1969). Ordinary Differential Equations. Wiley, New York. [A classic ODE text.]
- C. Hayashi, Y. Ueda, N. Akamatsu and H. Itakura (1970). On the behavior of self-oscillatory systems with external force. *Trans. IECE Japan*, 53A (3), 150-158.
- S.P. Hastings and W.C. Troy (1996). A shooting approach to chaos in the Lorenz equations. *J.Diff. Eqns.*, 127, 41-53.
- R. Helleman (ed) (1980). *Nonlinear Dynamics*. Annals of the NY Acad. Sci., 357, 1-506. [Proceedings of the successor meeting to [Gurel and R ossler, 1979].]
- M. Hénon. A two-dimensional mapping with a strange attractor. Commun. Math. Phys., 50, 69-77, 1976.
- M.W. Hirsch, C.C. Pugh and M. Shub (1977). *Invariant Manifolds*. Springer Lecture Notes in Mathematics 583, Heidelberg. [First "complete" account of the general hyperbolic theory.]

- M.W. Hirsch, S. Smale and R.L. Devaney (2004). *Differential Equations, Dynamical Systems and an Introduction to Chaos* (Second edition). Academic Press/Elsevier, San Diego, CA. [A good introductory text based on an earlier, more mathematically-oriented book by the first two authors.]
- A. Hodgkin and A. Huxley (1952). A quantitative description of membrane current and its application to conduction and excitation in nerve. *J. Physiol.*, 117, 500-544.
- P. Holmes (1990). Poincaré, celestial mechanics, dynamical systems theory and "chaos." *Physics Reports*, 193 (3), 137-163.
- P. Holmes (2005). Ninety plus thirty years of nonlinear dynamics: More is different and less is more. *Int. J. Bifurcation and Chaos*, 15 (9), 2703-2716.
- P. Holmes. History of Dynamical Systems. www.scholarpedia.org/article/History-of-Dynamical-Systems
- P. Holmes, R.J. Full, D.E. Koditschek and J. Guckenheimer (2006). The dynamics of legged locomotion: Models, analyses, and challenges. *SIAM Review*, 48 (2), 207-304.
- P. Holmes, J.L. Lumley and G. Berkooz (1996). *Turbulence, Coherent Structures, Dynamical Systems and Symmetry*. Cambridge University Press, Cambridge, UK. [Monograph on low-dimensional models for turbulent fluid flows.]
- P. Holmes and J.E. Marsden (1981). A partial differential equation with infinitely many periodic orbits: Chaotic oscillations of a forced beam. *Arch. Rat. Mech. Anal.*, 76, 135-166.
- E. Hopf. Abzweigung einer periodischen L ösung von einer station aren L ösung eines differentialsystems. Berichte Math.-Phys. Kl. S achs. Akad. Wiss. Leipzig Math.-Nat.Kl., 94, 1-22, 1942.
- F.C. Hoppensteadt and E.M. Izhikevich (1997). *Weakly Connected Neural Networks*. Springer, New York. [Text on mathematical methods for modeling neural circuits.]
- C.K.R.T. Jones (1994). *Geometric Singular Perturbation Theory*. Springer Lecture Notes in Mathematics 1609, Heidelberg. [Lecture notes on singularly perturbed ODEs.]
- T. Kaczynzki, K. Mischaikow and M. Mrozek (2004). *Computational Homology*. Springer, New York. [First text in an emerging area.]
- D. Kaplan and L. Glass (1995). *Understanding Nonlinear Dynamics*. Springer, New York. [An elementary introduction, with biological applications.]
- S. Karlin and H.M. Taylor (1975, 1981). A First Course in Stochastic Processes and A Second Course in Stochastic Processes. Academic Press, London. [A thorough account of discrete and continuous stochastic models.]
- A. Katok and B. Hasselblatt (1995). *Introduction to the Modern Theory of Dynamical Systems*. Cambridge University Press, Cambridge, UK. [Advanced mathematical text with an emphasis on ergodic theory.]
- J. Keener and J. Sneyd (1998). J. Mathematical Physiology. Springer, New York. [An important text with many details and applications in cellular biology.]
- A. Kelley (1967). The stable, center stable, center, center unstable, and unstable manifolds. *J. Diff. Eqns.*, 3, 546-570.
- A.N. Kolmogorov (1957). Théorie générale des sytèmes dynamiques et mécanique classique. In *Proceedings of the International Congress of Mathematicians, Amsterdam*, 1954, vol. I, pp 315-333. North-Holland, Amsterdam.
- W.S. Koon, M.W. Lo, J.E. Marsden and S. Ross (2000). Heteroclinic connections between periodic orbits and resonance transitions in celestial mechanics. *Chaos*, 10 (2), 427-469.
- B. Krauskopf and H. Osinga. Two-dimensional global manifolds of vector fields. *Chaos*, 9 (3), 768-774, 1999.
- N.M. Krylov and N.N. Bogoliubov (1937, 1947). *Introduction to Nonlinear Mechanics*. Princeton University Press, Princeton, N.J. (translation of the Russian edition Moscow, 1937). [A classical text with emphasis on perturbation and asymptotic methods.]

- T.S. Kuhn (1970). *The Structure of Scientific Revolutions* (second edition). International Encyclopedia of Unified Science, Vol 2 (2), University of Chicago Press, Chicago, IL. [A groundbreaking text by a leading historian of science.]
- Y.A. Kuznetsov (2004). *Elements of Applied Bifurcation Theory* (third edition). Springer, New York. [An excellent recent account of dynamical systems and bifurcation theory.]
- O.E. Lanford (1982). A computer assisted proof of the Feigenbaum conjecture. *Bull. Amer.Math. Soc.* (new series), 6, 427-434.
- S. Lefschetz (1957). *Differential Equations: Geometric Theory*. Interscience Publishers, New York. [A relatively early textbook on qualitative theory, focusing on two-dimensional ODEs.]
- M. Levi (1981). Qualitative analysis of the periodically forced relaxation oscillations. *Memoirs of the Amer. Math. Soc.*, 214, 1-147.
- N. Levinson (1949). A second-order differential equation with singular solutions. *Annals of Mathematics*, 50, 127-153.
- A.L. Lichtenberg and M.A. Lieberman (1983). *Regular and Stochastic Motion*. Springer, New York. [Monograph emphasizing Hamiltonian systems and applications to plasma physics and nonlinear waves.]
- E.N. Lorenz (1963). Deterministic non-periodic flow. J. Atmosperic Sci. 20, 130-141.
- E.N. Lorenz (1993). *The Essence of Chaos*. University of Washington Press, Seattle, WA. [A delightful introduction to nonlinear dynamics with historical details from one of the pioneers.]
- A.E.H. Love (1927). A Treatise on the Mathematical Theory of Elasticity. Cambridge University Press, Cambridge, UK. [A classic text in continuum mechanics.]
- J.L. Lumley (1967). The structure of inhomogeneous turbulence. In *Atmospheric Turbulence and Wave Propagation*, pp. 166{178, A.M. Yaglom and V.I. Tatarski (eds), Nauka, Moscow.
- J.E. Marsden and M. McCracken (1976). *The Hopf Bifurcation and Its Applications*. Springer, New York. [Contains several early papers, including a translation of [Hopf, 1942].]
- R.M. May (1976). Simple mathematical models with very complicated dynamics. *Nature*, 261, 459-467.
- T. McMillen and A. Goriely (2002). Tendril perversion in intrinsically-curved rods. *J. Nonlinear Sci.*, 12, 241-281.
- S.L. McMurran and J.J. Tattersall (1996). The mathematical collaboration of M.L. Cartwright and J.E. Littlewood. *Amer. Math. Monthly*, 103 (10), 833-845.
- V.K. Melnikov (1963). On the stability of the center for time-periodic perturbations. *Trans. Moscow Math. Soc.*, 12, 1-57.
- K. Mischaikow and M. Mrozek (1995). Chaos in the Lorenz equations: a computer proof. *Bull. Amer. Math. Soc.* (new series), 32, 66-72.
- L. Mora and M. Viana (1993). Abundance of strange attractors. Acta Mathematica, 171(1), 1-71.
- J.K. Moser (1962). On invariant curves of area-preserving mappings of an annulus. Nachr. Akad. Wiss. G ottingen II. Math. Phys. Kl., 1-20.
- J.K. Moser (1973, 2001). *Stable and Random Motions in Dynamical Systems*. Princeton University Press, Princeton, N.J. (reissued in the Princeton Landmarks series with an introduction by P. Holmes, 2001). [An elegant and concise mathematical text, focusing on classical mechanical applications, with a beautiful exposition of Smale's horseshoe.]
- J.D. Murray (2001). Mathematical Biology, (third edition). Springer, New York. [A compendious text by one of the masters of mathematical biology.]
- V.V. Nemytskii and V.V. Stepanov (1960). *Qualitative Theory of Differential Equations* (tr. various hands from earlier Russian editions). Princeton University Press, Princeton, NJ. [An important early text.]

- J. Palis and F. Takens (1993). *Hyperbolicity and Sensitive Chaotic Dynamics at Homoclinic Bifurcations*. Cambridge University Press, Cambridge, UK. [Good monograph describing rigorous results on homoclinic chaos.]
- M.M. Peixoto (1962). Structural stability on two-dimensional manifolds. Topology, 1, 101-120.
- E. Phipps (2003). *Taylor Series Integration of Di erential-Algebraic Equations: Automatic Differentiation as a Tool for Simulating Rigid Body Mechanical Systems.* PhD. Thesis, Cornell University.
- V.A. Pliss (1964). A reduction principle in the theory of the stability of motion. *Izv. Akad. Nauk. SSSR*, *Mat. Ser.* 28, 1297-1324.
- H.J. Poincaré (1890). Sur le problème des trois corps et les équations de la dynamique. *Acta Mathematica*, 13, 1-270. [This is where the story started.]
- H.J. Poincaré (1892, 1893, 1899). *Les méthodes nouvelles de la mécanique celeste*, Vols 1-3. Gauthiers-Villars, Paris. English translation edited by D. Goro, published by the American Institute of Physics, New York, 1993. [The story continued, at length.]
- T. Poston and I.N. Stewart (1977). *Catastrophe Theory and its Applications*. Pitman, London. [A nice collection of mathematical results and applications: a good companion for [Chillingworth, 1976].]
- D. Ruelle and F. Takens (1971). On the nature of turbulence. Commun. Math. Phys., 20, 167-192.
- D. Ruelle (1989). *Chaotic Evolution and Strange Attractors*. Cambridge University Press, Cambridge, UK. [Technical lectures on ergodic theory and deterministic chaos.]
- D. Ruelle (1991). *Chance and Chaos*. Princeton University Press, Princeton, NJ. [An excellent introduction for the non-specialist.]
- M. Shub (2005). What is ... a horseshoe? Notices Amer. Math. Soc., 52 (5), 516-519.
- L.P. Silnikov (1965). A case of the existence of a denumerable set of periodic motions. *Sov. Math. Doklady*, 6, 163-166.
- L. Sirovich (1987). Turbulence and the dynamics of coherent structures, I-III. *Quart. Appl. Math.*, 45 (3), 561-590.
- Ya. G. Sinai (1966). Classical dynamical systems with countable multiplicity Lebesgue spectrum. I. *Izvestia Acd. Sci.* USSR, Mat., 30 (1), 15-68.
- Ya. G. Sinai (1970). Dynamical systems with elastic reflections. Ergodic properties of dispersing billiards. *Russian Math. Surveys*, 25 (2), 137-189.
- S. Smale (1965). Diffeomorphisms with many periodic points. In *Differential and Combinatorial Topology: A Symposium in Honor of Marston Morse*, pp. 63-70, S.S. Cairns (ed). Princeton University Press, Princeton, NJ. [First appearance of the Smale horseshoe.]
- S. Smale (1967). Differentiable Dynamical Systems. Bull. Amer. Math. Soc., 73, 747-817. [A monumental review article that introduced the modern theory of dynamical systems and helped set the research agenda for next 30+ years.]
- S. Smale (1980). The Mathematics of Time: Essays on Dynamical Systems, Economic Processes, and Related Topics.. Springer, New York. [Contains reprints of several of Smale's major articles, including [Smale, 1967] with added notes and references, reviews (including one of [Zeeman, 1977]), and "On how I got started in dynamical systems."]
- T.R. Smith, J. Moehlis and P. Holmes (2005a). Low-dimensional models for turbulent plane Couette flow in a minimal flow unit. *J. Fluid Mech.*, 538, 71-110.
- T.R. Smith, J. Moehlis and P. Holmes (2005b). Low-dimensional modelling of turbulence using the proper orthogonal decomposition: A tutorial. *Nonlinear Dynamics*, 41 (1-3), 275-307.
- J. Sotomayor (1973). Generic bifurcations of dynamical systems. In *Dynamical Systems*, M.M. Peixoto (ed), Academic Press, New York.
- S.H. Strogatz (1994). *Nonlinear Dynamics and Chaos*. Addison-Wesley, Reading, MA. [An elementary text with applications.]

- H.J. Sussmann and R.S. Zahler (1978). Catastrophe theory as applied to the social and biological sciences: A critique. *Synthese*, 37, 117-216.
- H. Swinney and J.P. Gollub (eds) (1981, 1985). Hydrodynamic Instabilities and the Transition to Turbulence(second edition). Springer, New York. [A collection of influential early papers on nonlinear dynamics and bifurcation theory in fluid mechanics, originally published in 1981.]
- R. Szalai, G. St ep an and S.J. Hogan (2004). Global dynamics of low immersion high speed milling. *Chaos*, 14 (4), 1-9.
- F. Takens (1974). Forced oscillations and bifurcations. In *Applications of Global Analysis 1*, Commun. Math. Inst. Rijksuniversiteit Utrecht, 3. Reprinted in *Global Analysis of Dynamical Systems*, H.W. Broer, B. Krauskopf and G. Vegter (eds), Institute of Physics Publishing, Bristol, UK, pp 1-61, 2001.
- R. Temam (1997). *Infinite-Dimensional Dynamical Systems in Mechanics and Physics* (second edition). Springer, New York. [The first general textbook on dynamical systems theory for dissipative PDEs.]
- R. Thom (1975). *Structural Stability and Morphogenesis* (tr. D.H. Fowler from an update of the original Stabilit e Structurelle et Morphog en ese, Paris, 1972). W.A. Benjamin, Inc., Reading, MA. [Thom's view of how catastrophe theory and dynamical systems can guide modeling in general, with emphasis on biology and human society and culture.]
- C. Truesdell (1984). The computer: Ruin of science and threat to mankind. In *An Idiot's Fugitive Essays on Science*, corrected second printing, pp 594-631. Springer, New York. [A collection of essays by a master continuum mechanician with strong opinions.]
- W. Tucker (1999). *The Lorenz attractor exists*. PhD. Thesis, Uppsala Dissertations in Mathematics 11, 1998. Short announcement in *C. R. Acad. Sci. Paris*, t. 328, Série I, 1197-1202.
- Y. Ueda, N. Akamatsu and C. Hayashi (1973). Computer simulations and non-periodic oscillations. *Trans. IECE Japan*, 56A (4), 218-225.
- Y. Ueda (2001). *The Road to Chaos, II* (revised and expanded edition of The Road to Chaos, 1992). Aerial Press Inc., Santa Cruz, CA.
- J-C. van der Meer (1985). The Hamiltonian Hopf Bifurcation. Springer, New York.
- B. van der Pol and B. van der Mark (1927). Frequency demultiplication. Nature, 120, 363-364.
- Q. Wang and L-S. Young (2002). From invariant curves to strange attractors. *Commun. Math.Phys.*, 225, 275-304.
- S. Wiggins (1988). *Global Bifurcations and Chaos*. Springer, New York. [An early monograph on homoclinic bifurcations and global dynamical phenomena from an applied viewpoint.]
- S. Wiggins (2003). *Introduction to Applied Nonlinear Dynamical Systems and Chaos* (second edition). Springer, New York. [A compendious text, covering similar material to [Guckenheimer and Holmes, 1983] and [Kuznetsov, 2003] in greater detail.]
- H. Wilson (1999). *Spikes, Decisions and Actions: The Dynamical Foundations of Neuroscience*. Oxford University Press, Oxford, U.K. [An introduction to nonlinear dynamics, bifurcations, and models in neuroscience.]
- E.C. Zeeman (1977). *Catastrophe Theory: Selected Papers 1972-1977*. Addison-Wesley, Reading, MA. [A collection of Zeeman's papers: an Anglo-Saxon counterpoint to the Gallic philosophy of [Thom, 1975].]

Biographical Sketch

Philip Holmes was born in North Lincolnshire, UK, in 1945. He holds a BA (Oxford, 1967) and a PhD (Southampton, 1974), both in engineering science. He is currently Professor of Mechanics and Applied Mathematics and an associate faculty member in the Department of Mathematics at Princeton University, where he directed the Program in Applied and Computational Mathematics from 1994 to 1997. Prior to that he was the Charles N. Mellowes Professor of Mechanics and Mathematics at Cornell University. A former director of Cornell's Center for Applied Mathematics, he is a Member of the American Academy of Arts and Sciences, a Foreign Member of the Hungarian Academy of Sciences, and a Fellow of the

American Physical Society. He has held visiting positions at The University of California at Berkeley, the Universities of Stuttgart, Nice and Paris, the Paul Erdos Mathematical Center in Budapest, and a Sherman Fairchild Distinguished Scholarship at the California Institute of Technology.

Dr. Holmes works on nonlinear dynamics and differential equations, developing qualitative and analytical methods for the mathematical modeling and study of solid, fluid, and biological systems. He has contributed to the foundations and applications of dynamical systems theory and has used the theory to better understand the dynamics of coherent structures in turbulent flows, pattern formation in chemical reactions, nonlinear modes in optical waveguides, and buckling and dynamics of elastic rods. His current research focuses on the neuromechanics of legged locomotion and swimming, and on modeling cognitive processes in humans and primates.

