

A Study on Performance of Ideal and Non-ideal Solar Cells Under the Climatic Situation of Bangladesh

K.A.Khan¹, Md. Anowar Hossain², Md. Alamgir kabir³, Md. Akhlaqur Rahman⁴
and Pairunnaheer Lipe⁵

¹Department of Physics, Jagannath University, Dhaka-1100, Bangladesh

² Experimental Officer, Centre for Research Reactor, Bangladesh Atomic Energy Commission, Dhaka,

³ Experimental Officer, National Institute of nuclear Medicine & Allied Sciences, Bangladesh Atomic Energy Commission, Dhaka, Bangladesh.

⁴ Lecturer in Physics, Metropolitan Creative college, Dhaka, Bangladesh,

⁵ Lecturer in Physics, Mohangang Govt. College, Mohangang, Netrakona, Bangladesh,

Abstract

In this paper, it has been studied the I-V characteristics between ideal and non-ideal solar cells. The ideal curve was for before using the solar cell for irrigation and for vegetative & fruits field. It has been observed several parameters of solar cells for before and after use of irrigation and vegetative & fruits field like conversion efficiency and Fill Factor (FF). It was found that the value of the conversion efficiency and the Fill Factor (FF) decreases after use the solar cell. The I-V characteristics totally different between ideal and non-ideal solar cell.

Keywords: *I-V characteristics, Ideal cell, Non-ideal cell, Fill Factor (FF), Conversion Efficiency.*

Introduction

World energy consumption is doubling every 16 years. The rate of increase is even higher in America, where 6 percent of world population consumes one third of the world's energy. As technology advances, new demands for energy emerge [1-21]. The World Trade Centre Petronus towers in Malaysia consume an amount of electricity equal to that of the city of Syracuse. The insatiable demand of energy cannot be met indefinitely. Sooner or later the depletion of energy resources will force us to change the energy consumption behavior. Throughout history the demand on natural resources had been small compared to natural reserves. In recent years the demand has increased" drastically because of the advance of industrialization [22-35]. The increased rate of consumption depletes the natural reserves rapidly. Starting in the late 1972, shortage of fuel began to hit various part of our society and suddenly an energy crisis appeared.

The solution for the energy crisis in the future is partly dependent on the use of nuclear energy. The safety of reactors has already become an issue. It is argued that the emergency core-cooling system of the reactors has not been tested and thus there is no guarantee that it will work as expected in an actual emergency. In fact, suit has been filed by environmentalist to close down all existing reactors because of this. Besides the possibility of accidental malfunctioning, one may also consider the possibility of sabotage and natural catastrophe that might destroy a reactor and disperse the radioactive material [36-40]. In time of war, the possibility of bombing is so real that it would be very difficult to keep reactors operating safely [41-45].

II. Methods and Materials

A solar water pump was used for irrigation and vegetative & fruits field. The change of the solar cell has been occurred before and after the use of solar cell.

II A Practical application of solar cell for irrigation and Vegetable field:



Fig.1 Experimentally measurement of I-V characteristics of solar cells under Bangladeshi Climate.

A device to estimate the I-V characteristics under Bangladeshi Climate by a computer for an ideal and non-ideal solar cell.



Fig.2: I-V characteristics of a solar cell before using for an ideal solar cell.

Fig.2 shows the I-V characteristics of a solar cell. It is shown that the efficiency = 18.04% and the Fill Factor = 76.434% for a specific solar beam radiation[46-50].




Fig.3: I-V characteristics of a solar cell before using for an ideal solar cell

Fig.3 shows the I-V characteristics of a solar cell. It is shown that the efficiency = 18.04% and the Fill Factor = 76.436% for a specific another solar beam radiation for the same solar cell. It is mentioned that the ideal FF = 0.71 i.e., FF indicates the quality of the solar cell. So that under Bangladeshi climatic condition the quality of the solar cell was good.




Fig.4: I-V characteristics of a solar cell before using for an ideal solar cell.

Fig.4 shows the I-V characteristics of a solar cell. It is shown that the efficiency = 18.04% and the Fill Factor = 76.436% for a specific another solar beam radiation for the same solar cell.

II. B. Define different Parameters:

i) Open circuit voltage : The voltage without load is called Open circuit Voltage. Generally, it is denoted by V_{oc} .

ii) Short circuit current: The current without load is called short circuit current. Generally, it is denoted by I_{sc} .

iii) Fill Factor (FF):

It is defined as, $FF = (V_m I_m) / (V_{oc} I_{sc})$, where, V_m = Useful voltage, I_m = Useful current, V_{oc} = Open circuit Voltage, I_{sc} = short circuit current[51-62].

iv) Convesion efficiency (η_c):

It is defined as, Conversion efficiency, $\eta_c = (V_m I_m) / A_c I_b$, where, V_m = Useful voltage, I_m = Useful current, A_c = Collector area(m^2), I_b = Beam radiation (w/m^2).

II.C Description of solar cell, module, panel, array:

Solar Cell: It is the building block of a solar cell. In a solar cell some rectifier diodes are in parallel connection. The standard open circuit voltage of the solar cell is 0.5 volt. The short circuit current of a solar cell = 0.5 A. The standard temperature of a solar cell= 25°C. The standard pressure = 1 atm pressure= 760 mm Hg pressure [66-70].

Solar module: One or more than two cells make a solar module. It can be connected in series or parallel by solar cells.

Solar Panel: One or more than two modules make a solar panel. In a panel solar module can be connected by the series or parallel combination.

Solar Array: One or more than two panels make a solar array. A SPV Array is made up of PV modules, which are environmentally-sealed collections of SPV Cells - the devices that convert sunlight to electricity. The most common SPV module that is 5-to-25 square feet in size and weighs about 3-4 lbs./ft². Often sets of four or more smaller modules are framed or attached together by struts in what is called a panel. This panel is typically around 20-35 square feet in area for ease of handling on a roof. This allows some assembly and wiring functions to be done on the ground if called for by the installation instructions[71].

Balance of system equipment (BOS): BOS includes mounting systems and wiring systems

used to integrate the solar modules into the structural and electrical systems of the home. The wiring systems include disconnects for the dc and ac sides of the inverter, ground-fault protection, and over current protection for the solar modules[72]. Most systems include a combiner board of some kind since most modules require fusing for each module source circuit. Some inverters include this fusing and combining function within the inverter enclosure.

Dc-ac inverter: This is the device that takes the dc power from the PV array and converts it into standard ac power used by the house appliances.

Metering: This includes meters to provide indication of system performance. Some meters can indicate home energy usage.

Other components: Utility switch (depending on local utility).

II D SPV Electrical System Types:

There are two general types of electrical designs for PV power systems for homes; systems that interact with the utility power grid and have no battery backup capability; and systems that interact and include battery backup as well [73].

II E Grid-Interactive Only (No Battery Backup):

This type of system only operates when the utility is available. Since utility outages are rare, this system will normally provide the greatest amount of bill savings to the customer per dollar of investment. However, in the event of an outage, the system is designed to shut down until utility power is restored[74-76].

II F Standard solar cell condition: The standard state condition of a solar cell is: The standard open circuit voltage of the solar cell is 0.5 volt. The short circuit current of a solar cell = 0.5 A. The standard temperature of a solar cell = 25°C. The standard pressure = 1 atm pressure = 760 mm Hg pressure.

III. Results and Discussion with Graphical Analysis:




Fig.5 Ideal I-V curve for ideal solar cell-1

It is shown (Fig.5) the I-V curve after use of the solar cell it has been damaged by anyhow. The I-V curve (Fig.5) deviated the ideality due to damage of the solar cell. The conversion efficiency is around 6.91% whereas it was around 18.04% and the FF is 40.574% whereas it was 76.436%.




Fig.6 Ideal I-V curve for non-ideal solar cell-1

Fig.6 shows the I-V curve for a solar cell under Bangladeshi climatic condition. It is shown (Fig.6) the I-V curve after use of the solar cell it has been damaged by anyhow. The I-V curve (Fig.6) deviated the ideality due to damage of the

solar cell. The conversion efficiency is around 6.71% whereas it was around 18.04% and the FF is 40.11% whereas it was 76.436%.




Fig.7 Ideal I-V curve for non-ideal solar cell-1

Fig.7 shows the I-V curve for a solar cell under Bangladeshi climatic condition. It is shown (Fig.7) the I-V curve after use of the solar cell it has been damaged by anyhow. The I-V curve (Fig.7) deviated the ideality due to damage of the solar cell. The conversion efficiency is around 7.11% whereas it was around 18.04% and the FF is 41.77% whereas it was 76.436%.




Fig.8 Ideal I-V curve for non-ideal solar cell-1

Fig.8 shows the I-V curve for a solar cell under Bangladeshi climatic condition. It is shown (Fig.8) the I-V curve after use of the solar cell it has been damaged by anyhow. The I-V curve (Fig.8) deviated the ideality due to damage of the solar cell. The conversion efficiency is around 7.00% whereas it was around 18.04% and the FF is 41.31% whereas it was 76.436%.

Finally, it is shown that where FF was higher, then the conversion efficiency also higher. Therefore it can be said that there is a correlation between FF and conversion efficiency (η_c) of a solar cell.

IV. Conclusion

Solar photovoltaic electricity depends on solar radiation. Bangladesh is located in fine places where solar radiation falls nicely for solar Photovoltaic system. It is concluded that SPV system can be utilized for all months of the whole year. So that SPV system is feasible and viable for the agricultural activities under Bangladeshi climate. But sometimes it is shown that due to shadow effect sola cell became damage and as result the conversion efficiency and the FF became lower than the ideal value. So that finally, it is concluded that the solar cell should be set up in a proper places where shadow effect is totally absent for getting better performances.

Acknowledgement

The authors are grateful to the PKL electricity research group named Md. Abdus Samad (Ex-Joint Secretary), Dr. M A Latif, Dr. Md. Sajjad Hossain, Dr. Md. Fakrul Islam, Dr. Bapy Guha, Md. Mehdi Hassan, Md. Shamsul Alam and Dr. Jesmin Sultana for their valuable suggestions and whole hearted cooperation during research work.

References

- [1] K.A.Khan, Lovelu Hassan, A K M Obaydullah, S. M. Azharul Islam, M.A. Mamun, Tanjila Akter, Mehedi Hasan, Md. Shamsul Alam, M. Ibrahim, M Mizanur Rahman and M. Shahjahan , Bioelectricity: A new approach to provide the electrical power from vegetative and fruits at off-grid region, Published in the journal of Microsystem Technologies of Springer, manuscript number: 2018MITE-D-17-00623R2, Received: 14 August 2017/Accepted: 3 February 2018, Volumes-24,Issues-3, Impact Factor: 1.195, ISSN: 0946-7076 (Print) 1432-1858 (Online), Springer-Verlag GmbH Germany, Part of Springer Nature, DOI: 10.1007/s00542-018-3808-3, 2018.
- [2] Mehedi Hasan and K A Khan, *Dynamic Model of Bryophyllum pinnatum Leaf Fueled BPL Cell: A Possible Alternate Source of Electricity at the Off-grid Region in Bangladesh*, Published in the *Microsystem Technologies* (2018), Springer, manuscript number, MITE-D-18-00800R1, DOI: <https://doi.org/10.1007/s00542-018-4149-y>, Publisher Name: Springer Berlin Heidelberg, Print ISSN: 0946-7076, Online ISSN: 1432-1858, First Online: 28 September 2018
- [3] K A Khan, M.S.Bhuyan, M. A. Mamun, M. Ibrahim, Lovelu Hassan and M A Wadud, Organic Electricity from Zn/Cu-PKL Electrochemical Cell, Published in the Springer Nature, Series Title: Advs in Intelligent Syst., Computing, Volume Number:812, Book Title: Contemporary Advances in Innovative and Applicable Information Technology, ISBN:978-981-13-1539-8, <https://doi.org/10.1007/978-981-13-1540-4>, 2018
- [4] K A Khan, A. Rahman, M. S. Rahman, A. Tahsin, K. M. Jubyer, and S. Paul, "Performance analysis of electrical parameters of PKL electricity (An experimental analysis on discharge rates, capacity & discharge time, pulse performance and cycle life & deep discharge of Pathorkuchi Leaf (PKL) electricity cell)," In *Innovative Smart Grid Technologies-Asia (ISGT-Asia)*, 2016 IEEE, pp. 540-544. IEEE, 2016.
- [5] M. K. A. Khan, S. Paul, M. S. Rahman, R. K. Kundu, M. M. Hasan, M. Moniruzzaman, and M. A. Mamun, "A study of performance analysis of PKL electricity generation parameters:(An experimental analysis on voltage regulation, capacity and energy efficiency of pathorkuchi leaf (PKL) electricity cell)," In *Power India International Conference (PIICON)*, 2016 IEEE 7th, pp. 1-6. IEEE, 2016.
- [6] M. K. A. Khan, M. S. Rahman, T. Das, M. N. Ahmed, K. N. Saha, and S. Paul, "Investigation on Parameters performance of Zn/Cu Electrodes of PKL, AVL, Tomato and Lemon juice based Electrochemical Cells: A Comparative Study," In *Electrical Information and Communication Technology (EICT)*, 2015 3rd International Conference on, pp. 1-6. IEEE, 2017.
- [7] K A Khan, Akhlaqur Rahman, Md Siddikur Rahman, Aniqah Tahsin, Kazi Md Jubyer, and Shuva Paul. "Performance analysis of electrical parameters of PKL electricity (An experimental analysis on discharge rates, capacity & discharge time, pulse performance and cycle life & deep discharge of Pathorkuchi Leaf (PKL) electricity cell)." In *Innovative Smart Grid Technologies-Asia (ISGT-Asia)*, 2016 IEEE, pp. 540-544. IEEE, 2016.

[8] M K A Khan, Shuva Paul, Md Siddikur Rahman, Ripon Kumar Kundu, Md Mahmudul Hasan, Mohammad Moniruzzaman, and Mohammad Al Mamun. "A study of performance analysis of PKL electricity generation parameters:(An experimental analysis on voltage regulation, capacity and energy efficiency of pathor kuchi leaf (PKL) electricity cell)." In Power India International Conference (PIICON), 2016 IEEE 7th, pp. 1-6. IEEE, 2016.

[9] M K Alam Khan, "Copper Oxide Coating for use in Linear Solar Fresnel Reflecting Concentrating Collector",Published in the journal. of Elsevier, Renewable Energy, An International Journal, WREN(World Renewable Energy Network), UK, RE: 12.97/859,1998

[10] Muhammad Riazul Hamid, Characterization of a Battery cell fueled by Bryophyllum Pinnatum sap, International Journal of Scientific & Engineering Research, Volume 4, Issue 3, ISSN 2229-5518, March-2013.

[11] Muhammad Riazul Hamid, Akib Yusuf, Abu Md. Abdul Wadud, and Md. Mosfiqur Rahaman, Design and Performance Test of a Prototype of a 12 Volt DC Battery Fueled by Bryophyllum Pinnatum Sap and Improvement of Its Characteristics, Department of Electrical and Electronic Engineering, Ahsanullah University of Science and Technology, Dhaka, Bangladesh, Email: {drhamidbd, shohan933}@gmail.com, {akib147, sshaon95}@yahoo.com, International Journal of Electronics and Electrical Engineering Vol. 4, No. 5, October 2016.

[12] K A Khan, " Electricity Generation form Pathor Kuchi Leaf (Bryophyllum pinnatum) ", Int. J. Sustain. Agril. Tech. 5(4): 146-152, July 2009.

[13] K A Khan and Md. Eyashir Arafat, "Development of Portable PKL (Pathor Kuchi Leaf) Lantern", Int. J. SOC. Dev. Inf. Syst. 1(1): 15-20 January 2010.

[14] K. A. Khan and Ranen Bosu, "Performance study on PKL Electricity for Using DC Fan", Int. J. SOC. Dev. Inf. Syst. 1(1): 27-30, January 2010

[15] K A Khan and Md. Imran Hossain," PKL Electricity for Switching on the Television and Radio",Int. J. SOC. Dev. Inf. Syst. 1(1): 31-36, January 2010

[16] Shuva Paul, K A Khan, Kazi Ahad Islam, Baishakhi Islam and Musa Ali Reza, "Modeling of a Biomass Energy based (BPL) Generating Power Plant and its features in comparison with other generating Plants ",IPCBEE vol. 44 (2012) @ (2012) IACSIT Press, Singapore DOI: 10.7763/ IPCBEE. 2012. V44. 3

[17] K. A. Khan, Shuva Paul, Md. Adibullah, Md.Farhat Alam, Syed Muhammad Sifat, Md. Rashed Yousufe, " Performance Analysis of BPL/PKL Electricity module ", International Journal of Scientific & Engineering Research Volume 4, Issue3, March-2013 1 ISSN 2229-5518

[18] K A Khan, Shuva Paul,Asif Zobayer,Shiekh Saif Hossain, A Study on Solar Photovoltaic Conversion, International journal of Scientific and Engineering Research ,Volume-4,Issue-3,March-2013,ISSN2229-5518, 2013

[19] Tania Akter, M H Bhuiyan, K A Khan and M H Khan, "Impact of photo electrode thickness and annealing temperature on natural dye sensitized solar cell", Published in the journal. of Elsevier. Ms. Ref. No.: SETA-D-16-00324R2, 2017

[20] K A Khan, Inventors, Electricity Generation form Pathor Kuchi Leaf (PKL), Publication date 2008/12/31, Patent number BD 1004907,2008

[21] K A Khan, Technical note "Copper oxide coatings for use in a linear solar Fresnel reflecting concentrating collector", Publication date 1999/8/1, Journal Renewable energy, Volume 17, Issue 4, Pages 603-608, Publisher – Pergamon, 1999

[22] K A Khan, Shuva Paul, A analytical study on Electrochemistry for PKL (Pathor Kuchi Leaf) electricity generation system, Publication date 2013/5/21, Conference- Energytech, 2013 IEEE, Pages 1-6, Publisher, IEEE,2013

[23]T.A.Ruhane, M.Tauhidul Islam, Md. Saifur Rahaman, M.M.H. Bhuiyan, Jahid M.M. Islam, M.K.Newaz, K A Khan, Mubarak A. Khan, "Photo current enhancement of natural dye sensitized solar cell by optimizing dye extraction and its loading period" , Published in the journal of Elsevier : Optik - International Journal for Light and Electron Optics, 2017.

[24] K A Khan, M S Alam, M A Mamun, M A Saime & M M Kamal, Studies on electrochemistry for Pathor Kuchi Leaf Power System, Ppublished in the Journal of Bangladesh J. Agric. And Environ. 12(1): 37-42, June 2016

[25] Mehedi Hasan, Lovelu Hassan, Sunjida Haque, Mizanur Rahman, K A Khan, A Study to Analyze the Self-Discharge Characteristics of Bryophyllum Pinnatum Leaf Fueled BPL Test Cell, Published in the Journal of IJRET, Vol-6 Iss-12, Dec-2017

[26] J. Sultana, K A Khan, and M.U. Ahmed. "Electricity Generation From Pathor Kuchi Leaf (PKL) (Bryophyllum Pinnatum)." J.Asiat Soc. Bangladesh Sci., 2011, Vol. 37(4): P 167-179

[27] M. Hasan, S. Haque and K A Khan, "An Experimental Study on the Coulombic Efficiency of Bryophyllum pinnatum Leaf Generated BPL Cell",IJARIE, ISSN(O)-2395-4396, Vol-2, Issue-1, 2016

[28] MM Hasan, MKA Khan, MNR Khan and MZ Islam, "Sustainable Electricity Generation at the Coastal Areas and the Islands of Bangladesh Using Biomass Resources", City University Journal, Vol. 02, Issue. 01, P. 09-13, 2016.

[29] M Hasan and K A Khan, "Bryophyllum pinnatum Leaf Fueled Cell: An Alternate Way of Supplying Electricity at the Off-grid Areas in Bangladesh" in Proceedings of 4th International Conference on the Developments in Renewable Energy Technology [ICDRET 2016], P. 01, 2016. DOI: 10.1109/ICDRET.2016.7421522

[30] M Hasan, KA Khan, MA Mamun, "An Estimation of the Extractable Electrical Energy from Bryophyllum pinnatum Leaf", American International Journal of Research in Science, Technology, Engineering & Mathematics (AIJRSTEM), Vol. 01, Issue. 19, P. 100-106, 2017.

[31] M K A Khan, M. S. Rahman, T. Das, M. N. Ahmed, K. N. Saha, and S. Paul, "Investigation on Parameters performance of Zn/Cu Electrodes of PKL, AVL, Tomato and Lemon juice based Electrochemical Cells: A Comparative Study," In Electrical Information and Communication Technology (EICT), 2017 3rd International Conference on, pp. 1-6. IEEE, 2017. DOI: 10.1109/EICT.2017.8275150, IEEE, Khulna, Bangladesh, Bangladesh, 7-9 Dec. 2017.

[32] Md. Afzol Hossain, M K A Khan, Md. Emran Quayum, "Performance development of bio-voltaic cell from arum leaf extract electrolytes using zn/cu electrodes and investigation of their electrochemical performance", International Journal of Advances in Science Engineering and Technology, ISSN: 2321-9009, Vol-5, Iss-4, Spl. Issue-1, Nov-2017

[33] K A Khan , M. A. Wadud , A K M Obaydullah and M.A. Mamun, PKL (Bryophyllum Pinnatum) electricity for practical utilization, IJARIE-ISSN(O)-2395-4396, Vol-4, Issue-1, Page: 957-966

[34] M. M. Haque, A.K.M.A. Ullah, M.N.L Khan, A.K.M.F. F. Kibria and K A Khan, "Phyto-synthesis of MnO₂ Nanoparticles for generating electricity," In the International conference on Physics-2018, Venue-Department of Physics, University of Dhaka, Dhaka-1000, Bangladesh, Organizer-Bangladesh Physical Society(BPS), 08-10 March, 2018.

[35] Lovelu Hasan, Mehedi Hasan, K A Khan and S.M. Azharul Islam, "SEM Analysis of Electrodes and measurement of ionic pressure by AAS data to identify and compare the characteristics between different bio-fuel based electrochemical cell, " In the International conference on Physics-2018, Venue-Department of Physics, University of Dhaka, Dhaka-1000, Bangladesh, Organizer-Bangladesh Physical Society(BPS), 08-10 March, 2018.

[36] Mehedi Hasan and K A Khan, "Identification of BPL Cell Parameters to Optimize the Output Performance for the Off-grid Electricity Production, " In the International conference on Physics-2018, Venue-Department of Physics, University of Dhaka, Dhaka-1000, Bangladesh, Organizer-Bangladesh Physical Society(BPS), 08-10 March, 2018.

[37] K A Khan, M.S. Bhuyan, M. A. Mamun, M. Ibrahim, Lovelu Hassan and M A Wadud, "Organic electricity from Zn/Cu-PKL electrochemical cell ", Published in the Souvenir of First International Conference of Contemporary Advances in Innovative & Information Technology (ICCAIAIT) 2018, organized by KEI, In collaboration with Computer Society of India (CSI), Division-IV (Communication). The proceedings consented to be published in AISC Series of Springer, 2018

[38] M K A Khan , A K M Obaydullah, M.A. Wadud and M Afzol Hossain, "Bi-Product from Bioelectricity", IJARIE-ISSN(O)-2395-4396, Volume-4, Issue-2, Page-3136-3142 , 2018

[39] M K A Khan and A K M Obaydullah , "Construction and Commercial Use of PKL Cell", IJARIE-ISSN(O)-2395-4396, Volume-4, Issue-2, Page-3563-3570, 2018

[40] M K A Khan, "Studies on Electricity Generation from Stone Chips Plant (Bryophyllum pinnatum)", International J. Eng. Tech 5(4): 393-397, December 2008

[41] K A Khan, M Afzol Hossain, A K M Obaydullah and M.A. Wadud, "PKL Electrochemical Cell and the Peukert's Law ", Vol-4 Issue-2, 2018 IJARIE-ISSN(O)-2395-4396, Page: 4219 – 4227

[42] K A Khan, M.A. Wadud, M Afzol Hossain and A.K.M. Obaydullah, "Electrical Performance of PKL (Pathor Kuchi Leaf) Power", Published in the IJARIE-ISSN(O)-2395-4396, Volume-4, Issue-2, Page-3470-3478 ,2018.

[43] K A Khan, M Hazrat Ali, M. A. Mamun, M. Mahbulul Haque, A.K.M. Atique Ullah, Dr. Mohammed Nazrul Islam Khan, Lovelu Hassan, A K M Obaydullah, M A Wadud, "Bioelectrical Characteristics of Zn/Cu- PKL Cell and Production of Nanoparticles (NPs) for Practical Utilization" , 5th International conference on 'Microelectronics, Circuits and Systems', Micro2018, 19th and 20th May, 2018, Venue: Bhubaneswar, Odisha, India, Organizer: Applied Computer Technology, Kolkata, West Bengal, India, Page: 59-66, www.actsoft.org , ISBN: 81-85824-46-1, In Association with: International Association of Science, Technology and Management, 2018

[44] M.M. Hassan, M. Arif and K A Khan, "Modification of Germination and growth patterns of Basella alba seed by low pressure plasma", Accepted in the " Journal of Modern Physics", Paper ID: 7503531, 2018

[45] K.A. Khan, S.M. Maniruzzaman Manir, Md. Shafiqul Islam, Sifat Jahan, Lovelu Hassan, and M Hazrat Ali. "Studies on Nonconventional Energy Sources for Electricity Generation" International Journal of Advance Research And Innovative Ideas In Education , Volume 4 Issue 4 2018 Page 229-244

[46] K A Khan, Mahmudul Hasan, Mohammad Ashraf Islam, Mohammad Abdul Alim, Ummay Asma, Lovelu Hassan, and M Hazrat Ali. "A Study on Conventional Energy Sources for Power Production" International Journal Of Advance Research And Innovative Ideas In Education, Volume 4 Issue 4 2018 Page 214-228

[47] M K A Khan ; Md. Siddikur Rahman ; Tanmoy Das ; Muhammad Najebul Ahmed ; Kaushik Nandan Saha ; Shuva Paul, Investigation on parameters performance of Zn/Cu electrodes of PKL, AVL, Tomato and Lemon juice based electrochemical cells: A comparative study, Publication Year: 2017, Page(s):1-6, Published in: 2017 3rd International

Conference on Electrical Information and Communication Technology (EICT), Date of Conference: 7-9 Dec. 2017, Date Added to IEEE Xplore: 01 February 2018, ISBN Information: INSPEC AccessionNumber: 17542905,DOI: 10.1109/EICT.2017.8275150,Publisher: IEEE,Conference Location: Khulna, Bangladesh

- [48] K A Khan and M. M. Alam, "Performance of PKL (Pathor Kuchi Leaf) Electricity and its Uses in Bangladesh", *Int. J. SOC. Dev. Inf. Syst.* 1(1): 15-20, January 2010.
- [49] K A Khan, M. H. Bakshi and A. A. Mahmud, "Bryophyllum Pinnatum leaf (BPL) is an eternal source of renewable electrical energy for future world", *American Journal of Physical Chemistry* 2014;3(5):77-83,published,online,November10,2014(<http://www.sciencepublishinggroup.com/j/ajpc>)doi:10.11648/j.ajpc.20140305.15,ISSN:2327-2430 (Print); ISSN: 2327-2449(Online),2014.
- [50] M K A Khan, An Experimental Observation of a PKL Electrochemical Cell from the Power Production View Point, Presented as an Invited speaker and Abstract Published in the Conference on Weather Forecasting & Advances in Physics, 11-12 May 2018, Department of Physics, Khulna University of Engineering and Technology (KUET), Khulna, Bangladesh.
- [51] Bapy Guha, Fakhrul Islam and K A Khan ,Studies on Redox Equilibrium and Electrode Potentials, *IJARIE-ISSN(O)-2395-4396*, Volume-4, Issue-4, Page-1092-1102 , 2018
- [52] Fakhrul Islam, Bapy Guha and K A Khan , Studies on pH of the PKL Extract during Electricity Generation for day and night time collected Pathor Kuchi Leaf , *IJARIE-ISSN(O)-2395-4396*, Volume-4, Issue-4, Page-1102-1113 , 2018
- [53] K A Khan, Mohammad Lutfor Rahman, Md. Safiqul Islam, Md. Abdul Latif, Md. Afzal Hossain Khan, Mohammad Abu Saime and M Hazrat Ali, Renewable Energy Scenario in Bangladesh, Published in the journal of *IJARII*, Volume-4,2018, Issue-5, page : 270-279, ISSN(O)-2395-4396.
- [54] K A Khan and Salman Rahman Rasel, Prospects of Renewable Energy with Respect to Energy Reserve in Bangladesh, Published in the journal of *IJARII*, Volume-4,2018, Issue-5, page : 280-289, ISSN(O)-2395-4396.
- [55] K A Khan, Md.Shahadat Hossain, Md.Mostafa Kamal,Md.Anisur Rahman and Isahak Miah ,Pathor Kuchi Leaf : Importance in Power Production, *IJARIE-ISSN(O)-2395-4396* , Vol-4 Issue-5, 2018
- [56] K A Khan, M.Hazrat Ali, M. A. Mamun, M. Ibrahim,A K M Obaidullah, M. Afzol Hossain and M Shahjahan, PKL Electricity in Mobile Technology at the off-grid region, Published in the proceedings of *CCSN-2018*, 27-28 October, 2018 at Kolkata, India.2018
- [57] K A Khan and Afzol Hossain, Off-grid 1 KW PKL Power Technology: Design, Fabrication, Installation and Operation, Published in the proceedings of *CCSN-2018*, 27-28 October, 2018 at Kolkata, India,2018
- [58] K A Khan, M. A. Mamun, M. Ibrahim, Mehedi Hasan, Md. Ohiduzzaman A K M Obaidullah, M.A Wadud and M Shajahan, PKL electrochemical cell for off-grid Areas: Physics, Chemistry and Technology, Published in the proceedings of *CCSN-2018*, 27-28 October, 2018 at Kolkata, India.2018
- [59] K A Khan, and Salman Rahman Rasel. "Studies on Wave and Tidal Power Extraction Devices" *International Journal of Advance Research And Innovative Ideas In Education* Volume 4 Issue 6 2018 Page 61-70
- [60] K A Khan, Sultan Mahiuddin Ahmed , Mousumi Akhter , Md Rafiqul Alam , and Maruf Hossen . "Wave and Tidal Power Generation" *Internation Journal Of Advance Research And Innovative Ideas In Education* Volume 4 Issue 6 2018 Page 71-82
- [61] K A Khan, Md. Atiqur Rahman, Md. Nazrul Islam, Mahmuda Akter, and Md. Shahidul Islam. "Wave Climate Study for Ocean Power Extraction" *Internation Journal Of Advance Research And Innovative Ideas In Education* Volume 4 Issue 6 2018 Page 83-93
- [62] K A Khan, Md.Sujan Miah, Md. Iman Ali, Sujan Kumar Sharma, and Abdul Quader. "Studies on Wave and Tidal Power Converters for Power Production" *Internation Journal of Advance Research And Innovative Ideas In Education* Volume 4 Issue 6 2018 Page 94-105
- [63] K.A.Khan , and Farhana Yesmin. "PKL Electricity- A Step forward in Clean Energy" *Internation Journal Of Advance Research And Innovative Ideas In Education* Volume 5 Issue 1 2019 Page 316-325
- [64] K.A.Khan, M Hazrat Ali, A K M Obaydullah, M A Wadud, "Candle Production Using Solar Thermal Systems", 1st International Conference on 'Energy Systems, Drives and Automations', *ESDA2018*, Page: 55-66.
- [65] K.A.Khan and Farhana Yesmin, "Cultivation of Electricity from Living PKL Tree's Leaf" *International Journal Of Advance Research And Innovative Ideas In Education* Volume 5 Issue 1 2019 Page 462-472
- [66] S. J. Hassan & K. A. Khan, "Determination of Optimum Tilt angles of Photovoltaic panels in Dhaka, Bangladesh." *International J. Eng. Trach* 4 (3): 139-142, December 2007. Webiste : [www. Gscience. Net](http://www.Gscience.Net) , 2007
- [67] S.J.Hassan & K. A. Khan, "Design, Fabrication and performance study of Bucket type solar candle machine", *International J. Eng. Trach* 4 (3), December 2007. Webiste : www. Gscience. Net, 2007
- [68] Md. Kamrul Alam Khan, "Studies on Electricity Generation from Stone Chips Plant (Bryophyllum pinnatum)", *International J.Eng. Tech* 5(4): 393-397, December 2008
- [69] Saiful Islam, K.A. Khan, A.K. Sadrul Islam & M. Junab Ali, "Design, Fabrication & performance study of a Paraboloidal Solar Medical Sterilizer" , *Bangladesh J.Sci. Res.* 18(2): 211-216, 2000 (December)
- [70] Md Shahidul Islam and Md. Kamrul Alam Khan, Performance Studies on Single Crystal Solar PV Modules for Practical Utilisation in Bangladesh, *International J.Eng. Tech* 5(3): 348-352, September 2008

- [71]Md.Kamrul Alam Khan, Studies on Fill Factor(FF) of Single Crystal Solar PV Modules For Use In Bangladesh, International J.Eng. Tech 5(3): 328-334, September 2008
- [72] Md. Kamrul Alam Khan, Performance Studies of Monocrystalline PV module considering the shadow effect, International J.Eng. Tech 5(3): 342-347, June 2008
- [73] Md Shahidul Islam and Md.Kamrul Alam Khan, Study the Deterioration of a Monocrystal Solar silicon PV module Under Bangladesh Climate, International J.Eng. Tech 5(2):263-268, June 2008
- [74] K.A.Khan, Salman Rahman Rasel and Md. Ohiduzzaman, "Homemade PKL Electricity Generation for Use in DC Fan at Remote Areas", 1st International Conference on 'Energy Systems, Drives and Automations', ESDA2018, Page: 90-99.
- [75] K.A.Khan , and Farhana Yesmin. "Solar Water Pump for Vegetable field under the Climatic Condition in Bangladesh" Internation Journal Of Advance Research And Innovative Ideas In Education Volume 5 Issue 1 2019 Page 631-641
- [76] K.A.Khan , and Salman Rahman Rasel. "Solar Photovoltaic Electricity for Irrigation under Bangladeshi Climate" Internation Journal Of Advance Research And Innovative Ideas In Education Volume 5 Issue 2 2019 Page 28-36

