

27
5-22-79
H.T. IS

MASTER

UCRL-50400
Vol. 18

**ACTL: EVALUATED NEUTRON ACTIVATION
CROSS SECTION LIBRARY—EVALUATION
TECHNIQUES AND REACTION INDEX**

M. A. Gardner
R. J. Howerton

October 17, 1978

Work performed under the auspices of the U.S. Department of
Energy by the UCLLL under contract number W-7405-ENG-48





LAWRENCE LIVERMORE LABORATORY
University of California Livermore, California 94550

UCRL-50400
Vol. 18

ACTL: EVALUATED NEUTRON ACTIVATION CROSS SECTION LIBRARY—EVALUATION TECHNIQUES AND REACTION INDEX

**M. A. Gardner
R. J. Howerton**

MS. date: October 17, 1978

NOTICE
This report was prepared as a part of the work of the Lawrence Livermore National Laboratory, which is operated by the University of California for the United States Department of Energy under contract number W-7408-ENG-48. The copyright to this report is retained by the Lawrence Livermore National Laboratory. This report is available to the public through the University of California Press, 2215 R Street, Berkeley, California 94704. For all other use, permission should be sought from the Lawrence Livermore National Laboratory, P.O. Box 808, Livermore, California 94550.

CONTENTS

| | |
|---|----|
| Abstract | i |
| Introduction | 1 |
| Evaluated Activation Cross Sections | 1 |
| Evaluated Cross Section Index | 8 |
| References | 96 |
| Appendix: Sample Listing of the Activation Cross Sections | 97 |

ACTL: EVALUATED NEUTRON ACTIVATION CROSS SECTION LIBRARY—EVALUATION TECHNIQUES AND REACTION INDEX

ABSTRACT

We have compiled a library of evaluated neutron-induced activation cross sections (ACTL). The library covers incident neutron energies from 10^{-10} to 20 MeV. General descriptions of the evaluation methods and an index to the evaluated cross sections are presented.

INTRODUCTION

The ACTL library includes angle-integrated cross section evaluations of neutron-induced reactions on 255 target nuclei. It closely follows both the philosophy and the format of ENDL (the Evaluated Nuclear Data Library).¹

The purpose of the ACTL library, as that of ENDL, is to provide evaluated nuclear data for use in the Laboratory's applied physics and engineering calculations—data that have been made as simple and succinct as possible, but that have been derived with as little sacrifice as possible of the real physics. To this end, some of the experimental detail has been restricted to a practical limit, as in the case of the (n,γ) capture reactions. Here, the inclusion of a very detailed measured resonance structure has been avoided, but all (n,γ) cross sections in the library have been smoothed and adjusted in such a way that any corresponding measured resonance integral values can be reproduced within the ex-

perimental error limits.* On the other hand, for most activation reactions, there are only a few measured cross section values extending over the full incident neutron energy range. These cases make it necessary to evoke the aid of nuclear systematics and statistical model calculations to fill in the "gaps" in the available experimental data.

The ACTL library represents a "first pass" attempt to update and improve data within a relatively short period. As such, we recognize the need to continue upgrading the library. Where necessary, further modification and improvement of the nuclear systematics will be carried out, and more extensive use will be made of statistical model calculations to fill in the gaps in the cross section data. The library will also be expanded in response to user requests.

*Further discussion of (n,γ) cross section evaluations appears in the next section.

EVALUATED ACTIVATION CROSS SECTIONS

ACTIVATION REACTIONS

The ACTL library contains evaluated activation cross sections for 233 ground-state target isotopes as well as for 22 isomeric targets. The evaluations have been done for specific first-order reactions (where the targets are stable isotopes of an element) and for the related second-order reactions

(where the targets are the immediate activation products from reactions on these stable isotopes). Consequently, a large number of cross sections are provided for unstable targets. Cross sections are usually included for the following reactions: (n,γ) , $(n,2n)$, $(n,3n)$, (n,p) , $(n,n'p)$, (n,pn) , (n,α) , $(n,n'\alpha)$, and $(n,\alpha n)$. Some (n,d) , (n,t) , $(n,^3\text{He})$, $(n,n'd)$, and $(n,n't)$ cross sections are also provided. On the

average, about five reactions per target isotope have been evaluated. Cross sections for reactions leading to isomeric products are included where appropriate. In the case of the isotopes ^{58}Co , ^{60}Co , ^{62}Co , ^{174}Lu , ^{176}Lu , and ^{204}Pb , cross section evaluations were made for the inelastic scattering processes that lead to the production of unstable ground states or isomers. A complete index of all available reaction cross sections in ACTL is given in the last section.

Although most of the ACTL cross section library consists of new evaluations, some evaluations of suitable, integrated activation cross sections from ENDL were incorporated into the ACTL file.

EVALUATION METHODS

Good experimental data, whenever available, are the basis for all ACTL evaluations, and the latest available measurements are used as much as possible in this first pass. The prime source of the experimental cross section data is ECSIL (Experimental Cross Section Information Library).² To the extent that time permitted, the ACTL evaluations follow the same guidelines that are used in the ENDL evaluations to examine the experimental data and to determine their validity. If only one set of cross section measurements was available and it was ascertained to be the result of good experimental procedures, then the evaluation followed the trend of that data. If several sets of cross section measurements existed over the same neutron energy range, and they disagreed beyond the experimental error limits, then it was necessary to investigate in more detail the experimental procedures that produced each set of cross sections before a choice was made as to which set or sets were the most reliable.

Nuclear systematics and, to some extent, statistical model calculations also contributed to the evaluation process. Given the range of incident neutron energies, targets both stable and unstable, and the great variety of reaction types leading to activation, it is not surprising that most of the desired cross section information has not been measured. Calculations based on formal or informal systematics must be used to fill the gaps. Where conflicting experimental data exist, as a result of what appear to be equally good experiments, systematics and theoretical calculations can serve as

guides in evaluating and choosing the "best" cross sections and cross sections trends. In cases where the systematics or theoretical calculations appear to be in disagreement with some part of the experimental data, the calculations are normalized to the experimental values, provided the experimental work is judged to be good.

SPECIFIC REACTIONS

(n, γ) Reaction

The cross section for the neutron capture reaction—for all but very light and closed-shell nuclei—is significantly large over most of the incident neutron energy range from 10^{-10} to 20 MeV. At thermal and other energies in this neutron energy range, experimental capture cross sections have been measured for most of the stable isotopes. Some capture cross sections have also been measured for unstable nuclei, mainly at thermal energies.

The usual starting point for an evaluation of a capture cross section is to use the measured value at thermal energy if such a measurement has been made. If there is no experimental thermal value, an estimate may be made from the trends of the measured thermal cross sections for other isotopes of that element. If we assume that the thermal cross section for a target is not affected by resonance structure and that the cross section reaction does not lead to a closed-shell product, then we know that the magnitude of the cross section will decrease as the isotopic mass number increases and that the magnitude will be larger for targets with an odd neutron number. Generally an estimate of the value can be made from the relation $\sigma(A+2) = \sigma(A)/2$ or some similar fraction, depending on the trends in that particular Z, A range.

At energies greater than thermal, the magnitude of the cross section falls off, usually at a $1/v$ rate (v is the neutron velocity), until the resonance region is reached. For most stable isotopes, capture measurements have been made over some portion of the resonance region and beyond; from such measurements cross section information can either be obtained directly or can be derived from tabulated resonance parameter data. These experimental data can then be "pieced" together by following the general trend of capture cross sections for most medium- and heavy-weight

nuclei, with the exception of those cases where closed-shell products are formed.

Resolved resonances in the cross section will appear at different neutron energy ranges, depending on the mass. For very low mass numbers, resolved resonances generally do not appear until about the MeV range; for targets with masses in the neighborhood of 100, these resonances begin to occur in the low eV range; and for very high mass numbers, the onset of resolved resonances may occur in the range of a fraction of an eV. These resonances, of course, are imposed upon a continuously decreasing $1/v$ background. The capture cross section continues to decrease slowly through the unresolved resonance region. At energies of a few hundred keV the cross section will begin to rise due to the contributions from incident neutrons with higher partial waves and the decrease in the competition from the compound elastic cross section. Over the next few hundred keV, it will level off due to competitive inelastic scattering. As the neutron energy continues to increase and many other reaction channels become available, the compound nucleus portion of the capture cross section drops off rapidly, becoming insignificant in the MeV range. Although semidirect and direct contributions to the capture cross section increase in the region of 10 to 20 MeV, their magnitudes seldom exceed the 1 to 10 mb range.

In the absence of any capture cross section data, information sometimes may be gleaned from total cross section measurements made in the resonance region and from estimates of the gamma-ray widths (Γ_γ). In the total absence of any type of cross section measurements, a capture cross section can be estimated by scaling from the magnitude of a known neighboring capture cross section—the scaling based on the relative thermal cross section values and estimates.

One of our goals during the (n,γ) evaluations was to ensure that every capture cross section yielded a resonance capture integral that was consistent with reliable measured values. The resonance capture integral is defined as³

$$I_{\text{cap.}} = \int_{E_c}^{\infty} \sigma_{\text{cap.}}(E) \frac{dE}{E},$$

where E_c is the cadmium cut-off energy, which is assumed to equal 0.5 eV. We have written two codes

to calculate the resonance integral obtained from each evaluated cross section and to modify the cross section if there is disagreement between the computed and measured resonance integrals. One code, CONTRACT, modifies data when there are too many cross section entries per energy decade. The modification consists of averaging these data to nine groups per decade and then assigning the midpoint energy to each group, producing a new pointwise (energy, cross section pair) file. When there are only a few cross section entries, the second code, NGAMPROC, expands the data to 200 entries by interpolating between the original entries; thins out the expanded data; averages the thinned data to nine groups per energy decade; and then assigns the midpoint energy to each group, producing the same type of pointwise file as CONTRACT. Having produced this new pointwise data file, each code calculates⁴ the resonance integral and then offers the option of applying a constant multiplier of choice to the cross section over an energy range of choice. If the multiplier and energy range are supplied, the data are modified accordingly and the resonance integral is recomputed; this procedure can be repeated until the calculated resonance integral is in agreement with the experimental value. These two processing codes permit us to obtain uniform, pointwise files of evaluated cross section data. Clearly, if much detail is known in the resonance region, and we apply the CONTRACT code to the data, then considerable detail will be lost. It is to correct this that agreement with measured resonance integrals is forced. For specific problems that require detailed resonance data, ACTL should not be used if the equivalent evaluation is available in ENDL.¹

$(n,2n)$, $(n,3n)$, $(n,4n)$ Reactions

Few experimental measurements of $(n,2n)$ cross sections have been made over an extended range of neutron energies; most measurements have only been made around 14 MeV. Even less experimental data are available for $(n,3n)$ and $(n,4n)$ reactions. Therefore, we must rely on systematics to obtain a full $(n,2n)$ excitation function for both stable and unstable targets.

Fortunately, it is fairly simple to construct an $(n,2n)$ excitation function from systematics. The cross section rises rapidly in a sigmoid shape above its threshold until it reaches a plateau value. The cross section at 14 MeV usually lies within the

plateau except when either the (n,2n) or (n,3n) threshold is only a few MeV below 14 MeV. As the cross section for the (n,3n) reaction (usually the most important competing reaction) begins to rise, the (n,2n) cross section drops off smoothly and rapidly. An (n,2n) excitation function rarely exhibits any other structure. This same basic description can be applied as well to the (n,3n) or the (n,4n) cross section, as a function of incident neutron energy. It is only necessary, then, to have systematics to predict the plateau cross section and to have an expression that describes the smooth rise-to and fall-from the plateau cross section.

To simplify the evaluation of (n,2n) excitation functions, a processing code, N2N3N, has been written. The code contains systematics that will predict the cross section at 14.4 MeV for any isotope, the assumption being that the cross section at that energy will equal the plateau cross section value. The built-in systematics are those of Lu and Fink⁵:

$$\sigma_{n,2n}(14.4\text{MeV}) = 61.6(A^{1/3} + 1)^2 \\ \times (1 - 1.319e^{-8.744(N-Z)/A})_{\text{mb}}$$

Lu and Fink state that this expression should predict reliable values to within $\pm 20\%$ for stable nuclei from $Z = 28$ to 82, except for the lightest stable isotope of even- Z elements. The N2N3N code will also accept an input value for the plateau cross section, allowing available measured plateau data or other systematics to be used for normalization. Gardner's 14.5 MeV neutron systematics⁶ were used in some evaluations to supply the (n,2n) cross section ratios on adjacent isotopes.

Given a plateau value for the cross section, $\sigma_{n,2n}(\text{plat.})$, the code then constructs the remainder of the excitation function by computing the appropriate threshold energy (derived from the input Q-value) in the laboratory system, and by using the following expression:

$$\sigma_{n,2n}(E_n) = \sigma_{n,2n}(\text{plat.}) \\ \times \left(1 - e^{-\left[\frac{(E_n - E_{\text{thres.}(n,2n)})^2}{E_{\text{plat.}(n,2n)} - E_{\text{thres.}(n,2n)}} \right]} \right)$$

where $E_{\text{thres.}(n,2n)}$ is the threshold energy and $E_{\text{plat.}(n,2n)}$ is the energy at which the (n,2n) reaction

first reaches the plateau (an input value). If an (n,3n) Q-value is supplied, the code calculates the threshold in the laboratory system and then computes (n,3n) cross section values, using the expression:

$$\sigma_{n,3n}(E_n) = .6\sigma_{n,2n}(\text{plat.}) \\ \times \left(1 - e^{-\left[\frac{(E_n - E_{\text{thres.}(n,3n)})^2}{E_{\text{plat.}(n,2n)} - E_{\text{thres.}(n,2n)} + 2} \right]} \right)$$

The difference between $\sigma_{n,2n}(\text{plat.})$ and $\sigma_{n,3n}(E_n)$ is set equal to $\sigma_{n,2n}(E_n)$, allowing the n,2n cross section to drop smoothly while the n,3n cross section rises. Except for a few neutron-rich isotopes, the (n,4n) reaction threshold only occurs below 20 MeV for Z numbers above approximately 75. Therefore, systematics for it were not incorporated in the processing code. Some (n,4n) cross sections are entered into the ACTL library for high- Z targets, and these evaluations follow the same type of approach used for the (n,2n) and (n,3n) reactions.

(n,p), (n,n'p), and (n,pn) Reactions

Activation products due to the (n,p) reaction usually do not become important in an evaluation until incident neutron energies reach a few MeV because a Coulomb barrier must be overcome before proton emission can occur. Neutron-deficient targets, however, can have a positive (n,p) Q-value that is large relative to the Coulomb barrier height. In general, the (n,p) cross section is relatively small for medium- to heavy-weight targets because of Coulomb barrier effects and the subsequent strong competition from the emission of one or more neutrons. For the same reasons, the (n,n'p) and (n,pn) cross sections are found to be small over the entire neutron energy range. Experimental cross section data available for these reactions consist mainly of measurements made with 14 MeV neutrons; few cross section measurements have been made near threshold or at other low neutron energies. Again, we must apply systematics to obtain the energy dependence of these cross sections, even for the majority of the stable isotopes.

In the case of (n,p) reactions that have a threshold, an approach similar to that of generating an (n,2n) excitation function can be used to obtain an energy-dependent (n,p) cross section, except that the effect of the Coulomb barrier must be taken into account. For the ACTL evaluations a processing

code, NP, has been written that computes an appropriate Coulomb barrier and effective threshold. The code contains systematics that estimate a maximum or plateau cross section, if desired. The code then generates cross section values rising from the effective threshold up to the maximum value, allowing for estimated competition from the (n,pn) reaction.

The code computes the proton Coulomb barrier according to the expression:

$$B_p(\text{MeV}) = \frac{k_p(1.029)(Z_T - 1)}{(A_T)^{1/3} + 1},$$

where Z_T and A_T are the atomic number and the mass of the target, and k_p takes on different values depending on the Z range.⁷ The effective threshold in the laboratory system for the reaction is then calculated from the input Q -value and the computed Coulomb barrier. The code will also compute a cross section value for 14.4 MeV neutrons, using the Levkovskii formula⁸:

$$\sigma_{n,p}(14.4 \text{ MeV}) = 45.2(A^{1/3} + 1)^2 e^{-33(N-Z)/A} \text{ mb.}$$

This value can be used to estimate the maximum or plateau (n,p) cross section. The code will also accept, as input, a plateau cross section value based on experiment or on other systematics. The (n,p) cross section ratios on adjacent isotopes predicted by Gardner and Rosenblum⁹ for 14.5 MeV neutrons were used in some of the evaluations. The cross section is then calculated as a function of energy by again using the expression:

$$\sigma_{n,p}(E_n) = \sigma_{n,p}(\text{plat.}) \times \left(1 - e^{-\left\{ \frac{(E_n - E_{\text{thres.}(n,p)})^2}{E_{\text{plat.}(n,p)} - E_{\text{thres.}(n,p)}} \right\}} \right),$$

where all variables are defined as in the case of the (n,2n) cross section calculations.

If a Q -value for the (n,pn) reaction is supplied, an effective threshold for this reaction is similarly computed by the code, and (n,pn) cross sections are calculated using the expression:

$$\sigma_{n,pn}(E_n) = 0.5 \sigma_{n,p}(\text{plat.}) \times \left(1 - e^{-\left\{ \frac{(E_n - E_{\text{thres.}(n,pn)})^2}{E_{\text{plat.}(n,p)} - E_{\text{thres.}(n,p)} + 2} \right\}} \right)$$

The difference between $\sigma_{n,p}(\text{plat.})$ and $\sigma_{n,pn}(E_n)$ is set equal to $\sigma_{n,p}(E_n)$, permitting the (n,p) cross section to smoothly decrease as a competitive (n,pn) reaction rises from its estimated threshold. Within the limits of the systematics, these computed (n,pn) cross section values are used to estimate the competition from both the (n,pn) and the (n,n'p) reactions. For a few of the evaluations, statistical model calculations were used to compute separate cross sections for the (n,n'p) reaction and for the (n,pn) reaction. However, all evaluations in the ACTL library for both reactions are entered together under the (n,n'p) reaction heading.

If an (n,p) reaction has a negative threshold, even after the effect of the Coulomb barrier has been included, the cross section evaluation should include all incident energies down to the thermal neutron energy (0.025 eV). However, there are only a few experimental measurements of the (n,p) cross section at that energy. For some cases, we can use statistical model calculations to compute the cross section over the energy range where such calculations are valid; at lower neutron energies or in the absence of statistical model calculations, we must rely on systematics to predict the cross section. As a first approximation, we can predict that the (n,p) reaction will behave in the same way as the evaluated (n, γ) cross section: if appropriate scaling is applied. The scaling factors can be based on any available experimental thermal (n,p) data or on systematics similar to those described earlier that estimate the thermal value for an (n, γ) reaction.

(n, α), (n,n' α), and (n, α n) Reactions

Generally the (n, α) reaction only has a significant activation cross section for incident neutron energies of a few MeV or more because, again, there is a Coulomb barrier that must be overcome for α -particle emission. For most medium- to heavy-weight targets, the (n, α) cross section remains relatively small over the full energy range because of preferential emission of one or more neutrons. Of course, for neutron-deficient isotopes, the (n, α) reaction can have a significant positive Q -value even after Coulomb barrier corrections are taken into account. The (n,n' α) and (n, α n) reactions, as well,

have small cross section values because of the Coulomb barrier effects and the competition from multiple neutron emission. Again, most (n,α) cross section measurements have only been made around neutron energies of 14 MeV: the threshold region and the rest of the neutron energy range are not characterized very well experimentally. Therefore, systematics must be used to generate full excitation functions.

For the evaluation of (n,α) reactions that have a threshold, a processing code, NALPHA, has been written. The code computes the α -particle Coulomb barrier, using the expression:

$$B_{\alpha} \text{ (MeV)} = \frac{k_{\alpha} 2.058(Z_T - 2)}{(A_T - 3)^{1.75} + 1.5874}$$

where the Z_T and A_T are the atomic number and the mass of the target and k_{α} takes on different values depending on the Z range.⁷ This calculated Coulomb barrier is then added to the mass difference threshold (calculated from the Q -value) to yield an effective threshold. A maximum or plateau (n,α) cross section must be supplied as input: NALPHA does not have any built-in systematics for estimating this value. Either experimental data around 14 MeV can be used, when available, or this value must be predicted in some manner; the relation $\sigma_{n,\alpha}(A+2) = 0.5 \sigma_{n,\alpha}(A)$ is sometimes a good estimate. Some of the evaluations used the Gardner and Yu 14.5 MeV incident neutron systematics to predict (n,α) cross section ratios for adjacent isotopes.¹⁰

Given a maximum or plateau (n,α) cross section value, the NALPHA code will then generate an excitation function, using the expression:

$$\sigma_{n,\alpha}(E_n) = \sigma_{n,\alpha}(\text{plat.}) \times \left(1 - e^{-\left[\frac{(E_n - E_{\text{thres.}(n,\alpha)})^2}{E_{\text{plat.}(n,\alpha)} - E_{\text{thres.}(n,\alpha)}} \right]} \right)$$

Again, all variables are defined as in the case of the $(n,2n)$ cross section calculations.

If the Q -value for the $(n,\alpha n)$ reaction is supplied, an effective threshold can be calculated and the $(n,\alpha n)$ cross sections can be computed according to:

$$\sigma_{r,\alpha n}(E_n) = 0.66 \sigma_{n,\alpha}(\text{plat.}) \times \left(1 - e^{-\left[\frac{(E_n - E_{\text{thres.}(n,\alpha n)})^2}{E_{\text{plat.}(n,\alpha n)} - E_{\text{thres.}(n,\alpha n)}} + 2 \right]} \right)$$

The difference between $\sigma_{n,\alpha}(\text{plat.})$ and $\sigma_{n,\alpha n}(E_n)$ is set equal to $\sigma_{n,\alpha}(E_n)$ and the $(n,\alpha n)$ cross section is allowed to drop smoothly at the same time as a competitive (n,α) reaction rises from its computed effective threshold. Again, within the limits of the systematics, these computed $(n,\alpha n)$ cross sections are used to estimate the competition from both the $(n,\alpha n)$ and the $(n,n'\alpha)$ reactions. For a few of the evaluations, statistical model calculations were used to compute separate cross sections for the $(n,n'\alpha)$ and the $(n,\alpha n)$ reactions. For all cases, however, the ACTL library contains evaluations for both of the reactions under the $(n,n'\alpha)$ reaction heading.

If an (n,α) reaction has a large positive Q -value relative to the Coulomb barrier, the cross section should be evaluated down to the thermal neutron energy. However, as in the case of the (n,p) reaction, few thermal (n,α) cross section measurements are available, so systematics must be used to obtain estimates. Based on these estimates the (n,α) cross section is predicted to behave in approximately the same way as the (n,γ) cross section if appropriate scaling is applied.

(n,d) , (n,t) , $(n,^3\text{He})$ Reactions

The cross sections for these three reactions are, in general, always quite small over the entire neutron energy range for almost all isotopes. In cases where good experimental data existed over some portion of the energy range, an evaluation of the cross section was usually included in ACTL. However, most available experimental data for these three reactions are measurements that have only been made around 14 MeV. If it appeared that a reaction cross section would never be greater than 10 mb throughout the incident neutron energy range, no attempt was made to predict the full excitation function, and its evaluation was not included in ACTL.

$(n,n'd)$, $(n,n't)$, etc. Reactions

Cross sections have been measured for the $(n,n'd)$ reaction on ^6Li and ^{10}B and for the $(n,n't)$ reaction on ^7Li , and evaluations based on these data have been included in ACTL. Although these reactions are energetically possible for other light- to

intermediate-weight targets, no experimental data are available, and, therefore, no attempt was made to estimate and evaluate cross section values.

(n,n') Reaction

Inelastic scattering processes that lead to products with half-lives different from the half-life of the target (e.g., the production of isomers) should be considered in activation cross section evaluations. A number of such activation cross sections have been included in ACTL; their evaluations are based either on reliable experimental measurements or on statistical model calculations.

STATISTICAL MODEL CALCULATIONS

Some ACTL cross section evaluations are based on statistical model calculations made with the COMNUC¹¹ and STAPRE¹² codes, as modified by Gardner.¹³ The COMNUC code was used more extensively because—in one computer run—it provides cross sections, over a given range of neutron energies, for all possible reactions on a particular target, i.e., it considers competing reactions, including γ -ray and fission competition. It also has a built-in optical model routine that can produce the particle transmission coefficient files needed as input to the STAPRE code. For the ACTL evaluations, COMNUC was modified so that it could write final cross section results in the format required by the routine used to update the cross section library. COMNUC does not allow for precompound emission; as a result, the code overestimates some cross section values—primarily for (n,2n) and (n,pn) reactions—while underestimating the values for others, such as the (n,p) reaction. Appropriate corrections were made for these cross sections, sometimes based on the results of STAPRE, a code that does contain a pre-equilibrium model.

STAPRE allows for precompound evaporation of particles from the first compound nucleus, following the "exciton" formalism of Kalbach-Cline and Blann.¹⁴ Although the STAPRE code considers all possible competing reactions during a calculation, it computes cross sections for only one reaction sequence per computer run (up to six compound nuclei are allowed per sequence). STAPRE also carries out a detailed γ -ray cascade calculation

for all specified compound nuclei (including the final nucleus), which allows for the computation of cross section reactions leading to isomers.

Particle transmission coefficients had been calculated using the optical model parameters of Moldauer¹⁵ for low-energy neutrons (up to ~ 2 MeV), of Wilmore and Hodgson¹⁶ for high-energy neutrons (~ 2 to 20 MeV), of Perey¹⁷ for protons, and of Igo¹⁸ for alpha particles. Gamma-ray transmission coefficients were determined with the Brink-Axel giant-dipole formulation for E1 transitions¹⁹ and the Weisskopf single-particle model for M1 transitions.²⁰ A combined constant-temperature and Fermi gas model of the level density was used with Cook-modified²¹ Gilbert and Cameron parameters.²² Each code allows the input of discrete nuclear levels for all nuclei; this feature is important because level density formulas do not represent the first 20 or so levels properly. Both codes carry out a "correlation" correction, which provides for a more realistic estimate of decay back to the target nucleus through the entrance channel at low energies, where only a few exit channels are available.

The use of these statistical model codes led to more comprehensive cross section evaluations of some medium- to heavy-weight targets. For example, in the neutron energy region from 10 keV to 1 MeV, the (n, γ) cross section reflected the competition from the (n,n') and (n, γ n) reactions. The excitation functions obtained for the (n,p) and (n, α) reactions had more structure because of the competition between the two processes. Further, these cross sections were more accurately computed near threshold because Coulomb barrier tunneling was described better. And for (n,p) and (n, α) reactions involving large positive Q-values, cross section estimates included energies that extended down to the resonance region. The inclusion of precompound evaporation in the calculations led to more accurate (n,2n), (n,p) and (n,pn) cross sections, as well as to better estimates of the (n,n'p) and (n,n' α) cross sections. The cross sections for reactions leading to isomeric products can be determined from the STAPRE code. The isomer ratio calculations also allowed us to compute the activation cross sections leading to unstable ground states and isomer products via the (n,n') process. Cross sections for isomeric targets (often quite different from those for the ground-state target) were also calculated with these codes.

EVALUATED CROSS SECTION INDEX

The following index lists the evaluated cross sections in the ACTL library. Each target nucleus is listed in the right hand corner of a table of the reactions for which cross sections were evaluated. Every target nucleus is characterized by its mass, energy level, and half-life. Then, for each reaction, the following are given: the product nucleus and energy

level, the number of evaluated data points entered into the library, the date of the evaluation, the reaction Q-value, the minimum and maximum energy values for which cross section data are available, and the activation product half-life. All energy values are given in MeV units.

1-H -1
ATOMIC MASS = 1.0078+ 0
GROUND STATE
STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|-----------|-----------|-----------|-----------|
| N,6 | 1-H -2 | GROUND | 102 | 8/15/72 | 2.2247+ 0 | 1.0000-10 | 2.9000+ 1 | STABLE |

1-H -2
ATOMIC MASS = 2.0141+ 0
GROUND STATE
STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|-----------|-----------|-----------|----------------|
| N,6 | 1-H -3 | GROUND | 72 | 1/03/72 | 6.2600+ 0 | 1.0000-10 | 2.0000+ 1 | 1.2300+ 1 YRS. |

1-H -3
ATOMIC MASS = 3.0170+ 0
GROUND STATE
HALF-LIFE = 1.2300+ 1 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|------------|-----------|-----------|-----------|
| N,2N | 1-H -2 | GROUND | 11 | 7/07/72 | -6.2600+ 0 | 0.3600+ 0 | 2.0000+ 1 | STABLE |

2-HE-3
 ATOMIC MASS = 3.01604
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,P | 1-H -3 | GROUND | 102 | 8/15/75 | 7.6000- 1 | 1.0000-10 | 2.0000+ 1 | |
| N,D | 1-H -2 | GROUND | 23 | 7/10/72 | -3.2700+ 0 | 1.3500+ 0 | 2.0000+ 1 | 1.2300+ 1 YMS. |
| N,G | 2-HE-4 | GROUND | 2 | 11/01/72 | 2.0578+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

3-LI-6
 ATOMIC MASS = 5.0151
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,N'D | 2-HE-4 | GROUND | 20 | 8/15/75 | -1.4600+ 0 | 1.7048+ 0 | 2.0000+ 1 | STABLE |
| N,ZNP | 2-HE-4 | GROUND | 5 | 10/15/70 | -3.6880+ 0 | 6.6100+ 0 | 2.0000+ 1 | STABLE |
| N,P | 2-HE-6 | GROUND | 14 | 4/01/71 | -2.7300+ 0 | 3.1800+ 0 | 2.0000+ 1 | B 0200- 1 SEC. |
| N,T | 2-HE-4 | GROUND | 102 | 8/15/75 | 4.7800+ 0 | 1.0000-10 | 2.0300+ 1 | STABLE |
| N,G | 3-LI-7 | GROUND | 102 | 8/15/75 | 7.2600+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

3-LI-7
 ATOMIC MASS = 7.01604
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,ZN | 3-LI-6 | GROUND | 5 | 7/09/72 | -7.2600+ 0 | 8.3100+ 0 | 2.0000+ 1 | STABLE |
| N,N'T | 2-HE-4 | GROUND | 14 | 7/09/72 | -2.4700+ 0 | 2.8260+ 0 | 2.0000+ 1 | STABLE |
| N,G | 3-LI-8 | GROUND | 78 | 1/03/75 | 2.0300+ 0 | 1.0000-10 | 2.0000+ 1 | B.5000- 1 SEC. |

4-BE-7
 ATOMIC MASS = 7.0100+ 0
 GROUND STATE
 HALF-LIFE = 5.2998+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|-----------|-----------|-----------|-----------|
| N,P | 3-L-7 | GROUND | 113 | 2/16/70 | 1.650+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 2-HE-4 | GROUND | 9 | 7/15/74 | 1.8992+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

4-BE-9
 ATOMIC MASS = 9.0122+ 0
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 2-HE-4 | GROUND | 19 | 8/01/71 | -1.6650+ 0 | 1.8660+ 0 | 2.0000+ 1 | STABLE |
| N,P | 3-L-9 | GROUND | 4 | 8/01/71 | -1.2830+ 1 | 1.4260+ 1 | 2.0000+ 1 | 1.7500- 1 SEC. |
| N,L | 3-L-8 | GROUND | 9 | 8/01/71 | -1.4660+ 1 | 1.6290+ 1 | 2.0000+ 1 | 8.5000- 1 SEC. |
| N,T | 3-L-7 | GROUND | 6 | 8/01/71 | -1.0440+ 1 | 1.1600+ 1 | 2.0000+ 1 | STABLE |
| N,A | 3-L-6 | GROUND | 15 | 7/28/71 | -6.0000- 1 | 6.7300- 1 | 2.0000+ 1 | STABLE |
| N,G | 4-BE-10 | GROUND | 102 | 8/15/76 | 6.8200+ 0 | 1.0000-10 | 2.0000+ 1 | 2.5000+ 6 YRS. |

5-B-10
 ATOMIC MASS = 1.0013+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|------------|-----------|-----------|-----------|
| N,N'D2A | 2-HE-4 | GROUND | 5 | 9/08/70 | -5.9280+ 0 | 6.7000+ 0 | 2.0000+ 1 | STABLE |
| N,2NP | 2-HE-4 | GROUND | 4 | 9/08/70 | -8.1580+ 0 | 9.3000+ 0 | 2.0000+ 1 | STABLE |
| N,T2A | 2-HE-4 | GROUND | 13 | 9/08/70 | 3.3000- 1 | 1.5000+ 0 | 2.0000+ 1 | STABLE |
| N,A | 3-L-7 | GROUND | 102 | 8/15/76 | 2.8000+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 5-B-11 | GROUND | 56 | 9/08/70 | 1.1450+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

5-B -11
 ATOMIC MASS = 1.1009+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,ZN | 5-B -10 | GROUND | 3 | 4/29/72 | -1.1460+ 1 | 1.2510+ 1 | 2.0000+ 1 | STABLE |
| N,P | 4-BE -11 | GROUND | 3 | 4/29/72 | -1.0720+ 1 | 1.1700+ 1 | 2.0000+ 1 | 1.3600+ 1 SEC. |
| N,T | 4-BE -9 | GROUND | 3 | 4/29/72 | -9.5600+ 0 | 1.0430+ 1 | 2.0000+ 1 | STABLE |
| N,A | 3-LI -8 | GROUND | 5 | 4/29/72 | -6.6400+ 0 | 7.2400+ 0 | 2.0000+ 1 | 8.5000- 1 SEC. |
| N,G | 5-B -12 | GROUND | 35 | 4/29/72 | 3.3700+ 0 | 1.0000-10 | 2.0000+ 1 | 2.0300- 2 SEC. |

6-C -12
 ATOMIC MASS = 1.2000+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,N'3A | 2-HE -4 | GROUND | 10 | 6/15/70 | -7.3600+ 0 | 7.9800+ 0 | 2.0000+ 1 | STABLE |
| N,P | 5-B -12 | GROUND | 4 | 6/15/70 | -1.2580+ 1 | 1.3630+ 1 | 2.0000+ 1 | 2.0300- 2 SEC. |
| N,D | 5-B -11 | GROUND | 4 | 6/15/70 | -1.3720+ 1 | 1.4870+ 1 | 2.0000+ 1 | STABLE |
| N,A | 4-BE -9 | GROUND | 9 | 6/15/70 | -5.7000+ 0 | 6.1700+ 0 | 2.0000+ 1 | STABLE |
| N,G | 6-C -13 | GROUND | 11 | 11/01/72 | 4.9460+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

7-N -14
 ATOMIC MASS = 1.4003+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,ZN | 7-N -13 | GROUND | 10 | 6/29/70 | -1.0550+ 1 | 1.1310+ 1 | 2.0000+ 1 | 1.0000+ 1 MIN. |
| N,N'P | 6-C -13 | GROUND | 11 | 6/29/70 | -7.5500+ 0 | 8.0940+ 0 | 2.0000+ 1 | STABLE |
| N,P | 6-C -14 | GROUND | 102 | 8/15/76 | 6.2600- 1 | 1.0000-10 | 2.0000+ 1 | 5.7300+ 3 YRS. |
| N,D | 6-C -13 | GROUND | 19 | 6/29/70 | -5.3200+ 0 | 5.7000+ 0 | 2.0000+ 1 | STABLE |
| N,T | 6-C -12 | GROUND | 19 | 6/29/70 | -4.0000+ 0 | 4.2900+ 0 | 2.0000+ 1 | STABLE |
| N,A | 5-B -11 | GROUND | 228 | 12/15/71 | -1.5000- 1 | 1.1000+ 0 | 2.0000+ 1 | STABLE |
| N,G | 7-N -15 | GROUND | 50 | 6/29/70 | 1.0930+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

8-0 -16
 ATOMIC MASS = 1.5995+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 8-C -15 | GROUND | 3 | 1/22/70 | -1.5670+ 1 | 1.6658+ 1 | 2.0000+ 1 | 2.0667+ 0 M:N. |
| N,N'P | 7-N -15 | GROUND | 4 | 1/24/74 | -1.2120+ 1 | 1.2884+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 6-C -12 | GROUND | 12 | 1/24/74 | -7.1500+ 0 | 7.6009+ 0 | 2.0000+ 1 | STABLE |
| N,P | 7-N -16 | GROUND | 13 | 1/22/70 | -9.6100+ 0 | 1.0220+ 1 | 2.0000+ 1 | 7.2000+ 0 SEC. |
| N,D | 7-N -15 | GROUND | 4 | 1/22/70 | -9.8900+ 0 | 1.0510+ 1 | 2.0000+ 1 | STABLE |
| N,A | 6-C -13 | GROUND | 59 | 1/24/74 | -2.2100+ 0 | 2.3500+ 0 | 2.0000+ 1 | STABLE |

9-F -19
 ATOMIC MASS = 1.8998+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 9-F -18 | GROUND | 9 | 11/30/74 | -1.0430+ 1 | 1.0985+ 1 | 2.0000+ 1 | 1.3283+ 0 HRS. |
| N,N'P | 8-0 -18 | GROUND | 23 | 11/30/74 | -7.9900+ 0 | 8.4200+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 7-N -15 | GROUND | 34 | 11/30/74 | -4.0100+ 0 | 5.1500+ 0 | 2.0000+ 1 | STABLE |
| N,P | 8-0 -19 | GROUND | 34 | 11/30/74 | -4.0400+ 0 | 4.2503+ 0 | 2.0000+ 1 | 2.9000+ 1 SEC. |
| N,D | 8-0 -18 | GROUND | 15 | 11/30/74 | -5.7700+ 0 | 6.0742+ 0 | 2.0000+ 1 | STABLE |
| N,T | 8-0 -17 | GROUND | 9 | 11/30/74 | -7.5600+ 0 | 7.9582+ 0 | 2.0000+ 1 | STABLE |
| N,A | 7-N -16 | GROUND | 17 | 11/30/74 | -1.5200+ 0 | 1.6039+ 0 | 2.0000+ 1 | 7.2000+ 0 SEC. |
| N,G | 9-F -20 | GROUND | 102 | 8/16/76 | 6.6000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.1400+ 1 SEC. |

11-NA-23
 ATOMIC MASS = 2.2990+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 11-NA-22 | GROUND | 13 | 8/19/70 | -1.2430+ 1 | 1.2980+ 1 | 2.0000+ 1 | 2.5999+ 0 YRS. |
| N,N'P | 10-NE-22 | GROUND | 23 | 8/19/70 | -8.7900+ 0 | 9.2500+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 9-F -19 | GROUND | 13 | 8/19/70 | -1.0500+ 1 | 1.1000+ 1 | 2.0000+ 1 | STABLE |
| N,P | 10-NE-23 | GROUND | 106 | 8/19/70 | -3.6000+ 0 | 4.0000+ 0 | 2.0000+ 1 | 3.7600+ 1 SEC. |
| N,A | 9-F -20 | GROUND | 41 | 12/15/71 | -3.8800+ 0 | 4.8000+ 0 | 2.0000+ 1 | 1.1400+ 1 SEC. |
| N,G | 11-NA-24 | GROUND | 102 | 8/16/76 | 6.9700+ 0 | 1.0000-10 | 2.0000+ 1 | 1.5000+ 1 HRS. |

12-MG-23
 ATOMIC MASS = 2.298+ 1
 GROUND STATE
 HALF-LIFE = 1.2100+ 1 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 12-MG-22 | GROUND | 15 | 8/21/76 | -1.3170+ 1 | 1.3743+ 1 | 2.0000+ 1 | 3.8600+ 0 SEC. |
| N,N'P | 11-NA-22 | GROUND | 16 | 4/21/77 | -7.5800+ 0 | 9.2584+ 0 | 2.0000+ 1 | 2.6012+ 0 YRS. |
| N,P | 11-NA-23 | GROUND | 14 | 4/21/77 | 4.8400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 10-NE-20 | GROUND | 9 | 8/21/76 | 7.2200+ 0 | 1.0000- 2 | 2.0000+ 1 | STABLE |
| N,G | 12-MG-24 | GROUND | 102 | 8/21/76 | 1.6530+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

12-MG-24
 ATOMIC MASS = 2.3985+ 1
 GROUND STATE
 STABLE

41

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 12-MG-23 | GROUND | 5 | 8/21/76 | -1.6530+ 1 | 1.7219+ 1 | 2.0000+ 1 | 1.2100+ 1 SEC. |
| N,N'P | 11-NA-23 | GROUND | 5 | 8/21/76 | -1.1590+ 1 | 1.3500+ 1 | 2.0000+ 1 | STABLE |
| N,P | 11-NA-24 | GROUND | 23 | 8/21/76 | -4.7300+ 0 | 4.9300+ 0 | 2.0000+ 1 | 1.5000+ 1 HRS. |
| N,A | 10-NE-21 | GROUND | 9 | 8/21/76 | -2.5500+ 0 | 6.0000+ 0 | 2.0000+ 1 | STABLE |
| N,G | 12-MG-25 | GROUND | 102 | 8/21/76 | 7.3300+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

12-MG-25
 ATOMIC MASS = 2.4985+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 12-MG-24 | GROUND | 16 | 8/21/76 | -7.3300+ 0 | 7.6234+ 0 | 2.0000+ 1 | STABLE |
| N,P | 11-NA-25 | GROUND | 12 | 8/21/76 | -3.0500+ 0 | 4.5682+ 0 | 2.0000+ 1 | 1.0000+ 0 MIN. |
| N,A | 10-NE-22 | GROUND | 16 | 8/21/76 | 4.8000- 1 | 3.0643+ 0 | 2.0000+ 1 | STABLE |
| N,G | 12-MG-26 | GROUND | 102 | 8/21/76 | 1.1090+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

12-MG-26
 ATOMIC MASS = 2.5982* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|------------|-----------|----------------|
| N,2N | 12-MG-25 | GROUND | 19 | 8/21/76 | -1.1030* 1 | 1.1517* 1 | 2.0000* 1 | STABLE |
| N,3N | 12-MG-24 | GROUND | 5 | 8/21/76 | -1.8430* 1 | 1.9139* 1 | 2.0000* 1 | STABLE |
| N,P | 11-NA-26 | GROUND | 16 | 8/21/76 | -7.9200* 0 | 9.6073* 0 | 2.0000* 1 | 1.0000* 0 SEC. |
| N,A | 10-NE-23 | GROUND | 8 | 8/21/76 | -5.4200* 0 | 9.1583* 0 | 2.0000* 1 | 3.7600* 1 SEC. |
| N,G | 12-MG-27 | GROUND | 102 | 8/21/76 | 6.4400* 0 | 1.0000* 10 | 2.0000* 1 | 9.5000* 0 MIN. |

12-MG-27
 ATOMIC MASS = 2.6984* 1
 GROUND STATE
 HALF-LIFE = 9.5000* 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|------------|-----------|----------------|
| N,2N | 12-MG-26 | GROUND | 21 | 8/21/76 | -6.4400* 0 | 6.6787* 0 | 2.0000* 1 | STABLE |
| N,3N | 12-MG-25 | GROUND | 8 | 8/21/76 | -1.7540* 1 | 1.8190* 1 | 2.0000* 1 | STABLE |
| N,A | 10-NE-24 | GROUND | 15 | 8/21/76 | -2.9900* 0 | 6.5986* 0 | 2.0000* 1 | 3.3300* 0 MIN. |
| N,G | 12-MG-28 | GROUND | 102 | 8/21/76 | 8.5000* 0 | 1.0000* 10 | 2.0000* 1 | 2.1278* 1 HRS. |

13-AL-27
 ATOMIC MASS = 2.6983* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|------------|-----------|----------------|
| N,2N | 13-AL-26 | GROUND | 14 | 10/18/74 | -1.3060* 1 | 1.3545* 1 | 2.0000* 1 | 7.4011* 5 YRS. |
| N,3N | 12-MG-27 | GROUND | 52 | 10/18/74 | -1.8300* 0 | 2.7000* 0 | 2.0000* 1 | 9.5000* 0 MIN. |
| N,P | 12-MG-26 | GROUND | 18 | 10/18/74 | -6.0500* 0 | 9.0000* 0 | 2.0000* 1 | STABLE |
| N,A | 12-MG-25 | GROUND | 11 | 10/18/74 | -1.0880* 1 | 1.4000* 1 | 2.0000* 1 | STABLE |
| N,G | 11-NA-24 | GROUND | 27 | 10/18/74 | -3.1360* 0 | 5.3000* 0 | 2.0000* 1 | 1.5000* 1 HRS. |
| N,G | 13-AL-28 | GROUND | 102 | 8/16/76 | 7.7300* 0 | 1.0000* 10 | 2.0000* 1 | 2.3100* 0 MIN. |

14-SI-27
 ATOMIC MASS = 2.6987*1
 GROUND STATE
 HALF-LIFE = 4.2000* 0 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 14-SI-26 | GROUND | 15 | 9/07/76 | -1.3310* 1 | 1.3803* 1 | 2.0000* 1 | 2.1000* 0 SEC. |
| N,N,P | 13-AL-26 | GROUND | 17 | 9/07/76 | -7.4700* 0 | 9.3875* 0 | 2.0000* 1 | 7.4011* 5 YRS. |
| N,N,A | 12-HG-23 | GROUND | 13 | 9/07/76 | -8.3400* 0 | 1.4089* 1 | 2.0000* 1 | 1.2100* 1 SEC. |
| N,P | 13-AL-27 | GROUND | 21 | 9/07/76 | 5.5900* 0 | 1.0000-2 | 2.0000* 1 | STABLE |
| N,A | 12-HG-24 | GROUND | 20 | 9/07/76 | 7.1930* 0 | 1.0000-2 | 2.0000* 1 | STABLE |
| N,G | 14-SI-28 | GROUND | 102 | 9/07/76 | 1.7180* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

14-SI-28
 ATOMIC MASS = 2.7977* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 14-SI-27 | GROUND | 7 | 9/07/76 | -1.7180* 1 | 1.7794* 1 | 2.0000* 1 | 4.2000* 0 SEC. |
| N,N,P | 13-AL-27 | GROUND | 15 | 9/07/76 | -1.1590* 1 | 1.3941* 1 | 2.0000* 1 | STABLE |
| N,N,A | 12-HG-24 | GROUND | 13 | 9/07/76 | -9.5800* 0 | 1.4699* 1 | 2.0000* 1 | STABLE |
| N,P | 13-AL-28 | GROUND | 17 | 9/07/76 | -3.8600* 0 | 4.9146* 0 | 2.0000* 1 | 2.3100* 0 MIN. |
| N,A | 12-HG-25 | GROUND | 22 | 9/07/76 | -2.6500* 0 | 7.0695* 0 | 2.0000* 1 | STABLE |
| N,G | 14-SI-29 | GROUND | 102 | 9/07/76 | 8.4700* 0 | 1.0000-10 | 2.0000* 1 | STABLE |

14-SI-29
 ATOMIC MASS = 2.8976* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 14-SI-28 | GROUND | 15 | 9/07/76 | -6.4700* 0 | 8.7623* 0 | 2.0000* 1 | STABLE |
| N,N,P | 13-AL-28 | GROUND | 15 | 9/07/76 | -1.2330* 1 | 1.4368* 1 | 2.0000* 1 | 2.3100* 0 MIN. |
| N,N,A | 12-HG-25 | GROUND | 11 | 9/07/76 | -1.1130* 1 | 1.5839* 1 | 2.0000* 1 | STABLE |
| N,P | 13-AL-29 | GROUND | 21 | 9/07/76 | -2.9000* 0 | 4.7017* 0 | 2.0000* 1 | 6.6000* 0 MIN. |
| N,A | 12-HG-26 | GROUND | 21 | 9/07/76 | -3.0000-2 | 4.3193* 0 | 2.0000* 1 | STABLE |
| N,G | 14-SI-30 | GROUND | 99 | 9/07/76 | 1.0610* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

14-SI-30
 ATOMIC MASS = 2.9974+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 14-SI-29 | GROUND | 15 | 9/07/76 | -1.0610+ 1 | 1.0964+ 1 | 2.0000+ 1 | STABLE |
| N,3N | 14-SI-28 | GROUND | 3 | 9/07/76 | -1.9080+ 1 | 1.9717+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 13-AL-29 | GROUND | 15 | 9/07/76 | -1.3510+ 1 | 1.5560+ 1 | 2.0000+ 1 | 6.6000+ 0 MIN. |
| N,N'A | 12-MG-26 | GROUND | 11 | 9/07/76 | -1.0640+ 1 | 1.5283+ 1 | 2.0000+ 1 | STABLE |
| N,P | 13-AL-30 | GROUND | 19 | 9/07/76 | -7.7600+ 0 | 9.7059+ 0 | 2.0000+ 1 | 3.3000+ 0 SEC. |
| N,A | 12-MG-27 | GROUND | 21 | 9/07/76 | -4.2000+ 0 | 8.5932+ 0 | 2.0000+ 1 | 9.4600+ 0 MIN. |
| N,G | 14-SI-31 | GROUND | 99 | 9/07/76 | 6.5900+ 0 | 1.0000-10 | 2.0000+ 1 | 2.6200+ 0 HRS. |

14-SI-31
 ATOMIC MASS = 3.0975+ 1
 GROUND STATE
 HALF-LIFE = 2.6200+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 14-SI-30 | GROUND | 19 | 9/07/76 | -6.5900+ 0 | 6.8028+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 14-SI-29 | GROUND | 7 | 9/07/76 | -1.7200+ 1 | 1.7755+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 12-MG-27 | GROUND | 11 | 9/07/76 | -1.0790+ 1 | 1.5391+ 1 | 2.0000+ 1 | 9.4600+ 0 MIN. |
| N,A | 12-MG-28 | GROUND | 22 | 9/07/76 | -2.2800+ 0 | 6.5731+ 0 | 2.0000+ 1 | 2.1200+ 1 HRS. |
| N,G | 14-SI-32 | GROUND | 99 | 9/07/76 | 9.2200+ 0 | 1.0000-10 | 2.0000+ 1 | 6.5005+ 2 YRS. |

15-P-31
 ATOMIC MASS = 3.0974+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 15-P-30 | GROUND | 8 | 8/19/72 | -1.2310+ 1 | 1.2711+ 1 | 2.0000+ 1 | 2.5000+ 0 MIN. |
| N,N'P | 14-SI-30 | GROUND | 4 | 8/19/72 | -7.3060+ 0 | 7.5377+ 0 | 2.0000+ 1 | STABLE |
| N,P | 14-SI-31 | GROUND | 13 | 8/19/72 | -7.1060+ 1 | 1.5000+ 0 | 2.0000+ 1 | 2.6200+ 0 HRS. |
| N,A | 13-AL-28 | GROUND | 6 | 8/19/72 | -1.9400+ 0 | 3.0000+ 0 | 2.0000+ 1 | 2.3100+ 0 MIN. |
| N,G | 15-P-32 | GROUND | 88 | 4/03/76 | 7.9300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4308+ 1 DAYS |

16-S -31
 ATOMIC MASS = 3.0980+ 1
 GROUND STATE
 HALF-LIFE = 2.7000+ 0 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 16-S -30 | GROUND | 14 | 9/08/76 | -1.3000+ 1 | 1.3420+ 1 | 2.0000+ 1 | 1.4000+ 0 SEC. |
| N,N'P | 15-P -30 | GROUND | 17 | 9/08/76 | -6.0800+ 0 | 8.2273+ 0 | 2.0000+ 1 | 2.5000+ 0 MIN. |
| N,N'A | 14-S1 -27 | GROUND | 13 | 9/08/76 | -9.0400+ 0 | 1.4482+ 1 | 2.0000+ 1 | 4.2000+ 0 SEC. |
| N,P | 15-P -31 | GROUND | 16 | 9/08/76 | 6.2200+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 14-S1 -28 | GROUND | 22 | 9/08/76 | 8.1400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 16-S -32 | GROUND | 102 | 9/08/76 | 1.5090+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

16-S -32
 ATOMIC MASS = 3.1972+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 16-S -31 | GROUND | 7 | 1/09/73 | -1.5088+ 1 | 1.5560+ 1 | 2.0000+ 1 | 2.7000+ 0 SEC. |
| N,N'P | 15-P -31 | GROUND | 3 | 8/23/72 | -8.8600+ 0 | 9.1400+ 0 | 2.0000+ 1 | STABLE |
| N,P | 15-P -32 | GROUND | 36 | 8/23/72 | -9.2000- 1 | 1.6000+ 0 | 2.0000+ 1 | 1.4306+ 1 DAYS |
| N,T | 15-P -30 | GROUND | 3 | 8/23/72 | -1.2670+ 1 | 1.3100+ 1 | 2.0000+ 1 | 2.5000+ 0 MIN. |
| N,A | 14-S1 -29 | GROUND | 46 | 8/23/72 | 1.5300+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 16-S -33 | GROUND | 102 | 9/08/76 | 8.6400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

16-S -33
 ATOMIC MASS = 3.2971+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 16-S -32 | GROUND | 14 | 9/08/76 | -8.6400+ 0 | 8.9020+ 0 | 2.0000+ 1 | STABLE |
| N,N'P | 15-P -32 | GROUND | 15 | 9/08/76 | -9.5700+ 0 | 1.1781+ 1 | 2.0000+ 1 | 1.4306+ 1 DAYS |
| N,N'A | 14-S1 -29 | GROUND | 14 | 9/08/76 | -7.1200+ 0 | 1.2405+ 1 | 2.0000+ 1 | STABLE |
| N,P | 15-P -33 | GROUND | 22 | 9/08/76 | 5.3000- 1 | 1.0000-10 | 2.0000+ 1 | 2.5000+ 1 DAYS |
| N,A | 14-S1 -30 | GROUND | 26 | 9/08/76 | 3.4900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 16-S -34 | GROUND | 98 | 9/08/76 | 1.1420+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

16-S -34
 ATOMIC MASS = 2.3968+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 16-S -33 | GROUND | 15 | 9/08/76 | -1.1420+ 1 | 1.1765+ 1 | 2.0000+ 1 | STABLE |
| N,N,P | 15-P -33 | GROUND | 16 | 9/08/76 | -1.0860+ 1 | 1.3107+ 1 | 2.0000+ 1 | 2.5000+ 1 DAYS |
| N,N,A | 14-S1-30 | GROUND | 17 | 9/08/76 | -7.9200+ 0 | 1.3166+ 1 | 2.0000+ 1 | STABLE |
| N,P | 15-P -34 | GROUND | 21 | 9/08/76 | -4.3200+ 0 | 6.3569+ 0 | 2.0000+ 1 | 1.2400+ 1 SEC. |
| N,A | 14-S1-31 | GROUND | 25 | 9/08/76 | -1.3400+ 0 | 6.3760+ 0 | 2.0000+ 1 | 2.6200+ 0 HRS. |
| N,G | 16-S -35 | GROUND | 50 | 9/08/76 | 6.5900+ 0 | 1.0000-10 | 2.0000+ 1 | 8.7958+ 1 DAYS |

16-S -35
 ATOMIC MASS = 2.4969+ 1
 GROUND STATE
 HALF-LIFE = 8.7958+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 16-S -34 | GROUND | 19 | 9/08/76 | -6.9900+ 0 | 7.1899+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 16-S -33 | GROUND | 5 | 9/08/76 | -1.8400+ 1 | 1.8926+ 1 | 2.0000+ 1 | STABLE |
| N,N,A | 14-S1-31 | GROUND | 14 | 9/08/76 | -8.3200+ 0 | 1.3551+ 1 | 2.0000+ 1 | 2.6200+ 0 HRS. |
| N,A | 14-S1-32 | GROUND | 24 | 9/08/76 | 8.3000- 1 | 4.0451+ 0 | 2.0000+ 1 | 5.5005+ 2 YRS. |
| N,G | 16-S -36 | GROUND | 97 | 9/08/76 | 9.8900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

16-S -36
 ATOMIC MASS = 3.5967+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 16-S -35 | GROUND | 18 | 9/08/76 | -9.8900+ 0 | 1.0165+ 1 | 2.0000+ 1 | 8.7958+ 1 DAYS |
| N,3N | 16-S -34 | GROUND | 10 | 9/08/76 | -1.6880+ 1 | 1.7349+ 1 | 2.0000+ 1 | STABLE |
| N,G | 16-S -37 | G-ROUPID | 96 | 9/08/76 | 4.3100+ 0 | 1.0000-10 | 2.0000+ 1 | 5.0600+ 0 MIN. |

16-S -37
 ATOMIC MASS = 3.6971+ 1
 GROUND STATE
 HALF-LIFE = 5.0600+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 16-S -36 | GROUND | 24 | 9/08/76 | -4.3100+ 0 | 4.4266+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 16-S -35 | GROUND | 14 | 9/08/76 | -1.4200+ 1 | 1.4504+ 1 | 2.0000+ 1 | 8.7998+ 1 DAYS |
| N,G | 16-S -38 | GROUND | 95 | 9/06/76 | 8.0300+ 0 | 1.0000-10 | 2.0000+ 1 | 2.8400+ 0 HRS. |

17-CL-34
 ATOMIC MASS = 3.3974+ 1
 LEVEL = 1.4503- 1
 HALF-LIFE = 3.2000+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 17-CL-33 | GROUND | 14 | 9/09/76 | -1.1380+ 1 | 1.1694+ 1 | 2.0000+ 1 | 2.5000+ 0 SEC. |
| N,N'P | 16-S -33 | GROUND | 16 | 9/09/76 | -5.0000+ 0 | 7.2442+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 15-P -30 | GROUND | 14 | 9/09/76 | -6.5600+ 0 | 1.2203+ 1 | 2.0000+ 1 | 2.5000+ 0 MIN. |
| N,P | 16-S -34 | GROUND | 102 | 9/09/76 | 6.4100+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 15-P -31 | GROUND | 25 | 9/09/76 | 5.7900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 17-CL-35 | GROUND | 95 | 9/09/76 | 1.2800+ 1 | 1.0000-10 | 2.5000+ 0 | STABLE |

17-CL-35
 ATOMIC MASS = 3.4969+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 17-CL-34 | GROUND | 6 | 9/09/76 | -1.2650+ 1 | 1.3012+ 1 | 2.0000+ 1 | 1.5600+ 0 SEC. |
| N,2N | 17-CL-34 | 1.4500- 1 | 15 | 9/09/76 | -1.2800+ 1 | 1.3166+ 1 | 2.0000+ 1 | 3.2000+ 1 MIN. |
| N,N'P | 16-S -34 | GROUND | 14 | 9/09/76 | -5.3700+ 0 | 6.6342+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 15-P -31 | GROUND | 14 | 9/09/76 | -7.0000+ 0 | 1.2651+ 1 | 2.0000+ 1 | STABLE |
| N,P | 16-S -35 | GROUND | 102 | 9/09/76 | 6.2000+ 1 | 1.0000-10 | 2.0000+ 1 | 8.7998+ 1 DAYS |
| N,A | 15-P -32 | GROUND | 27 | 9/09/76 | 9.4000- 1 | 1.0000-10 | 2.0000+ 1 | 1.4306+ 1 DAYS |
| N,G | 17-CL-36 | GROUND | 95 | 9/09/76 | 8.5800+ 0 | 1.0000-10 | 2.0000+ 1 | 3.0120+ 0 YRS. |

17-CL-36
 ATOMIC MASS = 3.596R+ 1
 GROUND STATE
 HALF-LIFE = 3.0120+ 5 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 17-CL-35 | GROUND | 14 | 9/09/76 | -8.5800+ 0 | 8.3185+ 0 | 2.0000+ 1 | STABLE |
| N,N'P | 16-S-35 | GROUND | 17 | 9/09/76 | -7.9600+ 0 | 1.0249+ 1 | 2.0000+ 1 | 8.7998+ 1 DAYS |
| N,N'A | 15-P-32 | GROUND | 15 | 9/09/76 | -7.6400+ 0 | 1.3265+ 1 | 2.0000+ 1 | 1.4306+ 1 DAYS |
| N,P | 16-S-36 | GROUND | 102 | 9/09/76 | 1.9300+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 15-P-33 | GROUND | 23 | 9/09/76 | 2.4500+ 0 | 2.8479+ 0 | 2.0000+ 1 | 2.5000+ 1 DAYS |
| N,G | 17-CL-37 | GROUND | 95 | 9/09/76 | 1.0310+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

17-CL-37
 ATOMIC MASS = 3.696R+ 1
 GROUND STATE
 HALF-LIFE = 3.0120+ 5 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 17-CL-36 | GROUND | 16 | 9/09/76 | -1.0310+ 1 | 1.0589+ 1 | 2.0000+ 1 | 3.0120+ 5 YRS. |
| N,3N | 17-CL-35 | GROUND | 3 | 9/09/76 | -1.8890+ 1 | 1.9401+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 16-S-36 | GROUND | 15 | 9/09/76 | -8.3900+ 0 | 1.0671+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 15-P-33 | GROUND | 14 | 9/09/76 | -7.8500+ 0 | 1.3438+ 1 | 2.0000+ 1 | 2.5000+ 1 DAYS |
| N,P | 16-S-37 | GROUND | 19 | 9/09/76 | -4.0700+ 0 | 6.3426+ 0 | 2.0000+ 1 | 5.1300+ 0 MIN. |
| N,A | 15-P-34 | GROUND | 23 | 9/09/76 | -1.2800+ 0 | 6.6551+ 0 | 2.0000+ 1 | 1.2400+ 1 SEC. |
| N,G | 17-CL-38 | GROUND | 84 | 9/09/76 | 6.1100+ 0 | 1.0000-10 | 2.0000+ 1 | 3.7300+ 1 MIN. |

17-CL-38
 ATOMIC MASS = 3.796R+ 1
 GROUND STATE
 HALF-LIFE = 3.7300+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 17-CL-37 | GROUND | 19 | 9/09/76 | -6.1100+ 0 | 6.2709+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 17-CL-36 | GROUND | 9 | 9/09/76 | -1.6420+ 1 | 1.6852+ 1 | 2.0000+ 1 | 3.0120+ 5 YRS. |
| N,N'P | 16-S-37 | GROUND | 15 | 9/09/76 | -1.0180+ 1 | 1.2488+ 1 | 2.0000+ 1 | 5.0800+ 0 MIN. |
| N,P | 16-S-38 | GROUND | 21 | 9/09/76 | -2.1500+ 0 | 4.3544+ 0 | 2.0000+ 1 | 2.8400+ 0 HRS. |
| N,G | 17-CL-39 | GROUND | 94 | 9/09/76 | 8.0700+ 0 | 1.0000-10 | 2.0000+ 1 | 5.5500+ 1 MIN. |

18-AR-36
 ATOMIC MASS = 3.5670* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 18-AR-36 | GROUND | 14 | 8/09/76 | -1.5250* 1 | 1.5674* 1 | 2.0000* 1 | 1.8300* 0 SEC. |
| N,P | 17-CL-36 | GROUND | 15 | 8/09/76 | -7.0000* 2 | 2.311* 3 | 2.0000* 1 | 3.0120* 5 YRS. |
| N,A | 16-S-33 | GROUND | 15 | 8/09/76 | 2.0000* 0 | 3.7821* 0 | 2.0000* 1 | STABLE |
| N,G | 18-AR-37 | GROUND | 102 | 6/14/76 | 6.7500* 0 | 1.0000-10 | 2.0000* 1 | 3.5500* 1 DAYS |

18-AR-37
 ATOMIC MASS = 3.5670* 1
 GROUND STATE
 HALF-LIFE = 3.5000* 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|-----------|
| N,2N | 18-AR-36 | GROUND | 15 | 8/09/76 | -8.7500* 0 | 9.0278* 0 | 2.0000* 1 | STABLE |
| N,P | 17-CL-37 | GROUND | 15 | 8/09/76 | 1.5000* 0 | 7.2317* 1 | 2.0000* 1 | STABLE |
| N,A | 16-S-34 | GROUND | 15 | 8/09/76 | 4.6300* 0 | 1.0437* 0 | 2.0000* 1 | STABLE |
| N,G | 18-AR-38 | GROUND | 102 | 6/14/76 | 1.1840* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

18-AR-38
 ATOMIC MASS = 3.7660* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 18-AR-37 | GROUND | 15 | 8/09/76 | -1.1840* 1 | 1.2152* 1 | 2.0000* 1 | 3.5000* 1 DAYS |
| N,P | 17-CL-38 | GROUND | 15 | 8/09/76 | -4.1300* 0 | 6.5890* 0 | 2.0000* 1 | 3.7300* 1 MIN. |
| N,A | 16-S-35 | GROUND | 15 | 8/09/76 | -2.2000* 1 | 5.9871* 0 | 2.0000* 1 | 6.7598* 1 DAYS |
| N,G | 18-AR-39 | GROUND | 102 | 6/14/76 | 6.6000* 0 | 1.0000-10 | 2.0000* 1 | 2.6630* 2 YRS. |

18-AR-39
 ATOMIC MASS = 3.8960+ 1
 GROUND STATE
 HALF-LIFE = 2.6890+ 2 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 18-AR-38 | GROUND | 20 | 8/09/76 | -6.6000+ 0 | 6.7694+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 18-AR-37 | GROUND | 6 | 8/09/76 | -1.8440+ 1 | 1.6913+ 1 | 2.0000+ 1 | 3.5000+ 1 DAYS |
| N,P | 17-CL-39 | GROUND | 15 | 8/09/76 | -2.6600+ 0 | 5.0628+ 0 | 2.0000+ 1 | 5.5500+ 1 MIN. |
| N,A | 16-S-36 | GROUND | 15 | 8/09/76 | 3.0700+ 0 | 2.5762+ 0 | 2.0000+ 1 | STABLE |
| N,G | 18-AR-40 | GROUND | 102 | 6/14/76 | 9.8700+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

18-Ar.-40
 ATOMIC MASS = 3.3960+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 18-AR-39 | GROUND | 21 | 8/09/76 | -9.8700+ 0 | 1.0117+ 1 | 2.0000+ 1 | 2.6899+ 2 YRS. |
| N,3N | 18-AR-38 | GROUND | 10 | 8/09/76 | -1.6470+ 1 | 1.6882+ 1 | 2.0000+ 1 | STABLE |
| N,P | 17-CL-40 | GROUND | 15 | 8/09/76 | -6.7200+ 0 | 9.2075+ 0 | 2.0000+ 1 | 1.4000+ 0 MIN. |
| N,A | 16-S-37 | GROUND | 15 | 8/09/76 | -2.4900+ 0 | 8.2419+ 0 | 2.0000+ 1 | 5.0600+ 0 MIN. |
| N,G | 18-AR-41 | GROUND | 102 | 6/14/76 | 6.1900+ 0 | 1.0000-10 | 2.0000+ 1 | 1.8300+ 0 YRS. |

18-AR-41
 ATOMIC MASS = 4.0960+ 1
 GROUND STATE
 HALF-LIFE = 1.8300+ 0 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 18-AR-40 | GROUND | 21 | 8/09/76 | -6.1000+ 0 | 6.2489+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 18-AR-39 | GROUND | 12 | 8/09/76 | -1.5970+ 1 | 1.6360+ 1 | 2.0000+ 1 | 2.6899+ 2 YRS. |
| N,A | 18-S-38 | GROUND | 17 | 8/09/76 | -5.6000- 1 | 6.2291+ 0 | 2.0000+ 1 | 2.8400+ 0 YRS. |
| N,G | 18-AR-42 | GROUND | 102 | 6/14/76 | 9.4300+ 0 | 1.0000-10 | 2.0000+ 1 | 3.3010+ 1 YRS. |

18-AR-42
 ATOMIC MASS = 4.1960+ 1
 GROUND STATE
 HALF-LIFE = 3.3010+ 1 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 18-AR-41 | GROUND | 24 | 8/09/76 | -9.4300+ 0 | 9.6547+ 0 | 2.0000+ 1 | 1.8300+ 0 HRS. |
| N,3N | 18-AR-40 | GROUND | 13 | 8/09/76 | -1.5520+ 1 | 1.5890+ 1 | 2.0000+ 1 | STABLE |
| N,G | 18-AR-43 | GROUND | 102 | 6/14/76 | 5.6000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0000+ 0 SEC. |

18-AR-43
 ATOMIC MASS = 4.2960+ 1
 GROUND STATE
 HALF-LIFE = 1.0000+ 0 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 18-AR-42 | GROUND | 27 | 8/09/76 | -5.6000+ 0 | 5.7304+ 0 | 2.0000+ 1 | 3.3010+ 1 YRS. |
| N,3N | 18-AR-41 | GROUND | 14 | 8/09/76 | -1.4800+ 1 | 1.5145+ 1 | 2.0000+ 1 | 1.8300+ 0 HRS. |
| N,G | 18-AR-44 | GROUND | 102 | 6/14/76 | 9.1600+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0000+ 0 SEC. |

18-K -38
 ATOMIC MASS = 3.7970+ 1
 GROUND STATE
 HALF-LIFE = 7.7100+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 19-K -37 | GROUND | 17 | 8/10/76 | -1.2060+ 1 | 1.2378+ 1 | 2.0000+ 1 | 1.2000+ 0 SEC. |
| N,P | 18-AR-38 | GROUND | 102 | 8/10/76 | 6.7100+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 17-CL-35 | GROUND | 102 | 8/10/76 | 5.8700+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 19-K -39 | GROUND | 102 | 8/10/76 | 1.3090+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

19-K -39
 ATOMIC MASS = 3.8960+1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|----------|--------|---------|-----------|-----------|----------|---------------|
| N,2N | 19-K -38 | GROUND | 16 | 8/10/76 | -1.3090+1 | 1.3426+1 | 2.0000+1 | 7.7100+0 MIN. |
| N,2N | 19-K -38 | 1.3000-1 | 15 | 8/10/76 | -1.3220+1 | 1.3559+1 | 2.0000+1 | 9.5000-1 SEC. |
| N,P | 18-AR-38 | GROUND | 15 | 8/10/76 | -6.3600+0 | 9.0873+0 | 2.0000+1 | STABLE |
| N,P | 18-AR-39 | GROUND | 17 | 8/10/76 | 2.2000-1 | 2.3180+0 | 2.0000+1 | 2.6898+2 YRS. |
| N,A | 17-CL-36 | GROUND | 10 | 8/10/76 | 1.3600+0 | 2.0000+0 | 2.0000+1 | 3.0120+5 YRS. |
| N,G | 19-K -40 | GROUND | 102 | 8/10/76 | 7.8000+0 | 1.0000-10 | 2.0000+1 | 1.2601+9 YRS. |

19-K -40
 ATOMIC MASS = 3.8960+1
 GROUND STATE
 HALF-LIFE = 1.2601+9 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|-----------|-----------|----------|-----------|
| N,2N | 19-K -39 | GROUND | 17 | 8/10/76 | -7.5300+0 | 7.9952+0 | 2.0000+1 | STABLE |
| N,P | 18-AR-40 | GROUND | 97 | 8/10/76 | 2.2900+0 | 1.0000-10 | 2.0000+1 | STABLE |
| N,A | 17-CL-37 | GROUND | 108 | 8/10/76 | 3.8700+0 | 1.0000-10 | 2.0000+1 | STABLE |
| N,G | 19-K -41 | GROUND | 102 | 8/10/76 | 1.0100+1 | 1.0000-10 | 2.0000+1 | STABLE |

19-K -41
 ATOMIC MASS = 4.0960+1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|-----------|-----------|----------|---------------|
| N,2N | 19-K -40 | GROUND | 20 | 8/10/76 | -1.0100+1 | 1.0347+1 | 2.0000+1 | 1.2601+9 YRS. |
| N,3N | 19-K -39 | GROUND | 8 | 8/10/76 | -1.7900+1 | 1.8337+1 | 2.0000+1 | STABLE |
| N,P | 18-AR-41 | GROUND | 17 | 8/10/76 | -1.7100+0 | 4.2628+0 | 2.0000+1 | 1.8300+0 HRS. |
| N,A | 17-CL-38 | GROUND | 12 | 8/10/76 | -1.1000-1 | 6.2277+0 | 2.0000+1 | 3.7283+1 MIN. |
| N,G | 19-K -42 | GROUND | 102 | 8/10/76 | 7.5300+0 | 1.0000-10 | 2.0000+1 | 1.2400+1 HRS. |

19-K -42
 ATOMIC MASS = 4.1950* I
 GROUND STATE
 HALF-LIFE = 1.2400* I HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|------------|----------------|
| N.2N | 19-K -41 | GROUND | 20 | 8/10/76 | -7.5310* 0 | 7.7095* 0 | ≤ 0.000* I | STABLE |
| N.3N | 19-K -40 | GROUND | 8 | 8/10/76 | -1.7630* I | 1.8050* I | ≤ 0.000* I | 1.2601* 9 YRS. |
| N.P | 18-AR -42 | GROUND | 17 | 8/10/76 | 1.8000- I | 2.3112* 0 | ≤ 0.000* I | 3.3010* I YRS. |
| N.A | 17-CL -39 | GROUND | 14 | 8/10/76 | 4.3000- I | 5.5388* 0 | ≤ 0.000* I | 5.5500* I MIN. |
| N.G | 19-K -43 | GROUND | 102 | 8/10/76 | 9.6300* 3 | 1.0000-10 | ≤ 0.000* I | 2.2400* I HRS. |

19-K -43
 ATOMIC MASS = 4.2960* I
 GROUND STATE
 HALF-LIFE = 2.2400* I HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 19-K -42 | GROUND | 21 | 8/10/76 | -9.6300* 0 | 9.8642* 0 | 2.0000* I | 1.2400* I HRS. |
| N.3N | 19-K -41 | GROUND | 9 | 8/10/76 | -1.7170* I | 1.7570* I | 2.0000* I | STABLE |
| N.G | 19-K -44 | GROUND | 102 | 8/10/76 | 7.2700* 0 | 1.0000-10 | 2.0000* I | 2.2000* I MIN. |

19-K -44
 ATOMIC MASS = 4.3960* I
 GROUND STATE
 HALF-LIFE = 2.2000* I MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 19-K -43 | GROUND | 20 | 8/10/76 | -7.2700* 0 | 7.4354* 0 | 2.0000* I | 2.2400* I HRS. |
| N.3N | 19-K -42 | GROUND | 9 | 8/10/76 | -1.6900* I | 1.7284* I | 2.0000* I | 1.2400* I HRS. |
| N.G | 19-K -45 | GROUND | 102 | 8/10/76 | 8.9000* 0 | 1.0000-10 | 2.0000* I | 1.6000* I MIN. |

19-K -45
 ATOMIC MASS = 4.4960 ± 1
 GROUND STATE
 HALF-LIFE = 1.8000 ± 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 19-K -44 | GROUND | 22 | 8/10/76 | -8.9000 ± 0 | 9.0980 ± 0 | 2.0000 ± 1 | 2.2000 ± 1 MIN. |
| N,3N | 19-K -43 | GROUND | 11 | 8/10/76 | -1.5180 ± 1 | 1.6540 ± 1 | 2.0000 ± 1 | 2.2400 ± 1 HRS. |
| N,G | 19-K -45 | GROUND | 102 | 8/10/76 | 6.8660 ± 0 | 1.0000-10 | 2.0000 ± 1 | 1.8000 ± 0 MIN. |

19-K -46
 ATOMIC MASS = 4.5560 ± 1
 GROUND STATE
 HALF-LIFE = 1.8000 ± 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 19-K -45 | GROUND | 21 | 9/10/76 | -6.8800 ± 0 | 7.0297 ± 0 | 2.0000 ± 1 | 1.8000 ± 1 MIN. |
| N,3N | 19-K -44 | GROUND | 12 | 8/10/76 | -1.5780 ± 1 | 1.6134 ± 1 | 2.0000 ± 1 | 2.2000 ± 1 MIN. |
| N,G | 19-K -47 | GROUND | 102 | 8/10/76 | 8.3500 ± 0 | 1.0000-10 | 2.0000 ± 1 | 1.7500 ± 1 SEC. |

20-CA-39
 ATOMIC MASS = 3.8971 ± 1
 GROUND STATE
 HALF-LIFE = 8.7000 ± 1 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 20-CA-38 | GROUND | 5 | 6/09/76 | -1.3330 ± 1 | 1.3670 ± 1 | 2.0000 ± 1 | 6.6000 ± 1 SEC. |
| N,N'P | 19-K -38 | GROUND | 6 | 6/09/76 | 5.7800 ± 0 | 5.8300 ± 0 | 2.0000 ± 1 | 7.7100 ± 0 MIN. |
| N,N'A | 18-AR-35 | GROUND | 6 | 6/09/76 | -5.6600 ± 0 | 6.8300 ± 0 | 2.0000 ± 1 | 1.8300 ± 0 SEC. |
| N,P | 19-K -39 | GROUND | 102 | 6/09/76 | 7.3100 ± 0 | 1.0000-10 | 2.0000 ± 1 | STABLE |
| N,A | 18-AR-36 | GROUND | 102 | 6/09/76 | 2.6000 ± 0 | 1.0000-10 | 2.0000 ± 1 | STABLE |
| N,G | 20-CA-40 | GROUND | 102 | 6/09/76 | 1.5640 ± 1 | 1.0000-10 | 2.0000 ± 1 | STABLE |

20-CA-40
 ATOMIC MASS = 3.9962+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-39 | GROUND | 6 | 6/09/76 | -1.5640+ 1 | 1.6030+ 1 | 2.0000+ 1 | 8.7000- 1 SEC. |
| N,N'P | 19-K -39 | GROUND | 5 | 6/09/76 | -8.3300+ 0 | 8.5400+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 18-AR-36 | GROUND | 4 | 6/09/76 | -7.0400+ 0 | 7.2200+ 0 | 2.0000+ 1 | STABLE |
| N,P | 19-K -40 | GROUND | 10 | 6/09/76 | -5.3000- 1 | 5.4000- 1 | 2.0000+ 1 | 1.2589+ 9 YRS. |
| N,T | 19-K -38 | GROUND | 3 | 6/09/76 | -1.2930+ 1 | 1.3260+ 1 | 2.0000+ 1 | 7.7100+ 0 MIN. |
| N,A | 18-AR-37 | GROUND | 10 | 6/09/76 | 1.7500+ 0 | 1.0000-10 | 2.0000+ 1 | 3.5000+ 1 DAYS |
| N,G | 20-CA-41 | GROUND | 102 | 6/09/76 | 8.3600+ 0 | 1.0000-10 | 2.0000+ 1 | 8.0004+ 4 YRS. |

20-CA-41
 ATOMIC MASS = 4.0962+ 1
 GROUND STATE
 HALF-LIFE = 8.0004+ 4 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-40 | GROUND | 7 | 6/11/76 | -8.3600+ 0 | 8.5700+ 0 | 2.0000+ 1 | STABLE |
| N,N'P | 19-K -40 | GROUND | 6 | 6/11/76 | -8.8900+ 0 | 9.1100+ 0 | 2.0000+ 1 | 1.2589+ 9 YRS. |
| N,N'A | 18-AR-37 | GROUND | 6 | 6/11/76 | -6.6100+ 0 | 6.7700+ 0 | 2.0000+ 1 | 3.5000+ 1 DAYS |
| N,P | 19-K -41 | GROUND | 10 | 6/11/76 | 1.2100+ 0 | 1.5000+ 0 | 2.0000+ 1 | STABLE |
| N,T | 19-K -39 | GROUND | 4 | 6/11/76 | -8.2100+ 0 | 8.4100+ 0 | 2.0000+ 1 | STABLE |
| N,A | 18-AR-38 | GROUND | 7 | 6/11/76 | 5.2300+ 0 | 1.0000+ 0 | 2.0000+ 1 | STABLE |
| N,G | 20-CA-42 | GROUND | 102 | 6/10/76 | 1.1470+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

20-CA-42
 ATOMIC MASS = 4.1959+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-41 | GROUND | 5 | 6/11/76 | -1.1470+ 1 | 1.1750+ 1 | 2.0000+ 1 | 8.0004+ 4 YRS. |
| N,N'P | 19-K -41 | GROUND | 4 | 6/11/76 | -1.0270+ 1 | 1.0510+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 18-AR-38 | GROUND | 5 | 6/11/76 | -6.2500+ 0 | 6.4000+ 0 | 2.0000+ 1 | STABLE |
| N,P | 19-K -42 | GROUND | 8 | 6/11/76 | -2.7300+ 0 | 2.8000+ 0 | 2.0000+ 1 | 1.2389+ 1 HRS. |
| N,A | 18-AR-39 | GROUND | 6 | 6/11/76 | 3.5000- 1 | 5.0000+ 0 | 2.0000+ 1 | 2.6890+ 2 YRS. |
| N,G | 20-CA-43 | GROUND | 102 | 6/10/76 | 7.9300+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

20-CA-43
 ATOMIC MASS = 4.2959+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-42 | GROUND | 8 | 6/12/76 | -7.9300+ 0 | 8.1200+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 18-AR-39 | GROUND | 6 | 6/12/76 | -7.5600+ 0 | 7.7600+ 0 | 2.0000+ 1 | 2.6890+ 2 YRS. |
| N,P | 19-K -43 | GROUND | 8 | 6/12/76 | -1.0400+ 0 | 1.0600+ 0 | 2.0000+ 1 | 2.2389+ 1 HRS. |
| N,D | 19-K -42 | GROUND | 4 | 6/12/76 | -8.4400+ 0 | 8.6400+ 0 | 2.0000+ 1 | 1.2389+ 1 HRS. |
| N,A | 18-AR-40 | GROUND | 7 | 6/12/76 | -2.2900+ 0 | 1.0000+ 0 | 2.0000+ 1 | STABLE |
| N,G | 20-CA-44 | GROUND | 102 | 6/10/76 | 1.1140+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

20-CA-44
 ATOMIC MASS = 4.3959+ 1
 GROUND STATE
 STABLE

29

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-43 | GROUND | 6 | 6/12/76 | -1.1140+ 1 | 1.1390+ 1 | 2.0000+ 1 | STABLE |
| N,P | 19-K -44 | GROUND | 6 | 6/12/76 | -4.9000+ 0 | 5.0100+ 0 | 2.0000+ 1 | 2.2000+ 1 MIN. |
| N,D | 19-K -43 | GROUND | 4 | 6/12/76 | -9.9500+ 0 | 1.0130+ 1 | 2.0000+ 1 | 2.2389+ 1 HRS. |
| N,A | 18-AR-41 | GROUND | 6 | 6/12/76 | -2.7500+ 0 | 2.8100+ 0 | 2.0000+ 1 | 1.8300+ 0 HRS. |
| N,G | 20-CA-45 | GROUND | 102 | 6/10/76 | 7.4100+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6505+ 2 DAYS |

20-CA-45
 ATOMIC MASS = 4.4956+ 1
 GROUND STATE
 HALF-LIFE = 1.6505+ 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-44 | GROUND | 8 | 6/13/76 | -7.4100+ 0 | 7.5800+ 0 | 2.0000+ 1 | STABLE |
| N,P | 19-K -45 | GROUND | 6 | 6/13/76 | -3.4100+ 0 | 3.4900+ 0 | 2.0000+ 1 | 1.6000+ 1 MIN. |
| N,D | 19-K -44 | GROUND | 4 | 6/13/76 | -1.0090+ 1 | 1.0310+ 1 | 2.0000+ 1 | 2.2000+ 1 MIN. |
| N,A | 18-AR-42 | GROUND | 5 | 6/13/76 | -7.4000- 1 | 7.6000- 1 | 2.0000+ 1 | 3.2978+ 1 YRS. |
| N,G | 20-CA-46 | GROUND | 102 | 6/10/76 | 1.0410+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

20-CA-46
 ATOMIC MASS = 4.5954+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-45 | GROUND | 8 | 6/13/76 | -1.0410+ 1 | 1.0630+ 1 | 2.0000+ 1 | 1.6505+ 2 DAYS |
| N,P | 19-K -46 | GROUND | 5 | 6/13/76 | -6.9300+ 0 | 7.0800+ 0 | 2.0000+ 1 | 1.8000+ 0 MIN. |
| N,A | 18-AR-43 | GROUND | 4 | 6/13/76 | -4.2000+ 0 | 4.2900+ 0 | 2.0000+ 1 | 1.0000+ 0 SEC. |
| N,G | 20-CA-47 | GROUND | 102 | 6/10/76 | 7.2700+ 0 | 1.0000-10 | 2.0000+ 1 | 4.5255+ 0 DAYS |

20-CA-47
 ATOMIC MASS = 4.6954+ 1
 GROUND STATE
 HALF-LIFE = 4.5255+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-46 | GROUND | 7 | 6/13/76 | -7.2700+ 0 | 7.4300+ 0 | 2.0000+ 1 | STABLE |
| N,P | 19-K -47 | GROUND | 6 | 6/13/76 | -5.8500+ 0 | 5.9800+ 0 | 2.0000+ 1 | 1.7500+ 1 SEC. |
| N,G | 20-CA-48 | GROUND | 102 | 6/10/76 | 9.9500+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

20-CA-48
 ATOMIC MASS = 4.7952+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-47 | GROUND | 7 | 6/13/76 | -9.9500+ 0 | 1.0160+ 1 | 2.0300+ 1 | 4.5255+ 0 DAYS |
| N,P | 19-K -48 | GROUND | 4 | 6/13/76 | -9.0000+ 0 | 9.1900+ 0 | 2.0000+ 1 | 1.0000+ 0 SEC. |
| N,G | 20-CA-49 | GROUND | 102 | 6/10/76 | 5.1400+ 0 | 1.0000-10 | 2.0000+ 1 | 8.8000+ 0 MIN. |

20-CA-49
 ATOMIC MASS = 4.8556+ 1
 GROUND STATE
 HALF-LIFE = 8.8000+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 20-CA-49 | GROUND | 8 | 6/13/76 | -5.1400+ 0 | 5.2500+ 0 | 2.0000+ 1 | STABLE |
| N,G | 20-CA-50 | GROUND | 102 | 6/10/76 | 6.3600+ 0 | 1.0000-10 | 2.0000+ 1 | 9.0000+ 0 SEC. |

21-SC-44
 ATOMIC MASS = 4.3959+ 1
 GROUND STATE
 HALF-LIFE = 3.9194+ 0 HRS.

| 31 REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|-------------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 21-SC-43 | GROUND | 15 | 8/19/76 | -9.7100+ 0 | 9.9309+ 0 | 2.0000+ 1 | 3.9194+ 0 HRS. |
| N,P | 20-CA-44 | GROUND | 14 | 8/19/76 | 4.4300+ 0 | 5.0000- 2 | 2.0000+ 1 | STABLE |
| N,A | 19-K -41 | GROUND | 17 | 8/19/76 | 3.3900+ 0 | 3.4445+ 0 | 2.0000+ 1 | STABLE |
| N,G | 21-SC-45 | GROUND | 102 | 8/19/76 | 1.1320+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

21-SC-44
 ATOMIC MASS = 4.3959+ 1
 LEVEL = 2.7100- 1
 HALF-LIFE = 2.4398+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 21-SC-43 | GROUND | 15 | 8/19/76 | -9.4400+ 0 | 9.6547+ 0 | 2.0000+ 1 | 3.9194+ 0 HRS. |
| N,P | 20-CA-44 | GROUND | 13 | 8/19/76 | 4.7000+ 0 | 5.0000- 2 | 2.0000+ 1 | STABLE |
| N,A | 19-K -41 | GROUND | 17 | 8/19/76 | 3.6600+ 0 | 3.1683+ 0 | 2.0000+ 1 | STABLE |
| N,G | 21-SC-45 | GROUND | 102 | 8/19/76 | 1.1590+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

21-SC-45
 ATOMIC MASS = 4.4956+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 21-SC-44 | GROUND | 14 | 8/19/76 | -1.1320+ 1 | 1.1572+ 1 | 2.0000+ 1 | 3.9194+ 0 HRS. |
| N,2N | 21-SC-44 | 2.7100- 1 | 15 | 8/19/76 | -1.1590+ 1 | 1.1848+ 1 | 2.0000+ 1 | 2.4398+ 0 DAYS |
| N,P | 20-CA-45 | GROUND | 17 | 8/19/76 | 5.3000- 1 | 2.3037+ 0 | 2.0000+ 1 | 1.6555+ 2 DAYS |
| N,A | 19-K -42 | GROUND | 11 | 8/19/76 | -3.9000- 1 | 7.2722+ 0 | 2.0000+ 1 | 1.2443+ 1 HRS. |
| N,G | 21-SC-46 | 1.4200- 1 | 102 | 8/19/76 | 8.6300+ 0 | 1.0000-10 | 2.0000+ 1 | 2.0000+ 1 SEC. |
| N,G | 21-SC-46 | GROUND | 102 | 8/19/76 | 8.7700+ 0 | 1.0000-10 | 2.0000+ 1 | 8.3900+ 1 DAYS |

21-SC-46
 ATOMIC MASS = 4.5955+ 1
 GROUND STATE
 HALF-LIFE = 8.3900+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 21-SC-45 | GROUND | 15 | 8/19/76 | -8.7700+ 0 | 8.9608+ 0 | 2.0000+ 1 | STABLE |
| N,P | 20-CA-46 | GROUND | 19 | 8/19/76 | 2.1700+ 0 | 6.1210- 1 | 2.0000+ 1 | STABLE |
| N,A | 19-K -43 | GROUND | 17 | 8/19/76 | 4.7000- 1 | 6.3564+ 0 | 2.0000+ 1 | 2.2400+ 1 HRS. |
| N,G | 21-SC-47 | GROUND | 102 | 8/19/76 | 1.0640+ 1 | 1.0000-10 | 2.0000+ 1 | 3.4306+ 0 DAYS |

21-SC-46
 ATOMIC MASS = 4.5955+ 1
 LEVEL = 1.4200- 1
 HALF-LIFE = 2.0000+ 1 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 21-SC-45 | GROUND | 15 | 8/19/76 | -8.6300+ 0 | 8.8178+ 0 | 2.0000+ 1 | STABLE |
| N,P | 20-CA-46 | GROUND | 19 | 8/19/76 | 2.3100+ 0 | 4.6906- 1 | 2.0000+ 1 | STABLE |
| N,A | 19-K -43 | GROUND | 17 | 8/19/76 | 6.1000- 1 | 6.2133+ 0 | 2.0000+ 1 | 2.2400+ 1 HRS. |
| N,G | 21-SC-47 | GROUND | 102 | 8/19/76 | 1.0780+ 1 | 1.0000-10 | 2.0000+ 1 | 3.4306+ 0 DAYS |

21-SC-47
 ATOMIC MASS = 4.6952+ 1
 GROUND STATE
 HALF-LIFE = 3.4306+ 0 DAYS

HALF-LIFE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 21-SC-46 | GROUND | 16 | 8/20/76 | -1.0640+ 1 | 1.0867+ 1 | 2.0000+ 1 | 8.3900+ 1 DAYS |
| N,3N | 21-SC-45 | GROUND | 3 | 8/20/76 | -1.9410+ 1 | 1.9823+ 1 | 2.0000+ 1 | STABLE |
| N,P | 20-CA-47 | GROUND | 17 | 8/20/76 | -1.2100+ 0 | 4.0492+ 0 | 2.0000+ 1 | 4.5301+ 0 DAYS |
| N,A | 19-K-44 | GROUND | 17 | 8/20/76 | -2.9000+ 0 | 9.7623+ 0 | 2.0600+ 1 | 2.2000+ 1 MIN. |
| N,G | 21-SC-48 | GROUND | 102 | 8/20/76 | 8.2400+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6299+ 0 DAYS |

21-SC-48
 ATOMIC MASS = 4.7552+ 1
 GROUND STATE
 HALF-LIFE = 1.8299+ 0 DAYS

HALF-LIFE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 21-SC-47 | GROUND | 17 | 8/20/76 | -8.2400+ 0 | 8.4118+ 0 | 2.0000+ 1 | 3.4306+ 0 DAYS |
| N,3N | 21-SC-46 | GROUND | 4 | 8/20/76 | -1.8880+ 1 | 1.9274+ 1 | 2.0000+ 1 | 8.3900+ 1 DAYS |
| N,P | 20-CA-48 | GROUND | 17 | 8/20/76 | 5.1000+ 0 | 2.2774+ 0 | 2.0000+ 1 | STABLE |
| N,A | 19-K-43 | GROUND | 17 | 8/20/76 | -2.2300+ 0 | 9.0420+ 0 | 2.0000+ 1 | 1.6000+ 1 MIN. |
| N,G | 21-SC-49 | GROUND | 97 | 8/20/76 | 1.0130+ 1 | 1.0000-10 | 2.0000+ 1 | 5.7500+ 1 MIN. |

22-TI-45
 ATOMIC MASS = 4.4959+ 1
 GROUND STATE
 HALF-LIFE = 3.0778+ 0 HRS.

HALF-LIFE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 22-TI-44 | GROUND | 16 | 8/22/76 | -9.5300+ 0 | 9.7420+ 0 | 2.0000+ 1 | 4.8009+ 1 YRS. |
| N,N,P | 21-SC-44 | GROUND | 16 | 8/22/76 | -9.4900+ 0 | 1.1556+ 1 | 2.0000+ 1 | 3.9194+ 0 HRS. |
| N,N,P | 21-SC-44 | GROUND | 16 | 8/22/76 | -9.4900+ 0 | 1.1952+ 1 | 2.0638+ 1 | 2.4396+ 0 DAYS |
| N,N,A | 20-CA-41 | GROUND | 11 | 8/22/76 | -6.2300+ 0 | 1.3787+ 1 | 2.0000+ 1 | 8.0004+ 4 YRS. |
| N,P | 21-SC-45 | GROUND | 23 | 8/22/76 | 3.6500+ 0 | 1.2168+ 1 | 2.0000+ 1 | STABLE |
| N,A | 20-CA-42 | GROUND | 33 | 8/22/76 | 5.3600+ 0 | 2.0113+ 0 | 2.0000+ 1 | STABLE |
| N,G | 22-TI-46 | GROUND | 102 | 8/22/76 | 1.3500+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

22-TI-46
 ATOMIC MASS = 4.5953+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 22-TI-45 | GROUND | 9 | 8/22/76 | -1.3200+ 1 | 1.3487+ 1 | 2.0000+ 1 | 3.0778+ 0 HRS. |
| N,N'P | 21-SC-45 | GROUND | 15 | 8/22/76 | -1.0350+ 1 | 1.3446+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 20-CA-42 | GROUND | 12 | 8/22/76 | -8.0100+ 0 | 1.5501+ 1 | 2.0000+ 1 | STABLE |
| N,P | 21-SC-46 | GROUND | 21 | 8/22/76 | -1.5800+ 0 | 4.6322+ 0 | 2.0000+ 1 | 8.3900+ 1 DAYS |
| N,A | 20-CA-43 | GROUND | 19 | 8/22/76 | -8.0000- 2 | 7.3590+ 0 | 2.0000+ 1 | STABLE |
| N,G | 22-TI-47 | GROUND | 98 | 8/22/76 | 8.8800+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

22-TI-47
 ATOMIC MASS = 4.6952+ 1
 GROUND STATE
 STABLE

34

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 22-TI-46 | GROUND | 16 | 8/22/76 | -8.8800+ 0 | 9.0691+ 0 | 2.0000+ 1 | STABLE |
| N,N'P | 21-SC-46 | GROUND | 17 | 8/22/76 | -1.0460+ 1 | 1.3538+ 1 | 2.0000+ 1 | 8.3900+ 1 DAYS |
| N,N'A | 20-CA-43 | GROUND | 10 | 8/22/76 | -8.9500+ 0 | 1.6418+ 1 | 2.0000+ 1 | STABLE |
| N,P | 21-SC-47 | GROUND | 20 | 8/22/76 | 1.8000- 1 | 1.2172+ 0 | 2.0000+ 1 | 3.4300+ 0 DAYS |
| N,A | 20-CA-44 | GROUND | 18 | 8/22/76 | 2.1800+ 0 | 5.0126+ 0 | 2.0000+ 1 | STABLE |
| N,G | 22-TI-48 | GROUND | 100 | 8/22/76 | 1.1630+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

22-TI-48
 ATOMIC MASS = 4.7848+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 22-TI-47 | GROUND | 16 | 8/22/76 | -1.1630+ 1 | 1.1873+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 21-SC-47 | GROUND | 14 | 8/22/76 | -1.1450+ 1 | 1.4427+ 1 | 2.0000+ 1 | 3.4306+ 0 DAYS |
| N,N'A | 20-CA-44 | GROUND | 9 | 8/22/76 | -9.4500+ 0 | 1.7631+ 1 | 2.0000+ 1 | STABLE |
| N,P | 21-SC-48 | GROUND | 21 | 8/22/76 | -3.2100+ 0 | 4.2300+ 0 | 2.0000+ 1 | 1.8299+ 0 DAYS |
| N,A | 20-CA-45 | GROUND | 18 | 8/22/76 | -2.0300+ 0 | 6.9668+ 0 | 2.0000+ 1 | 1.6505+ 2 DAYS |
| N,G | 22-TI-49 | GROUND | 102 | 8/22/76 | 8.1400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

22-TI-49
 ATOMIC MASS = 4.8898* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 22-TI-48 | GROUND | 17 | 8/22/76 | -8.1400* 0 | 8.3063* 0 | 2.0000* 1 | STABLE |
| N,N'P | 21-SC-48 | GROUND | 14 | 8/22/76 | -1.1350* 1 | 1.4408* 1 | 2.0000* 1 | 1.8559* 0 DAYS |
| N,N'A | 20-CA-45 | GROUND | 9 | 8/22/76 | -1.0180* 1 | 1.7689* 1 | 2.0000* 1 | 5.8205* 2 DAYS |
| N,P | 21-SC-49 | GROUND | 21 | 8/22/76 | -1.2200* 0 | 4.2134* 0 | 2.0000* 1 | 5.7200* 1 MIN. |
| N,A | 20-CA-46 | GROUND | 18 | 8/22/76 | 2.3000* 1 | 6.5305* 0 | 2.0000* 1 | STABLE |
| N,G | 22-TI-50 | GROUND | 98 | 8/22/76 | 1.0950* 1 | 1.0930-10 | 2.0000* 1 | STABLE |

22-TI-50
 ATOMIC MASS = 4.8896* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 22-TI-49 | GROUND | 17 | 8/22/76 | -1.0950* 1 | 1.1462* 1 | 2.0000* 1 | STABLE |
| N,3N | 22-TI-48 | GROUND | 4 | 8/22/76 | -1.9090* 1 | 1.9474* 1 | 2.0000* 1 | STABLE |
| N,N'P | 21-SC-49 | GROUND | 13 | 8/22/76 | -1.2170* 1 | 1.5225* 1 | 2.0000* 1 | 5.7500* 1 MIN. |
| N,N'A | 20-CA-46 | GROUND | 9 | 8/22/76 | -1.0720* 1 | 1.8100* 1 | 2.0000* 1 | STABLE |
| N,P | 21-SC-50 | GROUND | 17 | 8/22/76 | -6.1100* 0 | 9.1830* 0 | 2.0000* 1 | 1.7200* 0 MIN. |
| N,A | 20-CA-47 | GROUND | 17 | 8/22/76 | -3.4400* 0 | 1.0549* 1 | 2.0000* 1 | 4.5301* 0 DAYS |
| N,G | 22-TI-51 | GROUND | 81 | 8/22/76 | 5.3800* 0 | 1.0000-10 | 2.0000* 1 | 5.7600* 0 MIN. |

22-TI-51
 ATOMIC MASS = 5.0847* 1
 GROUND STATE
 HALF-LIFE = 5.7600* 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 22-TI-50 | GROUND | 20 | 8/22/76 | -6.3800* 0 | 6.5052* 0 | 2.0000* 1 | STABLE |
| N,3N | 22-TI-49 | GROUND | 8 | 8/22/76 | -1.7330* 1 | 1.7670* 1 | 2.0000* 1 | STABLE |
| N,N'P | 21-SC-50 | GROUND | 12 | 8/22/76 | -1.2490* 1 | 1.4532* 1 | 2.0000* 1 | 1.7200* 0 MIN. |
| N,N'A | 20-CA-47 | GROUND | 10 | 8/22/76 | -9.6300* 0 | 1.7152* 1 | 2.0000* 1 | 4.5301* 0 DAYS |
| N,P | 21-SC-51 | GROUND | 18 | 8/22/76 | -5.7300* 0 | 8.7758* 0 | 2.0060* 1 | 1.0000* 0 MIN. |
| N,A | 20-CA-48 | GROUND | 19 | 8/22/76 | 1.3000* 1 | 6.9624* 0 | 2.0000* 1 | STABLE |
| N,G | 22-TI-52 | GROUND | 93 | 8/22/76 | 7.8000* 0 | 1.0000-10 | 2.0000* 1 | 1.7000* 0 MIN. |

23-V -47
 ATOMIC MASS = 4.6955+ 1
 GROUND STATE
 HALF-LIFE = 3.1200+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|-----------|-----------|-----------|----------------|
| N,G | 23-V -48 | GROUND | 102 | 5/25/77 | 1.0530+ 1 | 1.0000-10 | 2.0000+ 1 | 1.5972+ 1 DAYS |

23-V -48
 ATOMIC MASS = 4.7952+ 1
 GROUND STATE
 HALF-LIFE = 1.5972+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 23-V -47 | GROUND | 15 | 5/25/77 | -1.0530+ 1 | 1.0750+ 1 | 2.0000+ 1 | 3.1200+ 1 MIN. |
| N,N'P | 22-T1 -47 | GROUND | 15 | 5/25/77 | -6.8300+ 0 | 9.9949+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 21-SC-44 | GROUND | 10 | 5/26/77 | -9.0800+ 0 | 1.6955+ 1 | 2.0000+ 1 | 3.9306+ 0 HRS. |
| N,N'A | 21-SC-44 | 2.7100- 1 | 9 | 5/26/77 | -9.3510+ 0 | 1.7231+ 1 | 2.0000+ 1 | 2.4421+ 0 DAYS |
| N,P | 22-T1 -48 | GROUND | 17 | 5/25/77 | 4.8000+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 21-SC-45 | GROUND | 17 | 5/26/77 | 2.2400+ 0 | 5.3591+ 0 | 2.0000+ 1 | STABLE |
| N,G | 23-V -49 | GROUND | 102 | 5/25/77 | 1.1560+ 1 | 1.0000-10 | 2.0000+ 1 | 3.3102+ 2 DAYS |

23-V -49
 ATOMIC MASS = 4.8949+ 1
 GROUND STATE
 HALF-LIFE = 3.3102+ 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 23-V -48 | GROUND | 15 | 5/25/77 | -1.1560+ 1 | 1.1796+ 1 | 2.0000+ 1 | 1.5972+ 1 DAYS |
| N,N'P | 22-T1 -48 | GROUND | 16 | 5/25/77 | -6.7600+ 0 | 9.9048+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 21-SC-45 | GROUND | 9 | 5/26/77 | -9.3200+ 0 | 1.7156+ 1 | 2.0000+ 1 | STABLE |
| N,P | 22-T1 -49 | GROUND | 22 | 5/25/77 | 1.3800+ 0 | 1.7503+ 0 | 2.0000+ 1 | STABLE |
| N,A | 21-SC-46 | GROUND | 17 | 5/26/77 | -5.5000- 1 | 6.1683+ 0 | 2.0000+ 1 | 8.3796+ 1 DAYS |
| N,A | 21-SC-46 | 1.4200- 1 | 16 | 5/26/77 | -6.9200- 1 | 8.3132+ 0 | 2.0000+ 1 | 1.8700+ 1 SEC. |
| N,G | 23-V -50 | GROUND | 102 | 5/25/77 | 9.3300+ 0 | 1.0000-10 | 2.0000+ 1 | 5.9995+15 YRS. |

23-V -50
 ATOMIC MASS = 4.9947+ 1
 GROUND STATE
 HALF-LIFE = 5.9995+15 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 23-V -49 | GROUND | 15 | 5/25/77 | -9.3300+ 0 | 9.5169+ 0 | 2.0000+ 1 | 3.3102+ 2 DAYS |
| N,N'P | 22-TI-49 | GROUND | 17 | 5/25/77 | -7.9500+ 0 | 1.1101+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 21-SC-46 | GROUND | 8 | 5/26/77 | -5.6600+ 0 | 1.7665+ 1 | 2.0000+ 1 | 8.3796+ 1 DAYS |
| N,N'A | 21-SC-46 | 1.4200- 1 | 9 | 5/26/77 | -1.0022+ 1 | 1.7829+ 1 | 2.0000+ 1 | 1.8700+ 1 SEC. |
| N,P | 22-TI-50 | GROUND | 21 | 5/25/77 | 3.0000+ 0 | 8.1783- 2 | 2.0000+ 1 | STABLE |
| N,A | 21-SC-47 | GROUND | 17 | 3/26/77 | 7.5000- 1 | 6.7941+ 0 | 2.0000+ 1 | 3.4097+ 0 DAYS |
| N,G | 23-V -51 | GROUND | 102 | 8/18/76 | 1.1050+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

23-V -51
 ATOMIC MASS = 5.0942+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 23-V -50 | GROUND | 15 | 5/25/77 | -1.1050+ 1 | 1.1267+ 1 | 2.0000+ 1 | 5.9995+15 YRS. |
| N,N'P | 22-TI-50 | GROUND | 15 | 5/25/77 | -8.0500+ 0 | 1.1184+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 21-SC-47 | GROUND | 6 | 8/18/76 | -1.0290+ 1 | 1.3000+ 1 | 2.0000+ 1 | 3.4306+ 0 DAYS |
| N,P | 22-TI-51 | GROUND | 22 | 5/25/77 | -1.6700+ 0 | 4.8282+ 0 | 2.0000+ 1 | 5.7600+ 0 MIN. |
| N,A | 21-SC-48 | GROUND | 6 | 9/04/73 | -2.0600+ 0 | 9.0000+ 0 | 2.0000+ 1 | 1.8299+ 0 DAYS |
| N,G | 23-V -52 | GROUND | 102 | 8/18/76 | 7.3200+ 0 | 1.0000-10 | 2.0000+ 1 | 3.7550+ 0 MIN. |

23-V -52
 ATOMIC MASS = 5.1945+ 1
 GROUND STATE
 HALF-LIFE = 3.7550+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 23-V -51 | GROUND | 17 | 5/25/77 | -7.3100+ 0 | 7.4507+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 23-V -50 | GROUND | 6 | 5/25/77 | -1.8350+ 1 | 1.8713+ 1 | 2.0000+ 1 | 5.9995+15 YRS. |
| N,N'P | 22-TI-51 | GROUND | 15 | 5/25/77 | -8.9800+ 0 | 1.2115+ 1 | 2.0000+ 1 | 5.7600+ 0 MIN. |
| N,N'A | 21-SC-48 | GROUND | 10 | 5/25/77 | -9.3700+ 0 | 1.7083+ 1 | 2.0000+ 1 | 1.8299+ 0 DAYS |
| N,P | 22-TI-52 | GROUND | 20 | 5/25/77 | -1.1800+ 0 | 4.3123+ 0 | 2.0000+ 1 | 1.7000+ 0 MIN. |
| N,A | 21-SC-49 | GROUND | 16 | 5/26/77 | 7.8000- 1 | 6.7218+ 0 | 2.0000+ 1 | 5.7300+ 1 MIN. |
| N,G | 23-V -53 | GROUND | 102 | 8/18/76 | 8.5000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.9+00+ 0 MIN. |

24-CR-49
 ATOMIC MASS = 4.8951* 1
 GROUND STATE
 HALF-LIFE = 4.2000* 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|------------|-----------|----------------|
| N,2N | 24-CR-48 | GROUND | 16 | 11/05/76 | -1.0640* 1 | 1.0857* 1 | 2.0000* 1 | 2.2961* 1 HRS. |
| N,N'P | 23-V -48 | GROUND | 10 | 11/08/76 | -8.2100* 0 | 1.1569* 1 | 2.0000* 1 | 1.5972* 1 DAYS |
| N,N'P | 22-T1 -45 | GROUND | 8 | 11/17/76 | -8.8100* 0 | 1.7088* 1 | 2.0000* 1 | 3.0778* 0 HRS. |
| N,N'P | 23-V -49 | GROUND | 22 | 11/17/76 | 3.3500* 0 | 1.0000 - 4 | 2.0000* 1 | 3.3102* 2 DAYS |
| N,A | 22-T1 -46 | GROUND | 12 | 11/17/76 | 4.3900* 0 | 3.5773* 0 | 2.0000* 1 | STABLE |
| N,G | 24-CR-50 | GROUND | 102 | 10/18/76 | 1.2940* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

24-CR-50
 ATOMIC MASS = 4.9946* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 24-CR-49 | GROUND | 11 | 11/05/76 | -1.2940* 1 | 1.3199* 1 | 2.0000* 1 | 4.2000* 1 MIN. |
| N,N'P | 23-V -49 | GROUND | 11 | 11/08/76 | -9.5900* 0 | 1.2957* 1 | 2.0000* 1 | 3.3102* 2 DAYS |
| N,N'P | 22-T1 -46 | GROUND | 10 | 11/17/76 | -8.5500* 0 | 1.6778* 1 | 2.0000* 1 | STABLE |
| N,P | 23-V -50 | GROUND | 23 | 11/17/76 | -2.6000- 1 | 3.6003* 0 | 2.0000* 1 | 5.9995*15 YRS. |
| N,A | 22-T1 -47 | GROUND | 18 | 11/17/76 | 3.2000- 1 | 7.6903* 0 | 2.0000* 1 | STABLE |
| N,G | 24-CR-51 | GROUND | 102 | 10/13/76 | 9.2600* 0 | 1.0000-10 | 2.0000* 1 | 2.7708* 1 DAYS |

24-CR-51
 ATOMIC MASS = 5.0945* 1
 GROUND STATE
 HALF-LIFE = 2.7708* 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 24-CR-50 | GROUND | 15 | 11/05/76 | -9.2600* 0 | 9.4418* 0 | 2.0000* 1 | STABLE |
| N,N'P | 23-V -50 | GROUND | 9 | 11/08/76 | -9.5200* 0 | 1.2866* 1 | 2.0000* 1 | 5.9995*15 YRS. |
| N,N'P | 22-T1 -47 | GROUND | 9 | 11/17/76 | -8.3400* 0 | 1.7132* 1 | 2.0000* 1 | STABLE |
| N,P | 23-V -51 | GROUND | 23 | 11/17/76 | 1.5300* 0 | 1.7578* 0 | 2.0000* 1 | STABLE |
| N,A | 22-T1 -48 | GROUND | 18 | 11/17/76 | 2.6500* 0 | 5.2351* 0 | 2.0000* 1 | STABLE |
| N,G | 24-CR-52 | GROUND | 102 | 10/18/76 | 1.2040* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

24-CR-52
 ATOMIC MASS = 5.1941+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 24-CR-51 | GROUND | 12 | 11/05/76 | -1.2040+ 1 | 1.2271+ 1 | 2.0000+ 1 | 2.7708+ 1 DAYS |
| N,N'P | 23-V -51 | GROUND | 10 | 11/08/76 | -1.0510+ 1 | 1.3956+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 22-T1-48 | GROUND | 9 | 11/17/76 | -9.3500+ 0 | 1.7508+ 1 | 2.0000+ 1 | STABLE |
| N,P | 23-V -52 | GROUND | 21 | 11/17/76 | -3.2000+ 0 | 6.5625+ 0 | 2.0000+ 1 | 3.7550+ 0 MIN. |
| N,A | 22-T1-49 | GROUND | 18 | 11/17/76 | -1.2100+ 0 | 9.1730+ 0 | 2.0000+ 1 | STABLE |
| N,G | 24-CR-53 | GROUND | 102 | 10/13/76 | 7.9400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

24-CR-53
 ATOMIC MASS = 5.2941+ 1
 GROUND STATE
 STABLE

36

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 24-CR-52 | GROUND | 14 | 11/05/76 | -7.9400+ 0 | 8.0900+ 0 | 2.0000+ 1 | STABLE |
| N,N'P | 23-V -52 | GROUND | 8 | 11/08/76 | -1.1140+ 1 | 1.4479+ 1 | 2.0000+ 1 | 3.7550+ 0 MIN. |
| N,N'A | 22-T1-49 | GROUND | 9 | 11/17/76 | -9.1500+ 0 | 1.7262+ 1 | 2.0000+ 1 | STABLE |
| N,P | 23-V -53 | GROUND | 19 | 11/17/76 | -2.8400+ 0 | 5.9743+ 0 | 2.0000+ 1 | 1.5500+ 0 MIN. |
| N,A | 22-T1-50 | GROUND | 17 | 11/17/76 | 1.8000+ 0 | 6.0686+ 0 | 2.0000+ 1 | STABLE |
| N,G | 24-CR-54 | GROUND | 102 | 10/14/76 | 9.7200+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

24-CR-54
 ATOMIC MASS = 5.3939+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 24-CR-53 | GROUND | 17 | 11/05/76 | -9.7200+ 0 | 9.9002+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 24-CR-52 | GROUND | 8 | 11/05/76 | -1.7660+ 1 | 1.7987+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 23-V -53 | GROUND | 8 | 11/08/76 | -1.2360+ 1 | 1.5703+ 1 | 2.0000+ 1 | 1.5500+ 0 MIN. |
| N,N'A | 22-T1-50 | GROUND | 12 | 11/18/76 | -7.9200+ 0 | 1.5969+ 1 | 2.0000+ 1 | STABLE |
| N,P | 23-V -54 | GROUND | 18 | 11/17/76 | -6.1200+ 0 | 9.5017+ 0 | 2.0000+ 1 | 4.3000+ 1 SEC. |
| N,A | 22-T1-51 | GROUND | 20 | 11/18/76 | -1.5400+ 0 | 9.4347+ 0 | 2.0000+ 1 | 5.7600+ 0 MIN. |
| N,G | 24-CR-55 | GROUND | 102 | 10/14/76 | 6.2600+ 0 | 1.0000-10 | 2.0000+ 1 | 3.9600+ 0 MIN. |

24-CR-55
 ATOMIC MASS = 5.4941+ 1
 GROUND STATE
 HALF-LIFE = 3.5600+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 24-CR-54 | GROUND | 22 | 11/05/76 | -6.2600+ 0 | 6.3739+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 24-CR-53 | GROUND | 13 | 11/05/76 | -1.5980+ 1 | 1.6271+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 23-V -54 | GROUND | 8 | 11/08/76 | -1.2620+ 1 | 1.5949+ 1 | 2.0000+ 1 | 4.3000+ 1 SEC. |
| N,N'A | 22-TI-51 | GROUND | 12 | 11/17/76 | -7.8000+ 0 | 1.5808+ 1 | 2.0000+ 1 | 5.7600+ 0 MIN. |
| N,P | 23-V -55 | GROUND | 19 | 11/17/76 | -5.6000+ 0 | 8.9544+ 0 | 2.0000+ 1 | 1.7400+ 1 SEC. |
| N,A | 22-TI-52 | GROUND | 19 | 11/17/76 | 1.0000- 2 | 7.8305+ 0 | 2.0000+ 1 | 1.7000+ 0 MIN. |
| N,G | 24-CR-56 | GROUND | 102 | 10/19/76 | 8.2200+ 0 | 1.0000-10 | 2.0000+ 1 | 5.9000+ 0 MIN. |

24-CR-56
 ATOMIC MASS = 5.5941+ 1
 GROUND STATE
 HALF-LIFE = 5.9000+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 24-CR-55 | GROUND | 25 | 11/05/76 | -8.2200+ 0 | 8.3669+ 0 | 2.0000+ 1 | 3.5600+ 0 MIN. |
| N,3N | 24-CR-54 | GROUND | 15 | 11/05/76 | -1.4480+ 1 | 1.4739+ 1 | 2.0000+ 1 | STABLE |
| N,G | 24-CR-57 | GROUND | 102 | 10/19/76 | 5.5900+ 0 | 1.0000-10 | 2.0000+ 1 | 2.2500- 1 SEC. |

25-MN-51
 ATOMIC MASS = 5.0948+ 1
 GROUND STATE
 HALF-LIFE = 4.6000+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|-----------|-----------|-----------|----------------|
| N,G | 25-MN-52 | 3.8300- 1 | 102 | 5/17/77 | 1.0157+ 1 | 1.0000-10 | 2.0000+ 1 | 2.1400+ 1 MIN. |
| N,G | 25-MN-52 | GROUND | 102 | 5/17/77 | 1.0540+ 1 | 1.0000-10 | 2.0000+ 1 | 5.6296+ 0 DAYS |

25-MN-52
 ATOMIC MASS = 5.1946* 1
 GROUND STATE
 HALF-LIFE = 5.6298* 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 25-MN-51 | GROUND | 16 | 5/16/77 | -1.0540* 1 | 1.0743* 1 | 2.0000* 1 | 4.6000* 1 MIN. |
| N,N,P | 24-CR-51 | GROUND | 15 | 5/16/77 | -6.5500* 0 | 1.0007* 1 | 2.0000* 1 | 2.7708* 1 DAYS |
| N,N,P | 23-V-4B | GROUND | 9 | 5/16/77 | -8.6600* 0 | 1.7258* 1 | 2.0000* 1 | 1.5972* 1 DAYS |
| N,N,P | 24-CR-52 | GROUND | 19 | 5/16/77 | 5.4900* 0 | 1.0000-10 | 2.0000* 1 | STABLE |
| N,N,A | 23-V-49 | GROUND | 18 | 5/16/77 | 2.9000* 0 | 5.4351* 0 | 2.0000* 1 | 3.3102* 2 DAYS |
| N,G | 25-MN-53 | GROUND | 102 | 5/17/77 | 1.2050* 1 | 1.0000-10 | 2.0000* 1 | 3.7005* 6 YRS. |

25-MN-53
 ATOMIC MASS = 5.2841* 1
 GROUND STATE
 HALF-LIFE = 3.7005* 6 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|-----------------|
| N,2N | 25-MN-52 | GROUND | 16 | 5/17/77 | -1.2050* 1 | 1.2276* 1 | 2.0000* 1 | 5.6598* 0 DAYS |
| N,2N | 25-MN-52 | 3.8300- 1 | 16 | 5/17/77 | -1.2433* 1 | 1.2668* 1 | 2.0000* 1 | 2.1400* 1 MIN. |
| N,N,P | 24-CR-52 | GROUND | 15 | 5/16/77 | -6.5600* 0 | 9.9984* 0 | 2.0000* 1 | STABLE |
| N,N,A | 23-V-49 | GROUND | 9 | 11/17/76 | -9.1600* 0 | 1.7724* 1 | 2.0000* 1 | 3.3102* 2 DAYS |
| N,P | 24-CR-53 | GROUND | 23 | 5/16/77 | 1.3800* 0 | 2.0732* 0 | 2.0000* 1 | STABLE |
| N,A | 23-V-50 | GROUND | 17 | 11/17/76 | 1.8000* 1 | 8.1682* 0 | 2.0000* 1 | 5.9995* 15 YRS. |
| N,G | 25-MN-54 | GROUND | 102 | 11/16/76 | 8.9400* 0 | 1.0000-10 | 2.0000* 1 | 3.1250* 2 DAYS |

25-MN-54
 ATOMIC MASS = 5.3840* 1
 GROUND STATE
 HALF-LIFE = 3.1250* 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|-----------------|
| N,2N | 25-MN-53 | GROUND | 16 | 5/16/77 | -9.9400* 0 | 9.1057* 0 | 2.0000* 1 | 3.7005* 6 YRS. |
| N,N,P | 24-CR-53 | GROUND | 17 | 5/16/77 | -7.5600* 0 | 1.0999* 1 | 2.0000* 1 | STABLE |
| N,N,A | 23-V-50 | GROUND | 9 | 11/17/76 | -8.7700* 0 | 1.7284* 1 | 2.0000* 1 | 5.9995* 15 YRS. |
| N,P | 24-CR-54 | GROUND | 22 | 5/16/77 | 2.1600* 0 | 1.2621* 0 | 2.0000* 1 | STABLE |
| N,A | 23-V-51 | GROUND | 17 | 11/17/76 | 2.2800* 0 | 5.9807* 0 | 2.0000* 1 | STABLE |
| N,G | 25-MN-55 | GROUND | 102 | 11/16/76 | 1.0230* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

25-MN-55
 ATOMIC MASS = 5.4938+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 25-MN-54 | GROUND | 11 | 8/31/72 | -1.0230+ 1 | 1.0420+ 1 | 2.0000+ 1 | 3.1250+ 2 DAYS |
| N,N'P | 24-CR-54 | GROUND | 17 | 5/16/77 | -8.0700+ 0 | 1.1500+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 23-V -51 | GROUND | 10 | 11/17/76 | -7.9400+ 0 | 1.6397+ 1 | 2.0000+ 1 | STABLE |
| N,P | 24-CR-55 | GROUND | 21 | 5/16/77 | -1.8100+ 0 | 5.2883+ 0 | 2.0000+ 1 | 3.5600+ 0 MIN. |
| N,A | 23-V -52 | GROUND | 18 | 11/17/76 | -6.3000- 1 | 8.9169+ 0 | 2.0000+ 1 | 3.7550+ 0 MIN. |
| N,G | 25-MN-56 | GROUND | 02 | 11/15/76 | 7.2700+ 0 | 1.0000-10 | 2.0000+ 1 | 2.5819+ 0 HRS. |

25-MN-56
 ATOMIC MASS = 5.5939+ 1
 GROUND STATE
 HALF-LIFE = 2.5819+ 0 HRS.

42

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 25-MN-55 | GROUND | 20 | 5/16/77 | -7.2700+ 0 | 7.4000+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 25-MN-54 | GROUND | 9 | 5/16/77 | -1.7500+ 1 | 1.7813+ 1 | 2.0000+ 1 | 3.1250+ 2 DAYS |
| N,N'P | 24-CR-55 | GROUND | 16 | 5/16/77 | -9.0800+ 0 | 1.2511+ 1 | 2.0000+ 1 | 3.5600+ 0 MIN. |
| N,N'A | 23-V -52 | GROUND | 11 | 11/18/76 | -7.9000+ 0 | 1.6317+ 1 | 2.0000+ 1 | 3.7550+ 0 MIN. |
| N,P | 24-CR-56 | GROUND | 22 | 5/16/77 | -8.6000- 1 | 4.3044+ 0 | 2.0000+ 1 | 5.9000+ 0 MIN. |
| N,A | 23-V -53 | GROUND | 19 | 11/18/76 | 6.0000- 1 | 7.6279+ 0 | 2.0000+ 1 | 1.5500+ 0 MIN. |
| N,G | 25-MN-57 | GROUND | 102 | 11/16/76 | 8.7800+ 0 | 1.0000-10 | 2.0000+ 1 | 1.5900+ 0 MIN. |

25-MN-57
 ATOMIC MASS = 5.6938+ 1
 GROUND STATE
 HALF-LIFE = 1.5900+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 25-MN-56 | GROUND | 21 | 5/16/77 | -8.7800+ 0 | 8.9342+ 0 | 2.0000+ 1 | 2.5819+ 0 HRS. |
| N,3N | 25-MN-55 | GROUND | 10 | 5/16/77 | -1.6050+ 1 | 1.6332+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 24-CR-56 | GROUND | 17 | 5/16/77 | -9.6400+ 0 | 1.3063+ 1 | 2.0000+ 1 | 5.9000+ 0 MIN. |
| N,N'A | 23-V -53 | GROUND | 9 | 11/18/76 | -8.1900+ 0 | 1.6572+ 1 | 2.0000+ 1 | 1.5500+ 0 MIN. |
| N,P | 24-CR-57 | GROUND | 18 | 5/16/77 | -4.9500+ 0 | 8.4499+ 0 | 2.0000+ 1 | 2.2500- 1 SEC. |
| N,A | 23-V -54 | GROUND | 18 | 11/18/76 | -1.4300+ 0 | 9.6577+ 0 | 2.0000+ 1 | 4.3000+ 1 SEC. |
| N,G | 25-MN-58 | GROUND | 102 | 11/16/76 | 6.5000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0833+ 0 MIN. |

25-MN-58
 ATOMIC MASS = 5.7940+ 1
 GROUND STATE
 HALF-LIFE = 1.0833+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 25-MN-57 | GROUND | 22 | 5/16/77 | -6.5000+ 0 | 6.6122+ 0 | 2.0000+ 1 | 1.5900+ 0 MIN. |
| N,3N | 25-MN-56 | GROUND | 12 | 5/16/77 | -1.5280+ 1 | 1.5544+ 1 | 2.0000+ 1 | 2.5819+ 0 HRS. |
| N,G | 25-MN-59 | GROUND | 102 | 11/16/76 | 7.3400+ 0 | 1.0000-10 | 2.0000+ 1 | 6.6700- 2 SEC. |

26-FE-53
 ATOMIC MASS = 5.2945+ 1
 GROUND STATE
 HALF-LIFE = 8.5300+ 0 MIN.

| REACTION | PRDDUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 26-FE-52 | GROUND | 15 | 12/09/76 | -1.0680+ 1 | 1.0882+ 1 | 2.0000+ 1 | 8.3000+ 0 HRS. |
| N,N'P | 25-MN-52 | GROUND | 8 | 12/09/76 | -7.5300+ 0 | 1.1176+ 1 | 2.0000+ 1 | 5.6296+ 0 DAYS |
| N,N'P | 25-MN-52 | 3.8300- 1 | 7 | 12/09/76 | -7.9130+ 0 | 1.1556+ 1 | 2.0000+ 1 | 2.1400+ 1 MIN. |
| N,N'A | 24-CR-49 | GROUND | 9 | 12/09/76 | -7.9800+ 0 | 1.6980+ 1 | 2.0000+ 1 | 4.2000+ 1 MIN. |
| N,P | 25-MN-53 | GROUND | 21 | 12/09/76 | 4.5300+ 0 | 1.0000- 4 | 2.0000+ 1 | 3.7005+ 6 YRS. |
| N,A | 24-CR-50 | GROUND | 17 | 12/09/76 | 4.9600+ 0 | 3.7548+ 0 | 2.0000+ 1 | STABLE |
| N,G | 26-FE-54 | GROUND | 102 | 12/19/76 | 1.3380+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

26-FE-54
 ATOMIC MASS = 5.3940+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 26-FE-53 | GROUND | 15 | 12/09/76 | -1.3380+ 1 | 1.3628+ 1 | 2.0000+ 1 | 8.5300+ 0 MIN. |
| N,N'P | 25-MN-53 | GROUND | 8 | 12/09/76 | -9.8000+ 0 | 1.2512+ 1 | 2.0000+ 1 | 3.7005+ 6 YRS. |
| N,N'A | 24-CR-50 | GROUND | 9 | 12/09/76 | -8.4200+ 0 | 1.738+ 1 | 2.0000+ 1 | STABLE |
| N,P | 25-MN-54 | GROUND | 23 | 12/09/76 | 9.0000- 2 | 5.0000- 2 | 2.0000+ 1 | 3.1250+ 2 DAYS |
| N,A | 24-CR-51 | GROUND | 20 | 12/09/76 | 8.4000- 1 | 5.0000- 2 | 2.0000+ 1 | 2.7708+ 1 DAYS |
| N,G | 26-FE-55 | GROUND | 102 | 12/20/76 | 9.3000+ 0 | 1.0000-10 | 2.0000+ 1 | 2.7001+ 0 YRS. |

26-FE-55
 ATOMIC MASS = 5.4938+ 1
 GROUND STATE
 HALF-LIFE = 2.7001+ 0 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 26-FE-54 | GROUND | 15 | 12/09/76 | -9.3000+ 0 | 9.4693+ 0 | 2.0000+ 1 | STABLE |
| N,N'P | 25-MN-54 | GROUND | 8 | 12/09/76 | -9.2100+ 0 | 1.2849+ 1 | 2.0000+ 1 | 3.1250+ 2 DAYS |
| N,N'A | 24-CR-51 | GROUND | 9 | 12/09/76 | -8.4600+ 0 | 1.7382+ 1 | 2.0000+ 1 | 2.7708+ 1 DAYS |
| N,P | 25-MN-55 | GROUND | 22 | 12/09/76 | -1.0100+ 0 | 2.6142+ 0 | 2.0000+ 1 | STABLE |
| N,A | 24-CR-52 | GROUND | 18 | 12/09/76 | 3.5800+ 0 | 5.0830+ 0 | 2.0000+ 1 | STABLE |
| N,G | 26-FE-56 | GROUND | 102 | 12/19/76 | 1.1200+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

26-FE-56
 ATOMIC MASS = 5.5935+ 1
 GROUND STATE
 STABLE

44

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 26-FE-55 | GROUND | 15 | 12/09/76 | -1.1200+ 1 | 1.1400+ 1 | 2.0000+ 1 | 2.7001+ 0 YRS. |
| N,N'P | 25-MN-55 | GROUND | 7 | 12/09/76 | -1.0190+ 1 | 1.3827+ 1 | 2.0000+ 1 | STABLE |
| N,N'A | 24-CR-52 | GROUND | 9 | 12/09/76 | -7.6200+ 0 | 1.6484+ 1 | 2.0000+ 1 | STABLE |
| N,P | 25-MN-56 | GROUND | 19 | 12/09/76 | -2.9100+ 0 | 3.5000+ 0 | 2.0000+ 1 | 2.5819+ 0 HRS. |
| N,A | 24-CR-53 | GROUND | 18 | 12/09/76 | 3.2000- 1 | 8.3636+ 0 | 2.0000+ 1 | STABLE |
| N,G | 26-FE-57 | GROUND | 102 | 12/17/76 | 7.6500+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

26-FE-57
 ATOMIC MASS = 5.6935+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 26-FE-56 | GROUND | 17 | 12/09/76 | -7.6500+ 0 | 7.7844+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 26-FE-55 | GROUND | 4 | 12/09/76 | -1.8850+ 1 | 1.9181+ 1 | 2.0000+ 1 | 2.7001+ 0 YRS. |
| N,N'P | 25-MN-56 | GROUND | 10 | 12/09/76 | -1.0560+ 1 | 1.4185+ 1 | 2.0000+ 1 | 2.5819+ 0 HRS. |
| N,N'A | 24-CR-53 | GROUND | 10 | 12/09/76 | -7.3200+ 0 | 1.6138+ 1 | 2.0000+ 1 | STABLE |
| N,P | 25-MN-57 | GROUND | 20 | 12/09/76 | -1.7800+ 0 | 5.4195+ 0 | 2.0000+ 1 | 1.5900+ 0 MIN. |
| N,A | 24-CR-54 | GROUND | 19 | 12/09/76 | 2.4000+ 0 | 6.2092+ 0 | 2.0000+ 1 | STABLE |
| N,G | 26-FE-58 | GROUND | 102 | 12/26/76 | 1.0040+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

26-FE-59
 ATOMIC MASS = 5.7933+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|------------|-----------|----------------|
| N,2N | 26-FE-57 | GROUND | 18 | 12/09/76 | -1.0040+ 1 | 1.0213+ 1 | 2.0000+ 1 | STABLE |
| N,2N | 26-FE-56 | GROUND | 9 | 15/09/76 | -1.7590+ 1 | 1.7595+ 1 | 2.0000+ 1 | STABLE |
| N,3N | 26-NH-57 | GROUND | 17 | 15/09/76 | -1.7830+ 1 | 1.5839+ 1 | 2.0000+ 1 | STABLE |
| N,N,P | 24-CR-57A | GROUND | 11 | 15/09/76 | -7.6560+ 0 | 1.6832+ 0 | 2.0000+ 1 | STABLE |
| N,N,A | 25-NH-58 | GROUND | 20 | 15/09/76 | -5.3200+ 0 | 9.1023+ 0 | 2.0000+ 1 | MIN. |
| N,N | 24-CR-55 | GROUND | 19 | 15/09/76 | -1.3500+ 0 | 1.10038+ 0 | 2.0000+ 1 | MIN. |
| N,A | 26-FE-59 | GROUND | 102 | 12/20/76 | 6.5900+ 0 | 1.0000-10 | 2.0000+ 1 | 4.4595+ 1 DAYS |

26-FE-59
 ATOMIC MASS = 5.8935+ 1
 GROUND STATE
 HALF-LIFE = 4.4595+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 26-FE-58 | GROUND | 21 | 12/09/76 | -6.5900+ 0 | 6.7018+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 26-FE-57 | GROUND | 9 | 12/09/76 | -1.6630+ 1 | 1.6912+ 1 | 2.0000+ 1 | STABLE |
| N,N,P | 25-NH-58 | GROUND | 7 | 12/09/76 | -1.1910+ 1 | 1.5523+ 1 | 2.0000+ 1 | MIN. |
| N,N,A | 24-CR-55 | GROUND | 10 | 12/09/76 | -7.9700+ 0 | 1.6719+ 0 | 2.0000+ 1 | 3.0833+ 0 MIN. |
| N,P | 25-NH-59 | GROUND | 18 | 12/09/76 | -4.9400+ 0 | 8.5592+ 0 | 2.0000+ 1 | 6700-2 SEC. |
| N,A | 24-CR-56 | GROUND | 17 | 12/09/76 | 2.4000- 1 | 8.3335+ 0 | 2.0000+ 1 | 5.5000+ 6 MIN. |
| N,G | 26-FE-60 | GROUND | 102 | 12/19/76 | 8.8400+ 0 | 1.0000-10 | 2.0000+ 1 | 3.0000+ 5 YRS. |

26-FE-60
 ATOMIC MASS = 5.8934+ 1
 GROUND STATE
 HALF-LIFE = 3.0000+ 5 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 26-FE-59 | GROUND | 22 | 12/09/76 | -8.8400+ 0 | 8.9875+ 0 | 2.0000+ 1 | 4.4595+ 1 DAYS |
| N,3N | 26-FE-58 | GROUND | 12 | 12/09/76 | -1.5420+ 1 | 1.5677+ 1 | 2.0000+ 1 | STABLE |
| N,G | 26-FE-61 | GROUND | 102 | 12/20/76 | 5.6700+ 0 | 1.0000-10 | 2.0000+ 1 | 6.1000+ 0 MIN. |

27-CO-57
 ATOMIC MASS = 5.6936+ 1
 GROUND STATE
 HALF-LIFE = 2.7002+ 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 27-CO-56 | GROUND | 8 | 10/05/76 | -1.1380+ 1 | 1.1580+ 1 | 2.0000+ 1 | 7.8495+ 1 DAYS |
| N,N'P | 26-FE-56 | GROUND | 13 | 10/06/76 | -6.0300+ 0 | 6.8400+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 25-MN-53 | GROUND | 10 | 10/05/76 | -7.0800+ 0 | 9.5000+ 0 | 2.0000+ 1 | 3.7005+ 6 YRS. |
| N,P | 26-FE-57 | GROUND | 58 | 10/06/76 | 1.6200+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 25-MN-54 | GROUND | 16 | 10/05/76 | 1.8600+ 0 | 1.0000+ 0 | 2.0000+ 1 | 3.1250+ 2 DAYS |
| N,G | 27-CO-58 | 2.4900- 2 | 102 | 10/01/76 | 8.5451+ 0 | 1.0000-10 | 2.0000+ 1 | 9.0000+ 0 HRS. |
| N,G | 27-CO-58 | GROUND | 102 | 10/01/76 | 8.5700+ 0 | 1.0000-10 | 2.0000+ 1 | 7.1296+ 1 DAYS |

27-CO-58
 ATOMIC MASS = 5.7936+ 1
 GROUND STATE
 HALF-LIFE = 7.1296+ 1 DAYS

46

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,N' | 27-CO-58 | 2.4900- 2 | 30 | 10/08/76 | -2.4900- 2 | 2.5330- 2 | 2.0000+ 1 | 9.0000+ 0 HRS. |
| N,2N | 27-CO-57 | GROUND | 11 | 10/05/76 | -8.5700+ 0 | 8.7200+ 0 | 2.0000+ 1 | 2.7002+ 2 DAYS |
| N,N'P | 25-FE-57 | GROUND | 12 | 10/06/76 | -6.9500+ 0 | 7.6700+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 23-MN-54 | GROUND | 9 | 10/06/76 | -6.7200+ 0 | 1.0000+ 1 | 2.0000+ 1 | 3.1250+ 2 DAYS |
| N,P | 26-FE-58 | GROUND | 59 | 10/06/76 | 3.0900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 25-MN-55 | GROUND | 60 | 10/06/76 | 3.5100+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 27-CO-59 | GROUND | 102 | 10/04/76 | 1.0460+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

27-CO-58
 ATOMIC MASS = 5.7936+ 1
 LEVEL = 2.4900- 2
 HALF-LIFE = 9.0000+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,N' | 27-CO-58 | GROUND | 51 | 10/08/76 | 0.0000+ 0 | 1.0000-10 | 2.0000+ 1 | 7.1296+ 1 DAYS |
| N,2N | 27-CO-57 | GROUND | 11 | 10/05/76 | -8.5451+ 0 | 8.6924+ 0 | 2.0000+ 1 | 2.7002+ 2 DAYS |
| N,N'P | 26-FE-57 | GROUND | 12 | 10/06/76 | -6.9251+ 0 | 7.6451+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 25-MN-54 | GROUND | 9 | 10/06/76 | -6.6951+ 0 | 9.9750+ 0 | 2.0000+ 1 | 3.1250+ 2 DAYS |
| N,P | 26-FE-58 | GROUND | 59 | 10/06/76 | 3.1149+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 25-MN-55 | GROUND | 59 | 10/06/76 | 3.5349+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 27-CO-59 | GROUND | 102 | 10/04/76 | 1.0485+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

27-CO-59
 ATOMIC MASS = 5.8935+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE | |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|-----------|------|
| N,2N | 27-CO-58 | GROUND | 13 | 10/05/76 | -1.0461+ 1 | 1.0638+ 1 | 2.0000+ 1 | 7.1296+ 1 | DAYS |
| N,2N | 27-CO-58 | 2.4900- 2 | 13 | 10/05/76 | -1.0486+ 1 | 1.0664+ 1 | 2.0000+ 1 | 9.0000+ 0 | HRS. |
| N,N'P | 26-FE-58 | GROUND | 11 | 10/06/76 | -7.2700+ 0 | 8.1900+ 0 | 2.0000+ 1 | STABLE | |
| N,N'A | 25-MN-56 | GROUND | 10 | 10/06/76 | -6.9500+ 0 | 9.3700+ 0 | 2.0000+ 1 | STABLE | |
| N,P | 26-FE-59 | GROUND | 19 | 10/06/76 | -7.8000- 1 | 1.2930+ 0 | 2.0000+ 1 | 4.4595+ 1 | DAYS |
| N,D | 26-FE-58 | GROUND | 4 | 3/01/74 | -5.1400+ 0 | 5.2320+ 0 | 2.0000+ 1 | STABLE | |
| N,T | 26-FE-57 | GROUND | 4 | 3/01/74 | -8.9300+ 0 | 9.0810+ 0 | 2.0000+ 1 | STABLE | |
| N,A | 25-MN-56 | GROUND | 30 | 3/01/74 | 3.2000- 1 | 4.9000+ 0 | 2.0000+ 1 | 2.5819+ 0 | HRS. |
| N,G | 27-CO-60 | 5.8600- 2 | 102 | 8/18/76 | 7.4300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0500+ 1 | MIN. |
| N,C | 27-CO-60 | GROUND | 102 | 8/18/76 | 7.4900+ 0 | 1.0000-10 | 2.0000+ 1 | 5.2607+ 0 | YRS. |

27-CO-60
 ATOMIC MASS = 5.9934+ 1
 GROUND STATE
 HALF-LIFE = 5.2607+ 0 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE | |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|-----------|------|
| N,N' | 27-CO-60 | 5.8600- 2 | 29 | 10/08/76 | -5.8600- 2 | 5.9580- 2 | 2.0000+ 1 | 1.0500+ 1 | MIN. |
| N,2N | 27-CO-59 | GROUND | 12 | 10/05/76 | -7.4900+ 0 | 7.6200+ 0 | 2.0000+ 1 | STABLE | |
| N,3N | 27-CO-58 | GROUND | 2 | 10/05/76 | -1.7950+ 1 | 1.8250+ 1 | 2.0000+ 1 | 7.1296+ 1 | DAYS |
| N,3N | 27-CO-58 | 2.4900- 2 | 2 | 10/05/76 | -1.7975+ 1 | 1.8275+ 1 | 2.0000+ 1 | 9.0000+ 0 | HRS. |
| N,N'P | 26-FE-59 | GROUND | 9 | 10/06/76 | -8.2800+ 0 | 1.0000+ 1 | 2.0000+ 1 | 4.4595+ 1 | DAYS |
| N,N'A | 25-MN-56 | GROUND | 6 | 10/06/76 | -7.1700+ 0 | 1.3000+ 1 | 2.0000+ 1 | 2.5819+ 0 | HRS. |
| N,P | 26-FE-60 | GROUND | 20 | 10/06/76 | 5.6000- 1 | 5.0000- 1 | 2.0000+ 1 | 3.0004+ 5 | YRS. |
| N,A | 25-MN-57 | GROUND | 17 | 10/06/76 | 1.6100+ 0 | 2.0000+ 0 | 2.0000+ 1 | 1.5900+ 0 | MIN. |
| N,G | 27-CO-61 | GROUND | 102 | 10/05/76 | 9.3400+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6500+ 0 | HRS. |

27-CO-60
 ATOMIC MASS = 5.9934+ 1
 LEVEL = 5.8600- 2
 HALF-LIFE = 1.0500+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,N' | 27-CO-60 | GROUND | 58 | 10/08/76 | 0.0000+ 0 | 1.0000-10 | 2.0000+ 1 | 5.2607+ 0 YRS. |
| N,2N | 27-CO-59 | GROUND | 12 | 10/05/76 | -7.4314+ 0 | 7.5553+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 27-CO-58 | GROUND | 2 | 10/05/76 | -1.7891+ 1 | 1.8190+ 1 | 2.0000+ 1 | 7.1286+ 1 DAYS |
| N,3N | 27-CO-58 | 2.4500- 2 | 2 | 10/05/76 | -1.7916+ 1 | 1.8215+ 1 | 2.0000+ 1 | 9.0000+ 0 HRS. |
| N,N'P | 26-FE-59 | GROUND | 9 | 10/06/76 | -8.2214+ 0 | 9.9404+ 0 | 2.0000+ 1 | 4.4685+ 1 DAYS |
| N,N'A | 25-MN-56 | GROUND | 6 | 10/06/76 | -7.1114+ 0 | 1.2940+ 1 | 2.0000+ 1 | 2.5819+ 0 HRS. |
| N,P | 26-FE-60 | GROUND | 23 | 10/06/76 | 6.1860- 1 | 4.4040- 1 | 2.0000+ 1 | 3.0004+ 5 YRS. |
| N,A | 25-MN-57 | GROUND | 17 | 10/06/76 | 1.6686+ 0 | 1.3404+ 0 | 2.0000+ 1 | 1.5900+ 0 MIN. |
| N,G | 27-CO-61 | GROUND | 102 | 10/05/76 | 9.3986+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6500+ 0 HRS. |

27-CO-61
 ATOMIC MASS = 6.0933+ 1
 GROUND STATE
 HALF-LIFE = 1.6500+ 0 HRS.

48

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 27-CO-60 | GROUND | 20 | 10/05/76 | -9.3400+ 0 | 9.4933+ 0 | 2.0000+ 1 | 5.2607+ 0 YRS. |
| N,2N | 27-CO-60 | 5.8600- 2 | 20 | 10/05/76 | -9.3986+ 0 | 9.5528+ 0 | 2.0000+ 1 | 1.0500+ 1 MIN. |
| N,3N | 27-CO-59 | GROUND | 10 | 10/07/76 | -1.6830+ 1 | 1.7106+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 26-FE-60 | GROUND | 17 | 10/06/76 | -8.7800+ 0 | 1.2492+ 1 | 2.0000+ 1 | 3.0004+ 5 YRS |
| N,P | 26-FE-61 | GROUND | 21 | 10/06/76 | -3.1100+ 0 | 6.9009+ 0 | 2.0000+ 1 | 6.1000+ 0 MIN. |
| N,G | 27-CO-62 | 2.5000- 2 | 102 | 10/05/76 | 6.6550+ 0 | 1.0000-10 | 2.0000+ 1 | 1.3910+ 1 MIN. |
| N,G | 27-CO-62 | GROUND | 102 | 10/05/76 | 6.6800+ 0 | 1.0000-10 | 2.0000+ 1 | 1.5000+ 0 MIN. |

27-CO-62
 ATOMIC MASS = 6.1934+ 1
 GROUND STATE
 HALF-LIFE = 1.5000+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,N' | 27-CO-62 | 2.5000- 2 | 30 | 10/08/76 | -2.5000- 2 | 2.5400- 2 | 2.0000+ 1 | 1.3910+ 1 MIN. |
| N,2N | 27-CO-61 | GROUND | 22 | 10/05/76 | -6.6800+ 0 | 6.7879+ 0 | 2.0000+ 1 | 1.6500+ 0 HRS. |
| N,3N | 27-CO-60 | GROUND | 12 | 10/05/76 | -1.6020+ 1 | 1.6279+ 1 | 2.0000+ 1 | 5.2607+ 0 YRS. |
| N,3N | 27-CO-60 | 5.8600- 2 | 12 | 10/05/76 | -1.6079+ 1 | 1.6338+ 1 | 2.0000+ 1 | 1.0500+ 1 MIN. |
| N,N'P | 26-FE-61 | GROUND | 17 | 10/06/76 | -9.7900+ 0 | 1.3501+ 1 | 2.0000+ 1 | 6.1000+ 0 MIN. |
| N,P | 26-FE-62 | GROUND | 22 | 10/06/76 | -2.1200+ 0 | 5.8780+ 0 | 2.0000+ 1 | 6.8000+ 1 SEC. |
| N,G | 27-CO-63 | GROUND | 102 | 10/07/75 | 8.4000+ 0 | 1.0000-10 | 2.0000+ 1 | 2.7400+ 1 SEC. |

27-CO-62
 ATOMIC MASS = 6.1934+ 1
 LEVEL = 2.5000- 2
 HALF-LIFE = 1.3910+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,N' | 27-CO-62 | GROUND | 58 | 10/08/76 | 0.0000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.5000+ 0 MIN. |
| N,2N | 27-CO-61 | GROUND | 22 | 10/05/76 | -6.6550+ 0 | 6.7625+ 0 | 2.0000+ 1 | 1.6500+ 0 HRS. |
| N,3N | 27-CO-60 | GROUND | 12 | 10/05/76 | -1.5995+ 1 | 1.6253+ 1 | 2.0000+ 1 | 5.2607+ 0 YRS. |
| N,3N | 27-CO-60 | 5.8600- 2 | 12 | 10/05/76 | -1.6054+ 1 | 1.6313+ 1 | 2.0000+ 1 | 1.0500+ 1 MIN. |
| N,N'P | 26-FE-61 | GROUND | 17 | 10/06/76 | -9.7650+ 0 | 1.3475+ 1 | 2.0000+ 1 | 6.1000+ 0 MIN. |
| N,P | 26-FE-62 | GROUND | 22 | 10/06/76 | -2.0950+ 0 | 5.8526+ 0 | 2.0000+ 1 | 6.8000+ 1 SEC. |
| N,G | 27-CO-63 | GROUND | 102 | 10/05/76 | 8.4250+ 0 | 1.0000-10 | 2.0000+ 1 | 2.7400+ 1 SEC. |

27-CO-63
 ATOMIC MASS = 6.2934+ 1
 GROUND STATE
 HALF-LIFE = 2.7400+ 1 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 27-CO-62 | GROUND | 23 | 10/05/76 | -8.4000+ 0 | 8.5335+ 0 | 2.0000+ 1 | 1.5000+ 0 MIN. |
| N,2N | 27-CO-62 | 2.5000- 2 | 24 | 10/05/76 | -8.4250+ 0 | 8.5589+ 0 | 2.0000+ 1 | 1.3910+ 1 MIN. |
| N,3N | 27-CO-61 | GROUND | 12 | 10/05/76 | -1.5080+ 1 | 1.5320+ 1 | 2.0000+ 1 | 1.6500+ 0 HRS. |
| N,G | 27-CO-64 | GROUND | 102 | 10/05/76 | 6.3200+ 0 | 1.0000-10 | 2.0000+ 1 | 4.0000- 1 SEC. |

27-CO-64
 ATOMIC MASS = 6.3936+ 1
 GROUND STATE
 HALF-LIFE = 4.0000- 1 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 27-CO-63 | GROUND | 23 | 10/05/76 | -6.3200+ 0 | 6.4188+ 0 | 2.0000+ 1 | 2.7400+ 1 SEC. |
| N,3N | 27-CO-62 | GROUND | 14 | 10/05/76 | -1.4720+ 1 | 1.4950+ 1 | 2.0000+ 1 | 1.5000+ 0 MIN. |
| N,3N | 27-CO-62 | 2.5000- 2 | 14 | 10/05/76 | -1.4745+ 1 | 1.4976+ 1 | 2.0000+ 1 | 1.3910+ 1 MIN. |
| N,G | 27-CO-65 | GROUND | 102 | 10/05/76 | 7.3000+ 0 | 1.0000-10 | 2.0000+ 1 | 8.0000- 1 SEC. |

28-NI-57
 ATOMIC MASS = 5.8940* 1
 GROUND STATE
 HALF-LIFE = 1.5000* 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-56 | GROUND | 9 | 9/05/76 | -1.0250* 1 | 1.0440* 1 | 2.0000* 1 | 5.0995* 0 DAYS |
| N,N,P | 27-CO-55 | GROUND | 11 | 9/05/76 | -7.3500* 0 | 1.9900* 0 | 2.0000* 1 | 7.8495* 1 DAYS |
| N,N,A | 26-FE-53 | GROUND | 6 | 9/05/76 | -7.3500* 0 | 1.3500* 1 | 2.0000* 1 | 9.5300* 0 MIN. |
| N,P | 27-CO-57 | GROUND | 58 | 9/05/76 | 4.0500* 0 | 1.0000-10 | 2.0000* 1 | 2.7000* 2 DAYS |
| N,A | 26-FE-54 | GROUND | 58 | 9/05/76 | 5.9000* 0 | 1.0000-10 | 2.0000* 1 | STABLE |
| N,G | 28-NI-58 | GROUND | 110 | 9/02/76 | 1.3200* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

28-NI-58
 ATOMIC MASS = 5.7940* 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-57 | GROUND | 7 | 9/05/76 | -1.2500* 1 | 1.2410* 1 | 2.0000* 1 | 1.5000* 0 DAYS |
| N,N,P | 27-CO-57 | GROUND | 10 | 9/05/76 | -8.1500* 0 | 9.9200* 0 | 5.0000* 1 | 2.7000* 2 DAYS |
| N,N,A | 26-FE-54 | GROUND | 17 | 9/05/76 | -9.7500* 0 | 9.7300* 0 | 5.0000* 1 | STABLE |
| N,P | 27-CO-59 | 2.4500- 2 | 37 | 9/05/76 | 3.7500* 1 | 5.0000* 1 | 5.0000* 1 | 9.0000* 0 HRS. |
| N,P | 27-CO-58 | GROUND | 53 | 9/05/76 | 5.0000* 1 | 5.0000- 1 | 5.0000* 1 | 2.7000* 1 HRS. |
| N,A | 26-FE-55 | GROUND | 52 | 9/05/76 | 2.8500* 0 | 5.0000- 1 | 5.0000* 1 | 2.1000* 1 HRS. |
| N,G | 28-NI-59 | GROUND | 110 | 9/31/76 | 9.0000* 0 | 1.0000-10 | 2.0000* 1 | 8.0000* 4 HRS. |

28-NI-59
 ATOMIC MASS = 5.8930* 1
 GROUND STATE
 HALF-LIFE = 8.0000* 4 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-58 | GROUND | 10 | 9/05/76 | -9.0000* 0 | 9.1520* 0 | 2.0000* 1 | STABLE |
| N,N,P | 27-CO-58 | GROUND | 9 | 9/05/76 | -8.6000* 0 | 1.0020* 1 | 2.0000* 1 | 7.1256* 1 HRS. |
| N,N,P | 27-CO-58 | 2.4500- 2 | 9 | 9/05/76 | -8.6250* 0 | 1.0025* 1 | 2.0000* 1 | 9.0000* 0 HRS. |
| N,N,A | 26-FE-55 | GROUND | 10 | 9/05/76 | -6.1100* 0 | 9.0000- 0 | 2.0000* 1 | 2.7000* 1 HRS. |
| N,P | 27-CO-59 | GROUND | 36 | 9/05/76 | 1.8600* 0 | 8.0000- 4 | 2.0000* 1 | STABLE |
| N,A | 26-FE-56 | GROUND | 58 | 9/05/76 | 5.0900* 0 | 1.0000-10 | 2.0000* 1 | STABLE |
| N,G | 28-NI-60 | GROUND | 110 | 9/02/76 | 1.1390* 1 | 1.0000-10 | 2.0000* 1 | STABLE |

28-NI-60
 ATOMIC MASS = 5.9930+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-59 | GROUND | 0 | 9/05/76 | -1.1390+ 1 | 1.1580+ 1 | 2.0000+ 1 | 9.000+ 4 YRS. |
| N,N,P | 27-CO-59 | GROUND | 9 | 9/05/76 | -9.5300+ 0 | 1.0500+ 1 | 2.0000+ 1 | STABLE |
| N,N,P | 28-Fe-56 | GROUND | 10 | 9/05/76 | -6.5000+ 0 | 9.7500+ 0 | 2.0000+ 1 | STABLE |
| N,P | 27-CO-60 | GROUND | 20 | 9/05/76 | -5.0400+ 0 | 2.0740+ 0 | 2.0000+ 1 | 9.2607+ 0 YRS. |
| N,P | 27-CO-60 | 5.8600- 2 | 19 | 9/05/76 | -5.0988+ 0 | 2.1335+ 0 | 2.0000+ 1 | 1.0500+ 1 MIN. |
| N,D | 27-CO-59 | GROUND | 9 | 9/15/76 | -7.3100+ 0 | 7.4300+ 0 | 2.0000+ 1 | STABLE |
| N,A | 28-Fe-57 | GROUND | 17 | 9/05/76 | -7.3500+ 0 | 2.5000+ 0 | 2.0000+ 1 | STABLE |
| N,O | 28-NI-61 | GROUND | 110 | 8/31/76 | 7.8200+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

28-NI-61
 ATOMIC MASS = 6.0930+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-60 | GROUND | 11 | 9/05/76 | -7.8200+ 0 | 7.9800+ 0 | 2.0000+ 1 | STABLE |
| N,N,P | 27-CO-60 | GROUND | 7 | 9/05/76 | -9.8600+ 0 | 1.2300+ 1 | 2.0000+ 1 | 9.000+ 4 YRS. |
| N,N,P | 27-CO-60 | 5.8600- 2 | 7 | 9/05/76 | -8.9186+ 0 | 1.2550+ 1 | 2.0000+ 1 | 9.2607+ 0 MIN. |
| N,N,P | 28-Fe-57 | GROUND | 9 | 9/05/76 | -6.4700+ 0 | 1.6500+ 1 | 2.0000+ 1 | STABLE |
| N,P | 27-CO-61 | GROUND | 18 | 9/05/76 | -5.2000- 1 | 2.2800+ 0 | 2.0000+ 1 | 1.8300+ 0 MRS. |
| N,A | 28-Fe-58 | GROUND | 22 | 9/05/76 | 3.9700+ 0 | 1.5000- 0 | 2.0000+ 1 | STABLE |
| N,O | 28-NI-62 | GROUND | 110 | 9/02/76 | 1.0600+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

28-NI-62
 ATOMIC MASS = 6.1930+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-61 | GROUND | 9 | 9/05/76 | -1.0600+ 1 | 1.0770+ 1 | 2.0000+ 1 | STABLE |
| N,N,P | 27-CO-61 | GROUND | 6 | 9/05/76 | -1.1120+ 1 | 1.3000+ 1 | 2.0000+ 1 | 1.6500+ 0 HRS. |
| N,N'A | 26-FE-59 | GROUND | 9 | 9/05/76 | -7.0200+ 0 | 1.1750+ 1 | 2.0000+ 1 | STABLE |
| N,P | 27-CO-62 | GROUND | 13 | 9/05/76 | -4.4400+ 0 | 6.5000+ 0 | 2.0000+ 1 | 1.5000+ 0 MIN. |
| N,P | 27-CO-62 | 2.5000- 2 | 13 | 9/05/76 | -4.4400+ 0 | 6.5650+ 0 | 2.0000+ 1 | 1.3910+ 1 MIN. |
| N,A | 26-FE-59 | GROUND | 14 | 9/05/76 | -4.4000- 1 | 5.5000+ 0 | 2.0000+ 1 | 4.4595+ 1 DAYS |
| N,G | 28-NI-63 | GROUND | 110 | 9/02/76 | 5.8400+ 0 | 1.0000-10 | 2.0000+ 1 | 9.1950+ 1 YRS. |

28-NI-63
 ATOMIC MASS = 6.8230+ 1
 GROUND STATE
 HALF-LIFE = 9.1950+ 1 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-62 | GROUND | 12 | 9/05/76 | -6.8400+ 0 | 6.9600+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 28-NI-61 | GROUND | 3 | 9/05/76 | -0.7430+ 1 | 1.7710+ 1 | 2.0000+ 1 | STABLE |
| N,N,P | 27-CO-62 | GROUND | 5 | 9/05/76 | -1.1300+ 1 | 1.4600+ 1 | 2.0000+ 1 | 1.6000+ 0 MIN. |
| N,N'A | 26-FE-59 | GROUND | 7 | 9/05/76 | -7.3700+ 0 | 1.3635+ 1 | 2.0000+ 1 | 4.3569+ 1 MIN. |
| N,P | 27-CO-63 | GROUND | 14 | 9/05/76 | -2.6900+ 0 | 5.0000+ 0 | 2.0000+ 1 | 2.7559+ 1 DAYS |
| N,A | 26-FE-60 | GROUND | 15 | 9/05/76 | 1.5600+ 0 | 3.5000+ 0 | 2.0000+ 1 | 3.7000+ 1 SEC. |
| N,G | 28-NI-64 | GROUND | 110 | 9/02/76 | 9.6600+ 0 | 1.0000-10 | 2.0000+ 1 | 3.0000+ 5 YRS. |

28-NI-64
 ATOMIC MASS = 6.3930+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-63 | GROUND | 10 | 9/05/76 | -9.6600+ 0 | 9.8100+ 0 | 2.0000+ 1 | 9.1990+ 1 YRS. |
| N,3N | 28-NI-62 | GROUND | 3 | 9/05/76 | -1.6500+ 1 | 1.6750+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 27-CO-63 | GROUND | 4 | 9/05/76 | -1.2540+ 1 | 1.5500+ 1 | 2.0000+ 1 | 2.7400+ 1 SEC. |
| N,N'A | 26-FE-60 | GROUND | 6 | 9/05/76 | -8.1000+ 0 | 1.3500+ 1 | 2.0000+ 1 | 3.000+ 5 YRS. |
| N,P | 27-CO-64 | GROUND | 11 | 9/05/76 | -6.2100+ 0 | 8.5600+ 0 | 2.0000+ 1 | 4.00FO- 1 SEC. |
| N,A | 26-FE-61 | GROUND | 12 | 9/05/76 | -2.4300+ 0 | 7.0000+ 0 | 2.0000+ 1 | 6.10 J+ 0 MIN. |
| N,G | 28-NI-65 | GROUND | 110 | 9/02/76 | 6.1000+ 0 | 1.0000-10 | 2.0000+ 1 | 2.5600+ 0 HRS. |

28-NI-65
 ATOMIC MASS = 6.4930+ 1
 GROUND STATE
 HALF-LIFE = 2.5600+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 28-NI-64 | GROUND | 13 | 9/05/76 | -6.1000+ 0 | 6.1900+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 28-NI-63 | GROUND | 3 | 9/05/76 | -1.5760+ 1 | 1.6000+ 1 | 2.0000+ 1 | 9.1990+ 1 YRS. |
| N,N'P | 27-CO-64 | GROUND | 3 | 9/05/76 | -1.2430+ 1 | 1.7000+ 1 | 2.0000+ 1 | 4.0000- 1 SEC. |
| N,N'A | 26-FE-61 | GROUND | 5 | 9/05/76 | -7.5700+ 0 | 1.4500+ 1 | 2.0000+ 1 | 6.1000+ 0 MIN. |
| N,P | 27-CO-65 | GROUND | 9 | 9/06/76 | -5.0500+ 0 | 7.5000+ 0 | 2.0000+ 1 | 2.0000- 1 SEC. |
| N,A | 26-FE-62 | GROUND | 15 | 9/05/76 | 1.0000- 1 | 4.5000+ 1 | 2.0000+ 1 | 6.8000+ 1 SEC. |
| N,G | 28-NI-66 | GROUND | 110 | 9/02/76 | 9.0000+ 0 | 1.0000-10 | 2.0000+ 1 | 2.2917+ 0 DAYS |

29-CU-62
 ATOMIC MASS = 6.1930+ 1
 GROUND STATE
 HALF-LIFE = 9.8000+ 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 29-CU-61 | GROUND | 15 | 8/16/76 | -8.8900+ 0 | 9.0335+ 0 | 2.0000+ 1 | 3.3194+ 0 HRS. |
| N,N'P | 28-NI-61 | GROUND | 16 | 8/17/76 | -5.8700+ 0 | 6.4700+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 27-CO-58 | GROUND | 13 | 8/17/76 | -5.3690+ 0 | 7.1570+ 0 | 2.0000+ 1 | 7.1286+ 1 DAYS |
| N,P | 27-CO-58 | 2.4900- 2 | 13 | 8/17/76 | -5.3690+ 0 | 7.8500+ 0 | 2.0000+ 1 | 9.0000+ 0 HRS. |
| N,A | 28-NI-62 | GROUND | 58 | 8/16/76 | 4.7300+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,A | 27-CO-59 | GROUND | 59 | 8/16/76 | 5.0690+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |
| N,G | 29-CU-63 | GROUND | 112 | 8/10/76 | 1.0650+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

29-CU-63
 ATOMIC MASS = 6.2930* I
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|-----------|
| N.2N | 29-CU-62 | GROUND | 19 | 8/02/76 | -1.0950* 1 | 1.1020* 1 | 2.0000* 1 | 9.8000* 0 |
| N.3N | 28-NI-62 | GROUND | 26 | 8/03/76 | -6.1200* 0 | 7.7500* 0 | 2.0000* 1 | MIN. |
| N.N.P | 27-CO-59 | GROUND | 17 | 8/03/76 | -5.7700* 0 | 1.2000* 1 | 2.0000* 1 | STABLE |
| N.N.A | 28-NI-63 | GROUND | 27 | 8/02/76 | 7.2000- 1 | 1.0000* 0 | 2.0000* 1 | STABLE |
| N.P | 27-CO-60 | 5.8600- 2 | 25 | 8/04/76 | 1.6514* 0 | 5.3595* 0 | 2.0000* 1 | 9.1990* 2 |
| N.A | 27-CO-60 | GROUND | 25 | 8/04/76 | 1.7200* 0 | 5.3000* 0 | 2.0000* 1 | 1.0500* 1 |
| N.A | 29-CU-64 | GROUND | 112 | 7/29/76 | 7.9200* 0 | 1.0000-10 | 2.0000* 1 | 5.2607* 0 |
| N.G | | | | | | | 2.0000* 1 | 1.2600* 1 |

29-CU-64
 ATOMIC MASS = 6.3930* I
 GROUND STATE
 HALF-LIFE = 1.2600* I HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|-----------|
| N.2N | 29-CU-63 | GROUND | 18 | 8/16/76 | -7.9200* 0 | 8.0439* 0 | 2.0000* 1 | STABLE |
| N.3N | 29-CU-62 | GROUND | 5 | 8/16/76 | -1.8770* 1 | 1.9064* 1 | 2.0000* 1 | 9.8000* 0 |
| N.N.P | 28-NI-63 | GROUND | 15 | 8/17/76 | -7.2000* 0 | 7.8100* 0 | 2.0000* 1 | MIN. |
| N.N.A | 27-CO-60 | GROUND | 10 | 8/17/76 | -6.2000* 0 | 1.1500* 1 | 2.0000* 1 | 9.1990* 1 |
| N.N.A | 27-CO-60 | 5.8600- 2 | 10 | 8/17/76 | -6.2586* 0 | 1.1559* 1 | 2.0000* 1 | YRS. |
| N.P | 28-NI-64 | GROUND | 58 | 8/16/76 | 2.4600* 0 | 1.0000-10 | 2.0000* 1 | 5.2607* 0 |
| N.A | 27-CO-61 | GROUND | 18 | 8/16/76 | 3.1400* 0 | 3.9000* 0 | 2.0000* 1 | 1.0500* 1 |
| N.A | 29-CU-65 | GROUND | 112 | 8/10/76 | 9.9100* 0 | 1.0000-10 | 2.0000* 1 | STABLE |
| N.C | | | | | | | 2.0000* 1 | 1.6500* 0 |

29-CU-65
 ATOMIC MASS = 6.4930+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 29-CU-64 | GROUND | 35 | 8/03/76 | -9.9100+ 0 | 1.0063+ 1 | 2.0000+ 1 | 1.2800+ 1 HRS. |
| N,3N | 29-CU-63 | GROUND | 9 | 8/03/76 | -1.7820+ 1 | 1.8094+ 1 | 2.0000+ 1 | STABLE |
| N,N'P | 28-NI-64 | GROUND | 25 | 8/03/76 | -7.4500+ 0 | 8.3000+ 0 | 2.0000+ 1 | STABLE |
| N,N'A | 27-CO-61 | GROUND | 15 | 7/27/76 | -6.7700+ 0 | 1.3250+ 1 | 2.0000+ 1 | 1.6500+ 0 HRS. |
| N,P | 28-NI-65 | GROUND | 22 | 8/02/76 | -1.3500+ 0 | 2.5000+ 0 | 2.0000+ 1 | 2.5600+ 0 HRS. |
| N,A | 27-CO-62 | GROUND | 25 | 8/02/76 | -9.0000- 2 | 6.5000+ 0 | 2.0000+ 1 | 1.5000+ 0 MIN. |
| N,A | 27-CO-62 | 2.5000- 2 | 25 | 8/02/76 | -1.1500- 1 | 6.5250+ 0 | 2.0000+ 1 | 1.3910+ 1 MIN. |
| N,G | 29-CU-66 | GROUND | 109 | 7/29/76 | 7.0700+ 0 | 1.0000-10 | 2.0000+ 1 | 5.1000+ 0 MIN. |

29-CU-66
 ATOMIC MASS = 6.5930+ 1
 GROUND STATE
 HALF-LIFE = 5.1000+ 0 MIN

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 29-CU-65 | GROUND | 14 | 8/16/76 | -7.0700+ 0 | 7.1700+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 29-CU-64 | GROUND | 4 | 8/16/76 | -1.6970+ 1 | 1.7230+ 1 | 2.0000+ 1 | 1.2800+ 1 HRS. |
| N,N'P | 28-NI-65 | GROUND | 10 | 8/17/76 | -8.4200+ 0 | 1.1000+ 1 | 2.0000+ 1 | 2.5600+ 0 HRS. |
| N,N'A | 27-CO-62 | GROUND | 7 | 8/17/76 | -7.1500+ 0 | 1.4500+ 1 | 2.0000+ 1 | 1.5000+ 0 MIN. |
| N,N'A | 27-CO-62 | 2.5000- 2 | 7 | 8/17/76 | -7.1750+ 0 | 1.4525+ 1 | 2.0000+ 1 | 1.3910+ 1 MIN. |
| N,P | 28-NI-66 | GROUND | 18 | 8/16/76 | 5.8000- 1 | 3.6000+ 0 | 2.0000+ 1 | 2.2917+ 0 DAYS |
| N,A | 27-CO-63 | GROUND | 10 | 3/16/76 | 1.2500+ 0 | 1.1200+ 1 | 2.0000+ 1 | 2.7400+ 1 SEC. |
| N,G | 29-CU-67 | GROUND | 112 | 8/10/76 | 9.1200+ 0 | 1.0000-10 | 2.0000+ 1 | 2.4563+ 0 DAYS |

33-AS-75
 ATOMIC MASS = 7.4922+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|-----------|-----------|-----------|----------------|
| N,G | 33-AS-76 | GROUND | 102 | 4/19/78 | 7.3300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0958+ 0 DAYS |

39-Y -89
 ATOMIC MASS = 8.8906+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 39-Y -88 | GROUND | 13 | 10/02/76 | -1.1470+ 1 | 1.1599+ 1 | 2.0000+ 1 | 1.0799+ 2 DAYS |
| N,N'P | 38-SR-88 | GROUND | 16 | 10/02/76 | -7.0700+ 0 | 1.2428+ 1 | 2.0000+ 1 | STABLE |
| N,P | 38-SR-89 | GROUND | 20 | 10/02/76 | -7.1000- 1 | 6.2318+ 0 | 2.0000+ 1 | 5.1968+ 1 DAYS |
| N,A | 37-RB-86 | 5.6000- 1 | 13 | 10/02/76 | 1.4000- 1 | 1.1842+ 1 | 2.0000+ 1 | 1.0400+ 0 MIN. |
| N,G | 39-Y -90 | GROUND | 102 | 10/02/76 | 6.6500+ 0 | 1.0000-10 | 2.0000+ 1 | 2.6597+ 0 DAYS |

40-ZR-89
 ATOMIC MASS = 8.8909+ 1
 GROUND STATE
 HALF-LIFE = 3.2662+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 40-ZR-88 | GROUND | 15 | 8/08/76 | -9.3000+ 0 | 9.4046+ 0 | 2.0000+ 1 | 8.5000+ 1 DAYS |
| N,P | 39-Y -89 | GROUND | 18 | 8/08/76 | 3.6200+ 0 | 2.0313+ 0 | 2.0000+ 1 | STABLE |
| N,A | 38-SR-86 | GROUND | 17 | 8/08/76 | 5.3000+ 0 | 7.5425+ 0 | 2.0000+ 1 | STABLE |
| N,G | 40-ZR-90 | GROUND | 102 | 8/08/76 | 1.1990+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

40-ZR-91
 ATOMIC MASS = 9.0906+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 40-ZR-90 | GROUND | 19 | 8/08/76 | -7.1900+ 0 | 7.2691+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 40-ZR-89 | GROUND | 4 | 8/08/76 | -1.9180+ 1 | 1.9391+ 1 | 2.0000+ 1 | 3.2662+ 0 DAYS |
| N,P | 39-Y -91 | GROUND | 18 | 8/08/76 | -7.6000- 1 | 6.4260+ 0 | 2.0000+ 1 | 5.8796+ 1 DAYS |
| N,A | 38-SR-88 | GROUND | 17 | 8/08/76 | 5.6600+ 0 | 7.1073+ 0 | 2.0000+ 1 | STABLE |
| N,G | 40-ZR-92 | GROUND | 102 | 8/08/76 | 8.6400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

40-ZR-92
 ATOMIC MASS = 9.1905+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 40-ZR-91 | GROUND | 26 | 8/08/76 | -8.6400+ 0 | 8.7340+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 40-ZR-90 | GROUND | 13 | 8/08/76 | -1.5830+ 1 | 1.6002+ 1 | 2.0000+ 1 | STABLE |
| N,P | 39-Y -92 | GROUND | 18 | 8/08/76 | -2.8400+ 0 | 8.5117+ 0 | 2.0000+ 1 | 3.5306+ 0 HRS. |
| N,A | 38-SR-89 | GROUND | 16 | 8/08/76 | 3.3900+ 0 | 9.3670+ 0 | 2.0000+ 1 | 5.2002+ 1 DAYS |
| N,G | 40-ZR-93 | GROUND | 102 | 8/08/76 | 6.7600+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4999+ 6 YRS. |

40-ZR-93
 ATOMIC MASS = 9.2906+ 1
 GROUND STATE
 HALF-LIFE = 1.4999+ 6 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 40-ZR-92 | GROUND | 24 | 8/08/76 | -6.7600+ 0 | 6.8328+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 40-ZR-91 | GROUND | 14 | 8/08/76 | -1.5400+ 1 | 1.5566+ 1 | 2.0000+ 1 | STABLE |
| N,P | 39-Y -93 | GROUND | 18 | 8/08/76 | -2.1100+ 0 | 7.7569+ 0 | 2.0000+ 1 | 1.0200+ 1 HRS. |
| N,A | 38-SR-90 | GROUND | 17 | 8/08/76 | 4.4400+ 0 | 8.2710+ 0 | 2.0000+ 1 | 2.8101+ 1 YRS. |
| N,G | 40-ZR-94 | GROUND | 102 | 8/08/76 | 8.1900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

40-ZR-94
 ATOMIC MASS = 9.3906+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 40-ZR-93 | GROUND | 25 | 8/08/76 | -8.1900+ 0 | 8.2772+ 0 | 2.0000+ 1 | 1.4999+ 6 YRS. |
| N,3N | 40-ZR-92 | GROUND | 15 | 8/08/76 | -1.4956+ 1 | 1.5109+ 1 | 2.0000+ 1 | STABLE |
| N,P | 39-Y -94 | GROUND | 18 | 8/08/76 | -4.2200+ 0 | 9.8727+ 0 | 2.0000+ 1 | 2.0300+ 1 MIN. |
| N,A | 38-SR-91 | GROUND | 16 | 8/08/76 | 2.0600+ 0 | 1.0642+ 1 | 2.0000+ 1 | 9.5200+ 0 HRS. |
| N,G | 40-ZR-95 | GROUND | 102 | 8/08/76 | 6.4700+ 0 | 1.0000-10 | 2.0000+ 1 | 6.5000+ 1 DAYS |

40-ZR-95
 ATOMIC MASS = 9.4908+ 1
 GROUND STATE
 HALF-LIFE = 6.5000+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 40-ZR-94 | GROUND | 27 | 8/08/76 | -6.4700+ 0 | 6.5382+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 40-ZR-93 | GROUND | 14 | 8/08/76 | -1.4660+ 1 | 1.4814+ 1 | 2.0000+ 1 | 1.4999+ 6 YRS. |
| N,P | 39-Y -95 | GROUND | 18 | 8/08/76 | -3.6500+ 0 | 9.2800+ 0 | 2.0000+ 1 | 1.0800+ 1 MIN. |
| N,A | 38-SR-92 | GROUND | 16 | 8/08/76 | 2.9100+ 0 | 9.7493+ 0 | 2.0000+ 1 | 2.7100+ 0 HRS. |
| N,G | 40-ZR-96 | GROUND | 102 | 8/09/76 | 7.8400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

40-ZR-97
 ATOMIC MASS = 9.6911+ 1
 GROUND STATE
 HALF-LIFE = 1.7000+ 1 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 40-ZR-96 | GROUND | 28 | 8/08/76 | -5.5800+ 0 | 5.6376+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 40-ZR-95 | GROUND | 15 | 8/08/76 | -1.3420+ 1 | 1.3559+ 1 | 2.0000+ 1 | 6.5000+ 1 DAYS |
| N,A | 38-SR-94 | GROUND | 16 | 8/08/76 | 1.4600+ 0 | 1.1148+ 1 | 2.0000+ 1 | 1.2500+ 0 MIN. |
| N,G | 40-ZR-98 | GROUND | 102 | 8/08/76 | 6.4100+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0000+ 0 MIN. |

41-NB-91
 ATOMIC MASS = 9.0907+ 1
 GROUND STATE
 HALF-LIFE = 1.0000+ 4 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|-----------|-----------|-----------|----------------|
| N.2N | 41-NB-90 | GROUND | 15 | 8/06/76 | -1.20+0 1 | 1.2172+ 1 | 2.0000+ 1 | 1.4600+ 1 HRS. |
| N.P | 40-ZR-91 | GROUND | 18 | 8/06/76 | 2.0400+ 0 | 3.7740+ 0 | 2.0000+ 1 | STABLE |
| N.G | 41-NB-92 | GROUND | 102 | 8/06/76 | 7.9000+ 0 | 1.0000-10 | 2.0000+ 1 | 3.6000+ 7 YRS. |
| N.G | 41-NB-92 | 1.3500- 1 | 102 | 8/06/76 | 7.7650+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0160+ 1 DAYS |

41-NB-91
 ATOMIC MASS = 9.0907+ 1
 LEVEL = 1.0500- 1
 HALF-LIFE = 6.2002+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 41-NB-90 | GROUND | 15 | 8/06/76 | -1.1940+ 1 | 1.2071+ 1 | 2.0000+ 1 | 1.4600+ 1 HRS. |
| N.P | 40-ZR-91 | GROUND | 18 | 8/06/76 | 2.1400+ 0 | 3.6729+ 0 | 2.0000+ 1 | STABLE |
| N.G | 41-NB-92 | GROUND | 102 | 8/06/76 | 8.0050+ 0 | 1.0000-10 | 2.0000+ 1 | 3.6000+ 7 YRS. |
| N.G | 41-NB-92 | 1.3500- 1 | 102 | 8/06/76 | 7.8700+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0160+ 1 DAYS |

41-NB-92
 ATOMIC MASS = 9.1907+ 2
 GROUND STATE
 HALF-LIFE = 3.6000+ 7 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 41-NB-91 | 1.0500- 1 | 15 | 8/06/76 | -6.0000+ 0 | 8.0870+ 0 | 2.0000+ 1 | 6.2002+ 1 DAYS |
| N.P | 40-ZR-92 | GROUND | 18 | 8/06/76 | 2.7900+ 0 | 2.9667+ 0 | 2.0000+ 1 | STABLE |
| N.G | 41-NB-93 | GROUND | 102 | 8/06/76 | 8.8300+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

41-NB-92
 ATOMIC MASS = 9.1907+ 1
 LEVEL = 1.3500- 1
 HALF-LIFE = 1.0160+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 41-NB-91 | 1.0500- 1 | 16 | 8/06/76 | -7.8700+ 0 | 7.9556+ 0 | 2.0000+ 1 | 6.2002+ 1 DAYS |
| N,P | 40-ZR-92 | GROUND | 18 | 8/06/76 | 2.9250+ 0 | 2.8622+ 0 | 2.0000+ 1 | STABLE |
| N,G | 41-NB-93 | GROUND | 102 | 8/06/76 | 8.9650+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

41-NB-93
 ATOMIC MASS = 9.2906+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 41-NB-92 | GROUND | 21 | 8/06/76 | -8.8300+ 0 | 8.9250+ 0 | 2.0000+ 1 | 3.6000+ 7 YRS. |
| N,2N | 41-NB-92 | 1.3500- 1 | 21 | 8/06/76 | -8.9650+ 0 | 9.0615+ 0 | 2.0000+ 1 | 1.0160+ 1 DAYS |
| N,3N | 41-NB-91 | GROUND | 10 | 8/06/76 | -1.6720+ 1 | 1.6900+ 1 | 2.0000+ 1 | 1.0000+ 4 YRS. |
| N,3N | 41-NB-91 | 1.0500- 1 | 11 | 8/06/76 | -1.6820+ 1 | 1.7001+ 1 | 2.0000+ 1 | 6.2002+ 1 DAYS |
| N,P | 40-ZR-93 | GROUND | 18 | 8/06/76 | 7.2000- 1 | 5.0741+ 0 | 2.0000+ 1 | 1.4999+ 6 YRS. |
| N,G | 41-NB-94 | GROUND | 102 | 8/05/76 | 7.2300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.9999+ 4 YRS. |

41-NB-94
 ATOMIC MASS = 9.3907+ 2
 GROUND STATE
 HALF-LIFE = 1.9999+ 4 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 41-NB-93 | GROUND | 24 | 8/06/76 | -7.2300+ 0 | 7.3070+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 41-NB-92 | 1.3500- 1 | 13 | 8/06/76 | -1.6180+ 1 | 1.6352+ 1 | 2.0000+ 1 | 1.0160+ 1 DAYS |
| N,P | 40-ZR-94 | GROUND | 18 | 8/06/76 | 1.6800+ 0 | 4.0871+ 0 | 2.0000+ 1 | STABLE |
| N,G | 41-NB-95 | GROUND | 102 | 8/06/76 | 8.4900+ 0 | 1.0000-10 | 2.0000+ 1 | 3.5000+ 1 DAYS |

⁴¹NB-95
 ATOMIC MASS = 9.4907* 2
 GROUND STATE
 HALF-LIFE = 3.5000* 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------------------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | ⁴¹ NB-94 | GROUND | 25 | 8/06/76 | -8.4900* 0 | 8.5795* 0 | 2.0000* 1 | 1.9999* 4 YRS. |
| N,3N | ⁴¹ NB-93 | GROUND | 13 | 8/06/76 | -1.5720* 1 | 1.5866* 1 | 2.0000* 1 | STABLE |
| N,P | ⁴⁰ ZR-95 | GROUND | 18 | 8/06/76 | -3.5000* 1 | 6.1219* 0 | 2.0000* 1 | 6.5000* 1 DAYS |
| N,G | ⁴¹ NB-96 | GROUND | 102 | 8/06/76 | 6.6900* 0 | 1.0000-10 | 2.0000* 1 | 2.3400* 1 HRS. |

⁴¹NB 96
 ATOMIC MASS = 9.5908* 2
 GROUND STATE
 HALF-LIFE = 2.3400* 1 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------------------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | ⁴¹ NB-95 | GROUND | 25 | 8/06/76 | -8.8900* 0 | 6.9618* 0 | 2.0000* 1 | 3.5000* 1 DAYS |
| N,3N | ⁴¹ NB-94 | GROUND | 14 | 8/06/76 | -1.5390* 1 | 1.5560* 1 | 2.0000* 1 | 1.9999* 4 YRS. |
| N,P | ⁴⁰ ZR-96 | GROUND | 18 | 8/06/76 | 6.0000- 1 | 5.1455* 0 | 2.0000* 1 | STABLE |
| N,G | ⁴¹ NB-97 | GROUND | 102 | 8/06/76 | 8.0700* 0 | 1.0000-10 | 2.0000* 1 | 1.2000* 0 HRS. |

⁴¹NB-97
 ATOMIC MASS = 9.6908* 2
 GROUND STATE
 HALF-LIFE = 1.2000* 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|---------------------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | ⁴¹ NB-96 | GROUND | 26 | 8/06/76 | -8.0700* 0 | 8.1533* 0 | 2.0000* 1 | 2.3400* 1 HRS. |
| N,3N | ⁴¹ NB-95 | GROUND | 15 | 8/06/76 | -1.4960* 1 | 1.5114* 1 | 2.0000* 1 | 3.5000* 1 DAYS |
| N,P | ⁴⁰ ZR-97 | GROUND | 18 | 8/06/76 | -1.9900* 0 | 7.6450* 0 | 2.0000* 1 | 1.7000* 1 HRS. |
| N,G | ⁴¹ NB-98 | GROUND | 102 | 8/06/76 | 5.9800* 0 | 1.0000-10 | 2.0000* 1 | 5.1000* 1 MIN. |

41-NB-98
 ATOMIC MASS = 9.7910+ 2
 GROUND STATE
 HALF-LIFE = 5.1000+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 41-NB-97 | GROUND | 26 | 8/06/76 | -5.9800+ 0 | 6.0411+ 0 | 2.0000+ 1 | 1.2000+ 0 HRS. |
| N,3N | 41-NB-96 | GROUND | 16 | 8/06/76 | -1.4050+ 1 | 1.4193+ 1 | 2.0000+ 1 | 2.3400+ 1 HRS. |
| N,P | 40-ZR-98 | GROUND | 18 | 8/06/76 | -1.4600+ 0 | 7.1943+ 0 | 2.0000+ 1 | 1.0000+ 0 MIN. |
| N,G | 41-NB-99 | GROUND | 102 | 8/06/76 | 7.6000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4000+ 1 SEC. |

41-NB-100
 ATOMIC MASS = 9.9915+ 2
 GROUND STATE
 HALF-LIFE = 1.1000+ 1 MIN.

62

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 41-NB-99 | GROUND | 28 | 8/06/76 | -5.1000+ 0 | 5.1510+ 0 | 2.0000+ 1 | 1.4000+ 1 SEC. |
| N,3N | 41-NB-98 | GROUND | 18 | 8/06/76 | -1.2800+ 1 | 1.2928+ 1 | 2.0000+ 1 | 5.1000+ 1 MIN. |
| N,P | 40-ZR-100 | GROUND | 18 | 8/06/76 | -2.8000+ 0 | 8.5158+ 0 | 2.0000+ 1 | 1.0000+ 0 MIN. |
| N,G | 41-NB-101 | GROUND | 102 | 8/06/76 | 7.2000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0000+ 0 MIN. |

42-MO-90
 ATOMIC MASS = 8.9914+ 1
 GROUND STATE
 HALF-LIFE = 5.6694+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-89 | GROUND | 24 | 7/15/76 | -1.3230+ 1 | 1.3377+ 1 | 2.0000+ 1 | 7.0000+ 0 MIN. |
| N,G | 42-MO-91 | GROUND | 102 | 7/08/76 | 1.0080+ 1 | 1.0000-10 | 2.0000+ 1 | 1.5500+ 1 MIN. |

⁴²-MO-91
 ATOMIC MASS = 9.0913+ 1
 GROUND STATE
 HALF-LIFE = 1.5500+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------------------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | ⁴² -MO-90 | GROUND | 34 | 7/15/76 | -1.0680+ 1 | 1.0191+ 1 | 2.0000+ 1 | 5.6694+ 0 HRS. |
| N,G | ⁴² -MO-92 | GROUND | 102 | 7/08/76 | 1.2700+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

⁴²-MO-92
 ATOMIC MASS = 9.1907+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------------------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | ⁴² -MO-91 | GROUND | 35 | 7/15/76 | -1.2700+ 1 | 1.2838+ 1 | 2.0000+ 1 | 1.5500+ 1 MIN. |
| N,P | ⁴¹ -NB-92 | 1.3500- 1 | 51 | 8/04/76 | 1.2000- 1 | 5.5634+ 0 | 2.0000+ 1 | 1.0160+ 1 DAYS |
| N,D | ⁴⁰ -Zr-89 | GROUND | 16 | 8/05/76 | -5.2500+ 0 | 1.1593+ 0 | 2.0000+ 1 | 6.2082+ 1 DAYS |
| N,A | ⁴⁰ -Zr-89 | GROUND | 16 | 8/05/76 | 3.6300+ 0 | 9.7644+ 0 | 2.0000+ 1 | 3.2662+ 0 DAYS |
| N,G | ⁴² -MO-93 | GROUND | 102 | 7/08/76 | 8.0700+ 0 | 1.0000-10 | 2.0000+ 1 | 3.5000+ 3 YRS. |

⁴²-MO-93
 ATOMIC MASS = 9.2907+ 1
 GROUND STATE
 HALF-LIFE = 3.5000+ 3 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------------------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | ⁴² -MO-92 | GROUND | 41 | 7/15/76 | -8.0700+ 0 | 8.1569+ 0 | 2.0000+ 1 | STABLE |
| N,P | ⁴¹ -NB-93 | GROUND | 29 | 8/04/76 | 1.1800+ 0 | 4.7886+ 0 | 2.0000+ 1 | STABLE |
| N,D | ⁴¹ -NB-92 | 1.3500- 1 | 16 | 8/05/76 | -5.4200+ 0 | 1.1646+ 1 | 2.0000+ 1 | 1.0160+ 1 DAYS |
| N,A | ⁴⁰ -Zr-89 | GROUND | 16 | 8/05/76 | 7.6100+ 0 | 5.7556+ 0 | 2.0000+ 1 | STABLE |
| N,G | ⁴² -MO-94 | GROUND | 102 | 7/08/76 | 9.6700+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

42-MO-93
 ATOMIC MASS = 9.2910+ 1
 LEVEL = 2.4280+ 0
 HALF-LIFE = 6.8889+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-92 | GROUND | 49 | 7/15/76 | -5.6420+ 0 | 5.7027+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 42-MO-91 | GROUND | 7 | 7/15/76 | -1.8342+ 1 | 1.8539+ 1 | 2.0000+ 1 | 1.5500+ 1 MIN. |
| N,P | 41-NB-93 | GROUND | 28 | 8/04/76 | 3.6100+ 0 | 2.3324+ 0 | 2.0000+ 1 | STABLE |
| N,D | 41-NB-92 | 1.3500- 1 | 16 | 8/05/76 | -2.9920+ 0 | 9.1915+ 0 | 2.0000+ 1 | 1.0160+ 1 DAYS |
| N,A | 40-ZR-90 | GROUND | 16 | 8/05/76 | 1.0040+ 1 | 3.3095+ 0 | 2.0000+ 1 | STABLE |
| N,G | 42-MO-94 | GROUND | 102 | 7/08/76 | 1.2098+ 1 | 1.0000-10 | 2.0000+ 1 | STABLE |

42-MO-94
 ATOMIC MASS = 9.3900+ 1
 GROUND STATE
 STABLE

69

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-93 | GROUND | 10 | 6/15/76 | -9.6700+ 0 | 9.7700+ 0 | 2.0000+ 1 | 3.5000+ 3 YRS. |
| N,2N | 42-MO-93 | 2.4280+ 0 | 6 | 6/15/76 | -1.2100+ 1 | 1.2230+ 1 | 2.0000+ 1 | 6.8889+ 0 HRS. |
| N,3N | 42-MO-92 | GROUND | 3 | 6/15/76 | -1.7740+ 1 | 1.7930+ 1 | 2.0000+ 1 | STABLE |
| N,P | 41-NB-94 | GROUND | 25 | 8/04/76 | -1.2620+ 0 | 7.2372+ 0 | 2.0000+ 1 | 1.9999+ 4 YRS. |
| N,D | 41-NB-93 | GROUND | 16 | 8/05/76 | -6.2700+ 0 | 1.2487+ 1 | 2.0000+ 1 | STABLE |
| N,A | 40-ZR-91 | GROUND | 16 | 8/05/76 | 5.1300+ 0 | 8.2363+ 0 | 2.0000+ 1 | STABLE |
| N,G | 42-MO-95 | GROUND | 102 | 7/08/76 | 7.3700+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

42-MO-95
 ATOMIC MASS = 9.4965+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-94 | GROUND | 43 | 7/15/76 | -7.3700+ 0 | 7.4477+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 42-MO-93 | GROUND | 11 | 7/15/76 | -1.7050+ 1 | 1.7230+ 1 | 2.0000+ 1 | 3.5000+ 3 YRS. |
| N,P | 41-NB-95 | GROUND | 25 | 8/04/76 | -1.4000- 1 | 6.0881+ 0 | 2.0000+ 1 | 3.5000+ 1 DAYS |
| N,D | 41-NB-94 | GROUND | 16 | 8/05/76 | -6.4100+ 0 | 1.2610+ 1 | 2.0000+ 1 | 1.9999+ 4 YRS. |
| N,A | 40-ZR-92 | GROUND | 16 | 8/05/76 | 6.3900+ 0 | 6.9275+ 0 | 2.0000+ 1 | STABLE |
| N,G | 42-MO-96 | GROUND | 102 | 7/08/76 | 9.1500+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

42-MO-96
 ATOMIC MASS = 9.5905+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-95 | GROUND | 37 | 7/15/76 | -9.1500+ 0 | 9.2454+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 42-MO-94 | GROUND | 13 | 7/15/76 | -1.6530+ 1 | 1.6702+ 1 | 2.0000+ 1 | STABLE |
| N,P | 41-NB-96 | GROUND | 26 | 8/04/76 | -2.4100+ 0 | 8.3647+ 0 | 2.0000+ 1 | 2.3400+ 1 HRS. |
| N,A | 40-ZR-93 | GROUND | 16 | 8/05/76 | 4.0000+ 0 | 9.3074+ 0 | 2.0000+ 1 | 1.4999+ 6 YRS. |
| N,G | 42-MO-97 | GROUND | 102 | 7/08/76 | 6.8200+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

42-MO-97
 ATOMIC MASS = 9.6906+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-96 | GROUND | 45 | 7/15/76 | -6.8200+ 0 | 6.8904+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 42-MO-95 | GROUND | 15 | 7/15/76 | -1.5970+ 1 | 1.6135+ 1 | 2.0000+ 1 | STABLE |
| N,P | 41-NB-97 | GROUND | 25 | 8/04/76 | -1.1500+ 0 | 7.0747+ 0 | 2.0000+ 1 | 1.2000+ 0 HRS. |
| N,A | 40-ZR-94 | GROUND | 16 | 8/05/76 | 5.3700+ 0 | 7.8885+ 0 | 2.0000+ 1 | STABLE |
| N,G | 42-MO-98 | GROUND | 102 | 7/08/76 | 8.6400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

42-MO-98
 ATOMIC MASS = 9.7905+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-97 | GROUND | 39 | 7/15/76 | -8.6400+ 0 | 8.7282+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 42-MO-96 | GROUND | 17 | 7/15/76 | -1.3460+ 1 | 1.5618+ 1 | 2.0000+ 1 | STABLE |
| N,P | 41-NB-98 | GROUND | 26 | 8/04/76 | -3.8200+ 0 | 9.7552+ 0 | 2.0000+ 1 | 5.1000+ 1 MIN. |
| N,A | 40-ZR-95 | GROUND | 16 | 8/05/76 | 3.1900+ 0 | 1.0057+ 1 | 2.0000+ 1 | 6.5000+ 1 DAYS |
| N,G | 42-MO-99 | GROUND | 102 | 7/08/76 | 5.9200+ 0 | 1.0000-10 | 2.0000+ 1 | 2.7789+ 0 DAYS |

42-MO-99
 ATOMIC MASS = 9.8908+ 1
 GROUND STATE
 HALF-LIFE = 2.7789+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-98 | GROUND | 48 | 7/15/76 | -5.9200+ 0 | 5.9799+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 42-MO-97 | GROUND | 19 | 7/15/76 | -1.4560+ 1 | 1.4707+ 1 | 2.0000+ 1 | STABLE |
| N,P | 41-NB-99 | GROUND | 27 | 8/04/76 | -2.3000+ 0 | 8.2031+ 0 | 2.0000+ 1 | 1.4000+ 1 SEC. |
| N,A | 40-ZR-96 | GROUND | 16 | 8/05/76 | 5.1200+ 0 | 0.0731+ 0 | 2.0000+ 1 | STABLE |
| N,G | 42-MO-100 | GROUND | 102 | 7/08/76 | 8.3000+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

42-MO-100
 ATOMIC MASS = 9.9907+ 1
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-99 | GROUND | 40 | 7/15/76 | -8.3000+ 0 | 8.3831+ 0 | 2.0000+ 1 | 2.7789+ 0 DAYS |
| N,3N | 42-MO-98 | GROUND | 21 | 7/15/76 | -1.4220+ 1 | 1.4362+ 1 | 2.0000+ 1 | STABLE |
| N,P | 41-NB-100 | GROUND | 24 | 8/04/76 | -5.2000+ 0 | 1.1116+ 1 | 2.0000+ 1 | 1.1000+ 1 MIN. |
| N,A | 40-ZR-97 | GROUND | 15 | 8/05/76 | 2.3900+ 0 | 1.0797+ 1 | 2.0000+ 1 | 1.7000+ 1 HRS. |
| N,G | 42-MO-101 | GROUND | 102 | 7/08/76 | 5.3900+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4600+ 1 MIN. |

42-MO-101
 ATOMIC MASS = 1.0091+ 2
 GROUND STATE
 HALF-LIFE = 1.4600+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 42-MO-100 | GROUND | 50 | 7/15/76 | -5.3900+ 0 | 5.4434+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 42-MO-99 | GROUND | 23 | 7/15/76 | -1.3690+ 1 | 1.3826+ 1 | 2.0000+ 1 | 2.7789+ 0 DAYS |
| N,P | 41-NB-101 | GROUND | 22 | 8/04/76 | -3.4500+ 0 | 9.3318+ 0 | 2.0000+ 1 | 1.0000+ 0 MIN. |
| N,A | 40-ZR-98 | GROUND | 16 | 8/05/76 | 3.4200+ 0 | 9.7234+ 0 | 2.0000+ 1 | 1.0000+ 0 MIN. |
| N,G | 42-MO-102 | GROUND | 102 | 7/08/76 | 8.0000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.1500+ 1 MIN. |

47-AG-106
 ATOMIC MASS = 1.0591+ 2
 GROUND STATE
 HALF-LIFE = 2.4000+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-105 | GROUND | 17 | 9/10/76 | -7.9200+ 0 | 7.9948+ 0 | 2.0000+ 1 | 4.0000+ 1 DAYS |
| N,3N | 47-AG-104 | GROUND | 6 | 9/10/76 | -1.7760+ 1 | 1.7928+ 1 | 2.0000+ 1 | 1.1167+ 0 HRS. |
| N,G | 47-AG-107 | GROUND | 102 | 9/10/76 | 9.5400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

47-AG-106
 ATOMIC MASS = 1.0591+ 2
 LEVEL = 3.0000- 1
 HALF-LIFE = 8.4005+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-105 | GROUND | 17 | 9/10/76 | -7.6200+ 0 | 7.6919+ 0 | 2.0000+ 1 | 4.0000+ 1 DAYS |
| N,3N | 47-AG-104 | GROUND | 7 | 9/10/76 | -1.7460+ 1 | 1.7625+ 1 | 2.0000+ 1 | 1.1167+ 0 HRS. |
| N,G | 47-AG-107 | GROUND | 102 | 9/10/76 | 9.8400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

47-AG-107
 ATOMIC MASS = 1.0691+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-106 | GROUND | 7 | 9/14/73 | -9.5400+ 0 | 9.6300+ 0 | 2.0000+ 1 | 2.4000+ 1 MIN. |
| N,2N | 47-AG-106 | 3.0000- 1 | 6 | 9/14/73 | -9.8400+ 0 | 9.9400+ 0 | 2.0000+ 1 | 8.4005+ 0 DAYS |
| N,3N | 47-AG-105 | GROUND | 2 | 9/14/73 | -1.7460+ 1 | 1.7650+ 1 | 2.0000+ 1 | 4.0000+ 1 DAYS |
| N,P | 46-PD-107 | GROUND | 20 | 9/14/73 | 7.5000- 1 | 4.5000+ 0 | 2.0000+ 1 | 6.5000+ 6 YPS. |
| N,A | 35-RH-104 | 1.2900- 1 | 5 | 9/14/73 | 4.0610+ 0 | 5.5000+ 0 | 2.0000+ 1 | 4.4100+ 0 MIN. |
| N,G | 47-AG-108 | 1.1000- 1 | 102 | 9/10/76 | 7.1600+ 0 | 1.0000-10 | 2.0000+ 1 | 1.2700+ 2 YRS. |
| N,G | 47-AG-108 | GROUND | 102 | 9/10/76 | 7.2700+ 0 | 1.0000-10 | 2.0000+ 1 | 2.4200+ 0 MIN. |

47-AG-108
 ATOMIC MASS = 1.0791* 2
 GROUND STATE
 HALF-LIFE = 2.4200* 0 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-107 | GROUND | 20 | 9/10/76 | -7.2700+ 0 | 7.3374+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 47-AG-106 | GROUND | 9 | 9/10/76 | -1.6810+ 1 | 1.6956+ 1 | 2.0000+ 1 | 2.4000+ 1 MIN. |
| N,G | 47-AG-109 | GROUND | 102 | 9/10/76 | 9.1900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

47-AG-108
 ATOMIC MASS = 1.0751* 2
 LEVEL = 1.1000- 1
 HALF-LIFE = 1.2700* 2 YRS.

89

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-106 | GROUND | 20 | 9/10/76 | -7.1600+ 0 | 7.2264+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 47-AG-107 | GROUND | 9 | 9/10/76 | -1.6700+ 1 | 1.6955+ 1 | 2.0000+ 1 | 2.4000+ 1 MIN. |
| N,G | 47-AG-109 | GROUND | 102 | 9/10/76 | 9.3000+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

47-AG-109
 ATOMIC MASS = 1.0890* 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-108 | GROUND | 21 | 9/10/76 | -9.1900+ 0 | 9.2744+ 0 | 2.0000+ 1 | 2.4200+ 0 MIN. |
| N,2N | 47-AG-108 | 1.1000- 1 | 13 | 9/10/76 | -9.3000+ 0 | 9.3854+ 0 | 2.0000+ 1 | 1.2700+ 2 YRS. |
| N,3N | 47-AG-107 | GROUND | 11 | 9/10/76 | -1.6460+ 1 | 1.6611+ 1 | 2.0000+ 1 | STABLE |
| N,P | 46-PD-109 | GROUND | 16 | 9/14/73 | -3.3000- 1 | 3.5000+ 0 | 2.0000+ 1 | 1.3469+ 1 HRS. |
| N,A | 45-RH-106 | GROUND | 12 | 9/14/73 | 3.2900+ 0 | 5.5000+ 0 | 2.0000+ 1 | 3.0000+ 1 SEC. |
| N,G | 47-AG-110 | 1.1600- 1 | 102 | 9/10/76 | 6.6940+ 0 | 1.0000-10 | 2.0000+ 1 | 2.5301+ 2 DAYS |
| N,G | 47-AG-110 | GROUND | 102 | 9/10/76 | 6.8100+ 0 | 1.0000-10 | 2.0000+ 1 | 2.4400+ 1 SEC. |

47-AG-110
 ATOMIC MASS = 1.0991* 2
 GROUND STATE
 HALF-LIFE = 2.4400* 1 SEC.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-109 | GROUND | 22 | 9/10/76 | -6.8100* 0 | 6.8720* 0 | 2.0000* 1 | STABLE |
| N,3N | 47-AG-108 | GROUND | 13 | 9/10/76 | -1.6000* 1 | 1.6146* 1 | 2.0000* 1 | 2.4200* 0 MIN. |
| N,G | 47-AG-111 | GROUND | 97 | 9/10/76 | 8.8400* 0 | 1.0000-10 | 2.0000* 1 | 7.5000* 0 DAYS |

47-AG-110
 ATOMIC MASS = 1.0991* 2
 LEVEL = 1.1600- 1
 HALF-LIFE = 2.5312* 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 47-AG-109 | GROUND | 23 | 9/10/76 | -6.6940* 0 | 6.7509* 0 | 2.0000* 1 | STABLE |
| N,3N | 47-AG-108 | GROUND | 13 | 9/10/76 | -1.5884* 1 | 1.6024* 1 | 2.0000* 1 | 2.4200* 0 MIN. |
| N,G | 47-AG-111 | GROUND | 98 | 9/10/76 | 8.9560* 0 | 1.0000-10 | 2.0000* 1 | 7.5000* 0 DAYS |

64-GD-150
 ATOMIC MASS = 1.4992* 2
 GROUND STATE
 HALF-LIFE = 1.7999* 6 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 64-GD-149 | GROUND | 12 | 11/14/77 | -8.7500* 0 | 9.7781* 0 | 2.0000* 1 | 9.2998* 0 DAYS |
| N,G | 64-GD-151 | GROUND | 102 | 11/14/77 | 6.5550* 0 | 1.0000-10 | 2.0000* 1 | 1.2002* 2 DAYS |

64-GD-151
 ATOMIC MASS = 1.5092+ 2
 GROUND STATE
 HALF-LIFE = 1.2002+ 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 64-GD-150 | GROUND | 14 | 11/14/77 | -6.5300+ 0 | 6.5732+ 0 | 2.0000+ 1 | 1.7998+ 6 YRS. |
| N,G | 64-GD-152 | GROUND | 102 | 11/14/77 | 6.6000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.1000+14 YRS. |

67-HO-163
 ATOMIC MASS = 1.6293+ 2
 GROUND STATE
 HALF-LIFE = 1.0001+ 3 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 67-HO-162 | 1.0000- 1 | 25 | 9/16/76 | -8.5100+ 0 | 8.4616+ 0 | 2.0000+ 1 | 1.1333+ 0 HRS. |
| N,3N | 67-HO-161 | GROUND | 14 | 9/16/76 | -1.5280+ 1 | 1.5374+ 1 | 2.0000+ 1 | 2.5000+ 0 HRS. |
| N,P | 66-DY-163 | GROUND | 13 | 9/16/76 | 7.9000- 1 | 8.1810+ 0 | 2.0000+ 1 | STABLE |
| N,G | 67-HO-164 | 1.4000- 1 | 102 | 9/16/76 | 6.5400+ 0 | 1.0000-10 | 2.0000+ 1 | 3.7500+ 1 MIN. |
| N,G | 67-HO-164 | GROUND | 102 | 9/16/76 | 6.6800+ 0 | 1.0000-10 | 2.0000+ 1 | 2.9000+ 1 MIN. |

67-HO-164
 ATOMIC MASS = 1.6393+ 2
 GROUND STATE
 HALF-LIFE = 2.9000+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 67-HO-163 | GROUND | 27 | 9/16/76 | -6.6800+ 0 | 6.7207+ 0 | 2.0000+ 1 | 1.0001+ 3 YRS. |
| N,3N | 67-HO-162 | 1.0000- 1 | 13 | 9/16/76 | -1.5200+ 1 | 1.5192+ 1 | 2.0000+ 1 | 1.1333+ 0 HRS. |
| N,P | 66-DY-164 | GROUND | 13 | 9/16/76 | 1.7600+ 0 | 7.1897+ 0 | 2.0000+ 1 | STABLE |
| N,G | 67-HO-165 | GROUND | 102 | 9/16/76 | 7.9900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

67-HO-164
 ATOMIC MASS = 1.6393* 2
 LEVEL = 1.4000- 1
 HALF-LIFE = 3.7500+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 67-HO-163 | GROUND | 27 | 9/16/76 | -6.5400+ 0 | 6.5799+ 0 | 2.0000+ 1 | 1.0001+ 3 YRS. |
| N,3N | 67-HO-162 | 1.0000- 1 | 13 | 9/16/76 | -1.4960+ 1 | 1.5051+ 1 | 2.0000+ 1 | 1.1333+ 0 HRS. |
| N,P | 66-DY-164 | GROUND | 13 | 9/16/76 | 1.9000+ 0 | 7.0488+ 0 | 2.0000+ 1 | STABLE |
| N,G | 67-HO-165 | GROUND | 102 | 9/16/76 | 8.1300+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

67-HO-165
 ATOMIC MASS = 1.6493* 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 67-HO-164 | GROUND | 25 | 9/16/76 | -7.9900+ 0 | 8.0384+ 0 | 2.0000+ 1 | 2.9000+ 1 MIN. |
| N,2N | 67-HO-164 | 1.4000- 1 | 25 | 9/16/76 | -8.1300+ 0 | 8.1793+ 0 | 2.0000+ 1 | 3.7500+ 1 MIN. |
| N,3N | 67-HO-163 | GROUND | 15 | 9/16/76 | -1.4670+ 1 | 1.4759+ 1 | 2.0000+ 1 | 1.0001+ 3 YRS. |
| N,P | 66-DY-165 | GROUND | 13 | 9/16/76 | -5.1000- 1 | 9.4581+ 0 | 2.0000+ 1 | 2.3200+ 0 HRS. |
| N,G | 67-HO-166 | 9.0000- 3 | 102 | 9/16/76 | 6.2310+ 0 | 1.0000-10 | 2.0000+ 1 | 1.1999+ 3 YRS. |
| N,G | 67-HO-166 | GROUND | 102 | 9/16/76 | 6.2400+ 0 | 1.0000-10 | 2.0000+ 1 | 1.1208+ 0 DAYS |

67-HO-166
 ATOMIC MASS = 1.6593* 2
 GROUND STATE
 HALF-LIFE = 1.1208+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 67-HO-165 | GROUND | 27 | 9/16/76 | -6.2400+ 0 | 6.2776+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 67-HO-164 | GROUND | 16 | 9/16/76 | -1.4240+ 1 | 1.4326+ 1 | 2.0000+ 1 | 2.9000+ 1 MIN. |
| N,P | 66-DY-166 | GROUND | 13 | 9/16/76 | 3.0000- 1 | 8.6280+ 0 | 2.0000+ 1 | 3.3958+ 0 DAYS |
| N,G | 67-HO-167 | GROUND | 102 | 9/16/76 | 7.3300+ 0 | 1.0000-10 | 2.0000+ 1 | 3.1000+ 0 HRS. |

67-HO-166
 ATOMIC MASS = 1.6693* 2
 LEVEL = 9.0000- 3
 HALF-LIFE = 1.1989* 3 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 67-HO-165 | GROUND | 27 | 9/16/76 | -6.2310* 0 | 6.2665* 0 | 2.0000* 1 | STABLE |
| N,3N | 67-HO-164 | GROUND | 16 | 9/16/76 | -1.4231* 1 | 1.4317* 1 | 2.0000* 1 | 2.9000* 1 MIN. |
| N,P | 66-DY-166 | GROUND | 13 | 9/16/76 | 3.0500- 1 | 8.6190* 0 | 2.0000* 1 | 3.3958* 0 DAYS |
| N,G | 67-HO-167 | GROUND | 102 | 9/16/76 | 7.3390* 0 | 1.0000-10 | 2.0000* 1 | 3.1000* 0 HRS. |

69-TM-169
 ATOMIC MASS = 1.6993* 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|-----------|-----------|-----------|----------------|
| N,S | 69-TM-170 | GROUND | 102 | 4/20/78 | 6.5900* 0 | 1.0000-10 | 2.0000* 1 | 1.3310* 2 DAYS |

71-LU-173
 ATOMIC MASS = 1.7294* 2
 GROUND STATE
 HALF-LIFE = 1.3699* 0 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 71-LU-172 | GROUND | 26 | 3/10/77 | -8.1800* 0 | 8.2273* 0 | 2.0000* 1 | 6.7002* 0 DAYS |
| N,2N | 71-LU-172 | 4.2000- 2 | 27 | 3/10/77 | -8.2320* 0 | 8.2695* 0 | 2.0000* 1 | 4.0000* 0 MIN |
| N,3N | 71-LU-171 | GROUND | 12 | 2/15/77 | -1.5100* 1 | 1.5187* 1 | 2.0000* 1 | 8.2396* 0 DAYS |
| N,3N | 71-LU-171 | 7.1000- 2 | 12 | 2/15/77 | -1.5171* 1 | 1.5259* 1 | 2.0000* 1 | 1.3000* 0 MIN |
| N,G | 71-LU-174 | 1.7100- 1 | 102 | 3/11/77 | 6.6190* 0 | 1.0000-10 | 2.0000* 1 | 1.5602* 2 DAYS |
| N,G | 71-LU-174 | GROUND | 102 | 3/02/77 | 6.7900* 0 | 1.0000-10 | 2.0000* 1 | 3.5610* 0 YRS. |

71-LU-174
 ATOMIC MASS = 1.739+ 2
 GROUND STATE
 HALF-LIFE = 3.5610+ 0 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,N' | 71-LU-174 | 1.7100- 1 | 42 | 3/08/77 | -1.7100- 1 | 1.7200- 1 | 2.0000+ 1 | 1.5602+ 2 DAYS |
| N,2N | 71-LU-173 | GROUND | 30 | 2/15/77 | -6.7880+ 0 | 6.8270+ 0 | 2.0000+ 1 | 1.3699+ 0 YRS. |
| N,3N | 71-LU-172 | GROUND | 12 | 2/15/77 | -1.4958+ 1 | 1.5054+ 1 | 2.0000+ 1 | 6.7002+ 0 DAYS |
| N,3N | 71-LU-172 | 4.2000- 2 | 12 | 2/15/77 | -1.5010+ 1 | 1.5096+ 1 | 2.0000+ 1 | 4.0000+ 0 MIN. |
| N,G | 71-LU-175 | GROUND | 102 | 3/04/77 | 7.6600+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

71-LU-174
 ATOMIC MASS = 1.739+ 2
 LEVEL = 1.7100- 1
 HALF-LIFE = 1.5602+ 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,N' | 71-LU-174 | GROUND | 65 | 3/08/77 | 0.0000+ 0 | 1.0000-10 | 2.0000+ 1 | 3.5610+ 0 YRS. |
| N,2N | 71-LU-173 | GROUND | 29 | 2/15/77 | -6.6170+ 0 | 6.6550+ 0 | 2.0000+ 1 | 1.3699+ 0 YRS. |
| N,3N | 71-LU-172 | GROUND | 13 | 2/15/77 | -1.4797+ 1 | 1.4882+ 1 | 2.0000+ 1 | 6.7002+ 0 DAYS |
| N,3N | 71-LU-172 | 4.2000- 2 | 13 | 2/15/77 | -1.4839+ 1 | 1.4924+ 1 | 2.0000+ 1 | 4.0000+ 0 MIN. |
| N,G | 71-LU-175 | GROUND | 102 | 3/11/77 | 7.8310+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

71-LU-175
 ATOMIC MASS = 1.749+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 71-LU-174 | GROUND | 29 | 2/17/77 | -7.6600+ 0 | 7.7038+ 0 | 2.0000+ 1 | 3.5610+ 0 YRS. |
| N,2N | 71-LU-174 | 1.7100- 1 | 28 | 2/16/77 | -7.8310+ 0 | 7.8758+ 0 | 2.0000+ 1 | 1.5602+ 2 DAYS |
| N,3N | 71-LU-173 | GROUND | 8 | 2/17/77 | -1.4450+ 1 | 1.4533+ 1 | 2.0000+ 1 | 1.3699+ 0 YRS. |
| N,G | 71-LU-176 | 1.2700- 1 | 102 | 2/23/77 | 6.1630+ 0 | 1.0000-10 | 2.0000+ 1 | 3.6889+ 0 YRS. |
| N,G | 71-LU-176 | GROUND | 102 | 2/23/77 | 6.2900+ 0 | 1.0000-10 | 2.0000+ 1 | 2.7001+ 0 YRS. |

71-LU-176
 ATOMIC MASS = 1.7594 + 2
 GROUND STATE
 HALF-LIFE = 2.7001 + 10 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,N' | 71-LU-176 | 1.2700- 1 | 29 | 3/08/77 | -1.2700- 1 | 1.2770- 1 | 2.0000+ 1 | 3.6889+ 0 HRS. |
| N,2N | 71-LU-175 | GROUND | 30 | 2/17/77 | -6.2900+ 0 | 6.3258+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 71-LU-174 | GROUND | 18 | 2/17/77 | -1.3950+ 1 | 1.4029+ 1 | 2.0000+ 1 | 3.5610+ 0 YRS. |
| N,3N | 71-LU-174 | 1.7100- 1 | 17 | 2/17/77 | -1.4121+ 1 | 1.4201+ 1 | 2.0000+ 1 | 1.5602+ 2 DAYS |
| N,G | 71-LU-177 | 9.7000- 1 | 102 | 3/07/77 | 6.1000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6100+ 2 DAYS |
| N,G | 71-LU-177 | GROUND | 102 | 3/07/77 | 7.0700+ 0 | 1.0000-10 | 2.0000+ 1 | 6.7095+ 0 DAYS |

71-LU-176
 ATOMIC MASS = 1.7594 + 2
 LEVEL = 1.2700- 1
 HALF-LIFE = 3.6889+ 0 HRS.

74

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,N' | 71-LU-176 | GROUND | 37 | 3/08/77 | 0.0000+ 0 | 1.5000- 2 | 2.0000+ 1 | 2.7001+10 YRS. |
| N,2N | 71-LU-175 | GROUND | 31 | 2/17/77 | -6.1630+ 0 | 6.1990+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 71-LU-174 | GROUND | 17 | 2/17/77 | -1.3823+ 1 | 1.3902+ 1 | 2.0000+ 1 | 3.5610+ 0 YRS. |
| N,3N | 71-LU-174 | 1.7100- 1 | 17 | 2/17/77 | -1.3994+ 1 | 1.4074+ 1 | 2.0000+ 1 | 1.5602+ 2 DAYS |
| N,G | 71-LU-177 | 9.7000- 1 | 102 | 3/07/77 | 6.2270+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6100+ 2 DAYS |
| N,G | 71-LU-177 | GROUND | 102 | 3/07/77 | 7.1970+ 0 | 1.0000-10 | 2.0000+ 1 | 6.7095+ 0 DAYS |

71-LU-177
 ATOMIC MASS = 1.7694 + 2
 GROUND STATE
 HALF-LIFE = 6.7095+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 71-LU-176 | GROUND | 29 | 2/17/77 | -7.0700+ 0 | 7.1100+ 0 | 2.0000+ 1 | 2.7001+10 YRS. |
| N,2N | 71-LU-176 | 1.2700- 1 | 27 | 2/17/77 | -7.1970+ 0 | 7.2377+ 0 | 2.0000+ 1 | 3.6889+ 0 HRS. |
| N,3N | 71-LU-175 | GROUND | 16 | 2/17/77 | -1.3370+ 1 | 1.3446+ 1 | 2.0000+ 1 | STABLE |
| N,G | 71-LU-178 | 2.3000- 1 | 102 | 3/03/77 | 5.6400+ 0 | 1.0000-10 | 2.0000+ 1 | 2.1000+ 1 MIN. |
| N,G | 71-LU-178 | GROUND | 102 | 3/02/77 | 5.8700+ 0 | 1.0000-10 | 2.0000+ 1 | 2.8400+ 1 MIN. |

71-LU-177
 ATOMIC MASS = 1.7694+ 2
 LEVEL = 9.7000- 1
 HALF-LIFE = 1.6100+ 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 71-LU-176 | GROUND | 29 | 2/17/77 | -6.1000+ 0 | 6.1345+ 0 | 2.0000+ 1 | 2.7001+10 YRS. |
| N,2N | 71-LU-176 | 1.2700- 1 | 27 | 2/17/77 | -6.2270+ 0 | 6.2622+ 0 | 2.0000+ 1 | 3.6889+ 0 HRS. |
| N,3N | 71-LU-175 | GROUND | 16 | 2/17/77 | -1.2400+ 1 | 1.2470+ 1 | 2.0000+ 1 | STABLE |
| N,G | 71-LU-178 | 2.3000- 1 | 102 | 3/03/77 | 6.6100+ 0 | 1.0000-10 | 2.0000+ 1 | 2.1000+ 1 MIN. |
| N,G | 71-LU-178 | GROUND | 102 | 3/02/77 | 6.8400+ 0 | 1.0300-10 | 2.0000+ 1 | 2.8400+ 1 MIN. |

72-HF-179
 ATOMIC MASS = 1.7895+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 72-HF-178 | GROUND | 48 | 8/01/76 | -6.1000+ 0 | 6.1341+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 72-HF-177 | GROUND | 23 | 8/01/76 | -1.3730+ 1 | 1.3807+ 1 | 2.0000+ 1 | STABLE |
| N,P | 71-LU-179 | GROUND | 35 | 8/01/76 | -5.7000- 1 | 1.0043+ 1 | 2.0000+ 1 | 4.6000+ 0 HRS. |
| N,G | 72-HF-180 | GROUND | 102 | 8/01/76 | 7.3900+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

72-HF-180
 ATOMIC MASS = 1.7995+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 72-HF-179 | GROUND | 43 | 8/01/76 | -7.3900+ 0 | 7.4311+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 72-HF-178 | GROUND | 23 | 8/01/76 | -1.3490+ 1 | 1.3565+ 1 | 2.0000+ 1 | STABLE |
| N,P | 71-LU-180 | GROUND | 28 | 8/01/76 | -2.5206+ 0 | 1.1989+ 1 | 2.0000+ 1 | 2.5000+ 0 MIN. |
| N,G | 72-HF-181 | GROUND | 102 | 8/01/76 | 5.6900+ 0 | 1.0000-10 | 2.0660+ 1 | 4.2500+ 1 DAYS |

72-HF-181
 ATOMIC MASS = 1.8095+ 2
 GROUND STATE
 HALF-LIFE = 4.2500+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 72-HF-180 | GROUND | 49 | 8/01/76 | -5.6900+ 0 | 5.7214+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 72-HF-179 | GROUND | 25 | 8/01/76 | -1.3080+ 1 | 1.3152+ 1 | 2.0000+ 1 | STABLE |
| N,G | 72-HF-182 | GROUND | 102 | 8/01/76 | 6.5900+ 0 | 1.0000-10 | 2.0000+ 1 | 8.9992+ 6 YRS. |

73-HF-183
 ATOMIC MASS = 1.8295+ 2
 GROUND STATE
 HALF-LIFE = 1.0833+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 72-HF-182 | GROUND | 50 | 8/01/76 | -5.3900+ 0 | 5.4195+ 0 | 2.0000+ 1 | 7.9992+ 6 YRS. |
| N,3N | 72-HF-181 | GROUND | 29 | 8/01/76 | -1.4980+ 1 | 1.2045+ 1 | 2.0000+ 1 | 4.2500+ 1 DAYS |
| N,G | 72-HF-184 | GROUND | 102 | 8/01/76 | 5.7900+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0000+ 0 MIN. |

73-TA-179
 ATOMIC MASS = 1.7895+ 2
 GROUND STATE
 HALF-LIFE = 1.6438+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 73-TA-178 | GROUND | 42 | 8/01/76 | -7.8900+ 0 | 7.9341+ 0 | 2.0000+ 1 | 2.1000+ 0 HRS. |
| N,3N | 73-TA-177 | GROUND | 19 | 8/01/76 | -1.4770+ 1 | 1.4853+ 1 | 2.0000+ 1 | 2.3588+ 0 DAYS |
| N,P | 72-HF-179 | GROUND | 39 | 8/01/76 | 9.0000+ 1 | 8.6983+ 0 | 2.0000+ 1 | STABLE |
| N,G | 73-TA-180 | 2.1200- 1 | 102 | 8/01/76 | 6.3680+ 0 | 1.0000-10 | 2.0000+ 1 | 8.1000+ 0 HRS. |
| N,G | 73-TA-180 | GROUND | 102 | 8/01/76 | 6.5800+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0001+13 YRS. |

73-TA-180
 ATOMIC MASS = 1.7995+ 2
 GROUND STATE
 HALF-LIFE = 1.0001+13 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 73-TA-179 | GROUND | 46 | 8/01/76 | -6.5800+ 0 | 6.6166+ 0 | 2.0000+ 1 | 1.6438+ 0 YRS. |
| N,3N | 73-TA-178 | GROUND | 20 | 8/01/76 | -1.4470+ 1 | 1.4550+ 1 | 2.0000+ 1 | 2.1000+ 0 HRS. |
| N,P | 72-HF-180 | 1.1420+ 0 | 38 | 8/01/76 | 5.6800- 1 | 9.0170+ 0 | 2.0000+ 1 | 5.5000+ 0 HRS. |
| N,G | 73-TA-181 | GROUND | 102 | 8/01/76 | 7.6400+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

73-TA-180
 ATOMIC MASS = 1.7995+ 2
 LEVEL = 2.1200- 1
 HALF-LIFE = 8.1000+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 73-TA-179 | GROUND | 47 | 8/01/76 | -6.3680+ 0 | 6.4034+ 0 | 2.0000+ 1 | 1.6438+ 0 YRS. |
| N,3N | 73-TA-178 | GROUND | 21 | 8/01/76 | -1.4258+ 1 | 1.4337+ 1 | 2.0000+ 1 | 2.1000+ 0 HRS. |
| N,P | 72-HF-180 | 1.1420+ 0 | 39 | 8/01/76 | 7.8000- 1 | 8.8039+ 0 | 2.0000+ 1 | 5.5000+ 0 HRS. |
| N,G | 73-TA-181 | GROUND | 102 | 8/01/76 | 7.8520+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

73-TA-181
 ATOMIC MASS = 1.8095+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 73-TA-180 | GROUND | 43 | 7/28/76 | -7.6300+ 0 | 7.6722+ 0 | 2.0000+ 1 | 1.0001+13 YRS. |
| N,2N | 73-TA-180 | 2.1200- 1 | 42 | 7/31/76 | -7.8420+ 0 | 7.8853+ 0 | 2.0000+ 1 | 8.1000+ 0 HRS. |
| N,3N | 73-TA-179 | GROUND | 21 | 7/31/76 | -1.4220+ 1 | 1.4299+ 1 | 2.0000+ 1 | 1.6438+ 0 YRS. |
| N,P | 72-HF-181 | GROUND | 5 | 1/01/72 | -2.3900- 1 | 1.0000+ 1 | 2.6300+ 1 | 4.2500+ 1 DAYS |
| N,G | 73-TA-182 | 5.0300- 1 | 75 | 7/31/76 | 5.5670+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6500+ 1 MIN. |
| N,G | 73-TA-182 | GROUND | 102 | 7/28/76 | 6.0700+ 0 | 1.0000-10 | 2.0000+ 1 | 1.1500+ 2 DAYS |

73-TA-182
 ATOMIC MASS = 1.8195+ 2
 GROUND STATE
 HALF-LIFE = 1.1500+ 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 73-TA-181 | GROUND | 48 | 7/13/76 | -6.0600+ 0 | 6.0933+ 0 | 2.0000+ 1 | STABLE |
| N.3N | 73-TA-180 | 2.1200- 1 | 22 | 7/13/76 | -1.3920+ 1 | 1.3997+ 1 | 2.0000+ 1 | 8.1000+ 0 HRS. |
| N.P | 72-HF-182 | GROUND | 37 | 7/31/76 | 2.8000- 1 | 9.2767+ 0 | 2.0000+ 1 | 8.9992+ 6 YRS. |
| N.G | 73-TA-183 | GROUND | 102 | 7/31/76 | 6.9300+ 0 | 1.0000-10 | 2.0000+ 1 | 5.0995+ 1 DAYS |

73-TA-182
 ATOMIC MASS = 1.8195+ 2
 LEVEL = 5.0300- 1
 HALF-LIFE = 1.6500+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 73-TA-181 | GROUND | 50 | 7/31/76 | -5.5570+ 0 | 5.5875+ 0 | 2.0000+ 1 | STABLE |
| N.3N | 73-TA-180 | 2.1200- 1 | 24 | 7/31/76 | -1.3417+ 1 | 1.3491+ 1 | 2.0000+ 1 | 8.1000+ 0 HRS. |
| N.P | 72-HF-182 | GROUND | 39 | 7/31/76 | 7.8300- 1 | 8.7709+ 0 | 2.0000+ 1 | 8.9992+ 6 YRS. |
| N.G | 73-TA-183 | GROUND | 102 | 7/31/76 | 7.4330+ 0 | 1.0000-10 | 2.0000+ 1 | 5.0995+ 1 DAYS |

73-TA-183
 ATOMIC MASS = 1.8295+ 2
 GROUND STATE
 HALF-LIFE = 5.0995+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 73-TA-182 | GROUND | 45 | 8/02/76 | -6.9300+ 0 | 6.9679+ 0 | 2.0000+ 1 | 1.1500+ 2 DAYS |
| N.3N | 73-TA-181 | GROUND | 25 | 8/02/76 | -1.2990+ 1 | 1.3061+ 1 | 2.0000+ 1 | STABLE |
| N.P | 72-HF-183 | GROUND | 32 | 8/02/76 | -1.2600+ 0 | 1.0810+ 1 | 2.0000+ 1 | 1.0833+ 0 HRS. |
| N.G | 73-TA-184 | GROUND | 102 | 8/02/76 | 5.4500+ 0 | 1.0000-10 | 2.0000+ 1 | 8.7000+ 0 HRS. |

73-TA-184
 ATOMIC MASS = 1.8395+ 2
 GROUND STATE
 HALF-LIFE = 8.7000+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 73-TA-183 | GROUND | 50 | 8/02/76 | -5.4500+ 0 | 5.4796+ 0 | 2.0000+ 1 | 5.0995+ 0 DAYS |
| N.3N | 73-TA-182 | GROUND | 27 | 8/02/76 | -1.2380+ 1 | 1.2447+ 1 | 2.0000+ 1 | 1.1500+ 2 DAYS |
| N.G | 73-TA-185 | GROUND | 102 | 8/02/76 | 6.8200+ 0 | 1.0000-10 | 2.0000+ 1 | 5.0000+ 1 MIN. |

73-TA-186
 ATOMIC MASS = 1.8596+ 2
 GROUND STATE
 HALF-LIFE = 1.0500+ 1 MIN.

79

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 73-TA-185 | GROUND | 51 | 8/02/76 | -5.2500+ 0 | 5.2883+ 0 | 2.0000+ 1 | 5.0000+ 1 MIN. |
| N.3N | 73-TA-184 | GROUND | 29 | 8/02/76 | -1.2080+ 1 | 1.2145+ 1 | 2.0000+ 1 | 8.7000+ 0 HRS. |
| N.G | 73-TA-187 | GROUND | 102 | 8/02/76 | 6.7100+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0000+ 0 MIN. |

74-W -179
 ATOMIC MASS = 1.7855+ 2
 GROUND STATE
 HALF-LIFE = 3.8000+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 74-W -178 | GROUND | 17 | 6/05/76 | -8.6000+ 0 | 8.6600+ 0 | 2.0000+ 1 | 2.1528+ 1 DAYS |
| N.3N | 74-W -177 | GROUND | 6 | 6/05/76 | -1.5300+ 1 | 1.6000+ 1 | 2.0000+ 1 | 2.2500+ 0 HRS. |
| N.G | 74-W -180 | GROUND | 102 | 6/02/76 | 8.6000+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

74-W -180
 ATOMIC MASS = 1.7995+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 74-W -179 | GROUND | 17 | 6/05/76 | -8.6000+ 0 | 8.6600+ 0 | 2.0000+ 1 | 3.8000+ 1 MIN. |
| N,3N | 74-W -178 | GROUND | 6 | 6/05/76 | -1.5370+ 1 | 1.5450+ 1 | 2.0000+ 1 | 2.1528+ 1 DAYS |
| N,G | 74-W -181 | GROUND | 102 | 6/02/76 | 6.6400+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4005+ 2 DAYS |

74-W -181
 ATOMIC MASS = 1.8095+ 2
 GROUND STATE
 HALF-LIFE = 1.4005+ 2 DAYS

08

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 74-W -180 | GROUND | 17 | 6/05/76 | -8.6400+ 0 | 8.6800+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 74-W -179 | GROUND | 6 | 6/05/76 | -1.5200+ 1 | 1.5300+ 1 | 2.0000+ 1 | 3.8000+ 1 MIN. |
| N,G | 74-W -182 | GROUND | 102 | 6/02/76 | 8.0500+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

74-W -182
 ATOMIC MASS = 1.8196+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 74-W -181 | GROUND | 18 | 6/02/76 | -8.0500+ 0 | 8.1000+ 0 | 2.0000+ 1 | 1.4005+ 2 DAYS |
| N,3N | 74-W -180 | GROUND | 7 | 6/02/76 | -1.4700+ 1 | 1.4800+ 1 | 2.0000+ 1 | STABLE |
| N,P | 73-TA-182 | GROUND | 27 | 6/02/76 | -1.0220+ 0 | 1.0280+ 0 | 2.0000+ 1 | 1.1505+ 2 DAYS |
| N,A | 72-HF-179 | GROUND | 29 | 6/02/76 | 7.8900+ 0 | 1.1000+ 1 | 2.0000+ 1 | STABLE |
| N,G | 74-W -183 | GROUND | 102 | 5/30/76 | 6.1910+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

74-W -183
 ATOMIC MASS = 1.8296+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 74-W -182 | GROUND | 18 | 6/02/76 | -6.1900+ 0 | 6.2500+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 74-W -181 | GROUND | 7 | 6/02/76 | -1.4200+ 1 | 1.4300+ 1 | 2.0000+ 1 | 1.4005+ 2 DAYS |
| N,N,P | 73-TA-182 | GROUND | 30 | 6/02/76 | -7.2100+ 0 | 1.1750+ 1 | 2.0000+ 1 | 1.1505+ 2 DAYS |
| N,P | 73-TA-183 | GROUND | 24 | 6/02/76 | -2.8600- 1 | 1.0000+ 1 | 2.0000+ 1 | 5.1042+ 0 DAYS |
| N,A | 72-HF-180 | GROUND | 26 | 6/02/76 | 9.0800- 0 | 1.1000+ 1 | 2.0000+ 1 | STABLE |
| N,G | 74-W -184 | GROUND | 102 | 5/30/76 | 7.4120+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

74-W -184
 ATOMIC MASS = 1.8396+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 74-W -183 | GROUND | 18 | 6/02/76 | -7.4100+ 0 | 7.4500+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 74-W -182 | GROUND | 7 | 6/02/76 | -1.3600+ 1 | 1.3700+ 1 | 2.0000+ 1 | STABLE |
| N,P | 73-TA-184 | GROUND | 27 | 6/02/76 | -2.2500+ 0 | 2.2600+ 0 | 2.0000+ 1 | 8.7000+ 0 HRS. |
| N,A | 72-HF-181 | GROUND | 30 | 6/02/76 | 7.3700+ 0 | 1.1000+ 1 | 2.0000+ 1 | 4.2477+ 1 DAYS |
| N,G | 74-W -185 | GROUND | 102 | 5/30/76 | 5.7500+ 0 | 1.0000-10 | 2.0000+ 1 | 7.5000+ 1 DAYS |

74-W -185
 ATOMIC MASS = 1.8496+ 2
 GROUND STATE
 HALF-LIFE = 7.5000+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|-----------|
| N,2N | 74-W -184 | GROUND | 18 | 6/06/76 | -5.7500+ 0 | 5.7800+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 74-W -183 | GROUND | 7 | 6/06/76 | -1.3160+ 1 | 1.3250+ 1 | 2.0000+ 1 | STABLE |
| N,G | 74-W -186 | GROUND | 102 | 6/02/76 | 7.2000+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

74-W -186
 ATOMIC MASS = 1.8586 ± 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 74-W -185 | GROUND | 19 | 6/02/76 | -7.2000 ± 0 | 7.2500 ± 0 | 2.0000 ± 1 | 7.5000 ± 1 DAYS |
| N,3N | 74-W -184 | GROUND | 8 | 6/02/76 | -1.2953 ± 1 | 1.3000 ± 1 | 2.0000 ± 1 | STABLE |
| N,P | 73-TA-186 | GROUND | 23 | 6/02/76 | -3.1200 ± 0 | 1.1400 ± 1 | 2.0000 ± 1 | 1.0000 ± 1 MIN. |
| N,A | 72-HF-183 | GROUND | 29 | 6/02/76 | 6.3900 ± 0 | 1.1000 ± 1 | 2.0000 ± 1 | 1.0833 ± 0 HRS. |
| N,G | 74-W -187 | GROUND | 102 | 5/30/76 | 5.4670 ± 0 | 1.0000-10 | 2.0000 ± 1 | 2.3900 ± 1 HRS. |

74-W -187
 ATOMIC MASS = 1.8696 ± 2
 GROUND STATE
 HALF-LIFE = 2.3900 ± 1 HRS.

30

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 74-W -186 | GROUND | 19 | 6/06/76 | -5.4700 ± 0 | 5.5000 ± 0 | 2.0000 ± 1 | STABLE |
| N,3N | 74-W -185 | GROUND | 8 | 6/06/76 | -1.2670 ± 1 | 1.2750 ± 1 | 2.0000 ± 1 | 7.5000 ± 1 DAYS |
| N,4N | 74-W -184 | GROUND | 2 | 5/06/76 | -1.8420 ± 1 | 1.8550 ± 1 | 2.0000 ± 1 | STABLE |
| N,G | 74-W -188 | GROUND | 102 | 6/05/76 | 6.8400 ± 0 | 1.0000-10 | 2.0000 ± 1 | 6.9005 ± 1 DAYS |

74-W -188
 ATOMIC MASS = 1.8796 ± 2
 GROUND STATE
 HALF-LIFE = 6.9005 ± 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 74-W -187 | GROUND | 19 | 6/06/76 | -6.8400 ± 0 | 6.8800 ± 0 | 2.0000 ± 1 | 2.3900 ± 1 HRS. |
| N,3N | 74-W -186 | GROUND | 8 | 6/06/76 | -1.2300 ± 1 | 1.2400 ± 1 | 2.0000 ± 1 | STABLE |
| N,G | 74-W -189 | GROUND | 102 | 6/06/76 | 4.9800 ± 0 | 1.0000-10 | 2.0000 ± 1 | 1.1500 ± 1 MIN. |

75-RE-184
 ATOMIC MASS = 1.8395+ 2
 GROUND STATE
 HALF-LIFE = 3.7998+ 1 DAYS

E-MAX
 E-MIN
 O-VALUE
 DATE
 POINTS
 LEVEL
 PRODUCT
 REACTION

24
 14
 17
 102

8/12/76
 8/12/76
 8/12/76
 8/12/76

75-RE-183 GROUND
 75-RE-186 GROUND
 75-RE-188 GROUND
 75-RE-185 GROUND

7.0995+ 1 DAYS
 2.6667+ 0 DAYS
 STABLE
 STABLE

6.5353+ 0
 1.5896+ 1
 7.4951+ 0
 1.0000+ 0

-6.5000+ 0
 -1.3500+ 1
 1.9000+ 0
 7.9700+ 0

2.0000+ 1
 2.0000+ 1
 2.0000+ 1
 2.0000+ 1

75-RE-184
 ATOMIC MASS = 1.8395+ 2
 GROUND STATE
 HALF-LIFE = 1.6800- 1

E-MAX
 E-MIN
 O-VALUE
 DATE
 POINTS
 LEVEL
 PRODUCT
 REACTION

25
 15
 17
 102

8/12/76
 8/12/76
 8/12/76
 8/12/76

75-RE-183 GROUND
 75-RE-182 GROUND
 75-RE-184 GROUND
 75-RE-185 GROUND

7.0995+ 1 DAYS
 2.6667+ 0 DAYS
 STABLE
 STABLE

6.3463+ 0
 1.5335+ 1
 7.6940+ 0
 1.0000+ 10

-6.3120+ 0
 -1.5312+ 1
 2.0880+ 0
 7.7580+ 0

2.0000+ 1
 2.0000+ 1
 2.0000+ 1
 2.0000+ 1

75-RE-185
 ATOMIC MASS = 1.8435+ 2
 GROUND STATE
 STABLE

E-MAX
 E-MIN
 O-VALUE
 DATE
 POINTS
 LEVEL
 PRODUCT
 REAC ION

27
 16
 15
 16
 102

8/12/76
 8/12/76
 8/12/76
 8/12/76

75-RE-184 GROUND
 75-RE-184 GROUND
 75-RE-183 GROUND
 75-RE-185 GROUND
 75-RE-186 GROUND

3.7998+ 1 DAYS
 1.6888+ 2 DAYS
 7.0995+ 1 DAYS
 2.5000+ 1 DAYS
 3.7500+ 0 DAYS

7.9522+ 0
 8.0415+ 0
 1.4546+ 1
 9.4564+ 1
 1.0000+ 10

-7.8100+ 0
 -7.9980+ 0
 -1.4470+ 1
 3.5000+ 1
 6.1780+ 0

2.0000+ 1
 2.0000+ 1
 2.0000+ 1
 2.0000+ 1
 2.0000+ 1

75-RE-186
 ATOMIC MASS = 1.8595* 2
 GROUND STATE
 HALF-LIFE = 3.7500* 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 75-RE-185 | GROUND | 29 | 8/12/76 | -6.1930+ 0 | 6.2132+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 75-RE-184 | GROUND | 16 | 8/12/76 | -1.3750+ 1 | 1.3824+ 1 | 2.0000+ 1 | 3.7998+ 1 DAYS |
| N,3N | 75-RE-184 | 1.8800- 1 | 16 | 8/12/76 | -1.3910+ 1 | 1.3824+ 1 | 2.0000+ 1 | 1.6898+ 2 DAYS |
| N,P | 74-W-186 | GROUND | 17 | 8/12/76 | 1.3800+ 0 | 8.3759+ 0 | 2.0000+ 1 | STABLE |
| N,G | 75-RE-187 | GROUND | 102 | 8/12/76 | 7.3700+ 0 | 1.0000-10 | 2.0000+ 1 | 3.9954+10 YRS. |

75-RE-187
 ATOMIC MASS = 1.8696* 2
 GROUND STATE
 HALF-LIFE = 3.9954+10 YRS.

84

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 75-RE-186 | GROUND | 26 | 8/12/76 | -7.3200+ 0 | 7.3592+ 0 | 2.0000+ 1 | 3.7500+ 0 DAYS |
| N,3N | 75-RE-185 | GROUND | 17 | 8/12/76 | -1.3560+ 1 | 1.3633+ 1 | 2.0000+ 1 | STABLE |
| N,P | 74-W-187 | GROUND | 16 | 8/12/76 | -5.3000- 1 | 1.0281+ 1 | 2.0000+ 1 | 2.3900+ 1 HRS. |
| N,G | 75-RE-188 | 1.7200- 1 | 102 | 8/12/76 | 5.7010+ 0 | 1.0000-10 | 2.0000+ 1 | 1.8700+ 1 MIN |
| N,G | 75-RE-188 | GROUND | 102 | 8/12/76 | 5.8730+ 0 | 1.0000-10 | 2.0000+ 1 | 1.6700+ 1 HRS. |

75-RE-188
 ATOMIC MASS = 1.8796* 2
 GROUND STATE
 HALF-LIFE = 1.6700+ 1 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 75-RE-187 | GROUND | 27 | 8/12/76 | -5.8700+ 0 | 5.9012+ 0 | 2.0000+ 1 | 3.9954+10 YRS. |
| N,3N | 75-RE-186 | GROUND | 16 | 8/12/76 | -1.3270+ 1 | 1.3341+ 1 | 2.0000+ 1 | 3.7500+ 0 DAYS |
| N,P | 74-W-188 | GROUND | 16 | 8/12/76 | 4.3000- 1 | 9.3015+ 0 | 2.0000+ 1 | 6.9005+ 1 DAYS |
| N,G | 75-RE-189 | GROUND | 102 | 8/12/76 | 7.0300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0000+ 0 DAYS |

75-RE-188
 ATOMIC MASS = 1.8796* 2
 LEVEL = 1.7200* 1
 HALF-LIFE = 1.8700* 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|-----------------|
| N,2N | 75-RE-187 | GROUND | 28 | 8/12/76 | -5.6980* 0 | 5.7283* 0 | 2.0000* 1 | 3.9954* 10 YRS. |
| N,3N | 75-RE-186 | GROUND | 16 | 8/12/76 | -1.3098* 1 | 1.3168* 1 | 2.0000* 1 | 3.7500* 0 DAYS |
| N,P | 74-W-188 | GROUND | 16 | 8/12/76 | 6.0200* 1 | 9.1286* 0 | 2.0000* 1 | 6.9005* 1 DAYS |
| N,G | 75-RE-189 | GROUND | 102 | 8/12/76 | 7.2020* 0 | 1.0000-10 | 2.0000* 1 | 1.0000* 0 DAYS |

77-IR-194
 ATOMIC MASS = 1.9396* 2
 GROUND STATE
 HALF-LIFE = 1.7389* 1 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 77-IR-193 | GROUND | 48 | 8/04/76 | -6.0700* 0 | 6.1013* 0 | 2.0000* 1 | STABLE |
| N,3N | 77-IR-192 | GROUND | 22 | 8/04/76 | -1.3980* 1 | 1.3952* 1 | 2.0000* 1 | 7.4201* 1 DAYS |
| N,P | 76-OS-194 | GROUND | 30 | 8/04/76 | 6.9000* 1 | 9.2145* 0 | 2.0000* 1 | 5.9895* 0 YRS. |
| N,G | 77-IR-195 | GROUND | 102 | 8/04/76 | 7.3100* 0 | 1.0000-10 | 2.0000* 1 | 4.2000* 0 HRS. |

78-PT-197
 ATOMIC MASS = 1.9697* 2
 GROUND STATE
 HALF-LIFE = 1.8000* 1 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 78-PT-196 | GROUND | 49 | 8/04/76 | -5.1500* 0 | 5.8797* 0 | 2.0000* 1 | STABLE |
| N,3N | 78-PT-195 | GROUND | 23 | 8/04/76 | -1.3770* 1 | 1.3840* 1 | 2.0000* 1 | STABLE |
| N,P | 77-IR-197 | GROUND | 31 | 8/04/76 | -1.2200* 0 | 1.1221* 1 | 2.0000* 1 | 7.0000* 0 MIN. |
| N,G | 78-PT-198 | GROUND | 102 | 8/04/76 | 7.5600* 0 | 1.0000-10 | 2.0000* 1 | STABLE |

79-AU-193
 ATOMIC MASS = 1.9396 * 2
 GROUND STATE
 HALF-LIFE = 1.6000 * 1 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|------------|-------------------|
| N,G | 79-AU-194 | GROUND | 102 | 5/30/76 | 8.6500 * 0 | 1.0000-10 | 2.0000 * 1 | 1.6 * 58 * 0 DAYS |

79-AU-194
 ATOMIC MASS = 1.9396 * 2
 GROUND STATE
 HALF-LIFE = 1.6458 * 0 DAYS

83

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 79-AU-193 | GROUND | 15 | 6/02/76 | -6.7600 * 0 | 6.8000 * 0 | 2.0000 * 1 | 1.6000 * 1 HRS. |
| N,3N | 79-AU-192 | GROUND | 7 | 6/02/76 | -1.5670 * 1 | 1.5750 * 1 | 2.0000 * 1 | 4.1000 * 0 HRS. |
| N,G | 79-AU-195 | GROUND | 102 | 5/30/76 | 8.3500 * 0 | 1.0000-10 | 2.0000 * 1 | 1.8299 * 2 DAYS |

79-AU-195
 ATOMIC MASS = 1.9496 * 2
 GROUND STATE
 HALF-LIFE = 1.8299 * 2 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|-------------|------------|------------|-----------------|
| N,2N | 79-AU-194 | GROUND | 15 | 6/02/76 | -8.3500 * 0 | 8.3900 * 0 | 2.0000 * 1 | 1.6458 * 0 DAYS |
| N,3N | 79-AU-193 | GROUND | 7 | 6/02/76 | -1.5400 * 1 | 1.5500 * 1 | 2.0000 * 1 | 1.6000 * 1 HRS. |
| N,G | 79-AU-196 | GROUND | 102 | 5/30/76 | 6.6700 * 0 | 1.0000-10 | 2.0000 * 1 | 6.1806 * 0 DAYS |

79-AU-196
 ATOMIC MASS = 1.9597+ 2
 GROUND STATE
 HALF-LIFE = 6.1806+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 79-AU-195 | GROUND | 16 | 6/02/76 | -6.6700+ 0 | 6.7000+ 0 | 2.0000+ 1 | 1.8241+ 2 DAYS |
| N,3N | 79-AU-194 | GROUND | 8 | 6/02/76 | -1.5020+ 1 | 1.5100+ 1 | 2.0000+ 1 | 1.6458+ 0 DAYS |
| N,G | 79-AU-197 | GROUND | 102 | 5/30/76 | 8.0800+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

79-AU-196
 ATOMIC MASS = 1.9597+ 2
 LEVEL = 5.9550- 1
 HALF-LIFE = 9.7000+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 79-AU-195 | GROUND | 16 | 6/02/76 | -6.6700+ 0 | 6.1000+ 0 | 2.0000+ 1 | 1.8241+ 2 DAYS |
| N,3N | 79-AU-194 | GROUND | 8 | 6/02/76 | -1.4420+ 1 | 1.4500+ 1 | 2.0000+ 1 | 1.6458+ 0 DAYS |
| N,G | 79-AU-197 | GROUND | 102 | 5/30/76 | 8.6800+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

79-AU-197
 ATOMIC MASS = 1.9697+ 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 79-AU-196 | GROUND | 12 | 6/02/76 | -8.0600+ 0 | 8.1300+ 0 | 2.0000+ 1 | 6.1806+ 0 DAYS |
| N,2N | 79-AU-196 | 5.9550- 1 | 7 | 6/02/76 | -8.6560+ 0 | 9.7000+ 0 | 2.0000+ 1 | 9.7000+ 0 HRS. |
| N,3N | 79-AU-195 | GROUND | 5 | 6/02/76 | -1.4750+ 1 | 1.4826+ 1 | 2.0000+ 1 | 1.8241+ 2 DAYS |
| N,P | 78-P7-197 | GROUND | 12 | 6/02/76 | 4.0000- 2 | 1.0000+ 1 | 2.0000+ 1 | 1.8000+ 1 HRS. |
| N,A | 77-IR-194 | GROUND | 6 | 6/02/76 | 7.0300+ 0 | 7.0000+ 0 | 2.0000+ 1 | 1.7389+ 1 HRS. |
| N,G | 78-AU-198 | GROUND | 102 | 5/30/76 | 6.5100+ 0 | 1.0000-10 | 2.0000+ 1 | 2.8979+ 0 DAYS |

79-AU-198
 ATOMIC MASS = 1.9797* 2
 GROUND STATE
 HALF-LIFE = 2.6979* 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 79-AU-197 | GROUND | 16 | 6/02/76 | -6.5100* 0 | 6.5500* 0 | 2.0000* 1 | STABLE |
| N,3N | 79-AU-196 | GROUND | 8 | 6/02/76 | -1.4950* 1 | 1.4700* 1 | 2.0000* 1 | 6.1806* 0 DAYS |
| N,6 | 79-AU-199 | GROUND | 102 | 5/30/76 | 7.5700* 0 | 1.0000-10 | 2.0000* 1 | 3.1505* 0 DAYS |

79-AU-199
 ATOMIC MASS = 1.9897* 2
 GROUND STATE
 HALF-LIFE = 3.1505* 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 79-AU-198 | GROUND | 17 | 6/02/76 | -7.5700* 0 | 7.6100* 0 | 2.0000* 1 | 2.6968* 0 DAYS |
| N,3N | 79-AU-197 | GROUND | 9 | 6/02/76 | -1.4080* 1 | 1.4150* 1 | 2.0000* 1 | STABLE |
| N,6 | 79-AU-200 | GROUND | 102 | 5/30/76 | 6.2800* 0 | 1.0000-10 | 2.0000* 1 | 4.8400* 1 MIN. |

79-AU-199
 ATOMIC MASS = 1.9997* 2
 GROUND STATE
 HALF-LIFE = 4.8400* 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 79-AU-199 | GROUND | 17 | 6/02/76 | -6.2800* 0 | 6.3200* 0 | 2.0000* 1 | 3.1481* 0 DAYS |

82-PB-203
 ATOMIC MASS = 2.0297+ 2
 GROUND STATE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 82-PB-202 | GROUND | 14 | 6/07/76 | -6.7900+ 0 | 6.8500+ 0 | 2.0000+ 1 | 3.0001+ 5 YRS. |
| N,3N | 82-PB-201 | GROUND | 6 | 6/07/76 | -1.5450+ 1 | 1.5550+ 1 | 2.0000+ 1 | 9.4000+ 0 HRS. |
| N,G | 82-PB-204 | GROUND | 102 | 6/07/76 | 8.4000+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4000+17 YRS. |

82-PB-204
 ATOMIC MASS = 2.0397+ 2
 GROUND STATE
 HALF-LIFE = 1.4000+17 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|-----------|--------|----------|------------|-----------|-----------|----------------|
| N,N' | 82-PB-204 | 2.1860+ 0 | 40 | 11/11.77 | -2.1860+ 0 | 2.1967+ 0 | 2.0000+ 1 | 1.1150+ 0 HRS. |
| N,2N | 82-PB-203 | GROUND | 15 | 6/07/76 | -6.4000+ 0 | 6.4500+ 0 | 2.0000+ 1 | 2.1713+ 0 DAYS |
| N,3N | 82-PB-202 | GROUND | 6 | 6/07/76 | -1.5180+ 1 | 1.5260+ 1 | 2.0000+ 1 | 3.0001+ 5 YRS. |
| N,G | 82-PB-205 | GROUND | 102 | 6/06/76 | 6.7300+ 0 | 1.0000-10 | 2.0000+ 1 | 2.9997+ 7 YRS. |

82-PB-205
 ATOMIC MASS = 2.0497+ 2
 GROUND STATE
 HALF-LIFE = 2.9997+ 7 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 82-PB-204 | GROUND | 14 | 6/07/76 | -6.7300+ 0 | 6.8000+ 0 | 2.0000+ 1 | 1.4000+17 YRS. |
| N,3N | 82-PB-203 | GROUND | 6 | 6/07/76 | -1.5140+ 1 | 1.5250+ 1 | 2.0000+ 1 | 2.1713+ 0 DAYS |
| N,G | 82-PB-206 | GROUND | 102 | 6/07/76 | 8.0800+ 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

82-PB-206
 ATOMIC MASS = 2.0597* 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 82-PB-205 | GROUND | 15 | 6/07/76 | -8.0800* 0 | 8.1200+ 0 | 2.0000+ 1 | 2.9997* 7 YRS. |
| N,3N | 82-PB-204 | GROUND | 6 | 6/07/76 | -1.4810* 1 | 1.4890+ 1 | 2.0000+ 1 | 1.4000*17 YRS. |
| N,G | 82-PB-207 | GROUND | 102 | 6/07/76 | 6.7400* 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

82-PB-207
 ATOMIC MASS = 2.0698* 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 82-PB-206 | GROUND | 14 | 6/07/76 | -6.7400* 0 | 6.7800+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 82-PB-205 | GROUND | 6 | 6/07/76 | -1.4820* 1 | 1.4900+ 1 | 2.0000+ 1 | 2.9997* 7 YRS. |
| N,G | 82-PB-208 | GROUND | 102 | 6/07/76 | 7.3700* 0 | 1.0000-10 | 2.0000+ 1 | STABLE |

82-PB-208
 ATOMIC MASS = 2.0798* 2
 GROUND STATE
 STABLE

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 82-PB-207 | GROUND | 16 | 6/07/76 | -7.3700* 0 | 7.4100+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 82-PB-206 | GROUND | 7 | 6/07/76 | -1.4110* 1 | 1.4180+ 1 | 2.0000+ 1 | STABLE |
| N,G | 82-PB-209 | GROUND | 102 | 6/07/76 | 3.9400* 0 | 1.0000-10 | 2.0000+ 1 | 3.3000* 0 HRS. |

82-P8-209
 ATOMIC MASS = 2.0898+ 2
 GROUND STATE
 HALF-LIFE = 3.3000+ 0 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 82-P8-208 | GROUND | 18 | 6/07/76 | -3.9400+ 0 | 3.9500+ 0 | 2.0000+ 1 | STABLE |
| N,3N | 82-P8-207 | GROUND | 9 | 6/07/76 | -1.1710+ 1 | 1.1370+ 1 | 2.0000+ 1 | STABLE |
| N,4N | 82-P8-206 | GROUND | 2 | 6/07/76 | -1.8050+ 1 | 1.8140+ 1 | 2.0000+ 1 | STABLE |
| N,G | 82-P8-210 | GROUND | 102 | 6/07/76 | 5.1800+ 0 | 1.0000-10 | 2.0000+ 1 | 2.0998+ 1 YRS. |

90-TH-230
 ATOMIC MASS = 2.3003+ 2
 GROUND STATE
 HALF-LIFE = 1.0625+ 4 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|-----------|-----------|-----------|----------------|
| N,G | 90-TH-231 | GROUND | 102 | 6/04/76 | 5.1300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.0625+ 0 DAYS |

90-TH-231
 ATOMIC MASS = 2.3105+ 2
 GROUND STATE
 HALF-LIFE = 1.0625+ 0 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 90-TH-230 | GROUND | 18 | 6/04/76 | -5.1300+ 0 | 5.1500+ 0 | 2.0000+ 1 | 8.0004+ 4 YRS. |
| N,3N | 90-TH-229 | GROUND | 11 | 6/04/76 | -1.1910+ 1 | 1.1370+ 1 | 2.0000+ 1 | 7.3408+ 3 YRS. |
| N,4N | 90-TH-228 | GROUND | 5 | 6/04/76 | -1.7150+ 1 | 1.7230+ 1 | 2.0000+ 1 | 1.9099+ 0 YRS. |
| N,G | 90-TH-232 | GROUND | 102 | 5/06/76 | 6.4300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4095+10 YRS. |

90-TH-232
 ATOMIC MASS = 2.3204+ 2
 GROUND STATE
 HALF-LIFE = 1.4095+10 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 90-TH-231 | GROUND | 17 | 6/04/76 | -6.4300+ 0 | 6.5000+ 0 | 2.0000+ 1 | 1.0625+ 0 DAYS |
| N,3N | 90-TH-230 | GROUND | 8 | 6/04/76 | -1.1560+ 1 | 1.1610+ 1 | 2.0000+ 1 | 8.0004+ 4 YRS. |
| N,4N | 90-TH-229 | GROUND | 2 | 6/04/76 | -1.8350+ 1 | 1.8500+ 1 | 2.0000+ 1 | 7.3408+ 3 YRS. |
| N,G | 90-TH-233 | GROUND | 102 | 6/04/76 | 4.7900+ 0 | 1.0000-10 | 2.0000+ 1 | 2.2200+ 1 MIN. |

90-TH-233
 ATOMIC MASS = 2.3305+ 2
 GROUND STATE
 HALF-LIFE = 2.2200+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 90-TH-232 | GROUND | 19 | 6/04/76 | -4.7900+ 0 | 4.8100+ 0 | 2.0000+ 1 | 1.4095+10 YRS. |
| N,3N | 90-TH-231 | GROUND | 14 | 6/04/76 | -1.1220+ 1 | 1.1270+ 1 | 2.0000+ 1 | 1.0625+ 0 DAYS |
| N,4N | 90-TH-230 | GROUND | 5 | 6/04/76 | -1.6340+ 1 | 1.6340+ 1 | 2.0000+ 1 | 8.0004+ 4 YRS. |
| N,G | 90-TH-234 | GROUND | 102 | 5/29/76 | 6.1800+ 0 | 1.0000-10 | 2.0000+ 1 | 2.4097+ 1 DAYS |

90-TH-234
 ATOMIC MASS = 2.3404+ 2
 GROUND STATE
 HALF-LIFE = 2.4097+ 1 DAYS

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N,2N | 90-TH-233 | GROUND | 16 | 6/04/76 | -6.1700+ 0 | 6.2000+ 0 | 2.0000+ 1 | 2.2200+ 1 MIN. |

92-U -233
 ATOMIC MASS = 2.3504* 2
 GROUND STATE
 HALF-LIFE = 1.5801* 5 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N.2N | 92-U -232 | GROUND | 12 | 12/28/74 | -5.7400* 0 | 5.7646* 0 | 2.0000* 1 | 7.2013* 1 YRS. |
| N.3N | 92-U -231 | GROUND | 5 | 12/28/74 | -1.3010* 1 | 1.3056* 1 | 2.0000* 1 | 4.5202* 0 DYS. |
| N.6 | 92-U -234 | GROUND | 102 | 7/06/77 | 5.6400* 0 | 1.0000-10 | 2.0000* 1 | 2.4401* 5 YRS. |

92-U -234
 ATOMIC MASS = 2.3404* 2
 GROUND STATE
 HALF-LIFE = 2.4401* 5 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N.2N | 92-U -233 | GROUND | 13 | 11/15/72 | -6.6400* 0 | 6.6700* 0 | 2.0000* 1 | 1.5801* 5 YRS. |
| N.3N | 92-U -232 | GROUND | 7 | 11/15/72 | -1.2590* 1 | 1.2644* 1 | 2.0000* 1 | 7.2013* 1 YRS. |
| N.6 | 92-U -235 | GROUND | 128 | 4/03/76 | 5.3100* 0 | 1.0000-10 | 2.0000* 1 | 7.0386* 8 YRS. |

92-U -235
 ATOMIC MASS = 2.3504* 2
 GROUND STATE
 HALF-LIFE = 7.0386* 8 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|---------|------------|-----------|-----------|----------------|
| N.2N | 92-U -234 | GROUND | 15 | 2/02/76 | -5.3100* 0 | 5.3326* 0 | 2.0000* 1 | 2.4401* 5 YRS. |
| N.3N | 92-U -233 | GROUND | 8 | 1/27/76 | -1.2150* 1 | 1.2202* 1 | 2.0000* 1 | 1.5801* 5 YRS. |
| N.4N | 92-U -232 | GROUND | 3 | 5/04/71 | -1.7890* 1 | 1.7970* 1 | 2.0000* 1 | 7.2013* 1 YRS. |
| N.6 | 92-U -236 | GROUND | 102 | 7/06/77 | 6.5500* 0 | 1.0000-10 | 2.0000* 1 | 2.3421* 7 YRS. |

92-U -236
 ATOMIC MASS = 2.3605+ 2
 GROUND STATE
 HALF-LIFE = 2.3421+ 7 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 92-U -235 | GROUND | 14 | 11/15/72 | -6.5500+ 0 | 6.5800+ 0 | 2.0000+ 1 | 7.0396+ 8 YRS. |
| N,3N | 92-U -234 | GROUND | 8 | 12/28/74 | -1.1850+ 1 | 1.1900+ 1 | 2.0000+ 1 | 2.4401+ 5 YRS. |
| N,G | 92-U -237 | GROUND | 127 | 10/27/75 | 5.1200+ 0 | 1.0000-10 | 2.0000+ 1 | 6.7500+ 0 DAYS |

92-U -237
 ATOMIC MASS = 2.3705+ 2
 GROUND STATE
 HALF-LIFE = 6.7500+ 0 DAYS

94

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 92-U -236 | GROUND | 11 | 11/15/72 | -5.1200+ 0 | 5.1416+ 0 | 2.0000+ 1 | 2.3421+ 7 YRS. |
| N,3N | 92-U -235 | GROUND | 7 | 11/15/72 | -1.1670+ 1 | 1.1720+ 1 | 2.0000+ 1 | 7.0396+ 8 YRS. |
| N,G | 92-U -238 | GROUND | 174 | 9/27/75 | 6.1400+ 0 | 1.0000-10 | 2.0000+ 1 | 4.4711+ 9 YRS. |

92-U -238
 ATOMIC MASS = 2.3805+ 2
 GROUND STATE
 HALF-LIFE = 4.4711+ 9 YRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 92-U -237 | GROUND | 15 | 12/15/71 | -6.1400+ 0 | 6.1658+ 0 | 2.0000+ 1 | 6.7500+ 0 DAYS |
| N,3N | 92-U -235 | GROUND | 10 | 2/02/76 | -1.1270+ 1 | 1.1317+ 1 | 2.0000+ 1 | 2.3421+ 7 YRS. |
| N,4N | 92-U -235 | GROUND | 4 | 3/12/71 | -1.7810+ 1 | 1.7885+ 1 | 2.0000+ 1 | 7.0396+ 8 YRS. |
| N,G | 92-U -239 | GROUND | 102 | 7/06/77 | 4.8000+ 0 | 1.0000-10 | 2.0000+ 1 | 2.3500+ 1 MIN. |

92-U -239
 ATOMIC MASS = 2.3905+ 2
 GROUND STATE
 HALF-LIFE = 2.3500+ 1 MIN.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 92-U -238 | GROUND | 14 | 11/15/72 | -4.8000+ 0 | 4.8201+ 0 | 2.0000+ 1 | 4.4711+ 9 YRS. |
| N,3N | 92-U -237 | GROUND | 12 | 11/15/72 | -1.0950+ 1 | 1.0996+ 1 | 2.0000+ 1 | 6.7500+ 0 DAYS |
| N,4N | 92-U -236 | GROUND | 5 | 11/15/72 | -1.6070+ 1 | 1.6137+ 1 | 2.0000+ 1 | 2.3421+ 7 YRS. |
| N,G | 92-U -240 | GROUND | 211 | 10/30/75 | 5.9300+ 0 | 1.0000-10 | 2.0000+ 1 | 1.4100+ 1 HRS. |

92-U -240
 ATOMIC MASS = 2.4006+ 2
 GROUND STATE
 HALF-LIFE = 1.4100+ 1 HRS.

| REACTION | PRODUCT | LEVEL | POINTS | DATE | Q-VALUE | E-MIN | E-MAX | HALF-LIFE |
|----------|-----------|--------|--------|----------|------------|-----------|-----------|----------------|
| N,2N | 92-U -239 | GROUND | 13 | 11/15/72 | -5.7300+ 0 | 5.9600+ 0 | 2.0000+ 1 | 2.3500+ 1 MIN. |
| N,3N | 92-U -238 | GROUND | 10 | 11/15/72 | -1.0740+ 1 | 1.0785+ 1 | 2.0000+ 1 | 4.4711+ 9 YRS. |
| N,4N | 92-U -237 | GROUND | 5 | 11/15/72 | -1.6880+ 1 | 1.6950+ 1 | 2.0000+ 1 | 6.7500+ 0 DAYS |
| N,G | 92-U -241 | GROUND | 139 | 2/27/76 | 6.0800+ 0 | 1.0000-10 | 2.0000+ 1 | 3.4100+ 0 SEC. |

REFERENCES

1. R. J. Howerton, D. E. Cullen, R. C. Haight, M. H. MacGregor, S. T. Perkins, and E. F. Plechaty, *The LLL Evaluated Nuclear Data Library (ENDL): Evaluation Techniques, Reaction Index, and Descriptions of Individual Evaluations*, Lawrence Livermore Laboratory, Rept. UCRL-50400, Vol. 15, Part A (1975).
2. D. E. Cullen, R. J. Howerton, M. H. MacGregor, and S. T. Perkins, *ECSIL, A System for Storage, Retrieval and Display of Experimental Neutron Data*, Lawrence Livermore Laboratory, Rept. UCRL-50400, Vol. 1, Rev. 3 (1976).
3. S. F. Mughabghab and D. I. Garber, *Neutron Cross Sections Vol. I, Resonance Parameters*, Brookhaven National Laboratory, Rept. BNL 325, Third Edition (1973).
4. R. E. von Holdt and R. J. Howerton, *Mathematics of Computation* **17**, 419 (1963).
5. W. Lu and R. W. Fink, *Phys. Rev. C* **4** 1173 (1971).
6. D. G. Gardner, *The (n,2n) Reaction Induced by 14.5 MeV Neutrons*, Lawrence Livermore Laboratory, Rept. UCRL-14575 (1966).
7. I. Dostrovsky, Z. Fraenkel, and G. Friedlander, *Phys. Rev.* **116**, 683 (1959).
8. N. Levkovskii, *Zh. Eksperim. i Teor. Fiz.* **45**, 305 (1963) [transl. *Soviet Phys. JETP* **18**, 213 (1964)].
9. D. G. Gardner and S. Rosenblum, *Nucl. Phys.* **A96**, 121 (1967).
10. D. G. Gardner and Y. Yu, *Nucl. Phys.* **60**, 49 (1964).
11. C. L. Dunford, AI-AEC-12931 (July 1970).
12. M. Uhl, *Acta Physica Austriaca* **31**, 245 (1970).
13. D. G. Gardner, National Bureau of Standards, **425 II**, 651 (1975).
14. C. K. Cline and M. Blann, *Nucl. Phys.* **A172**, 225 (1971); C. K. Cline, *Nucl. Phys.* **A186**, 273 (1972); C. K. Cline, *Nucl. Phys.* **A195**, 353 (1972); C. Kalbach-Cline, *Nucl. Phys.* **A210**, 590 (1973); C. Kalbach, *Acta Phys. Slov.* **25**, 100 (1975).
15. P. Moldauer, *Nucl. Phys.* **47**, 65 (1963).
16. D. Wilmore and P. E. Hodgson, *Nucl. Phys.* **55**, 673 (1964).
17. C. M. Perey and F. G. Perey, *Atomic Data and Nuclear Data Tables* **13**, 293 (1974).
18. G. J. Igo and J. R. Huizenga, Argonne National Laboratory, Argonne, Illinois, Rept. ANL-6373 (1961).
19. P. Axel, *Phys. Rev.* **126**, 671 (1962).
20. J. Blatt and V. Weisskopf, *Theoretical Nuclear Physics* (J. Wiley, New York, 1952).
21. J. Cook, et al., AAEC/TM-392 (1967).
22. A. Gilbert and A. Cameron, *Can. J. Phys.* **43**, 1446 (1965).

APPENDIX

SAMPLE LISTING OF THE ACTIVATION CROSS SECTIONS

The listing shows some of the evaluated cross sections for a number of reactions on the ground state of $^{63}\text{Cu}_{29}$ for incident neutrons in the energy range from 0.053 to 10.25 MeV. The target, along with its energy level and half-life, are given at the top of the page. Then the various reactions for which cross section data are available are listed (with CLYDE reaction descriptors).^{A1} For each reaction the following are given: the date of the evaluation, the reaction modifier, S, denoting activation, the reaction Q-value, the product nucleus (1000 Z + A), the energy level of the product nucleus, and its half-life. Then the tables of cross sections are listed for the incident neutron energies indicated. All energies are in units of MeV and all cross sections are in lists of barns. The asterisks denote cross section data originally entered into the library; the other values are obtained by interpolation.

ACTIVATION CROSS-SECTIONS

| | 29-CU-63 | | GROUND STATE | | STABLE | | | | | |
|------------|-------------|--------------|----------------|----------------|-------------|-------------|-------------|-----------------|--|--|
| | | 12 (N,2N) | 20 (N,N' P) | 26 (N,N' A) | 40 (N,P) | 45 (N,A) | 45 (N,A) | 46 (N,GAMMA) | | |
| DATE= | 80276 | 80376 | 80376 | 80276 | 80476 | 80476 | 80476 | 72976 | | |
| S= | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| Q= | -1.0850E+01 | -6.1200E+00 | -5.7700E+00 | 7.2000E-01 | 1.6614E+00 | 1.7200E+00 | 1.7200E+00 | 7.9200E+00 | | |
| REGIOAL= | 2.9062E+04 | 2.8062E+04 | 2.7059E+04 | 2.8063E+04 | 2.7060E+04 | 2.7060E+04 | 2.7060E+04 | 2.9064E+04 | | |
| LEVEL= | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | | |
| HALF-LIFE= | 5.8800E+02 | STABLE | STABLE | 3.1536E+09 | 6.3000E+02 | 1.6590E+08 | 4.6080E+04 | | | |
| ENERGY | | | | | | | | | | |
| 5.3000E-02 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 3.5691E-02* | | |
| 6.8500E-02 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 3.0123E-02* | | |
| 8.8500E-02 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 2.6631E-02* | | |
| 1.1500E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 2.4857E-02* | | |
| 1.5000E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 2.4525E-02* | | |
| 1.9500E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 2.4097E-02* | | |
| 2.5000E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 2.3717E-02* | | |
| 3.2000E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 2.3382E-02* | | |
| 4.1000E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 2.2342E-02* | | |
| 5.3000E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 1.8739E-02* | | |
| 6.8500E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 1.5909E-02* | | |
| 8.8500E-01 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 1.3907E-02* | | |
| 1.0000E+00 | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 1.2710E-02 | | |
| 1.1500E+00 | 0. | 0. | 0. | 1.5000E-03 | 0. | 0. | 0. | 1.1148E-02* | | |
| 1.5000E+00 | 0. | 0. | 0. | 5.0000E-03* | 0. | 0. | 0. | 8.2402E-03* | | |
| 1.9500E+00 | 0. | 0. | 0. | 1.2200E-02 | 0. | 0. | 0. | 6.4508E-03* | | |
| 2.0000E+00 | 0. | 0. | 0. | 1.3000E-02* | 0. | 0. | 0. | 6.3775E-03 | | |
| 2.5000E+00 | 0. | 0. | 0. | 2.8000E-02* | 0. | 0. | 0. | 5.6450E-03* | | |
| 3.0000E+00 | 0. | 0. | 0. | 4.7000E-02* | 0. | 0. | 0. | 5.2477E-03 | | |
| 3.2000E+00 | 0. | 0. | 0. | 5.3800E-02 | 0. | 0. | 0. | 5.0889E-03* | | |
| 3.5000E+00 | 0. | 0. | 0. | 5.4000E-02* | 0. | 0. | 0. | 4.7249E-03 | | |
| 4.0000E+00 | 0. | 0. | 0. | 7.4500E-02* | 0. | 0. | 0. | 4.1185E-03 | | |
| 4.1000E+00 | 0. | 0. | 0. | 7.6140E-02 | 0. | 0. | 0. | 3.9972E-03* | | |
| 4.5000E+00 | 0. | 0. | 0. | 8.2700E-02* | 0. | 0. | 0. | 3.3700E-03 | | |
| 5.0000E+00 | 0. | 0. | 0. | 8.9100E-02* | 0. | 0. | 0. | 2.5861E-03 | | |
| 5.3000E+00 | 0. | 0. | 0. | 9.2640E-02 | 0. | 0. | 0. | 2.1157E-03* | | |
| 5.3595E+00 | 0. | 0. | 0. | 9.3342E-02 | 0. | 0. | 0. | 2.0635E-03 | | |
| 5.5000E+00 | 0. | 0. | 0. | 9.5200E-02* | 3.7000E-04* | 2.3000E-04* | 1.9403E-03 | | | |
| 6.0000E+00 | 0. | 0. | 0. | 1.0630E-01* | 1.8200E-03* | 1.1000E-03* | 1.5017E-03 | | | |
| 6.5000E+00 | 0. | 0. | 0. | 1.0565E-01 | 3.6000E-03* | 2.2000E-03* | 1.0631E-03 | | | |
| 6.8500E+00 | 0. | 0. | 0. | 1.0925E-01 | 5.1400E-03 | 3.1100E-03 | 7.5609E-04* | | | |
| 7.0000E+00 | 0. | 0. | 0. | 1.1630E-01* | 5.8000E-03* | 3.5000E-03* | 7.0573E-04* | | | |
| 7.5000E+00 | 0. | 0. | 0. | 1.1540E-01 | 8.2000E-03* | 5.0000E-03* | 5.3787E-04 | | | |
| 7.7500E+00 | 0. | 0. | 0. | 1.1770E-01 | 9.5500E-03 | 5.8000E-03 | 4.5393E-04 | | | |
| 8.0000E+00 | 0. | 0. | 0. | 1.2000E-01* | 1.0900E-02* | 6.6000E-03* | 3.7000E-04* | | | |
| 8.5000E+00 | 0. | 0. | 0. | 1.2375E-01 | 1.4400E-02* | 8.8200E-03* | 3.0000E-04 | | | |
| 9.0000E+00 | 0. | 0. | 0. | 1.2750E-01* | 1.8300E-02* | 1.1200E-02 | 2.3000E-04* | | | |
| 9.5000E+00 | 0. | 0. | 0. | 1.3015E-01 | 2.1500E-02 | 1.3200E-02 | 1.9500E-04* | | | |
| 1.0000E+01 | 0. | 0. | 0. | 1.3280E-01* | 2.4700E-02* | 1.5200E-02* | 2.1000E-04* | | | |
| 1.0250E+01 | 0. | 0. | 0. | 1.3360E-01* | 2.5850E-02 | 1.5900E-02 | 2.4500E-04 | | | |

REFERENCES

- A1. R. J. Howerton, R. J. Doyas, T. C. Michels, and S. T. Perkins, *Evaluated Nuclear Cross Section Library*, Lawrence Livermore Laboratory, Rept. UCRL-50400, Vol. 4 (1971).