1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42

Adsorption Efficiency of a New Adsorbent Towards Uranium and Vanadium Ions at Low Concentrations

Pınar Akkaş Kavaklı,[1] Noriaki Seko,[2] Masao Tamada,[2] and Olgun Güven[1],*

[1]Department of Chemistry, Hacettepe University, Beytepe, Ankara, Turkey
[2]Takasaki Radiation Chemistry Research Establishment, Japan Atomic Energy Research Institute, Takasaki, Gunma, Japan

ABSTRACT

A new type of fibrous adsorbent with excess amidoxime groups was synthesized by radiation-induced graft polymerization. Glycidyl methacrylate (GMA) was first radiation-grafted on polyethylene-coated polypropylene nonwoven fabrics and chemically modified with 3,3′-iminodipropionitrile [NH $(-CH_2-CH_2-CN)_2$] (IDPN), which was further reacted with hydroxylamine to obtain graft chains containing two amidoxime groups per graft repeating units. The adsorption properties of this new adsorbent for uranium (U), vanadium (V), lead (Pb), copper (Cu), and cobalt (Co) ions at low concentrations (3.3–1000 ppb)

*Correspondence: Olgun Güven, Department of Chemistry, Hacettepe University, Beytepe, 06532, Ankara, Turkey; E-mail: guven@hacettepe.edu.tr.

1631

were investigated by a batch process. The adsorbent showed enhanced adsorption capacity for uranium and vanadium ions. In adsorption studies from a mixture of metal ions in aqueous solutions, the adsorbent showed selectivity for metal ions in the following order: V > U ≫ Cu ≥ Pb ≫ Co. The selectivity of the adsorbent was assessed by determining the distribution coefficient D, of the metal ions studied. The U and V ions were shown to be up to six times more selectively adsorbed onto the new adsorbent than the other metal ions.

Key Words: Radiation-induced grafting; Iminodipropionitrile modified GMA grafts; Uranium and vanadium ion selectivity; Adsorption efficiency.

INTRODUCTION

Uranium is one of the most valuable metals present in seawater. The concentration of uranium in seawater is remarkably constant at $3.3 \, \text{mg U/m}^3$. Uranium exists in seawater mainly in the form of a tricarbonate complex, $UO_2(CO_3)_3^{4-}$.[1,2] Many types of adsorbents have been developed and tested for the recovery of uranium from seawater and aqueous media.[3−8] Extensive investigations on adsorbents capable of recovering uranium from seawater and aqueous solutions have been carried out during the last two decades especially in the Takasaki Radiation Chemistry Research Establishment and the results were recently compiled in a nomogram by Saito and Sugo.[9] In recent years, a wide range of chelating resins containing amidoxime groups were developed and evaluated for their ability to recover uranium from seawater and aqueous media.[10−12] The chelating polymers include important properties such as high capacity, high selectivity, and fast kinetics. Egawa et al. prepared a number of macroreticular chelating resins containing amidoxime groups by reacting acrylonitrile-divinyl benzene copolymer beads with hydroxylamine. It was reported that these resins have high adsorption capacity for uranium in seawater.[3−5] Sekiguchi et al. and Kawai et al. investigated the separative elution of uranium ions from an amidoxime polymer that had been immersed in seawater.[13,14] A number of papers published by Güven et al. investigated the preparation and properties of new copolymers with balanced hydrophilic and amidoxime group contributions for the uptake of uranyl ions from aqueous solutions.[15−18] Kise et al.[19] and Park et al.[20] synthesized polystyrene-based chelating resins with a pair of amidoxime groups per repeating styrene units on polystyrene, in a geminate position, which could effectively coordinate to uranyl ions, by higher concentration of amidoxime groups. Accordingly, it was considered that the introduction of coordinating groups into a supporting polymer resin

would enhance the adsorption rate and the selectivity for metal ion adsorption in aqueous media and, more specifically, uranyl ions in seawater. The synthesis of first acrylic bidentate amidoxime polymer was reported by amidoximation of a novel polymer, poly(N,N'-dipropionitrile acrylamide), as a new polymer with high affinity for uranyl ions.[21] In an earlier work, we reported trying to prepare a novel adsorbent based on double amidoximation of imino-dipropionitrile groups attached to glycidyl methacrylate (GMA) graft chains on a nonwoven fabric.[22] In this work, the results of metal ion uptake studies from very dilute solutions using this novel adsorbent are reported.

EXPERIMENTAL

Materials

The adsorbent used in this work has recently been synthesized by radiation-induced graft polymerization technique. A nonwoven fabric made of polypropylene coated by polyethylene was used as the trunk polymer. The base polymer was irradiated by electron beams with a dose of 200 kGy under N_2 atmosphere and GMA was later grafted onto irradiated nonwoven fabric. Grafting conditions were optimized, and poly(glycidyl methacrylate) graft chains were modified with 3,3′-iminodipropionitrile (IDPN) in ethanol at 80°C. Pendant nitrile groups introduced into the epoxy ring were then amidoximated by using hydroxylamine in methanol–water mixture. The relevant experimental details have already been reported elsewhere.[22] The advantages of this new polymeric adsorbent containing two amidoxime groups per repeating unit of GMA side chains are the presence of excess amidoxime groups and an additional diethylene spacer unit between the neighboring amidoxime groups in each monomeric unit.

Standard solutions of 1000 ppm for chemical analyses from Cica-reagent Kanto Chemical-Co Inc. were used for the adsorption studies of V, Pb, Cu, and Co metal ions. In uranyl ion uptake studies, standard solution containing 10 ppm of these metal ions were used by diluting them to required concentrations.

Adsorption Experiments

Amidoximated nonwoven fabric adsorbent was subjected to a pretreatment that involved contact for 2 hr with a 2.5% KOH solution at 80°C. A known amount (around 0.025 g dry weight, $1 \times 1 \, cm^2$) of wet nonwoven fabric sample was then placed into metal ion solutions (40 mL). To obtain information on the relative performance of the amidoximated nonwoven

127   adsorbent in kinetic terms, the adsorption of uranium, vanadium, lead, copper,
128   and cobalt ions from 100 ppb standard solutions at pH 5 (acetate buffer solu-
129   tion) and 25°C were followed as a function of time, samples being taken for
130   evaluation at 15, 30, 60, and 120 min intervals. Once the adsorption equili-
131   brium time was determined, the known weights of adsorbent samples were
132   contacted with solutions containing different concentrations (3.3, 10, 100,
133   500, and 1000 ppb) of metal ions at pH 5 with continuous stirring at 25°C
134   for those predetermined time periods.

135   Selective metal ion adsorption tests were performed by using a mixture of
136   aqueous solution of 100 and 500 ppb of each five metal ions by following the
137   procedure given above. Metal ion concentrations after adsorption were deter-
138   mined by using a Hewlett Packard 4500 series Inductively Coupled Plasma
139   (ICP) analyzer.

140
141
142
143   **RESULTS AND DISCUSSION**
144

145   Environmentally stable PE coated PP nonwoven fabric was used as the
146   base material for the synthesis of a new adsorbent for metal ions. In order
147   to introduce specific functional groups to the trunk polymer, GMA was first
148   grafted onto preirradiated fabric. The resultant epoxy groups were opened
149   and reacted with IDPN groups. The IDPN groups were introduced onto the
150   graft chains of PE/PP nonwoven fabric at a conversion of 70%, while main-
151   taining the necessary physical strength of the fabrics. The nitrile groups were
152   later converted to amidoxime groups, which are known to exhibit good affinity
153   towards several metal ions, uranyl being the most selected. The reaction
154   scheme is outlined in Sch. 1 and details related to the synthesis and character-
155   ization of this novel adsorbent have been given elsewhere.[22]

156   In order to investigate the adsorption kinetics of five different metal ions
157   (U, V, Pb, Cu, and Co) onto new adsorbent, approximately 0.025 g of adsor-
158   bent was contacted with 100 ppb metal ion solutions at pH 5 buffer solution at
159   25°C. Figure 1 shows the adsorption kinetics of U, V, Cu, Pb, and Co ions onto
160   amidoximated nonwoven fabric. The ordinate values were given as the
161   percentage of metal ions adsorbed from initial amounts.

162   High adsorption rates were observed within the first 20 min and the plateau
163   values (i.e., adsorption equilibrium) were quickly reached at around 30 min for
164   all metal ions investigated. Figure 1 shows that the new fabric adsorbent
165   achieved almost 80% uranium and 92.5% vanadium loading in the first
166   30 min and almost complete removal of these two ions 99% U (153.9 μg/g)
167   and V (150.1 μg/g) within 2 hr. The adsorption equilibria for Cu, Co, and Pb
168   ions were attained in about 30 min, resulting with the adsorption of 72.7%,

169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210

Scheme 1. Preparation of polymeric fabric adsorbent containing two amidoxime groups per repeating unit of grafted chains.

Figure 1. Adsorption kinetics of various metal ions from the same initial concentrations.

83%, and 51.4% of Cu, Co, and Pb ions, respectively, which correspond to equilibrium removal amounts of 134.9, 112.3, 56.2 μg/g, respectively.

The effect of initial concentration of metal ions on the adsorption behavior of amidoximated nonwoven fabric was determined for five different metal ion concentrations (3.3, 50, 100, 500, and 1000 ppb), and the results are given

Figure 2. Dependence of metal ion uptake on the initial concentrations of metal ions.

collectively in Fig. 2. Figure 2 shows that the adsorption of metal ions increased almost linearly with an increase in the initial metal ion concentration. The new adsorbent exhibited a higher affinity for U and V ions, the highest values were found to be 1610 and 1501 μg/g from 1000 ppb metal ion solution, respectively. One hundred percent adsorption of uranium and vanadium ions was reached easily for all concentrations studied. The quantitative removal of other ions were found to be 940, 489, and 168 μg/g for Cu, Co, and Pb ions, respectively, from solutions containing 1000 ppb metal ions. The percentage amount of Co, Pb, and Cu ions adsorbed by the fabric initially increased with the increasing concentration of Cu ion up to 500 ppb (93.5%) and Pb ion up to 100 ppb (83.9%). At higher initial concentrations of these metal ions, their adsorptivities were not affected and even at the highest concentration of 1000 ppb, the values corresponding to 100 and 500 ppb concentrations were not appreciably exceeded. This can be explained by the initial saturation of active sites available for Cu and Pb ions on the amidoximated nonwoven fabric. Adsorption of Co ions presents an interesting case where maximum adsorption of 65.2% was observed at the lowest concentration of 3.3 ppb. Lesser adsorption was obtained upon further increase in initial concentration.

The adsorption capacity for uranyl ions by the adsorbent prepared in this work was found to be better than that of the chelating resins prepared by the method of Park et al. and Kise et al.[19,20] The advantages of this new polymeric adsorbent containing two amidoxime groups per repeating unit of GMA side chains are the presence of excess amidoxime groups and an additional diethylene spacer unit between the neighboring amidoxime groups in each monomeric unit. It can be said that this adsorbent is the first grafted nonwoven fabric reported in the literature possessing bidentate amidoxime groups. These properties make this new adsorbent more accessible and efficient for the adsorption of metal ions in aqueous systems compared to conventional adsorbents having only one amidoxime group as the pendant group of the repeating units. It also shows good stability along with faster rate of equilibrium for all the metal ions studied here.

The selectivity of this new adsorbent against certain metal ions was also checked. Figure 3 shows selective behavior of the adsorbent for U and V ions. The selectivity is expressed in terms of the distribution coefficient (D), which has been frequently used as a measure of capacity of an adsorbent.[23]

$$D = \frac{\text{mg } M^{n+}/\text{g of dry polymer adsorbent}}{\text{mg } M^{n+} \text{ mL of solution}} \tag{1}$$

The distribution coefficients of each metal ion were determined under competitive conditions by using the equation given above.

Figure 3. Adsorption selectivity of amidoximated nonwoven fabric for the indicated metal ions at two different initial concentrations.

For the concentration range studied here, adsorption of U and V ions have been found to be higher than those of Cu, Pb, and Co. The order of decreasing selectivity is $V > U \gg Cu \geq Pb \gg Co$ for 100 and 500 ppb solutions of metal ion mixtures. This selectivity order is in good accordance with the decreasing order of ionic radii of these metal ions in aqueous solution.[24] The distribution coefficients calculated for U and V ions showed that their adsorption from 100 ppb mixture solution is up to six times higher than adsorption from a 500 ppb mixture solution. The lower the concentration of metal ions remaining in solution the higher become the *D* values. This general behavior is associated with the definition of *D* values. The lower the initial metal ion concentration of a solution, the smaller the concentration of ions remaining in the solution gets. This makes the denominator smaller and *D* values, in turn, higher. In both concentrations studied here 100 and 500 ppb, however, the selectivity of adsorbent towards U and V ions was found to be significantly higher than for the other ions. These results show that the new adsorbent is quite efficient for the uptake of trace amounts of U and V ions from seawater or other aqueous media. This selectivity follows the same order as that found for another amidoxime-containing adsorbent.[20]

There have been numerous attempts in developing speciality adsorbents for the uptake of uranyl ions from aqueous solutions and seawater. A comparative evaluation was made to see the uranyl ion adsorption capacity of various adsorbents developed by different groups and the new adsorbent developed by our group. Adsorbent systems listed in Table 1 include only those based on

Table 1. A comparison of uranyl ion adsorption using various amidoximated polymeric adsorbents.

Research groups	Adsorbent[a]	Uranyl ions adsorbed (mg/g dry adsorbent)	Uranyl ions adsorbed (mg/g dry adsorbent) normalized to 20 L of total working volume
This work[b]	GMA grafted polypropylene/polyethylene nonwoven fibers modified with IDPN	0.005 mg/g U 0.0052 mg/g V	2.5 mg/g U 2.6 mg/g V
Egawa[c] et al.[25]	Lightly cross-linked poly(acrylonitrile-co-divinylbenzene)	0.650 mg/g U	0.65 mg/g
Suzuki[d] et al.[26]	Polypropylene nonwoven fabric grafted with acrylonitrile and methacrylic acid	0.576 mg/g U 1.8 mg/g V	0.576 mg/g U 1.8 mg/g V
Kawai[e] et al.[14]	Polypropylene fiber cografted with methacrylic acid and acryloylchloride	0.2 mg/g U	0.2 mg/g
Kise[f] et al.[19]	Dicyanoethylated polystyrene	0.004 mg/g U	0.08 mg/g
Omichi[g] et al.[27]	Acrylonitrile grafted onto tetrafluoroethylene-ethylene copolymer	0.2 mg/g U	0.08 mg/g
Kabay[h] et al.[7]	Polypropylene fiber grafted with acrylonitrile	0.152 mg/g U	0.608 mg/g
Takeda[i] et al.[28]	Acrylonitrile grafted onto porous polyethylene hollow fiber	0.97 mg/g U	0.97 mg/g
Saito[j] et al.[29]	Acrylonitrile grafted onto porous polyethylene hollow fiber	0.85 mg/g U	0.34 mg/g
Omichi[k] et al.[30]	Fibrous adsorbent containing acrylic acid and acrylonitrile	0.04 mg/g U	0.08 mg/g

[a]All PAN containing polymers or copolymers are amidoximated.
[b]Batch process from 3.3 ppb metal ion mixture solution, volume: 40 mL, the density of amidoxime group (AOD): 2 mmol/g, contact time: 24 hr.
[c]0.5 g resin, flow rate: 900 mL/hr, seawater volume: 20 L, contact time: 10 days.
[d]0.07 g amidoxime fiber, the analysis was carried out for amidoxime fiber, which had been immersed in seawater for 30 days. AOD: 6.3 mmol/g.
[e]0.5 g resin, flow rate: 0.47 mL/hr, seawater volume: 20 L, contact time: 24 hr. AOD: 3 mmol/g.
[f]0.1 g resin, seawater volume: 1 L, contact time: 96 hr.
[g]Semibatch process (5 L of seawater was intermittently exchanged with fresh seawater), total volume: 50 L, contact time: 10 days.
[h]Batch process, seawater volume: 5 L, contact time: 24 hr.
[i]A continuous-flow experiment, a bundle of 230 AO-H fibers, contact time: 30 days, AOD: 11.3 mmol/g.
[j]0.07 g amidoxime membrane, 1 L of seawater was intermittently exchanged with fresh seawater, total volume: 50 L, contact time: 50 days.
[k]0.1 g resin, semibatch process (2 L of seawater was intermittently exchanged with fresh seawater), total volume: 10 L, contact time: 5 days.

379 amidoximated polyacrylonitrile polymers and copolymers. The volumes of
380 uranyl ion containing solutions in these batch, semi-batch, and continuous sys-
381 tems ranged from 40 mL to 50 L, the most frequently used volume is 20 L to
382 which all other volumes are normalized. This approach, although not compris-
383 ing all factors affecting the efficiency of an adsorbent (surface area, shape,
384 contact mode, etc.) seemed to be an easy and simple way of comparing adsorp-
385 tion capacities of systems investigated. When the efficiencies corresponding to
386 adsorption values are normalized to 20 L, and working solutions are compared
387 as given in the far right column of Table 1, one can see that they can be
388 grouped under three categories: low efficiency (0.08–0.20 mg/g), medium
389 efficiency (0.34–0.65 mg/g), and high efficiency (0.97–2.50 mg/g) adsor-
390 bents. Although this list is not exhaustive, the highest uranyl ion adsorption
391 efficiency was obtained with the new adsorbent developed in this work. In
392 some of the studies cited in Table 1, together with uranyl ions, the uptake
393 of vanadyl ions was also determined. High efficiency of the new adsorbent
394 is also seen for vanadyl ions. Further details related to adsorbent properties
395 and adsorption conditions are given in Table 1.

CONCLUSION

400 A new fibrous adsorbent containing two adjacent amidoxime groups in
401 graft chain repeating units has been shown to provide a rapid uptake within
402 30 min for the metal ions, U, V, Cu, Pb, Co, studied here with high capacity
403 for U and V ions. Adsorption of 100% of uranium and vanadium ions for
404 all concentrations studied (3.3–1000 ppb) were achieved. When adsorption
405 was studied from a mixture of ions mentioned above, quite high selectivity
406 was observed for U and V ions adsorption in the presence of other ions.
407 The order of selectivity determined by calculating the distribution coefficient,
408 D, of metal ions was found to be in the order of V > U $\gg$ Cu $\geq$ Pb $\gg$ Co.
409 Uptake of 2.5 mg metal ion/g of adsorbent has been achieved both for
410 uranium and vanadium ions from aqueous solutions with concentrations simi-
411 lar to seawater concentrations, 3.3 ppb. Further work is in progress in using
412 actual seawater in adsorption experiments as well as cyclic use of the fabric,
413 and its efficiency on repeated use.

Adsorption Efficiency of New Adsorbent Towards Metal Ions   1641

to Haruyo Amada and Fatmuanis Basuki for their help with some of the experiments.

Continuous interest and support by Takanobu SUGO are greatly appreciated.

REFERENCES

1. Saito, K.; Miyauchi, T. Diffusivities of uranium in artificial seawater. Kagaku Kogagu Ronbun **1981**, *7*, 545–548.

2. Saito, K.; Miyauchi, T. Chemical forms of uranium in artificial seawater. J. Nucl. Sci. Technol. **1982**, *19*, 145–150.

3. Egawa, H.; Harada, H. Recovery of uranium from seawater by using chelating resins containing amidoxime groups. Nippon Kagaku Kaishi **1979**, 958–959.

4. Egawa, H.; Harada, H.; Nonaka, T. Preparation of adsorption resins for uranium in seawater. Nippon Kagaku Kaishi **1980**, 1767–1772.

5. Egawa, H.; Harada, H.; Shuto, T. Recovery of uranium from seawater by the use of chelating resins containing amidoxime groups. Nippon Kagaku Kaishi **1980**, 1773–1776.

6. Astheimer, L.; Schenk, H.J.; Witte, E.G.; Schwachau, K. Development of sorbers for the recovery of uranium from seawater. Part 2. The accumulation of uranium from seawater by resins containing amidoxime, imidoxime functional groups. Sep. Sci. Technol. **1983**, *18*, 307–339.

7. Kabay, N.; Katakai, A.; Sugo, T.; Egawa, H. Preparation of fibrous adsorbents containing amidoxime groups by radiation-induced grafting and application to uranium recovery from seawater. J. Apply. Polym. Sci. **1993**, *49*, 599–607.

8. Akkaş, P.; Güven, O. Enhancement of uranyl ion uptake by prestructuring of acrylamide–maleic acid hydrogels. J. Appl. Polym. Sci. **2000**, *78*, 284–289.

9. Saito, K.; Sugo, T. Mission: possible radiation-induced graft polymerization [1983–2000], private communication. **2000**.

10. Schenk, H.J.; Asthemier, L.; Witte, E.G.; Schwochau, K. Development of sorbers for the recovery of uranium from seawater. 1. Assessment of key parameters and screening studies of sorber materials. Sep. Sci. Technol. **1982**, *17*, 1293–1308.

11. Rivas, B.L.; Seguei, G.V.; Geckeler, K.E. Synthesis, characterization, and properties of polychelates of poly(styrene sulfonic acid-co-maleic acid) with Co(II), Cu(II), Ni(II), and Zn(II). J. Appl. Polym. Sci. **2002**, *85*, 2546–2551.

1642   **Kavaklı et al.**

463 12. Rivas, B.L.; Pooley, S.A.; Maturana, H.A.; Villegas, S. Metal ion uptake
464   properties of acrylamide derivative resins. Macromol. Chem. Phys. **2001**,
465   *202*, 443–447.
466 13. Sekiguchi, K.; Saito, K.; Konishi, S.; Furusaki, S.; Sugo, T.; Nabukawa, H.
467   Effect of seawater temperature on uranium recovery from seawater using
468   amidoxime adsorbents. Ind. Eng. Chem. Res. **1994**, *33*, 662–666.
469 14. Kawai, T.; Saito, K.; Sugita, K.; Kawakami, T.; Kanno, J.; Katakai, A.;
470   Seko, N.; Sugo, T. Preparation of hydrophilic amidoxime fibers by
471   cografting acryonitrile and methacrylic acid from an optimized monomer
472   composition. Rad. Phys. Chem. **2000**, *59*, 405–411.
473 15. Şahiner, N.; Pekel, N.; Güven, O. Radiation synthesis of *N*-vinyl 2-pyrro-
474   lidone/acrylonitrile interpenetrating polymer networks and their use in
475   uranium recovery from aqueous systems. Rad. Phys. Chem. **1998**, *52*,
476   271–276.
477 16. Şahiner, N.; Pekel, N.; Güven, O. Radiation synthesis, characterization and
478   amidoximation of *N*-vinyl-2-pyrrolidone/acrylonitrile interpenetrating
479   polymer networks. React. Funct. Polym. **1999**, *39*, 139–146.
480 17. Şahiner, N.; Pekel, N.; Akkaş, P.; Güven, O. Amidoximation and characteri-
481   zation of new complexing hydrogels prepared from *N*-vinyl 2-pyrrolidone/
482   acrylonitrile systems. J.M.S.-Pure Appl. Chem. **2000**, *A37*, 1159–1172.
483 18. Pekel, N.; Şahiner, N.; Akkaş, P.; Güven, O. Uranyl ion adsorptivity of
484   *N*-vinyl 2-pyrrolidone/acrylonitrile copolymeric hydrogels containing
485   amidoxime group. Polym. Bull. **2000**, *44*, 593–600.
486 19. Kise, H.; Sato, H. Synthesis of a new chelate resin for uranium adsorption
487   from seawater. Polystyrene resin containing two amidoxime functions in
488   the repeating unit. Makromol. Chem. **1985**, *186*, 2449–2454.
489 20. Park, I.H.; Suh, J.M. Preparation and uranyl ion adsorptivity of macro-
490   reticular chelating resins containing a pair of neighboring amidoxime
491   groups in a monomeric styrene unit. Angew. Makromol. Chem. **1996**,
492   *239*, 121–132.
493 21. Kavaklı Akkaş, P.; Uzun, C.; Güven, O. Synthesis, characterization and
494   amidoximation of a novel polymer: poly(*N*,*N*′-dipropionitrile acrylamide).
495   React. Funct. Polym. **2004**, *in press.*
496 22. Kavaklı Akkaş, P.; Seko, N.; Tamada, M.; Güven, O. to be published.
497 23. Rodrigues, A.E. *Ion Exchange Sci. Technol.*, NATO ASI series/E; 1986;
498   Vol. 107, 35.
499 24. Huheey, J.M. *Inorganic Chemistry: Principles of Structure and Reactivity*,
500   3rd Ed.; Harper Collins Publishers, Inc.: New York, 1983; 73.
501 25. Egawa, H.; Kabay, N.; Saigo, S.; Nonaka, T.; Shuto, T. Low-crosslinked
502   porous chelating resins containing amidoxime groups. Bull. Soc. Sea
503   Water Sci. Jpn. **1991**, *45*, 324–332.

26. Suzuki, T.; Saito, K.; Sugo, T.; Ogura, H.; Oguma, K. Analy. Sci., fractional elution and determination of uranium and vanadium adsorbed on amidoxime fiber from seawater. The Jpn. Soc. Analy. Chem. **2000**, *16*, 429–432.

27. Omichi, H.; Katakai, A.; Sugo, T.; Okamoto, J. A new type of amidoxime-group-containing adsorbent for recovery of uranium from seawater. III. Recycle use of adsorbent. Sep. Sci. Technol. **1986**, *21*, 563–574.

28. Takeda, T.; Saito, K.; Uezu, K.; Furusaki, S.; Sugo, T.; Okamoto, J. Adsorption and elution in hollow-fiber-packed bed for recovery of uranium from seawater. Ind. Eng. Chem. Res. **1991**, *30*, 185–190.

29. Saito, K.; Yamaguchi, T.; Uezu, K.; Frusaki, S.; Sugo, T.; Okamoto, J. Optimum preparation conditions of amidoxime hollow fiber synthesized by radiation-induced grafting. J. Appl. Polym. Sci. **1990**, *39*, 2153–2163.

30. Omichi, H.; Katakai, A.; Sugo, T.; Okamoto, J. A new type of amidoxime-group-containing adsorbent for the recovery of uranium from seawater. Sep. Sci. Technol. **1985**, *20*, 163–178.

ARTICLE INFORMATION SHEET: Contact or Corresponding Author

CMS ID number (DOI):	120030785
Article title:	Adsorption Efficiency of a New Adsorbent Towards Uranium and Vanadium Ions at Low Concentrations
Article type:	Research
Classification: Category:	
Primary subcategory:	
Subcategpry(ies):	
Topic(s):	
Key words:	Radiation-induced grafting; Iminodipropionitrile modified GMA grafts; Uranium and vanadium ion selectivity; Adsorption efficiency
Copyright holder:	
Author Sequence Number	4
Author first name or first initial:	Olgun
Author middle initial:	
Author last name:	Güven
Suffix to last name:	
Degrees:	
Author Status	
Author e-mail address:	guven@hacettepe.edu.tr
Author fax:	
Author phone:	

Primary Affiliation(s) at time of authorship:

Title or Position	
Department(s)	Department of Chemistry
Institution or Company	Hacettepe University
Domestic (U.S.A.) or International	International
Suite, floor, room no.	
Street address	
City	Beytepe
State/Province	Ankara
Postal code	06532
Country	Turkey

Secondary Affiliation(s) at time of authorship:

Title or Position	
Department(s)	
Institution or Company	
Domestic (U.S.A.) or International	
Suite, floor, room no.	
Street address	
City	
State/Province	
Postal code	
Country	

Current affiliation(s):

Title or Position	
Department(s)	
Institution or Company	
Suite, floor, room no.	
Street address	
City	
State/Province	
Postal code	
Country	

Mailing address:

Department(s)	
Institution or Company	
Street address	
Suite, floor, room no.	
City	
State/Province	
Postal code	
Country	

Recipient of R1 proofs:

e-mail address to receive proofs:	guven@hacettepe.edu.tr
Fax to receive proofs:	
Mailing address to receive proofs:	

Article data:

Submission date:	
Reviewed date:	May-03
Revision date:	
Accepted date:	Nov-03