
Advanced Distance Sampling

S. T. BUCKLAND

University of St Andrews

D. R. ANDERSON

Colorado Cooperative Fish and Wildlife Research Unit

K. P. BURNHAM

Colorado Cooperative Fish and Wildlife Research Unit

J. L. LAAKE

National Marine Mammal Laboratory, Seattle

D. L. BORCHERS

University of St Andrews

L. THOMAS

University of St Andrews

OXFORD
UNIVERSITY PRESS

Contents

1	Introduction to advanced distance sampling	1
	<i>S. T. Buckland and D. R. Anderson</i>	
2	General formulation for distance sampling	6
	<i>D. L. Borchers and K. P. Burnham</i>	
2.1	Introduction	6
2.2	CDS revisited	7
	2.2.1 Conventional line transect estimator	8
	2.2.2 Conventional point transect estimator	9
2.3	Horvitz–Thompson: a versatile estimator	9
	2.3.1 Animals that occur as individuals	10
	2.3.2 Animals that occur in clusters	11
	2.3.3 CDS estimators	11
2.4	Maximum likelihood estimation	11
	2.4.1 ‘Covered’ animals	12
	2.4.2 Random detection with known probability	13
	2.4.3 CDS likelihoods	16
2.5	Summary so far and preview of advances	17
	2.5.1 Summary	17
	2.5.2 Preview of advances	18
2.6	Advanced methods for detection function estimation	19
	2.6.1 Multiple covariate distance sampling	19
	2.6.2 Mark-recapture distance sampling	21
	2.6.3 Estimation when $\pi(y)$ is unknown	23
2.7	Estimating animal density surfaces	24
	2.7.1 The count method	25
	2.7.2 The waiting distance method	25
	2.7.3 Cluster size surface estimation	26
2.8	Survey design	26
	2.8.1 Likelihood-based inference	26
	2.8.2 Design-based inference	27
	2.8.3 Adaptive distance sampling	27

2.9	Model selection	28
2.10	Summary	29
3	Covariate models for the detection function	31
	<i>F. F. C. Marques and S. T. Buckland</i>	
3.1	Introduction	31
3.2	A conditional likelihood framework for distance sampling	32
3.3	Line transect sampling	33
3.3.1	The conditional likelihood	33
3.3.2	Incorporating covariates into semiparametric models for the detection function	35
3.3.3	Abundance estimation	38
3.4	Point transect sampling	43
3.5	Example	45
3.6	Discussion	47
4	Spatial distance sampling models	48
	<i>S. L. Hedley, S. T. Buckland, and D. L. Borchers</i>	
4.1	Introduction	48
4.2	Spatial line transect models	49
4.2.1	Deriving a likelihood	50
4.2.2	A likelihood based on inter-detection distances	52
4.2.3	Clustered populations	54
4.3	Practical implementations of spatial line transect models	55
4.3.1	A waiting distance model	55
4.3.2	A count model	57
4.4	Spatial distribution of Antarctic minke whales	60
4.5	Spatial point transect models	63
4.5.1	Deriving a likelihood	63
4.5.2	A point transect count model	65
4.6	Discussion	66
5	Temporal inferences from distance sampling surveys	71
	<i>L. Thomas, K. P. Burnham, and S. T. Buckland</i>	
5.1	Introduction	71
5.2	Concepts	73
5.2.1	Sampling and population variation	73
5.2.2	Sampling covariance	75
5.2.3	Empirical and process models	76
5.2.4	Trend	76
5.2.5	Abundance as a fixed or random quantity	77

5.3	Trend estimation from global abundance estimates	79
5.3.1	Graphical exploration	79
5.3.2	Linear trend models	79
5.3.3	Smoothing	84
5.3.4	Trend estimation when samples covary	88
5.4	Spatio-temporal analysis	91
5.4.1	Transect-level models of trend	91
5.4.2	Spatio-temporal modelling	93
5.5	Process models	93
5.5.1	State-space models	94
5.5.2	Generalizing state-space models	96
5.6	Other analysis methods	98
5.6.1	Time series methods	98
5.6.2	Quality control methods	98
5.7	Survey design	99
5.7.1	Repeating transects	99
5.7.2	Sample size	101
5.7.3	Planning long-term studies	105
6	Methods for incomplete detection at distance zero	108
	<i>J. L. Laake and D. L. Borchers</i>	
6.1	Introduction	108
6.2	Likelihood and Horvitz–Thompson	111
6.2.1	Constant detection probability	112
6.2.2	Detection probability changing with distance	114
6.2.3	Independence issues	117
6.2.4	Multiple covariates	121
6.2.5	Unobserved heterogeneity	122
6.3	State and observation models	123
6.3.1	State models	124
6.3.2	Observation models	128
6.3.3	Observation configurations	137
6.4	Example data	140
6.5	Estimation for independent configuration	142
6.5.1	Distance only	142
6.5.2	Distance and covariates	154
6.6	Estimation for trial configuration	159
6.6.1	Distance and covariates	159
6.6.2	Distance, covariates, and responsive movement	162
6.7	Estimation for removal configuration	166
6.8	Dealing with availability bias	168
6.8.1	Static availability	168
6.8.2	Hazard-rate models for dynamic availability	170

6.8.3	Discrete availability: animal-based	171
6.8.4	Discrete availability: cue-based	174
6.8.5	Intermittent availability	175
6.8.6	Design-based availability estimation	178
6.9	Special topics	180
6.9.1	Uncertain duplicate identification	180
6.9.2	When should double-observer methods be used?	182
6.10	Field methods	185
6.10.1	Marked animals	185
6.10.2	Observation configuration	186
6.10.3	Data collection and recording	188
7	Design of distance sampling surveys and Geographic Information Systems	190
	<i>S. Strindberg, S. T. Buckland, and L. Thomas</i>	
7.1	The potential role of GIS in survey design	190
7.2	Automated survey design	191
7.2.1	Point transect design	192
7.2.2	Line transect design using lines of fixed length	199
7.2.3	Line transect design using lines that span the full width of the survey region	206
7.2.4	Zigzag samplers	211
7.3	Estimation for uneven coverage probability designs	224
7.3.1	Objects that occur singly	225
7.3.2	Objects that occur in clusters	226
7.3.3	Variance estimation	226
7.4	Choosing between survey designs by simulation	226
8	Adaptive distance sampling surveys	229
	<i>J. H. Pollard and S. T. Buckland</i>	
8.1	Introduction	229
8.2	Design-unbiased adaptive point transect surveys	230
8.2.1	Survey design	230
8.2.2	Estimation	233
8.2.3	Simulated example	237
8.2.4	Discussion	239
8.3	Design-unbiased adaptive line transect surveys	240
8.3.1	Survey design	240
8.3.2	Estimation	241
8.3.3	Discussion	246

8.4	Fixed-effort adaptive line transect surveys	247
8.4.1	Survey design	247
8.4.2	Estimation	247
8.4.3	Simulation	254
8.4.4	Discussion	259
9	Passive approaches to detection in distance sampling	260
	<i>P. M. Lukacs, A. B. Franklin, and D. R. Anderson</i>	
9.1	Introduction	260
9.2	Trapping webs	262
9.2.1	Density estimation	262
9.2.2	Including data from recaptures	263
9.2.3	Design of trapping webs	266
9.2.4	An example	266
9.2.5	A critique of the trapping web	269
9.3	Trapping line transects	270
9.3.1	Density estimation	271
9.3.2	Including data from recaptures	271
9.3.3	Design of trapping line transects	272
9.3.4	An example	272
9.3.5	A critique of the trapping line transect	278
9.4	Discussion and summary	278
10	Assessment of distance sampling estimators	281
	<i>R. M. Fewster and S. T. Buckland</i>	
10.1	Introduction	281
10.1.1	Notation	281
10.2	Estimation framework	282
10.3	Model and design	283
10.3.1	Model-based inference	283
10.3.2	Design-based inference	284
10.3.3	Distance sampling: a composite approach	286
10.4	Simulation framework	286
10.4.1	Testing the design	287
10.4.2	Testing the model	288
10.4.3	Testing the full line transect estimation procedure	291
10.5	Example: testing the design	292
10.5.1	Testing equal coverage designs for $\text{var}(\hat{N})$	293
10.5.2	A design without equal coverage probability	297

10.6	Example: non-uniformity within the strip	298
10.6.1	Estimation of N_c	298
10.6.2	Asymptotic result when θ is estimated	301
10.7	Example: full estimation procedure	302
10.8	Trial by simulation: a completely model-based approach	302
10.9	Summary	306
11	Further topics in distance sampling	307
	<i>K. P. Burnham, S. T. Buckland, J. L. Laake, D. L. Borchers, T. A. Marques, J. R. B. Bishop, and L. Thomas</i>	
11.1	Distance sampling in three dimensions	307
11.1.1	Three-dimensional line transect sampling	307
11.1.2	Three-dimensional point transect sampling	309
11.2	Conventional distance sampling: full likelihood examples	312
11.2.1	Line transects: simple examples	312
11.2.2	Point transects: simple examples	318
11.2.3	Some numerical confidence interval comparisons	321
11.3	Line transect surveys with random line length	327
11.3.1	Introduction	327
11.3.2	Line transect sampling with fixed n and random \tilde{L} , under Poisson object distribution	328
11.3.3	Technical comments	331
11.3.4	Discussion	333
11.4	Models for the search process	335
11.4.1	Continuous hazard-rate models	335
11.4.2	Discrete hazard-rate models	340
11.4.3	Further modelling of the detection process	343
11.5	Combining mark-recapture and distance sampling surveys	350
11.6	Combining removal methods and distance sampling	352
11.6.1	Introduction	352
11.6.2	Combining removal methods with distance sampling	354
11.7	Point transect sampling of cues	356
11.7.1	Introduction	356
11.7.2	Estimation	357
11.8	Migration counts	359
11.8.1	Background	359
11.8.2	Modelling migration rate	360

11.8.3	Modelling detection probabilities	360
11.8.4	An example: gray whales	364
11.9	Estimation with distance measurement errors	371
11.9.1	Conventional distance sampling: $g(0) = 1$	371
11.9.2	Independent multiplicative measurement errors	373
11.9.3	Mark-recapture distance sampling: $p(0) < 1$	375
11.9.4	Maximum likelihood vs pdf correction approach	377
11.10	Relating object abundance to population abundance for indirect sampling	377
11.10.1	Introduction	377
11.10.2	Discrete-time modelling	378
11.10.3	Continuous-time modelling	378
11.10.4	Conclusions	384
11.11	Goodness of fit tests and q–q plots	385
11.11.1	Quantile–quantile plots	385
11.11.2	Kolmogorov–Smirnov test	387
11.11.3	Cramér–von Mises test	388
11.11.4	The Cramér–von Mises family of tests	388
11.12	Pooling robustness	389
	References	393
	Index	413