

ALMOST HIGHER ORDER STOCHASTIC DOMINANCE *

CUIZHEN NIU¹ AND XU GUO²

Abstract. In this paper, we develop the concept of almost stochastic dominance for higher order preferences and investigate the related properties of this concept.

Keywords. Almost stochastic dominance, expected-utility maximization, higher-order preferences..

Mathematics Subject Classification. 90B50, 91B06.

1. INTRODUCTION

Leshno and Levy [1] develop the theory of almost stochastic dominance (ASD) as a relaxation of the stochastic dominance (SD). This theory plays an important role in several fields particularly in financial research. There are numerous applications based on this concept, see, *e.g.*, [2–5]. Lizyayev and Ruszczynski [6] propose a new almost stochastic dominance concept that is computationally tractable and enjoys many favourable features. Lizyayev and Ruszczynski [6] define the almost first and second order stochastic dominance. However, in the economic and financial literature higher-order preferences are believed to be important, see, *e.g.*, [7, 8]. In this paper, we aim to extend Lizyayev and Ruszczynski's work [6] to higher order and study the related properties of the almost higher order stochastic

Received May 3, 2013. Accepted October 15, 2013.

* *The second author would also like to thank Professors Li-xing Zhu and Wing-Keung Wong for their continuous guidance and encouragement.*

¹ School of Statistics, Renmin University of China, Beijing 100872, P.R. China.
ncz1bc_890@126.com

² Department of Mathematics, Hong Kong Baptist University, Hong Kong 999077, P.R. China. liushengjunyi@163.com

dominance. For completeness of the presentation, we next introduce Lizyayev and Ruszczyński's Almost Stochastic Dominance concept [6].

Random variables, denoted by X and Y , defined on $\Omega = [a, b]$ are considered together with their corresponding distribution functions F and G , and their corresponding probability density functions f and g , respectively. The following notations will be used throughout this paper: $\mu_F = \mu_X = E(X) = \int_a^b t dF(t)$, $\mu_G = \mu_Y = E(Y) = \int_a^b t dG(t)$, $H^0(x) = h(x)$, where $h = f$ or g and $H = F$ or G . In addition, we define

$$H^{(j)}(x) = \int_a^x H^{(j-1)}(y) dy, \quad \text{for } H = F \text{ or } G,$$

Lizyayev and Ruszczyński [6] give the following definition for almost second order stochastic dominance.

Definition 1.1. For $0 \leq \epsilon < 1/2$,

ϵ -**ASSD**: X is said to dominate Y by ϵ -ASSD, denoted by $X \succeq_2^{\text{almost}(\epsilon)} Y$, if and only if $E(X) \geq E(Y)$ and

$$F^{(2)}(t) - G^{(2)}(t) \leq \epsilon, \quad \forall t \in \Omega.$$

Inspired by the above definition and notice the fact that $E(X) - E(Y) = G^{(2)}(b) - F^{(2)}(b)$, we develop the concept of almost stochastic dominance for higher order preferences as follows:

Definition 1.2. For $0 \leq \epsilon < 1/2$,

ϵ -**AkSD**: X is said to dominate Y by ϵ -AkSD, denoted by $X \succeq_k^{\text{almost}(\epsilon)} Y$, if and only if $G^{(n)}(b) \geq F^{(n)}(b)$, $n = 2, 3, \dots, k$, $k \geq 3$ and

$$F^{(k)}(t) - G^{(k)}(t) \leq \epsilon, \quad \forall t \in \Omega. \tag{1.1}$$

Note that if ϵ is taken to be zero, then we return to the classical k th order stochastic dominance (k SD) concept, see [2] for more details.

2. MAIN RESULTS

We are now ready to present the main results related to the properties of the almost higher order stochastic dominance defined above.

Theorem 2.1. *If X dominates Y by ϵ -AkSD ($X \succeq_k^{\text{almost}(\epsilon)} Y$), there exists a nonnegative random variables Z such that $E(Z^{k-1}) \leq \epsilon(k-1)!$ and $X + Z$ dominates Y by k SD, here $k \geq 3$.*

Proof. From Proposition 1 in Ogryczak and Ruszczyński [9], we know that

$$F^{(k)}(\eta) = \frac{1}{(k-1)!} \int_{-\infty}^{\eta} (\eta - x)^{k-1} dF(x) = \frac{1}{(k-1)!} E(\eta - X)_+^{k-1}$$

here the function $t \mapsto (t)_+ = \max(0, t)$ and $k \geq 3$.

When X is said to dominate Y by ϵ -AkSD, we can have

$$E(\eta - X)_+^{k-1} \leq E(\eta - Y)_+^{k-1} + \epsilon(k-1)!, \quad \forall \eta \in R.$$

Let d be such that $E(d - X)_+^{k-1} = \epsilon(k-1)!$. Defining $Z = (d - X)_+$, we can see that $X + Z = \max(d, X)$ and $\eta - (X + Z) = \eta - \max(d, X)$.

If $\eta \leq d$, then $(\eta - (X + Z))_+ = (\eta - \max(d, X))_+ = 0$ and thus

$$E(\eta - (X + Z))_+^{k-1} \leq E(\eta - Y)_+^{k-1},$$

and the Theorem holds.

Now we turn to consider the case with $\eta > d$, in this case, we can have

$$(\eta - \max(d, X))_+ = \begin{cases} (\eta - X)_+ & \text{if } X \geq d, \\ (\eta - X)_+ - (d - X) & \text{if } X < d. \end{cases}$$

As a result, we can have

$$\begin{aligned} E(\eta - (X + Z))_+^{k-1} &= \int_d^{\infty} (\eta - X)_+^{k-1} dF(x) + \int_{-\infty}^d [(\eta - X)_+ - (d - X)]^{k-1} dF(x) \\ &\leq \int_d^{\infty} (\eta - X)_+^{k-1} dF(x) + \int_{-\infty}^d (\eta - X)_+^{k-1} dF(x) \\ &\quad - \int_{-\infty}^d (d - X)^{k-1} dF(x) \\ &= E(\eta - X)_+^{k-1} - \epsilon(k-1)! \leq E(\eta - Y)_+^{k-1}. \end{aligned}$$

The first inequality follows from the fact that for $k \geq 2$, $(d_1 - d_2)^k \leq d_1^k - d_2^k$ when $0 < d_2 < d_1$. The proof is finished. \square

The above Theorem provides a characteristic of almost higher order stochastic dominance. It links the almost stochastic dominance concept with the traditional stochastic dominance. Besides, it gives an interesting interpretation of the value of ϵ . To be precise, it is the smallest value of the $k-1$ order moment of a random variable over $(k-1)!$ that needs to be added to a random variable X in order for it to dominate a given benchmark Y .

Below, we prove an equivalent ϵ -AkSD formulation in terms of utility functions. We first define the utility function set U_k which represents high order preferences. It's defined as follows:

$$U_k = \{u : (-1)^i u^{(i)} \leq 0, i = 1, \dots, k\}$$

where $u^{(i)}$ is the i th derivative of the utility function u . Since scaling of a utility function does not change the optimal portfolio that maximizes the expected value of that function, we may without loss of generality restrict the set U_k to the following set:

$$\tilde{U}_k = \{u \in U_k : (-1)^k u^{(k-1)}(t) \leq 1\} \tag{2.1}$$

here indeed, any function $u \in U_k$ defined on $\Omega = [a, b]$, can be substituted with $\tilde{u}(t) = u(t)/u^{(k-1)}(a)$ which will preserve the optimal solution.

Theorem 2.2. *Under the condition that $G^{(n)}(b) \geq F^{(n)}(b), n = 2, 3, \dots, k, k \geq 3$, a random variable X ϵ -AkSD dominates a random variable Y if and only if*

$$E[u(X)] + \epsilon(k - 1)! \geq E[u(Y)], \quad \forall u \in \tilde{U}_k.$$

Proof. We first consider the if part. For a fixed $\eta \in R$, define the following utility function

$$u_\eta(t) = -(\eta - t)_+^{k-1}, \quad t \in R.$$

From Definition 1.2, we can know that the ϵ -AkSD dominance is equivalent to the relation:

$$\begin{aligned} E[u_\eta(X)] + \epsilon(k - 1)! &= -E[(\eta - X)_+^{k-1}] + \epsilon(k - 1)! \\ &\geq -E[(\eta - X)_+^{k-1}] \\ &= E[u_\eta(Y)]. \end{aligned} \tag{2.2}$$

As $u_\eta \in \tilde{U}_k$, thus the sufficiency is proved.

To prove the necessity, consider an arbitrary $u \in \tilde{U}_k$. For every $\delta > 0$, we can find a finite collection of numbers η_l and $\alpha_l \geq 0, l = 1, \dots, L$, and a constant c such that $\sum_{l=1}^L \alpha_l = 1$ and the function

$$\omega(t) = c + \sum_{l=1}^L \alpha_l u_{\eta_l}(t)$$

has the following properties:

$$\begin{aligned} E[|u(X) - \omega(X)|] &\leq \delta, \\ E[|u(Y) - \omega(Y)|] &\leq \delta. \end{aligned}$$

This collection can be constructed by a sufficiently accurate piecewise polynomial approximation of the function $u(\cdot)$. Since the α_l 's are nonnegative and total 1, $\omega \in \tilde{U}_k$. Adding inequalities (2.2) multiplied by α_l for each $u_{\eta_l}(t)$, we obtain

$$E[\omega(X)] + \epsilon(k - 1)! \geq E[\omega(Y)].$$

Then

$$E[u(X)] + \epsilon(k - 1)! + 2\delta \geq E[u(Y)].$$

As $\delta > 0$ is arbitrary, the necessity is proved. □

REFERENCES

- [1] M. Leshno and H. Levy, Preferred by “all” and preferred by “most” decision makers: Almost stochastic dominance. *Manage. Sci.* **48** (2002) 1074–1085.
- [2] H. Levy, *Stochastic Dominance: Investment Decision Making Under Uncertainty*. Springer, New York (2006).
- [3] M. Levy, Almost Stochastic Dominance and stocks for the long run. *Eur. J. Oper. Res.* **194** (2009) 250–257.
- [4] T.G. Bali, K.O. Demirtas, H. Levy and A. Wolf, Bonds *versus* stocks: Investors’ age and risk taking. *J. Monetary Econ.* **56** (2009) 817–830.
- [5] H. Levy, M. Leshno and B. Leibovitch, Economically relevant preferences for all observed epsilon. *Ann. Oper. Res.* **176** (2010) 153–178.
- [6] A. Lizyayev and A. Ruszczyński, Tractable almost stochastic dominance. *Eur. J. Oper. Res.* **218** (2012) 448–455.
- [7] L. Eeckhoudt and H. Schlesinger, Putting risk in its proper place. *Am. Econ. Rev.* **96** (2006) 280–289.
- [8] M.M. Denuit and L. Eeckhoudt, A general index of absolute risk attitude. *Manage. Sci.* **56** (2010) 712–715.
- [9] W. Ogryczak and A. Ruszczyński, On consistency of stochastic dominance and mean-semideviation models. *Math. Program.* **89** (2001) 217–232.