

An Intelligent Tutoring System Incorporating a Model of an Experienced Human Tutor

Neil T. Heffernan and Kenneth R. Koedinger

School of Computer Science
Carnegie Mellon University
Pittsburgh, PA 15213
(neil@cs.cmu.edu), (koedinger@cmu.edu)

Abstract. Symbolization is the ability to translate a real world situation into the language of algebra. We believe that symbolization is the single most important skill students learn in high school algebra. We present research on what makes this skill difficult and report the discovery of a “hidden” skill in symbolization. Contrary to past research that has emphasized that symbolization is difficult due to both comprehension difficulties and the abstract nature of variables, we found that symbolization is difficult because it is the articulation in the “foreign” language of “algebra”. We also present *Ms. Lindquist*, an Intelligent Tutoring System (ITS) designed to carry on a tutorial dialog about symbolization. *Ms. Lindquist* has a separate tutorial model encoding pedagogical content knowledge in the form of different tutorial strategies, which were partially developed by observing an experienced human tutor. We discuss aspects of this human tutor’s method that can be modeled well by *Ms. Lindquist*. Finally, we present an early formative showing that students can learn from the dialogs *Ms. Lindquist* is able to engage student in. *Ms. Lindquist* has tutored over 600 students at www.AlgebraTutor.org.

1 Introduction

The mission of the Center for Interdisciplinary Research on Constructive Learning Environments (CIRCLE) is 1) to study human tutoring and 2) to build and test a new generation of tutoring systems that encourage students to construct the target knowledge instead of telling it to them (VanLehn et al., 1998). CAI (Computer Aided Instruction) systems were 1st generation tutors. They presented a page of text or graphics and depending upon the student’s answer, put up a different page. Model-tracing ITSs are 2nd generation tutoring systems that allow the tutor to follow the line of reasoning of the student. ITS have had notable success (Koedinger et al., 1997) despite the fact that human tutoring can look very different (Moore, 1996). One way they are different is that there is a better sense of a dialog in human tutoring and maybe this is important. After analyzing over 100 hours of untrained tutors in naturalistic tutoring sessions, Graesser et al. (in press) believe “there is something about interactive discourse that is responsible for learning gains.”

The members of CIRCLE are working on 3rd generation tutoring systems that are meant to engage in a dialog with students, using multiple strategies, to allow students to construct their own knowledge of the domain. We have built a new ITS, called *Ms. Lindquist*, which not only is able to model-trace the student’s actions, but

can be more human-like in carrying on a running conversation, complete with probing questions, positive and negative feedback, follow-up questions in embedded sub-dialogs, and requests for explanation as to why something is correct. In order to build Ms. Lindquist we have expanded the model-tracing paradigm so that Ms. Lindquist not only has a model of the student, but also has a model of tutorial reasoning (e.g., Clancey, 1982). Based on observation of an experienced tutor and cognitive research, this tutorial model has multiple tutorial strategies at its disposal.

The task domain we are working on is symbolization, which is the task of writing an algebraic expression given a real-world problem context, often presented in the form of a word problem. Symbolization is important because if students cannot translate problems into algebra, they will not be able to apply algebra to solve real world problems. This domain makes it easy to avoid some difficult natural language issues because we can ask students to write algebraic expressions and those expressions are easy for the computer to “understand”. We take advantage of this property of the domain to avoid any serious natural language processing; we also use pull-down menus to allow students to construct explanations. Instead, we focus our energies on modeling tutorial reasoning, which includes capturing the *pedagogical content knowledge* (Shulman, 1986) of an experienced human tutor. A tutor’s “pedagogical content knowledge” is the knowledge that he or she has about how to teach a specific skill. A good tutor is not just one who knows the domain, nor is it simply one who knows general tutoring rules. A good tutor is one who also has content specific strategies that can help a student overcome common difficulties. We have set out to observe and model some of these strategies for our specific domain of symbolization. Lets look at one example of a content-specific pedagogical strategy for symbolization. The following was collected and transcribed from a one hour long one-on-one tutoring session between an experienced human tutor and an eighth grade student working on the “bike-trip” problem, which we use as one of several running examples.

240. Student: [reads problem'] Cathy took a "m" mile bike ride. She rode at a speed of "s" miles per hour. She stopped for a "b" hour break. Write an expression for how long the trip took.
241. S: uhm [Writes " $s/m+b$ " but should be " $m/s+b$ "]
242. Tutor: How do you calculate the amount of time it takes you? If you're, if you're, if you're riding at, let's make it simple. If you are riding at 20 miles per hour, OK, and you go 100 miles, how many hours did that take you?
243. S: Um 5
244. T: 5. And how did you get that 5? How did you use the numbers 100 and ...
245. S: 100 miles divided by miles per hour
246. T: So you took the miles and divided it by the [garbled, but possibly “speed”]
247. S: Miles divided by s plus b equals time [Writes $m/s+b$]
248. T: Right.

The tutor in the above dialog appears to have done two things to scaffold this problem. First, the tutor focused on the problem of calculating the time actually on the bikes by decomposing what had been a problem with two operators into a problem that had only one operator. Presumably, this is because the student indicated he

¹ Throughout this paper, text in square brackets are comments, and S and T stand for “student” and “tutor” respectfully.

understood that the goal quantity was found by adding for the amount of the break (“b”) to the time actually on the bikes.

The second scaffolding move the tutor did was to change the problem question from a symbolization question to a presumably simpler *compute question* by asking the student to calculate the speed using 100 and 20 rather than “m” and “s”. Then in line 244 the tutor asked for the *articulation step* of “How did you get that 5?” Finally, the student is prompted for the *generalization step* of writing the expression using variables.

Our experienced tutor often invited the student to use concrete numbers. We call this strategy the *concrete articulation strategy* (Gluck, 1999, Koedinger & Anderson, 1998²). McArthur et al., (1990) also observed that human tutors often used what he called *curriculum scripts* and *micro-plans*, which often involved a series of questions designed to remediate particular difficulties. We use VanLehn’s term for these scripts, “*knowledge construction dialogs*”, which emphasizes the fact that that we are trying to build a tutor that encourages students to build their own knowledge by less often *telling* them a hint and more often *asking* them a question.

The impediments to building a third generation tutor are not just technical. We think that if you want to build a good ITS for a domain you need to:

- Study what makes that domain difficult, including discovering any hidden skills, as well as determining what types of errors students make.
- Construct a theory of how students solve these problems. (We instantiated that theory in a cognitive model.)
- Observe experienced human tutors to find out what pedagogical content knowledge they have and then build a tutorial model that, with the help of the theory of domain skills, can capture and reproduce some of that knowledge.

The first step is reported elsewhere (Heffernan & Koedinger, 1997 & 1998), so we next explore the second and third steps.

2 Cognitive Student Model

Our student model is similar to traditional student models. We use the Turtle (Anderson & Pelletier, 1991) production system, which is a simplification of the ACT (Anderson, 1993) Theory of Cognition. A production system is a group of if-then rules operating on a set of what are called *working memory elements*. We use these rules to model the cognitive steps a student could use to solve a problem. Our student model has 68 production rules. Our production system can solve a problem by being given a set of working memory elements that encode the problem at a high level.

We model the common errors that students make with a set of “buggy” productions. From our data, we compiled a list of student errors and analyzed what were the common errors. We found that the following list of errors was able to account of over 75% of the errors that students made. We illustrate the errors in the context of the “two-jobs” problem, which has a correct answer of “5g+7(30-g)”.

² Called the *inductive support* strategy in this prior work.




Fig. 1. Ms. Lindquist's Architecture

- 1) Wrong operator (e.g., " $5g-7(30-g)$ ")
- 2) Wrong order of arguments (e.g., " $5g+7(g-30)$ ")
- 3) Missing parentheses (e.g., " $5g+7*30-g$ ")
- 4) Confusing quantities (e.g., " $7g+5(30-g)$ ")
- 5) Missing a component (e.g., " $5g+7g$ " or " $g+7(30-g)$ " or " $5g+30-g$ ")
- 6) Omission: correct for a subgoal. (e.g., " $7(30-g)$ " or " $5g$ ")
- 7) Combinations of errors (e.g., " $5g+7*g-30$ " has the wrong order for " $g-30$ " and is missing parenthesis)

These "buggy" productions are used to allow us to make sense of a student's input even if she has made several incorrect steps. We do not want a computer system that cannot understand a student if she gives an answer that has parts that are completely correct and parts that are wrong. We want the system to be able to understand as much as possible of what a student says and be able to give positive feedback even when the overall answer to a question might be incorrect.

Traditional model-tracing tutors have a bug message attached to each buggy production that generates a message through the use of a template. We do not do that.

We feel such an architecture confuses student reasoning with tutorial reasoning. We instead have the student model report its full diagnosis (which is represented with a set of working memory elements) to the tutor model that will then decide what to do.

If the student makes several errors, traditional model-tracing tutors are sometimes in a quandary as to what to do. Some ITSs do not deal with multiple bugs and instead rely on breaking down the problem into finer steps. A problem with this approach is that one cannot break down a skill like symbolization easily without decreasing the overall difficulty. Another solution is to ask the student what the subgoals should be and then tutor them on the subgoals individually (Corbett & Anderson, 1995.) However, a problem remains about what the ITS should do if the student makes more than one distinct error in a given input. This is addressed below.

3 The Tutorial Model

As mentioned already, we collected and transcribed one hour of experienced human tutoring. We wanted to observe what experienced tutoring in this domain looked like. The tutor worked as a full time math tutor for over a year before teaching middle school math for 5 years. She was given a list of symbolization problems and told her goal was get the student to learn how to solve such problems.

After transcribing the dialog, we have been able to extract some regularity in the tutorial strategies employed. One caveat: our tutorial model is informed by this observation of human tutoring, but it does not model any one individual or make claims to being the most effective model.

Now we will look at the components of the tutorial model shown in Figure 1. A fundamental distinction in the intelligent tutoring system (ITS) is between the student model, which does the diagnosing, and the tutorial models, which chooses the pedagogical plan that best responds to that particular diagnosis. It is composed of a tutorial agenda component as well as tutorial questions that can be used alone, or in combination, to generate a tutorial strategy. The system currently has 4 tutorial strategies. Through empirical study, we plan to learn which strategies are most effective. The tutorial model is implemented with 77 productions. This approach is similar to Freedman's (2000). We now describe how Ms. Lindquist decides what student difficulties to focus upon in the tutorial dialog.

Dealing with the diagnosis: The Focusing Heuristic

Ms. Lindquist uses a heuristic to decide what to focus the conversation on. This heuristic applies in cases when the student model's diagnosis indicates that the student had some correct elements and some incorrect elements. For instance, we considered giving the following positive feedback on an answer like that in line 242: "Your answer of 's/m+b' has some correct elements; it is true that you need to add the time of the break to the time on the bikes to find the total trip time." This feedback was meant to confirm the "+b" portion of the answer. After looking at what our human tutor did, we decided not to give positive feedback unless the student has two operands correct and the correct operator. We give an example of this in the context of the "two-jobs" problem:

T: [problem with answer of $5g+7*(30-g)$]

S: $5g+7*g$

T: No, but, $5*g$ does represent the amount Debbie earned bagging groceries. Let me ask you a simpler question. Can you tell me how much she made delivering newspapers?

If the student has made more than one error, the tutor decides to come up with a strategy to deal with each error. The errors are considered in the order they would be encountered in a post-order traversal of the parse tree of the correct answer (i.e., visited “bottom-up.”) Therefore, the tutor might add multiple questions to the tutorial agenda depending upon the tutorial strategy selected for each error.

If a student says something the student model doesn't understand (e.g., “ $5/30-5*7/g$ ” when the answer is “ $5g+7(30-g)$ ”) we will still want a robust ITS to be able to pick a reasonable strategy for a response. This is important because many times the tutor (humans or computers) will not be able to make sense of the student's input. Graesser et al. (in press) report in their study of human tutors that they “found that the human tutors and learners have a remarkably incomplete understanding of each other's knowledge base and that many of each other's contributions are not deeply understood... Most tutors have only an approximate assessment of the quality of student contributions.” We want our ITS to be able to operate under these same difficult conditions and still be robust enough to say something reasonable.

Tutorial Agenda

Ms. Lindquist has a data structure we called the agenda, which stores the ideas she wants to talk about next. This agenda ordinarily operates like a push down stack, but we give an example of when the stack order is violated below in the section on the Concrete Articulation Strategy.

Tutorial Questions

The tutorial model can ask the following kinds of tutorial questions illustrated with an example of how the question can be phrased:

- 1) Q_symb : Symbolize a given quantity (“Write an expression for the distance Anne has rowed?”)
- 2) Q_compute: Find a numerical answer (“Compute the distance Anne has rowed?”)
- 3) Q_explain: Write a symbolization for a given arithmetic quantity. This is the articulation step. (“How did you get the 120?”)
- 4) Q_generalize: Uses the results of a Q_explain question (“Good, Now write your answer of $800-40*3$ using the variables given in the problem (i.e., put in ‘m’)”)
- 5) Q_represents_what: Translate from algebra to English (“In English, what does 40m represent?” (e.g., “the distance rowed so far”))
- 6) Q_explain_verbal: Explain in English how a quantity could be computed from other quantities. (We have two forms: The reflective form is “Explain how you got $40*m$ ” and the problem solving form is “Explain how you would find the distance rowed?”)
- 7) Q_decomp: Symbolize a one-operator answer, using a variable introduced to stand for a sub-quantity. (“Use A to represent the 40m for the distance rowed. Write an expression for the distance left towards the dock that uses A.”)

- 8) Q_substitute: Perform an algebraic substitution (“Correct, that the distance left is given by $800-A$. Now, substitute “40m” in place of A , to get a symbolization for the distance left.”)

Notice that questions 1, 3, 4, and 8 all ask for a quantity to symbolize. Their main difference lies in when those questions are used, and how the tutor responds to the student’s attempt. Questions 5 and 6 ask the student to answer in English rather than algebra. To avoid natural language the student is prompted to use pull down menus to complete this sentence “The distance rowed is equal to <noun phrase> <operator> <noun phrase>.” The noun phrase menu contains a list of the quantity names for that problem. The operator menu contains “added to”, “subtracted from”, “multiplied by” and “divided by.”

Below we will see how these questions can be combined into strategies.

Tutorial Strategies

We will now look at three different tutorial strategies that Ms Lindquist uses; "Concrete Articulation", "Introduced Variable", and finally "Explain in English First" (There is a fourth strategy that we don't have space to illustrate. This strategy is that if a student makes an error the tutor tells the student the answer and then asks the student questions to see if the student understands the answer.) The first strategy we will look at is *Concrete Articulation* strategy.

Concrete Articulation Strategy

The concrete articulation strategy usually uses three questions of type Q_compute, Q_explain and Q_generalize. Here is an example of the dialog generated by Ms. Lindquist which we believe parallels the experienced human tutor closely.

T1: [Doing the “bike-trip” problem] Please write an expression for the total time the trip took. [Q_symb]

S1: $s/m+b$

T2: No. Let me ask you an easier question. Please compute the time actually on bikes if the speed was 20 miles per hour, and the distance ridden was 100 miles? [Q_compute]

S2: 5

T3: Correct. What math did you do to get that five? [Q_explain]

S3: 100/20

T4: Correct. Now write your answer of 100/20 using the variables given in the problem (i.e., put in ‘m’ and ‘s’)? [Q_generalize]

S4: $b+m/s$

T5: Correct.

We will walk through what Ms. Lindquist did here. First, the student model diagnosed S1 (“ $s/m+b$ ”) as having the quantity “ s/m ” with reversed arguments (bug type #2.) The diagnosis also said that the student understood that the total trip time was the time of the break (“ b ”) plus the time actually on the bikes. This diagnosis was passed to the tutorial model that could have selected among competing strategies. In this case, the tutorial model decided to conduct a *concrete articulation* knowledge construction dialog. Therefore, the tutor model generated questions for the *compute*, *explain/articulation* and *generalization* steps. The tutor put these three questions on the agenda.

At S2, the student answers the compute question correctly, and the tutor decides to continue with its plan. It has to be sensitive to what the student typed. If the student typed 100/20 instead of 5, then both the compute and explain questions would be removed from the agenda and the tutor would skip to the generalize step. An example of this sort of flexibility is demonstrated in T5. T4 was a question to articulate the time actually on bikes. The tutor was hoping the student would type “m/s” but instead the student answered “b+m/s.” Only a pedantic tutor would not accept that answer as it indicates an understanding that subsumes the understanding required for the sub-goal. This is where the tutorial agenda behaves differently than a stack because Ms. Lindquist pops both of the questions off the agenda.

To show an example of how the previous situation could have come out differently, we now look at the following dialog:

T1: Hello. [Doing the “bike-trip” problem] Please write an expression for the total time the trip took. [Q_symb]

S1: help!

T2: Let me ask you an easier question. Please compute the time actually on bikes if instead the speed was 20 miles per hour, the time of the break was 2 hours, and the distance ridden was 100 miles? [Q_compute]

S2: 7

T3: Correct. What math did you do to get that 7? [Q_explain 7]

S3: 2+5

T4: Okay, but how did you get the 5? [Q_explain 5]

S4: 100/20

T5: Correct. Now, lets try this again, what math did you do to get the 7? [Q_explain 7]

S5: 2+100/20

T6: Correct. Now write your answer of ‘2+100/20’ using the variables given in the problem (i.e., put in ‘m’, ‘b’ and ‘s’)? [Q_generalize]

S6: b+m/s

T7: Correct.

This example is interesting in the way Ms. Lindquist responds at T4. The system has bug rules to apply to questions other than symbolization questions. In this case, the student model reported that the student’s answer of “2+5” is a partially complete articulation but that the student didn’t spell out where the “5” came from. So, the tutorial model is able to “dig-down” into the student’s reasoning with an embedded sub-dialog. This involved adding the additional question of explaining how the student got the “5”.

Introduced Variable Strategy

A second example of a tutorial strategy is what we call the *Introduced Variable* strategy, which was alluded to above when we looked at the student who answered the “two-jobs” problem with “A=5*g, B=30-g, C=7*B and D=A+C”. Below we present an real example of Ms. Lindquist tutoring an ninth grader with this strategy. This strategy uses both Q_decomp and Q_substitute questions. Question Q_decomp sets the stage for this strategy, and is used to break down the originally composed problem into separate decomposed one-operator problems (as shown below in T2 and T3), introducing new variables when appropriate (as in T3.) The real meat of this strategy is shown at line 4, where the tutor introduces the variable “A” to stand for a

sub-quantity. Question Q_substitute is used to scaffold the substitution step as shown in T5.

T1: Hello. Jane is "j" years old. Peg is "p" years old. Mary is Peg's age minus Tom's age. Tom is 3 years younger than Jane. Peg is "x" years older than Mark. Write an expression for Mary's age. [Q_symb]

S1: $(p-3)-(3-j)+(p+x)$ [correct answer is "p-(j-3)"]

T2: Hmm. No. Let me ask you an easier question. Use j and 3 to calculate Tom's age. [Q_decomp]

S2: $3-j$

T3: Hmm. No. Try again please. What is Tom's age? Hint: pick one of these: $j-3$, $3-j$, $j+3$, $j*3$, $j/3$, or $3/j$. [This is a rephrasing as explained in the hint section below]

S3: $j-3$

T4: Correct. Calculate Mary's age. Use A instead of $j-3$ for Tom's age. [Q_decomp]

S4: $p-a$

T5: Correct. You are correct that $p-A$ is Mary's age. Now, can you state this in terms of the numbers given in the problem. [Q_substitute]

S5: $p-(j-3)$

T6: Correct.

We note that this strategy is not one inspired by looking at human tutors but by our cognitive analysis that informed us that a crucial difficulty occurs when a student has to treat an expression (i.e., " $j-3$ ") like a number, so this strategy breaks that hard step into two steps (i.e., T4 and T5).

"Explain in English" Strategy

Mathematical communication is increasingly seen as a goal for students, and in particular translating between an algebraic representation, an English verbal representation, and a concrete representation of numerical instances (Schoenfeld et al., 1992, Koedinger & Nathan) Other researchers are also interested in wanting an ITS to elicit explanations from students (e.g., Conati et al., 1997.) We noticed in the dialog we collected from an experienced human tutor that she would often ask the student to explain how to compute a quantity in English and afterward, ask the student to say it in symbols (Heffernan, 2001). Therefore, we have implemented similar questions in the form of Q_represents_what and Q_explain_verbal as shown below:

T1: Hello. [Doing the "bike-trip" problem] Please write an expression for the total time the trip took. [Q_symb]

S1: m/s

T2: What does " m/s " represent (e.g., the speed on the bike?)[Q_represents_what]

S2: the total time of the trip

T3: No, " m/s " represents the actual time on the bikes. Can you explain how you would find the total time of the trip using the time on the bikes? [Q_explain_verbal]

S3: The total time of the trip is equal to [1st menu] "the amount of time for the break" [2nd menu] "plus" [3rd menu] "the actual time on the bikes". [Composed using three pull down menus.]

T4: Good, now say what the total trip time is in symbols [Q_symb]

S4: $b+m/s$

T5: Correct

This strategy is based on the hypothesis that students will learn more if they are asked to explain in English how to compute a quantity.

Hints

Giving the students a hint is the simplest tutorial strategy we have and is a common way that a traditional model-tracing tutor gives help. Each question has a *hint chain*, which is simply a list of rephrasings of the question. The rephrasings get progressively more explicit, possibly, telling the student exactly what to do³.

4 Early Evaluation

We have performed a early analysis of Ms. Lindquist, by comparing her to a traditional computer-aided instruction (CAI) control condition that simply told students the answer (if they got the problem wrong). This study answers the question of whether the dialogs Ms. Lindquist has with students lead to increased student learning, but ignores the question of whether it is worth the additional time. That is because we controlled for the number of problems, and not the amount of time. Students in the condition that received Ms. Lindquist were expected to take more time.

Procedure

The procedure and the results are more fully explicated in Heffernan's dissertation (2001). In summary, 20 high school students participated in the lab study. They were given pretests and posttests on symbolization. They were blocked into groups according to their pretests. Students preceded though the curriculum consisting of 68 problems. Students in the experimental condition received a partially random combination of the different strategies Ms. Lindquist is capable of.

Results

The students in the control condition, as expected, took half the amount of time, since they did not engage in dialogs with Ms. Lindquist. Students that engaged in a dialog with Ms. Lindquist, as opposed to those in the control condition, appeared to have benefited from engaging in those dialogs. We performed a ANOVA that showed only a marginally statically significant effect ($F(1,37)=2.6, p=.12$) but with a respectable effect size of .7 standard deviations.

Discussion

Now that we have established that this dialogs appear to lead to better learning, our next experiment will control for "time on task" in order to determine if the additional time required to have a dialog is worth it.

The following example from this experiment nicely illustrates some of the aspects of Ms. Lindquist, including embedded dialogs (starting on lines 4 and 10), as

³ The question of how explicit to make the "bottom-out", or last hint (i.e., "Do you tell the student the answer?"), is not a question that we, or this architecture, makes a commitment about. Some of our hint chains end with multiple-choice questions while others tell the student exactly what to type.

well as the embedded feedback shown at the beginning of line 8. The number of seconds it takes the student to respond is in square brackets.

- 1) Problem: Jane is "j" years old. Peg is "p" years old. Mary is Peg's age minus Tom's age. Tom is 3 years younger than Jane. Peg is "x" years older than Mark. Write an expression for Mary's age
- 2) Tutor: Hello. Please write an expression for Mary's age.
- 3) Student [143]: **Student hit the help button** [*should be $p-(j-3)$*]
- 4) Tutor: Let me try to give you some help. We will come back to Mary's age. Let me try to break this down for you. Please compute Mary's age if Jane's age was "20" years, and "Peg's age" was "40" years?
- 5) Student: [169]: **23** [*correct*]
- 6) Tutor: Correct. Using only 40, 20, and 3 write an expression for Mary's age.
- 7) Student [126]: **(20-3)-40** [*should be $40-(20-3)$*]
- 8) Tutor: No. Your answer of "(20-3)-40" equals "-23", but you wanted to write an expression that equaled "23". Using only 40, 20, and 3 write an expression for Mary's age. Hint: Use 40 for Peg's age and 20-3 for Tom's age.
- 9) Student [47]: **(40-20)+3** [*should be $40-(20-3)$*]
- 10) Tutor: Hmm. No. Let me ask you a different question. Using only 20, and 3 write an expression for Tom's age.
- 11) Student [15]: **20-3** [*correct*]
- 12) Tutor: Correct. Now, lets try this question again: Using only 40, 20, and 3 write an expression for Mary's age. Hint: Use 40 for Peg's age and 20-3 for Tom's age.
- 13) Student [138]: **40-(20-3)** [*correct*]
- 14) Tutor: Correct. Now, say that again but this time use the variables from the problem.
- 15) Student [25]: **p-(j-3)** [*correct*]
- 16) Tutor: Correct

Notice that this example shows a student how could compute an instance (line 5), but had trouble articulating how to write the complete expression (lines 7, and 9), which is consistent with what our cognitive analysis predicted about the relatively difficulty of these tasks. Also consistent is the fact that using a variable, per se, does not appear to have been difficult (line 15). This students performance is consistent with our theory that *articulation*, and not comprehension of word problems or variables per se is what makes symbolizing difficult for students.

5 Conclusion

McArthur et al. criticized Anderson's et al. (1985) model-tracing ITS and model-tracing in general "because each incorrect rule is paired with a particular tutorial action (typically a stored message), every student who takes a given step gets the same message, regardless of how many times the same error has been made or how many other error have been made. ... Anderson's tutor is tactical, driven by local student errors (p. 200)" and goes on to argue for the need for a more strategic tutor. Ms. Lindquist meets that criticism. Ms. Lindquist's model of tutorial reasoning is both strategic (i.e., has multi-step plans) and tactical (i.e., reasons to produce output at the single question level.) She also intelligently handles multiple errors and reasons about

the order in which to deal with them and then constructs a plan to deal with each of them. Ms. Lindquist is a modest step on the path to making a more dynamic tutor.

We have released Ms. Lindquist onto the web at www.AlgebraTutor.org, and have had over 600 students who have been tutored by Ms. Lindquist, the results of which are now in preparation. In addition she has won various industry awards from teacher related web sites such as *USAToday Education* and the National Council of Teachers of Mathematics. Ms. Lindquist is a system that combines the student modeling of traditional model-tracing tutors with a model of tutorial dialog based on an experienced human tutor. Early analysis reveals Ms. Lindquist can be effective, but more analysis is needed to determine where the biggest "bang for the buck" is to be found.

Acknowledgements. This research was supported by NSF grant number 9720359 to CIRCLE and the Spencer Foundation.

References

- Anderson, J. R. (1993). *Rules of the Mind*. Hillsdale, NJ: Erlbaum.
- Anderson, J. R., Boyle, D. F., & Reiser, B. J. (1985). Intelligent tutoring systems. *Science*, 228, 456-462.
- Anderson, J. R., Corbett, A. T., Koedinger, K. R., & Pelletier, R. (1995) Cognitive tutors: lessons learned. *The Journal of the Learning Sciences*, 4 (2), 167-207.
- Anderson, J. R. & Pelletier, R. (1991) A developmental system for model-tracing tutors. In Lawrence Birnbaum (Eds.) *The International Conference on the Learning Sciences*. Association for the Advancement of Computing in Education. Charlottesville, Virginia (pp. 1-8).
- Clancey, W. J., (1982) Tutoring rules for guiding a case method dialog. In D. Sleeman & J. S. Brown (Eds.) *Intelligent Tutoring Systems* London: Academic Press. (pp. 201-226.)
- Corbett, A. T., and Anderson, J. R., (1995) Knowledge decomposition and subgoal reification in the ACT programming tutor. in *Proceedings of Artificial Intelligence in Education* (pp. 469-476)
- Conati, C., Larkin, J. and VanLehn, K. (1997) A computer framework to support self-explanation. In : du Bolay, B. and Mizoguchi, R.(Eds.) *Proceedings of AI-ED 97 World Conference on Artificial Intelligence in Education*. Vol.39, pp. 279-276, Amsterdam: IO Press.
- Freedman, R. (2000) Using a reactive planner as the basis for a dialogue agent. In *Proceedings of the Thirteenth Florida Artificial Intelligence Research Symposium (FLAIRS '00)*, Orlando.
- Gluck, K. (1999). Eye movements and algebra tutoring. Doctoral dissertation. Psychology Department, Carnegie Mellon University.
- Graesser, A.C., Wiemer-Hastings, P., Wiemer-Hastings, K., Harter, D., Person, N., & the TRG (in press). Using latent semantic analysis to evaluate the contributions of students in AutoTutor. *Interactive Learning Environments*.
- Heffernan, N. T. (2001). *Intelligent Tutoring Systems have Forgotten the Tutor: Adding a Cognitive Model of an Experienced Human Tutor*. Dissertation. Carnegie Mellon University, Computer Science Department. <http://gs260.sp.cs.cmu.edu/diss>

- Heffernan, N. T., & Koedinger, K. R. (1997) The composition effect in symbolizing: the role of symbol production versus text comprehension. *Proceeding of the Nineteenth Annual Conference of the Cognitive Science Society* 307-312. Hillsdale, NJ: Erlbaum.
- Heffernan, N. T., & Koedinger, K. R. (1998) A developmental model for algebra symbolization: The results of a difficulty factors assessment. In Proceedings of the Twentieth Annual Conference of the Cognitive Science Society, (pp. 484-489). Hillsdale, NJ: Erlbaum.
- Koedinger, K. R., Anderson, J.R., Hadley, W.H., & Mark, M. A. (1997). Intelligent tutoring goes to school in the big city. *International Journal of Artificial Intelligence in Education*, 8, 30-43.
- Koedinger, K. R., & Anderson, J. R. (1998). Illustrating principled design: The early evolution of a cognitive tutor for algebra symbolization. In *Interactive Learning Environments*, 5, 161-180.
- Koedinger, K. R. & Nathan, M. J. (submitted to). The real story behind story problems: Effects of representations on quantitative reasoning. Submitted to *Cognitive Psychology*.
- McArthur, D., Stasz, C., & Zmuidzinas, M. (1990) Tutoring techniques in algebra. *Cognition and Instruction*. 7 (pp. 197-244.)
- Moore, J. D. (1996) Discourse generation for instructional applications: Making computer-based tutors more like humans. *Journal of Artificial Intelligence in Education*, 7(2), 118-124
- Schoenfeld, A., Gamoran, M., Kessel, C., Leonard, M., Or-Bach, R., & Arcavi, A. (1992) Toward a comprehensive model of human tutoring in complex subject matter domains. *Journal of Mathematical Behavior*, 11, 293-319
- Shulman, L. (1986). Those who understand: Knowledge growth in teaching. *Educational Researcher*, 15, 4-14.
- VanLehn, K, Anderson, J., Ashley, K., Chi, M., Corbett, A., Koedinger, K., Lesgold, A., Levin, L., Moore, M., and Pollack, M., NSF Grant 9720359. *CIRCLE: Center for Interdisciplinary Research on Constructive Learning Environments*. NSF Learning and Intelligent Systems Center. January, 1998 to January, 2003.