

Date of publication xxxx 00, 0000, date of current version xxxx 00, 0000.

Digital Object Identifier 10.1109/ACCESS.2021.DOI

# Analysis of third-order nonlinear multi-singular Emden–Fowler equation by using the LeNN-WOA-NM algorithm

ZHANG YIN<sup>1</sup>, JIANQIANG LIN<sup>\*2</sup>, ZHENHUAN HU<sup>2</sup>, NAVEED AHMAD KHAN<sup>3</sup>, M. SULAIMAN<sup>3</sup>

<sup>1</sup>Department of electronics, South China Institute of Software Engineering, Guangzhou 510000 CHN  
zyin@sise.com.cn

<sup>2</sup>School of Electrical and Information Engineering, Guangxi University of Science and Technology, Liuzhou, 545000 CHN  
zhangwork163@163.com, linjqswork@163.com

<sup>3</sup>Department of Mathematics, Abdul Wali Khan University Mardan, KP, Pakistan  
msulaiman@awkum.edu.pk, ahmednaveed854477@gmail.com

Corresponding author: Jianqiang Lin (e-mail: linjqswork@163.com)

This work was supported by the Foshan Self-financing Project of Foshan Science and Technology Bureau (1920001000636), the Young Innovative Talents Project of Guangdong Province Ordinary colleges and universities (2019KQNCX230), the Doctoral Fund Project of Guangxi University of Science and Technology under Grant 13z07.

**ABSTRACT** In this paper, a novel soft computing algorithm is designed for the numerical solution of third-order nonlinear multi-singular Emden–Fowler equation (TONMS-EFE) using the strength of universal approximation capabilities of Legendre polynomials based Legendre neural networks supported with optimization power of the Whale Optimization Algorithm (WOA) and Nelder-Mead (NM) algorithm. Unsupervised error functions are constructed in terms of mean square error for governing TONMS-EF equations of first and second order. Unknown designed parameters in LeNN structure are optimized initially by WOA for global search while NM algorithm further enhances the rapid local search convergence. The proposed algorithm's objective is to show the accuracy and robustness in solving challenging problems like TONMS-EFE. To study our designed scheme's performance and effectiveness, LeNN-WOA-NM is implemented on four cases of TONMS-EFE. The results obtained by the proposed algorithm are compared with the Particle Swarm Optimization (PSO) algorithm, Cuckoo search algorithm (CSA), and WOA. Extensive graphical and statistical analysis for fitness value, absolute errors, and performance indicators in terms of mean, median, and standard deviations show the proposed algorithm's efficiency and accuracy.

**INDEX TERMS** Singular Emden–Fowler equation, Soft computing algorithm, Weighted Legendre neural networks, Nelder-Mead algorithm, Whale optimization algorithm.

## I. INTRODUCTION

**S**INGULAR differential equations models various phenomena occurring in daily life. Therefore, they gain an immense importance specially in physics and applied mathematics. Singular non-linear model of famous Lane–Emden equations were introduced by astrophysicists Homer Lane [1] and Robert Emden [2] while working on thermal performance of gas and classical law's of heat and thermodynamics [3]. Singular systems of differential equations originates in field of numerical sciences and physical sciences [4], electromagnetic [5], catalytic diffusion and reactions [6], isothermal gas phenomena [7], quantum mathematical model [8], classical and quantum mechanics [9], gaseous density [10], oscillating magnetic systems [11], isotropic mediums [12]

and fluid mechanical systems [13].

Few techniques in the existing literature are used to solve non-linear singular models like TONMS-EFE. Shawagfeh presents Adomian decomposition method (ADM) [14], in 2001 Wazwaz [15] uses ADM to get over the difficulty of singularity, an analytical scheme for the solution of non-linear singular model was implemented by Liao [16], a numerical technique was established by He and Ji [17] using Taylor series and power series solutions are used by Nouh [18] along with the transformation of Euler-Abel. Kalabas and Bellman quasi-linearization scheme was developed by Mandelzweig, and Tabakin [19]. Variational iteration method (VIM) [20], Finite difference method (FDM) [21] and Optimal homotopy perturbation method (OHAM) [22], [23] are used to solve va-

riety of ordinary and partial differential equation models. In terms of consistency, convergence, robustness, and applicability, the techniques mentioned above have advantages and limitations over each other. These techniques are based on well established deterministic techniques. On the other hand, stochastic techniques based on artificial neural networks are less exploited and rapidly convergent.

In recent times, ANNs are used as universal function approximation procedures to develop stochastic numerical techniques. Due to their strength and stability, they are widely used for the solutions of variety of real world problems including multi-phase flow through porous media for imbibition phenomena [24], longitudinal heat transformation fins model [25], [26], Beam-Column designs [27], Optimal Model Selection for Regression [28], fractional models of damping material [26], nonlinear dusty plasma system [29], corneal Model for Eye Surgery [30] and temperature profile of porous fin model [31]. A plant propagation algorithm (PPA) and its modified version were developed to solve design engineering problems [32]–[35]. The above mentioned algorithms motivate authors to develop a soft computing technique based on artificial neural networks. The main features of this research work are summarized as

- This paper aims to establish a soft computing technique known as the LeNN-WOA-NM algorithm to solve non-linear multi-singular Emden-Fowler equations of a first and second type.
- LeNN-WOA-NM algorithm suggests series solutions for TONMS-EFE. Weighted Legendre polynomials are used for the approximation of our solutions. A fitness function is used to assess the unknown weights, and error is minimized by using the Nelder-Mead Algorithm.
- Results obtained by LeNN-WOA-NM algorithms are compared with exact solutions and other evolutionary algorithms, including Particle swarm optimization, Cuckoo search algorithm, and Whale optimization algorithm.
- Mean absolute deviation (MAD), Theil's inequality coefficient (TIC) and Nash Sutcliffe efficiency (NSE), and Normal probability graphs are the performance indications that have been used for performance measurement of the proposed technique in providing the best possible solution for TONMS-EFE.
- The results for TONMS-EFE are shown through different graphs and tables, which show the dominance and robustness of the proposed (LeNN-WOA-NM) algorithm.

## II. CONSTRUCTING EMDEN-FOWLER TYPE EQUATIONS OF THIRD-ORDER

To derive Emden-Fowler equation of third order we consider an equation of the form

$$x^{-\beta} \frac{d^m}{d\xi^m} \left( \xi^\beta \frac{d^n}{d\xi^n} \right) \phi + f(\xi)g(\phi) = 0, \quad (1)$$

where  $f(\xi)$  and  $g(\phi)$  are some functions of  $\xi$  and  $\phi$  respectively.  $\beta$  is shape factor. Emden-Fowler equation given by Eq (1) represents multiple phenomenons in fluid mechanics,

pattern formation, relativistic mechanics, pattern formation, relativistic mechanics and population evolution.

To determine third order equations we select

$$m + n = 3, \quad \text{and} \quad m, n \geq 1 \quad (2)$$

From Eq (2) we have following two choices

$$m = 2, \quad n = 1, \quad (3)$$

and

$$m = 1, \quad n = 2, \quad (4)$$

Substituting  $m = 2$  and  $n = 1$  in Eq (1). We get

$$\xi^{-\beta} \frac{d^2}{d\xi^2} \left( \xi^\beta \frac{d}{d\xi} \right) \phi + f(\xi)g(\phi) = 0, \quad (5)$$

with set of initial conditions given as

$$\phi(0) = A, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0,$$

Eq (5) in turn gives **First Emden-Fowler** type equation of order three as shown by Eq (6) along with initial conditions Eq (7).

$$\frac{d^3\phi}{d\xi^3} + \frac{2\beta}{\xi} \frac{d^2\phi}{d\xi^2} + \frac{\beta(\beta-1)}{\xi^2} \frac{d\phi}{d\xi} + f(\xi)g(\phi) = 0, \quad (6)$$

$$\phi(0) = A, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0, \quad (7)$$

Equivalently, Eq (6) can be written as

$$\phi''' + \frac{2\beta}{\xi} \phi'' + \frac{\beta(\beta-1)}{\xi^2} \phi' + f(\xi)g(\phi) = 0, \quad (8)$$

with

$$\phi(0) = A, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0,$$

It can be noticed that singularity lies at  $\xi = 0$  and singular point appears twice as  $\xi$  and  $\xi^2$  with shape factor  $\beta$  and  $(\beta - 1)$  respectively.

Now considering the case when  $m = 1$  and  $n = 2$ . Substituting values of  $m$  and  $n$  in Eq (1). we have,

$$\xi^{-\beta} \frac{d}{d\xi} \left( \xi^\beta \frac{d^2}{d\xi^2} \right) \phi + f(\xi)g(\phi) = 0, \quad (9)$$

Eq (9) in turn gives **Second Emden-Fowler** type equation of order three as shown by Eq (10) along with initial conditions Eq (11).

$$\frac{d^3\phi}{d\xi^3} + \frac{\beta}{\xi} \frac{d^2\phi}{d\xi^2} + f(\xi)g(\phi) = 0, \quad (10)$$

$$\phi(0) = A, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0, \quad (11)$$

Equivalently, Eq (10) can be written as

$$\phi''' + \frac{\beta}{\xi} \phi'' + f(\xi)g(\phi) = 0, \quad (12)$$

with

$$\phi(0) = A, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0.$$

Singular point is at  $\xi = 0$  and appears with shape factor  $\beta$  once in second case.

### III. SERIES SOLUTIONS USING WEIGHTED LEGENDRE POLYNOMIALS

Legendre polynomials denoted by  $L_n$  are well known orthogonal polynomials that can be used to model approximate solutions. Table 1 represents first eleven legendre polynomials.

Polynomials of higher order are formulated by using Eq (13)

$$L_{n+1}(t) = \frac{1}{n+1} [(2n+1)tL_n(t) - nL_{n-1}(t)], \quad (13)$$

trial solution or approximate series solution in term of weighted legendre polynomials for non linear Emden fowler is considered as

$$\phi_{approx}(\xi) = \sum_{n=0}^N \zeta_n L_n(\psi_n \xi + \theta_n), \quad (14)$$

where,  $\zeta_n$ ,  $\psi_n$  and  $\theta_n$  are unknown parameters.

Since,  $n$ th order continuous derivatives of Eq (14) exist. So first derivative  $\phi'(\xi)$ , second derivative  $\phi''(\xi)$  and third derivative  $\phi'''(\xi)$  of Eq (14) are represented by the following equations.

$$\phi'_{approx}(\xi) = \sum_{n=1}^N \zeta_n L'_n(\psi_n \xi + \theta_n), \quad (15)$$

$$\phi''_{approx}(\xi) = \sum_{n=4}^N w_n L''_n(\psi_n \xi + \theta_n), \quad (16)$$

$$\phi'''_{approx}(\xi) = \sum_{n=4}^N \zeta_n L'''_n(\psi_n \xi + \theta_n). \quad (17)$$

where  $\zeta_n$ ,  $\psi_n$  and  $\theta_n$  are real valued unknown parameters.

### IV. FITNESS FUNCTION FORMULATION

In this section, we formulate fitness/objective functions for first and second type non linear Emden-Fowler type equations. Fitness function is based on mean square error (MSE) in candidate solution that is used to train neurons (parameters) in LeNN. It is defined as

$$\text{Minimize } \epsilon = \epsilon_1 + \epsilon_2, \quad (18)$$

where  $\epsilon_1$  is associated to first type nonlinear Emden-Fowler equation Eq (8) and  $\epsilon_2$  is associated to boundary conditions for Eq (8). Mathematically,  $\epsilon_1$  and  $\epsilon_2$  are given as

$$\epsilon_1 = \frac{1}{N} \sum_{\beta=1}^N \left( \frac{d^3 \phi}{d\xi^3} + \frac{2\beta}{\xi} \frac{d^2 \phi}{d\xi^2} + \frac{\beta(\beta-1)}{\xi^2} \frac{d\phi}{d\xi} + f(\xi)g(\phi) \right)^2, \quad (19)$$

$$\epsilon_2 = \frac{1}{3} \left( (\phi(0) - A)^2 + \left( \frac{d\phi}{d\xi}(0) \right)^2 + \left( \frac{d^2 \phi}{d\xi^2}(0) \right)^2 \right), \quad (20)$$

For non-linear multi singular Emden-Fowler differential equation of type second,  $\epsilon_1$  and  $\epsilon_2$  can be mathematically expressed as

$$\epsilon_1 = \left( \frac{d^3 \phi}{d\xi^3} + \frac{\beta}{\xi} \frac{d^2 \phi}{d\xi^2} + f(\xi)g(\phi) \right)^2, \quad (21)$$

and

$$\epsilon_2 = \frac{1}{3} \left( (\phi(0) - A)^2 + \left( \frac{d\phi}{d\xi}(0) \right)^2 + \left( \frac{d^2 \phi}{d\xi^2}(0) \right)^2 \right). \quad (22)$$

where  $N = \frac{1}{h}$  and  $h$  is a step size.

### A. WHALE OPTIMIZATION ALGORITHM

Whale Optimization Algorithm (WOA) is nature inspired technique given by Mirajili and lewis [36] which imitate the social behaviour of whales. The algorithm is inspired by the bubble net hunting strategy.

Mathematical prescription for WOA is explained below:

#### 1) Encircling prey

Humpback whales encircle the recognized location of prey (small fishes). Initially, in candidate space the location of optimal design is not known. Position of encircled prey is modified by WOA towards the global optimal result with an increase in iterations. The hunting of prey is mathematically modeled as Eq (23) and Eq (24).

$$D = |C \cdot \vec{X}^*(t) - \vec{X}(t)|, \quad (23)$$

$$\vec{X}(t+1) = \vec{X}^*(t) - \vec{A} \cdot D, \quad (24)$$

where " $t$ " represents the current iterations, " $X^*$ " indicates the best value obtained so far, " $X$ " is a position vector, " $||$ " gives the absolute value, " $r$ " is a vector in interval  $[0,1]$ , "." and "+" represents element wise multiplication and addition respectively.  $\vec{A}$  and  $\vec{C}$  are coefficient vectors and given as follows:

$$\vec{A} = 2\vec{a} \cdot \vec{r} - \vec{a}, \quad (25)$$

$$\vec{C} = 2 \cdot \vec{r}. \quad (26)$$

#### 2) Bubble net attacking method

To model mathematical equations for Bubble net attacking method two approaches are designed as follows:

1. **Shrinking encircling mechanism:** " $a$ " is a randomly selected value and In the course of iterations, it linearly decreases from 2 to 0. Its value can be achieved by Eq (27).

$$a = 2 - t \frac{2}{\text{MaxIter}}. \quad (27)$$

2. **Spiral updating position:** This approach evaluates the distance between the prey and the humpback whale. To mimic the helix-shaped movement a spiral equation is defined as follows:

$$\vec{X}(t+1) = \vec{D}' \cdot e^{bl} \cdot \cos(2\pi l) + \vec{X}^*(t), \quad (28)$$

TABLE 1. Legendre polynomials

$n$	$L_n(t)$
0	1
1	$t$
2	$\frac{1}{2} (3t^2 - 1)$
3	$\frac{1}{2} (5t^3 - 3t)$
4	$\frac{1}{8} (35t^4 - 30t^2 + 3)$
5	$\frac{1}{8} (63t^5 - 70t^3 + 15t)$
6	$\frac{1}{16} (231t^6 - 315t^4 + 105t^2 - 5)$
7	$\frac{1}{16} (429t^7 - 693t^5 + 315t^3 - 35t)$
8	$\frac{1}{128} (6435t^8 - 12012t^6 + 6930t^4 - 1260t^2 + 35)$
9	$\frac{1}{128} (12155t^9 - 25740t^7 + 18018t^5 - 4620t^3 + 315t)$
10	$\frac{1}{256} (46189t^{10} - 109395t^8 + 90090t^6 - 30030t^4 + 3465t^2 - 63)$

TABLE 2. Parameter setting for WOA, NM, PSO and CSA.

Algorithm	Parameters	Settings	Parameters	Settings
WOA	Max. iterations	6,000	Limits	[-1,1]
	Selection of Candidate	Uniform	Search agents	50
NM Algorithm	function evaluations	200,000	Initial weights	Global best of WOA
	X-Tolerance ‘TolX’	1.00E-20	Max. iterations	2,000
	Scaling	Objective and constraints	‘TolFun’	1.00E-20
CSA	Max. iterations	8,000	Limits (lower, upper)	[-1,1]
	Search agents	50	Selection of Candidate	Uniform
PSO	Max. iterations	8,000	Limits (lower, upper)	[-1,1]
	Search agents	50	Selection of Candidate	Uniform

where distance between the “ $i$ th” whale and the prey (best result attained so far) is represented by  $\vec{D}' = |\vec{X}^*(t) - \vec{X}(t)|$ , shape of the logarithmic spiral is denoted by constant  $b$  and  $l$  is a randomly selected number in [-1,1].

We know that the humpback whale follows the spiral-shaped path and shrinking circle to hunt the prey. To model the simultaneous behaviour the probability is chosen to be 50% between the two paths so the position of the whales can be calculated by Eq (29).

$$\vec{X}(t+1) = \begin{cases} \vec{X}^*(t) - \vec{A} \cdot D, & \text{if } p < 0.5 \\ \vec{D}' \cdot e^{bl} \cdot \cos(2\pi l) + \vec{X}^*(t) & \text{if } p \geq 0.5, \end{cases} \quad (29)$$

where “ $p$ ” is a random value in interval [0,1].

### 3) Search for prey

A vector “A” with a random values less than 1 or greater than -1 is used to move a reference whale away from a whale. The

mathematical model of this mechanism is given by Eq (30) and Eq (31).

$$\vec{D} = |\vec{C} \cdot \vec{X}_{\text{rand}} - \vec{X}|, \quad (30)$$

$$\vec{X}(t+1) = \vec{X}_{\text{rand}} - \vec{A} \cdot \vec{D}. \quad (31)$$

where  $\vec{X}_{\text{rand}}$  is an arbitrary whale taken from the current population.

When the process for optimization is started then WOA creates random population, initial population and calculate the fitness function. Flow chart of Whale optimization algorithm is given in Figure 1.

### B. NELDER-MEAD ALGORITHM

The optimized weights obtained by WOA for solution for Eq (8) and Eq (11) are used as an initial guess or initial weights for Nelder-Mead algorithm. Hence, an effective local search mechanism is applied to furnish the approximate solution for the system. The detail procedure of Nelder-Mead algorithm is explained below.




FIGURE 1. Flowchart for WOA-NM Algorithm

The Nelder–Mead (NM) simplex search method is a direct search method proposed by Nelder and Mead in 1965 [37]. It is a non-derivative search method that has widely been used to solve multidimensional constrained/unconstrained optimization problems [38], [39]. NM algorithm rescales the simplex of  $n+1$  points based on the local behavior of the function using four basic operations named as reflection, expansion, contraction and shrink [24]. The structure of Nelder-Mead algorithm described in flow chart given by Figure 1. Some recent application of NM algorithm includes numerical simulation of dynamical modeling of Li-ion batteries for electric vehicle [40], nonlinear Muskingum models [41], application to bankruptcy prediction in banks [42] and optimization of TIG welding parameters [43]. Parameter setting for Nelder-Mead Algorithm is given in Table 38.

## V. LENN-WOA-NM ALGORITHM

The steps for the proposed hybridized algorithm are summarized as:

**Initialization:** Approximate/trial solution is considered see Eq (14) and neurons in weighted Legendre polynomials are initialized with randomly generated real number form the candidate space.

**Fitness Calculation:** Whale optimization algorithm is used to evaluate objective or fitness functions Eq (8) and Eq (11) for first and second type non-linear Emden-Fowler equation to update the unknown neurons in LeNN structure until termination criteria is achieved.

**Storage:** Weights obtained by WOA for minimum value of fitness function are stored.

**Initialize NM:** Nelder-Mead algorithm starts the process of



optimization by considering values of  $\zeta_n$ ,  $\psi_n$  and  $\theta_n$  obtained by WOA as its initial guess.

**Fitness Calculation:** Fitness functions are evaluated with updated weights of WOA. The process stops when termination criteria is achieved.

**Storage:** Save the optimal weights or variables of the LeNN. Flowchart of the proposed soft computing technique is shown in Figure 1.

## VI. PERFORMANCE INDICES

To check the efficiency of the designed technique in obtaining solution to non-linear Emden-Fowler differential equation of first and second order the statistical operators namely, mean absolute deviation (MAD), Theil's inequality coefficient (TIC) and Error in Nash Sutcliffe efficiency (ENSE) are defined [44]. The mathematical formulation of the operators is given as:

$$\text{MAD} = \frac{1}{n} \sum_{m=1}^n |\phi(\xi) - \phi_{\text{approx}}(\xi)|, \quad (32)$$

$$\text{TIC} = \frac{\sqrt{\frac{1}{n} \sum_{n=1}^n (\phi(\xi) - \phi_{\text{approx}}(\xi))^2}}{(\sqrt{\frac{1}{n} \sum_{n=1}^n (\phi(\xi))^2} + \sqrt{\frac{1}{n} \sum_{n=1}^n (\phi_{\text{approx}}(\xi))^2})}, \quad (33)$$

$$\text{NSE} = \left\{ 1 - \frac{\sum_{n=1}^n ((\phi(\xi) - \phi_{\text{approx}}(\xi))^2)}{\sum_{n=1}^n ((\phi(\xi) - \bar{\phi}(\xi))^2)}, \bar{\phi}(\xi) = \frac{1}{n} \sum_{m=1}^n \phi(\xi) \right\} \quad (34)$$

$$\text{ENSE} = 1 - \text{NSE}, \quad (35)$$

where  $n$  denotes the number of grid points.

## VII. NUMERICAL EXPERIMENTATION

In this section, different problems are considered of first and second type multi singular non-linear third order Emden-Fowler differential equations. The detail explanation about problem is given below

**Problem I:** Considering Non-Linear Emden-Fowler first type equation with shape factor  $\beta = 4$ ,  $f(\xi) = 1$  and  $g(\phi) = \phi^m$  where  $m = 0$ .

$$\frac{d^3\phi}{d\xi^3} + \frac{8}{\xi} \frac{d^2\phi}{d\xi^2} + \frac{12}{\xi^2} \frac{d\phi}{d\xi} + 1 = 0, \quad (36)$$

subjecting to initial conditions given as

$$\phi(0) = 1, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0,$$

exact solution for Eq (36) is given as  $\phi(\xi) = 1 - \frac{1}{90}(\xi)^3$  [45]. Fitness function for Eq (36) is formulated as

$$\epsilon = \epsilon_1 + \epsilon_2, \quad (37)$$

equivalently,

$$\epsilon = \frac{1}{N} \sum_{m=1}^N \left( \xi_m^2 \frac{d^3\phi}{d\xi_m^3} + 8\xi_m \frac{d^2\phi}{d\xi_m^2} + 12 \frac{d\phi}{d\xi_m} + \xi_m^2 \right)^2 + \frac{1}{3} \left( (\phi_0 - 1)^2 + \left( \frac{d\phi(0)}{d\xi} \right)^2 + \left( \frac{d^2\phi(0)}{d\xi^2} \right)^2 \right). \quad (38)$$

**Problem II:** Let shape factor  $\beta = 3$ ,  $f(\xi) = -6(10 + 2\xi^3 + 6\xi^6)$  and  $g(\phi) = e^{-3\phi}$

$$\frac{d^3\phi}{d\xi^3} + \frac{6}{\xi} \frac{d^2\phi}{d\xi^2} + \frac{6}{\xi^2} \frac{d\phi}{d\xi} - 6(10 + 2\xi^3 + 6\xi^6)e^{-3\phi} = 0, \quad (39)$$

with

$$\phi(0) = 0, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0,$$

exact solution for Eq (39) is given as  $\log(1 + \xi^3)$  [45]. Fitness function for Eq (39) can be written as

$$\epsilon = \epsilon_1 + \epsilon_2, \quad (40)$$

$$\epsilon = \frac{1}{N} \sum_{m=1}^N \left( \frac{d^3\phi}{d\xi_m^3} + \frac{6}{\xi_m} \frac{d^2\phi}{d\xi_m^2} + \frac{6}{\xi_m^2} \frac{d\phi}{d\xi_m} - 6(10 + 2\xi_m^3 + 6\xi_m^6)e^{-3\phi} \right)^2 + \frac{1}{3} \left( (\phi_0)^2 + \left( \frac{d\phi(0)}{d\xi} \right)^2 + \left( \frac{d^2\phi(0)}{d\xi^2} \right)^2 \right). \quad (41)$$

**Problem III** Consider non linear Emden-Fowler second type equation with  $\beta = 2$  and  $f(\xi) = 6e^\xi - 6\xi e^\xi - 7\xi^2 e^\xi + \xi^6 e^{2\xi}$ .

$$\frac{d^3\phi}{d\xi^3} - \frac{2}{\xi} \frac{d^2\phi}{d\xi^2} - \phi(\xi) - \phi^2(\xi) + 6e^\xi - 6\xi e^\xi - 7\xi^2 e^\xi + \xi^6 e^{2\xi} = 0, \quad (42)$$

with

$$\phi(0) = 0, \quad \phi(1) = e \quad \text{and} \quad \phi'(0) = 0,$$

exact solution for Eq (42) is given as  $\xi^3 e^\xi$  [46]. Fitness based error function for Eq (42) can be written as

$$\epsilon = \epsilon_1 + \epsilon_2, \quad (43)$$


$$\epsilon = \frac{1}{N} \sum_{m=1}^N \left( \xi_m \frac{d^3\phi}{d\xi_m^3} - 2 \frac{d^2\phi}{d\xi_m^2} - \xi_m \phi(\xi) - \xi_m \phi^2(\xi) + 6\xi_m e^\xi - 6\xi_m^2 e^\xi - 7\xi_m^3 e^\xi + \xi_m^6 e^{2\xi} + \frac{1}{2} \right)^2 + \frac{1}{3} \left( (\phi_0)^2 + (\xi(1) - e)^2 + \left( \frac{d\phi(0)}{d\xi} \right)^2 \right). \quad (44)$$

**Problem IV** Let  $\beta = 4$ ,  $f(\xi) = -(10 + 10\xi^3 + \xi^6)$  and  $g(\phi) = \phi$  then third order non-linear Emden-Fowler second type differential equation can be written as

$$\frac{d^3\phi}{d\xi^3} + \frac{4}{\xi} \frac{d^2\phi}{d\xi^2} - (10 + 10\xi^3 + \xi^6)\phi = 0, \quad (45)$$

subjected to initial conditions

$$\phi(0) = 1, \phi'(0) = 0 \quad \text{and} \quad \phi''(0) = 0,$$



**FIGURE 2.** Graphical overview of third order non-linear multi singular Emden-fowler differential equation with different cases depending on shape factor.

analytical solution obtained by [45] for Eq (45) is  $e^{\frac{\xi^3}{3}}$ . Fitness based error function for Eq (45) can be formulated as

$$\epsilon = \epsilon_1 + \epsilon_2, \quad (46)$$

equivalently,


$$\begin{aligned} \epsilon = & \frac{1}{N} \sum_{m=1}^N \left( \frac{d^3 \phi}{d\xi_m^3} + \frac{4}{\xi_m} \frac{d^2 \phi}{d\xi_m^2} - (10 + 10\xi_m^3 + \xi_m^6) \phi \right)^2 \\ & + \frac{1}{3} \left( (\phi_0 - 1)^2 + \left( \frac{d\phi(0)}{d\xi} \right)^2 + \left( \frac{d^2 \phi(0)}{d\xi^2} \right)^2 \right), \end{aligned} \quad (47)$$

## VIII. RESULTS AND DISCUSSION

This paper has presented the mathematical formulation and analysis of first and second-type third-order nonlinear multi singular Emden-Fowler equations (TONMS-EFE). Four problems are considered with different shape factor  $\beta$ ,  $f(\xi)$  and  $g(\phi)$ . Furthermore, an evolutionary soft computing technique is designed to solve the TONMS-EFE see Eq (8) and Eq (11). Approximate series solutions for different problems obtained by the LeNN-WOA-NM algorithm are compared with PSO, CSA, WOA, and exact solutions [45]. The optimization performance of the proposed technique for

Eq (8) and Eq (11) is perform for 80 independent executions. The graphical performance of the design scheme for all four problems is illustrated in Figures 3-10. Approximate solutions obtained by the LeNN-WOA-NM algorithm for problem I, II, III, and IV are demonstrated through Figures 3(a), 3(b), 3(c) and 3(d) respectively. The unknown weights in LeNN for calculation of best solutions are visualized in Figure 4. The absolute error graphs from the exact solution are demonstrated in Figure 5 for each problem. Figure 6 depicts the comparison of the minimum, mean, median, mode, standard deviation, and variance of fitness, MAD, TIC, and ENSE obtained by LeNN-WOA-NM algorithm with CSA, PSO, and WOA for the four problems.

Tables 3 and 4 represents the comparison of solutions at each step size. The values of absolute errors (AE) in Tables 5 and 6 lie around  $-10^{-12}$  to  $-10^{-14}$ ,  $-10^{-5}$  to  $-10^{-8}$ ,  $-10^{-8}$  to  $-10^{-10}$  and  $-10^{-7}$  to  $-10^{-9}$  for problem I, II, III and IV respectively. Unknown weights obtained by proposed algorithm for optimization of fitness function Eqs (38), (41), (44) and (47) are dictated in Tables 7 and 8. It is clear from Tables 9, 13, 17 and 21 the objective values (fitness values) lie round  $10^{-12}$ ,  $10^{-6}$ ,  $10^{-8}$  and  $10^{-7}$  for problem I to IV respectively. It is clear from Tables 10, 14, 18 and 22 that values of mean absolute deviation (MAD) lie round  $10^{-9}$ ,  $10^{-3}$ ,  $10^{-3}$  and  $10^{-6}$  for problem I to IV respectively. It is




**FIGURE 3.** Solutions obtained by LeNN-WOA-NM approach for first and second type nonlinear singular Emden-Fowler differential equation.


clear from Tables 11, 16, 19 and 23 that values of Theil's inequality coefficient (TIC) lie round  $10^{-9}$ ,  $10^{-3}$ ,  $10^{-4}$  and  $10^{-6}$  for problem I to IV respectively. It is clear from Tables 12, 17, 20 and 24 that values of Error in Nash Sutcliffe efficiency (ENSE) lie round  $10^{-12}$ ,  $10^{-4}$ ,  $10^{-6}$  and  $10^{-9}$  for problem I to IV respectively.

Bar graphs given in Figure 6 demonstrates the comparison of values of fitness, MAD, TIC, and ENSE obtained by the LeNN-WOA-NM algorithm with PSO, CSA, and WOA for each problem. The convergence of fitness value, MAD, TIC, and ENSE during 80 independent runs are shown through Figure 7-10. Normal probability curves and boxplots for performance indicators are shown in Figures 11-18. Extensive statistical and graphical analysis illustrates the effectiveness of the proposed algorithm in solving nonlinear-multi singular differential equations.





**FIGURE 4.** Weights achieved by LeNN-WOA-NM algorithm for best solutions of Problem I, II, III and IV.



**FIGURE 5.** Absolute errors in best solutions obtained by proposed algorithm for different problems.




FIGURE 6. Bar graphs of statistics representing attained values of LeNN-WOA-NM algorithm, PSO, CSA and WOA for performance indicators.




FIGURE 7. Fitness analysis for Problem I,II,III and IV during 80 independent runs

**TABLE 3.** Comparison of approximate solutions obtained by proposed algorithm with PSO, CSA , WOA and exact solution for Problem I and II.


Problem I						Problem II				
$\xi$	WOA	PSO	CSA	LeNN-WOA-NM	Exact	WOA	PSO	CSA	LeNN-WOA-NM	Exact
0	0.99939	1.000003	1.000287	1	1	0.048647	0.011755	0.032020	-3.06E-05	0
0.1	0.999393	0.999986	1.000293	0.999989	0.999989	0.050482	0.012868	0.025783	0.001000	0.001014
0.2	0.999259	0.999901	1.000226	0.999911	0.999911	0.057086	0.019442	0.026243	0.007968	0.007981
0.3	0.998965	0.999686	1.000022	0.999700	0.999700	0.073187	0.037255	0.039205	0.026642	0.026466
0.4	0.998473	0.999274	0.999618	0.999289	0.999289	0.103322	0.071394	0.069505	0.062035	0.061759
0.5	0.997736	0.998600	0.998947	0.998611	0.998611	0.151133	0.125451	0.120620	0.117783	0.117543
0.6	0.996693	0.997594	0.997940	0.997600	0.997600	0.218874	0.201158	0.194401	0.195567	0.195544
0.7	0.995279	0.996189	0.996531	0.996189	0.996189	0.307194	0.298401	0.290966	0.294906	0.295495
0.8	0.993421	0.994316	0.99465	0.994311	0.994311	0.415211	0.415537	0.408791	0.413433	0.413428
0.9	0.991043	0.991907	0.992231	0.991900	0.991900	0.540871	0.549907	0.545039	0.547543	0.547543
1	0.988066	0.988897	0.989207	0.988889	0.988889	0.681539	0.698434	0.696177	0.693147	0.693147

**TABLE 4.** Comparison of solutions obtained by proposed algorithm with WOA, PSO , CSA and exact solution for Problem III and Problem IV.

Problem III						Problem IV				
$\xi$	WOA	PSO	CSA	Exact	LeNN-WOA-NM	WOA	PSO	CSA	Exact	LeNN-WOA-NM
0	-0.0291173	-5.580E-05	0.0064096	0	0	0.9909846	0.99863168	0.9312504	1	1
0.1	-0.0226260	0.0010363	0.0082296	0.0011051	0.0011051	0.9862820	0.9988289	0.9390017	1.0003333	1.0003333
0.2	-0.0086600	0.0097481	0.0175671	0.0097712	0.0097712	0.9835390	1.0009450	0.9489395	1.0026702	1.0026702
0.3	0.0233276	0.0366362	0.0448939	0.0364461	0.0364461	0.9847364	1.0070216	0.9632169	1.0090406	1.0090406
0.4	0.0876768	0.0961489	0.1046747	0.0954767	0.0954767	0.9919561	1.0192389	0.9838128	1.0215625	1.0215625
0.5	0.2034812	0.2075992	0.2162740	0.2060901	0.2060901	1.0074553	1.0399569	1.0127269	1.0425469	1.0425469
0.6	0.3957166	0.3962925	0.4050488	0.3935776	0.3935776	1.0337935	1.0718354	1.0522549	1.0746553	1.0746553
0.7	0.6965685	0.6948370	0.7036532	0.6907171	0.6907171	1.0740361	1.1180597	1.1053439	1.1211255	1.1211257
0.8	1.1469895	1.1446760	1.1535852	1.1394769	1.1394769	1.1320709	1.1826982	1.1760312	1.1860953	1.1860953
0.9	1.7985215	1.7978922	1.8070017	1.7930506	1.7930506	1.2130807	1.2712236	1.2699650	1.2750687	1.2750686
1	2.7154180	2.7193238	2.7288324	2.7182818	2.7182818	1.3242277	1.3912298	1.3950075	1.3956124	1.3956124

**TABLE 5.** Comparison between the absolute errors attained by proposed algorithm with WOA, PSO and CSA for Problem I and Problem II.


Problem I					Problem II			
$\xi$	WOA	PSO	CSA	LeNN-WOA-NM	WOA	PSO	CSA	LeNN-WOA-NM
0	6.61E-05	1.56E-08	7.17E-06	1.09E-14	0.003023	0.000224	0.004520	2.37E-05
0.1	7.33E-05	7.93E-07	1.16E-06	5.31E-13	0.000432	0.000431	0.006961	2.62E-05
0.2	0.000139	1.37E-07	5.54E-07	8.97E-14	0.003286	7.86E-05	0.004862	2.09E-05
0.3	5.30E-05	1.97E-07	6.02E-07	7.28E-13	0.008848	0.000497	0.003172	4.13E-05
0.4	3.56E-08	8.68E-07	3.05E-07	1.96E-12	0.006998	8.08E-06	0.003228	4.15E-06
0.5	4.88E-05	7.18E-07	5.95E-08	2.98E-13	0.000396	0.000999	0.003410	5.33E-05
0.6	0.000113	7.17E-08	2.58E-06	1.34E-12	0.005977	0.000161	0.001481	4.59E-07
0.7	9.69E-05	2.31E-07	1.01E-05	3.80E-12	0.013264	0.001392	4.41E-06	3.48E-05
0.8	2.20E-05	8.67E-07	1.79E-05	3.12E-14	9.32E-07	0.000610	0.000490	1.86E-05
0.9	1.15E-05	3.68E-07	1.32E-05	8.51E-12	0.028319	0.002989	0.000446	8.11E-07
1	0.000131	6.91E-07	2.13E-08	1.68E-12	0.005991	0.000438	0.003826	1.05E-08



**FIGURE 8.** Convergence analysis of MAD during 80 independent runs for first and second type Emden-Fowler differential equations.

**TABLE 6.** Comparison between the absolute errors attained by proposed algorithm with WOA, PSO and CSA for Problem III and Problem IV.

$\xi$	Problem III				Problem IV			
	WOA	PSO	CSA	LeNN-WOA-NM	WOA	PSO	CSA	LeNN-WOA-NM
0	0.00251685	7.63E-05	0.00597363	1.94E-08	0.01390989	3.8100E-05	0.01144378	1.51E-08
0.1	0.00085218	9.73E-06	0.00016169	9.45E-08	0.00120851	0.00159428	0.00048074	3.18E-07
0.2	0.00014335	7.56E-05	0.00011854	2.45E-09	0.01035894	0.00026557	0.00194073	2.36E-07
0.3	0.00033636	3.21E-05	0.00014458	6.56E-08	0.00834433	0.00054039	0.00133826	1.08E-07
0.4	6.7800E-05	4.37E-06	0.00031391	9.61E-12	0.00059786	0.00147871	0.00150487	2.20E-07
0.5	0.00020100	5.67E-05	0.00020351	4.67E-08	0.00377830	0.00022670	0.00257252	1.61E-07
0.6	0.00036575	3.27E-05	0.00064464	5.92E-10	0.01339039	0.00085392	0.00179844	2.40E-07
0.7	0.00045345	3.69E-06	0.00014164	3.34E-08	0.00797716	0.00256672	0.00049265	2.03E-07
0.8	0.00024218	5.25E-05	0.00040872	3.41E-09	0.00089101	5.0800E-05	0.01962942	7.14E-07
0.9	2.4800E-06	4.29E-06	0.00013671	6.96E-10	0.02146690	0.00572957	0.03667775	1.91E-07
1	0.00017719	1.46E-05	0.00098814	1.50E-10	0.00559450	0.00098650	0.03621831	6.27E-09



**FIGURE 9.** Convergence analysis of TIC during 80 independent runs for first and second type Emden-Fowler differential equations.

**TABLE 7.** Best weight achieved for optimization of Eq (38) and Eq (41) by proposed algorithm.

Problem I				Problem II		
index	$\zeta_n$	$\psi_n$	$\theta_n$	$\zeta_n$	$\psi_n$	$\theta_n$
1	0.408826	0.057564	-0.044000	0.254318	0.114530	0.320272
2	-0.753480	-0.002450	0.295031	1.050468	0.041362	0.906695
3	-1.214790	0.454315	-0.167660	0.823686	1.375421	-0.080910
4	-0.041070	0.152337	-0.064490	0.041510	0.049329	0.169590
5	0.044146	-0.115580	-0.297110	-0.493580	0.571303	0.128204
6	-0.214880	-0.178810	-0.099960	-0.146110	-0.102080	-0.001930
7	0.088679	-0.016690	-0.300590	3.659748	0.467711	-0.253020
8	0.282416	-0.049280	-0.741580	0.659495	-0.054140	0.361584
9	-0.011820	-0.100280	-0.259620	-0.273810	0.061146	0.000882
10	-0.198010	-0.062350	0.204680	0.366455	-0.339450	0.058533
11	-0.198020	-0.029490	-0.866680	0.557791	0.340865	0.349444





FIGURE 10. Convergence analysis of ENSE during 80 independent runs for first and second type Emden-Fowler differential equations.


TABLE 8. Best weight achieved for optimization of Eq (44) and Eq (47) by proposed algorithm.

Problem III				Problem IV		
index	$\zeta_n$	$\psi_n$	$\theta_n$	$\zeta_n$	$\psi_n$	$\theta_n$
1	-0.00025520	-0.07916260	-0.5659983	0.73308615	0.49157556	0.34432282
2	0.54710110	-0.09156670	-0.7318864	0.51580967	0.70179544	0.54020410
3	0.90428437	0.88504030	-0.0911262	0.44315273	0.20778173	0.46296807
4	-0.16085360	-0.20762780	0.7573477	0.23240265	0.48175825	0.22761992
5	-0.31751990	0.81663781	-0.2951611	0.69645753	0.19380327	0.47697631
6	-0.03909820	0.67666348	-0.0707813	0.60684850	0.57723262	0.16011539
7	0.46593053	0.28887830	0.7811133	0.19411520	0.31740822	0.39211912
8	0.65746316	0.43559105	-0.0846667	0.35456570	0.21980521	0.46826468
9	0.86795474	0.64078844	0.0057115	0.20798017	0.17682492	0.28322033
10	-0.00824190	-0.41933870	-0.1662330	0.53476583	0.41144797	0.21299134
11	0.02639607	0.00074241	0.5335582	0.13224697	0.31148234	0.00013506







**FIGURE 11.** Analysis on normal probability curves for Fitness value attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA for third order singular non-linear Emden-Fowler differential equation of type first (Problem I,II) and second (Problem III,IV).




**FIGURE 12.** Analysis on normal probability curves for MAD attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA for third order singular non-linear Emden-Fowler differential equation of type first (Problem I,II) and second (Problem III,IV).



**FIGURE 13.** Analysis on normal probability curves for TIC attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA for third order singular non-linear Emden-Fowler differential equation of type first (Problem I,II) and second (Problem III,IV).



**FIGURE 14.** Analysis on normal probability curves for ENSE attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA for third order singular non-linear Emden-Fowler differential equation of type first (Problem I,II) and second (Problem III,IV).



**FIGURE 15.** Analysis of Boxplot for fitness value of Problem I,II,III and IV attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA.

**TABLE 9.** Statistical analysis on **Fitness Analysis** for Problem I during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Fitness Analysis						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	4.92E-06	1.60E-03	2.07E-04	4.92E-06	3.60E-03	1.29E-05
PSO	2.98E-08	3.33E-05	1.02E-05	2.98E-08	5.95E-05	3.54E-09
CSA	5.79E-06	1.95E-04	1.17E-04	5.79E-06	2.47E-04	6.08E-08
LeNN-WOA-NM	1.77E-12	6.20E-07	5.53E-08	1.77E-12	1.14E-06	1.29E-12

**TABLE 10.** Statistical analysis on **Mean Absolute Deviation** for Problem I during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Mean Absolute Deviation						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	1.69E-05	0.0129	9.27E-04	1.69E-05	0.0305	9.28E-04
PSO	2.64E-06	7.98E-05	7.98E-05	4.31E-05	1.02E-04	1.04E-08
CSA	1.60E-04	0.0043	0.0033	1.60E-04	0.0043	1.81E-05
LeNN-WOA-NM	4.65E-09	5.15E-06	1.80E-06	4.65E-09	8.39E-06	7.04E-11

**TABLE 11.** Statistical analysis on **Theil's inequality coefficient** for Problem I during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Theil's inequality coefficient						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	4.48E-06	0.0032	2.43E-04	4.48E-06	0.0079	6.22E-05
PSO	6.99E-07	1.99E-05	1.12E-05	6.99E-07	2.42E-05	5.86E-10
CSA	4.34E-05	0.001	7.78E-04	4.34E-05	0.001	1.00E-06
LeNN-WOA-NM	1.51E-09	1.37E-06	4.67E-07	1.51E-09	2.13E-06	4.53E-12


**TABLE 12.** Statistical analysis on **Error in Nash Sutcliffe Efficiency** for Problem I during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Error in Nash Sutcliffe Efficiency						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	2.89E-05	0.0691	0.012	2.89E-05	0.179	0.0321
PSO	7.03E-07	0.0014	1.83E-04	7.03E-07	0.0038	1.44E-05
CSA	4.54E-04	0.0057	0.0057	4.54E-04	0.0023	5.20E-06
LeNN-WOA-NM	3.26E-12	9.13E-06	3.14E-07	3.26E-12	3.04E-05	9.22E-10


**TABLE 13.** Statistical analysis on **Fitness Analysis** for Problem I during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Fitness Analysis						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	0.00958519	0.10911432	0.06223133	0.00958519	0.1179656	0.01391588
PSO	0.000407	0.01272245	0.00629448	0.000407	0.01650894	0.000273
CSA	0.00720688	0.05682838	0.05390004	0.00720688	0.02003173	0.000401
LeNN-WOA-NM	1.18E-06	0.00134607	0.000524	1.18E-06	0.00212836	4.53E-06






**FIGURE 16.** Analysis of Boxplot for MAD of Problem I,II,III and IV attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA.



**FIGURE 17.** Analysis of Boxplot for TIC of Problem I,II,III and IV attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA.



**FIGURE 18.** Analysis of Boxplot for ENSE of Problem I,II,III and IV attained by LeNN-WOA-NM algorithm in comparison with PSO, CSA and WOA.

**TABLE 14.** Statistical analysis on **Mean Absolute Deviation** for Problem II during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Mean Absolute Deviation						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	0.02946183	0.21032193	0.16364798	0.02946183	0.14350405	0.02059341
PSO	0.00266543	0.04903535	0.03593484	0.00266543	0.03983714	0.001587
CSA	0.01029353	0.14872052	0.15369413	0.01029353	0.07368662	0.00542972
LeNN-WOA-NM	0.00173657	0.01047509	0.00403578	0.00173657	0.01370237	1.88E-04

**TABLE 15.** Statistical analysis on **Theil's inequality coefficient** for Problem II during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Theil's inequality coefficient						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	0.03449301	0.23357385	0.18643734	0.03449301	0.14972866	0.02241867
PSO	0.0041522	0.0563613	0.04151384	0.0041522	0.00204901	0.00204901
CSA	0.01429876	0.16863342	0.17561954	0.01429876	0.08270124	0.0068395
LeNN-WOA-NM	0.00348245	0.01258072	0.00438835	0.00348245	0.01559042	2.43E-04

**TABLE 16.** Statistical analysis on **Error in Nash Sutcliffe Efficiency** for Problem II during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Error in Nash Sutcliffe Efficiency						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	0.022236	0.195314	0.173722	0.022236	0.085727	0.007349
PSO	3.22E-04	0.097186	0.032272	3.22E-04	0.164064	0.026917
CSA	0.003821	0.369791	0.388987	0.003821	0.294405	0.086674
LeNN-WOA-NM	2.27E-04	0.00744408	3.60E-04	2.27E-04	0.02785565	7.76E-04

**TABLE 17.** Statistical analysis on **Fitness Analysis** for Problem II during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Fitness Analysis						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	1.50E-03	0.107	1.50E-03	1.50E-03	0.1263	1.60E-02
PSO	1.05E-06	4.83E-02	1.50E-03	1.05E-06	1.70E-01	2.89E-02
CSA	1.05E-06	4.83E-02	1.50E-03	1.05E-06	1.70E-01	2.89E-02
LeNN-WOA-NM	2.43E-08	1.12E-04	8.58E-06	2.43E-08	2.12E-04	4.49E-08

**TABLE 18.** Statistical analysis on **Mean Absolute Deviation** for Problem II during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Mean Absolute Deviation						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	1.08E-02	0.1978	1.38E-01	1.08E-02	0.1706	2.91E-02
PSO	1.50E-03	4.94E-02	7.90E-03	1.50E-03	1.35E-01	1.82E-02
CSA	7.70E-03	0.0674	0.0594	7.70E-03	0.049	2.40E-03
LeNN-WOA-NM	1.50E-03	2.60E-03	1.70E-03	1.50E-03	2.10E-03	4.28E-06

**TABLE 19.** Statistical analysis on **Theil's inequality coefficient** for Problem II during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Theil's inequality coefficient						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	4.40E-03	0.0688	4.61E-02	4.40E-03	0.0955	9.10E-03
PSO	6.45E-04	1.28E-02	2.60E-03	6.45E-04	3.08E-02	9.50E-04
CSA	2.90E-03	0.021	1.88E-02	2.90E-03	0.0132	1.75E-04
LeNN-WOA-NM	6.81E-04	9.83E-04	7.49E-04	6.81E-04	5.96E-04	3.56E-07

**TABLE 20.** Statistical analysis on **Error in Nash Sutcliffe Efficiency** for Problem II during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Error in Nash Sutcliffe Efficiency						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	2.65E-04	0.1052	0.03	2.65E-04	0.1546	0.0239
PSO	5.87E-06	0.0311	9.35E-05	5.87E-06	0.1318	1.74E-02
CSA	1.14E-04	0.0108	0.0055	1.14E-04	0.0201	4.03E-04
LeNN-WOA-NM	6.54E-06	1.88E-05	7.93E-06	6.54E-06	3.80E-05	1.44E-09

**TABLE 21.** Statistical analysis on **Fitness Analysis** for Problem IV during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Fitness Analysis						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	1.70E-03	0.1425	1.49E-01	1.70E-03	0.0811	6.60E-03
PSO	1.30E-03	1.18E-01	1.14E-01	1.30E-03	8.27E-02	6.80E-03
CSA	4.16E-02	9.90E-02	9.75E-02	4.16E-02	3.12E-02	9.73E-04
LeNN-WOA-NM	2.20E-07	8.90E-03	2.10E-03	2.20E-07	1.75E-02	3.08E-04

**TABLE 22.** Statistical analysis on **Mean Absolute Deviation** for Problem IV during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Mean Absolute Deviation						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	8.50E-03	0.5099	5.26E-01	8.50E-03	0.2423	5.87E-02
PSO	2.60E-03	4.39E-01	4.25E-01	2.60E-03	2.53E-01	6.42E-02
CSA	3.12E-02	0.4072	0.4456	3.12E-02	0.1522	2.32E-02
LeNN-WOA-NM	7.43E-06	3.68E-02	4.70E-03	7.43E-06	8.37E-02	7.00E-03

**TABLE 23.** Statistical analysis on **Theil's inequality coefficient** for Problem IV during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Theil's inequality coefficient						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	2.00E-03	0.1821	2.06E-01	2.00E-03	0.1352	1.83E-02
PSO	5.88E-04	1.70E-01	1.32E-01	5.88E-04	1.32E-01	1.75E-02
CSA	7.50E-03	0.1317	1.38E-01	7.50E-03	0.0625	3.90E-03
LeNN-WOA-NM	1.89E-06	9.70E-03	1.20E-03	1.89E-06	2.40E-02	5.78E-04

**TABLE 24.** Statistical analysis on **Error in Nash Sutcliffe Efficiency** for Problem IV during 80 independent runs by proposed algorithm, PSO, CSA and WOA.

Error in Nash Sutcliffe Efficiency						
	Min.	Mean	Median	Mod.	Std.	Var.
WOA	8.50E-03	0.4649	0.4815	8.50E-03	0.2252	0.0507
PSO	3.34E-02	0.2512	2.47E-01	3.34E-02	0.1264	1.60E-02
CSA	2.86E-02	0.1216	0.1321	2.86E-02	0.0498	2.50E-03
LeNN-WOA-NM	5.12E-09	4.19E-02	2.00E-03	5.50E-03	1.22E-01	1.49E-02

#### Nomenclature:

Abbreviation	Discriptions
LeNN	Legendre Neural Networks
NM	Nelder-Mead
MAD	Mean Absolute Diviation
TIC	Theil's inequality coefficient
NSE	Nash Sutcliffe efficiency
ENSE	Error in Nash Sutcliffe efficiency
PSO	Particle Swarm Optimization
CSA	Cuckoo search Algorithm
WOA	Whale Optimization Algorithm
$\beta$	Shape factor
$\alpha$	Reflection Coefficient
$\delta$	Shrink
$\gamma$	Contraction
$t$	Current iteration in WOA
$X^*$	Best value obtained so far
$\vec{A}, \vec{C}$	Coefficient Vectors
$X_{rand}$	Random whale

## IX. CONCLUSION

In this work, we have formulated third-order nonlinear multi singular Emden-Fowler equations. Furthermore, we have designed novel soft computing that hybridized global search exploitation of WOA with local search exploration of the NM algorithm. The combination is named as LeNN-WOA-NM algorithm. Weighted Legendre polynomials are used to model approximate series solutions for third-order nonlinear multi-singular Emden-Fowler differential equations, and fitness functions are constructed to evaluate the candidate solutions. Some significant findings of the study are summarized below as:

- The design of a soft computing paradigm, the LeNN-WOA-NM algorithm, is effectively applied to solve nonlinear multi-singular third-order Emden–Fowler models of the first and second type.
- The accuracy and robustness of the present scheme are proven by comparing the proposed results with the exact solutions, PSO, CSA, and WOA for different Emden–Fowler

equation problems.

- The statistical analysis and assessments based on 80 independent executions of the LeNN-WOA-NM algorithm establish the accuracy and convergence of the proposed algorithm for solving real-world problems.

Approximate solution for Eq (36) is given as

$$\begin{aligned} \phi_{approx} = & 0.408826 + (-0.75348\xi - 0.00245)(0.295031) \\ & + \left( \frac{3(-1.21479\xi + 0.454315)^2 - 1}{2} \right) (-0.16766) \\ & + \left( \frac{5(-0.04107\xi + 0.152337)^3 - 3(-0.04107\xi + 0.152337)}{2} \right) (-0.06449) \\ & + \left( \frac{35(0.044146\xi - 0.11558)^4 - 30(0.044146\xi - 0.11558)^2}{8} + \frac{3}{8} \right) (-0.29711) \\ & + \left( \frac{63(-0.21488\xi - 0.17881)^5 - 70(-0.21488\xi - 0.17881)^3}{8} \right. \\ & \left. + \frac{15(-0.21488\xi - 0.17881)}{8} \right) (-0.09996) \\ & + \left( \frac{231(0.088679\xi - 0.01669)^6 - 315(0.088679\xi - 0.01669)^4}{16} \right. \\ & \left. + \frac{105(0.088679\xi - 0.01669)^2 - 5}{16} \right) (-0.30059) \\ & + \left( \frac{429(0.282416\xi - 0.04928)^7 - 693(0.282416\xi - 0.04928)^5}{16} \right. \\ & \left. + \frac{315(0.282416\xi - 0.04928)^2 - 35(0.282416\xi - 0.04928)}{16} \right) (-0.74158) \\ & + \left( \frac{6435(-0.01182\xi - 0.10028)^8 - 12012(-0.01182\xi - 0.10028)^6}{128} \right. \\ & \left. + \frac{6930(-0.01182\xi - 0.10028)^4 - 1260(-0.01182\xi - 0.10028)^2 + 35}{128} \right) (-0.25962) \\ & + \left( \frac{12155(-0.19801\xi - 0.06235)^9 - 25740(-0.19801\xi - 0.06235)^7}{128} \right. \\ & \left. + \frac{18018(-0.19801\xi - 0.06235)^5 - 4620(-0.19801\xi - 0.06235)^3}{128} \right. \\ & \left. + \frac{315(-0.19801\xi - 0.06235)}{128} \right) (0.20468) \\ & + \left( \frac{46189(-0.19802\xi - 0.02949)^{10} - 109395(-0.19802\xi - 0.02949)^8}{256} \right. \\ & \left. + \frac{90090(-0.19802\xi - 0.02949)^6 - 30030(-0.19802\xi - 0.02949)^4}{256} \right. \\ & \left. + \frac{3465(-0.19802\xi - 0.02949)^2 - 63}{256} \right) (-0.86668) \end{aligned} \quad (48)$$

Approximate solution for Eq (39) is given as



Approximate solution for Eq (42) is given as

$$\begin{aligned} \phi_{approx} = & 0.254318 + (1.050468\xi + 0.041362)(0.906695) \\ & + \left( \frac{3(0.823686\xi + 1.375421)^2 - 1}{2} \right) (-0.08091) \\ & + \left( \frac{5(0.04151\xi + 0.049329)^3 - 3(0.04151\xi + 0.049329)}{2} \right) (0.16959) \\ & + \left( \frac{35(-0.49358\xi + 0.571303)^4 - 30(-0.49358\xi + 0.571303)^2}{8} + \frac{3}{8} \right) (0.128204) \\ & + \left( \frac{63(-0.14611\xi - 0.10208)^5 - 70(-0.14611\xi - 0.10208)^3}{8} \right. \\ & \left. + \frac{15(-0.14611\xi - 0.10208)}{8} \right) (-0.00193) \\ & + \left( \frac{231(3.659748\xi + 0.467711)^6 - 315(3.659748\xi + 0.467711)^4}{16} \right. \\ & \left. + \frac{105(3.659748\xi + 0.467711)^2 - 5}{16} \right) (-0.25302) \\ & + \left( \frac{429(0.659495\xi - 0.05414)^7 - 693(0.659495\xi - 0.05414)^5}{16} \right. \\ & \left. + \frac{315(0.659495\xi - 0.05414)^2 - 35(0.659495\xi - 0.05414)}{16} \right) (0.361584) \\ & + \left( \frac{6435(-0.27381\xi + 0.061146)^8 - 12012(-0.27381\xi + 0.061146)^6}{128} \right. \\ & \left. + \frac{6930(-0.27381\xi + 0.061146)^4 - 1260(-0.27381\xi + 0.061146)^2 + 35}{128} \right) (0.000882) \\ & + \left( \frac{12155(0.366455\xi - 0.33945)^9 - 25740(0.366455\xi - 0.33945)^7}{128} \right. \\ & \left. + \frac{18018(0.366455\xi - 0.33945)^5 - 4620(0.366455\xi - 0.33945)^3}{128} \right. \\ & \left. + \frac{315(0.366455\xi - 0.33945)}{128} \right) (0.058533) \\ & + \left( \frac{46189(0.557791\xi + 0.340865)^{10} - 109395(0.557791\xi + 0.340865)^8}{256} \right. \\ & \left. + \frac{90090(0.557791\xi + 0.340865)^6 - 30030(0.557791\xi + 0.340865)^4}{256} \right. \\ & \left. + \frac{3465(0.557791\xi + 0.340865)^2 - 63}{256} \right) (0.349444) \end{aligned} \quad (49)$$

$$\begin{aligned} \phi_{approx} = & -0.0002552 + (0.5471011\xi - 0.0915667)(-0.7318864) \\ & + \left( \frac{3(0.90428437\xi + 0.8850403)^2 - 1}{2} \right) (-0.0911262) \\ & + \left( \frac{5(-0.1608536\xi - 0.2076278)^3 - 3(-0.1608536\xi - 0.2076278)}{2} \right) (0.75734771) \\ & + \left( \frac{35(-0.31751\xi + 0.816637)^4 - 30(-0.31751\xi + 0.816637)^2}{8} + \frac{3}{8} \right) (-0.295161) \\ & + \left( \frac{63(-0.0390982\xi + 0.67666348)^5 - 70(-0.0390982\xi + 0.67666348)^3}{8} \right. \\ & \left. + \frac{15(-0.0390982\xi + 0.67666348)}{8} \right) (-0.0707813) \\ & + \left( \frac{231(0.4659305\xi + 0.2888783)^6 - 315(0.4659305\xi + 0.2888783)^4}{16} \right. \\ & \left. + \frac{105(0.4659305\xi + 0.2888783)^2 - 5}{16} \right) (0.78111333) \\ & + \left( \frac{429(0.65746316\xi + 0.43559105)^7 - 693(0.65746316\xi + 0.43559105)^5}{16} \right. \\ & \left. + \frac{315(0.65746316\xi + 0.43559105)^2 - 35(0.65746316\xi + 0.43559105)}{16} \right) (-0.084667) \\ & + \left( \frac{6435(0.867974\xi + 0.640784)^8 - 12012(0.867974\xi + 0.640784)^6}{128} \right. \\ & \left. + \frac{6930(0.867974\xi + 0.640784)^4 - 1260(0.867974\xi + 0.640784)^2 + 35}{128} \right) (0.00571) \\ & + \left( \frac{12155(-0.0082419\xi - 0.4193387)^9 - 25740(-0.0082419\xi - 0.4193387)^7}{128} \right. \\ & \left. + \frac{18018(-0.0082419\xi - 0.4193387)^5 - 4620(-0.0082419\xi - 0.4193387)^3}{128} \right. \\ & \left. + \frac{315(-0.0082419\xi - 0.4193387)}{128} \right) (-0.1662331) \\ & + \left( \frac{46189(0.02639607\xi + 0.00074241)^{10} - 109395(0.02639607\xi + 0.00074241)^8}{256} \right. \\ & \left. + \frac{90090(0.02639607\xi + 0.00074241)^6 - 30030(0.02639607\xi + 0.00074241)^4}{256} \right. \\ & \left. + \frac{3465(0.02639607\xi + 0.00074241)^2 - 63}{256} \right) (0.5335582) \end{aligned} \quad (50)$$

Approximate solution for Eq (45) is given as

$$\begin{aligned} \phi_{approx} = & 0.73308615 + (0.51580967\xi + 0.70179544)(0.5402041) \\ & + \left( \frac{3(0.44315273\xi + 0.20778173)^2 - 1}{2} \right) (0.46296807) \\ & + \left( \frac{5(0.23240265\xi + 0.48175825)^3 - 3(0.23240265\xi + 0.48175825)}{2} \right) (0.22761992) \\ & + \left( \frac{35(0.696457\xi + 0.193803)^4 - 30(0.696457\xi + 0.193803)^2}{8} + \frac{3}{8} \right) (0.476976) \\ & + \left( \frac{63(0.6068485\xi + 0.57723262)^5 - 70(0.6068485\xi + 0.57723262)^3}{8} \right. \\ & \left. + \frac{15(0.6068485\xi + 0.57723262)}{8} \right) (0.16011539) \\ & + \left( \frac{231(0.1941152\xi + 0.31740822)^6 - 315(0.1941152\xi + 0.31740822)^4}{16} \right. \\ & \left. + \frac{105(0.1941152\xi + 0.31740822)^2 - 5}{16} \right) (0.39211912) \\ & + \left( \frac{429(0.3545657\xi + 0.21980521)^7 - 693(0.3545657\xi + 0.21980521)^5}{16} \right. \\ & \left. + \frac{315(0.3545657\xi + 0.21980521)^2 - 35(0.3545657\xi + 0.21980521)}{16} \right) (0.46826468) \\ & + \left( \frac{6435(0.20798017\xi + 0.17682492)^8 - 12012(0.20798017\xi + 0.17682492)^6}{128} \right. \\ & \left. + \frac{6930(0.20798017\xi + 0.17682492)^4 - 1260(0.20798017\xi + 0.17682492)^2 + 35}{128} \right) (0.28322033) \\ & + \left( \frac{12155(0.53476583\xi + 0.41144797)^9 - 25740(0.53476583\xi + 0.41144797)^7}{128} \right. \\ & \left. + \frac{18018(0.53476583\xi + 0.41144797)^5 - 4620(0.53476583\xi + 0.41144797)^3}{128} \right. \\ & \left. + \frac{315(0.53476583\xi + 0.41144797)}{128} \right) (0.21299134) \\ & + \left( \frac{46189(0.13224697\xi + 0.31148234)^{10} - 109395(0.13224697\xi + 0.31148234)^8}{256} \right. \\ & \left. + \frac{90090(0.13224697\xi + 0.31148234)^6 - 30030(0.13224697\xi + 0.31148234)^4}{256} \right. \\ & \left. + \frac{3465(0.13224697\xi + 0.31148234)^2 - 63}{256} \right) (0.00013506) \end{aligned} \quad (51)$$

## REFERENCES

- [1] Homer J Lane. On the theoretical temperature of the sun, under the hypothesis of a gaseous mass maintaining its volume by its internal heat, and depending on the laws of gases as known to terrestrial experiment. *American Journal of Science*, (148):57–74, 1870.
- [2] Robert Emden. *Gaskugeln: Anwendungen der mechanischen Wärmetheorie auf kosmologische und meteorologische Probleme*. BG Teubner, 1907.
- [3] Iftikhar Ahmad, Muhammad Asif Zahoor Raja, Muhammad Bilal, and Farooq Ashraf. Neural network methods to solve the lane–emden type equations arising in thermodynamic studies of the spherical gas cloud model. *Neural Computing and Applications*, 28(1):929–944, 2017.
- [4] Dumitru Baleanu, Samaneh Sadat Sajjadi, Amin Jajarmi, and Jihad H Asad. New features of the fractional euler-lagrange equations for a physical system within non-singular derivative operator. *The European Physical Journal Plus*, 134(4):181, 2019.
- [5] Junaid Ali Khan, Muhammad Asif Zahoor Raja, Mohammad Mehdi Rashidi, Muhammad Ibrahim Syam, and Abdul Majid Wazwaz. Nature-inspired computing approach for solving non-linear singular emden–fowler problem arising in electromagnetic theory. *Connection Science*, 27(4):377–396, 2015.
- [6] Randolph Rach, Jun-Sheng Duan, and Abdul-Majid Wazwaz. Solving coupled lane–emden boundary value problems in catalytic diffusion reactions by the adomian decomposition method. *Journal of Mathematical Chemistry*, 52(1):255–267, 2014.
- [7] K Boubaker and Robert A Van Gorder. Application of the bpes to lane–emden equations governing polytropic and isothermal gas spheres. *New Astronomy*, 17(6):565–569, 2012.
- [8] AH Bhrawy, AS Alofi, and RA Van Gorder. An efficient collocation method for a class of boundary value problems arising in mathematical physics and geometry. In *Abstract and Applied Analysis*, volume 2014. Hindawi, 2014.
- [9] Juan I Ramos. Linearization methods in classical and quantum mechanics. *Computer Physics Communications*, 153(2):199–208, 2003.
- [10] Tao Luo, Zhouping Xin, and Huihui Zeng. Nonlinear asymptotic stability of the lane–emden solutions for the viscous gaseous star problem with degenerate density dependent viscosities. *Communications in Mathematical Physics*, 347(3):657–702, 2016.
- [11] Mehdi Dehghan and Fatemeh Shakeri. Solution of an integro-differential equation arising in oscillating magnetic fields using he’s homotopy perturbation method. *Progress in Electromagnetics Research*, 78:361–376, 2008.
- [12] Vicențiu Rădulescu and Dušan Repovš. Combined effects in nonlinear problems arising in the study of anisotropic continuous media. *Nonlinear Analysis: Theory, Methods & Applications*, 75(3):1524–1530, 2012.
- [13] Dietrich Flockerzi and Kai Sundmacher. On coupled lane–emden equations arising in dusty fluid models. In *Journal of Physics: Conference Series*, volume 268, page 012006. IOP Publishing, 2011.
- [14] NT Shawagfeh. Nonperturbative approximate solution for lane–emden equation. *Journal of Mathematical Physics*, 34(9):4364–4369, 1993.
- [15] Abdul-Majid Wazwaz. A new algorithm for solving differential equations of lane–emden type. *Applied Mathematics and Computation*, 118(2-3):287–310, 2001.
- [16] Shijun Liao. A new analytic algorithm for lane–emden type equations. *Applied Mathematics and Computation*, 142(1):1–16, 2003.
- [17] Ji-Huan He and Fei-Yu Ji. Taylor series solution for lane–emden equation. *Journal of Mathematical Chemistry*, 57(8):1932–1934, 2019.
- [18] MI Nouh. Accelerated power series solution of polytropic and isothermal gas spheres. *New Astronomy*, 9(6):467–473, 2004.
- [19] VB Mandelzweig and F Tabakin. Quasilinearization approach to nonlinear problems in physics with application to nonlinear odes. *Computer Physics Communications*, 141(2):268–281, 2001.
- [20] Abdul-Majid Wazwaz. The variational iteration method for solving linear and nonlinear odes and scientific models with variable coefficients. *Central European Journal of Engineering*, 4(1):64–71, 2014.
- [21] Olivier Marsden, Christophe Bogey, and Christophe Bailly. A study of infrasound propagation based on high-order finite difference solutions of the navier-stokes equations. *The Journal of the Acoustical Society of America*, 135(3):1083–1095, 2014.
- [22] Vasile Marinca and N Herişanu. Nonlinear dynamic analysis of an electrical machine rotor-bearing system by the optimal homotopy perturbation method. *Computers & Mathematics with Applications*, 61(8):2019–2024, 2011.
- [23] Nicolae Herişanu and Vasile Marinca. Optimal homotopy perturbation method for a non-conservative dynamical system of a rotating electrical machine. *Zeitschrift für Naturforschung A*, 67(8-9):509–516, 2012.
- [24] Adnan Khan, Muhammad Sulaiman, Hosam Alhakami, and Ahmad Al-hindi. Analysis of oscillatory behavior of heart by using a novel neuroevolutionary approach. *IEEE Access*, 8:86674–86695, 2020.
- [25] Ashfaq Ahmad, Muhammad Sulaiman, Ahmad Alhindi, and Abdulah Jeza Aljohani. Analysis of temperature profiles in longitudinal fin designs by a novel neuroevolutionary approach. *IEEE Access*, 8:113285–113308, 2020.
- [26] Waseem Waseem, Muhammad Sulaiman, Poom Kumam, Muhammad Shoaib, Muhammad Asif Zahoor Raja, and Saeed Islam. Investigation of singular ordinary differential equations by a neuroevolutionary approach. *Plos one*, 15(7):e0235829, 2020.
- [27] Wen Huang, Tianhua Jiang, Xiucheng Zhang, Naveed Ahmad Khan, and Muhammad Sulaiman. Analysis of beam-column designs by varying axial load with internal forces and bending rigidity using a new soft computing technique. *Complexity*, 2021, 2021.
- [28] Amjad Ali, Muhammad Hamraz, Poom Kumam, Dost Muhammad Khan, Umair Khalil, Muhammad Sulaiman, and Zardad Khan. A k-nearest neighbours based ensemble via optimal model selection for regression. *IEEE Access*, 8:132095–132105, 2020.
- [29] Ayaz Hussain Bukhari, Muhammad Sulaiman, Muhammad Asif Zahoor Raja, Saeed Islam, Muhammad Shoaib, and Poom Kumam. Design of a hybrid nar-rbfs neural network for nonlinear dusty plasma system. *Alexandria Engineering Journal*, 2020.
- [30] W Waseem, Muhammad Sulaiman, Ahmad Alhindi, and Hosam Alhakami. A soft computing approach based on fractional order dpso algorithm designed to solve the corneal model for eye surgery. *IEEE Access*, 8:61576–61592, 2020.
- [31] Waseem Waseem, Muhammad Sulaiman, Saeed Islam, Poom Kumam, Rashid Nawaz, Muhammad Asif Zahoor Raja, Muhammad Farooq, and Muhammad Shoaib. A study of changes in temperature profile of porous

fin model using cuckoo search algorithm. *Alexandria Engineering Journal*, 59(1):11–24, 2020.

- [32] Yuzhe Li, Jiangwen Fan, Zhongmin Hu, Quanqin Shao, Liangxia Zhang, and Hailing Yu. Influence of land use patterns on evapotranspiration and its components in a temperate grassland ecosystem. *Advances in Meteorology*, 2015, 2015.
- [33] Muhammad Sulaiman, Abdellah Salhi, Birsan Irem Selamoglu, and Omar Bahaaldin Kirikchi. A plant propagation algorithm for constrained engineering optimisation problems. *Mathematical problems in engineering*, 2014, 2014.
- [34] Muhammad Sulaiman, Abdellah Salhi, Eric S Fraga, Wali Khan Mashwani, and Muhammad M Rashidi. A novel plant propagation algorithm: modifications and implementation. *Science International*, 28(1):201–209, 2016.
- [35] Muhammad Sulaiman, Abdellah Salhi, Asfandiyar Khan, Shakoor Muhammad, and Wali Khan. On the theoretical analysis of the plant propagation algorithms. *Mathematical Problems in Engineering*, 2018, 2018.
- [36] Seyedali Mirjalili and Andrew Lewis. The whale optimization algorithm. *Advances in engineering software*, 95:51–67, 2016.
- [37] Shu-Kai S Fan and Erwie Zahara. A hybrid simplex search and particle swarm optimization for unconstrained optimization. *European Journal of Operational Research*, 181(2):527–548, 2007.
- [38] MT Vakil Baghmisheh, Mansour Peimani, Morteza Homayoun Sadeghi, Mir Mohammad Ettetfagh, and Aysa Fakheri Tabrizi. A hybrid particle swarm–nelder–mead optimization method for crack detection in cantilever beams. *Applied Soft Computing*, 12(8):2217–2226, 2012.
- [39] Erwie Zahara and Yi-Tung Kao. Hybrid nelder–mead simplex search and particle swarm optimization for constrained engineering design problems. *Expert Systems with Applications*, 36(2):3880–3886, 2009.
- [40] Tedjani Mesbahi, Fouad Khenfri, Nassim Rizoug, Khaled Chaaban, Patrick Bartholomeus, and Philippe Le Moigne. Dynamical modeling of li-ion batteries for electric vehicle applications based on hybrid particle swarm–nelder–mead (pso–nm) optimization algorithm. *Electric power systems research*, 131:195–204, 2016.
- [41] Reza Barati. Parameter estimation of nonlinear muskingum models using nelder–mead simplex algorithm. *Journal of Hydrologic Engineering*, 16(11):946–954, 2011.
- [42] Nigib Sharma, Nampally Arun, and Vadlamani Ravi. An ant colony optimisation and nelder–mead simplex hybrid algorithm for training neural networks: an application to bankruptcy prediction in banks. *International Journal of Information and Decision Sciences*, 5(2):188–203, 2013.
- [43] Rohit Kshirsagar, Steve Jones, Jonathan Lawrence, and Jim Tabor. Optimization of tig welding parameters using a hybrid nelder mead–evolutionary algorithms method. *Journal of Manufacturing and Materials Processing*, 4(1):10, 2020.
- [44] Ashfaq Ahmad, Muhammad Sulaiman, Ahmad Alhindi, and Abdulah Jeza Aljohani. Analysis of temperature profiles in longitudinal fin designs by a novel neuroevolutionary approach. *IEEE Access*, 8:113285–113308, 2020.
- [45] Abdul-Majid Wazwaz. Solving two emden–fowler type equations of third order by the variational iteration method. *Applied Mathematics & Information Sciences*, 9(5):2429, 2015.
- [46] Muhammad Kashif Iqbal, Muhammad Abbas, and Imtiaz Wasim. New cubic b-spline approximation for solving third order emden–flower type equations. *Applied Mathematics and Computation*, 331:319–333, 2018.



ZHANG YIN was born in Henan Province, HN, CHN in 1990. He received the M.S. degree in electrical professional from Guangxi University of Science and Technology, Guangxi, China, in 2020. His research direction is machine vision, Optimization algorithm and image processing.



JIANQIANG LIN received the Ph.D. degree from the School of Communication and Information Engineering, Shanghai University, Shanghai, China, in 2012. He is currently a Professor with the Guangxi University of Science and Technology. His research interests include intelligent information processing, optical communication networks and machine vision.



ZHENHUAN HU was born in Zhejiang Province, HN, CHN in 1994. He received the M.S. degree in electrical professional from Guangxi University of Science and Technology, Guangxi, China, in 2019. He research interests include mathematical modeling, Optimization algorithm, Machine learning.



NAVEED AHMAD KHAN completed Metric and intermediate in Pre-Engineering from Fazaia Degree College Risalpur in 2014 and 2016, respectively, where he is currently pursuing a Bachelor of Science BS(Hons) degree in Mathematics from Abdul Wali Khan University, Mardan. His research interest includes developing soft computing techniques (optimization algorithms), smart grids, real-world problems, communication technology, fluid mechanics, and energy management.



MUHAMMAD SULAIMAN received his B.Sc., from the University of Peshawar in 2004, M.Sc., and MPhil degrees in mathematics from the Quaid-e-Azam University Islamabad Pakistan, in 2007, and 2009 respectively. He got his Ph.D. degree in mathematics from the University of Essex, UK, in 2015. From 2009 to 2016, he was a Lecturer in mathematics with the Abdul Wali Khan University Mardan, Pakistan. Since Feb 2016, he has been an Assistant Professor with the Department of Mathematics, Abdul Wali Khan University Mardan, Pakistan. He is the author of two book chapters, and more than 25 research articles. His research interests include mathematical optimization techniques, global optimization, and evolutionary algorithms, Heuristics, Metaheuristics, Multi-objective Optimization, Design Engineering Optimization Problems, Structural Engineering Optimization Problems, Linear Programming, Linear and non-linear Least Squares Optimization Problems, Evolutionary Algorithms, Nature-Inspired Metaheuristics, Artificial neural networks, and differential equations. He is an Associate Editor of the journal COJ Reviews and Research, and SCIREA Journal of Mathematics.

...