

Bayes Linear Statistics

Theory and Methods

Michael Goldstein and David Wooff
Durham University, UK



Contents

Preface

xvii

1	The Bayes linear approach	1
1.1	Combining beliefs with data	2
1.2	The Bayesian approach	3
1.3	Features of the Bayes linear approach	6
1.4	Example	7
1.4.1	Expectation, variance, and standardization	8
1.4.2	Prior inputs	8
1.4.3	Adjusted expectations	9
1.4.4	Adjusted versions	10
1.4.5	Adjusted variances	10
1.4.6	Checking data inputs	11
1.4.7	Observed adjusted expectations	12
1.4.8	Diagnostics for adjusted beliefs	12
1.4.9	Further diagnostics for the adjusted versions	12
1.4.10	Summary of basic adjustment	13
1.4.11	Diagnostics for collections	14
1.4.12	Exploring collections of beliefs via canonical structure	17
1.4.13	Modifying the original specifications	19
1.4.14	Repeating the analysis for the revised model	20
1.4.15	Global analysis of collections of observations	22
1.4.16	Partial adjustments	24
1.4.17	Partial diagnostics	27
1.4.18	Summary	29
1.5	Overview	30
2	Expectation	33
2.1	Expectation as a primitive	33
2.2	Discussion: expectation as a primitive	35
2.3	Quantifying collections of uncertainties	37
2.4	Specifying prior beliefs	39
2.4.1	Example: oral glucose tolerance test	39

2.5	Qualitative and quantitative prior specification	41
2.6	Example: qualitative representation of uncertainty	42
2.6.1	Identifying the quantities of interest	42
2.6.2	Identifying relevant prior information	42
2.6.3	Sources of variation	43
2.6.4	Representing population variation	44
2.6.5	The qualitative representation	44
2.6.6	Graphical models	46
2.7	Example: quantifying uncertainty	48
2.7.1	Prior expectations	48
2.7.2	Prior variances	49
2.7.3	Prior covariances	51
2.7.4	Summary of belief specifications	52
2.8	Discussion: on the various methods for assigning expectations . .	52
3	Adjusting beliefs	55
3.1	Adjusted expectation	55
3.2	Properties of adjusted expectation	56
3.3	Adjusted variance	57
3.4	Interpretations of belief adjustment	58
3.5	Foundational issues concerning belief adjustment	60
3.6	Example: one-dimensional problem	63
3.7	Collections of adjusted beliefs	64
3.8	Examples	65
3.8.1	Algebraic example	65
3.8.2	Oral glucose tolerance test	69
3.8.3	Many oral glucose tolerance tests	73
3.9	Canonical analysis for a belief adjustment	75
3.9.1	Canonical directions for the adjustment	75
3.9.2	The resolution transform	77
3.9.3	Partitioning the resolution	79
3.9.4	The reverse adjustment	80
3.9.5	Minimal linear sufficiency	81
3.9.6	The adjusted belief transform matrix	81
3.10	The geometric interpretation of belief adjustment	82
3.11	Examples	84
3.11.1	Simple one-dimensional problem	84
3.11.2	Algebraic example	84
3.11.3	Oral glucose tolerance test	90
3.12	Further reading	93
4	The observed adjustment	95
4.1	Discrepancy	95
4.1.1	Discrepancy for a collection	96

4.1.2	Evaluating discrepancy over a basis	98
4.1.3	Discrepancy for quantities with variance zero	98
4.2	Properties of discrepancy measures	98
4.2.1	Evaluating the discrepancy vector over a basis	100
4.3	Examples	100
4.3.1	Simple one-dimensional problem	100
4.3.2	Detecting degeneracy	100
4.3.3	Oral glucose tolerance test	102
4.4	The observed adjustment	104
4.4.1	Adjustment discrepancy	104
4.4.2	Adjustment discrepancy for a collection	105
4.4.3	Maximal discrepancy	106
4.4.4	Construction over a basis	107
4.4.5	Partitioning the discrepancy	108
4.5	Examples	108
4.5.1	Simple one-dimensional problem	108
4.5.2	Oral glucose tolerance test	109
4.6	The size of an adjustment	113
4.6.1	The size of an adjustment for a collection	113
4.7	The bearing for an adjustment	114
4.7.1	Construction via a basis	115
4.7.2	Representing discrepancy vectors as bearings	115
4.8	Joint bearings	116
4.9	Size diagnostics	116
4.10	Geometric interpretation	117
4.11	Linear likelihood	118
4.12	Examples	119
4.12.1	Algebraic example	119
4.12.2	Oral glucose tolerance test	120
5	Partial Bayes linear analysis	125
5.1	Partial adjustment	125
5.2	Partial variance	127
5.3	Partial resolution transforms	128
5.4	Relative belief adjustment	129
5.5	Example: oral glucose tolerance test	130
5.5.1	Performing an initial adjustment	131
5.5.2	Partial resolved variances	132
5.5.3	Partial canonical directions	132
5.5.4	Deducing changes for other linear combinations	133
5.5.5	Relative belief adjustment	133
5.5.6	Withdrawing quantities from the adjustment	134
5.6	Partial bearings	135
5.7	Partial data size	137

5.8	Bearing and size for a relative adjustment	137
5.9	Path correlation	138
5.10	Example: oral glucose tolerance test	139
5.10.1	The initial observed adjustment	139
5.10.2	Observed partial expectations	140
5.10.3	The size of the partial adjustment	141
5.10.4	The bearing for the partial adjustment	142
5.10.5	The path correlation for the partial adjustment	143
5.11	Sequential adjustment	144
5.11.1	The data trajectory	144
5.12	The canonical trajectory	145
5.13	Detection of systematic bias	146
5.14	Examples	147
5.14.1	Anscombe data sets	147
5.14.2	Regression with correlated responses	153
5.15	Bayes linear sufficiency and belief separation	166
5.16	Properties of generalized conditional independence	168
5.17	Properties of belief separation	169
5.18	Example: regression with correlated responses	172
5.18.1	Exploiting separation	172
5.18.2	Heart of the transform	173
5.19	Further reading	176
6	Exchangeable beliefs	177
6.1	Exchangeability	177
6.2	Coin tossing	180
6.3	Exchangeable belief structures	183
6.4	The representation theorem	185
6.5	Finite exchangeability	188
6.6	Example: oral glucose tolerance test	189
6.7	Example: analysing exchangeable regressions	191
6.7.1	Introduction	191
6.7.2	Error structure and specifications	192
6.7.3	Regression coefficient specifications	193
6.7.4	Structural implications	194
6.8	Adjusting exchangeable beliefs	194
6.9	Predictive sufficiency for exchangeable models	195
6.10	Bayes linear sufficiency for sample means	196
6.11	Belief adjustment for scalar exchangeable quantities	197
6.12	Canonical structure for an exchangeable adjustment	198
6.12.1	Standard form for the adjustment	200
6.12.2	Further properties of exchangeable adjustments	201
6.13	Algebraic example	202
6.13.1	Representation	203

6.13.2	Coherence	203
6.13.3	Bayes linear sufficiency	204
6.14	Example: adjusting exchangeable regressions	205
6.14.1	Bayes linear sufficiency	205
6.14.2	Adjustment	206
6.14.3	Resolution transforms	208
6.14.4	Resolution partition for exchangeable cases	210
6.14.5	Data diagnostics	211
6.14.6	Sample size choice	212
6.14.7	Adjustment for an equivalent linear space	214
6.14.8	Data diagnostics for an equivalent linear space	214
6.14.9	Compatibility of data sources	215
6.15	Predictive adjustment	218
6.16	Example: oral glucose tolerance test	220
6.16.1	Context of exchangeability	220
6.16.2	Mean component adjustment	220
6.16.3	Variance reduction for a predictive adjustment	221
6.16.4	Observed exchangeable adjustments	223
6.16.5	Path diagnostics	226
6.17	Example: predictive analysis for exchangeable regressions	228
6.17.1	Choice of canonical directions	230
6.18	Further reading	231
7	Co-exchangeable beliefs	233
7.1	Respecting exchangeability	233
7.2	Adjustments respecting exchangeability	234
7.3	Example: simple algebraic problem	235
7.3.1	Coherence	236
7.3.2	Resolution transform	236
7.4	Co-exchangeable adjustments	238
7.5	Example: analysing further exchangeable regressions	240
7.5.1	The resolution envelope	243
7.6	Example: exchangeability in a population dynamics experiment	244
7.6.1	Model	244
7.6.2	Specifications	248
7.6.3	Issues	251
7.6.4	Analysis	251
8	Learning about population variances	265
8.1	Assessing a population variance with known population mean	265
8.2	Assessing a population variance with unknown population mean	266
8.3	Choice of prior values	268
8.4	Example: oral glucose tolerance test	271

8.5	Adjusting the population residual variance in multiple linear regression: uncorrelated errors	273
8.5.1	Sample information	274
8.5.2	Choice of prior values	276
8.6	Example: Anscombe data sets	276
8.7	Adjusting the population residual variance in multiple linear regression: correlated errors	277
8.8	Example: regression with correlated responses	278
8.9	Example: analysing exchangeable regressions	280
8.10	Adjusting a collection of population variances and covariances	282
8.11	Direct adjustment for a population variance matrix	283
8.12	Example: regression with correlated responses	284
8.13	Separating direct adjustment for population variances and for correlation structure	285
8.13.1	Assessing the equivalent sample size	286
8.14	Example: oral glucose tolerance test	287
8.15	Two-stage Bayes linear analysis	288
8.16	Example: oral glucose tolerance test	290
8.17	Example: analysing exchangeable regressions	290
8.18	Further reading	292
9	Belief comparison	293
9.1	Comparing variance specifications	294
9.1.1	Rank-degenerate case	296
9.1.2	Comparison of orthogonal subspaces	298
9.2	Example: variance comparison	298
9.2.1	Canonical structure for the comparison	299
9.2.2	Consistency checks	301
9.2.3	Comparisons for further constructed quantities	301
9.2.4	Construction of specifications	302
9.3	Comparing many variance specifications	302
9.4	Example: comparing some simple nested hypotheses	304
9.5	General belief transforms	306
9.5.1	General belief transforms	306
9.5.2	Properties of general belief transforms	307
9.5.3	Adjusted belief transforms as general belief transforms	309
9.5.4	Example: adjustment of exchangeable structures	310
9.5.5	Example: analysing exchangeable regressions	311
9.6	Comparing expectations and variances	312
9.7	Geometric interpretation	314
9.8	Residual forms for mean and variance comparisons	315
9.8.1	Rank-degenerate case	317

9.9	The observed comparison	318
9.9.1	Combined directions	319
9.10	Example: mean and variance comparison	320
9.10.1	The observed comparison	323
9.11	Graphical comparison of specifications	324
9.11.1	Belief comparison diagram	325
9.11.2	The observed comparison	327
9.11.3	Combining information	329
9.11.4	Residual belief comparison diagrams	329
9.12	Example: exchangeable regressions	331
9.12.1	Basic canonical analysis	332
9.12.2	Mean and residual comparisons	333
9.13	Comparisons for exchangeable structures	337
9.13.1	The observed comparison	338
9.13.2	Example: exchangeable regressions	340
9.14	Example: fly population dynamics	342
9.14.1	Differences for the mean part of the average	343
9.14.2	Differences for the residual part of the average	343
9.14.3	Differences for the residual part of the average	344
9.15	Assessing robustness of specifications	346
9.15.1	Sensitivity analyses for expectations	347
9.15.2	Example: robustness analysis for exchangeable regressions	349
9.15.3	Sensitivity analyses for variances	350
9.15.4	Example: robustness analysis for variance specifications	351
9.16	Further reading	353
10	Bayes linear graphical models	355
10.1	Directed graphical models	356
10.1.1	Construction via statistical models	358
10.2	Operations on directed graphs	358
10.3	Quantifying a directed graphical model	361
10.4	Undirected graphs	362
10.4.1	Node removal via the moral graph	364
10.5	Example	364
10.5.1	Plates for duplicated structures	367
10.5.2	Reading properties from the diagram	367
10.5.3	Alternative diagrams	368
10.5.4	Diagrams for inference and prediction	370
10.6	Displaying the flow of information	372
10.6.1	Node shading	373
10.6.2	Arc labelling	374
10.6.3	Tracking information as it is received	376
10.6.4	Example	377

10.7	Displaying diagnostic information	383
10.7.1	Node diagnostics	385
10.7.2	Arc diagnostics	387
10.7.3	Showing implications across all nodes	388
10.7.4	Interpreting diagnostic warnings	388
10.7.5	Example: inference and prediction	389
10.8	Local computation: directed trees	395
10.8.1	Propagation	397
10.8.2	Example	398
10.9	Junction trees	399
10.10	Sequential local computation on the junction tree	400
10.11	Example: correlated regressions	402
10.12	Example: problems of prediction in a large brewery	402
10.12.1	Problem summary	402
10.12.2	Identifying the quantities of interest	403
10.12.3	Modelling	404
10.12.4	Initialization values and specifications	406
10.12.5	Examining the generated model	412
10.12.6	Basic adjustment	414
10.12.7	Exploration via graphical models	416
10.13	Local computation for global adjustment of the junction tree	424
10.13.1	Merging separate adjustments	425
10.13.2	The global adjustment algorithm	427
10.13.3	Absorption of evidence	427
10.14	Further reading	429
11	Matrix algebra for implementing the theory	431
11.1	Basic definitions	431
11.2	Covariance matrices and quadratic forms	431
11.3	Generalized inverses	432
11.3.1	Basic properties	432
11.3.2	Computing the Moore–Penrose inverse	432
11.3.3	Other properties of generalized inverses	433
11.4	Multiplication laws	434
11.5	Range and null space of a matrix	435
11.6	Rank conditions	436
11.7	Partitioned matrices	436
11.7.1	Definiteness for a partitioned real symmetric matrix	436
11.7.2	Generalized inverses for partitioned non-negative definite matrices	437
11.8	Solving linear equations	438
11.9	Eigensolutions to related matrices	439

11.10	Maximizing a ratio of quadratic forms	440
11.11	The generalized eigenvalue problem	441
11.11.1	Introduction	441
11.11.2	The QZ algorithm	442
11.11.3	An alternative algorithm	442
11.11.4	An algorithm for $B - A$ non-negative definite	444
11.12	Direct products of matrices	447
11.12.1	The Helmert matrix	447
11.12.2	Direct products	448
12	Implementing Bayes linear statistics	451
12.1	Introduction	451
12.2	Coherence of belief specifications	452
12.2.1	Coherence for a single collection	452
12.2.2	Coherence for two collections	452
12.2.3	Coherence for three collections	453
12.3	Consistency of data with beliefs	455
12.3.1	Consistency for a single collection	455
12.3.2	Consistency for a partitioned collection	456
12.4	Adjusted expectation	457
12.5	Adjusted and resolved variance	458
12.6	The resolved variance matrix	459
12.7	Matrix representations of the resolution transform	460
12.7.1	The symmetrized resolution transform matrix	461
12.7.2	The transform for the reverse adjustment	463
12.7.3	Inverses for the resolved variance matrix	464
12.7.4	Canonical quantities	465
12.7.5	Coherence via the resolution transform matrix	466
12.8	Assessing discrepant data	467
12.9	Consistency of observed adjustments	468
12.9.1	Partitioning the discrepancy	469
12.10	The bearing and size of adjustment	472
12.11	Partial adjustments	473
12.11.1	Partial and relative adjustment transforms	475
12.11.2	Calculating the partial bearing	475
12.12	Exchangeable adjustments	476
12.12.1	Notation	476
12.12.2	Coherence requirements for exchangeable adjustments	477
12.12.3	Data consistency	477
12.12.4	Pure exchangeable adjustments	477
12.12.5	General exchangeable adjustments	481

12.13	Implementing comparisons of belief	483
12.13.1	Expectation comparisons	483
12.13.2	Comparison of exchangeable beliefs	483
A	Notation	487
B	Index of examples	491
C	Software for Bayes linear computation	495
C.1	[B/D]	495
C.2	BAYES-LIN	495
	References	497
	Index	503