

BEST EXPONENTS IN MARKOV'S INEQUALITIES

ALEXANDER GONCHAROV

Abstract. By means of weakly equilibrium Cantor-type sets, solutions of two problems related to polynomial inequalities are presented: the problem by M. Baran et al. about a compact set $K \subset \mathbb{C}$ such that the Markov inequality is not valid on K with the best Markov's exponent, and the problem by L. Frerick et al. concerning compact sets satisfying the local form of Markov's inequality with a given exponent, but not satisfying the global version of Markov's inequality with the same parameter.

Mathematics subject classification (2010): 41A17, 41A44.

Keywords and phrases: Global and local Markov's inequalities, Markov's exponents.

REFERENCES

- [1] M. ALTUN AND A. GONCHAROV, *A local version of the Pawłucki-Pleśniak extension operator*, J. Approx. Theory, **132** (2005), 34–41.
- [2] M. BARAN AND W. PLEŚNIAK, *Markov's exponent of compact sets in \mathbb{C}^n* , Proc. Amer. Math. Soc., **123** (1995), 2785–2791.
- [3] M. BARAN, L. BIAŁAS-CIEŻ AND B. MILÓWKA, *On the best exponent in Markov inequality*, Potential Anal., **38** (2013), 635–651.
- [4] L. BIAŁAS AND A. VOLBERG, *Markov's property of the Cantor ternary set*, Studia Math., **104** (1993), 259–268.
- [5] L. BOS AND P. MILMAN, *Sobolev-Gagliardo-Nirenberg and Markov type inequalities on subanalytic domains*, Geom. Funct. Anal., **5** (6), (1995), 853–923.
- [6] L. CARLESON AND T. GAMELIN, *Complex dynamics. Universitext: Tracts in Mathematics*, Springer-Verlag, New York, 1993.
- [7] L. FRERICK, E. JORDÁ AND J. WENGENROTH, *Tame linear extension operators for smooth Whitney functions*, J. Funct. Anal., **261** (2011), 591–603.
- [8] A. GONCHAROV, *A compact set without Markov's property but with an extension operator for C^∞ -functions*, Studia Math., **119** (1996), 27–35.
- [9] A. GONCHAROV, *Perfect sets of finite class without the extension property*, Studia Math., **126** (1997), 161–170.
- [10] A. GONCHAROV, *Weakly Equilibrium Cantor-type sets*, to appear Potential Analysis **40** (2014), 143–161.
- [11] A. JONSSON AND H. WALLIN, *Function spaces on subsets of \mathbb{R}^n* , Math. Rep. **2**, 1984.
- [12] A. JONSSON, *Markov's inequality and zeros of orthogonal polynomials on fractal sets*, J. Approx. Theory, **78** (1994), 87–97.
- [13] J. LITHNER, *Comparing two versions of Markov's inequality on compact sets*, J. Approx. Theory, **77** (1994), 202–211.
- [14] W. PAWŁUCKI AND W. PLEŚNIAK, *Extension of C^∞ functions from sets with polynomial cusps*, Studia Math., **88** (1988), 279–287.
- [15] W. PLEŚNIAK, *Markov's inequality and the existence of an extension operator for C^∞ functions*, J. Approx. Theory, **61** (1990), 106–117.
- [16] T. RANSFORD, *Potential theory in the complex plane*, Cambridge University Press, 1995.
- [17] E. B. SAFF AND V. TOTIK, *Logarithmic potentials with external fields*, Springer-Verlag, 1997.
- [18] M. TIDTEN, *Kriterien für die Existenz von Ausdehnungsoperatoren zu $\varepsilon(K)$ für kompakte Teilmenge K von \mathbb{R}* , Arch. Math., **40** (1983), 73–81.

- [19] V. TOTIK, *Markoff constants for Cantor sets*, Acta Sci. Math. (Szeged), **60** (1995), 715–734.