

✓ C 13.44:27 / Supp 1

**NBS MONOGRAPH 27—Supplement 1**

UNIVERSITY OF  
ARIZONA LIBRARY  
Documents Collection  
SEP 23 1963

# **Bibliography of Temperature Measurement**

**July 1960 to December 1962**



**U.S. DEPARTMENT OF COMMERCE  
NATIONAL BUREAU OF STANDARDS**

# THE NATIONAL BUREAU OF STANDARDS

## Functions and Activities

The functions of the National Bureau of Standards are set forth in the Act of Congress, March 3, 1901, as amended by Congress in Public Law 619, 1950. These include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to government agencies on scientific and technical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services, and various consultation and information services. Research projects are also performed for other government agencies when the work relates to and supplements the basic program of the Bureau or when the Bureau's unique competence is required. The scope of activities is suggested by the listing of divisions and sections on the inside of the back cover.

## Publications

The results of the Bureau's research are published either in the Bureau's own series of publications or in the journals of professional and scientific societies. The Bureau itself publishes three periodicals available from the Government Printing Office: The Journal of Research, published in four separate sections, presents complete scientific and technical papers; the Technical News Bulletin presents summary and preliminary reports on work in progress; and Central Radio Propagation Laboratory Ionospheric Predictions provides data for determining the best frequencies to use for radio communications throughout the world. There are also five series of nonperiodical publications: Monographs, Applied Mathematics Series, Handbooks, Miscellaneous Publications, and Technical Notes.


A complete listing of the Bureau's publications can be found in National Bureau of Standards Circular 460, Publications of the National Bureau of Standards, 1901 to June 1947 (\$1.25), and the Supplement to National Bureau of Standards Circular 460, July 1947 to June 1957 (\$1.50), and Miscellaneous Publication 240, July 1957 to June 1960 (includes Titles of Papers Published in Outside Journals 1950 to 1959) (\$2.25); available from the Superintendent of Documents, Government Printing Office, Washington, D.C., 20402.

UNITED STATES DEPARTMENT OF COMMERCE • Luther H. Hodges, *Secretary*  
NATIONAL BUREAU OF STANDARDS • A. V. Astin, *Director*

# Bibliography of Temperature Measurement

July 1960 to December 1962

Carl Halpern



National Bureau of Standards Monograph 27

Supplement 1

Issued September 13, 1936

**Library of Congress Catalog Card Number : 61-61148**

## Contents

	Page
Introduction.....	1
1. Thermoelectric theory and calibration.....	1
2. Thermoelectric devices.....	3
3. Resistance devices.....	6
4. Radiation devices.....	7
5. Expansion devices.....	10
6. Aspirated devices.....	10
7. Other methods, descriptive articles.....	10
8. Special applications, method not specified in title.....	11
9. Nuclear applications of temperature measurement.....	12
10. Associated equipment and testing procedure.....	12
11. General.....	14



# Bibliography of Temperature Measurement

July 1960 to December 1962

Carl Halpern

(May 9, 1963)

There are presented in this supplement to NBS Monograph 27, "Bibliography of Temperature Measurement, January 1953 to June 1960" issued April 6, 1961, about 700 additional references to the field of temperature measurement. The period covered is from July 1960 to December 1962 with some earlier references which came to our attention. The arrangement of material is the same as in Monograph 27, and the journal abbreviations used are those employed in Chemical Abstracts.

## Introduction

The material contained herein was collected from two general sources: scientific and technical journals and reports of investigations sponsored or conducted by various governmental agencies. English, German, and French journals and translations in English of Russian journals were covered as well as the more commonly used abstract journals. Some references to material in other languages, obtained from the abstract journals, are also included. To obtain references to governmental reports the following were consulted: Technical Abstract Bulletin, Armed Services Technical Information Agency (ASTIA); U.S. Government Research Reports, Office of Technical Information, U.S. Department of Commerce; and Scientific and Technical Aerospace Reports, National Aeronautics and Space Administration (NASA). While reasonably complete coverage was intended, it is inevitable that oversights and other unintentional omissions have occurred.

## 1. Thermoelectric Theory and Calibration

1950

Barber, C. R., The emf-temperature calibration of Pt, 10% Rh Pt and Pt, 13% Rh Pt thermocouples over the temperature range 0-1760°C, *Proc. Phys. Soc. (London)* **63B**, 492.

1958

Aikhenbaum, B. L., Changes in the testing system in the field of temperature measurement, *Measurement Techniques* No. 5, 547 (Sept.-Oct.).  
Kurti, N., The absolute temperature scale at low temperatures, *Z. Physik. Chem. (Frankfurt)* **16**, 281.

1959

Astrov, D. N., A. S. Borovik-Romanov, M. P. Orlova, and P. G. Strelkov, Evolving a practical temperature scale in the region of 10-90°K, *Measurement Techniques* No. 11, 876 (Nov.).

Astrov, D. N., M. P. Orlova, P. G. Strelkov, and D. I. Sharevskaya, Comparison of low-temperature scales of platinum resistance thermometers, *Measurement Techniques* No. 8, 613 (Aug.).  
Barber, C. R., New gas thermometer measurements over the range from 10° to 90°K and the extension of the International Temperature Scale below 90°K, *Proc. Intern. Congr. Refrig.*, 10th, Copenhagen, 1959, **1**, 174.  
Bragin, B. K., A thermoelectric method of evaluating the purity of platinum for standard thermocouples, *Measurement Techniques* No. 10, 776 (Oct.).  
Dzyuba, A. S., and P. B. Kantor, A semiconductor thermocryostat for calibration of standard thermometers, *Measurement Techniques* No. 11, 830 (Nov.).  
Gertsriken, S. D., M. M. Novikov, and V. S. Kopan, Nature of the thermal electromotive force that arises from metal deformation, *Ukrain. Fiz. Zh.* **4**, 293.  
Kropschot, R. H., and F. J. Blatt, Thermoelectric power of cold-rolled pure copper, *Phys. Rev.* **116**, 617.  
Orlova, M. P., Reproducibility of the boiling temperature of oxygen, *Measurement Techniques* No. 5, 330 (May).  
Pilipchuk, B. I., Units for the measurement of thermal quantities, *Measurement Techniques* No. 1, 26 (Jan.).  
Swindells, J. F., Calibration of liquid-in-glass thermometers, *Natl. Bur. Std. (U.S.) Circ.* 600.  
Usoltsev, V. A., Stability of the distillation temperature of carbon dioxide, *Measurement Techniques* No. 2, 118 (Feb.).  
Yayshev, N. A., Approximation theory of the heat inertia of technical thermocouples and resistance thermometers, *Nauch. Trudy Leningrad. Inst. Tochnoi Mekh. i Optiki* 1959, No. 37, 64-90.

1960

Berry, R. J., The reproducibility of the sulfur point, *Can. J. Phys.* **38**, 1027 (Aug.).  
Blatt, F. J., M. Garber, R. H. Kropschot, and B. Scott, Thermoelectric power of dilute copper and silver alloys, *Australian J. Phys.* **13**, 223.  
Blatt, F. J., and R. H. Kropschot, Thermoelectric power of dilute copper alloys, *Phys. Rev.* **113**, 480.  
Boerdijk, A. H., Diagrams representing states of operation of a general thermocouple, *J. Appl. Phys.* **31**, 1141 (July).  
Borovik-Romanov, A. S., M. P. Orlova, and P. G. Strelkov, Designing a practical temperature scale for the 10-90°K interval, *Measurement Techniques* No. 1, 42 (Jan.).  
Bragin, B. K., Calibration of rare-metal thermocouples against the melting point of palladium, *Measurement Techniques* No. 12, 1019 (Dec.).

- Brickwedde, F. G., H. van Dijk, M. Durieux, J. R. Clement, and J. K. Logan, The "1958 He<sup>4</sup> scale of temperatures," *J. Res. Natl. Bur. Std. (U.S.)* 64A, 1; *Natl. Bur. Std. (U.S.) Monograph 10* (June 17).
- Corruccini, R. J., Interpolation of platinum resistance thermometers, *Rev. Sci. Instr.* 31, 673 (June).
- Costa, P., Determination of the thermoelectric power of uranium and plutonium, *J. Nucl. Mater.* 2, 75.
- Danishevskii, S. K., Selection and calibration of tungsten and molybdenum wire for thermocouples, *Measurement Techniques* No. 5, 333 (June).
- Donahoe, F. G., Theoretical bound on the thermoelectric figure of merit, *Elec. Eng.* 79, 488 (June).
- Donde, Yu. Ya., and M. A. Pisarevskaya, The use of alternating currents for calibration commercial optical pyrometers, *Measurement Techniques* No. 9, 766 (Sept.)
- Fink, E. W., An infrared radiation method for calibrating transient thermocouples, Westinghouse Electric Corp., Bettis At. Power Lab., Pittsburgh, WAPD-R(TH)-575 (Apr.).
- Harrison, W. N., et al., Standardization of thermal emittance measurements, WADC Tech. Rept. 59-510, Pt I and II (Aug. 1959 and Nov. 1960).
- Heusinkveld, W. A., Comparison of the temperature scales of various laboratories in the 600-3500°C range, *Electrotechniek* 38, 536 (Oct.).
- Hughes, W. F., and E. W. Gaylord, Theoretical analysis of a dynamic thermocouple. II. The continuous area interface, *J. Appl. Mech.* 27, 259.
- Kaufman, A. B., Temperature-probe response time, *Instr. Control Systems* 33, 804 (May).
- Kirenkov, I. I., New thermodynamic temperature measurements of solidifying gold and zinc, *Measurement Techniques* No. 6, 493 (June).
- Kirenkov, I. I., V. A. Kovalevskii, and G. A. Krakhmalnikova, Reproduction of the color-temperature scale by photometric methods, *Measurement Techniques* No. 2, 112 (Feb.).
- Lewis, H. W., and J. R. Reitz, Efficiency of the plasma thermocouple, *J. Appl. Phys.* 31, 723.
- Lougher, E. H., Measurement of the parameters in the thermoelectric figure of merit, *Elec. Eng.* 79, 358 (May).
- McLaren, E. H., and E. G. Murdock, The freezing points of high purity metals as precision temperature standards, *Can. J. Phys.* 35, 1086 (1957); 36, 585, 1131 (1958); 38, 100, 577 (1960).
- McNish, A. G., Temperature standards, *Instr. Control Systems* 33, 775 (May).
- Meyer, G., and J. F. Oosterom, Calibration of millivoltmeters and thermoelements and the combination of the two, *Rec. Trav. Chim.* 79, 622.
- Müller, R. H., New precise temperature standard, *Anal. Chem.* 32, 123A (Sept.).
- Myers, W. C., and R. T. Bate, Measure of figure of merit of thermoelectric materials, *Rev. Sci. Instr.* 31, 464 (Apr.).
- Pearson, W. B., The thermoelectric power of annealed and cold-worked silver and gold at low temperature, *Can. J. Phys.* 38, 1048.
- Pearson, W. B., Interpretation of relative thermoelectric phenomena at low temperature with special consideration of the effects of cold work on copper, *Phys. Rev.* 119, 549.
- Plyukhin, B. I., Laws of the temperature radiation of a flame, *Dokl. Akad. Nauk SSSR* 131, 68.
- Quandt, Jr., E. R., and E. W. Fink, Experimental and theoretical analysis of the transient response of surface-bonded thermocouples, U.S. At. Energy Comm. WAPD-BT-19.
- Roeser, W. F., Calibrating thermocouples, *Instr. Control Systems* 33, 796 (May).
- Schindler, A. I., and R. J. Smith, Low temperature dependence of the electrical resistivity and thermoelectric power of palladium and palladium nickel alloys containing absorbed hydrogen, PB 146217 (LC) (Oct.).
- Sharevskaya, D. I., and P. G. Strelkov, Thermometric platinum resistivity in the region of liquid helium temperatures, *Measurement Techniques* No. 12, 1023 (Dec.).
- Sharevskaya, D., et al., Differences in the relation between resistance and temperature of several grades of platinum in the range of 10.8 to 273.16°K, *Measurement Techniques* No. 7, 598 (July).
- van Dijk, H., The 1958 scale of temperatures for the liquid helium-4 region, *Progr. Cryog.* 2, 121.
- Williams, S. B., Triple-point-of-water temperature reference, *Instr. Control Systems* 33, 1918.
- Wilson, R. E., Temperature standards, *Instr. Control Systems* 33, 770 (May).
- Temperature calibration survey, *Instr. Control Systems* 33, 778 (May).

1961

- Bauerle, L. E., Analysis of "immersed" thermocouple error, *Rev. Sci. Instr.* 32, 313 (Mar.).
- Boerdijk, A. H., Zero-, first-, and second-order theories of a general thermocouple, *J. Appl. Phys.* 32, 1584 (Aug.).
- Bowley, A. E., et al., Measurement of the figure of merit of a thermoelectric material, *J. Sci. Instr.* 38, 433 (Nov.).
- Bragin, B. K., A normal platinum thermal electrode, *Measurement Techniques* No. 7, 596 (Feb.).
- Bragin, B. K., Certain errors in checking commercial resistance thermometers, *Measurement Techniques* No. 3, 194 (Mar.).
- Bragin, B. K., Errors in the calibration of technical resistance thermometers, *Izmeriteln. Tekhn.* No. 3, 17.
- Crawford, G. J. B., Note on the measurement of the figure of merit of thermoelectric materials and of refrigerating junctions, *Rev. Sci. Instr.* 32, 353.
- Gordov, A. N., and B. I. Kovshev, Nature of dynamic errors in measuring pulsating temperatures of a gas flow with a pulsating speed, *Measurement Techniques* No. 5, 363 (May).
- Haas, A., Calibration of contact surface thermometers, *Acta Imeko*, 91.
- Haase, R., K. Hoch, and H. Schouert, Thermocouples. VI. Evaluation of the measurements, *Z. Physik. Chem. (Frankfurt)* 27, 421.
- Jones, T. P., On the accuracy of realization of the international temperature scale above 1063°C, *Australian J. Appl. Sci.* 12, 141 (June).
- Kennedy, G. C., and R. C. Newton, Effect of pressure on the electromotive force of a platinum-bismuth thermocouple, *J. Geophys. Res.* 66, 1491.
- Krikorian, O. H., Optical pyrometer calibration with a standard carbon arc, *Proc. Instr. Soc. Am.* 16, Paper No. 151-LA-61.
- Madison, J. H., Calibration of Chromel-Constantan thermocouples for nuclear heat rate sensors, General Electric Co., Aircraft Nucl. Propulsion Dept., Cincinnati, TID-11927 (Jan. 23).
- Maulard, J., The theoretical determination of the response time of a thermometric probe, *Rech. Aeron.* No. 83, 41 (July).
- Moser, H., Thermodynamic temperature scale, its realization between 90° and 1500°K, *Pure Appl. Chem.* 2, 167.
- Oleinik, B. L., New regulations on the international practical temperature scale, *Measurement Techniques* No. 7, 538 (July).
- Orshanskii, D. L., On very high temperatures, the physical basis of their concept and their measurement, *Acta Imeko*, 136.
- Prinz, W., Indication delay and indication error functions of thermometers. The significance of the half value time and nine tenths value time of thermometers, *Allgem. Waermetech.* 10, 85.
- Reich, A. D., and J. R. Madigan, Transient response of a thermocouple circuit under steady currents, *J. Appl. Phys.* 32, 294 (Feb.).
- Roy, J., and G. Gohard, "Fixed point" apparatus for thermocouple calibration, *Mesur. Control Ind.* 26, 269 (Mar.).



- Sharevskaya, D. I., and P. G. Strelkov, Methods for calibrating against the practical temperature scale in the region of 10–90°K, *Measurement Techniques* No. 2, 110 (Feb.).
- Shpiegelman, E. S., Utilization of aluminum for calibrating first-grade thermometers, *Measurement Techniques* No. 5, 405 (Jan.).
- Stimson, H. F., International practical temperature scale of 1948. Text revision of 1960, Natl. Bur. Std. (U.S.) Monograph 37 (Sept. 8).
- Stimson, H. F., International practical temperature scale of 1948, *J. Res. Natl. Bur. Std. (U.S.)* 65A, 139.
- Suzuki, M., Temperature standard below an oxygen point, *Res. Electrotech. Lab., Tokyo*, No. 615 (Sept.).
- Tingwaldt, C., Thermodynamic temperature scale, its realization in solid bodies for temperatures above 1500°K, *Pure Appl. Chem.* 2, 173.
- Toenshoff, D. A., Automatic calibration of thermocouples, *Engelhard Inds. Tech. Bull.* 2, 88 (Dec.).
- van Dijk, H., The thermodynamic temperature scale and its realization below 90°K, *Pure Appl. Chem.* 2, 157.
- Wagner, N. K., Theoretical time constant and radiation error of a rocketsonde thermistor, *J. Meteorol.* 18, 606 (Oct.).
- Calibration of optical pyrometers, *Glass Ind.* 42, 638 (Nov.).
- Calibration of optical pyrometers, Natl. Bur. Std. (U.S.) *Tech. News Bull.* 45, 184 (Nov.).
- Calibration of optical pyrometers, *Instr. Pract.* 15, 1558 (Dec.).
- Calibration of platinum resistance thermometers, *Engineer* 211, 1048.
- Calibration of platinum resistance thermometers, *Instr. Pract.* 15, 863.
- Calibration of platinum resistance thermometers, Natl. Bur. Std. (U.S.) *Tech. News Bull.* 45, 62 (Apr.).
- How to calibrate thermocouples to high accuracies, *Space/Aeronautics* 35, 89 (May).
- Ice point standardization mercury-in-glass thermometers, Bu Weps-Bu Ships Calibration Program, Secondary standards laboratory measurement system operation procedure, NT-01, PB 171725.
- The international practical temperature scale, Natl. Bur. Std. (U.S.) *Tech. News Bull.* 45, 65 (Apr.).
- Thermocouple calibration, Natl. Bur. Std. (U.S.) *Tech. News Bull.* 45, 44 (Mar.).
- Thermocouple calibration, *Electron. Ind.* 20, 231 (Mar.).
- Thermocouple calibration, *Instr. Pract.* 15, 428 (Apr.).
- Thermocouple calibration, *Instr. Control Systems* 34, 1663 (Sept.).
- Triple point of water standardization, Bu Weps-Bu Ships Calibration Program, Secondary standards laboratory measurement system operation procedure NT-04, PB 171726.
- 1962**
- Barber, C. R., The establishment of a practical scale of temperature for the range 10–90°K, *Brit. J. Appl. Phys.* 13, 235 (May).
- Berry, R. J., A precision oxygen point calibration bath, *Can. J. Phys.* 40, 859 (July).
- Blackburn, G. F., and F. R. Caldwell, Reference tables for 40 percent iridium-60 percent rhodium versus iridium thermocouples, *J. Res. Natl. Bur. Std. (U.S.)* 66C, 1 (Jan.–Mar.).
- Bussard, R. W., Some considerations of dynamic behavior in the plasma thermocouple, *J. Appl. Phys.* 33, 606 (Feb.).
- Davis, J., and G. Lanza, Conventional and plasma thermocouples, U.S. Air Force, Office of Aerospace, Res, AFCL 62-630 (June 5).
- Freeze, P. D., F. R. Caldwell, and E. R. Davis, Reference tables for the palladium vs platinum-15 percent iridium thermocouple, ASD-TDR-62-525 (Dec.); ASTIA AD-295 607.
- Kelly, G. D., How to calibrate optical pyrometers, *Ceram. Ind.* 79, 64 (Oct.).
- Krikorian, O. K., Optical pyrometer calibration with a standard carbon arc, *ISA Trans.* 1, 273 (July).
- Lovejoy, D. R., Temperature scales above 1000°C, *Pure Appl. Chem.* 5, 565.
- Myers, H. S., Convenient laboratory temperature standard, *Chem. Eng.* 69, 192 (Mar.).
- Obrowski, W., and W. Prinz, Determination of basic values for the thermocouples Pt 30% Rh-Pt 6% Rh, *Arch. Eisenhuettenw.* 33, 1.
- Thorn, R. J., and G. H. Winslow, Contribution to the realization of the visual optical pyrometer temperature scale, *Rev. Sci. Instr.* 33, 961 (Sept.).
- Zholkov, Yu. A., Thermal inertia of thermocouples, *Measurement Techniques* No. 12, 938 (June).
- Calibration of optical pyrometers, *Instr. Control Systems* 35, 84 (May).
- Reference tables for iron v constantan thermocouples, *Brit. Std. Inst., B. S.* 1829.
- The thermodynamic and practical temperature scales, *R & D No.* 15, 40 (Nov.).
- ## 2. Thermoelectric Devices
- 1949**
- Steven, G., and W. C. Troy, The mechanical protection of the W/Ir thermocouple, PB 138320 (LC), (June).
- 1950**
- Steven, G., and W. C. Troy, The development of thermocouples for temperatures in the region of 1600° to 2000°C, PB137512 (LC), (Sept.).
- 1956**
- Haase, G., and G. Schneider, Thermoelements from the rhenium-iridium system, U.S. At. Energy Comm. AEC-tr-3835.
- 1957**
- Matton, G., and C. Fouré, Thermoelectric probes for measuring high temperatures in gas streams: their application to the study of flames stabilized by obstacles, 6th Symposium (International) on Combustion, New Haven, Conn., 757, Reinhold Pub. Corp.
- 1958**
- Danisheskii, S. K., The immersion of thermocouples, *Ind. Lab.* 24, 1608.
- Ergardt, N. N., Stability of platinum-rhodium/platinum thermocouples, *Trudy Vsesoyuz. Nauch-Issledovatel. Inst. Metrol.* 1958, No. 35, 87.
- Gordov, A. N., and N. N. Ergardt, Some causes of errors in the measurement of temperatures by means of thermocouples, *Ind. Lab.* 24, 1605.
- Kislyi, P. S., and G. V. Samsonov, High temperature semiconductor thermocouples, *Izv. Akad. Nauk, SSSR, Otd. tekhn. Nauk, Metall. Topik.* 6, 135 (Nov.–Dec.).
- Meyers, M. N., Irradiation study of platinum and platinum-rhodium thermocouple wire, U.S. At. Energy Comm. DC-58-5-730.
- Sitnitskii, Yu. I., Dynamic characteristics of rapidly acting thermocouples, *Avtomatika, Akad. Nauk Ukr. R.S.R.* 1953, No. 1, 85.
- 1959**
- Altshuler, Y. A., Z. I. Bakushchik, and B. G. Klikshtein, Temperature measurement of rotating surfaces, *Pri-borostroenie* 1959, No. 5, 24.
- Hartley, J. J., Thermal electromotive force of copper-constantan thermocouples as a function of junction fabrication, U.S. At. Energy Comm. SCTN-373-59 (16).
- Obrowski, W., Temperature measurement with thermoelements, *Dechema Monograph* 35, No. 528-55, 203.
- Ogorodnikov, N. N., and V. Ya. Levin, Use of instruments with thermal inertia compensation for measurement of rapidly changing temperature in gases, *Trudy Kubyshv. Avisto. Inst.* 1959, No. 8, 65.

- Potts, J. F., and D. L. McElroy, Some results of base-metal thermocouple research at Oak Ridge National Laboratory, U.S. At. Energy Comm. TID-7856, Pt. 1.
- Rudnitskii, A. A., Noble metal thermocouples for measuring high temperatures, *Issledovaniya po Zhaproch. Splavam. Akad. Nauk, SSSR, Inst. Met. im. A. A. Baikova* 4, 380.
- Rudnitskii, A. A., Thermocouple measurement of high temperatures during steel manufacture, *Fiz.-Khim. Osnovy Proizv. Stali, Akad. Nauk, SSSR, Inst. Met., Tr. 5-oi Konf. 1959*, 311.
- Serota, A. M., and B. K. Maltsev, A gold-platinum thermocouple, *Measurement Techniques* No. 8, 611 (Aug.).
- Sukhov, S. A., S. Ya. Kadletz, and G. D. Pavlyuk, Investigation of electrolytic thermocouples, *Measurement Techniques* No. 2, 121 (Feb.).
- Shiba, K., Thermoelectric thermometer of noncontacting type, *Oyo Butsuri* 28, 422.
- Tomizaroa, K., and T. Ushijima, Measurement of surface temperature by Cu-Co (Constantan) thermocouple, *Denkisik iho* 23, 586.
- 1960
- Accinno, D. J., and J. F. Schneider, Platinel-a noble metal thermocouple to replace Chromel-Alumel, Engelhard Ind., *Tech. Bull.* 1, 53 (Sept.).
- Anderson, A. R., and D. J. Mackenzie, Materials for high (2500-4000 deg. F) gas engine temperature measurements, *Aircraft Eng.* 32, 201 (July).
- Barrows, H., and D. J. Ryley, Temperature recovery factors in steam, *Engineer* 209, 903.
- Bennet, H. E., The Pallador thermocouple, *Platinum Metals Rev.* 4, 66 (Apr.).
- Berezin, G. F., A simple and highly sensitive thermocouple battery for the measurement of body surface temperature, *Ind. Lab.* 25, 502 (Apr.).
- Blue, M. D., Thermoelectric effects in copper-gold alloys, *Phys. Rev.* 117, 137.
- Boudreaux, R. A., Induced thermal error for thermocouples attached to thin plates, General Electric Co. Aircraft Nucl. Propulsion Dept., Cincinnati, DC-60-5-45 (May 9).
- Chandler, R. L., and E. J. Dent, Temperature compensated strain gauges, *Electron. Eng.* 32, 414 (July).
- Christy, R. W., Electric conductivity and thermoelectric power in ionic crystals, *Am. J. Phys.* 28, 457 (May).
- Davissou, J. W., et al., Thermoelectricity, *NRL Mem. Rept.* 1089 (Aug.); PB 161977 (Dec.).
- Edwin, B., Recent developments in nickel/nickel-chromium thermocouples, *Elektrowärme* 18, 222 (July).
- Edwin, B. E., New developments in Ni/Ni-Cr thermocouples, *Eng. Dig.* 21, 88 (Nov.).
- Eller, H. C., and J. B. Stewart, Connect thermocouples firmly to burner tip, *Elec. World* 154, 45 (Sept. 5).
- Haig, L. B., Thermocouple probe design method, *Abstract: S.A.E. J.* 68, 81 (Aug.).
- Heath, J. H., High temperature thermocouples, Part I, United Kingdom At. Energy Admin. Rept. AEEW-R-141 (Dec.).
- Jordan, H. C., Welded thermocouple junctions, *Instr. Control Systems* 33, 988 (June).
- Krivka, H. A., Make your own thermocouples, *Machine Design* 32, 184 (June 9).
- Kröckel, O., New thermocouple for high-temperature measurements, *Silikat Tech.* 11, 108.
- Krol, L. Ya., et al., Thermocouples from intermetallic compounds, Zn Sb and Cd Sb, *Instr. Construct.* No. 8, 33 (Aug.).
- Kuether, F. W., and J. C. Lachman, How reliable are the two new high-temperature thermocouples in vacuum, *ISA J.* 7, 67 (Apr.).
- Lachman, J. C., Refractory metal thermocouples, *Abstract: Metal Progr.* 78, 161 (Aug.).
- Lacroix, R., Platinum-rhodium/platinum thermocouples, *Bull. Soc. Franc. Ceram.* No. 48, 19.
- Levin, E. D., A thermocouple for measuring the top layer temperature of a coke mass, *Ind. Lab.* 25, 503 (Apr.).
- Mekheev, V. S., Some sources of error in measuring temperatures with thermocouples, *Ind. Lab.* 26, 691.
- Ongiehong, L., and J. van Duijn, Construction of a thermocouple for measuring surface temperatures, *J. Sci. Instr.* 37, 221 (June).
- Parrott, J. E., The interpretation of the stationary and transient behavior of refrigerating thermocouples, *Solid State Electron.* 1, 135 (May).
- Raezar, S. D., and H. L. Olsen, The intermittent thermometer: a new technique for the measurement of extreme temperature, Johns Hopkins Univ., Silver Spring, Md., *Appl. Phys. Lab. NP-11314* (Dec.).
- Rudnitskii, A. A., and I. I. Tyurin, A search for alloys suitable for high temperature thermocouples, *Zh. Neorgan. Khim.* 5, 401 (Feb.).
- Short, W. W., and B. H. Sage, Temperature measurements in a spherical field; transfer coefficients and corrections for thermocouples in boundary flow, *A.I.Ch.E. J.* 6, 163 (Mar.).
- Shoults, D. R., Aircraft nuclear propulsion program brings useful byproducts, *S.A.E. J.* 68, 35 (Apr.).
- Stevenson, J. A., The metal-clad thermocouple, *Platinum Metals Rev.* 4, 127 (Oct.).
- Stover, C. M., Method of butt welding small thermocouples 0.001 to 0.010 inch in diameter, *Rev. Sci. Instr.* 31, 605 (June).
- Walker, J. E. C., and R. E. Wells, Thermometry of respired air, *J. Appl. Physiol.* 15, 541.
- West, E. D., Techniques in calorimetry: noble-metal thermocouples for differential use, *Rev. Sci. Instr.* 31, 896.
- Yazliev, S., An investigation of the thermoelectric properties of nickel-palladium alloys, *Zh. Neorgan. Khim.* 5, 2446.
- Expendable immersion thermocouple, *Mech. Eng.* 82, 77 (Sept.).
- Hi-temp thermocouples bend to fit test parts, *Prod. Eng.* 31, 9 (Dec. 5).
- Kanthal base metal thermocouple wire, *Ind. Heating* 27, 637.
- Soviet thermocouple is sensitive, *Chem. Eng. News* 38, 44 (Aug. 1).
- Thermocouple measures temperatures of molten metal, *J. Franklin Inst.* 269, 428.
- Thermocouples for low temperature application, *Electronics* 33, 85 (Nov. 4).
- Tungsten vs tungsten 74 rhenium 26 thermocouple, *Englehard Ind. Tech. Bull.* 1, 56 (Sept.).
- Where to get the new high-temperature thermocouple materials, *ISA J.* 7, 66 (Apr.).
- 1961
- Arai, T. T., and J. R. Madigan, Response of a thermocouple circuit to non-steady currents, *J. Appl. Phys.* 32, 609 (Apr.).
- Bard, J. A., Thermocouples for high temperatures, *Instr. Control Systems* 34, 1874 (Oct.).
- Bennett, H. E., The contamination of platinum metal thermocouples, *Platinum Metals Rev.* 5, 132 (Oct.).
- Boggs, B. C., Common parallel thermocouples for average temperature measurement, *WADD TR-60-650; ASTIA AD-255 753*.
- Bostwick, W. E., Thermocouple loading—an exercise in impedance matching, *Instr. Control Systems* 34, 863 (May).
- Bradley, D., and A. G. Entwistle, Determination of the emissivity, for total radiation, of small diameter platinum-10% rhodium wires in the temperature range 600-1450°C, *Brit. J. Appl. Phys.* 12, 708 (Dec.).
- Brands, F. W., Two hot junctions up thermocouple output, *Electronics* 34, 118 (Apr. 28).
- Bundy, F. P., Effect of pressure on emf of thermocouples, *J. Appl. Phys.* 32, 483 (Mar.).
- Burnett, D. R., Transient temperature measurement errors in heated slabs for thermocouples located at the insulated surface, *J. Heat Transfer* 83, 505.

- Cutler, M., Thermoelectric measurements at small-area contacts, *J. Appl. Phys.* **32**, 1075.
- Darling, A. S., Thermoelectric properties of rhodium-platinum alloys, *Instr. Control Systems* **34**, 861 (May).
- de Percin, F., Some observations of the effect of direct and snow-reflected solar radiation on exposed and shielded thermocouples, *Quartermaster Research and Engineering Center, Natick, Mass., Study Rept. RER-19* (Apr.); PB 152070 (Jan.).
- Emelhanenko, O. V., and F. P. Kesamanly, Concerning a rapid method of precise measurements of thermal emf of semiconductors, *Soviet Phys.: Solid State* **2**, 1356 (Jan.).
- Franks, E., High-temperature thermocouples using non-metallic members, *Abstract: Electro-Technol. (New York)* **68**, 12 (July).
- Glawe, G. E., R. C. Johnson, and L. N. Krause, A cooled-tube pyrometer with experimental results obtained in a high-temperature gas stream, *NASA Tech. Note D-870*.
- Hill, J. S., The use of Fibro platinum in thermocouple elements, *Engelhard Inds. Tech. Bull.* **2**, 85 (Dec.).
- Hsu, S. T., and F. W. Smidt, Measured variations in local surface temperatures in pool boiling of water, *Trans. ASME C83*, 254 (Aug.).
- Johnson, W., Temperature measurement in high-temperature X-ray powder cameras, *J. Sci. Instr.* **38**, 373.
- Kelley, M. J., et al., Effect of nuclear radiation on thermocouples, *Abstract: Electro-Technol. (New York)* **68**, 11 (July).
- Kislyi, P. S., and G. V. Samsonov, High-temperature thermoelements from semiconductors, *Planseeber. Pulvmet* **8**, 200.
- Kislyi, P. S., et al., Thermoelectric characteristics of high-temperature thermocouples with electrodes made of high melting point alloys, *Measurement Techniques No. 5*, 366 (May).
- Lachman, J. C., New developments in tungsten/tungsten-rhenium thermocouples, *Proc. Instr. Soc. Am.* **16**, Paper No. 150-LA-61.
- Lachman, J. C., Thermocouples for ultrahigh temperatures, *Metal Progr.* **80**, 73 (July).
- Lachman, J. C., and J. A. McCurdy, Use of refractory metals for high temperature thermocouples, *Abstract: Electro-Technol. (New York)* **68**, 11 (July).
- Lowell, H. H., H. W. Allen, and J. E. Jenkins, Electrical characteristics of four ternary platinum-rhodium-base alloys containing chromium, cobalt, or ruthenium, *NASA Tech. Note D-867*.
- Lutz, O., and F. von Burger-Scheidlin, Point-by-point determination of very high temperatures, *Deutch. Forsch. Anst. Luft. Ber.*, 147.
- McCarthy, D. E., Response characteristics of a radiation thermocouple at various pressures, *J. Opt. Soc. Am.* **51**, 801.
- Moffat, R. J., Gradient approach to thermocouple circuitry, *Abstract: Electro-Technol. (New York)* **68**, 12 (July).
- Nadler, M. R., and C. P. Kempter, Thermocouples for use in carbon atmospheres, *Rev. Sci. Instr.* **32**, 43 (Jan.).
- Obrowski, W., Thermoelements, *Arch. Tech. Messen*, 183 (Aug.).
- Potts, J. F., and D. L. McElroy, Basic studies on base-metal thermocouples, *Abstract: Metal Progr.* **80**, 162 (Apr.).
- Powell, R. L., M. D. Bunch, and L. P. Caywood, Low-temperature thermocouple thermometry, *Advan. Cryog. Eng.* **6**, 537.
- Powell, R. L., M. D. Bunch, and R. J. Corruccini, Low temperature thermocouples—I. Gold-cobalt or constantan versus copper or "normal" silver, *Cryogenics* **1**, 139 (Mar.).
- Powell, R. L., and L. P. Caywood, Low temperature characteristics of some commercial thermocouples, *Advan. Cryog. Eng.* **7**, 517.
- Sagoschen, J., Temperature measurements with thermocouples of platinum group metals, *Metall.* **15**, 34.
- Salva, S. J., Calculate change in resistance of thermocouple wire, *Power* **105**, 96 (Feb.).
- Samsonov, G. V., P. S. Kislyi, and A. D. Panasyuk, Thermoelectric properties of thermocouples with high-melting solid electrodes, *Measurement Techniques No. 10*, 810 (Oct.).
- Scadron, L., Ceramic-insulated thermocouples, *Instr. Control Systems* **34**, 856 (May).
- Sirs, J. A., Measurement of rapid temperature changes by thermocouples, *J. Sci. Instr.* **38**, 489 (Dec.).
- Smith, E. C., Swaged MgO thermocouples, *Instr. Control Systems* **34**, 858 (May).
- Sochor, B., Instruments and methods for measuring thermal quantities, *Acta Imeko*, 161.
- Stover, C. M., Method of making small pointed thermocouples, *Rev. Sci. Instr.* **32**, 366 (Mar.).
- Tau, K., and M. Boudart, Recombination of atoms at the surface of thermocouple probes, *Can. J. Chem.* **39**, 1239.
- Temme, M. I., and W. H. Giedt, Dual probe for high-temperature-gas measurements, *U.S. At. Energy Comm. Rept. ARL 174* (Dec. 1961); *ASTIA AD-274* 352.
- Weiss, H., An apparatus for the measurement of temperatures, using thermocouples, in high speed rotating machines, *Elektrotech. Z.* **13B**, 353 (June 26).
- Wong, P., and P. S. Schaffer, Development of a tungsten/molybdenum immersion thermocouple for measuring molten metal temperatures in vacuum, *ASTIA AD-253* 949 (Apr.).
- A thermocouple for the surface of high-speed cylinders, *Eng. Mater. and Design* **4**, 599 (Sept.).
- New thermocouple up to 4200F, *Metalworking Prod.* **105**, 83 (Sept. 20).
- Recent advances in thermocouple technology, *Electro-Technol. (New York)* **68**, 11 (July).
- Thermocouple alloy for 5000F, *Mater. in Design Eng.* **54**, 13 (Sept.).
- Thermocouples for high temperature, *Nucl. Power* **6**, 70 (June).
- Thermocouples, base metal (except copper-constantan) ambient to 1100°C, *Bu Weps-Bu Ships Calibration Program. Standards lab. Measurement system operation NT-05* (Oct. 25); PB 181147.

## 1962

- Baas, P. B. R., Effect of oxide finish on nickel alloy thermocouple wires, *S.A.E. Paper 524H*; *Abstract S.A.E. J.* **70**, 102 (Sept.).
- Bansal, T. D., Copper—Advance thermocouples in the temperature range 0–100°C, *J. Sci. Ind. Res. (India)* **21D**, 23 (Jan.).
- Beck, J. V., Thermocouple temperature disturbances in low conductivity materials, *Trans. ASME* **84C**, 124 (May).
- Benson, J. M., and R. Horne, Surface temperature of thin sheets and filaments, *Instr. Control Systems* **35**, 115 (Oct.).
- Bostwick, W. E., A note on platinum/platinum-rhodium thermocouple uncertainty, *Trans. Inst. Radio Engrs. NS-9*, 253 (Jan.).
- Caldwell, F. R., Thermocouple materials, *Natl. Bur. Std. (U.S.) Monograph 40* (Mar. 1).
- Chin, J. H., Effect of uncertainties in thermocouple location on computing surface heat fluxes, *ARS J.* **32**, 273.
- Clark, R. B., Time-temperature effect on jet engine thermocouple accuracy and reliability, *S.A.E. Paper 524K*; *Abstract: S.A.E. J.* **70**, 102 (Sept.).
- Davenport, M. E., et al., Thermocouple attachment to a direct-current heater, *Trans. ASME* **84C**, 124 (May).
- Denison, J. W., Technique to construct fine wire thermocouples, *Rev. Sci. Instr.* **33**, 870 (Aug.).
- Dreisner, A. R., et al., High temperature W/W-25 Re thermocouples, *Instr. Control Systems* **35**, 105 (May).
- Faul, J. C., Thermocouple performance in gas streams, *Instr. Control Systems* **35**, 104 (Dec.).
- Freeze, P. D., and L. O. Olsen, Thermoelectric and mechanical stability of Platinel II thermocouples in oxidizing atmospheres, *ASD-TDR-62-835* (Nov.).

- Hadfield, D., Immersion pyrometry and open hearth furnace productivity, *Platinum Metals Rev.* **6**, 1 (Jan.).
- Hahn, P. M., Evaluation of spring-loaded thermocouple probes under transient temperatures, *Mater. Res. Std.* **2**, 403 (May).
- Hawley, S. A., J. E. Breyer, and F. Dunn, Fabrication of miniature thermocouples for uhf acoustic detectors, *Rev. Sci. Instr.* **33**, 1118 (Oct.).
- Heyne, W., Precision measurements in examining the relation between thermal e.m.f. and temperature of Pt-Rh/Pt thermocouples by comparison with a normal thermocouple, *Feingerätetechn.* **11**, 400 (Sept.).
- Jackson, P. L., Use of a large thermocouple junction to locate temperature disturbances, *Rev. Sci. Instr.* **33**, 334 (Mar.).
- Kislyi, P. S., Prospects of utilizing refractory compounds for high temperature thermocouples, *Poroshkovaya Met., Akad. Nauk SSSR* **2**, No. 4, 50.
- Lachman, J. C., Coaxial thermocouple viewed as improvement, *Abstract: S.A.E. J.* **70**, 128 (July).
- Lachman, J. C., High temperatures thermocouples using tungsten-rhenium alloy tubing, *S.A.E. Paper* 524D, *Abstract: S.A.E. J.* **70**, 102 (Sept.).
- Lachman, J. C., New developments in W/W-RE (tungsten/tungsten rhenium) thermocouples, *ISA Trans.* **1**, 340.
- Ling, F. F., and T. E. Simkins, Measurement of point-wise junction condition of temperature at the interface of two-bodies in sliding contact, *ASTIA AD-283 932*.
- MacKenzie, D. J., and M. D. Scadron, Selection of thermocouples for high gas temperature measurement, *S.A.E. Paper* 524E, *Abstract: S.A.E. J.* **70**, 102 (Sept.).
- Olsen, L. O., Catalytic effects of thermocouple materials, *ASD-TDR-62-304*; *ASTIA AD-284 880*; *S.A.E. Paper* 524G, *Abstract: S.A.E. J.* **70**, 94 (May).
- Patzke, H., A new vacuum-thermocouple made by VEB Carl Zeiss Jena, *Jena Rev.* No. 1, 32.
- Stewart, P. J., Study of temperature distribution with rhodium-platinum thermocouple probes, *Platinum Metals Rev.* **6**, 126 (Oct.).
- Walker, B. E., C. T. Ewing, and R. R. Miller, Thermoelectric instability of some noble metal thermocouples at high temperatures, *Rev. Sci. Instr.* **33**, 1029 (Oct.).
- Walker, B. E., C. T. Ewing, and R. R. Miller, Thermoelectric instability of some noble metal thermocouples at high temperatures, *U.S. Naval Res. Lab., Washington, D.C.*, Rept. 5792 (June 29); *ASTIA AD-282 154*.
- White, F. J., Accuracy of thermocouples in radiant-heat testing, *Exp. Mech.* **2**, 204 (July).
- Wolfe, R., and J. H. Wernick, Thermoelectric devices and materials, *Bell Lab., Record* **40**, 190 (June).
- Wormser, A. F., and R. A. Pfuntner, Thermocouple tells temperature above its melting point, *S.A.E. J.* **70**, 56 (May).
- Zenin, A. A., Errors in the readings of thermocouples passed through flames, *Inzh. Fiz. Zh.* **5**, 68 (May).
- A rhodium-platinum thermocouple for high temperature, *Platinum Metals Rev.* **6**, 96 (July).
- Gage eliminates surface heat loss, *Missiles and Rockets* **11**, 36 (Dec. 3).
- How and when precious metal thermocouples should be used, *R & D*, **45** (Jan.).
- Estrin, B. S., and P. B. Kantor, Temperature measurement in the range of 300-500°C, *Measurement Techniques* No. 10, 774.
- Grashdankina, N. P., L. I. Domanskaya, and A. K. Kikrin, Measurements of temperature in high-pressure chambers by means of thermistors, *Measurement Techniques* No. 10, 771.
- Manassi, V., The measurement of temperature with electric resistance thermometers, *Elletrotecnica* **46**, 503 (Aug. 10).

## 1960

- Ambler, E., and H. Plumb, Use of carbon resistors as low temperature thermometers in the presence of stray r.f. (radio frequency) fields, *Rev. Sci. Instr.* **31**, 656.
- Barber, C. R., Resistance thermometers for low temperatures, *Progr. Cryog.* **2**, 147.
- Belinskii, L. I., and A. I. Pilorskii, Semiconductor thermometer, *Instr. Construct.* No. 10, 25 (Oct.).
- Christiansen, W. H., The use of fine unheated wires in shock tubes, *Phys. Fluids* **3**, 1027.
- Gniewek, J. J., and R. J. Corruccini, Carbon resistance thermometry with mixed dc and rf currents, *Rev. Sci. Instr.* **31**, 899.
- Herr, A. C., H. G. Terbeck, and M. W. Tiefermann, Suitability of carbon resistors for field measurements of temperatures in the range of 35° to 100°R, *NASA Tech. Note D-264* (Feb.).
- Kostryukov, V. N., Platinum thermometer for calorimetric work, *Instr. Exp. Tech.* No. 6, 978 (Sept.).
- Leslie, W. H. P., J. J. Hunter, and D. Robb, Precision temperature measurement outside the laboratory, *Research* **13**, 250 (July).
- Lockett, C. J., A clinical thermometer, *Lancet* **1**, 1391.
- Lowenthal, G. C., and A. F. A. Harper, Resistance-temperature relationship of platinum at low temperatures and its influence on precision thermometry, *Brit. J. Appl. Phys.* **205** (May).
- Norton, H. N., Resistance elements for missile temperatures, *Instr. Control Systems* **33**, 922 (June).
- Obrowski, W., Platinum resistance thermometer for high temperatures, *Platinum Metals Rev.* **4**, 102.
- Pavlova, I. A., The use of semiconductor thermometers for measuring low temperatures, *Proc. Intern. Congr. Refrig.*, 10th, Copenhagen 1959, **1**, 410.
- Perelshina, A. P., The results of an experimental investigation of thermoelectromotive force in thermistors, *Inzh. Fiz. Zh.* **3**, 119 (Apr.).
- Rogers, G. B., and F. A. Raal, Semiconducting diamonds as thermistors, *Rev. Sci. Instr.* **31**, 663.
- Rose, V. W., Resistance temperature detector, *Instr. Control Systems* **33**, 790 (May).
- Sharven, Yu. V., Anthracite coal thermometers for various temperature ranges, *Instr. Exp. Tech.* No. 1, 153 (Jan.).
- Smith, R. W., An evaluation of thermistors: thermally sensitive semiconductors, *General Motors Eng. J.* **7**, 14 (Oct.).
- Sterling, P. H., and H. Ho, Modern trends in resistance thermometry, *Ind. Eng. Chem.* **52**, 59A (July).
- Blue diamonds make rugged thermistors, *Electronics* **33**, 78 (Aug.).
- Platinum resistance thermometers, *ISA J.* **7**, 60 (Aug.).
- Resistance thermometer claimed accurate to 1560°F, *Prod. Eng.* **31**, 9 (Aug. 29).
- What do you know about platinum resistance thermometers, *ISA J.* **7**, 60 (Aug.).

## 1961

- Hotta, H., Substitute for platinum/platinum-rhodium thermocouples, *Kinzoku* **25**, 459.

## 1957

- Ciborowski, F., Influence of epitemperature of thermistors on temperature measuring, *Pomiary, Automat., Kontrola* **3**, No. 3, 105.

- Anderson, A. R., and T. M. Stickney, Ceramic resistance thermometers as temperature sensors above 2200°R, *Instr. Control Systems* **34**, 1864 (Oct.).
- Ballard, H. N., Response time of and effects of radiation on the VECO bead thermistor, *Proc. Instr. Soc. Am.* **16**, Paper No. 159-LA-61.

- Barber, C. R., and W. W. Blanke, A platinum resistance thermometer for use at high temperatures, *J. Sci. Instr.* **38**, 17 (Jan.).
- Bird, F. F., and W. E. Jackson, Accuracy in resistance thermometer measurements, *Proc. Instr. Soc. Am.* **16**, Paper No. 157-LA-61.
- Edlow, M. H., and H. H. Plumb, Reproducibilities of carbon and germanium thermometers at 4.2°K, *Advan. Cryog. Eng.* **6**, 542.
- Flanagan, C. D., Continuous recording temperature measurement by resistance, *Electro-Technol.* (New York) **67**, 158 (Apr.).
- Gogin, Yu. N., A resistance thermometer made from a sparking plug, *Measurement Techniques* No. 5, 411 (Jan.).
- Hornung, E. W., and D. N. Lyon, Characteristics of several carbon thermometer-heaters at low temperature and in magnetic fields to 100 kilogauss, *Rev. Sci. Instr.* **32**, 684 (June).
- Kachurin, L. G., Checking the sensitivity of differential resistance thermometers in unbalanced bridge circuits, *Measurement Techniques* No. 7, 603 (Feb.).
- Kaganov, M. A., and Yu. L. Rozenshtok, Utilization of thermistors for correcting differential temperature-difference measuring circuits, *Measurement Techniques* No. 9, 712 (Sept.).
- Kozhukh, V. Ya., Automatic measurement of small temperature differences, *Measurement Techniques* No. 11, 887 (Nov.).
- Lindenfeld, P., Tests and comparison of carbon and germanium thermometers, *Rev. Sci. Instr.* **32**, 9 (Jan.).
- Low, F. J., Gallium-doped germanium resistance thermometers, *Advan. Cryog. Eng.* **7**, 514.
- Low, F. J., Low temperature germanium bolometer, *J. Opt. Soc. Am.* **51**, 1300.
- Martin, P. E., and H. Richards, Thermistors as cryogenic temperature sensors, *Advan. Cryog. Eng.* **7**, 522.
- Mikhailov, N. N., and A. Ya. Kaganovskii, Carbon resistance thermometers for low temperatures, *Inst. Exp. Tech. No. 3*, 606 (May-June); *Cryogenics* **2**, 98 (Dec.).
- Nagao, F., S. Ohigashi, and I. Higashino, A radio-frequency resistance thermometer, *Jap. Soc. Mech. Engrs. Bull.* **4**, 340 (May).
- Nussbaum, A., Semiconductor thermometers, *Control Eng.* **8**, 145 (Sept.).
- Orlov, V. Yu., Linearization of the scales of semiconductor thermistor thermometers, *Instr. Exp. Tech. No. 1*, 198 (Jan.).
- Pallett, J. E., The transistor as a temperature-sensing device in temperature control systems, *Electron. Eng.* **33**, 360 (June).
- Ramanadham, R., A. V. S. Murty, and M. P. M. Reddy, A thermometer for the study of microthermal structure of the turbulent layer of the ocean, *J. Sci. Ind. Res. (India)* **20D**, 233 (June).
- Ryner, H., Temperature measurement in a crystal-oven design, *Electron. Design* **9**, 34 (May 10).
- Schweb, O., and G. C. Temes, Thermistor-resistor temperature sensing networks, *Electro-Technol.* (New York) **68**, 71 (Nov.).
- Shaw, D., The transistor as a temperature-sensing device, *Electron. Eng.* **33**, 528 (Aug.).
- Ipatov, V. V., and I. Ya. Magin, Miniature resistance thermometers for checking the operation of bearings, *Measurement Techniques* No. 3, 196 (Mar.).
- Tserikh, F. A., Experience gained in using semiconductor resistance thermometers for remote measurements of temperature, *Measurement Techniques* No. 3, 197 (Mar.).
- Yates, B., and C. H. Panter, Indium resistance thermometer, *J. Sci. Instr.* **38**, 196 (May).
- Zavaritskii, N. V., and A. I. Shal'nikov, Preparation of miniature carbon resistance thermometers for low temperatures, *Instr. Exp. Tech. No. 1*, 195 (Jan.).
- Altenburger, S., New method for the determination of temperature from the resistance of a standard platinum-resistance thermometer, *Feingeräte Tech.* **11**, 116.
- Barber, C. R., and J. A. Hall, Progress in platinum resistance thermometry, *Brit. J. Appl. Phys.* **13**, 147 (Apr.).
- Barton, L. E., Measuring temperature with diodes and transistors, *Electronics* **35**, 38 (May 4).
- Blakemore, J. S., Design of germanium for thermometric applications, *Rev. Sci. Instr.* **33**, 106 (Jan.).
- Blakemore, J. S., Germanium for low-temperature resistance thermometry, *Instr. Control Systems* **35**, 94 (May).
- Blakemore, J. S., J. W. Schultz, and J. G. Meyers, Measurements on gallium-doped germanium thermometers, *Rev. Sci. Instr.* **33**, 545.
- Brown, R. E., W. M. Hubbard, and J. F. Haben, Low temperature thermometers from silicon carbide heating elements, *Rev. Sci. Instr.* **33**, 1282 (Nov.).
- Campanella, A. J., A telemetering thermometer, *Marine Sci. Instr.* **1**, 39.
- Chambers, J. T., Feasibility investigation and development of 2000°C resistance temperature sensor, *ASTIA AD-282 358*.
- Gadzhiev, S. N., M. Ya. Agarunov, and K. A. Sharifov, Measurement of small temperature differences with thermistors, *Zh. Fiz. Khim.* **36**, 897.
- Glick, H. S., Thin film bolometer, *Rev. Sci. Instr.* **33**, 1268 (Nov.).
- Godin, M. C., A method of equalizing thermistors, *J. Sci. Instr.* **39**, 241 (May).
- Hehenkamp, T., Sensitive pyrometer with high relative reproductivity, *Rev. Sci. Instr.* **33**, 229 (Mar.).
- Hunter, J. J., Precision temperature measuring equipment, *J. Brit. Inst. Radio Engrs.* **24**, 251 (Sept.).
- McNamara, A. G., Semiconductor diodes and transistors as electrical thermometers, *Rev. Sci. Instr.* **33**, 330 (Mar.).
- Mikhailov, B. I., Thermistor thermometer with a temperature compensating shunt, *Instr. Construct. No. 1*, 22 (Jan.).
- Michaylov, V. A., L. M. Zmusko, and A. G. Lazarev, A device for measuring the temperature and sampling molten metal, *ASTIA AD-265 686*.
- Nordon, P., and N. W. Bainbridge, The use of unmatched thermistor for the measurement of temperature difference under varying ambient conditions, *J. Sci. Instr.* **39**, 399 (July).
- Polyakov, Yu. A., and E. A. Mitkina, A thin-film resistance thermometer, *Instr. Exp. Tech. No. 4*, 764 (July-Aug.).
- Sandborn, V. A., Application of the hot-wire, resistance-temperature transducer to the measurement of transient flows, *NASA N62-12358*.
- Sandri, R., R. J. Brisebois, and J. K. S. Wong, On the measurement of the average temperature of a fluid stream in a tube by means of a special type of resistance thermometer, *Can., Natl. Res. Council, Div. Mech. Eng., Fuel and Lubricants Lab., Mech. Eng. Rept. MI-826* (Apr.); *ASTIA AD-283 307*.
- Schiemer, E. W., A portable temperature indicator, *ASTIA AD-284 328*.
- Vanik, M. C., and W. T. Barrett, et al., Reproducible thermistor refinement program, *W. R. Grace and Co., ASTIA AD-276 659*.
- Diode makes accurate cryogenic thermometer, *Electronics* **35**, 28 (Nov. 9).
- Gallium arsenide diode proves good low temperature thermometer, *Machine Design* **34**, 26 (Nov. 22).
- Silicon temperature sensors, *Radio Electron. Components* **3**, 312 (Apr.).

#### 4. Radiation Devices

1957

- Popov, V. A., Photopyrometric determination of the temperature of a burning moving particle, 6th Symposium (International) on Combustion, New Haven, Conn., 751, Reinhold Pub. Corp., N.Y.

Tyroler, J., A self-calibrating high speed photographic pyrometer, 6th Symposium (International) on Combustion, New Haven, Conn., 763, Reinhold Pub. Corp., N.Y.

#### 1958

- Gordov, A. N., A. M. Brodskii, M. S. Kaiander, and A. L. Skragan, New equipment for checking heat-power instruments, Measurement Techniques No. 6, 679 (Nov-Dec.).
- Gordov, A. N., and E. A. Lapina, A technique of calculating permissible errors in industrial optical pyrometers, Measurement Techniques No. 5, 545 (Sept.-Oct.).
- Kandyba, V. V., et al., Apparatus for the determination of flame temperature from the intensity of spectral lines, Trudy Komissii po Pirometrii, Vsesoyuz. Nauch. Issledovatel. Inst. Metrol., Sbornik 1958, No. 1, 69.
- Merson, Y. I., Methods and apparatus for measuring flame temperatures from their radiation in the infrared region, Trudy Komissii po Pirometrii, Vsesoyuz. Nauch. Issledovatel. Inst. Metrol., Sbornik 1958, No. 1, 22.

#### 1959

- Boyarskii, L. A., et al., Photoelectric method for precise optical pyrometric determination, Proces-Verbaux Séances Comite Inter-Nat. Poids Mesures Ser. 2, 26A, T151.
- Burlakov, V. D., Measurement of surface temperature by the brightness-balancing method, Nekotorye Vopr. Eksperim. Fiz. 1959, No. 1, 13.
- Greenshields, D. H., Spectrographic temperature measurements in a carbon-arc powered air jet, NASA Tech. Note D-169.
- Katys, G. P., Dynamic properties of devices for measuring unstable temperatures, Measurement Techniques No. 3, 230 (Mar.).
- Kirenkov, I. I., and E. A. Lapina, A new method for the determination of the effective wavelength of optical and photoelectric brightness pyrometers, Measurement Techniques No. 4, 288 (Apr.).
- Rosslar, F., Distribution of temperature of sooty flames, Ann. Phys. 4, 396.
- Vollmer, J., G. C. Rein, and J. A. Duke, Light guide radiation pyrometry, J. Opt. Soc. Am. 49, 75.

#### 1960

- Ackerman, S., and J. S. Lord, Automatic brightness pyrometer uses a photomultiplier eye, ISA J. 7, 48 (Dec.).
- Agnew, W. G., Two-wavelength infrared radiation method measures end-gas temperatures near their peak, Abstract: S.A.E. J. 68, 62 (Oct.).
- Bell, E. E., P. B. Burnside, and F. P. Dickey, Spectral radiance of some flames and their temperature determination, J. Opt. Soc. Am. 50, 1286 (Dec.).
- Boyarskii, L. A., and V. A. Kovalevskii, A laboratory objective spectropyrometer, Measurement Techniques No. 1, 38.
- Burrows, M. C., et al., Infrared pyrometer reads engine gas temperature to  $\pm 20^\circ\text{R}$ , S.A.E. J. 68, 76 (June).
- Butivchenko, I. G., Pyrometer with an automatic signaling of the registration instant, Measurement Techniques No. 11, 957 (Nov.).
- Finkelshtein, V. E., and N. G. Starunov, A spectropyrometer for temperature measurements with respect to monochromatic infrared radiation, Instr. Exp. Tech. No. 3, 480 (Dec.).
- Finkelshtein, V. E., N. G. Starunov, A standard infrared spectropyrometer, Measurement Techniques No. 1, 35.
- Hanel, R. A., The dielectric bolometer, a new type of thermal radiation detector, NASA Tech. Note D-500.
- Kirenkov, I. I., Metrological features of color pyrometry, Measurement Techniques No. 1, 33 (Mar.).
- Larenz, R. W., Concerning a method for the measurement of very high temperatures in nearly transparent arc columns, NASA Tech. Transl. F-54.

Lieneweg, F., and A. Schaller, New technical radiation pyrometer, with special consideration of its optical construction, Appl. Sci. Res. Section B, 241.

Lieneweg, F., and A. Schaller, Recent industrial radiation pyrometers, with special reference to their optical construction, Arch. Tech. Messen, 241 (Nov.); 267 (Dec.).

Lovejoy, D. R., Absorbing filters and high-temperature optical pyrometry, J. Opt. Soc. Am. 50, 698.

Ludwig, H. C., The measurement of temperature in welding arcs. Trans. Am. Inst. Elec. Engrs. 79, 191 (July); Elec. Eng. 79, 565.

McDonald, R. K., Gas temperature by infrared, Instr. Control Systems 33, 1926.

McDonald, R. K., Infrared radiometry, Instr. Control Systems 33, 1527 (Sept.).

Overbye, V. D., et al., Surface temperature variations measured in an operating engine, S.A.E. J. 68, 132 (Oct.).

Parkinson, W. H., and R. W. Nicholls, Spectroscopic temperature measurements in a shock tube using CN as a thermometric molecule, Can. J. Phys. 38, 715.

Pepperhoff, W., Optical pyrometry in polarized light, Z. Angew. Phys. 12, 168.

Rosslar, F., Temperature measurement of a luminous flame, Opt. Acta 7, 20 (Jan.).

Spath, H., and H. Krempf, Temperature measurements in spark discharges made with time resolved spectroscopy, Z. Angew. Phys. 12, 8.

Russell, D. C., and F. H. Schofield, A theory of the filament temperature distribution of the tungsten vacuum-lamp, with special reference to optical pyrometry, Phil. Trans. Roy. Soc. (London) A252, 463 (May).

Svet, D. Ya., An automatic photoelectric color pyrometer TsEP-3, Measurement Techniques No. 6, 494 (June).

Svet, D. Ya., New methods for determining the emissivity and reflectivity coefficients and the actual temperature of a self-radiating surface, Soviet Phys.-Doklady 4, 1375 (May-June).

Svet, D. Ya., Radiation pyrometry of metals in the near infrared, Dokl. Akad. Nauk SSSR 130, 61.

Svet, D. Ya., and A. A. Poskachei, some infra-red spectrum pyrometry systems, Instr. Construct. No. 7, 30 (July).

Viasov, M. P., Errors in measuring the temperature of turbulent flames by optical methods, Measurement Techniques No. 11, 50 (Nov.).

Design, construction, and test of an absorption-emission pyrometer, PB 152013 (Dec.).

Measuring temperature: radiation pyrometer, Engineer 210, 810.

Two color pyrometer tells correct temperature, Steel 146, 144 (Apr. 4).

#### 1961

Agnew, W. G., End gas temperature measurement by a two-wavelength infrared radiation method, S.A.E. Trans. 69, 495.

Bekefi, G., and S. C. Brown, Microwave measurements of the radiation temperature of plasmas, J. Appl. Phys. 32, 25 (Jan.).

Berman, H. L., The infrared radiometric method and its application to remote temperature measurement, Trans. Inst. Radio Engrs. IE-8, 18 (Aug.).

Burrows, M. C., S. Shimigu, P. S. Myers, and O. A. Uyehara, The measurement of unburned gas temperatures in an engine by an infrared radiation pyrometer, S. A. E. Trans. 69, 514.

Chao, B. T., et al., Experimental investigation of temperature distribution at tool-flank surface; using infrared radiation detector, Trans. Am. Soc. Mech. Engrs. B83, 496 (Nov.).

Clouston, J. G., A. G. Gaydon, I. I. Glass, and I. R. Hurlle, Temperature measurements of shock waves by spectrum-line reversal method, Proc. Roy. Soc. (London) A248, 429 (1958); A252, 143 (1959); A262, 38 (1961).

- Edwards, D. K., and K. E. Nelson, Maximum error in total emissivity measurements due to non-grayness of samples, *ARS J.* **31**, 1021, (July).
- Elder, S. A. Designing phototransistor pyrometers with and without feedback, *Electronics* **34**, 56 (Dec.).
- Euler, J., Precision in optical pyrometry, *Chem.-Ing.-Tech.* **33**, 448.
- Felder, S. A., Designing phototransistor pyrometers, *electronics* **34**, 56 (Dec. 8).
- Freeman, L. H., A precision photon counting pyrometer, Los Alamos Sci. Lab., New Mexico, TID-12631.
- Gicquel, M., and L. Nadaud, Optical measurement of gas temperatures up to 10,000°K, *Rech. Aeron. No. 84*, 31 (Sept.-Oct.).
- King, A. R., Compensating radiometer, *Brit. J. Appl. Phys.* **12**, 633.
- Kolb, A. C., Measurement of plasma temperatures in the 10,000,000°K range, Office of Naval Research, Washington, D.C., ONR-9, 323.
- Kostina, E. N., Temperature compensation in a radiation pyrometer for measuring "low" temperatures, *Instr. Construct. No. 6*, 3 (June).
- Lalos, G. T., and M. Wolk, Feasibility study of the spectroscopic determination and temperature of an adiabatically compressed gas, NAVORD Rept. 6727; ASTIA AD-232696; PB 154720.
- Middlehurst, J., and T. P. Jones, Photoelectric optical pyrometer, *J. Sci. Instr.* **38**, 202.
- Millikan, R. C., Measurement of particle and gas temperatures in a slightly luminous pre-mixed flame, *J. Opt. Soc. Am.* **51**, 535.
- Müller, H., Temperature measurement by measuring radiation, *Arch. Tech. Messen*, 99 (May).
- Nagler, R. G., Application of spectroscopic temperature measuring method to definition of a plasma arc flame, Jet Propulsion Lab. Calif. Inst. Tech. Rept. No. 32-66; ASTIA AD-251 105.
- Neuroth, N., Rapid indicating radiation pyrometer for temperature measurement between 300 and 900°C, *Glastech. Ber.* **34**, 197 (Mar.).
- Penner, S. S., Spectroscopic methods of temperature measurements, Calif. Inst. Tech., Pasadena, Guggenheim Jet Propulsion Center, Tech. Rept. AFOSR-286 (Mar.).
- Poland, D. E., J. W. Green, and J. L. Margrave, Corrected optical pyrometer readings, Natl. Bur. Std. (U.S.) Monograph 30 (Apr.).
- Reynolds, P. M., Emissivity errors of infra-red pyrometers in relation to spectral response, *Brit. J. Appl. Phys.* **12**, 401 (Aug.).
- Shiba, K., and K. Doi, Polarization optical pyrometer, *Oyo Butsuri* **30**, 17.
- Stall, A. M., The measurement of bioclimatological heat exchange, ASTIA AD-259 074.
- Sterling, P. H., and H. Ho, Radiative pyrometry, *Ind. Eng. Chem.* **53**, 53A (Aug.).
- Takenaka, Y., Study on radiation pyrometer, *J. Japan Soc. Aero. and Space Sci.* **9**, 1 (Mar.).
- Tingwaldt, C., and U. Schley, An optical method for the direct determination of the true temperature of glowing metal, *Z. Instrumentenk.* **69**, 205 (July).
- Tsuchiya, S., Temperature measurement by modified Na D line reversal method, *Aeron. Res. Inst. Tokyo Univ. Rept.* **366** (June).
- Van Laethem, R., et al., Temperature measurement of glass by radiation analysis, *Am. Ceram. Soc. J.* **44**, 321.
- Walesch, W., and F. Becker, Continuous temperature control with an optically-regulated control thermometer, *Z. Physik. Chem. (Frankfurt)* **29**, 371.
- Wilson, J. H., Temperature measurement with disappearing-filament pyrometer, *R & D No. 3*, 58 (Nov.).
- Wurster, W., Spectroscopic measurement of the temperature of shock-heated oxygen, *Planetary & Space Sci.* **3**, 158 (Feb.).
- High-speed three-color pyrometer, Natl. Bur. Std. (U.S.) Tech. News Bull. **45**, 148 (Sept.); *Instr. Control Systems* **34**, 1873 (Oct.).
- Photoelectric pyrometer developed, Natl. Bur. Std. (U.S.) Tech. News Bull. **45**, 165 (Oct.).
- Solar cells improve pyrometer precision, *Engineering* **182**, 362.
- Symposium on optical spectrometric measurement of high temperatures, Univ. of Chicago, 1960. Optical spectrometric measurements of high temperatures, Univ. of Chicago Press, Chicago.

1962

- Allen, R. D., Total emissivity and spectral emissivity at 0.65  $\mu$  of porous tungsten and tungsten bearing alloys above 1600°K, *ARS J.* **32**, 965.
- Cooper, J., A fast total response total-radiation detector, *Nature (London)* **194**, 269 (Apr. 21).
- Cooper, J., Minimum detectable power of a pyroelectric thermal receiver, *Rev. Sci. Instr.* **33**, 92 (Jan.).
- Crabot, J., Solutions to some problems of wall temperature determination, O.N.E.R.A. TR 108 (Nov.).
- Donahue, R. J., and R. F. Majkowski, Spectroscopic measurements of temperatures and densities in a cesium plasma, *J. Appl. Phys.* **33**, 3 (Jan.).
- Fuhs, A. E., Spectral radiance and emissivity of plasma and temperature determination, ASTIA AD-273 590.
- Funk, J. P., Ribbon thermopile, *J. Sci. Instr.* **39**, 32 (Jan.).
- Grandin, M., G. Maillot, and P. Rodicq, Two-color pyrometer, *Mesur. Control Ind.* **27**, 633 (May).
- Hecht, G. J., A near infrared two wavelength pyrometer, *Autom. Control* **16**, 51 (Mar.).
- Hottel, H. C., G. C. Williams, P. H. Dundas, and W. P. Jensen, Optical methods of measuring plasma jet temperatures, WADD TR 60-676 (June 1961 and Feb. 1962); ASTIA AD-266 723.
- Hukuo, N., et al., Measurement of brightness temperature by a photomultiplier, Rept. Gov. Ind. Res. Inst., Nagoya **11**, 70 (Feb.).
- Kadyshevich, A. E., The present state and lines of development of optical flame pyrometry, *Soviet Phys.-Uspekhi* **5**, 346 (Oct.).
- Knopp, C. F., C. F. Gottschlich, and A. B. Cambel, A spectroscopic technique for the measurement of temperature in transparent plasmas, AFOSR-1100; ASTIA AD-277 352.
- Kostkowski, H. J., and R. D. Lee, Theory and methods of optical pyrometry, Natl. Bur. Std. (U.S.) Monograph **41** (Mar. 1).
- Lader, S., Spectrographic investigation of temperatures in a plasma jet arc tunnel, Picatinny Arsenal Tech. Mem. 1001 (Apr.).
- Lapworth, K. C., J. E. G. Townsend, and K. Bridgeman, Reservoir temperature measurements in a hypersonic shock tunnel by sodium line reversal. Part I. Single beam method, *Aeron. Res. Council (Gt. Brit.) Rept. No. 23341* (Dec. 1961); ASTIA AD-274 711 (July).
- Lee, R. D., A new photoelectric pyrometer, *Mesur. Control Ind.* **27**, 647 (May).
- Moffit, G., Study of a temperature measuring system for the 1000°C to 2500°C range, U.S.A.F., Systems Command, Aero Systems Div., Flight Control Lab. ASD TR-61-487 (Feb.); ASTIA AD-274 794.
- Penzias, G. J., S. A. Dolin, and R. H. Tourin, Infrared rays find rocket gas temperature, *Abstract: S.A.E. J.* **70**, 99 (July).
- Peperone, S. J., X-band measurement of shock-tube plasma temperature, *J. Appl. Phys.* **33**, 767 (Feb.).
- Schumacher, B. W., W. Wojcik, and R. C. Zavitz, Monitoring system for an oxygen steel furnace using a beta-ray gauge in the flame, *Intern. J. Appl. Radiation Isotopes* **13**, 123 (Mar.).
- Spinrad, H., Spectroscopic temperature and pressure measurements in the Venus atmosphere, Jet Propulsion Lab., Calif. Inst. Tech. JPL-TR-32-251 (June).
- Svet, D. Ya., Radiation pyrometry in the blue-violet and ultraviolet regions of the spectrum, *Soviet Phys.-Doklady* **6**, 907 (Apr.).

- Themelis, N. J., and W. H. Gauvin, Two-wavelength pyrometer for temperature measurements in gas-solid systems, *Can. J. Chem. Eng.* **40**, 157 (Aug.).
- Tourin, R. H., Infrared techniques for temperature measurement in plasmajets, *Trans. Am. Soc. Mech. Engrs.* **84C**, 164 (May).
- Tourin, R. H., P. M. Henry, E. T. Liang, M. L. Hecht, and S. Dolin, Measurement of temperatures in ionized gases by means of infrared radiation, Wright-Patterson AFB, Aeron. Res. Lab., ARL 62-314 (Mar.); ASTIA AD-278 045.
- Vali, W., and R. S. De Voto, A two-color pyrometer for the measurement of temperature and contamination level in a spark-heated hypervelocity wind tunnel, *Arnold Eng. Develop. Center TDR-62-174* (Aug.).
- Watson, R., Spectroscopic temperature measurements on the  $\text{OH}^2 \Sigma \rightarrow 2\pi$  band system for a transparent gas in a shock tube, Guggenheim Jet Propulsion Center, Calif. Inst. Tech., Pasadena, Tech. Rept. No. 29 (June).
- Photoelectric pyrometer, *Instr. Control Systems* **35**, 178 (July).
- Photoelectric pyrometer, *Instr. Pract.* **16**, 77 (Jan.).

## 5. Expansion Devices

1959

- Yaryshev, N. A., Inertia response curves for liquid-in-glass thermometers, *Nauch. Trudy Leningrad, Inst. Tochnoi Mekh. i Optiki* **1959**, No. 37, 91-8.

1960

- Durieux, M., and H. van Dijk, The use of vapor-pressure thermometer in the liquid  $\text{He}^4$  region, *Proc. Intern. Congr. Refrig.*, 10th, Copenhagen, 1959, 1, 197.

1961

- Hall, J. A., and V. M. Leaver, Stabilization of thermometers of borosilicate glass for use at high temperatures, *J. Sci. Instr.* **38**, 178 (May).
- Kebbon, E. R., Bimetal thermometers, *Instr. Control Systems* **34**, 841 (May).
- Nelson, R. C., Temperature measurement by filled system, *Instr. Control Systems* **34**, 849 (May).
- Oishi, J., High temperature determination by a new gas thermometer with constant bulb temperature. I. Measuring methods, *J. Phys. Soc. Japan* **16**, 2056.
- Swindells, J. F., Liquid-in-glass thermometers, *Instr. Control Systems* **34**, 846 (May).
- Sychev, I. A., Temperature error of liquid manometric thermometers and methods for compensation, *Measurement Techniques* No. 10, 803 (Oct.).
- Filled-system thermometers, *Instr. Control Systems* **34**, 1250 (July).

1962

- Bendt, P. J., Liquid level He thermometer, *Rev. Sci. Instr.* **33**, 759.
- Gruzniczki, F., Very precise calibration of glass thermometers, *Metrol. Apl. (Bucharest)* **9**, No. 2, 49.
- Schnabel, O., and H. Löber, Physical procedure in the construction of clinical thermometers, *Glastech. Ber.* **35**, 131 (Mar.).

## 6. Aspirated Devices

1960

- Goltsov, I. P., Pneumatic thermometer, *Priborostroenie* **1960**, No. 5, 13.
- Hochreiter, H. M., Status report on the pneumatic temperature measuring system studies for the EGCR, Oak Ridge Natl. Lab., Tenn., CF-60-12-114 (Dec. 30).

1962

- Edmonson, R. B., W. R. Thompson, and A. L. Hines, Theory of a pneumatic dilution calorimetric probe, *ARS J.* **32**, 257.
- Welshimer, D. E., The experimental application of sonic-pneumatic probe systems to temperature measurement in a hypersonic air stream, U.S. Air Force, Aeron. Res. Lab. ARL-62-364.
- Zalmonzon, L. A., High-response measurement of the temperature of gasses and liquids by means of the simplest pneumatic and hydraulic sensing devices, *Intern. Chem. Eng.* **2**, 169 (Apr.).

## 7. Other Methods, Descriptive Articles

1958

- Chukaev, K. A., A thermodynamic method of determining mean temperature of flowing gas, *Measurement Techniques* No. 5, 541 (Sept.-Oct.).

1960

- Dean, C., Using nuclear resonance to sense temperature, *Electronics* **33**, 52 (July).
- Fasoli, U., F. S. Gaeta, F. Scaramuzzi, and J. O. Thomson, Possibility of an ionic thermometer in the He II temperature range, *Proc. Intern. Congr. Refrig.*, 10th, Copenhagen, 1959, 1, 192.
- John, R. S., Field tests of a sonic anemometer-thermometer, *Bull. Am. Meteorol. Soc.* **41**, 618.
- Leask, M. J. M., and W. P. Wolf, Magnetic method of temperature measurement between 4° and 14°K, *Proc. Intern. Congr. Refrig.*, 10th, Copenhagen, 1959, 1, 179.
- McFee, J. H., P. M. Marcus, and I. Estermann, Possible application of molecular beam techniques to the measurement of surface temperature, *Rev. Sci. Instr.* **31**, 1013.
- Meyer, R. F., A heat flux meter for use with thin film surface thermometers, *Natl. Res. Council (Can.), Natl. Aeron. Estab., NRC LR-279* (Apr.).
- Pokhil, P. F., V. M. Maltsev, and L. N. Galperin, Apparatus for the determination of temperature from the flame height of burning gun powder, *Zh. Fiz. Khim.* **34**, 1131.
- Scott, D. S., Flowmeters for the measurement of gas temperatures, *Chem. Eng. Sci.* **12**, 127.
- Siviter, Jr., J. H., and H. K. Strass, An investigation of a photographic technique of measuring high surface temperatures, *NASA Tech. Note D-617*.
- High temperatures inferred from properties of heated gas-stream, *Control* **4**, 120 (Feb.).

1961

- Baskin, Y., and D. C. Schell, Rocket nozzles as temperature indicators, *ARS J.* **31**, 1275.
- Brodskii, A. D., Electroacoustic gas thermometer for the low temperature range, *Measurement Techniques* No. 6, 453 (Dec.).
- Byler, W. H., and F. R. Hayes, Fluorescence thermography, *Non-destructive Testing* **19**, 177 (May).
- Clark, F. L., and C. B. Johnson, Determination of real-gas stagnation temperature based on mass-flow consideration, *J. Aerospace Sci.* **28**, 742 (Sept.).
- Hoge, H. J., Temperature measurement based on the viscous flow of gas in a Wheatstone-bridge network, *Rev. Sci. Instr.* **32**, 1 (Jan.).
- Louisnard, N., The measurement of surface temperatures by infrared cinematography, *Rech. Aeron.* No. 80, 29 (Jan.-Feb.).
- Miller, J., Temperature-indicating paints and melts, *Eng. Mater. and Design* **4**, 728 (Nov.).
- Schultz-Grunow, F., and G. Wortberg, Interferometric measurements in a flat flame, *Intern. J. Heat Mass Transfer* **2**, 56.
- Taylor, R. D., A low temperature thermometer utilizing the Mossbauer effect, *Los Alamos Sci. Labs., New Mexico, TID 12627*.



- Apfel, J. H., Acoustic thermometry; measuring temperatures by means of the velocity of sound in a gas, *Rev. Sci. Instr.* **33**, 428 (Apr.).
- Best, G. T., and T. N. L. Patterson, Temperature determination from a cloud of alkali vapour in the upper atmosphere, Queen's Univ. Belfast (Gt. Britain), AFCL-62-1049.
- Cataland, G., and H. H. Plumb, Acoustical interferometer employed as an instrument for measuring low absolute temperature, *J. Acoust. Soc. Am.* **34**, 1145 (Aug.).
- Danberg, J. E., The equilibrium temperature probe, a device for measuring temperatures in hypersonic boundary layers, Naval Ordnance Lab., White Oak, Md., Aeroballistic Research Rept. 146, NOL TR-61-2 (Feb.).
- Fletcher, K. A., Precise temperature measurement and control using a.c. bridge techniques, *SIMA Rev.* **2**, 93 (July).
- Fournet, M., Kinetic measurement of temperatures, *J. Phys. Radium* **23**, Suppl. No. 3, 25A.
- Gorini, I., and S. Sartori, Quartz thermometer, *Rev. Sci. Instr.* **33**, 883 (Aug.).
- Grey, J., and P. F. Jacobs, A calorimetric probe for the measurement of high gas temperature, Guggenheim Labs. for the Aerospace Propulsion Sciences, Princeton, N.J., Aeron. Eng. Lab. Rept. 602 (Apr.); AD-275 359.
- Grey, J., P. F. Jacobs, and M. P. Sherman, Calorimetric probe for the measurement of extremely high temperatures, *Rev. Sci. Instr.* **33**, 738 (July).
- Higgins, L. L., Measurement of temperature, salinity and velocity of water through electrolytic conductivity measurements, ASTIA AD-276 746.
- Hisam, E., and W. Bez, Development of a diagnostic device for the determination of mean effective temperatures in plasmas using shock wave measurements, PB 153626 (LC); ASTIA AD-235 859.
- Long, V. D., Estimation of the mean radiating temperature of a cylinder of combustion gas, *J. Inst. Fuel* **35**, 431 (Oct.).
- Schumacher, B. W., W. Wojcik, and R. C. Zavitz, Monitoring system of an oxygen steel furnace using a  $\beta$ -ray gage in the flame, *Intern. J. Appl. Radiation Isotopes* **13**, 123.
- Wade, W. H., and L. J. Slutsky, Quartz crystal thermometer, *Rev. Sci. Instr.* **33**, 212 (Feb.).
- Walsh, D., The measurement of temperature in an argon shock tube by microwave noise radiation, Aeron. Res. Council (Gt. Brit.) ARC 22930 (June 13).
- Low temperature ultrasonic thermometer, *Engineering* **194**, 730 (Nov. 30).
- Temperature measurement by change in hardness in metals, *Motortech. Z.* **23**, 49.

## 8. Special Applications, Method Not Specified in Title

1957

- Moutet, A., Instantaneous flame-temperature measurements, France, O.N.E.R.A. Tech. Rept. No. 88.

1960

- Affleck, J. H., Measuring cathode temperatures, *Electronics* **33**, 80 (Apr. 15).
- Becker, F. S., and F. M. Kepler, How to measure tube-wall temperature, *Oil Gas J.* **58**, 101 (July 18).
- Culpin, M. F., and K. A. Martin, Instruments for measuring the temperature of a running thread-line and of a jet of viscous liquids, *J. Sci. Instr.* **37**, 250 (July).
- Daunt, J. G., Thermometers for the temperature range 0.1°K to 20°K, Ohio State Univ. Res. Found. Rept. **712** (Dec.); PB 149504.
- Dyakonov, I. I., Certain problems in measuring the temperature of rotating objects, *Measurement Techniques* No. 1, 44 (Nov.).

- Eckert, E. R. G., R. Eichhorn, and T. L. Eddy, Measurement of temperature profiles in laminar and turbulent axisymmetric boundary layers on a cylinder with non-uniform wall temperature, USAF, Aeron. Res. Lab., Wright-Patterson AFB, ARL TN 60-61 (Dec.).
- Hame, T. G., W. H. Peake, et al., Preliminary analysis of methods for temperature determination at altitudes above 120,000, Ohio State Univ. Res. Found. Rept. 973-2 (May); PB 152669 (LC); ASTIA AD-242 206.
- Joseph A. J. V., Fuel nozzle temperature measurement, *Engineering* **190**, 762.
- Joseph, A. J. V., Temperature measurement of fuel injection nozzles, *Hawker Siddeley Tech. J.* **2**, 2 (Aug.).
- Losev, S. A., and N. A. Generalov, Measuring the temperature of a gas downstream from a shock wave, *Instr. Exp. Tech.* No. 3, 454 (Apr.).
- Ryley, D. J., An indirect method of measuring static temperature in supersaturated expanding steam, *Engineer* **210**, 343.
- Stewart, L. E., New Ways to measure temperature; 1000F and above, *Power* **104**, 218 (May).
- Sturgeon, G. M., New wire temperature meter, *Wire and Wire Prod.* **35**, 721 (June).
- Sturgeon, G. M., Wire temperature measurement, *Wire Inds.* **27**, 261 (Mar.).
- Svinoruk, V. I., and L. F. Lependin, Temperature measurement at a point on the surface of an electrically conductive sample, *Ind. Lab.* **26**, 785.
- Thun, R. E., Rugged film resistor thermometer for the measurement of surface temperature, *Rev. Sci. Instr.* **31**, 446 (Apr.).
- Wood, R. D., Heated hypersonic stagnation-temperature probe, *J. Aerospace Sci.* **27**, 556 (July).
- Flame temperature determination, *Instr. Control Systems* **33**, 821 (May).
- Precision thermometry at low temperature, *Electronics* **33**, 98 (June).
- Thermometer for 600 deg. C plus. *Space/Aeronautics* **33**, 242 (May).
- Thermometry for low temperature, *Instr. Control Systems* **33**, 1917.
- Wire temperature meter, *Metallurgia* **62**, 64 (Aug.).

1961

- Beattie, J. R., The measurement of the temperature of transparent materials, *Acta Imeko*, 210.
- Blackshear, P. L., Probe senses fast temperature changes, *Chem. Eng. News* **39**, 39 (Aug. 28).
- Blackshear, P. L., and L. M. Fingerson, Some new measuring techniques in high temperature measurements, James Forrestal Res. Center, Princeton Univ., N.J., Tech. Rept. MIN-3-P (Dec.); ASTIA AD-270 364.
- Brodskii, A. D., and A. V. Savataev, A new method of absolute temperature measurement, *Measurement Techniques* No. 5, 397 (Jan.).
- Brown, E. A., et al., Steady-state heat flux gauge, *Rev. Sci. Instr.* **32**, 984 (Aug.).
- Daunt, J. G., and D. O. Edwards, Measurement of temperature below 1 degree K, ASTIA AD-255 582.
- De Leo, R. V., F. D. Werner, and F. W. Hagen, Measurement of mean temperature in a duct, *Instr. Control Systems* **34**, 1659 (Sept.).
- Elliott, R. D., Dynamic behavior of missile skin temperature transducers, *Proc. Instr. Soc. Am.* **16**, Paper No. 160-LA-61.
- Gordov, A. N., et al., Complex of metrological work on establishing methods and apparatus for precise measurements of high temperature, *Measurement Techniques* No. 1, 31 (Jan.).
- Kazachkov, R. V., Measurements of the piston temperature of high-speed internal combustion engines, *Measurement Techniques* No. 5, 402 (Jan.).
- Lemke, B., Determination of final temperature in a gun tunnel, *J. Aerospace Sci.* **28**, 827 (Oct.).
- Moore, F. D., and R. B. Mesler, Measurement of rapid surface temperature fluctuations during nucleate boiling of water, *A.I.Ch.E. J.* **7**, 620 (Dec.).

- Netter, P., G. Seyffarth, and H. John, Design and function of a submerged temperature measuring device in an open hearth steelworks, *Neue Hütte* 6, 475 (Aug.).
- Ney, E. P., R. W. Maas, and W. F. Huch, The measurement of atmospheric temperature, *J. Meteorol.* 18, 60 (Feb.).
- Overbeck, C. J., Apparatus review; demonstration thermometer, *Am. J. Phys.* 29, 368 (June).
- Rae, D., A measurement of the temperature of some frictional sparks, *Combust. Flame* 5, 341.
- Reimer, L., and R. Christenhuss, a reversible temperature indicator in the form of an evaporated layer for estimating the temperature of an object in the electron microscope, *Naturwissenschaften* 48, 619.
- Schoolman, S. A., and D. A. McBlain, The measurement of temperature changes in an adiabatic expansion, *Proc. Iowa Acad. Sci.* 68, 439.
- Stewart, L. E., Measure gas temperature by multipoint traversing, *Power* 105, 180 (Feb.).
- Walker, R. E., and S. E. Grenleski, Instrument for measuring total incident radiant heat transfer to a jet engine surface, *ARS J.* 31, 77 (Jan.).
- Werner, F. D., R. V. De Leo, and B. Rogal, Total temperature probes, *Flight* 80, 737.
- Measurement of engine temperature, *Engineer* 211, 386.
- Pyrometer for moving surfaces, *Control* 4, 120 (Feb.).
- Temperature measurement of moving engine components *Shell Aviation News* No. 281, 8.

### 1962

- Baldwin, A. L., Dynamic temperature coefficient measurements, *Instr. Control Systems* 35, 97 (May).
- Cooper, J., A fast-response pyroelectric thermal detector, *J. Sci. Instr.* 39, 467 (Sept.).
- Ebel, H., A method of measuring rapidly changing temperatures, *Naturwissenschaften* 49, 80.
- Eschenbach, R. C., Water temperature measurement, *Am. J. Phys.* 30, 604 (Aug.).
- Fletcher, K. A., Industrial temperature measurement, *Ind. Electron.* 1, 66 (Nov.).
- Hadfield, D., Periodic pyrometer checks accelerate steel process, *Steel* 150, 92 (Feb.).
- Land, T., Advances in glass temperature measurement, *Glass Ind.* 43, 244 (May).
- Magnus, A. B., Calculating temperatures in hydraulic systems, *Hydraulics and Pneumatics* 15, 69 (Nov.).
- Manson, D. J., Temperature measurements in oxy-hydrogen flames using scattered neutrons and conventional methods, *ASTIA AD-277 747*.
- Muntz, E. P., Static temperature measurements in a flowing gas, *Phys. Fluids* 5, 80.
- Rosenberg, N. W., W. H. Hamilton, and D. J. Lovell, Rocket exhaust radiation measurements in the upper atmosphere, *Appl. Optics* 1, 115 (Mar.).
- Swain, R. R., Pyrometer monitors molten metal temperatures, *Steel* 150, 78 (June 4).
- Vidal, R. J., Transient surface temperature measurements, *Cornell Aeron. Lab. Rept.* 114 (Mar.); *ASTIA AD-275 818*.
- Woodley, J. G., and J. F. W. Crane, A boundary layer probe for the direct measurement of aerodynamic heating, *Royal Aircraft Establ. (Gt. Brit.), Tech. Note No. Aero 2808* (Jan.); *ASTIA AD-274 842* (July).
- Maximum temperature indicators, *R & D*, 48 (Jan.).
- Measuring traction motor commutator temperature, *Engineer* 214, 30 (July 6).
- Miniature thermometer for moving parts, *Engineering* 194, 800.
- Probe for measurements in high-temperature fluids, *Control* 5, 96 (July).
- Surface pyrometer for high-speed cylinders, *Engineer* 214, 960 (Nov. 30).
- Temperature measurement of metallic surfaces, *Eng. Mater. and Design* 5, 116 (Feb.).

## 9. Nuclear Applications of Temperature Measurement

### 1960

- Clark, R. G., Clamp-on resistance temperature detectors for reactor use, *Metal Progr.* 78, 156 (Aug.).
- Gilbert, R. L. G., Analogue-digital converter with long life, equipment designed for temperature measurement in nuclear power stations, *J. Brit. Inst. Radio Engrs.* 20, 529 (July).
- Guskov, Yu. K., and A. V. Zvonarev, Thermocouple system for measurement of large neutron fluxes, *Instr. Exp. Tech. No. 5*, 821 (June).
- Harmon, T. P., An electroplated neutron thermopile for the 3-Mw GTR, *NARF-59-20T; MR-N-226; PB 150016* (LC).
- Kosut, B. S., Specifications for thermocouples, stainless steel sheathed, corrosion resistant for nuclear service, *General Electric Co., Hanford At. Prod. Operation, Richland, Wash., HW-64744* (Apr.).
- Lovett, D. B., Use of isolated junction sheathed thermocouples for moderator temperature measurements, *General Electric Co., Hanford At. Prod. Operation, Richland, Wash., HW-65738* (June 16).

### 1961

- Clough, D. J., Temperature control and measurement in sodium-filled irradiation capsules, *AERE R-3689* (Apr.).
- Ross, C. W., Effect of thermal neutron irradiation on thermocouples and resistance thermometers, *Trans. Inst. Radio Engrs. NS-8*, 110 (Oct.).
- Shenault, L. H., and T. F. McGrath, Reactor core temperature measurement, *ARS J.* 31, 799 (June).
- Development of high temperature sensors, *U.S. At. Energy Comm. PWAC-339* (June 30).
- Driesner, A. R., L. P. Kempter, C. P. Landahl, C. A. Linder, and T. E. Springer, High temperature thermocouples in the Rover Program, *Trans. Inst. Radio Engrs. NS-9*, 247 (Jan.).
- McCann, J. A., Temperature measurement theory, *At. Energy Comm. Rept. KAPL 2067-2* (Apr. 1).
- Ross, C. W., Effect of thermal neutron irradiation on thermocouples and resistance thermometers, *Commun. Electron.*, 192 (July).

## 10. Associated Equipment and Testing Procedure

### 1951

- Tarr, P. R., Methods for connection to revolving thermocouples, *NACA Res. Mem. E50J23a* (Jan. 18).

### 1958

- Lalos, G. T., R. J. Corruccini, and H. P. Broida, Design and construction of a black body and its use in the calibration of a grating spectroradiometer, *Rev. Sci. Instr.* 29, 505.
- Levin, G. M., and V. I. Volmir, Characteristic thermal inertia curves of conventional thermocouples and resistance thermometers, *Measurement Techniques* No. 6, 686 (Nov-Dec.).
- Nikiforov, V. D., Testing thermocouples and pyrometric instruments, *Measurement Techniques* No. 5, 548 (Sept.-Oct.).

### 1959

- Arefev, A. A., Three-channel amplifier equipment for thermocouples, *Measurement Techniques* No. 2, 120 (Feb.).

### 1960

- Almond, R. J., Errors in thermocouple circuits, *Instr. Control Systems* 33, 80 (Jan.).
- Ashekhmin, V. I., and E. V. Kovalskii, A slide rule for thermocouples, *Measurement Techniques* No. 2, 115 (Nov.).

- Briscoe, W. L., Improved bridge for low temperature measurements, *Rev. Sci. Instr.* **31**, 999 (Sept.).
- Dauphinee, I. T. M., and H. Preston-Thomas, Direct reading resistance thermometer bridge, *Rev. Sci. Instr.* **31**, 253.
- Eisner, R. L., Apparatus for accurate measurement of thermoelectric power, *Rev. Sci. Instr.* **31**, 462 (Apr.).
- Foltz, H. L., and W. R. Brown, Self-sealing thermocouple gland, *Machine Design* **32**, 176 (May 12).
- Harman, G. G., Hard gallium alloys for use as low contact resistance electrodes and for bonding thermocouples into samples, *Rev. Sci. Instr.* **31**, 717 (July).
- Holden, T. S., Multipoint digital temperature recorder with punched tape output, *J. Sci. Instr.* **37**, 269 (Aug.).
- Kane, M. V., Thermocouple current indicators, *Instr. Control Systems* **33**, 608 (Apr.).
- Kurtzrock, R. C., Quick connector for multipoint thermocouple assemblies, *Rev. Sci. Instr.* **31**, 457 (Apr.).
- Levin, G. M., and V. I. Volmir, Methods for testing thermal inertia in thermocouples and resistance thermometers, *Measurement Techniques* No. 4, 309.
- Moeller, C. E., Do shields improve thermocouple response? *ISA J.* **7**, 56 (Aug.).
- Premak, W., and E. Edwards, Large recording potentiometer errors caused by furnace leakage currents, *Rev. Sci. Instr.* **31**, 1242 (Nov.).
- Ross, G. S., and H. D. Dixon, Automatic precise recording of temperature, *J. Res. Natl. Bur. Std. (U.S.)* **64C**, 271.
- Sirota, A. M., et al., Methods of testing thermocouples and thermocouple wires, *Ind. Lab.* **26**, 126 (Jan.).
- Multipoint temperature scanner, *Engineer* **209**, 693.
- USN develops new thermowell for high-velocity steam, *ISA J.* **7**, 34 (Nov.).
- 1961**
- Accinno, D. J., A vacuum furnace for high temperature thermocouple calibration, *Engelhard Ind., Tech. Bull.* **2**, 16 (June).
- Andreev, S. V., B. K. Martens, and A. N. Trushinskii, Transistorized instrument for remote measurement and control of temperature, *Measurement Techniques* No. 11, 882 (Nov.).
- Antier, G., A thermostatic enclosure for thermocouples, *Mesur. Control Ind.* No. 294, 1335 (Nov.).
- Avdeev, A. I., D. A. Ilmenskii, and M. D. Notarius, Application of asymmetrical bridge in electromagnetic measuring instruments for resistance thermometers, *Instr. Construct.* No. 6, 1 (June).
- Beerman, H. P., High temperature black body radiation source, *Bull. Am. Ceram. Soc.* **40**, 308 (May).
- Bratkowski, W., Fast-response temperature controls, *Prod. Eng.* **32**, 40 (May 29).
- Freeman, R. J., Thermoelectric stability tests, General Electric Co., Nuclear Mater. and Propulsion Operation, Cincinnati, U.S. At. Energy Comm. APEX-746 (Aug.).
- Godin, M. C., Simple bridge for the direct measurement of temperature differences, *J. Sci. Instr.* **38**, 330 (Aug.).
- Green, B. A., Simple ac resistance bridge using a dc breaker amplifier, *Rev. Sci. Instr.* **32**, 364.
- Kayander, M. S., Differential instrument for comparing radiation pyrometers, *Measurement Techniques* No. 2, 119 (Feb.).
- Middlehurst, J., Mercury switch for establishing the true electrical zero in precise thermocouple measurements, *J. Sci. Instr.* **38**, 165 (Apr.).
- Moodie, W. C., Thermal switches and transducers for discreet and continuous temperature control, *Space Aeronautics* **36**, 127 (July).
- Nalle, D. H., Accurate recordings of fast-changing temperatures, *ISA J.* **8**, 58 (June).
- Pak, V., Computation of the basic parameters for a telescope of a radiation pyrometer with a thermistor, *Measurement Techniques* No. 12, 879 (Dec.).
- Seshadri, T. N., and S. P. Jain, A constant ice point junction for thermocouples in continuous use for long periods, *J. Sci. Ind. Res. (India)* **20D**, 161 (Apr.).
- Simmons, F. S., A. G. De Bell, and Q. S. Anderson, A 2000°C slit-aperture blackbody source, *Rev. Sci. Instr.* **32**, 1265 (Nov.).
- Sutcliffe, J., Direct-reading resistance-thermometer bridge, *Instr. Control Systems* **34**, 293 (Feb.).
- Testardi, L. R., and G. K. McConnel, Measurement of the Seebeck coefficient with small temperature differences, *Rev. Sci. Instr.* **32**, 1067 (Sept.).
- 1962**
- Ballard, G. G., Transistor thermocouple trip amplifier, *J. Brit. Inst. Radio Engrs.* **23**, 35 (Jan.).
- Bansal, T. D., Calibration equipment for surface pyrometers and pipe thermometers, *J. Sci. Instr.* **39**, 232 (May).
- Belling, P. R., High-pressure thermocouple feed-through, *Instr. Control Systems* **35**, 119 (Nov.).
- Benedict, B. V., Vibration test of thermocouple type 300RD P/N 8968365, ASTIA AD-275 686.
- Bose, B. N., Thermocouple well design, *ISA J.* **9**, 89 (Sept.).
- Boudreaux, P. J., Providing thermocouple compensation at low cost, *Electronics* **35**, 72 (Nov.).
- Bride, J. A., and J. L. Morgan, High-speed temperature recording, *J. Iron Steel Inst. (London)* **200**, 318 (Apr.).
- Brownwood, J. B., Thermocouple compensating circuit design, *Electronics* **35**, 98 (Jan. 5).
- Cameron, G., and R. L. Blanchard, Design and operation of a pressure-type cryostat for thermometer calibration in the liquid-hydrogen region, *ISA Trans.* **1**, 255 (July).
- Greenwood, T. L., Indicator warns of excessive rise rates, *Electronics* **35**, 54 (Feb.).
- Katadeladze, K. S., E. N. Zedginidze, and T. V. Nozadze, Thermocouple immersion tips for measuring the temperature of molten metals, *Ogneupory* **27**, 223.
- Katadeladze, K. S., E. N. Zedginidze, and P. A. Pirumova, Thermocouple protection tubes made of carborundum with a nitride binder, *Stal* **22**, 237.
- Kocho, V. S., A. D. Panasyuk, G. V. Samsonov, A. G. Strelchenko, and I. G. Khavrunyak, Zirconium boride cermet protection tubes for thermocouples, *Stal* **22**, 317.
- Lash, J. B., Inexpensive testing for precision sensors, *Instrumentation* **15**, 4.
- MacDonald, W. R., Simple amplifier for use with metal-film thermometers in timing applications, *J. Sci. Instr.* **39**, 35.
- Mandt, R. D., Fusing thermocouple leads, *ISA J.* **9**, 82 (Nov.).
- McAllan, J. V., Selector switch to avoid transient self-heating in resistance thermometers, *J. Sci. Instr.* **39**, 447.
- Manigan, J., and E. J. Nichols, Thermocouple sensing tip, *Mater. in Design Eng.* **55**, 147 (Apr.).
- Pitts, E., and P. T. Priestly, Constant sensitivity bridge for thermistor thermometers, *J. Sci. Instr.* **39**, 75 (Feb.).
- Priem, M., Method for sealing thermocouple wire through fused silica for use at high temperature, *J. Sci. Instr.* **39**, 130 (Mar.).
- Ramage, R. V., Ultra-high pressure seals for instrumentation leads, *Design Eng.* **55**, 156 (May).
- Rautio, W. S., Metal-sheathed ceramic-insulated thermocouples; swage or draw?, *Instr. Control Systems* **35**, 101 (May).
- Samsonov, G. V., P. S. Kislyi, and A. D. Panasyuk, Zirconium boride tips for immersion thermocouples, ASTIA AD-283 891.
- Sondericker, J., Zener diodes replace thermocouple ice-junction, *Electron. Design* **10**, 42 (Feb. 1).
- Thomas, D. B., A furnace for thermocouple calibrations to 2200°C, *J. Res. Natl. Bur. Std. (U.S.)* **66C**, 255.
- Turco, J. F., J. Hickey, and I. Bar-Gadda, Sample holder for use in the measurement of thermoelectric power of thermoelectric materials, *Rev. Sci. Instr.* **33**, 334 (Mar.).
- Whiteway, S. G., Sintering long thermocouple sheaths without warping, *Am. Ceram. Soc. Bull.* **41**, 95 (Feb. 15).

- Wright, H. C., A thermocouple slide-rule, *J. Sci. Instr.* **39**, 238 (May).  
 An improved resistance thermometer bridge, *Instr. Pract.* **16**, 191 (Feb.).  
 Improved resistance-thermometer bridge, *Electro-Tech-nol.* (New York) **70**, 146 (Oct.).  
 Sealing thermocouples in pressure vessels, *Engineering* **193**, 4.  
 Time temperature integration device, General Electric Co., ASTIA AD-271 416.

## 11. General

### 1958

- Frost, F. E., High temperature production and measurement—a bibliography, Lawrence Radiation Lab., Univ. Calif., Livermore, Calif., UCRL-5409.

### 1959

- Allegre, R., et al., *Etudes de Pyrometrie pratique*, Editions Eyrolles, Paris.  
 Bayley, H. G., Recent developments in the precise measurement of temperature, *J. Inst. Engrs. Australia* **31**, 227 (Sept.).  
 Hurwitz, H., Review of methods for measuring temperatures up to 20,000°K, Naval Ordnance Lab., White Oak, Md., NAVORD-6680 (July 6); ASTIA AD-232 698; PB 154722 (LC).  
 Lier, R. H., High temperature measuring techniques 1948 to present (bibliography), U.S. Sci. Lab. Los Alamos, LAMS-2325.  
 McCoy, E., Bibliography on gas temperature measurement, United Kingdom At. Energy Authority, I. G. information series 68 (RD/CA).  
 Strelkov, P. G., and D. I. Sharevskaya, Results of comparing temperatures calculated by the M SH T and the comparison method, *Measurement Techniques* No. 2, 124 (Feb.).  
 Theoretical and experimental research in thermoelectricity (Dec.), PB 161468.

### 1960

- Angello, S. J., Recent progress in thermoelectricity, *Elec. Eng.* **79**, 353 (May).  
 Beltran, A. A., A preliminary literature survey. High temperature strain and temperature sensing devices, Lockheed Aircraft Corp., Missiles and Space Division, Special bibliography SB-60-3.  
 Combes, J. J., Temperature measuring devices, *Automation* **7**, 87 (May).  
 Coxon, W. F., *Temperature measurement and control*, Macmillan, N.Y.; Heywood and Co., London.  
 Grimes, W. R., and D. R. Cuneo, eds., High temperature thermometry seminar, held Oct. 1-2, 1959 at Oak Ridge Natl. Lab., U.S. At. Energy Comm. TID-7586 (pt. 1) (Aug.).  
 Hedge, J. C., et al., Temperature measuring techniques, Wright Air Develop. Div., Wright-Patterson AFB, WADD-TR-60-487 (June); ASTIA AD-253 483.  
 Jackson, E. W., Temperature measurement and control, *Chem. Process Eng.* **41**, 139 (Apr.).  
 Kebbons, E. R., Miscellaneous temperature-measuring methods, *Instr. Control Systems* **33**, 1921 (Nov.).  
 Kostkowski, H. J., The accuracy and precision of measuring temperatures above 1000°K, International Symposium on high temperature technology, Asilomar conference grounds, Calif., Oct. 5-9, 1959, McGraw-Hill Book Co., N.Y., 1960, p. 33.  
 Meyer-Wittig, O., Calculation for determining the response lag of temperature probes under periodic changes of temperature, *Electrotech.* **38**, 501 (Sept. 29).  
 Plumb, H. H., Secondary thermometry grows more precise, *Chem. Eng. News* **38**, 40 (Oct. 31).  
 Stewart, L., How to handle the problem of measuring low temperature, *Power* **104**, 208 (Nov.).

- Werner, F. D., Total-temperature measurements, *Instr. Control Systems* **33**, 800 (May).  
 Thermoelectricity abstracts (Mar.), PB 161301 (OTS).  
 Thermoelectricity abstracts, PB 161174 (Dec.).  
 Thermoelectricity, OTS selective bibliography SB-432 (Sept.).  
 Thermopiles and thermocouples, OTS selective bibliography SB-430 (Aug.).

### 1961

- Awano, M., Precisionization of gas thermometry, *J. Phys. Soc. Japan* **16**, 2560.  
 Baker, H. D., E. A., Ryder, and N. H. Baker, Temperature measurement in engineering, Vol. II, John Wiley & Sons, Inc., N.Y.  
 Brinich, P. F., Recovery temperature, transition and heat-transfer measurements at Mach 5, NASA Tech. Note D-1047.  
 Danlouz-Dumensnils, M., From the Florentine thermometer to that of Lyons, *Mesur. Control Ind.* **26**, 1023 (Sept.).  
 Kallen, H. P., *Handbook of instrumentation and controls*, McGraw-Hill Book Co., N.Y.  
 Kennedy, J. H., et al., High temperature measurement and production—a bibliography, Lawrence Radiation Lab., Univ. Calif., Livermore, Calif., UCRL-6424.  
 Pivovonsky, M., and M. Nagel, Tables of blackbody radiation functions, Macmillan Co., N.Y.  
 Snyder, P. E., *Chemistry of thermoelectric materials*, *Chem. Eng. News* **39**, 102 (Mar. 13).  
 Sterrett, S. J., Improved manufacturing techniques for blood-flow probes, *J. Sci. Instr.* **38**, 59 (Feb.).  
 Upton, Jr., E. F., Measuring industry's hot spots, *Plant Eng.* **15**, 117 (Oct.); 109 (Nov.).  
 Yaryshev, N. A., Inertial parameters of resistance thermometers and thermocouples, *Measurement Techniques* No. 9, 716 (Sept.).  
 Yeaple, F., a new look at temperature-measuring transducers, *Prod. Eng.* **32**, 49 (May 22).  
 The platinum metals in temperature measurement, *Platinum Metals Rev.* **5**, 89 (July).

### 1962

- Ball, I. D. L., Temperature-measurement techniques discussed, *R&D* No. 13, 30 (Sept.).  
 Coombe, R. A., Measuring temperature and Mach number in a high temperature gas flow, *R&D* No. 15, 38 (Nov.).  
 Hertzfeld, C., ed. in chief, *Temperatures, its measurement and control in science and industry*. Volume 3, part 1, Basic concepts, standards and methods, F. G. Brickwedde, ed.; Volume 3, part 2, Applied methods and instruments, A. E. Dahl, ed., Reinhold Pub. Corp., N.Y.  
 Holland, M. G., L. G. Rubin, and J. Welts, Temperature measurement from 2°K to 400°K, *Instr. Control Systems* **35**, 89 (May).  
 Holzbock, W. G., *Instruments for measurement and control*, 2nd ed., Reinhold Pub. Corp., N.Y.  
 Hunter, J. J., Precision temperature measuring equipment, *J. Brit. Inst. Radio Engrs.* **24**, 251 (Sept.).  
 Huovila, S., Contributions to the measurement and interpretation of small-scale temperature fluctuations, Academic Bookstore, Helsinki, Finland.  
 Katz, A. J., Thermal testing, *Space-Aeronautics* **38**, 30 (Oct.).  
 Lathrop, P., Technique for temperature measurement, *Ind. Phot.* **11**, 12 (Mar.).  
 Liddiard, F. E., and J. H. Heath, Temperature measurement, *Control*, part 1, **5**, 95 (Sept.); part 2, **5**, 109 (Oct.); part 3, **5**, 110 (Nov.).  
 Lieneweg, F., Temperature measurement, *Arch. Tech. Messen* No. 313, 47 (Feb.).  
 White, F. J., Accuracy of thermocouples in radiant-heat testing, *Exp. Mech.* **2**, 204 (July).  
 Yaryshev, N. A., and A. S. Makhnovetskiy, Errors in the measurement of transient surface temperatures, ASTIA AD-265 800.





U.S. DEPARTMENT OF COMMERCE

Luther H. Hodges, *Secretary*

NATIONAL BUREAU OF STANDARDS

A. V. Astin, *Director*



## THE NATIONAL BUREAU OF STANDARDS

The scope of activities of the National Bureau of Standards at its major laboratories in Washington, D.C., and Boulder, Colorado, is suggested in the following listing of the divisions and sections engaged in technical work. In general, each section carries out specialized research, development, and engineering in the field indicated by its title. A brief description of the activities, and of the resultant publications, appears on the inside of the front cover.

### WASHINGTON, D.C.

**Electricity.** Resistance and Reactance. Electrochemistry. Electrical Instruments. Magnetic Measurements. Dielectrics. High Voltage. Absolute Electrical Measurements.

**Metrology.** Photometry and Colorimetry. Refractometry. Photographic Research. Length. Engineering Metrology. Mass and Volume.

**Heat.** Temperature Physics. Heat Measurements. Cryogenic Physics. Equation of State. Statistical Physics.

**Radiation Physics.** X-ray. Radioactivity. Radiation Theory. High Energy Radiation. Radiological Equipment. Nucleonic Instrumentation. Neutron Physics.

**Analytical and Inorganic Chemistry.** Pure Substances. Spectrochemistry. Solution Chemistry. Standard Reference Materials. Applied Analytical Research. Crystal Chemistry.

**Mechanics.** Sound. Pressure and Vacuum. Fluid Mechanics. Engineering Mechanics. Rheology. Combustion Controls.

**Polymers.** Macromolecules: Synthesis and Structure. Polymer Chemistry. Polymer Physics. Polymer Characterization. Polymer Evaluation and Testing. Applied Polymer Standards and Research. Dental Research.

**Metallurgy.** Engineering Metallurgy. Metal Reactions. Metal Physics. Electrolysis and Metal Deposition.

**Inorganic Solids.** Engineering Ceramics. Glass. Solid State Chemistry. Crystal Growth. Physical Properties. Crystallography.

**Building Research.** Structural Engineering. Fire Research. Mechanical Systems. Organic Building Materials. Codes and Safety Standards. Heat Transfer. Inorganic Building Materials. Metallic Building Materials.

**Applied Mathematics.** Numerical Analysis. Computation. Statistical Engineering. Mathematical Physics. Operations Research.

**Data Processing Systems.** Components and Techniques. Computer Technology. Measurements Automation. Engineering Applications. Systems Analysis.

**Atomic Physics.** Spectroscopy. Infrared Spectroscopy. Far Ultraviolet Physics. Solid State Physics. Electron Physics. Atomic Physics. Plasma Spectroscopy.

**Instrumentation.** Engineering Electronics. Electron Devices. Electronic Instrumentation. Mechanical Instruments. Basic Instrumentation.

**Physical Chemistry.** Thermochemistry. Surface Chemistry. Organic Chemistry. Molecular Spectroscopy. Elementary Processes. Mass Spectrometry. Photochemistry and Radiation Chemistry.

Office of Weights and Measures.

### BOULDER, COLO.

#### CRYOGENIC ENGINEERING LABORATORY

Cryogenic Processes. Cryogenic Properties of Solids. Cryogenic Technical Services. Properties of Cryogenic Fluids.

#### CENTRAL RADIO PROPAGATION LABORATORY

**Ionosphere Research and Propagation.** Low Frequency and Very Low Frequency Research. Ionosphere Research. Prediction Services. Sun-Earth Relationships. Field Engineering. Radio Warning Services. Vertical Soundings Research.

**Troposphere and Space Telecommunications.** Data Reduction Instrumentation. Radio Noise. Tropospheric Measurements. Tropospheric Analysis. Spectrum Utilization Research. Radio-Meteorology. Lower Atmosphere Physics.

**Radio Systems.** Applied Electromagnetic Theory. High Frequency and Very High Frequency Research. Frequency Utilization. Modulation Research. Antenna Research. Radiodetermination.

**Upper Atmosphere and Space Physics.** Upper Atmosphere and Plasma Physics. High Latitude Ionosphere Physics. Ionosphere and Exosphere Scatter. Airglow and Aurora. Ionospheric Radio Astronomy.

#### RADIO STANDARDS LABORATORY

**Radio Standards Physics.** Frequency and Time Disseminations. Radio and Microwave Materials. Atomic Frequency and Time-Interval Standards. Radio Plasma. Microwave Physics.

**Radio Standards Engineering.** High Frequency Electrical Standards. High Frequency Calibration Services. High Frequency Impedance Standards. Microwave Calibration Services. Microwave Circuit Standards. Low Frequency Calibration Services.

Joint Institute for Laboratory Astrophysics-NBS Group (Univ. of Colo.).

