

Christian Ott

Cartesian Impedance Control of Redundant and Flexible-Joint Robots

 Springer

Contents

1	Introduction	1
1.1	Service Robotics Applications	1
1.2	The DLR Lightweight Robots	2
1.3	Compliant Motion Control	4
1.3.1	Impedance Control	4
1.3.2	Admittance Control	5
1.3.3	Conservative Congruence Transformation	6
1.4	Control of Redundant Robots	6
1.5	Control of Robots with Flexible Joints	7
1.6	Overview	8
2	Modeling of Flexible Joint Robots	13
2.1	Robot Kinematics in a Nutshell	13
2.1.1	Rigid Body Motion	14
2.1.2	Forward Kinematics	16
2.2	Dynamical Model of a Flexible Joint Robot	17
2.2.1	Modeling Assumptions for the <i>Complete Model</i>	17
2.2.2	Derivation of the <i>Complete Model</i>	18
2.2.3	The <i>Reduced Model</i>	24
2.2.4	Properties of the Dynamical Model	25
2.2.5	Some Remarks Concerning Friction	26
2.3	Summary	27
3	Cartesian Impedance Control: The Rigid Body Case	29
3.1	Complete Decoupling	29
3.1.1	Task Formulation	30
3.1.2	Robot Model in Task Coordinates	31
3.1.3	Classical Impedance Controller	34
3.2	Avoidance of Inertia Shaping	34
3.3	Design of the Damping Matrix	36

3.4	Singularity Treatment	38
3.5	Remarks on the Stiffness Implementation	40
3.5.1	Translational Stiffness	41
3.5.2	Rotational Stiffness	41
3.5.3	Consequences for the Closed Loop Dynamics	42
3.6	Summary	43
4	Nullspace Stiffness	45
4.1	Computation of the Nullspace Base Matrix	46
4.1.1	The General Case	46
4.1.2	The Case of a One-Dimensional Nullspace	47
4.2	Projection Based Approaches	48
4.3	Task Space Augmentation Method	52
4.4	Joint Space Decomposition Method	55
4.4.1	Controller Design	57
4.4.2	Stability Analysis	59
4.5	Summary	62
5	The Singular Perturbation Approach	65
5.1	Singular Perturbation Theory	65
5.2	Singular Perturbation Model of a Flexible Joint Robot	68
5.2.1	The Quasi-steady State Model	70
5.2.2	The Boundary Layer System	70
5.3	Controller Design	70
5.4	Modified Controller Design	72
5.4.1	The Modified Quasi-steady State System	73
5.4.2	The Modified Boundary Layer System	73
5.4.3	Design of the Cartesian Impedance Controller	74
5.5	Summary	75
6	Controller Design Based on the Cascaded Structure	77
6.1	Decoupling Based Approach	77
6.1.1	Control Theory for Cascaded Systems	77
6.1.2	Decoupling of the Torque Dynamics	79
6.1.3	Impedance Controller Design	80
6.1.4	Stability Analysis	82
6.1.5	Controller Discussion	85
6.2	Backstepping Based Approach	86
6.2.1	Backstepping Design Procedure	86
6.2.2	Application to the Flexible Joint Model	88
6.2.3	Controller Discussion	90
6.3	Summary	91

7	A Passivity Based Approach	93
7.1	Design Idea	94
7.2	Application to the Flexible Joint Model	96
7.2.1	Generalization to Cartesian Coordinates	96
7.3	Gravity Compensation	97
7.3.1	On the Boundedness of the Gravity Hessian	97
7.3.2	Construction of the Gravity Compensation Term	100
7.3.3	Derivation of the Gravity Compensation Potential	103
7.4	Analysis	104
7.4.1	Passivity	104
7.4.2	Stability	106
7.4.3	Controller Discussion	108
7.5	Exact Stiffness Design	109
7.5.1	Design of an Exact Joint Level Stiffness	109
7.5.2	Design of an Exact Cartesian Stiffness	109
7.6	Further Generalizations	112
7.6.1	Including Joint Damping	113
7.6.2	Generalization to Full State Feedback	114
7.6.3	On the Filtering of the Velocities	114
7.6.4	Inertia Shaping	115
7.7	Tracking	115
7.7.1	The Gravity Free Case	116
7.7.2	Including Gravity	118
7.7.3	Controller Discussion	118
7.8	Relation to Other Methods	119
7.8.1	Comparison to the Singular Perturbation Controller	119
7.8.2	Comparison to the Controller from Albu-Schäffer	120
7.8.3	Relation to the IDA-PBC and the Method of Controlled Lagrangians	120
7.9	Summary	120
8	Evaluation	123
8.1	Simulation Results	123
8.1.1	Singular Perturbation Based Controller	125
8.1.2	Decoupling Based Controller	125
8.1.3	Backstepping Based Controller	128
8.1.4	Passivity Based Controller	130
8.1.5	Robustness	131
8.2	Experiments with the DLR-Lightweight-Robot-II	137
8.2.1	Singular Perturbation Based Controller	137
8.2.2	Passivity Based Controller	143

9	Applications	149
9.1	Table Wiping as a Service Robotics Task	149
9.2	A Medical Scenario: Pedicle Screw Placement	151
9.3	Compliant Mobile Manipulation	155
9.4	Opening a Door	157
9.5	Two-Arm Manipulation	160
10	Controller Comparison and Conclusions	165
	References	169
A	Appendix	177
A.1	Time-Varying Systems	177
A.2	Conditional Stability	181
A.3	Passivity Definitions	182
A.4	Some Matrix Lemmata and Definitions	183
A.5	Inversion of the Extended Jacobian $\mathbf{J}_N(\mathbf{q})$	185
A.6	Model Parameters for the DLR-Lightweight-Robot-II	187
A.7	List of Used Symbols	188