

 Open access • Journal Article • DOI:10.1007/S11708-016-0406-X

## CFD evaluation of pressure drop across a 3-D filter housing for industrial gas turbine plants — [Source link](#)

Fidelis I. Abam, Samuel O. Effiom, Olayinka S. Ohunakin

**Institutions:** Michael Okpara University of Agriculture, Cross River University of Technology

**Published on:** 27 May 2016 - Frontiers in energy (Higher Education Press)

**Topics:** Pressure drop and Total pressure

Related papers:

- [Investigation on the internal flow in a boiler-feeding-water pump powered by a gas-turbine](#)
- [Study on Separation Characteristics of Dust and Droplet on Air Intake Pre-filtration Systems of CV Based on CFD Simulation and Test](#)
- [CFD Simulation of Two-Phase Flow in a Downhole Venturi Meter](#)
- [Turning Vanes in Exhaust Duct Flow: Study for Energy Efficiency, Optimization and Pressure Drop Mitigation](#)
- [Analysis of pressure losses in the refrigerant flow through reciprocating compressor with CO2.](#)

Share this paper:    

View more about this paper here: <https://typeset.io/papers/cfd-evaluation-of-pressure-drop-across-a-3-d-filter-housing-3n9dbukae9>

- Research Article
- [Published: 13 May 2016](#)

# CFD evaluation of pressure drop across a 3-D filter housing for industrial gas turbine plants

- [Fidelis I. Abam](#),
- [Samuel O. Effiom](#) &
- [Olayinka S. Ohunakin](#)

[Frontiers in Energy](#) volume 10, pages192–202(2016)[Cite this article](#)

- **230** Accesses
- **4** Citations
- [Metricsdetails](#)

## Abstract

This paper investigated the flow distribution and total pressure drop across a designed 3-D filter housing integrated with a 3-stage filtration system using computational fluid dynamics (CFD). The filter housing model was proposed for a heavy-duty industrial gas turbine plant operating at an average ambient temperature of 20°C. The pressure drops across the classes of filters were 652.8 Pa, 2692.2 Pa, 887.8 Pa, 776.2 Pa and 2304.2 Pa for I-GB, GB-GA, GA-FA, FA-HA, and HA-O, respectively. The results obtained indicated an acceptable total pressure drop of 7.2% for the entire filter housing before filter clean-up. Although the CFD simulation result shows that small outlet flow velocity and transonic flows exist at the outlet of the filter housing, the designed filter housing was proved compatible with the studied GT, for inlet flow conditions between  $600 \leq W_{\text{air}} \leq 610$  kg/s and  $60 \leq v_{\text{air}} \leq 70$  m/s for the air flow rate and velocity, respectively. Furthermore, the designed filter housing could be adopted for the studied GT and locations of Usan and Maiduguri in Nigeria, and other locations with similar environmental conditions.

This is a preview of subscription content, [access via your institution](#).

## References

---

1. 1.

---

Shweta N, Darshana B. Geometry optimization of filter house components fitted at compressor entry. *International Journal Science and Research*, 2014, 3(9): 905–909

[Google Scholar](#)

---

2. 2.

---

Effiom S O, Abam F I, Ohunakin O S. Performance modeling of industrial gas turbines with inlet air filtration system. *Case study in Thermal Engineering*, 2015, 5: 160–167

[Article Google Scholar](#)

---

3. 3.

---

Wilcox M, Baldwin R, Garcia-Hernandez A, Brun K. Guideline for gas turbine inlet air filtration systems. In: *Proceedings of the Gas Machinery Research Council*. 2010. 2014-01-21, <https://www.gmrc.org/documents/guidelineforgasturbineinletairfiltrationsystems.pdf>

[Google Scholar](#)

---

4. 4.

---

Chopade M R, Valavade A P, Barhatte S H. Performance evaluation of air filters by design optimization. *International Journal of Advances in Engineering and Technology*, 2012, 3(1): 68–70

---

[Google Scholar](#)

---

5. 5.

---

Manikantan R, Gunasekaran E J. Modeling and analyzing of air filter in airtake system in automobile engine. *Advances in Mechanical Engineering*, 2013, 1–7; Article ID 654396

[Google Scholar](#)

---

6. 6.

---

Hosseinzadah S, Gorji-Bandpy M, Rad G J, Keshavarz M. Experimental and numerical study of impact of air filter holes masking on altitude at heavy-duty diesel engine. *Modern Mechanical Engineering*, 2012, 2(04): 157–166

[Article Google Scholar](#)

---

7. 7.

---

Khashayar K, Karimian S M H, Varmaziar M, Sarjami S. Investigation of flow pattern and pressure loss of a V94.2.5 gas turbine air intake system using 3D numerical modeling. 2014-12-22, <http://www.wseas.us/e-library/conferences/2010/Cambridge/CFH/CFH-43.pdf>

---

8. 8.

---

Feng Z, Long Z, Chen Q. Assessment of various CFD models for predicting airflow and pressure drop through pleated filter system. *Building and Environment*, 2014, 75: 132–141

[Article Google Scholar](#)

---

9. 9.

---

Fan J, Shah L J, Furbo S. Flow distribution in a solar collector panel with horizontally inclined absorber strips. *Solar Energy*, 2007, 81 (12): 1501–1511

[Article Google Scholar](#)

---

10.10.

---

Fan J, Furbo S. Buoyancy effects on thermal behaviour of a flatplate solar collector. *Journal of Solar Energy Engineering*, 2008, 130: 1–12, 021010.

[Article Google Scholar](#)

---

11.11.

---

Fridolin K. CFD for air induction systems with open foam. Dissertation for the Master's Degree. Gothenburg: Chalmers University of Technology, 2012

[Google Scholar](#)

---

12.12.

---

Gourdain N. Application of CFD to turbomachine based systems. 2014-12-15, [http://www.cerfacs.fr/~cfdbib/repository/TR\\_CFD\\_09\\_131.pdf](http://www.cerfacs.fr/~cfdbib/repository/TR_CFD_09_131.pdf)

---

13.13.

---

Yerram R, Prasad N, Malathkar P R, Halbe V, Murthy S D. Optimization of intake system and filter of an automobile using CFD analysis. 2014-12-15,

[https://www.researchgate.net/publication/268340757\\_Optimization\\_of\\_Intake\\_System\\_and\\_Filter\\_of\\_an\\_Automobile\\_using\\_CFD\\_analysis](https://www.researchgate.net/publication/268340757_Optimization_of_Intake_System_and_Filter_of_an_Automobile_using_CFD_analysis)

---

14.14.

---

ANSYS Inc. ANSYS CFX 14.0 User's Guide. SAS IP Inc. 2012

---

15.15.

---

ANSYS Inc. ANSYS ICEM CFD 14.0 User Manual. SAS IP Inc. 2012

---

16.16.

---

Theokilis N, Pachidis P. TUBOMATCH Scheme User Manual. Department of Power and Propulsion, Cranfield University, UK, 2014

[Google Scholar](#)

---

17.17.

---

Climatemp. Climate, average weather of Nigeria 2014. 2014-05-25, <http://www.nigeria.climatemp.com>

---

18.18.

---

Shih T H, Liou W W, Shabbir A, Yang Z, Zhu J. A new  $k-\epsilon$  eddy viscosity model for high Reynolds number turbulent flows. Computers & Fluids, 1995, 24(3): 227–238

[Article MATH Google Scholar](#)

---

[Download references](#)

## Author information

---

### Affiliations

1. **Department of Mechanical Engineering, Michael Okpara University of Agriculture, Umudike, Umuahia, 02155, Nigeria**

Fidelis I. Abam

2. **Department of Mechanical Engineering, Cross River University of Technology, Calabar, 540252, Nigeria**

Samuel O. Effiom

3. **Department of Mechanical Engineering, Covenant University, Ota, 11001, Nigeria**

Olayinka S. Ohunakin

Abam, F.I., Effiom, S.O. & Ohunakin, O.S. CFD evaluation of pressure drop across a 3-D filter housing for industrial gas turbine plants. *Front.*

*Energy* **10**, 192–202 (2016). <https://doi.org/10.1007/s11708-016-0406-x>

[Download citation](#)

- Received 15 August 2015
- Accepted 09 November 2015
- Published 13 May 2016
- Issue Date June 2016
- DOI <https://doi.org/10.1007/s11708-016-0406-x>

Keywords

- **computational fluid dynamics (CFD)**
- **pressure drop**
- **flow distribution**
- **filter housing**
- **gas turbine**

Over 10 million scientific documents at your fingertips

Switch Edition

- **Academic Edition**
- Corporate Edition
- Home
- Impressum
- Legal information
- Privacy statement
- California Privacy Statement
- How we use cookies
- Manage cookies/Do not sell my data
- Accessibility
- Contact us

Not logged in - 165.73.223.243

Not affiliated



[Springer Nature](#)

© 2021 Springer Nature Switzerland AG. Part of [Springer Nature](#).