



Characterization of Satisfactory Mechanisms for the Revelation of Preferences for Public Goods

Jerry Green; Jean-Jacques Laffont

Econometrica, Vol. 45, No. 2. (Mar., 1977), pp. 427-438.

Stable URL:

<http://links.jstor.org/sici?sici=0012-9682%28197703%2945%3A2%3C427%3ACOSMFT%3E2.0.CO%3B2-Q>

Econometrica is currently published by The Econometric Society.

Your use of the JSTOR archive indicates your acceptance of JSTOR's Terms and Conditions of Use, available at <http://www.jstor.org/about/terms.html>. JSTOR's Terms and Conditions of Use provides, in part, that unless you have obtained prior permission, you may not download an entire issue of a journal or multiple copies of articles, and you may use content in the JSTOR archive only for your personal, non-commercial use.

Please contact the publisher regarding any further use of this work. Publisher contact information may be obtained at <http://www.jstor.org/journals/econosoc.html>.

Each copy of any part of a JSTOR transmission must contain the same copyright notice that appears on the screen or printed page of such transmission.

JSTOR is an independent not-for-profit organization dedicated to and preserving a digital archive of scholarly journals. For more information regarding JSTOR, please contact support@jstor.org.

CHARACTERIZATION OF SATISFACTORY MECHANISMS FOR THE REVELATION OF PREFERENCES FOR PUBLIC GOODS

BY JERRY GREEN AND JEAN-JACQUES LAFFONT¹

Social decision mechanisms that admit dominant strategies and result in Pareto optima are characterized by the class of mechanisms proposed by Groves. The concept of decision mechanisms is generalized and the characterization is shown to extend to these cases.

PROBLEMS CONNECTED WITH social decision processes in models with public goods have troubled economists for some time. Recently a negative result of Gibbard [2] and Satterthwaite [6] precluded the possibility of finding non-dictatorial deterministic mechanisms for choosing social states which have the property that individuals believe it to be impossible to manipulate the mechanism to their own advantage. They may, in particular, reveal preferences other than their own, and the resulting social choice may then be distorted away from the Pareto optimum relative to their true tastes.

Gibbard and Satterthwaite's requirements are quite strong. In particular, arbitrary individual preferences are allowed. In a more specialized context, where the decision concerns the level of public goods and monetary transfers among individuals, Groves [3] and Groves and Loeb [5] assumed that preferences are monotonic in income and that the willingness-to-pay for alternative levels of the public good is independent of income. In such environments they found a class of mechanisms with the properties that stating one's true preferences is a dominant strategy for each individual and that a Pareto optimum is selected.

In this paper, we show that the mechanisms proposed by Groves and Loeb are the only ones which have these desirable characteristics. This result enables us to concentrate the search for optimal mechanisms within this class and to use criteria other than individual incentive compatibility to distinguish among these. We have pursued this direction in other papers. In addition, we show that well-defined mechanisms which select Pareto optimal outcomes (referred to as satisfactory mechanisms), independently of the question of truthful revelation, are essentially isomorphic to the mechanisms proposed by Groves.

Section 1 sets forth notation and the basic definitions. Section 2 provides, in a world of separable utility functions, a complete characterization of satisfactory mechanisms. In an appendix we show the non-existence of satisfactory mechanisms when nonseparable utility functions are allowed.

¹ We are grateful to the referee for his comments. This research was supported under National Science Foundation grant SOC71-03803 to Harvard University and GS 40104 to the Institute for Mathematical Studies in the Social Sciences at Stanford University.

1. DEFINITIONS

A. *Public Projects*

We are concerned with the realization of a package of public projects in an economy with a unique private good (which can be thought of as money) and N agents. The only restriction imposed in the analysis on the public projects is that the set of available public project packages be a compact set \mathcal{K} in a topological space. Examples include: (i) a fixed-size unique public project; then $\mathcal{K} = \{0, 1\}$ where 1 represents the realization of the project and 0 the nonrealization; (ii) a variable-size unique public project; then the allowable size should belong to a bounded closed subset of R ; for example, $\mathcal{K} = 0 \cup [K_1, K_2]$ if a minimal size is required technologically or $\mathcal{K} = \{0, K_1, \dots, K_L\}$, if indivisibilities exist; (iii) a set of L variable size public projects; then, for example, $\mathcal{K} = \prod_{l=1}^L [0, K_l]$; (iv) a compact set of functions (e.g., tax laws); then, for example, $\mathcal{K} = \mathcal{C}[0, 1]$, set of continuous real functions on the interval $[0, 1]$, and so forth.

Let K be an element of \mathcal{K} .

B. *Transfers, Utility Functions, and Valuation Functions*

Simultaneously with public goods, we consider monetary transfers t_i , $i = 1, \dots, N$, so that starting from an initial position the gain in utility of agent i due to a program of public projects and transfers is: $u_i(K, t_i)$ defined on $\mathcal{K} \times R$.

DEFINITION 1: The utility function u_i is said to be (additively) separable iff

$$u_i(K, t_i) = v_i(K) + t_i.$$

The function $v_i(\cdot)$, which is considered net of the imputed costs (defined ex ante) of the project, is referred to as the valuation function of agent i . The assumption of separability amounts to absence of income effect in the evaluation of public goods.

The paper, with the exception of the appendix, is concerned only with separable utility functions; most definitions apply to this case with trivial generalizations for the general case.

C. *Mechanisms*

In order to solve the free rider problem we subject the N agents to a game which is played according to the following rules (or mechanisms):

Let S_i , $i = 1, \dots, N$, be the strategy space of agent i , and let $S = \prod_{i=1}^N S_i$. A play of the game is an element $s = (s_1, \dots, s_N) \in S$.

The outcomes of the game are defined by two functions: (i) For each play, a decision function $d(\cdot)$ from S into \mathcal{K} specifies a public project decision. (ii) For each play, a transfer rule $t(\cdot) = [t_1(\cdot), \dots, t_N(\cdot)]$ from S into R^N specifies a program of transfers.

Let $f(\cdot) = [d(\cdot), t(\cdot)]$.

The game can be played with different levels of information concerning the actions of the other players. If the actions of the other players are known, the outcome of the game may be a Nash equilibrium. If they are unknown, the agents may play a maximin strategy or maximize their expected utility with given subjective probability distributions over the actions of the others. In all the games considered in this paper, the optimal strategy is a dominant strategy (i.e., is optimal for any action of the other players); in this case, all these behavioral postulates regarding the players in the game are equivalent.

We introduce now several sets of rules of the game.

DEFINITION 2: A *mechanism*, $M = (S, f)$, is a set of strategy spaces S_i , $i = 1, \dots, N$, and a function $f(\cdot) = [d(\cdot), t_1(\cdot), \dots, t_N(\cdot)]$ from $\prod_{i=1}^N S_i = S$ into $\mathcal{K} \times \mathcal{R}^N$ such that for a play s : (i) the accepted project is $d(s)$, and (ii) the transfer to agent i is $t_i(s)$ for $i = 1, \dots, N$.

DEFINITION 3: A *revelation mechanism*, $RM = \{V, f\}$, is a mechanism for which a strategy is a valuation function of the public project and a strategy space $S_i = V_i^2$ is a space of allowable valuation functions.

In a revelation mechanism, the question to the agent is: what is your valuation function? Clearly, such a mechanism can be used only if agents have separable utility functions. Only then is it meaningful to ask for the evaluation of a public project independently of the specification of the transfer. We denote by $w_i(\cdot)$ the answered valuation function which may be different from the true one $v_i(\cdot)$. Let $w(\cdot) = [w_1(\cdot), \dots, w_N(\cdot)]$.

DEFINITION 4: A *direct revelation mechanism*, $DRM = \{V, f\}$, is a revelation mechanism such that: $d(s) = d(w(\cdot)) \in \{K^* | K^* \in \mathcal{K} \text{ and } \sum w_i(K^*) = \max \sum w_i(K), K \in \mathcal{K}\}$.

The selection of $d(w(\cdot))$ made in the set of projects which maximize the sum of valuation functions is arbitrary; it will be also denoted by $K^*(w(\cdot))$. A necessary condition to use such a mechanism is that the set of maximizing projects be non-empty. Since \mathcal{K} is a compact set, a sufficient condition is that the valuation functions be restricted to be upper semi-continuous (u.s.c.) on \mathcal{K} .

DEFINITION 5: A *Groves mechanism*, $GM = \{V, f\}$, is a direct revelation mechanism with a specific transfer rule:

$$t_i(w(\cdot)) = \sum w_{-i}(K^*(w(\cdot))) + h_i(w_{-i}(\cdot))^3$$

² $V_{-i} = \prod_{j=1, j \neq i}^N V_j$ and $V = \prod_{i=1}^N V_i$.

³ By definition $\sum w_{-i} = \sum_{j=1, j \neq i}^N w_j$ and $h_i(w_{-i}) = h_i(w_1, \dots, w_{i-1}, w_{i+1}, \dots, w_N)$. Clarke [1] introduced independently one element of this family for which $h_i(w_{-i}(\cdot)) = -\sum w_{-i}(K_i^{**}(w_{-i}(\cdot)))$ where K_i^{**} maximizes $\sum w_{-i}(\cdot)$. Vickrey [7] gave a similar mechanism for the case of private goods to avoid speculative behavior.

where $h_i(w_{-i}(\cdot))$ is an arbitrary deterministic function of $w_{-i}(\cdot)$, $i = 1, \dots, N$.

We also need a concept close to a Groves mechanism, in which transfers and decisions are not uniquely defined.

DEFINITION 6: An *extended Groves mechanism*, $EGM = \{V, F\}$, is a set of allowable valuation functions V_i , $i = 1, \dots, N$, a decision correspondence $D(\cdot)$ from V into \mathcal{H} such that: each selection $d(\cdot) \in D(\cdot)$ maximizes $\sum w_i(\cdot)$; a set of arbitrary deterministic correspondences $H_i(\cdot)$ from V_{-i} into R , $i = 1, \dots, N$, such that: $t_i(w(\cdot)) = \sum w_{-i}(K^*(w(\cdot))) + h_i(w_{-i}(\cdot))$ where $h_i(\cdot) \in H_i(\cdot)$, $i = 1, \dots, N$ and $K^*(w(\cdot)) \in D(w(\cdot))$.

Similarly, in an extended (direct) revelation mechanism, the decision and transfers applications are multivalued: $d(\cdot) \in D(\cdot)$; $t_i(\cdot) \in T_i(\cdot)$, $i = 1, \dots, N$. Moreover, in an extended direct revelation mechanism each $d(\cdot) \in D(\cdot)$ maximizes the sum of the answers.

D. Properties of Mechanisms

In designing mechanisms we are interested in different properties gathered below for convenient reference.

Given a mechanism, let $\mathcal{D}_i(v_i(\cdot)) \subset S_i$ be the set of dominant strategies of agent i when his true valuation function is $v_i(\cdot)$.

DEFINITION 7: A mechanism is said to be *decisive* iff

$$\forall i, \forall v_i(\cdot) \in V_i: \mathcal{D}_i(v_i(\cdot)) \neq \emptyset.$$

Then, $S'_i = \bigcup_{v_i(\cdot) \in V_i} \mathcal{D}_i(v_i(\cdot))$ is the set of observable strategies of agent i . Let $S' = \prod_{i=1}^N S'_i$.

DEFINITION 8: A mechanism is said to be *successful* if, whenever $s = (s_1, \dots, s_N)$ and s_i is an optimal strategy for player i , whose true preferences are v_i , then $d(s)$ maximizes $\sum v_i(\cdot)$.

In the particular case in which the mechanism is decisive as well as successful, so that the property of successfulness holds at all combinations of dominant strategies, we will refer to it as *satisfactory*. Satisfactory mechanisms are desirable because they select efficient outcomes while at the same time eliminating any strategic interaction among the agents because dominant strategies exist.

The utility of the play s with the mechanism M can be written (without fear of confusion) for individual i as:

$$u_i(s; M) = v_i(d(s)) + t_i(s).$$

DEFINITION 9: A revelation mechanism is *strongly individually incentive compatible* (s.i.i.c.), if the truth is a dominant strategy for each individual, i.e.,

$$u_i(w_{-i}(\cdot), v_i(\cdot); RM) \geq u_i(w_{-i}(\cdot), w_i(\cdot); RM) \quad \forall w_{-i}(\cdot) \in V_{-i}, \forall v_i(\cdot) \in V_i.$$

In the sequel, if we have in \mathcal{H} the no-action program denoted as 0, by definition, $v_i(0) = 0, i = 1, \dots, N$. In a revelation mechanism for which $0 \in \mathcal{H}$, we say that a strategy $w_i(\cdot)$ is *normalized* if $w_i(0) = 0$. If all the strategies are normalized, the revelation mechanism is said to be normalized.

2. CHARACTERIZATION OF SATISFACTORY MECHANISMS

In a world of separable utility functions, we show first that all the s.i.i.c. successful revelation mechanisms are Groves mechanisms and, then, that all the satisfactory mechanisms are isomorphic to (extended) Groves mechanisms.

THEOREM 1 (Groves and Loeb [5]): *A Groves mechanism is s.i.i.c.*

PROOF: For any $w_{-i}(\cdot) \in V_{-i}$ and any $w_i(\cdot) \in V_i, u_i(w_{-i}(\cdot), v_i(\cdot); GM) - u_i(w_{-i}(\cdot), w_i(\cdot); GM) = v_i(K^*(w_{-i}(\cdot), v_i(\cdot))) + \sum w_{-i}(K^*(w_{-i}(\cdot), v_i(\cdot))) + h_i(w_{-i}(\cdot)) - v_i(K^*(w_{-i}(\cdot), w_i(\cdot))) - \sum w_{-i}(K^*(w_{-i}(\cdot), w_i(\cdot))) - h_i(w_{-i}(\cdot)) = \max_{K \in \mathcal{H}} [v_i(K) + \sum w_{-i}(K)] - [v_i(K^*(w_{-i}(\cdot), w_i(\cdot))) + \sum w_{-i}(K^*(w_{-i}(\cdot), w_i(\cdot)))] \geq 0. \quad Q.E.D.$

THEOREM 2 (Groves [4]): *The set of dominant strategies for a Groves mechanism is $\{v_i(\cdot) + \alpha_i\}$ where $\alpha_i, i = 1, \dots, N$, are arbitrary constants. There is a unique normalized dominant strategy corresponding to $\alpha_i = 0, i = 1, \dots, N$.*

PROOF: Suppose that there exists a dominant strategy, say $v'_i(\cdot)$, which is not of the form $v_i(\cdot) + \alpha_i$. Then, there exist $\epsilon > 0, \alpha, K^* \in \mathcal{H}$, and $K^{**} \in \mathcal{H}$ such that:

$$v'_i(K^*) = v_i(K^*) + \alpha$$

and

$$v'_i(K^{**}) = v_i(K^{**}) + \alpha + \epsilon.$$

Choose $w_{-i}(\cdot)$ u.s.c. such that:

$$\begin{aligned} \sum w_{-i}(K^*) &= -v_i(K^*) - \alpha, \\ \sum w_{-i}(K^{**}) &= -v_i(K^{**}) - \alpha - \epsilon/2, \end{aligned}$$

and

$$\sum w_{-i}(K) = -\sup_{K \in \mathcal{H}} [\sup_{K \in \mathcal{H}} v_i(K), \sup_{K \in \mathcal{H}} v'_i(K)] - \alpha - \epsilon$$

for $K \in \mathcal{H}, K \neq K^*, K \neq K^{**}$. Clearly, the answer $v_i(\cdot)$ leads to the project K^* and

the answer $v'_i(\cdot)$ leads to the project K^{**} . Moreover, we have:

$$v_i(K^*) + \sum w_{-i}(K^*) > v_i(K^{**}) + \sum w_{-i}(K^{**});$$

therefore, $v'_i(\cdot)$ is not a dominant strategy, a contradiction. All the dominant strategies must then be of the form $\{v_i(\cdot) + \alpha_i\}$. From Theorem 1, they are indeed dominant strategies.

Finally, a normalized strategy for agent i is such that $w_i(0) = 0$. Since by definition $v_i(0) = 0$, $\alpha_i = 0$ for a normalized dominant strategy. Q.E.D.

COROLLARY 1: *A Groves mechanism is successful.*

PROOF: From Theorem 2 and the definition of a Groves mechanism we know that the decision taken maximizes the sum of the valuation functions. Q.E.D.

COROLLARY 2: *The set of dominant strategies for a s.i.i.c. revelation mechanism is included in the set $\{v_i(\cdot) + \alpha_i\}$ where α_i , $i = 1, \dots, N$, are arbitrary constants. There is a unique normalized dominant strategy corresponding to $\alpha_i = 0$, $i = 1, \dots, N$.*

PROOF: As in Theorem 2, we show first that a dominant strategy for agent i must be of the form $\{v_i(\cdot) + \alpha_i\}$. $v_i(\cdot)$ is a dominant strategy since the mechanism is s.i.i.c. As in Theorem 2, it is also the only normalized dominant strategy. Q.E.D.

DEFINITION 10: A direct revelation mechanism satisfies Property A, if and only if: for any $i = 1, \dots, N$, (i) $t_i(w(\cdot))$ is independent of $w_i(\cdot)$ at K^* , i.e., if for $w_{-i}(\cdot)$, $w_i(\cdot)$, $w'_i(\cdot)$, $K^*(w_{-i}(\cdot), w_i(\cdot)) = K^*(w_{-i}(\cdot), w'_i(\cdot))$, then $t_i(w_{-i}(\cdot), w_i(\cdot)) = t_i(w_{-i}(\cdot), w'_i(\cdot))$; (ii) $t_i(w_{-i}(\cdot), w_i(\cdot)) - t_i(w_{-i}(\cdot), w'_i(\cdot)) = \sum w_{-i}(K^*) - \sum w_{-i}(K^{*'})$ where K^* maximizes $\sum w_{-i}(K) + w_i(K)$ over \mathcal{K} and $K^{*'}$ maximizes $\sum w_{-i}(K) + w'_i(K)$ over \mathcal{K} .

LEMMA 1: *A direct revelation mechanism is a Groves mechanism if and only if it satisfies Property A.*

PROOF: Obvious.

We are now able to prove the main characterization theorem.

THEOREM 3: *A s.i.i.c. direct revelation mechanism is a Groves mechanism.*

PROOF: We consider in turn the negation of the two parts of Property A. If (i) fails there exist $w_{-i}(\cdot)$, $w_i(\cdot)$, and $w'_i(\cdot)$ which lead to the same K^* such that

$$t_i(w_{-i}(\cdot), w_i(\cdot)) > t_i(w_{-i}(\cdot), w'_i(\cdot)).$$

Let $v_i(\cdot) = w'_i(\cdot)$.

Then, $t_i(w_{-i}(\cdot), w_i(\cdot)) + v_i(K^*) > t_i(w_{-i}(\cdot), v_i(\cdot)) + v_i(K^*)$; $v_i(\cdot)$ is not a dominant strategy, a contradiction.

If (ii) fails, there exist $w_{-i}(\cdot)$, $w_i(\cdot)$, and $w'_i(\cdot)$ such that: K^* maximizes $\sum w_{-i}(\cdot) + w_i(\cdot)$ over \mathcal{K} , $K^{*'}$ maximizes $\sum w_{-i}(\cdot) + w'_i(\cdot)$ over \mathcal{K} , and $t_i(w_{-i}(\cdot), w_i(\cdot)) - t_i(w_{-i}(\cdot), w'_i(\cdot)) = \sum w_{-i}(K^*) - \sum w_{-i}(K^{*'}) + \varepsilon$ for some $\varepsilon > 0$.

Let $\tilde{w}'_i(\cdot)$ be defined as

$$\begin{aligned} \tilde{w}'_i(K^*) &= -\sum w_{-i}(K^*), \\ \tilde{w}'_i(K^{*'}) &= -\sum w_{-i}(K^{*'}) + \delta \quad \text{with } 0 < \delta < \varepsilon, \end{aligned}$$

and

$$\tilde{w}'_i(K) = -c \quad \text{for } K \neq K^* \text{ or } K^{*'} \text{ with } c > \max_{K \in \mathcal{K}} \sum w_{-i}(K)$$

where $\tilde{w}'_i(\cdot)$ is upper semi-continuous.

Note that $\max \tilde{w}'_i(K) + \sum w_{-i}(K)$ is solved at $K = K^{*'}$ and, therefore, by the first part of the proof,

$$t_i(w_{-i}(\cdot), w'_i(\cdot)) = t_i(w_{-i}(\cdot), \tilde{w}'_i(\cdot)).$$

We have that

$$\begin{aligned} t_i(w_{-i}(\cdot), w_i(\cdot)) - t_i(w_{-i}(\cdot), \tilde{w}'_i(\cdot)) &= \sum w_{-i}(K^*) - \sum w_{-i}(K^{*'}) + \varepsilon \\ &= -\tilde{w}'_i(K^*) + \tilde{w}'_i(K^{*'}) + \varepsilon - \delta. \end{aligned}$$

Therefore,

$$t_i(w_{-i}(\cdot), w_i(\cdot)) + \tilde{w}'_i(K^*) > t_i(w_{-i}(\cdot), \tilde{w}'_i(\cdot)) + \tilde{w}'_i(K^{*'}).$$

Hence, when $v_i(\cdot) \equiv \tilde{w}'_i(\cdot)$, the announcement of $w_i(\cdot)$ will be superior which contradicts the fact that the mechanism is s.i.i.c. Q.E.D.

COROLLARY 3: *If announced valuation functions are restricted to the class of continuous functions,⁴ the family of Groves mechanisms is identical to the set of all s.i.i.c. direct revelation mechanisms.*

PROOF: It is only required to show that $\tilde{w}'_i(\cdot)$ in the proof of Theorem 3 can be chosen continuous and so that (i) $K^{*'}$ maximizes $\tilde{w}'_i(\cdot) + \sum w_{-i}(\cdot)$ over K , (ii) $\tilde{w}'_i(K^*) = -\sum w_{-i}(K^*)$, and (iii) $\tilde{w}'_i(K^{*'}) = -\sum w_{-i}(K^{*'}) + \delta$.

⁴ The public project under consideration is part of the larger economic system. If individuals recognize this, they may also evaluate various levels of the public project in the light of their predictions about equilibrium prices that would arise in these cases. It is known that the set of equilibria behaves only upper semi-continuously as the parameters are varied; and in this case we can treat the social decision about the public projects as a parameter of the private goods equilibrium. Due to potential discontinuities in the set of equilibria, we may expect corresponding discontinuities in willingnesses to pay for marginal units of the project, even if there are no income effects on the demand for the project itself.

Let $\eta > 0$ be such that $\eta < |K^* - K^{*'}|$ and

$$\begin{aligned}\tilde{w}'_i(K) &= -\sum w_{-i}(K) \quad \text{for } K \notin [K^{*'} - \eta, K^{*'} + \eta], \\ &= -\sum w_{-i}(K) + \delta \left(1 - \frac{|K - K^{*'}|}{\eta} \right) \quad \text{for } K \in [K^{*'} - \eta, K^{*'} + \eta].\end{aligned}$$

By construction $\tilde{w}'_i(\cdot)$ is continuous since $w_j(\cdot)$, $j \neq i$, are continuous and satisfy (ii) and (iii). Moreover, it is easy to see that (i) is also satisfied since we always have

$$\tilde{w}'_i(K) + \sum w_{-i}(K) < \delta \quad \text{for } K \neq K^{*'}.$$
 Q.E.D.

THEOREM 4: *A successful s.i.i.c. normalized revelation mechanism is a normalized Groves mechanism.*

PROOF: Since the revelation mechanism is s.i.i.c. and normalized, agents will answer their true valuation function $v_i(\cdot)$, $i = 1, \dots, N$, by Corollary 2. Since it is successful, we can say that the decision is taken by maximizing the sum of the answers. Therefore it is a direct revelation mechanism. Hence, the result by Theorem 3. Q.E.D.

We now extend the characterization to satisfactory mechanisms.

THEOREM 5: *A satisfactory mechanism (S, f) which satisfies the property of uniqueness of dominant strategies is such that there exist*

$$\psi_i, i = 1, \dots, N, \quad \text{where } \psi_i: S'_i \rightarrow V_i$$

and a-normalized Groves mechanism, $NGM = \{V, g\}$ such that

$$f(s) = g[\psi_1(s_1), \dots, \psi_N(s_N)].$$

PROOF: Let $\mathcal{D}_i(v_i(\cdot))$ be the unique dominant strategy of agent i when the truth is $v_i(\cdot)$, $i = 1, \dots, N$.

From the mechanism (S, f) , we construct a normalized revelation mechanism (V, ϕ) as follows: Let $\phi(w(\cdot)) = f[\mathcal{D}(w(\cdot))]$ for any $w(\cdot) \in V$ where $V = \pi V_i$, the space of u.s.c. normalized valuation functions. The revelation mechanism (V, ϕ) is well-defined since $\mathcal{D}_i(v_i(\cdot))$ is a singleton for $i = 1, \dots, N$.

We want to show that (V, ϕ) is s.i.i.c. Suppose it is not. For some $v_i(\cdot)$, $w_{-i}(\cdot)$, there exists $w_i(\cdot) \neq v_i(\cdot)$ with $\phi(w_{-i}(\cdot), w_i(\cdot))$ preferred by individual i to $\phi(w_{-i}(\cdot), v_i(\cdot))$, i.e., $f[\mathcal{D}_{-i}(w_{-i}(\cdot)), \mathcal{D}_i(w_i(\cdot))]$ preferred to $f[\mathcal{D}_{-i}(w_{-i}(\cdot)), \mathcal{D}_i(v_i(\cdot))]$ where

$$\mathcal{D}_{-i}(w_{-i}(\cdot)) = [\mathcal{D}_1(w_1(\cdot)), \dots, \mathcal{D}_{i-1}(w_{i-1}(\cdot)), \mathcal{D}_{i+1}(w_{i+1}(\cdot)), \dots, \mathcal{D}_N(w_N(\cdot))];$$

therefore,

$$u_i(\mathcal{D}_{-i}(w_{-i}(\cdot)), \mathcal{D}_i(w_i(\cdot)); \{S, f\}) > u_i(\mathcal{D}_{-i}(w_{-i}(\cdot)), \mathcal{D}_i(v_i(\cdot)); \{S, f\})$$

which contradicts the fact that $\mathcal{D}_i(v_i(\cdot))$ is a dominant strategy. Also (V, ϕ) is

successful since it has the same outcomes as (S, f) . Therefore, it is a successful s.i.i.c. normalized revelation mechanism and, consequently, a normalized Groves mechanism from Theorem 4.

Finally, to show that $\mathcal{D}_i^{-1}(\cdot), i = 1, \dots, N$, exist as functions we prove that \mathcal{D}_i is univalent for $i = 1, \dots, N$. Suppose \mathcal{D}_i is not univalent. Then, there exist $v_i(\cdot)$ and $v'_i(\cdot)$ in V_i , with $v_i(\cdot) \neq v'_i(\cdot)$ such that $\mathcal{D}_i(v_i(\cdot)) = \mathcal{D}_i(v'_i(\cdot))$. By definition $v_i(0) = v'_i(0) = 0$, but since $v_i(\cdot) \neq v'_i(\cdot)$, there exists $K \in \mathcal{K}$, different from zero, such that $v_i(K) \neq v'_i(K)$.

Without loss of generality, let K^* be such that

$$v_i(K^*) - v'_i(K^*) = \varepsilon.$$

Let $A = \sup [\sup_{K \in \mathcal{K}} v_i(K), \sup_{K \in \mathcal{K}} v'_i(K)]$.

We can choose $v_{-i}(\cdot)$ such that:

$$\sum v_{-i}(K^*) = -v'_i(K^*) - \frac{\varepsilon}{2},$$

$$\sum v_{-i}(0) = 0, \quad \text{and}$$

$$\sum v_{-i}(K) = -A - \varepsilon.$$

Then, clearly,

$$\sum v_{-i}(K^*) + v_i(K^*) > \sum v_{-i}(K) + v_i(K) \quad \forall K \in \mathcal{K}, \quad K \neq K^*,$$

and

$$\sum v_{-i}(0) + v'_i(0) > \sum v_{-i}(K) + v'_i(K) \quad \forall K \in \mathcal{K}, \quad K \neq 0.$$

Therefore, we are able to construct $(v_i(\cdot))$ such that $[v_{-i}(\cdot), v_i(\cdot)]$ and $[v_{-i}(\cdot), v'_i(\cdot)]$ should lead to different decisions under the Pareto criterion, and they do not, contradicting the successfulness of (V, ϕ) .

Therefore, $\mathcal{D}_i(\cdot)$ is univalent for $i = 1, \dots, N$. If we define $\psi_i = \mathcal{D}_i^{-1}(\cdot)$ from S'_i into V_i , then,

$$g[\psi_1(s_1), \dots, \psi_N(s_N)] = f[\mathcal{D}_1 \cdot \mathcal{D}_1^{-1}(s_1), \dots, \mathcal{D}_N \cdot \mathcal{D}_N^{-1}(s_N)] = f(s).$$

Q.E.D.

If the assumption of uniqueness in Theorem 5 is left out, it is only possible to obtain a weaker characterization. Indeed, consider the following example.

Let $\mathcal{K} = \{0, 1\}, S_i = R^2, s_i = (s_{i1}, s_{i2}), i = 1, \dots, N$, and define the mechanism as follows:

$$d(s) = 1 \quad \text{if} \quad \sum s_{i1} \geq 0,$$

$$= 0 \quad \text{if} \quad \sum s_{i1} < 0,$$

$$t_i(s) = \sum s_{-i1} + \sum s_{-i2} \quad \text{if} \quad d(s) = 1,$$

$$= \sum s_{-i2} \quad \text{if} \quad d(s) = 0, \quad \text{for} \quad i = 1, \dots, N.$$

Then, the set of dominant strategies is:

$$\mathcal{D}_i(v_i(\cdot)) = \{(s_{i1}, s_{i2}) \in R^2 | s_{i1} = v_i(1)\}.$$

Therefore, this mechanism cannot be expressed as $g[\psi(s)]$ for any Groves mechanism since $t_i(s), i = 1, \dots, N$ are not constant over $\Pi_{i=1}^N \mathcal{D}_i(v_i(\cdot))$.

However, all satisfactory mechanisms can be shown to be isomorphic to extended Groves mechanisms.

THEOREM 6: *Let (S, f) be a satisfactory mechanism. Then, there exist functions ψ_i from S'_i into $V_i, i = 1, \dots, N$, and an extended normalized Groves mechanism (V, G) such that:*

$$\bigcup_{s' \in S(s)} f(s') = G[\psi_1(s_1), \dots, \psi_N(s_N)]$$

where $S(s) = \{s' | s \text{ and } s' \text{ belong to the same } \mathcal{D}(w(\cdot))\}$.

PROOF: It is a matter of routine to check that Theorem 2, Theorem 3, and Theorem 4 are true for extended (direct) revelation mechanisms. The proof then follows the lines of the proof of Theorem 5 with some differences noted below. Now, $\mathcal{D}_i(v_i(\cdot))$ is the set of dominant strategies of agent i when the truth is $v_i(\cdot), i = 1, \dots, N$. We construct an extended normalized revelation mechanism as follows. Let V_i be the set of normalized u.s.c. valuation functions and let

$$\Phi(w(\cdot)) = f[\mathcal{D}(w(\cdot))] \quad \forall w(\cdot) \in V.$$

Φ is now a correspondence with two properties: $s^1 \in \mathcal{D}(v(\cdot))$ and $s^2 \in \mathcal{D}(v(\cdot))$ implies that both $d(s^1)$ and $d(s^2)$ maximize $\Sigma v_i(\cdot)$, otherwise the mechanisms would not be successful.

Also, $v_i(d(s^1)) + T_i(s^1) = v_i(d(s^2)) + T_i(s^2)$.

Otherwise there would exist $t_i(\cdot) \in T_i(\cdot)$ such that, without loss of generality:

$$v_i(d(s^1)) + t_i(s^1) > v_i(d(s^2)) + t_i(s^2)$$

and then s_i^2 would not be a dominant strategy for agent i .

As in Theorem 5, it is shown that (V, Φ) is s.i.i.c. By Theorem 4, (V, Φ) is then an extended normalized Groves mechanism.

Now, if $v_i(\cdot) \neq v'_i(\cdot)$ then $\mathcal{D}_i(v_i(\cdot)) \cap \mathcal{D}_i(v'_i(\cdot)) = \emptyset$. Suppose, on the contrary, that there exists $s_i \in \mathcal{D}_i(v_i(\cdot)) \cap \mathcal{D}_i(v'_i(\cdot))$. Then, $v_i(\cdot)$ and $v'_i(\cdot)$ may lead to the same project K^* . As in Theorem 5, we can choose $\Sigma w_{-i}(\cdot)$ such that $v_i(\cdot)$ and $v'_i(\cdot)$ should lead to different projects, contradicting the successfulness of (V, Φ) .

It is therefore possible to define the function $\psi_i(\cdot) = \mathcal{D}_i^{-1}(\cdot), i = 1, \dots, N$, which is such that: $\mathcal{D}_i \cdot \mathcal{D}_i^{-1}(s_i) = S_i(s_i) = \{s'_i | s_i \text{ and } s'_i \text{ belong to the same } \mathcal{D}_i(v_i(\cdot))\}$. Then,

$$\Phi[\psi_1(s_1), \dots, \psi_N(s_N)] = f[\mathcal{D}_1 \cdot \mathcal{D}_1^{-1}(s_1), \dots, \mathcal{D}_N \cdot \mathcal{D}_N^{-1}(s_N)]$$

$$= \bigcup_{s' \in S(s)} f(s').$$

Q.E.D.

*Harvard University
and
Ecole Polytechnique*

APPENDIX

We show the non-existence of successful s.i.i.c. direct revelation mechanisms for the fixed-size unique public project case when preferences are not separable. Now, in defining normalized revelation mechanisms, the question is: What is your utility function normalized in such a way that the utility of "no project and transfer t " equals the transfer t . For a separable utility function we had:

$$u_i(0, t_i) = t_i,$$

$$u_i(1, t_i) = t_i + v_i, \quad v_i \in \mathbf{R}.$$

An example of a nonseparable normalized utility function is:

$$u_i(0, t_i) = t_i,$$

$$u_i(1, t_i) = t_i + v_i(t_i), \quad v_i(\cdot) \text{ u.s.c. on } \mathbf{R}.$$

For the separable case, the evaluation of the project is a constant; it is a function of the transfer for the nonseparable case.

Finally, when utility functions are nonseparable, we must change slightly the notions of successfulness and incentive compatibility. We say that a DRM is *successful* if for any transfer program (t_1, \dots, t_N) , $f(w(\cdot))$ maximizes $\sum_{i=1}^N u_i(w(\cdot); DRM)$. We say that an RM is *s.i.i.c.* if the true normalized utility function is a dominant strategy. We can now formulate the following theorem:

THEOREM 7: *If the space of allowable evaluations of the project includes all constant functions (of the transfer), and the step functions with values a and b , $b > a$, for transfers above and below the level x , then there exists no successful normalized s.i.i.c. revelation mechanism.*

PROOF: We prove the theorem by providing a counterexample. Consider the following two agents: Agent 1 is such that

$$u_1(0, t_1) = t_1,$$

$$u_1(1, t_1) = t_1 + c.$$

He has a separable utility function. Agent 2 is such that

$$u_2(0, t_2) = t_2,$$

$$u_2(1, t_2) = t_2 + a \quad \text{if } t_2 < x,$$

$$= t_2 + b \quad \text{if } t_2 \geq x, \quad \text{with } a < b.$$

Agent 2's evaluation of the project increases when the transfer he receives reaches a threshold value. Here the DRM associates to a value (c, a, b, x) a vector $(d, t_1, t_2) \in \{0, 1\} \times \mathbf{R} \times \mathbf{R}$, where d is the decision and (t_1, t_2) the transfers received.

Let us consider a particular combination (a, b, c) which remains fixed for the rest of the argument and such that: $a + c < 0$, $b + c > 0$, $c < 0$, and let x vary.

Successfulness means here that

$$\text{if } t_2 < x \text{ then } d = 0 \text{ since } a + c < 0, \text{ and}$$

$$\text{if } t_2 \geq x \text{ then } d = 1 \text{ since } b + c > 0.$$

We prove that there exists no successful s.i.i.c. DRM by contradiction in a sequence of lemmata.

LEMMA 1: *It is not true that the project is accepted for all x .*

PROOF: Whenever the project is accepted $t_2 > x$ by successfulness. Then, there would be an incentive to set x high to force a high t_2 (since $u_2(1, t_2)$ is increasing in t_2), contradicting s.i.i.c.

Q.E.D.

LEMMA 2: *It is not true that the project is rejected for all x .*

PROOF: If so, the transfer to Agent 2 would be given by a function $t_2(x)$ which would be everywhere below x . Clearly, no constant function has this property. Let x' and x'' be such that $t_2(x') < t_2(x'')$; then if the true tastes are at x' , the individual has an incentive to use x'' instead (since $u_2(0, t_2)$ is increasing in t_2).

Q.E.D.

Let X be the set of x that lead to acceptance and X' be the complement of that set.

LEMMA 3: *The transfers to Individual 2 must be constant on X and X' .*

PROOF: If not (say on X), then if the true $x_0 \in X$ were associated with a lower transfer than some other $x_1 \in X$, the statement x_1 would be better than x_0 since the transfer would be higher and, since $u_2(1, t_2)$ is increasing in t_2 , contradicting s.i.i.c.

In the case of X' the same argument holds.

Q.E.D.

Take $x \in X$ and $x' \in X'$.

LEMMA 4: $t_2(x) = t_2(x') + c$.

PROOF: First, let us compare the transfer with the statement (a, b, x) to the transfer with the constant statement e , such that $e \geq -c$. These transfers must be equal for, if they were higher at (a, b, x) , then (a, b, x) would be answered instead of e when e was true, and vice versa (since $u_2(1, t_2)$ is increasing).

By a similar argument, we note that the transfer at (a, b, x') must equal that at constant statements e' such that $e' < -c$.

Then, by Theorem 2 and Lemma 1 (Section 2), we know that transfer at $e \geq -c$ is equal to that at $e' < -c$ plus c .

Q.E.D.

We are now in a position to prove Theorem 7.

PROOF OF THEOREM 7: By the above lemmata, we know that there exists a number \bar{t} such that the transfer to Agent 2 throughout the region X is $\bar{t} + c$ and the project is accepted, and throughout X' it is \bar{t} and the project is rejected. Moreover, since $c < 0$, $\bar{t} + c < \bar{t}$. Since the mechanism is successful, $x \in X$ implies that $x \leq \bar{t} + c$ for if $x > \bar{t} + c$, then the preferences at $\bar{t} + c$ would lead to rejection rather than acceptance. Likewise, $x' \in X'$ implies $x' > \bar{t}$.

Therefore, letting $\bar{x} \in (\bar{t} + c, \bar{t})$, we obtain a contradiction to either $\bar{x} \in X$ or $\bar{x} \in X'$, and hence we contradict the fact that the mechanism produces a well-defined outcome.

Q.E.D.

REMARK: It is clear from the above proof that the constancy of the evaluations on the sets $\{t/t \geq x\}$ and $\{t/t < x\}$ is not necessary to obtain the counterexample. The crucial feature is that $u_2(1, t_2) = t_2 + v_2(t_2)$ is increasing in t_2 .

COROLLARY 4: *Under the conditions of Theorem 7, there exists no satisfactory mechanism.*

PROOF: Note first that from an extended normalized revelation mechanism one can always select a normalized revelation mechanism. Suppose, then, that there exists a satisfactory mechanism. From the first part of Theorem 6 and the above remark, there exists a normalized successful s.i.i.c. revelation mechanism, a contradiction in view of Theorem 7.

REFERENCES

- [1] CLARKE, E. H.: "Multipart Pricing of Public Goods," *Public Choice*, 8 (1971), 19-33.
- [2] GIBBARD, A.: "Manipulation of Voting Schemes: A General Result," *Econometrica*, 41 (1973), 587-602.
- [3] GROVES, T.: "Incentives in Teams," *Econometrica*, 41 (1973), 617-631.
- [4] ———: "Information, Incentives and the Internalization of Production Externalities," Discussion Paper No. 87, The Center for Mathematical Studies in Economics and Management Science, Northwestern University, 1974.
- [5] GROVES, T., AND M. LOEB: "Incentives and Public Inputs," *Journal of Public Economics*, 4 (1975), 211-226.
- [6] SATTERTHWAITTE, M. A.: "Strategy-Proofness and Arrow's Conditions: Existence and Correspondence Theorems for Voting Procedures and Social Welfare Functions," *Journal of Economic Theory*, 10 (1975), 187-217.
- [7] VICKREY, W.: "Counterspeculation, Auctions and Competitive Sealed Tenders," *Journal of Finance*, 16 (1961), 8-37.

LINKED CITATIONS

- Page 1 of 2 -



You have printed the following article:

Characterization of Satisfactory Mechanisms for the Revelation of Preferences for Public Goods

Jerry Green; Jean-Jacques Laffont

Econometrica, Vol. 45, No. 2. (Mar., 1977), pp. 427-438.

Stable URL:

<http://links.jstor.org/sici?sici=0012-9682%28197703%2945%3A2%3C427%3ACOSMFT%3E2.0.CO%3B2-Q>

This article references the following linked citations. If you are trying to access articles from an off-campus location, you may be required to first logon via your library web site to access JSTOR. Please visit your library's website or contact a librarian to learn about options for remote access to JSTOR.

[Footnotes]

³ **Counterspeculation, Auctions, and Competitive Sealed Tenders**

William Vickrey

The Journal of Finance, Vol. 16, No. 1. (Mar., 1961), pp. 8-37.

Stable URL:

<http://links.jstor.org/sici?sici=0022-1082%28196103%2916%3A1%3C8%3ACAACT%3E2.0.CO%3B2-L>

References

² **Manipulation of Voting Schemes: A General Result**

Allan Gibbard

Econometrica, Vol. 41, No. 4. (Jul., 1973), pp. 587-601.

Stable URL:

<http://links.jstor.org/sici?sici=0012-9682%28197307%2941%3A4%3C587%3AMOVSA%3E2.0.CO%3B2-M>

³ **Incentives in Teams**

Theodore Groves

Econometrica, Vol. 41, No. 4. (Jul., 1973), pp. 617-631.

Stable URL:

<http://links.jstor.org/sici?sici=0012-9682%28197307%2941%3A4%3C617%3AIIIT%3E2.0.CO%3B2-E>

NOTE: *The reference numbering from the original has been maintained in this citation list.*

LINKED CITATIONS

- Page 2 of 2 -



⁷ Counterspeculation, Auctions, and Competitive Sealed Tenders

William Vickrey

The Journal of Finance, Vol. 16, No. 1. (Mar., 1961), pp. 8-37.

Stable URL:

<http://links.jstor.org/sici?sici=0022-1082%28196103%2916%3A1%3C8%3ACAAACST%3E2.0.CO%3B2-L>