

Complex System Classification

C. L. Magee¹

Massachusetts Institute of Technology
Room E60-275
77 Massachusetts Avenue
Cambridge, MA 02139

O. L. de Weck²

Massachusetts Institute of Technology
Room 33-410
77 Massachusetts Avenue
Cambridge, MA 02139

Fourteenth Annual International Symposium of the
International Council On Systems Engineering (INCOSE)
20 June – 24 June 2004

Abstract

The use of terms such as “Engineering Systems”, “System of systems” and others have been coming into greater use over the past decade to denote systems of importance but with implied higher complexity than for the term systems alone. This paper searches for a useful taxonomy or classification scheme for complex Systems. There are two aspects to this problem: 1) distinguishing between Engineering Systems (the term we use) and other Systems, and 2) differentiating among Engineering Systems. Engineering Systems are found to be differentiated from other complex systems by being human-designed and having *both* significant human complexity as well as significant technical complexity. As far as differentiating among various engineering systems, it is suggested that functional type is the most useful attribute for classification differentiation. Information, energy, value and mass acted upon by various processes are the foundation concepts underlying the technical types.

Introduction

There are three inter-related reasons for attempting a classification study of complex systems. First, academic activity indicates interest in forming a field of study and by analogy with other fields, a classification framework has often been a major step forward, and a significant accelerator of development of the field. Second, the development of a framework for classification of complex systems may help delineate the “intellectual boundaries” of engineering systems. The differentiation of ES from other complex systems is most important to fulfill this purpose. Such delineation is significant academically to differentiate Systems (or Engineering Systems) from traditional engineering departments, business schools and other areas while recognizing that such boundaries will be open and blurred as are those defining other fields. The third, and perhaps most important, reason for attempting to classify complex systems is to contribute to the engineering and design of such systems. Achievement of this goal could be facilitated by differentiation between different classes of ES. As the modern world relentlessly evolves towards a highly interactive and interdependent complex set of complex systems, improvement of the ability to design such systems is becoming crucial.

¹ Professor of the Practice, Engineering Systems Division and Mechanical Engineering, Center for Innovation in Product Development

² Assistant Professor, Engineering Systems Division, Department of Aeronautics and Astronautics

The results and discussion in this paper are derived from an earlier report (Magee, de Weck 2002) that was part of an effort at MIT to begin to develop the intellectual boundaries of the field of engineering systems. As part of the useful background for this paper, the working definitions used at MIT for *engineering system*, *complex system*, and *system* are as follows (Engineering Systems Division, MIT 2002):


Engineering System: a system designed by humans having some purpose; large scale and complex engineering systems which are of interest to the Engineering Systems Division, will have a management or social dimension as well as a technical one.

Complex System: a system with numerous components and interconnections, interactions or interdependencies that are difficult to describe, understand, predict, manage, design, and/or change.

System: a set of interacting components having well-defined (although possibly poorly understood) behavior or purpose; the concept is subjective in that what is a system to one person may not appear to be a system to another.

Approach

The first step in this study was to develop a “test bed” list of complex systems. The second step was to use the list to assess the utility of prior classification frameworks, and then to extend them and develop new ones. Figure 1 shows schematically the overall approach.



In order to explore promising classification schemes for Engineering Systems, a top-down and a bottom-up strategy were simultaneously pursued. The top-down strategy

consisted of surveying past suggestions for a classification of complex Engineering Systems, generically considering the attributes of Engineering Systems and the kinds of processes that they are involved in, as well as suggesting a meaningful classification scheme based on systems theory. The bottom-up approach consists of qualitatively and quantitatively assessing a wide variety of system attributes for each entry in the test bed list of Engineering Systems to learn about the systems.

A set of criteria for determining whether a given classification framework is useful has been developed in order to evaluate possible classification frameworks. The first criterion is that the framework be able to differentiate among systems on our list and separate them into distinct groupings. In addition, *valuable* classification schemes would help by defining categories where different engineering methods and approaches are most useful. A useful framework would also possibly help define potential fundamental issues and principles of importance in various categories suggested by the framework. Finally, a useful scheme might suggest the most viable modeling and representation techniques to apply in different categories.

Selected Specific Engineering Systems

The need for a “test bed” set of engineering systems led first to finding (not surprisingly) that no list was known. Since the approach described in the previous section involves actual “bottom-up” observation of engineering systems (as well as application of “top-down” theory and speculation), *specific* instances of engineering systems are required. In this regard, the prior argument of Miller (Miller, 1986) that *concrete examples* of complex systems are necessary in order to support the development of quantitative approaches is also relevant. Such a specific list culled from an earlier and longer list (Magee and de Weck, 2002) is given in Table I which also contains specific complex systems judged not to be Engineering Systems. Focus on specific instances sharpened the decision process on inclusion whereas generic concepts are suggestions for a possible category in a classification framework.

Table 1. Engineering Systems Distinguished From Other Systems

<p style="text-align: center;">Complex Systems Considered Engineering Systems</p> <p style="text-align: center;">ES</p>	<p style="text-align: center;">Other Complex Systems</p> <p>Legend: N = Natural Systems T = Insufficient Technical Complexity H = Insufficient Human Complexity</p>
<ul style="list-style-type: none"> • Airbus 318-321 Airplane Family System • AT&T Telecommunication Network • Automotive Products and Plants of Toyota Motor Company System • Big Dig (central Artery Project, Boston) • Boeing Supply Chain System • Boeing-777 Aircraft System • China's Three-Gorge Dam • Chinese "People" Air Transport System (PRC) 	<ul style="list-style-type: none"> • AIDS activist health care system/ prevention system (T) • Amazon basin ecosystem (N) • Atomic Energy Commission (?) • Andromeda galaxy (N) • Ant Colony (N) • Arms Control Negotiation and Treaty System(T,) • ASME JOURNALS Academic peer review system (T)

<p style="text-align: center;">Complex Systems Considered Engineering Systems</p> <p style="text-align: center;">ES</p>	<p style="text-align: center;">Other Complex Systems</p> <p>Legend: N = Natural Systems T = Insufficient Technical Complexity H = Insufficient Human Complexity</p>
<ul style="list-style-type: none"> • CNN Global News Gathering and Distribution System • Department of Defense Acquisition System • European Union Roadway System • Exxon Mobil Enterprise Resource Planning (ERP) System • FAA/IATA Certification System • Federal Express (or UPS) North American Package Delivery System • Exxon Mobil Fossil Fuel Drilling, Refining and Distribution System • GE Polycarbonate Manufacturing and Distribution System • General Motors (GM) Supply Chain • Global Air Traffic Control System • Global Freight Transportation System • Global Internet • Global Satellite Launching System • Global Wireless Communication System • Health Care System of France • Hudson River Watershed Water Supply System • Human genome project • Intel Pentium V System • International Banking and Monetary Transfer System • Java Software System • JSF System (Joint Strike Fighter) • Linux/UNIX Operating System • Mexico City Transportation System • Microsoft Corporation Knowledge Management System • Military Air Transport System • New York City Subway System • Pilgrim Nuclear Power Plant, Plymouth, MA • Pratt and Whitney Gas Turbine Family System • Synchrotron (Quantum Physics Experimental System) • Tokyo Metropolitan Area • U.S. Aerospace Industry • U.S. Agricultural Food Production and Distribution System • U.S. Aluminum production and recycling system • U.S. Government Environmental Regulatory System • U.S. Power Grid System • Xerox Family of Photocopiers System 	<ul style="list-style-type: none"> • Atmosphere / Global weather system (N) • Boeing 777 as a system • Boston City Police (T,) • Boston Public Library (T) • Central Nervous System (N) • Earth Climate System(N) • Ebay trading system (T) • Embryonic Stem Cell (N) • Federal Reserve System (T,) • Fruit Fly (N) • Elephant (N) • General Electric Dispute Resolution System (T) • German political system (T) • GRE (Graduate Record Examination) System (T) • Human (homo sapiens) (N) • Human Brain (N) • Intel Pentium V as a system • International Police (Interpol) (T,) • Kidney/Urinary Tract System (N) • Microorganism (Bacterium) (N) • Milky Way (N) • MIT Engineering Systems Learning Center (T) • Name Tracking of Terrorism Attack Casualties (T,H) • NASA Deep Space Network (DSN)(H) • NASDAQ Trading System (T) • NBA (NFL, NHL, MLB) sports system (T) • Olympic Competition System (T) • Planet Earth, Planet Mars (N) • Rain Forest system(N) • Reuters News Agency(T) • Salt Lake City 2002 Olympic Games (T) • Sunday River Ski Resort (T) • Solar System (N) • Stanley Electro-Mechanical Drill (T,H) • System International (SI system of units) (T) • Tribal hunting village economic system(T) • United Nations System (T) • Universe (N) • Virus (N) • Volkswagen New Beetle System (T,P) • Whale communications system (N) • Wolf Pack (N) • Wright Brothers Wind Tunnel (MIT Aero-Astro) (T,H)

As shown in Table 1 above, systems not designed by humans are labeled “natural,” and are not included in the ES list—the first sorting principle. However, some of these systems are interesting for comparison in “bottom-up” observations as they may give valuable insight to different categories and strategies for Engineering Systems. In addition, a number of the specific Engineering Systems included in the list incorporate natural “components or subsystems”.

The second and third sorting principles demonstrated in Table I are the technical complexity and human complexity (management or social dimension) of the system. For each instance to be specific enough to examine these points, the system boundaries must be defined. In general for this list, all software, artifacts, natural “components”, processes, *personnel and organizations* involved in delivering the product, purpose or service of the system is included. In entries listed “as a system” (e.g., the Boeing 777 example), the named systems only include the software, hardware, and procedures used in the actual product. For many of these same items, if one includes the development teams that design the product and/or the manufacturing systems that make it, the entries would move from the right hand column to left hand one in Table I. This is demonstrated by the two different entries for the Intel Pentium V. The “Intel Pentium V System” includes the development Organizations and Manufacturing Plants, personnel, and processes as “components” whereas the “Intel Pentium V as a system” does not.

Many systems are unambiguously separated into Engineering Systems or “other interesting Systems” using this framework. The entries in the ES list typically contain many thousands of non-repeating artifact, process or algorithm components as well as several multi-level human organizations as “components”. Many of the entries in the Other Interesting Systems list are not human designed and the remainder typically has either very low technical or organizational/social complexity.

It is also now possible to recognize areas where this differentiation is controversial. A single airplane with a pilot is not an engineering system by this framework because of the lack of the organizational or social component/complexity. However, with a very complex airplane many may disagree. Similarly, we assume that *use* of a complex technical system (such as information systems, weapon systems etc.) without an organizational responsibility for *development or production of the system* does not impart sufficient technical complexity to consider complex systems such as an Air Force Command System or the Boston Public Library to be engineering systems. Thus, one could make a third list in addition to the binary pair shown in Table 1 with the third category containing controversial systems. However, such considerations are not further addressed here as they do not affect the further use of the test bed for the purposes of the remainder of this paper. An important point, however, is to recognize that a system can always be viewed as a subsystem from a higher level so that most of the examples in Table 1 can be further expanded or contracted but in keeping with the spirit of this paper remain engineering systems *only if* sufficient technical and social complexity is retained in a system created by human activity.

Classification Frameworks

Top-Down Frameworks

In this section, the “test bed”—the ES systems list presented in Table 1— is used to assess various classification frameworks using the criteria outlined previously. The frameworks of potential interest come largely from past work generally starting with the General Systems Theory ideas of the 1950’s (W. Ashby 1963), (Bertalanffy 1968), (Boulding 1953, 1956, 1956a), (Hubka, Eder 1988), (Froncois 1997).

The first system classification scheme is due to Bertalanffy (Bertalanffy 1968) who extended Boulding’s work (Boulding 1953, 1956, 1956a). These frameworks were suggested as part of their efforts on “General System Theories” in the 1950’s. The list as presented by Bertalanffy had a strong orientation towards his discipline of biology, and is summarized in the left side of Table 2 below. Miller (Miller, 1986) later described various levels of living systems and this is shown on the right hand side of Table 2.

Table 2. Some Early Classification of Systems

Bertalanffy 1968	Miller 1986
Static Structures	Cells
Clock Works	Organs
Control Mechanisms	Organisms
Open Systems	Group
Lower Organisms	Organization
Animals	Society
Man	Supra-national System
Socio-cultural Systems	
Symbolic Systems	

In each of these lists, each successive item increases in complexity, and to some degree incorporates the preceding entries. In addition, Bertalanffy suggests the “theories and models” useful in each level of his hierarchy. Although this is the kind of utility desired, both of these frameworks fail the first criterion as they do not differentiate among the systems of interest. All of the “test bed systems” are similar combinations of the last three levels in both hierarchies and then only if we assume complex human-designed systems are included in these categories.

A second early framework was proposed by Paynter (Paynter 1960) where he considered four system types:

1. Services and utilities—water supply, electric power generation, communication
2. Structures—buildings, houses, bridges
3. Instruments—clocks, computers
4. Vehicles—submarines, aircraft, spacecraft, ships, automobiles

It is clear from this that Paynter was interested in a very broad range of systems. Although some of the systems listed in Table I can be fit into his scheme, most are poorly described by the categories and most are simultaneously in two or more of the categories. Moreover, inclusion of manufacturing systems, product development systems and markets in Table I (sometimes as “components”) indicates—not surprisingly—that Paynter was also not considering Engineering Systems as broadly as defined here.

A third more fully developed approach from within the European Systems Engineering tradition is due to V. Hubka (Hubka, Eder 1988). Hubka considers a variety of possible bases for classification including function, branch of the economy, type of operand, physical principles of importance, product use, production method, materials, etc. Figure 2 shows Hubka’s overall depiction of Technical Processes, the environment and the human along with the “Technical System”. *All of his classification discussion focuses on the Technical System.* This framework therefore also fails our first criterion as it does not differentiate among or really address our systems of interest—all have significant interwoven technical and *human/social* complexity.




Figure 2. Hubka’s depiction of a complex Technical System (ΣTS) as interacting with a technical process (TP) which turns inputs ($\Sigma Od1$) into outputs ($\Sigma Od2$). The environment (ΣEnv) and humans (ΣHu) are not integrated with the Technical System and the Technical Process (Hubka, Eder 1988) signifying an approach not consistent with engineering systems as defined in this paper.

Bottom Up Analysis

In summary, prior classification schemes did not consider ES by the definition in this paper and also fail to usefully separate them from one another. Nonetheless, many prior suggestions of attributes of systems can be used to examine (bottom-up) if these attributes can be a basis for useful characterization and classification.

The attributes considered are shown in Table 3, along with the literature sources suggesting the importance of the attribute. The third column in the table gives the basis for the qualitative assessment used in characterizing the test bed list. These are further defined in the legend starting below Table 3 which incorporates Tables 4–8.

Table 3. System Attributes of Potential Use in Qualitative Assessment of the ES Testbed List

Attributes	Reference(s)	Specific Qualitative Scale
Degree of Complexity	(Hubka, Eder 1988), (Haberfellner et al. 1992) (Pahl, Beitz 1996)	See Table 4
Branch of Economy	(Hubka, Eder 1988)	See Table 5
Realm of Existence	(Haberfellner et al. 1992)	Real vs. virtual
Boundary	(Haberfellner et al. 1992), (Bertalanffy 1968), (Boulding 1953)	Open vs. Closed
Origin	(Haberfellner et al. 1992), (Bertalanffy 1968), (Boulding 1953)	Natural vs. Artificial
Time Dependence	(Haberfellner et al. 1992), (Bertalanffy 1968), (Boulding 1953)	Static vs. Dynamic
System States	(Haberfellner et al. 1992)	Continuous, discrete and hybrid
Human/Control	(W. Ashby 1963)	Autonomous/human in the loop/mixed
Human Wants	This study	See Table 6
Ownership	This study	See Table 7
Functional Type	(Hubka, Eder 1988), (Pahl, Beitz 1996), (van Wyk 1984, 1988, 1988a)	See Table 8

Legend for Table 3:

Degree of Complexity: Complexity is related to the amount of information needed to describe the system (Kolmogorov, 1983) and is also a function of the number of (unique) elements in the system as well as the number and nature of their interconnections. Table 4 shows the specific comparator adopted here. By this measuring scale, all ES in the test bed list turn out to be at the highest complexity (level IV) which confirms that our list as intended addresses complex systems.

Table 4. Technical Systems Classified by Degree of Complexity
(from Theory of Technical Systems) (Hubka, Eder 1988):

Level of Complexity	Technical System	Characteristics	Examples
I (simplest)	Part, Component	Elementary system produced without assembly operations	Bolt, bearing sleeve, spring, washer
II	Group, mechanism, Sub-assembly	Simple system that can fulfill some higher functions	Gear box, hydraulic drive, spindle head, brake unit, shaft coupling
III	Machine, Apparatus, Device	System that consists of sub-assemblies and parts that perform a closed function	Lathe, motor vehicle, electric motor
IV	Plant, Equipment, Complex machine unit	Complicated system that fulfills a number of functions and that consists of machines, groups and parts that constitute a functional and spatial unity	Hardening plant, machining transfer line, factory equipment

Branch of Economy: what part of the economic system does the ES belong to?
Table 5 shows the breakdown adopted here.

Table 5. Branch of Economy attribute defined by Examples of Technical Systems (from Theory of Technical Systems) (Hubka, Eder 1988):

Branch of Economy	Technical System TS	
	Equipment for	Typical Machine
Mining	Accessing Delivering Preparing	Cutting machine Conveyor Screening machine
Energy generation	Steam raising Electric generating	Steam boiler Water conditioner Steam turbine Gas turbine Water turbine Generator
Smelting	Pig iron smelting Steel smelting	Blast furnace Bessemer converter LD oxygen processor Rolling mill
Chemical industry	Coal scrubbing Color producing Explosives producing	Pressure vessel Piping Distillation column
Metalworking industry	Chipless-forming Chip-forming Heat treatment Foundry Assembly	Press Forging hammer Machine tool Furnace Forming machine Jigs and fixtures
Constructional industry	Oil exploration Building Roadworks Hydro-construction Materials manufacture	Drill rig Personnel lift Scraper Concrete mixer Block press
Transportation	Railway Shipping Space travel	Locomotive Wagon Passenger liner Rocket
Textile Industry	Textile manufacture Dressmaking	Spinning machine Weaving loom Sewing machine
Food Industry	Sugar refining Cheese production Milk processing	Concentrator Press Centrifuge
Medicine	Diagnosis Therapy	X-ray apparatus Artificial heart Prosthesis
Printing, offices	Printing Office work	Printing machine Typewriter Calculator
Agriculture	Transporting Harvesting Lumbering	Tractor Combine Chain saw
Distribution, trade	Self-service Packing	Check-out Wrapping machine

Realm of Existence: is the system only present in “thought” or does it manifest itself in the physical world, i.e. in some way connected to matter or energy? (*All of the test bed list of ES are real, i.e., have physical aspects.*)

Origin: is the system naturally occurring without human intervention or is its existence the result of a deliberate or accidental process involving human design and implementation? (*All ES are artificial, that is, involve human intervention.*)

Boundary: is there any exchange of matter, energy, or information across the system boundary? (*All ES are open.*)

Time Dependence: is the system time invariant, i.e. do any of the system’s states change with time or do any of the system’s properties change with time? The system is time varying if some system properties or system elements or interrelationships change over time³. (*All ES are dynamic.*)

System States: are the system states continuous (e.g. temperature) or are they discrete (e.g. “on” or “off”) or a mix of both (hybrid)? Few system modeling techniques are good for hybrid systems, usually one finds techniques for dealing with continuous systems or finite state machines (“automata”). (*All ES are hybrid.*)

Human Involvement/System Control: some systems require constant involvement of a human operator, autonomous systems do not need human operators or guidance during operations, mixed systems have elements at least partially controlled by humans and autonomous elements. (*All ES are mixed.*)

Human Wants: On the highest level, the purpose of all engineering is to fulfill human wants so all engineering systems have been designed (over a complex series of designs and redesign that resemble evolution) to fulfill human wants. The system attribute associated with this is defined by the Human Wants categories shown in Table 6.

Table 6. Categories of Human Wants

Shelter
Food
Transportation
Communication
Security
Longevity and health
Entertainment
Aesthetic pleasure
Education
Social, Emotional, Spiritual & Curiosity

³ For example in a mathematical linear state space system the system dynamics are represented as $\dot{q} = Aq + Bu$ and $y = Cq + Du$, where q is the state vector. The system is considered time-invariant as long as the entries in the matrices A, B, C, D are constant.

Ownership: a further attribute of the Engineering Systems in Table 1 is the ownership or control of the specific system in question. This attribute is given in Table 7, where six classes of ownership/control are defined.

Table 7. Ownership/Control Attribute of Engineering Systems

SFP: Single, private, for-profit ownership and control of the system
MFP: Multiple, private, for-profit entities in control
SNFP: Single, not-for-profit controller
MNFP Multiple not-for-profit control
GOV: Governmental control
COMB: Complex combinations of 1 through 5

Functional Type: a potentially important classification scheme is due to Pahl and Beitz (Pahl, Beitz 1996), Hubka (Hubka, Eder 1988) and van Wyk (van Wyk 1984,1988,1988a). An example of classification by functional types due to van Wyk is shown below in Table 8. It is a three-by-three matrix consisting of 3 outputs (or operands) and three “types” of manipulators.

Table 8. van Wyk’s Table of Functional Types

Output	Type of Manipulator		
	Processor (1)	Transporter (2)	Store (3)
Matter (M)	Cement kiln	Truck	Silo
Energy (E)	Power plant	Copper cable	Battery
Information (I)	Computer	Optic fiber	Compact disk

From the analysis just completed, seven of the eleven attributes in Table 3 are useful in the *characterization* of ES (differentiation from other systems) but not in *classification* (differentiation among ES). All ES are ***complex, real, open, artificial, dynamic, hybrid (system states are both continuous and discrete) and have mixed control (have both autonomous and human-in-the-loop elements or subsystems)***. It is suggested that these characteristics can serve to strengthen our definition and understanding of Engineering Systems.

From the same analysis, there remain 4 attributes which differ among the ES in Table 1 and these will be explored individually starting in the next paragraph. However, it is important to recognize that all four attributes (Human Wants, Functional Type, Economy Branch and ownership) essentially involve external descriptors of the systems rather than internal differentiators. The possible internal differentiators such as complexity and system states are –at least in the metrics used here- indistinguishable. This largely arises because of the current limitations in quantifying such *internal* variables for specific ES (see Magee and de Weck, 2002 for preliminary attempts) and may also arise due to the recursive nature of the systems concept preventing meaningful differentiation among systems that have similar internal features.

Table 9 shows the ES from Table 1 listed according to the four attributes that give some differentiation. In Table 9, the ES are shown separated according to Human Wants (given in Table 6) as it comes closest to being able to pass the first criteria of differentiating among the ES. Hubka's somewhat similar grouping (Table 5) is not as effective partly because it does not consider service as opposed to manufacturing industries and does not cover all human wants as demonstrated in the large number of cases in Table 9 with no Economy Branch. The ownership differentiation is also fairly strong but is shown simply as an additional attribute.

Table 9.
Engineering Systems Grouped According to Basic Human Wants
 (assessed according to the qualitative Attributes in Table 3)

Attributes	Functional Types	Owner	Economy branch
Shelter			
Tokyo Metropolitan Area	ALL	COMB	All
Pilgrim Nuclear Power Plant	E1	SFP	Energy generation
U.S. Power Grid System	E2	COMB	Energy
Food			
Hudson River Watershed Water Supply System	M3,M2	COMB	Food, energy
U.S. Agricultural Food Production and Distribution System	M1	COMB	Food
Transportation			
Airbus 318-321 Airplane Family System	M1,I1	SFP	Transportation
Boeing Supply Chain System	M1,I1	MFP	Transportation
Automotive Products and Plants of Toyota Motor Company System	M1,I1	SFP	Transportation
Big Dig (central Artery Project, Boston)	M2,M1	GOV	Transportation
Chinese "People" Air Transport System (PRC)	M2	GOV	Transportation
European Union Roadway System	M2	COMB	Transportation
FAA/IATA Certification System	I1	GOV	Transportation
Exxon Mobil Fossil Fuel Drilling, Refining and Distribution System	E1,E2	SFP	Transportation
General Motors (GM) Supply Chain	M1,I1	SFP	Transportation
Global Air Traffic Control System	I1,I2,	GOV	Transportation
Mexico City Transportation System	M2	COMB	Transportation
New York City Subway System	M2	GOV	Transportation
Pratt and Whitney Gas Turbine Family System	E1	SFP	Transportation
U.S. Aerospace Industry	M1,I1	COMB	Transportation
Boeing-777 Aircraft System	M1,I1	SFP	Transportation
Communication			
AT&T Telecommunication Network	I2,	SFP	none
Global Satellite Launching System	M2	COMB	none
Global Wireless Communication System	I2	COMB	none
Global Internet	I2	COMB	none
Reuters Global News Distribution Service	I2,I1	SFP	none

Attributes	Functional Types	Owner	Economy branch
Security			
Department of Defense Acquisition System (USA)	I1,I3	GOV	none
JSF System (Joint Strike Fighter)	I1,M1	COMB	none
Military Air Transport System	M2,	GOV	none
U.S. Aerospace Industry	I1,M1	COMB	none
Health and Longevity			
Health Care System of France	I2,I1,M1,	GOV	medicine
Human genome project	I1	COMB	medicine
U.S. Government Environmental Regulatory System	I1,I2	GOV	medicine
Social and Educational			
Synchrotron (Quantum Physics Experimental System)	I1	GOV	none
Multiple Human Wants			
China's Three-Gorge Dam	M3,E3	GOV	Energy
CNN Global News Gathering and Distribution System	I1,I2	SFP	Communication
Exxon Mobil Enterprise Resource Planning (ERP) System	I1	SFP	Energy
Microsoft Corporation Knowledge Management System	I3	SFP	Software
eBay trading system (T)	I2	SFP	Market
Federal Express North American Package Delivery System	M2	SFP	Distribution
Federal Reserve System (T)	I1,I3	GOV	All
GE Polycarbonate Manufacturing and Distribution System	M1,M2	SFP	Chemical
Global Freight Transportation System	M2	COMB	Transportation
International Banking and Monetary Transfer System	I2,I3	COMB	All
Java Software System	I1	SFP	Software
Linux/UNIX Operating System	I1	MNFP	Software
NASDAQ Trading System (T)	I2	SFP	Market
U.S. Aluminum production and recycling system	M1	COMB	Smelting
Xerox Family of Photocopiers System	I1,M1	SFP	Office equipment

The separation by Human Wants still leaves a significant number of systems classified as for multiple human Wants. Among those classified, the largest groupings are for Transportation, Communication, Security and Health. In the multiple use category, many of the systems are markets, software, and other IT tools, all of which support meeting multiple human needs.

Table 9 shows van Wyk's nine categories from Table 8 for each system in the second column. We should note that almost all of the ES transform, transport and store energy to

some extent (all information is accompanied by at least a minimum amount of energy). In addition, almost all also process (transform), and store information. Thus, in Table 9-column 2, the *essential* functional categories are identified and listed. The essential functions are those *necessary to serve the basic human need(s)*. For more than 1/2 of the ES, a single essential function can be identified. However, for a large number there seem to be at least two major functional types that describe the Engineering System. For some very complex systems such as the Tokyo Metropolitan Area and the U.S. Aerospace Industry, at least three functional types describe the system basic functions.

Despite these difficulties, Functional Type as originally expounded by Hubka, Pahl and Beitz, and van Wyk appears to be the only technical attribute able to differentiate among ES. Moreover, it is the only one of the 4 “differentiating attributes” that can go beyond the first criteria for assessing usefulness of classification schemes. Differences in modeling and important differences in modularity and other design characteristics are suggested for functional types by the work of Whitney (Whitney 1996,2002) who has shown some significant distinctions between systems that have either information or energy as their major operand.

Thus, functional type appears useful for classification. However, as shown in Table 9, the systems are not simply separated by this attribute. This is partly because the ES come from a broader and larger-scale set of systems than those originally of interest to van Wyk. The ultimate ambition is to find a complete set of functions, i.e. an essential set that is sufficient to describe any Engineering System. An initial attempt is made here by first broadening the list of manipulators beyond the three in Table 8 to include market and control systems. In addition, the three outputs are also broadened to include value (or money). Thus, following Object Process Methodology (Dori 2001), we have the following operators on objects:

- **Transformation Systems (1):** transform objects into new objects
- **Distribution Systems (2):** provide transportation, i.e. change the location of objects
- **Storage Systems (3):** act as buffers in the network and hold/house objects over time
- **Market Systems (4):** allow for the exchange of objects mainly via the Value layer
- **Control Systems (5):** seek to drive objects from some actual state to a desired state

We distinguish the following operands:

- **Matter (M)** physical objects, including organisms that exist unconditionally
- **Energy (E):** Stored work that can be used to power a process in the future
- **Information (I):** Anything that can be considered an informational object
- **Value (Monetary) (V):** Monetary and intrinsic value object used for exchange

This Object Process Model thus effectively expands the classification scheme of Table 8 to that shown in Table 10. In this expanded 5 x 4 classification matrix, selected complex systems from the test bed list (Table 1) are assigned to a particular cell of this Engineering Systems Classification Matrix.

Table 10: Complex Systems Classification Matrix –

The gray shaded area corresponds to original matrix according to van Wyk (Table 8).

Process/Operand	Matter (M)	Energy (E)	Information (I)	Value (V)
Transform or Process (1)	GE Polycarbonate Manufacturing Plant	Pilgrim Nuclear Power Plant	Intel Pentium V	N/A
Transport or Distribute (2)	FedEx Package Delivery	US Power Grid System	AT&T Telecommunication Network	Intl Banking System
Store or House (3)	Three Gorge Dam	Three Gorge Dam	Boston Public Library (T)	Banking Systems
Exchange or Trade (4)	eBay Trading System (T)	Energy Markets	Reuters News Agency (T)	NASDAQ Trading System(T)
Control or Regulate (5)	Health Care System of France	Atomic Energy Commission	International Standards Organization	US Federal Reserve(T)

The entries in the columns of the first row of Table 10 correspond to the primary operand classes that an Engineering System can operate on. An operand is the object that is being affected or that results from the primary process that is enabled by the Engineering System. Examples of operands for the four classes are:

- Matter:** packages, vehicles, crude oil, animals, plants, water, memorabilia
- Energy:** potential, electrical, kinetic, thermal, nuclear
- Information:** news reports, email, TV shows, voice conversations, books (content), bits
- Value:** stocks, bonds, cash, inventory, loans, credit, currencies, options

Use of this expanded matrix introduces tighter definitions but more categories (20 vs. 9) than by following Table 8. The benefit of doing so is demonstrated by the single entry in Table 10 for the Health Care System of France vs. the three functional type entries listed for this ES in Table 9. However, such reductions are not general and for systems such as the Tokyo Metropolitan Area and China’s Three Gorge Dam, multi-functional classification is probably inescapable.

The object-process view of Engineering Systems raises a number of questions. One is whether the set of proposed fundamental functions is complete and unique. The examples in Table 10 seem to indicate the usefulness of the set, but cannot prove its exhaustiveness. Another valid issue is how this view ties back to the fulfillment of human wants and needs. Each of the Engineering Systems has a particular purpose and helps meet human wants and needs in concert with other Engineering Systems. The functional classification is fundamentally a separate model and is potentially useful in describing (and designing) systems having a variety of purposes.

Concluding Remarks

This paper has reviewed a number of proposed classification schemes from the literature and has attempted to assess their applicability to a test bed list of Engineering Systems. We have augmented the proposed classification schemes using object-process methodology to essentially extend the functional type classification schemes originally suggested by others (Pahl, Beitz 1996), (Hubka, Eder 1988) and (van Wyk 1984, 1988, 1988a). Fundamentally this corresponds to a *functional classification* of Engineering Systems by specifying the operand on which they primarily operate as well as their function with that operand.

There are three additional issues about which further discussion and work will be valuable. The first is the question of agreement as to the difference between Engineering Systems (or other special complex systems such as “Systems of systems”) and other complex systems. In this paper, it is suggested that the three attributes that make systems “Engineering Systems” are: human designed for a purpose, high degree of human complexity and a high technical complexity. All of these criteria are in agreement with the specific systems considered in this paper but a wider consensus would be valuable in improving communication about this important subject. An alternative has not been suggested that is capable of delineating these fields because of the multi-faceted and quantification difficulties associated with complexity.

The second issue involves the clarification of all significant system attributes. This paper has shown that classification of Engineering Systems only makes sense if we consider specific system attributes. There are potentially many more attributes of systems than were discussed in this paper. Work will have to be done to see if any other attributes of Engineering Systems are considered to be important. A logical area for fruitful interaction would be economic classification schemes such as standard industrial classification (NAIC).

The third issue that particularly needs work if substantial progress is to be made in understanding engineering systems is quantitative systems analysis. In order to determine the actual usefulness of the functional classification suggested here, extensive study of quantitative attributes is needed. Such quantification has occurred for all successful classification schemes. Mendeleev measured atomic masses and counted valence electrons, Linnaeus measured animal sizes, catalogued their anatomical features and assembled them into species, Ashby (Ashby, Jones 1980 1986) made various cross-plots of material properties such as density, elastic modulus, strength, cost, and particularly ratios of material properties which allow clear classification of complex material systems. Such an approach and its potential value for engineering systems was outlined in the previous paper (Magee and de Weck, 2002). However, obtaining sufficient data to begin to mimic for engineering systems the classification approach for materials properties awaits much further definitional and other measurement work. Many years and numerous contributors did this important kind of quantification and measurement work before the key contribution of Ashby and Jones could be useful.

References

- M. F. Ashby and D. R. H. Jones, *Engineering Materials*, Part 1 and 2, Pergamon Press, Oxford, 1980, 1986.
- W.R. Ashby, *An Introduction to Cybernetics*, London, 1963
- L. von Bertalanffy, *General System Theory*, George Braziller, Inc., New York, 1968
- K. E. Boulding, *The Organization Revolution: A Study in The Ethics of Economic Organization*, Harper, New York, 1953.
- K. E. Boulding, *General Systems Theory – The Skeleton of Science*, in *General Systems*, Volume I, pp. 11–17, 1956
- K. E. Boulding, *Toward a General Theory of Growth*, *General Systems*, I (1956a), pp. 66–75
- E. F. Crawley and O. L. de Weck, 16.882/ESD.34J course on *System Architecture*, MIT, Fall 2001
- D. Dori, *Object-Process-Methodology (OPM)*, Springer Verlag, Heidelberg, 2001
- Engineering Systems Division, MIT, “Appendix A: ESD Terms and Definitions (Version 13)”, *ESD Symposium Committee Overview*, May 2002 MIT website: http://esd.mit.edu/WPS/ESD_Internal_Symposium_Docs/ESD-WP-2003-01.20-ESD_Internal_Symposium.pdf
- C. Francois, editor, *International Encyclopedia of Systems and Cybernetics*, K.G. Saur, Munich, 1997.
- V. Hubka and W. E. Eder, *Theory of Technical Systems*, Springer-Verlag, Berlin, 1988
- R. Habermas, P. Nagel, M. Becker, Büchel, von Massow, Daenzer and Huber “*Systems Engineering- Methodik und Praxis*”, Verlag Industrielle Organisation, Zürich, 1992
- A. N. Kolmogorov, “Combinatorial Foundations of Information Theory and the Calculus of Probability”, *Russian Mathematical Surveys*, 38, 1983, pp 29-40
- C. L. Magee and O. L. de Weck, “An Attempt at Complex System Classification”, *ESD Internal Symposium*, MIT 2002, MIT website: http://esd.mit.edu/WPS/ESD_Internal_Symposium_Docs/ESD-WP-2003-01.02-ESD_Internal_Symposium.pdf (Magee, de Weck 2002)
- J. G. Miller, “Can Systems Theory Generate Testable Hypothesis?: From Talcott Parsons to Living Systems Theory”, *Systems Research*, 3 1986, pp 73-84
- G. Pahl and W. Beitz, *Engineering Design – A systematic Approach*, 2nd Edition, Spinger, 1996
- H. M. Paynter, “Analysis and Design of Engineering Systems”, Class Notes for MIT Course 2.751, MIT Press, 1960
- Rias J. van Wyk, “Panamorphic Scanning and the Technological Environment” *Technovation*, 2(2) 1984, p. 121
- Rias J. van Wyk, “A Standard Framework for Product Protocols” van Wyk in T. Khalil(ed), *Management of Technology*, Geneva 1988, pp. 93–99
- Rias J. van Wyk, Massachusetts Institute of Technology, “Management of Technology: new frameworks”, *Technovation*, 7 1988, p. 341–351
- D. Whitney, “Why Mechanical Design Cannot Be Like VLSI Design”, MIT website: <http://web.mit.edu/ctpid/www/Whitney/papers.html#P1>, 1996
- D. Whitney, “Physical Limits to Modularity” MIT website: http://esd.mit.edu/WPS/ESD_Internal_Symposium_Docs/ESD-WP-2003-01.03-ESD_Internal_Symposium.pdf, 2002

Biographies

Professor Christopher L. Magee has been with MIT since January 2002 as a Professor of the Practice in the Engineering Systems Division and Mechanical Engineering. He also directs a multidisciplinary research center (Center for Innovation in Product Development). Before Dr. Magee joined MIT, he had more than 35 years of experience at Ford Motor Company beginning in the Scientific Research Laboratory and progressing through a series of management positions to Executive Director of Programs and Advanced Engineering. Prof. Magee is currently engaged in research and teaching relative to complex system design.

Prof. Magee is a member of the National Academy of Engineering, a fellow of ASM and SAE and a participant on major National Research Council Studies. Dr. Magee is a native of Pittsburgh, PA and received his B.S. and Ph.D from Carnegie-Mellon University in that city. He later received an MBA from Michigan State University.

Professor Olivier L. de Weck is the Robert N. Noyce Assistant Professor of Aeronautics and Astronautics and Engineering Systems at MIT. His research interests are in Multidisciplinary Design Optimization (MDO) and System Architecture. He investigates the benefits of optimization during early conceptual design and the relationship between performance and cost with system lifecycle properties (extensibility, reconfigurability, diversifiability). His applications of interest are in aerospace, automotive and communications systems.

Prof. de Weck has been at MIT since 1997, where he obtained S.M. (1999) and Ph.D. (2001) degrees in Aerospace Systems. He holds a graduate engineering degree in Industrial Engineering (1993) from ETH Zurich, Switzerland, where he was born. Before coming to MIT, Prof. de Weck worked as a liaison engineer and as Engineering Program Manager on the F/A-18 aircraft program at McDonnell Douglas (now Boeing) from 1991–1996.