

## CORRIGENDA: INVERSE MULTI-PARAMETER EIGENVALUE PROBLEMS FOR MATRICES II

by PATRICK J. BROWNE and B. D. SLEEMAN

(Received 30th October 1986)

In the paper referred to above (see [1]), the following corrections should be made.

(1) Hypothesis 2.2 should read:

$$\begin{aligned} (s_j - s_i)b_{ii} + (t_j - t_i)c_{ii} &< -g_i^j - 2g_j^i - g_i^i, \\ (s_k - s_j)b_{kk} + (t_k - t_j)c_{kk} &< -g_k^j - 2g_j^k - g_k^k, \quad 1 \leq i < j < k \leq n. \end{aligned}$$

(2) The set  $E \subset \mathbb{R}^n$  should be defined as

$$\begin{aligned} E = \{ & (v_1, \dots, v_n) \mid v_1 + s_1 b_{11} + t_1 c_{11} > -\eta, v_n + s_n b_{nn} + t_n c_{nn} < \eta, \\ & v_i + s_j b_{ii} + t_j c_{ii} + g_i^j < v_j + s_j b_{jj} + t_j c_{jj} - g_j^i, \\ & v_j + s_j b_{jj} + t_j c_{jj} + g_j^i < v_k + s_j b_{kk} + t_j c_{kk} - g_k^j, \\ & 1 \leq i < j < k \leq n \} \end{aligned}$$

(3)  $F_0(v) = v + x$  should read  $F(v) = v - x$ .

(4) The unique solution of  $F_0(v) = 0$  is  $v = x$  (not  $v = -x$  as printed).

(5) Page 345, line 14:

Replace  $W(A + V; s_1, t_1)$  by  $\theta(A + s_1 B^* + t_1 C^*) + V + s_1 \hat{B} + t_1 \hat{C}$ .

### REFERENCE

1. P. J. BROWNE and B. D. SLEEMAN, Inverse multiparameter eigenvalue problems for matrices II, *Proc. Edinburgh Math. Soc.* **29** (1986), 343–348.

DEPARTMENT OF MATHEMATICS AND STATISTICS  
UNIVERSITY OF CALGARY  
CALGARY, ALBERTA  
CANADA T2N 1N4

DEPARTMENT OF MATHEMATICAL SCIENCES  
UNIVERSITY OF DUNDEE  
DUNDEE DD1 4HN