

Corrosion resistance of Cr-Ni-Mo Stainless Steel in Chloride and Fluoride Containing Environment

Viera Zatkalkíková, Lenka Markovičová, Mária Chalupová

Faculty of Mechanical Engineering, University of Žilina, Univerzitná 1, 01026 Žilina, Slovakia. E-mail: viera.zatkalkikova@fstroj.uniza.sk, lenka.markovicova@fstroj.uniza.sk

Austenitic stainless steels are widely used for various biomedical applications because of their biocompatibility, high resistance to uniform corrosion and suitable mechanical properties. However, they are prone to local corrosion in aggressive halides environments. This article focuses on the effect of fluoride added to physiological saline solution (0.05 % NaF resp. 0.5 % NaF + 0.9 % NaCl solution) and on the effect of fluoride containing mouthwash (0.05 % NaF) on corrosion resistance of AISI 316L surgical steel. Evaluation is based on results of 42-days exposition immersion tests performed at the temperature of 37 °C (REM observation of attacked surfaces, mass losses of specimens) and on the results of the electrochemical cyclic potentiodynamic polarisation tests performed in the same solutions at the same temperature.

Keywords: Austenitic stainless steel, Pitting corrosion, Fluoride, Immersion test, Cyclic potentiodynamic test

Acknowledgement

The research was supported partially by Scientific Grant Agency of Ministry of Education, Science and Sport of Slovak Republic and Slovak Academy of Science grant VEGA No. 1/0683/15 and by project KEGA No. 044ŽU-4/2014.

References

- [1] CHEN, Q., THOUAS, G. A. (2015). Metallic implant biomaterials. *Materials Science and Engineering R*, 87, pp. 1-57.
- [2] OMASTA, M., HADZIMA, B. (2015). Biodegradation properties of elektron 21 magnesium alloy coated by octacalcium phosphate. *Manufacturing Technology*, Vol.15, No. 4, pp. 656-660.
- [3] LIPTÁKOVÁ, T. (2009). *Bodová korózia nehrdzavejúcich ocelí (Pitting corrosion of stainless steels)*, pp. 11 – 13, EDIS - Žilinská univerzita, Žilina.
- [4] SZKLARSKA – SMIALOWSKA, Z. (2005). *Pitting and crevice corrosion*, pp. 12 – 25, NACE International, Houston, Texas.
- [5] ZÁVODSKÁ, D., GUAGLIANO, M., BOKŮVKA, O., TRŠKO, L. (2016). Effect of Shot Peening on the Fatigue Properties of 40NiCrMo7 steel. *Manufacturing Technology*, Vol. 16, No. 1, pp. 299 – 304.
- [6] SEJČ, P., KUBÍČEK, R. (2015). Analysis of Arc Stability in MIG Brazing of 304L Stainless Steel Using Solid and Flux-Cored Wire. *Manufacturing Technology*, Vol. 15, No. 1, pp. 86 – 92.
- [7] DUPLÁK, J., ZAJAC, J. HATALA, M., MITAL, D., KORMOŠ, M. (2014). Study of Surface Quality after Turning of Steel AISI 304, *Manufacturing Technology*, Vol. 14, No. 4, pp. 527 – 532.
- [8] HERAVI, F., MOAYED, M. H., MOKHBER M. (2015). Effect of Fluoride on Nickel-Titanium and Stainless Steel Orthodontic Archwires: An In-Vitro Study. *Journal of Dentistry of Tehran*, Vol. 12, No. 1, pp. 49–59.
- [9] GHOSH, R., SINGH, R.J., SINGH, D. D. N. (2003). Role of fluoride in accelerating corrosion and pitting of steel in concrete environments. *Transactions- Indian Institute of Metals*, Vol. 56, No. 4, pp. 391-397.
- [10] BASTIDAS, J. M., FOSCA, C., CHICO, B., OTERO, E. (1997). Corrosion behaviour of highly alloyed stainless steels in mixed chloride and fluoride aqueous solutions. *Materials and Corrosion*, Vol. 48, pp. 216-220.
- [11] CARRANZA, R. M., RODRÍGUEZ, M. A., BEBAK, R. B. (2006). Inhibition of chloride induced crevice corrosion in Alloy 22 by fluoride ions. *Corrosion/2006 Conference and Exposition*; 2006 March 12-16; San Diego, CA, USA.
- [12] YAMAZAKI, O. (1994). Effect of fluoride ion on the pitting corrosion of type 304 stainless steel in neutral NaCl solution. *Zairyo-to-Kankyo*, Vol. 43, pp. 265-271.
- [13] ZATKALÍKOVÁ, V. (2008). *Bodová korózia ocele AISI 316Ti pri rôznych prevádzkových podmienkach. (Pitting corrosion of AISI 316Ti at various operating conditions.)* PhD Thesis: ŽU v Žiline, Žilina, pp. 45-60.
- [14] HADZIMA, B., LIPTÁKOVÁ, T. (2008). *Základy elektrochemickej korózie kovov (Fundamentals of electrochemical corrosion of metals)*, EDIS - Žilinská univerzita, Žilina, pp. 91-94.
- [15] GÁLVEZ, J. L., DUFOUR, J., NEGRO, C., LÓPEZ-MATEOS, F. (2007). Hydrolysis of iron and chromium fluorides: mechanism and kinetics. *J. Hazard. Mater.*, Vol. 154, 1-3, pp. 135-145.

Paper number: M2016221

Copyright © 2016. Published by Manufacturing Technology. All rights reserved.