

Cosmology and the First Meta Law: From the Realm of Quantum Mechanics to the Large- scale Structure of the Cosmos

RODOLFO A. FRINO – July 2014

Electronics Engineer – Degree from the National University of Mar del Plata - Argentina
rodolfo_frino@yahoo.com.ar

In 2012 I formulated the scale principle or scale law which was published at viXra.org in June this year. This paper is about a cosmological analysis based on this new law. On previous papers I have shown that several fundamental laws such as the Heisenberg's uncertainty principle, the black hole entropy, the Bohr postulate, the De Broglie wavelength-momentum relationship, the formula for the Schwarzschild radius, Einstein's relativistic energy equation, Newton's law of universal gravitation and Schrödinger's equation obey this formulation. Furthermore the author's previous research suggests that the mass of the Higgs boson, the radius of the proton, the radius of the electron might obey this law as well. The present paper shows that the scale law correctly describes several cosmological issues such as the age of the universe (this analysis includes the latest data from the Planck spacecraft- 2013), the universe mass density, the radius of the present particle horizon and finally the Friedmann's equation. This simple law is the first Meta law we, humans, have discovered.

Keywords: *Planck scale, Planck's constant, Planck mass, Planck length, Friedmann equation.*

1. Introduction

In 2012 I formulated the *scale principle* or *scale law* [1] which I published in June this year. In the first version of that paper this law was called the *quantum scale principle*. However after finding that *Einstein's relativistic energy* also obeys this law [2], I changed its name to the *scale principle*. Since June the principle has evolved to the present form given by the following relationship:

(1)

<i>Scale principle or scale law</i>
$\left(\frac{Q_1}{Q_2} \right)^n [< \leq = \geq >] S \left(\frac{Q_3}{Q_4} \right)^m$

The above symbols stand for

- a) **Quantities:**
- (i) Q_1 , Q_2 , Q_3 and Q_4 are physical quantities of identical dimension (such as Length, Time, Mass, Temperature, etc), or
 - ii) Q_1 and Q_2 are physical quantities of dimension 1 or dimensionless constants while Q_3 and Q_4 are physical quantities of dimension 2 or dimensionless constants. However, if Q_1 and Q_2 are dimensionless constants then Q_3 and Q_4 must have dimensions and viceversa.
(e.g.: Q_1 and Q_2 could be quantities of Mass while Q_3 and Q_4 could be quantities of Length).
- The physical quantities can be variables (including differentials, derivatives, Laplacians, divergence, integrals, etc.), constants, dimensionless constants, any mathematical operation between the previous quantities, etc.
- b) **Relationship type:** The relationship is one of five possibilities: **less than or equal to** inequation (\leq), or **less than** inequation ($<$), or **equal to** - equation ($=$), or a **greater than or equal to** inequation (\geq), or a **greater than** inequation ($>$).
- c) **Scale factor:** S is a dimensionless *scale factor*. This factor could be a real number, a complex number, a real function or a complex function (strictly speaking real numbers are a particular case of complex numbers). The scale factor could have more than one value for the same relationship. In other words a scale factor can be a quantum number.
- d) **Exponents:** n and m are integer exponents: 0, 1, 2, 3, ...
Some examples are:
example 1: $n = 0$ and $m = 1$;
example 2: $n = 0$ and $m = 2$;
example 3: $n = 1$ and $m = 0$;
example 4: $n = 1$ and $m = 1$;
example 5: $n = 1$ and $m = 2$;
example 6: $n = 2$ and $m = 0$;
example 7: $n = 2$ and $m = 1$;
It is worthy to remark that:
- i) The exponents, n and m , cannot be both zero in the same relationship.
 - ii) The number n is the exponent of both Q_1 and Q_2 while the number m is the exponent of both Q_3 and Q_4 regardless on how we express the equation or inequation (1). This means that the exponents will not change when we express the relationship in a mathematically equivalent form such as

$$\left(\frac{Q_4}{Q_3} \right)^m \left[< \mid \leq \mid = \mid \geq \mid > \right] S \left(\frac{Q_2}{Q_1} \right)^n$$
 - iii) So far these integers are not greater than 2. However we leave the options open as we don't know what the future holds.

The following sections show that the age of the universe, the universe mass density, the radius of the present particle horizon and the Friedmann's equation, obey the scale law.

2. The Age of the Universe

To find the expression of the age of the universe we calculate the constant H defined as

$$H = T m_e c^2 \quad (2)$$

Where

H = energy-time constant

T = age of the universe measured by NASA (also known as universal time)

m_e = electron rest mass

c = speed of light in vacuum

Since we use H as a bridge to finding a relationship, we don't need to worry about the physical meaning of this constant.

Let's calculate H using the age of the universe based on the combined Planck spacecraft's data with the previous missions' data [3, 4]

$$T_{COMB}(2013) = (13.798 \pm 0.037) \times 10^9 \text{ years}$$

Taking into account the errors we calculate the minimum and the maximum combined values as follows

$$T_{COMB-MIN}(2013) = (13.798 - 0.037) \times 10^9 \text{ years} = 13.761 \times 10^9 \text{ years} = 13,761 \text{ million years}$$

$$T_{COMB-MAX}(2013) = (13.798 + 0.037) \times 10^9 \text{ years} = 13.835 \times 10^9 \text{ years} = 13,835 \text{ million years}$$

Now we calculate the parameter H

$$H = (13798 \times 10^6 \times 365.25 \times 24 \times 60 \times 60)(9.10938291 \times 10^{-31} \times (299792458)^2) \text{ JS}$$

$$H \cong 35649.25607 \text{ JS}$$

Now we calculate the following products

$$m_p^2 H = (1.672621777 \times 10^{-27})^2 \times 35649.25607 \text{ Kg}^2 \text{ JS} = 9.973462639 \times 10^{-50}$$

$$M_p^2 h = (2.176509252 \times 10^{-8})^2 \times 6.62606957 \times 10^{-34} \text{ Kg}^2 \text{ JS} = 3.138896723 \times 10^{-49}$$

Then we draw a table as shown below

Constants (Cosmic scale)	Generation 1 (Proton scale)	“Generation 4” (Planck scale)	Constants (Planck scale)
H	m_p^2	M_p^2	h

SCALE TABLE 1: This table is used to find the age of the universe

Based on this table we establish the following fundamental relationship

$$H m_p^2 = S M_p^2 h \quad (3)$$

Let's express this relationship in the form of the scale principle with $n=2$ and $m=1$

$$\frac{m_p^2}{M_p^2} = S \frac{h}{H} \quad (4)$$

We shall determine the scale factor S as follows

$$\frac{1}{S} = \frac{M_p^2 h}{m_p^2 H} = \frac{3.138\,896\,723 \times 10^{-49}}{9.973462639 \times 10^{-50}} = 3.147\,248\,69 \quad (5)$$

Because the above ratio (equation 5) is based on experimental data, it seems logical to assume that the value of this ratio is exactly the number π . Therefore we write

$$S = \frac{1}{\pi} \cong \frac{1}{3.141\,592\,654} \quad (6)$$

Then equation (4) transforms into

$$m_p^2 H = \frac{h}{\pi} M_p^2 \quad (7)$$

We shall substitute H with the value given in equation (2), this gives

$$m_p^2 (T m_e c^2) = \frac{h}{\pi} M_p^2 \quad (8)$$

Now we solve this equation for T

$$T = \frac{\pi h}{c^2} \frac{M_p^2}{m_p^2 m_e} \quad (9)$$

Taking into consideration that the Planck mass is defined as

$$M_P = \sqrt{\frac{hc}{2\pi G}} \quad (10)$$

And that

$$M_P^2 = \frac{hc}{2\pi G} \quad (11)$$

We substitute M_P^2 in equation (9) with the second side of equation (11) to obtain the formula of the age of the universe

$$T = \frac{h^2}{2\pi^2 c G m_e m_p^2} \quad (\text{Formula for the age of the universe}) \quad (12)$$

I discovered this formula in 2012 through a different method not shown here. The value this formula yields is

$$T \cong 4.362\,157\,043 \times 10^{17} S \cong 4.362 \times 10^{17} S$$

Converting to Julian years

$$T \cong \frac{4.362\,157\,043 \times 10^{17} S}{365.25 \times 24 \times 60 \times 60 S / \text{year}} = 1.382\,284\,154 \times 10^{10} \text{ years}$$

The difference with the universal age I calculated in my previous paper [1] was because of the length of the year. In that paper I used 365 days/year while here I used 365.25 days/year (Julian year) to add up more accuracy.

$$T \cong 13,822.84 \text{ million years}$$

This value fits perfectly within the Planck 2013 data when we consider the errors (See Table 1)

Description	Age of the universe ($\times 10^6$ years = million years)
$T_{COMB-MAX}$ (2013)	13,835
$T_{THEORETICAL}$ (2014) (equation 12)	13,822.84
$T_{COMB-MIN}$ (2013)	13,761

TABLE 1: This table compares the theoretical value with the combined best estimate range.

Thus the error of the *best combined estimate* (Planck Data and previous missions) is

$$\text{Error (Best combined estimate)} = (13,798 - 13,822.84) \text{ million years} = -24.84 \text{ million years}$$

The minus sign means that the *best combined estimate* underestimates the age of the universe by 24.84 million years.

Based on the Planck spacecraft the European Space Agency estimated the age of the universe to be 13,820 million years. The error of this estimation is

$$\text{Error (European Space Agency)} = (13,820 - 13,822.84) \text{ million years} = -2.84 \text{ million years}$$

The minus sign means that the *European Space Agency* underestimated the age of the universe by 2.84 million years which is a very small relative error indeed. Table 2 summarizes the errors.

Method	Error Age of the universe (10^6 years) = million years
Combining Planck spacecraft with previous missions	-24.84
Planck spacecraft	-2.84

TABLE 2: This table shows the errors.

3. The Mass Density of the Universe

Let us calculate the mass density of the universe from the *scale law*. We start by drawing the corresponding scale table as shown below

Density (Cosmic scale)	Time squared (Cosmic scale)	Time squared (Planck scale)	Density (Planck scale)
ρ	T^2	T_p^2	ρ_p

SCALE TABLE 2: This table is used to find the universe mass density

Where

ρ = mass density of the universe

T = age of the universe

T_p = Planck time

ρ_p = Planck density

$$T_p \equiv \sqrt{\frac{hG}{2\pi c^5}} \quad (13)$$

$$\rho_p \equiv \frac{2\pi c^5}{hG^2} \quad (14)$$

From the table we write the following equation

$$\rho T^2 = S T_p^2 \rho_p \quad (15)$$

$$\rho = S \frac{T_p^2}{T^2} \rho_p \quad (16)$$

$$\rho = S \left(\frac{hG}{2\pi c^5} \right) \left(\frac{2\pi^2 c G m_e m_p^2}{h^2} \right)^2 \left(\frac{2\pi c^5}{hG^2} \right) \quad (17)$$

$$\rho = S \left(\frac{4\pi^4 c^2 G m_e^2 m_p^4}{h^4} \right) \quad (18)$$

$$\rho = S \left(7.874\,475\,141 \times 10^{-26} \frac{\text{Kg}}{\text{m}^3} \right)$$

The WAP value is

$$\rho_{WAP} = 9.9 \times 10^{-27} \frac{\text{Kg}}{\text{m}^3}$$

Comparing with the experimental value

$$R_\rho = \frac{9.9 \times 10^{-27}}{7.874\,475\,141 \times 10^{-26}} = 0.125\,7226\,65$$

Then I adopt a scale factor of

$$S = \frac{3}{8\pi} \cong 0.119\,366\,207$$

Should we have used 1/8 instead of 3/8π we would have got an incorrect radius, R_0 (see next section equation 33). Then final formula for the mass density of the universe is

$$\rho = \frac{3\pi^3}{2} \frac{G c^2 m_e^2 m_p^4}{h^4} \quad (\text{formula for the mass density of the universe}) \quad (19)$$

$$\rho = 9.399\,462\,317 \times 10^{-27} \frac{\text{Kg}}{\text{m}^3}$$

Considering that the Compton wavelength for the electron is

$$\lambda_{ce} = \frac{h}{m_e c} \quad (20)$$

We can express the formula for the mass density of the universe in terms of the above wavelength. This yields

$$\rho = \frac{\pi^4}{2} \frac{G m_p^4}{\lambda_{ce}^2} \quad (\text{Formula in terms } \lambda_{ce}) \quad (21)$$

4. The Radius of the Present Particle Horizon

We define the present particle horizon, R_0 , as the distance light could have travelled from the beginning of the universe ($t = 0$) to the present time ($t = T$) (where T is the age of the universe) if there were no expansion of space.

To continue we draw a scale table as follows

Length (Cosmic scale)	Mass (Planck scale)	Mass (Cosmic scale)	Length (Planck scale)
R_0	M_p	M_0	L_p

SCALE TABLE 3: This table is used to find the present particle horizon.

From the table we write the following equation

$$R_0 M_p = S M_0 L_p \quad (22)$$

$$R_0 = S M_0 \frac{L_p}{M_p} \quad (23)$$

We calculate the ratio $\frac{L_p}{M_p}$ separately

$$\frac{L_p}{M_p} = \sqrt{\frac{hG}{2\pi c^3} \frac{2\pi G}{hc}} \quad (24)$$

$$\frac{L_p}{M_p} = \frac{G}{c^2} \quad (25)$$

$$R_0 = S \frac{GM_0}{c^2} \quad (26)$$

Now taking $S = 2$ yields

$$R_0 = \frac{2GM_0}{c^2} \quad (27)$$

From the definition of the universe mass density

$$\rho = \frac{M_0}{\frac{4}{3}\pi R_0^3} \quad (28)$$

Where

M_0 = mass in the spherical volume of radius R_0

Solving for M_0

$$M_0 = \frac{4}{3}\pi R_0^3 \rho \quad (29)$$

Now substituting M_0 in equation (27) with equation (29) gives

$$R_0 = \sqrt{\frac{3c^2}{8\pi G\rho}} \quad (\text{formula for the present particle horizon}) \quad (30)$$

Strictly speaking

$$R_0 = \frac{c}{H_0} \sqrt{\frac{k}{\Omega_0 - 1}} \quad (31)$$

however for a flat universe $k = 0$ equation (31) transforms into

$$R_0 = \frac{c}{H_0} = cT \quad (32)$$

The value of R_0 as per equation (30) is

$$R_0 = \left(\frac{2.99792458 \times 10^8}{2} \sqrt{\frac{3}{2\pi (6.67384 \times 10^{-11})(9.399462317 \times 10^{-27})}} \right) m$$

$$R_0 = 1.307741782 \times 10^{26} m$$

$$R_0(\text{ly}) = \frac{1.307741782 \times 10^{26} m}{9.460730473 \times 10^{15} m/\text{ly}} \cong 1.382284154 \times 10^{10} \text{ly} = 13,822.84154 \times 10^6 \text{ly}$$

We can express R_0 as a function of the age of the universe, T . Thus eliminating the universe mass density from equation (30) by means of equation (19) gives

$$R_0 = \sqrt{\frac{3c^2}{8\pi G} \left(\frac{2h^4}{3\pi^3 c^2 G m_e^2 m_p^4} \right)} = cT \quad (33)$$

This indicates that the age of the universe's scale factor and the mass density's scale factor are both correct. Reference [5] is an excellent paper about cosmology.

5. Friedmann Equation

Friedmann assumed the on average the universe, ρ , mass density is the same everywhere. To prove that Friedmann's equation [6] obeys the scale law we define the following variables

$$R_0 \equiv \sqrt{\frac{3c^2}{8\pi G\rho}} \quad (34)$$

$$K = K(R, k, \Lambda) \equiv \sqrt{k + \frac{\Lambda}{3} \frac{R^2}{c^2}} \quad (\text{dimensionless variable}) \quad (35)$$

Then we draw the following *cosmic scale table*

Speed (Cosmic scale)	Speed (Cosmic scale)	Speed (Cosmic scale)	Speed (Cosmic scale)
\dot{R}	\dot{R}	$\left(\frac{R}{R_0} + K\right)c$	$\left(\frac{R}{R_0} - K\right)c$

SCALE TABLE 4: Cosmic scale table. This table is used to find the Friedmann's equation

From the above table and according to the scale law we build the following equation

$$\dot{R} \dot{R} = S \left(\frac{R}{R_0} + K\right) c \left(\frac{R}{R_0} - K\right) c \quad (36)$$

where

G = Newton's gravitational constant

Λ = Cosmological constant

k = Curvature constant

c = Speed of light

ρ = mass density of the universe

\dot{R} = Rate of expansion (Because the units of this variable are m/S we have labeled the first and the second columns of Table 4 as Speed).

$v(R, R_0, K) \equiv \left[\left(\frac{R}{R_0}\right) + K\right]c$ = This variable represents the velocity of light multiplied by a variable factor.

Working mathematically and taking $S = 1$ we get

$$\frac{1}{c^2} \left(\dot{R} \right)^2 = \left(\frac{R}{R_0} \right)^2 - K^2 \quad (37)$$

Multiplying by c^2/R^2 both sides

$$\left(\frac{\dot{R}}{R} \right)^2 = \left(\frac{c}{R_0} \right)^2 - \frac{c^2 K^2}{R^2} \quad (38)$$

Substituting K with equation (35) yields

$$\left(\frac{\dot{R}}{R} \right)^2 = \left(\frac{c}{R_0} \right)^2 - \frac{k c^2}{R^2} + \frac{\Lambda}{3} \quad (39)$$

Substituting R_0 with equation (34) yields the Friedmann's equation

$$\left(\frac{\dot{R}}{R} \right)^2 = \frac{8}{3} \pi G \rho - \frac{k c^2}{R^2} + \frac{\Lambda}{3} \quad (40)$$

Now we take equation (35) into the form of the *scale law*

$$\frac{\dot{R}}{\left(\frac{R}{R_0} + K \right) c} = S \frac{\left(\frac{R}{R_0} - K \right) c}{\dot{R}} \quad (41)$$

where

$$n = 1$$

$$Q_1 = Q_2 = \dot{R}$$

$$m = 1$$

$$Q_3 = \left(\frac{R}{R_0} + K \right) c$$

$$Q_4 = \left(\frac{R}{R_0} - K \right) c$$

S = the *scale factor* in this case is 1.

Thus we have proved that *Friedmann equation* obeys the *scale law*.

6. The Cosmic Scale Table: The Big Picture

This section presents the sequence of steps to find both the data used by Friedmann's equation (except the cosmological constant) and the Friedmann's equation itself. For the first table an operation, $() \times m_e c^2$, is applied to the age of the universe T .

For the next table, an operation is carried out on the cosmological equation calculated with the previous table. The result of this operation is a new equation which is part of the data for the next table. The process stops after the calculation for the fourth table is complete. **Table 3** shows the input/s and the result (equation) for each *scale table* while the **Cosmic Scale Table** shows this process.


	Input/s (Data is shown within parenthesis)	Output/Result (Data for the next Table)	Equation number
Scale Table 1	$(T) \times m_e c^2$	$T = \frac{h^2}{2\pi^2 c G m_p^2 m_e}$	12
Scale Table 2	$(T)^2$	$\rho = \frac{3\pi^3 G c^2 m_e^2 m_p^4}{2h^4}$	19
Scale Table 3	$(\rho) \times 4/3(\pi R_0^3)$	$R_0 = \sqrt{\frac{3c^2}{8\pi G\rho}}$	30
Scale Table 4	$[(R_0)^{-1} R + K] c$ $[(R_0)^{-1} R - K] c$	$\left(\frac{\dot{R}}{R}\right)^2 = \frac{8}{3}\pi G\rho - \frac{k c^2}{R^2} + \frac{\Lambda}{3}$	40

TABLE 3: This table shows the input/s and the result (equation) for each scale table.

The following color code is used in the **Cosmic Scale Table**:

Unknown	Data	Unknown and Data
---------	------	------------------

Cosmic Scale Table



Cosmic Scale Table: This table shows the four previous *scale tables* and the links.

7. Conclusions

In summary, the present paper shows the age of the universe, the universe mass density, the radius of the present particle horizon and the Friedmann's equation are special cases of a more general law: *the scale principle* [1, 2, 7, 8, 9, 10, 11, 12].

But this law, unlike all other known laws, is not a normal law but a Meta law: *a law that nature use to create the known laws of physics*. Now we are closer to the truth because we have answered the question: Where do the laws of physics come from? The answer is they come from Meta laws (assuming there is more than one). But then another question arises: Where do Meta laws come from? And the answer could be: they came from a "pre-universe" that "existed before" the Big Bang. But then again a new question arises: How? Then is when we run out of answers.

I would like to add that, this simple natural mechanism can now be applied not only to the microscopic quantum mechanical scale but also to the macroscopic realm of the universe. I would like to conclude by saying that, according to the research I have carried out so far, it seems that the potential of this formulation is promising.

REFERENCES

- [1] R. A. Frino, *Scale Factors and the Scale Principle*, viXra.org, 1405.0270, (2014).
- [2] R. A. Frino, *The Special Theory of Relativity and the Scale Principle*, viXra.org, viXra: 1406.0144, (2014).
- [3] Planck Collaboration. *Planck 2013 results. I. Overview of products and scientific results*. arXiv:1303.5062 [astro-ph.CO], (2013)
- [4] NASA, *Universe Older Than Previously Thought* - NASA Science, http://science.nasa.gov/science-news/science-at-nasa/2013/21mar_cmb/ (2013)
- [5] T. M. Davis, C. H. Lineweaver, *Expanding Confusion: common misconceptions of cosmological horizons and the superluminal expansion of the universe* arXiv:astro-ph/0310808 v2, (2003)
- [6] F. Steiner, *SOLUTION OF THE FRIEDMANN EQUATION DETERMINING THE TIME EVOLUTION, ACCELERATION AND THE AGE OF THE UNIVERSE*, Institut für Theoretische Physik, (2008).
- [7] R. A. Frino, *Scale Factors and the Scale Principle*, viXra: 1405.0270, (2014).
- [8] R. A. Frino, *The Schwarzschild Radius and the Scale Principle*, viXra: 1406.0164, (2014).
- [9] R. A. Frino, *The Fine Structure Constant and the Scale Principle*, viXra: 1406.0169, (2014).
- [10] R. A. Frino, *The Bohr Postulate, the De Broglie Condition and the Scale Principle*, viXra: 1407.0004, (2014).
- [11] R. A. Frino, *The Universal Law of Gravitation and the Scale Principle*, viXra: 1407.0023, (2014).
- [12] R. A. Frino, *The Schrödinger Equation and the Scale Principle*, viXra: (2014)