
COST 732 in practice: the MUST model evaluation exercise

Silvana Di Sabatino*

Dipartimento di Scienza dei Materiali,
University of Salento,
Via Monteroni, 73100 Lecce, Italy
E-mail: silvana.disabatino@unisalento.it

*Corresponding author

Riccardo Buccolieri

Dipartimento di Informatica,
Università "Ca' Foscari" di Venezia,
Via Torino 155, 30172 Mestre, Italy
E-mail: riccardo.buccolieri@unive.it

and

Dipartimento di Scienza dei Materiali,
University of Salento,
Via Monteroni, 73100 Lecce, Italy
E-mail: riccardo.buccolieri@unisalento.it

**Helge R. Olesen, Matthias Ketzel
and Ruwim Berkowicz**

National Environmental Research Institute,
Aarhus University, P.O. Box 358,
Frederiksborgvej 399,
DK-4000 Roskilde, Denmark
E-mail: hro@dmu.dk
E-mail: ruwim@broendbybredbaand.dk
E-mail: mke@dmu.dk
E-mail: rb@dmu.dk

Jörg Franke

Faculty of Mechanical Engineering,
Department of Fluid- and Thermodynamics,
University of Siegen, Paul-Bonatz-Str. 9-11,
57076 Siegen, Germany
Fax: +49(0)2717402666
E-mail: joerg.franke@uni-siegen.de

**Michael Schatzmann,
K. Heinke Schlünzen and Bernd Leidl**

Meteorological Institute (ZMK/ZMAW),
University of Hamburg,
Bundesstrasse 55,
D-20146 Hamburg, Germany
E-mail: schatzmann@zmaw.de
E-mail: heinke.schlunzen@zmaw.de
E-mail: bernd.leidl@zmaw.de

Rex Britter

Visiting Scientist, DUSP,
MIT, Boston, MA 02139, USA
E-mail: rb11@eng.cam.ac.uk

**Carlos Borrego
and Ana Margarida Costa**

CESAM & Department of Environment and Planning,
University of Aveiro,
3810-193 Aveiro, Portugal
E-mail: cborrego@ua.pt
E-mail: amcosta@ua.pt

Silvia Trini Castelli

Institute of Atmospheric Sciences and Climate (ISAC),
National Research Council (C.N.R.),
Corso Fiume 4, Torino – 10133, Italy
E-mail: S.TriniCastelli@isac.cnr.it

Tamir G. Reisin

Soreq Nuclear Research Center,
81800 Yavne, Israel
E-mail: treisin@soreq.gov.il

Antti Hellsten

Finnish Meteorological Institute,
Air Quality Research,
P.O. Box 503, FI-00101 Helsinki, Finland
Fax: +358919295403
E-mail: antti.hellsten@fmi.fi

Jarkko Saloranta

KONE Corporation,
P.O. Box 677, FI-05801 Hyvinkää, Finland
E-mail: jarkko.saloranta@kone.com

Nicolas Moussiopoulos and Fotios Barmpas

Laboratory of Heat Transfer
and Environmental Engineering,
Dept. of Mechanical Engineering,
Aristotle University,
Box 483, GR-54124 Thessaloniki, Greece
E-mail: moussio@eng.auth.gr
E-mail: fotisb@aix.meng.auth.gr

Krzysztof Brzozowski

Department of Applied Computer Science,
University of Bielsko-Biala,
Willowa 2, 43309 Bielsko-Biala, Poland
E-mail: kbrzozowski@ath.eu

István Goricsán and Márton Balczó

Department of Fluid Mechanics,
Budapest University of Technology and Economics (BME),
1111, Bertalan L. 4-6,
Budapest, Hungary
E-mail: goricsan@ara.bme.hu
E-mail: balczo@ara.bme.hu

John G. Bartzis and George Efthimiou

Environmental Technology Laboratory,
Department of Mechanical Engineering,
University of Western Macedonia,
Sialvera & Bakola Str.,
50100, Kozani, Greece
E-mail: bartzis@uowm.gr
E-mail: gefthimiou@uowm.gr

**Jose Luis Santiago
and Alberto Martilli**

Environment Department,
Research Center for Energy,
Environment and Technology (CIEMAT),
Avenida Complutense 22, 28040 Madrid, Spain
E-mail: jl.santiago@ciemat.es
E-mail: alberto.martilli@ciemat.es

**Martin Piringer, Kathrin Baumann-Stanzer
and Marcus Hirtl**

Central Institute for Meteorology and Geodynamics,
Division Customer Service,
Section Environmental Meteorology,
Hohe Warte 38, A-1190 Vienna, Austria
E-mail: martin.piringer@zamg.ac.at
E-mail: kathrin.baumann@zamg.ac.at
E-mail: marcus.hirtl@zamg.ac.at

Alexander A. Baklanov

Meteorological Research Division,
Danish Meteorological Institute,
Lyngbyvej 100,
DK-2100 Copenhagen Ø, Denmark
E-mail: alb@dmi.dk

Roman Nuterman

Meteorological Research Division,
Danish Meteorological Institute,
Lyngbyvej 100, DK-2100 Copenhagen Ø, Denmark
E-mail: ron@dmi.dk

and

Mechanics and Mathematics Faculty,
Department of Numerical Mathematics
and Computer Modelling,
Tomsk State University,
634050, 36 Lenin Ave., Tomsk, Russia
E-mail: nutrik@math.tsu.ru

Alexander V. Starchenko

Mechanics and Mathematics Faculty,
Department of Numerical Mathematics and Computer Modelling,
Tomsk State University,
634050, 36 Lenin Ave., Tomsk, Russia
E-mail: starch@math.tsu.ru

Abstract: The aim of this paper is to describe the use of a general methodology tailored to the evaluation of micro-scale meteorological models applied to flow and dispersion simulations in urban areas. This methodology, developed within COST 732, has been tested through a large modelling exercise involving many groups across Europe. The major test case used is the Mock Urban Setting Test (MUST) experiment representing an idealised urban area. It is emphasised that a full model evaluation is problem-dependent and requires several activities including a statistical validation that requires a careful choice of the metrics for the comparison with measurements.

Keywords: COST Action 732; CFD and non-CFD models; model evaluation; MUST; idealised urban area.

Reference to this paper should be made as follows: Di Sabatino, S., Buccolieri, R., Olesen, H.R., Ketzel, M., Berkowicz, R., Franke, J., Schatzmann, M., Schlünzen, K.H., Leitl, B., Britter, R., Borrego, C., Costa, A.M., Trini Castelli, S., Reisin, T.G., Hellsten, A., Saloranta, J., Moussiopoulos, N., Barmpas, F., Brzozowski, K., Goricsán, I., Balczò, M., Bartzis, J., Efthimiou, G., Santiago, J.L., Martilli, A., Piringer, M., Baumann-Stanzer, K., Hirtl, M., Baklanov, A., Nuterman, R. and Starchenko, A.V. (2011) 'COST 732 in practice: the MUST model evaluation exercise', *Int. J. Environment and Pollution*, Vol.

Biographical notes: Silvana Di Sabatino received her PhD (Engineering) from the University of Cambridge (UK). She holds a MPhil Degree from the same University and a MSc Degree in Physics from Bologna University. Currently, she is Assistant Professor and Lecturer in Atmospheric Physics at the Dipartimento di Scienza dei Materiali, University of Salento. Her research interests are in the field of atmospheric dispersion over complex geometry, urban boundary layer modelling and data analysis. She has published several research papers in international journals and conference proceedings; she has to her credit book chapters.

Riccardo Buccolieri received his PhD (Environmental Geophysics) from the University of Messina (Italy) (Consortium of Universities of Messina, Palermo and Lecce) working on flow and pollutant dispersion modelling in urban areas by means of CFD and integral models. He is currently working as a Post-doc Researcher at the Dipartimento di Informatica, Università di Venezia. His research deals with the study of the effects of ambient wind direction, building geometry and tree planting on flow and pollutant dispersion in the urban environment. He is author of research studies on international journals, conference proceedings as well as book chapters.

Helge Rørdam Olesen is a Senior Advisor at the Department of Atmospheric Environment of the Danish National Environmental Research Institute, Aarhus University. He has been working with development and implementation of atmospheric short-range models, in particular the Danish OML model. His main interest is model evaluation. An important aspect of his work has

been efforts on an international level to establish common tools within dispersion modelling. He is chairman of the European initiative on *Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes*, which is responsible for the series of international harmonisation conferences – resulting in the present issue of IJEP.

Matthias Ketzelt is a Senior Scientist at the Department of Atmospheric Environment of the Danish National Environmental Research Institute (NERI), Aarhus University, Denmark. He has been working since 1993 with atmospheric dispersion and aerosol dynamics modelling. He has more than 10 years of experience in working with the microscale model MISKAM and the operational street canyon model OSPM. He received his PhD in 2004 from Lund University, Sweden with a thesis on “Dispersion and Transformation of Traffic Exhaust Particles in the Urban Atmosphere”. Personal web page: <http://www2.dmu.dk/atmosphericenvironment/Staff/ketzel.htm>

Ruwim Berkowicz is retired senior scientist at the National Environmental Research Institute in Denmark. His main research and work area has been development of computerised air pollution dispersion models with special emphasis on local scale modelling. He has been instrumental in development of the Danish regulatory air quality model OML and the street canyon model OSPM.

Jörg Franke received his PhD in Mechanical Engineering from the University of Karlsruhe. He is a Senior Lecturer in the Department of Fluid- and Thermo-dynamics, University of Siegen. His research interests include the application of computational fluid dynamics in the fields of building aerodynamics and pollution dispersion with special emphasis on quality assurance of simulation results. He is the author of several research studies in national and international journals, conference proceedings as well as a book chapter.

Michael Schatzmann is Professor at the Meteorological Institute of the University of Hamburg. He is in charge of the Technical Meteorology Division which develops meso- and micro-scale meteorological models and operates a boundary layer wind tunnel laboratory. He chairs action COST 732.

K. Heinke Schlünzen is Professor at the University of Hamburg and head of the mesoscale and microscale modelling group. Her research interests are in the field of meso- and micro-scale meteorological processes and phenomena with particular emphasis on model evaluation and model uncertainty. She investigates scale interaction, meso- and micro-scale dynamics and chemistry, and the interaction of atmosphere, ocean, biosphere and chemisphere. She has published more than 50 peer-reviewed papers and numerous technical reports and conference papers.

Bernd Leitl is Professor and the Head of the Environmental Wind Tunnel Laboratory (EWTL) at Hamburg University. He is working in the field of environmental fluid mechanics for more than 20 years, mainly focusing on physical modelling of atmospheric flow and dispersion phenomena in boundary layer wind tunnels. For his work on LASER-optical, image-based concentration measurements in large wind subsonic wind tunnels he was awarded a Feodor-Lynen-Scholarship of the Alexander von Humboldt Foundation. He has published more than 40 scientific papers and papers and authored or co-authored numerous technical reports and conference papers.

Rex Britter is Visiting Scientist at the Department of Urban Studies and Planning, MIT, Boston. He has been Professor of Environmental Fluid

Dynamics in the Department of Engineering at the University of Cambridge, UK. His research interests include fundamental studies into turbulent fluid dynamics, particularly those involving buoyancy. This is paralleled with operational interests in the flow and dispersion of hazardous materials, conventional pollutant dispersion problems in complex geometries such as cities, formalised model evaluation procedures, urban air quality, sustainable energy use in cities and security issues.

Carlos Borrego is Full Professor on Environmental Engineering, with focus on Air Pollution. He has the Habilitation on Applied Environmental Sciences from the University of Aveiro, PhD and MSc from the Free University of Brussels and a Degree in Mechanical Engineering from the Technical University of Lisbon. He has been involved since 1994 in 24 European projects and integrates a number of international scientific boards and committees. His research work includes nearly 400 scientific publications. He was the Portuguese Minister of Environment and President of the European Council of Ministers of Environment for the 1992 Rio Conference.

Ana Margarida Costa has a PhD in Sciences Applied to the Environment at the University of Aveiro. She is a Researcher at the R&D Unit CESAM (Centre for Environmental and Marine Studies) of the University of Aveiro, and carries work in the field of traffic air pollutants dispersion in urban areas through the development and application of numerical modelling tools. Her current research interests also include the assessment of the outdoor air pollutants transport to indoors and human exposure to air pollution. She is the author of more than 65 scientific publications, including nine peer-reviewed papers in scientific journals, 20 papers in International Symposia with referee, and the participation in five book chapters.

Silvia Trini Castelli graduated in Physics in 1993 and received her PhD in Geophysics in 1997. She is a Researcher at the Institute of Atmospheric Sciences and Climate of the C.N.R. (Torino, Italy) and she collaborates as short-term Professor at the University of Piemonte Orientale. Her main research fields are atmospheric physics, planetary boundary layer meteorology, turbulence, atmospheric dynamics and dispersion modelling. She is involved in several national and international research projects, is author of more than 50 papers published on international journals and peer-reviewed conference proceedings and she has presented more than 60 papers at international and national meetings.

Tamir G. Reisin received his BSc and MSc Degrees in Physics from the Technion – Israel Institute for Technology and a PhD in Atmospheric Physics in 1995 from Tel Aviv University. After a one year residence as Visiting Scholar at the Geophysical Fluid Dynamics Laboratory at Princeton University he returned to Tel Aviv University as Researcher where he stayed until 1999. Since then he has been a Researcher at the Applied Physics Division at the Soreq Nuclear Research Centre. His main research fields are cloud physics, microphysical processes numerical modelling, and pollutants dispersion. He published more than 70 papers in scientific journals and conference proceedings.

Antti Hellsten received his DSc (Tech.) Degree in Aeronautical Engineering at Helsinki University of Technology. He is currently a Senior Research Scientist at Finnish Meteorological Institute. His research interests are related to simulation and modelling of turbulent flows in various technical and environmental applications. He has published many research papers in international journals and conference proceedings.

Jarkko Saloranta received his MSc (Tech.) Degree in Aeronautical Engineering at Helsinki University of Technology in 2006. Up to autumn 2008 he worked as a research scientist at Helsinki University of Technology. He is currently working as a Design Engineer at KONE Corporation R&D unit.

Nicolas Moussiopoulos is a Full Professor at Aristotle University's Mechanical Engineering Department and the Director of the Laboratory of Heat Transfer and Environmental Engineering. At present he is also the Dean of the University's School of Engineering. Since 1996, he is a Honorary Professor at Karlsruhe University's School of Mechanical Engineering. His research work deals primarily with air pollution abatement and waste management. He is a Member of the German Academy of Natural Scientists Leopoldina and in 2002 he was awarded the Order of Merit of the Federal Republic of Germany. Since 2009, he represents Greece in the European Commission's Programme Committee "Regions of Knowledge, Research Potential and Coherent Development of Policies".

Fotios Barmpas graduated from the University of Manchester as an Aerospace Engineer in 1997. He received an MSc in "Applied Mathematics and Fluid Mechanics" also from the University of Manchester in 1999. Since then he has held a research engineering position at the Laboratory of Heat Transfer and Environmental Engineering, AUTH, in the field of Computational Fluid Dynamics (CFD) and Heat Transfer. He has worked on the optimisation of heat exchangers in future commercial airliners aero-engines through CFD analysis as well as on wind flow and dispersion of pollutants in built-up areas for various European projects through the application of both numerical and wind tunnel modelling techniques. He has been involved in several large EC projects and has contributed to several major environmental impact assessment studies. Fotios Barmpas has been involved in several scientific publications, including several articles in peer reviewed journals.

Krzysztof Brzozowski received his PhD in Mechanical Engineering from University of Bielsko-Biala, Poland. He is a Lecturer at the Department of Applied Computer Science, University of Bielsko-Biala. His main research area is concerned with applications of computational methods to modelling of car exhaust pollutant emission and dispersion. He is the author of books and several papers in national and international journals.

István Goricsán received his PhD in Mechanical Engineering at the Budapest University of Technology and Economics (BME). His research interests include issues related to dispersion in atmospheric boundary layers, wind tunnel measurement of wind loads acting on buildings and structures, as well as pollutant transport related CFD.

Márton Balczó graduated as Mechanical Engineer 2001 from the BME and the University of Karlsruhe and is research assistant at the Department of Fluid Mechanics of the Budapest University of Technology and Economics (BME). His research area is pollutant transport in urban environment.

John Bartzis received his Diploma in Mechanical and Electrical Engineering from the National Technical University of Athens, Greece (1970), his MS in Nuclear Engineering from the MIT, USA (1975), and his PhD in Nuclear Engineering from the MIT, USA (1977). He is currently a Professor, and Director of the Energy and Environment Sector and Director of the Environmental Technology Laboratory UOWM. He is also Elected Vice-President of COST Senior Officials Committee and Member of the Safety Committee of Greek Research Nuclear Reactor. He was also Elected Vice-Chairman of COST Senior Officials Committee, Chairman of the

COST Strategy Issues Group, Member of JAF Committee of COST, National Representative of COST Senior Official Committee and National representative in several EU and OECD Committees in the field of Nuclear Energy.

George Efthimiou received his degree in Mechanical Engineering at the UOWM, Greece. He is a PhD student at the Department of Mechanical Engineering, UOWM, Greece. His research interests include the microscale modelling of environmental flows and pollutant dispersion with special emphasis on individual exposure in short term release episodes.

Jose Luis Santiago holds a MSc Degree in Physics from University of Cordoba (UCO) and a PhD from the Technical University of Madrid (UPM). He obtained the Extraordinary Doctoral Prize from the UPM in 2005/2006. Currently, he is a Researcher at the Environment Department of CIEMAT (Spain). His research subjects are urban meteorology and atmospheric dispersion modelling in street canyons. He have published several research papers at international journals, conference proceeding, technical reports and book chapters.

Alberto Martilli graduated in Physics in 1995 (Università Statale di Milano, Italy) with a dissertation on numerical modelling of mesoscale circulations over complex terrains. In 1996, he moved to the Swiss Federal Institute of Technology (EPFL, Lausanne), where, in 2001, obtained his PhD with a dissertation on the development of a new urban surface parameterisation for mesoscale models. From 2001 to 2004 he worked as Post-doctoral fellow at the University of British Columbia (Vancouver, Canada), on mesoscale air pollution modelling. Since 2005 he is researcher at CIEMAT (Spain), where he works on micro and mesoscale atmospheric modelling over urban areas.

Martin Piringer has a Doctorate in Meteorology from the University of Vienna, with a thesis (in 1980) on a concept and first results of a fine-mesh boundary layer model in the Alps. He is today head of the Section Environmental Meteorology in the Division Customer Service at the Central Institute for Meteorology and Geodynamics and has published 24 refereed papers (focusing on urban boundary layers and odor pollution) as well as chapters of three books. His research interests are mainly vertical profile measurements in the boundary layer (both in complex terrain and the urban environment) as well as odor dispersion.

Kathrin Baumann-Stanzer has a Doctorate in Meteorology from the University of Vienna, with a thesis on the quality assurance of wind profiler data. She has published in national and international journals, 21 refereed papers on various aspects of applied boundary layer meteorology and air pollution modelling. She is senior scientist at the Central Institute for Meteorology and Geodynamics and leader of the emergency response group in the Section Environmental Meteorology. Her research interests are related to air pollution modelling on the local and regional scale – for assessment studies as well as hazardous release scenarios.

Marcus Hirtl holds a Master Degree in Meteorology. He is a scientist in the Section Environmental Meteorology at the Central Institute for Meteorology and Geodynamics. His main interests are ozone forecasting and air pollution modelling at all scales. He has published 3 refereed papers and is actively participating at international conferences and working groups.

Alexander A. Baklanov, Prof. (2008), Dr. Sci. (1998), PhD (1983), MS (1979), is senior scientist at Research Department of Danish Meteorological Institute

and deputy director of Danish strategic research Centre for Energy, Environment and Health (CEEH). His research interests are air pollution and aerosol dynamics modelling, boundary layer meteorology, urban meteorology and climatology, environmental impact and risk assessments. He has more than 300 scientific publications, including 11 books and about 150 journal papers.

Roman B. Nuterman received his PhD in Fluid Mechanics at the Tomsk State University, Russia. He is PostDoc at the Research Department of Danish Meteorological Institute (Center for Energy, Environment and Health, CEEH). His research interests are computational fluid dynamics, air pollution and boundary layer meteorology. He is the author of several research studies in national and international journals and conference proceedings.

Alexander V. Starchenko received his PhD at Tomsk State University (TSU), Russia. After that he worked at Scientific Research Institute of Applied Mathematics and Mechanics at Tomsk State University. He received his Doctoral Degree in Physics and Mathematics from TSU. Presently he is a Professor of Mechanics and Mathematics Faculty and Head of the Numerical Mathematics and Computer Modelling Department of TSU. His research interests are fluid mechanics, numerical methods, boundary layer meteorology, urban meteorology and climatology. He has published one monograph and about 100 journal papers.

1 Introduction

COST Action 732 (2005–2009) was launched with the intent of improving and assuring the quality (fitness-for-purpose) of micro-scale meteorological models that are used for predicting flow and dispersion in urban or industrial environments. COST 732 started in July 2005 with a joint ESF/COST 732 Exploratory Workshop on Quality Assurance of Micro-Scale Meteorological Models held in Hamburg. The eventual impact of COST 732 is dependent upon whether the evaluation procedures suggested by the Action are widely accepted by the scientific community of model developers and model users. In May 2007 the first version of the evaluation procedure was released in order to provide a basis for discussions within the community. One of the main aims of COST 732 is that of establishing best practice methodologies and a standardisation of CFD modelling practise when used for meteorological applications within urban areas. The evaluation procedure proposed by COST 732 is presented in three documents that are publicly available on line at <http://www.mi.uni-hamburg.de/Official-Documents.5849.0.html>

- Background and Justification Document to support the Model Evaluation Guidance and Protocol, Version 1, May 2007 (Britter and Schatzmann, 2007a).
- Model Evaluation Guidance and Protocol Document, Version 1, May 2007 – a stand-alone document to assist the setting up and executing of a model evaluation exercise (Britter and Schatzmann, 2007b).
- Best Practice Guideline for the CFD simulation of flows in the urban environment, Version 1, May 2007 – based on published guidelines and recommendations, which mainly deal with prediction of the statistically steady mean flow and turbulence in urban areas under conditions of neutral density stratification (Franke et al., 2007).

The recommendations given in the documents listed above have been tested by COST 732 itself. The Mock Urban Setting Test (MUST), (Biltoft, 2001; Yee and Biltoft, 2004) which comprises field and wind tunnel experiments from flow and dispersion experiments carried out within and above a simulated urban setting made up from 120 standard size shipping containers, was selected for initial studies. The wind tunnel measurements within a scaled model (1 : 75) of that configuration were carried out at the University of Hamburg. (Bezpalcova, 2007). So far, several groups of numerical modellers (with most using CFD models) have simulated the wind tunnel MUST experiments following the model evaluation guideline. The experiments used were those with two main wind directions, 0° and -45° (and these correspond to 270° and 315° , respectively, in meteorological terminology) of the approaching flow. This study was launched in Athens in October 2006 and is the basis for COST 732 testing the evaluation procedures for urban flow and transport models. Attention is given to determining the quality (fitness-for-purpose) of the model.

2 Methodology

Several CFD models have been used by different groups from many European countries. They are: Miskam, Fluent, ADREA, Star-CD, Finflo, Cfx, Mitras, Tsu/M2UE, VADIS, Code_Saturne. Also non-CFD models, such as Lasat, ADMS-Urban, RAMS, OML, ESCAPE, CALPUFF, have received attention within COST 732. For comparison of numerical results with experimental data, both qualitative and quantitative approaches have been chosen. There is a common understanding that exploratory qualitative data analysis using graphical comparison between model and data and an intercomparison among models gives a simple, useful and transparent way of showing the strengths and weaknesses of models.

For the evaluation of a model both qualitative (through profiles and contours) and quantitative (through statistical analysis) approaches are needed, otherwise statistical parameters alone could obscure deficiencies of the model.

In our proposed methodology model results needs to be analysed in a combined way by means of

- contours of velocity components, Turbulent Kinetic Energy (TKE) and Reynolds stress components
- vertical and horizontal profiles of velocity components and TKE
- profiles of dimensionless concentration. In the example provided we only use the -45° approach flow case as concentration measurements were not available for the 0° case
- statistical analyses.

The first three are essentially a qualitative analysis while the fourth is quantitative. In our methodology, model results are quantitatively evaluated using direct point-by-point comparisons with wind tunnel data focusing on the mean velocity components, on the TKE, on the Reynolds stresses and on the pollutant concentrations. This approach was preferred over the alternative of using manipulated data such as estimating a maximum concentration on an arc and using it for model comparison purposes. To assess model

performance several statistical measures can be used, such as the Fractional Bias (FB), the Normalised Mean Square Error (NMSE), the fraction of predictions within a factor of two of observations (FAC2), the Geometric Mean (MG) bias and the geometric variance (VG). Typical magnitudes of the above performance measures and estimates of model acceptance criteria have been summarised by Chang and Hanna (2004) based on extensive experience with evaluating many models with many field data sets. The commonly accepted values for ‘state of the art’ model performance are: $-0.3 < \text{FB} < 0.3$; $\text{NMSE} < 4$; $\text{FAC2} \geq 0.5$; $\text{MG} < 1$; $\text{VG} < 1.5$. Also the hit rate evaluation test (VDI, 2005) should be performed using a fractional deviation $D = 0.25$ and specific absolute deviations W for the different variables analysed (the hit rate must not fall below 66% for the comparison with wind tunnel data).

In this perspective, assuming that the set of models involved in COST 732 is a representative sample of the micro-scale models currently available and widely used, at least in a European context, with the MUST exercise the Action’s intention is to suggest criteria for the ‘state of the art’ based on the model results. The state of the art is a dynamical concept; models constantly improve and the state of the art consequently changes. So the methodology which the Action is following will contain a procedure to update the criteria, so that if, in the future, new models are run using the COST 732-MUST case or other data, the value of the metrics reflecting the state of the art will be modified. Currently, such criteria are valid only for the COST 732-MUST dataset but future model comparisons with other datasets under COST 732 will provide more comprehensive model evaluation.

A somewhat different question concerns the ‘fitness for purpose’ criteria as these change with the intended purpose of the model. An important point to be addressed by a model user is whether the ‘state of the art’ will satisfy the ‘fitness for purpose’ criteria for the particular purpose of the modeller.

3 Results

Vertical and horizontal profiles of wind tunnel data and the results from the various model simulations have been collected in Excel spreadsheets that include a macro tool, which allows easy graphical comparisons. The tool was developed within this Action by Berkowicz et al. (2007). This tool was found to be extremely useful for exploratory data analysis to highlight both large errors and subtle differences among the models.

In this section we present, as an example of the qualitative evaluation, some profiles of the horizontal velocity component along the x -axis (U) and the vertical velocity component (W) for the 0° case (normalised with the reference wind velocity of undisturbed flow U_{ref}). We also show concentration profiles for the -45° approach flow case. Concentration values are expressed in a non-dimensional form as follows:

$$C^* = \frac{CU_{\text{ref}}H^2}{Q} \quad (4)$$

where C is the calculated concentration, H the building height and Q the emission rate.

3.1 Wind profiles

For the 0° approach flow case, Figure 1 shows example vertical profiles at one measurement point in the spanwise street canyon at the middle of the array. From Figure 1, we note that the qualitative behaviour of the models is different. Some of them seem to underestimate U/U_{ref} in the layer occupied by the buildings, while others overestimate the velocity. Table 1 shows the validation metrics from two of the models involved. These metrics have been calculated considering all vertical profiles available. The agreement between models and experiments is good for the U velocity component with all metrics within the range or very close to the acceptance criteria limits. It should be noted that FB and NMSE parameters are without meaning for velocity components or variables which may assume both positive and negative values. Overall all models are not able to predict well the W component and they tend to underestimate it.

Figure 1 0° approach flow case: (a) sketch of the array showing the position (vertical line) of measurement profiles in the street canyon and (b) examples of modelled and measured vertical profiles of U/U_{ref} and W/U_{ref} (where mod indicates modelled results and WT indicates wind tunnel data)




Table1 0° approach flow case: statistical quantities of U/U_{ref} and W/U_{ref} obtained from some models against wind tunnel data for all vertical profiles available

MODEL	FAC2 (U/U_{ref} ; W/U_{ref})	Hit rate (U/U_{ref} ; W/U_{ref})
B	0.88; 0.30	0.61; 0.24
C	0.92; 0.24	0.66; 0.17

3.2 Tracer concentration

The qualitative behaviour of the pollutant plume predicted by the models compares well with wind tunnel data. As an example Figure 2 shows concentration results in the middle of the array for the -45° approach flow case plotted at a constant height $z = 0.5 H$ (where H is the height of the building).

Table 2 shows, as an example, the validation metrics for concentration from two of the models involved for all measurements points (256). The agreement is good for the two models with all metrics within or very close to the acceptance limits.

The Action has also collected results from the statistical analysis for all the models participating to the MUST exercise. Differences in the metrics for different models for the MUST data and for other datasets and the criteria for the ‘state of the art’ and for ‘fitness for purpose’ for typical purposes have been discussed. This has allowed to formulate a Best Practice Guideline for using the MUST case and to revise the Model Evaluation Guidance and Protocol Documents. Further detailed qualitative and quantitative results (Schatzmann et al., 2009) have been presented during several conferences and will be presented over the next years.

Figure 2 -45° approach flow case: (a) top view of the array, position of the source (black square in the upper part) and measurements points (left part). Wind blows from the top and (b) examples of modelled and measured C^* values along an horizontal profile perpendicular to the wind direction (black rhombi in Figure 2(a))




Table 2 –45° approach flow case: statistical quantities of dimensionless concentrations C^* obtained from some models against wind tunnel data for all measurements points

<i>MODEL</i>	<i>FB</i>	<i>FAC2</i>	<i>Hit rate</i>
B	–0.26	0.97	0.68
C	–0.39	0.94	0.64

4 Lessons learnt and conclusions

The first qualitative comparison carried out in the COST 732 shows that flow and concentration model results compare relatively well with the measurements. The prediction for the U velocity component is better than for the W component. The Excel tool developed within the COST 732 has allowed us to make detailed studies of the differences in model results where the differences are not obscured by differences in presentation. Correct specification of the inlet profiles and specific aspects of two-equation turbulence models were thought to require further investigation.

The Action has finalised the MUST exercise and has suggested the best approach for further model evaluation for the standardisation of CFD modelling practise for micro-scale meteorological applications. This includes a critical review and refinement of the numerical results. This has been done by using outcome from some working groups which were formed during the Action to investigate specific aspects including boundary conditions, statistical measures and non-CFD model evaluations.

Acknowledgements

Thanks are due to DTRA/DPG for providing MUST data for use in COST732.

References

- Berkowicz, R., Olesen, H. and Ketzel, M. (2007) <http://www.dmu.dk/International/Air/Models/Background/MUST.htm>
- Bezpalcova, K. (2007) *Physical Modelling of Flow and Diffusion in Urban Canopy*, PhD Thesis, Faculty of Mathematics and Physics, Charles University in Prague.
- Biltoft, C.A. (2001) *Customer Report for Mock Urban Setting Test*, DPG Document No. WDTCFR-01-121, West Desert Test Center, US Army Dugway Proving Ground, Dugway, Utah, p.58.
- Britter, R. and Schatzmann, M. (Eds.) (2007a) *Background and Justification Document to Support the Model Evaluation Guidance and Protocol Document*, COST Office Brussels, Belgium.
- Britter, R. and Schatzmann, M. (Eds.) (2007b) *Model Evaluation Guidance and Protocol Document*, COST Office Brussels, Belgium.
- Chang, J. and Hanna, S. (2004) 'Air quality model performance evaluation', *Meteorol. Atmos. Phys.*, Vol. 87, pp.167–196.
- COST Action 732 (2005–2009) *Quality Assurance and Improvement of Micro-Scale Meteorological Models*, <http://www.mi.uni-hamburg.de/Home.484.0.html>
- Franke, J., Hellsten, A., Schlünzen, K.H. and Carissimo, B. (Eds.) (2007) *Best Practice Guideline for the CFD Simulation of Flows in the Urban Environment*, COST Office Brussels, Belgium.

- Schatzmann, M., Olesen, H. and Franke, J. (Eds.) (2009) *COST 732 Model Evaluation Case Studies: Approach and Results*, COST Office, Brussels, Belgium.
- VDI (2005) *VDI Guideline 3783 Part 9: 2005-11, Environmental Meteorology – Prognostic Micro-scale Wind Field Models – Evaluation for Flow Around Buildings and Obstacles*, Beuth Verlag, Berlin.
- Yee, E. and Bilitoft, C. (2004) 'Concentration fluctuation measurements in a plume dispersing through a regular array of obstacles', *Boundary Layer Meteorology*, Vol. 111, pp.363–415.