

Torsten Wilholt[†]

Design Rules: Industrial Research and Epistemic Merit^{*}

[Manuscript version. The original article is published in
Philosophy of Science, 73 (1), 66-89, and is available at
www.journals.uchicago.edu/PHILSCI/journal/]

Abstract

A common complaint against the increasing privatization of research is that research that is conducted with the immediate purpose of producing applicable knowledge will not yield knowledge as valuable as that generated in more curiosity-driven, academic settings. In this paper, I make this concern precise and reconstruct the rationale behind it. Subsequently, I examine the case of industry research on the giant magnetoresistance effect in the 1990s as a characteristic example of research undertaken under considerable pressure to produce applicable results. The example permits one to arrive at a more optimistic assessment of the epistemic merits of private, application-driven research. I attempt to specify the conditions that, in this case, advanced the production of interesting and reliable knowledge.

1. Instrumental Research and the Concerns about Epistemic Decline

What epistemic consequences ensue when scientific research is taken over by corporate interests? In this paper, I will examine one important recent example of such a takeover. Among other things, I will describe the role of a certain kind of local model that figures importantly in connecting research efforts with product development and whose occurrences are sometimes aptly called ‘design rules’. It is often feared that these and all other results of application-driven research are inevitably pragmatic, provisional or otherwise inferior to the knowledge achieved by curiosity-driven academic science. The ambiguity of this paper’s title alludes to these worries: It is reasonable to assume that in industrial research, design *rules*. Might the demands of successful product design even threaten to *overrule* the traditional epistemic values of academic science?

Quite a few players in public debates about science evidently fear so, and have expressed their concern that the gradual privatization of research will eventually prove detrimental for the epistemic merits of science as a whole. One of them is John Ziman, prized theoretical physicist, long-time chairman of the United Kingdom’s Council for Science and Society and founding director of the Science Policy Support Group. He summarizes the matter as follows:

[†] Department of Philosophy, Bielefeld University, P.O. Box 100 131, D-33501 Bielefeld, Germany. E-mail: twilholt@uni-bielefeld.de

^{*} I am grateful to Martin Carrier, Matthias Adam and Justin Biddle, with whom I have discussed many of this paper’s ideas and who contributed valuable comments on earlier versions. I am also grateful to Reinder Coehoorn and Theo Rijks from Philips Research for being very generous with their time and their knowledge. This research was conducted with support from the Deutsche Forschungsgemeinschaft (DFG).

[T]he practices and norms of instrumental research are almost the opposite of those of academic science. Being normally funded by contracts rather than by patronage, instrumental science is so captive of material interests and commercial agendas that it is *partisan* rather than objective in its judgements. Its findings are exploited as intellectual property, and are thus *proprietary* rather than public. Because it serves specific power groups and technical elites, it tends to produce ‘*local*’ rather than universal knowledge. Being addressed primarily to foreseen problems and needs it is *prosaic* rather than imaginative, and is tested *pragmatically* by practical success rather than being subjected to communal critical scrutiny. (Ziman 2002, 399)¹

By “instrumental research” Ziman means “the production of knowledge with clearly foreseen or potential uses” (ibid., 397). I take it that this is intended to describe epistemic practices that differ from traditional, epistemically oriented academic science in terms of their primary research *goals*. Research that is subordinated to a concrete purpose of application and utilization of the knowledge sought qualifies as instrumental. I shall therefore assume that industrial research constitutes a typical case of what Ziman has in mind when he speaks of instrumental science.

Philosophers tend to regard the worries at issue as belonging to the realm of science policy, pointing as they do to the question of who does have and who should have control over the agenda of scientific research. Accordingly, the developments behind these concerns have so far primarily been approached from a social science perspective rather than from the point of view of the philosophy of science.² I maintain, however, that these matters should be a concern for philosophers of science, because they are really epistemological issues.

It might not be obvious that they are, for they are not concerned with the question of what knowledge is, neither are they involved in the refutation of skepticism. There is, however, a further project of epistemology, which has been called its meliorative dimension, which consists in the endeavor to promote and secure our cognitive success by finding the methods and means most suitable to our epistemic ends (cf. Kitcher 1992). There is also increasing recognition of the fact that our advanced epistemic aims inevitably require a collective effort, and that therefore the social arrangements of our epistemic practices are an important part of the means to achieve them.³ Peer reviewed publication and granting of funds, norms of good scientific conduct and the meritocratic social structure of the scientific community all belong to the methodology we employ in order to make the greatest progress toward our epistemic ends. The large scale changes observed by sociologists and critics like Ziman affect the social arrangements under which a great and ever growing part of scientific research is undertaken. To ask whether these changes threaten the success of our collective epistemic effort is therefore an important new task for the epistemologist (and her more specific variety, the philosopher of science).

¹ This is basically a summary of views that he has explained in a little more detail in Ziman 2003.

² Sociologists have been telling us that we are still witnessing the transformation into a knowledge society, where, amongst other things, science is confronted with ever increasing demands for applicable knowledge and advice for economical as well as social and political purposes; that knowledge is more and more produced within the context of its application; and that science adapts to these changes through the development of a new mode of knowledge production by which “even to some extent the emergence of new criteria of what it means to do good science may be affected.” (Nowotny et al. 2001, 246.) Cf. also Gibbons et al. 1994, Funtowicz & Ravetz 1993.

³ Kitcher has already argued this position in (1993, esp. ch. 8). More contributions to social epistemology thus understood can be found in Schmitt (ed) 1994. More recently, the vital epistemological relevance of social arrangements has been forcefully argued by Helen Longino (2002).

Let me emphasize three selected aspects that show how the problems addressed by Ziman importantly include *epistemological* issues. They are all related to the challenge that instrumental research creates knowledge of inferior quality (as compared to the quality of results produced by curiosity-driven academic science).

The first aspect I would like to stress is Ziman's declaration that the knowledge provided by instrumental research is only *local*. In claiming this, Ziman makes an assertion about limited scope. This is potentially a serious charge against the epistemic merits of the research in question, if understood in the following way. I take it to be uncontroversial that science is expected to produce explanatory knowledge, and some philosophers have argued that this must go together with the integration of individual phenomena into unified schemes (Friedman 1974, Kitcher 1981). If they have a point and if “local” means insular, i.e. if the models tend to stand alone, without integration into an overarching theoretical framework, then instrumental research fails to produce one kind of knowledge expected from scientific endeavors.

The second important aspect is Ziman's assertion that instrumental research is *prosaic*: It is not concerned with the generation of new and interesting questions, but restricted to a limited set of foreseen problems that stand in the way of a given intended application. If the aim of inquiry is significant truth, this prosaic turn might simply reflect a shifting standard of significance. As Kitcher (2001, ch. 6) argued, significance in science as we know it is generated by both our practical concerns and our epistemic interests. If instrumental research would turn out to derive its notion of significance from only one of these two sources, this would amount to at least epistemic impoverishment, if not epistemic failure.

Finally, it is alleged that science in its instrumentalized manifestation exercises less care in the confirmation of its results: They are accepted if and only if they work for the desired application—or so Ziman seems to suggest when he asserts that the results of instrumental research are only *pragmatically* tested. In order to allow for a specific application, a new scientific claim will typically need to hold only for a narrow range of conditions that is defined by the context of application. If experimental examination is therefore confined to this narrow context, then pragmatic testing in this sense can go so far as to infringe upon methodological standards of severe scientific testing, such as diversity and variety of evidence. It can also lead to epistemic limitations if the researchers' limited concern for one specific context of application should lead them to disregard the question of how well the claim agrees with other established scientific beliefs (although to include this worry under the rubric of pragmatic testing admittedly implies a liberal sense of “testing”). In contrast, academic science might be expected to involve a wide range of assays of a new scientific claim, such as thorough checks for coherence with established scientific beliefs or testing in a broad range of experimental contexts. This is what we might expect to result from the system of mutual criticism in academic science—the “communal critical scrutiny” to which Ziman alludes. If this is a realistic picture of the situation, then we have here another sense in which instrumental research is epistemically inferior to traditional academic science.

This third concern also incorporates the worries about *proprietary* knowledge, that I will therefore treat as subordinate to the concern about merely pragmatic confirmation. The reason for this is that, as far as the quality of the knowledge produced is concerned, the main problem with proprietary knowledge arises in so far as it is withheld from the criticism of the scientific community. That there are in fact serious problems here is evident despite the fact that patents, the best-known form of proprietary knowledge, always involve the publication of the

results protected. While it is true that intellectual property rights thus offer a more open alternative to secrecy as a means of knowledge appropriation, in many cases serious problems remain. Let me briefly indicate three problems that show that the epistemological concerns about proprietary knowledge cannot be removed by a quick reference to the public character of patents. First, the desire to protect intellectual property forces researchers to keep findings secret until a patent application is filed, and thus almost inevitably delays the publication of results and can considerably slow down scientific communication.⁴ Second, obstacles to free research can arise when important research tools are protected by intellectual property rights. This is the case with biomaterials, which used to be freely exchanged among researchers until patent protection brought an end to this practice (cf. Kenney 1986, ch. 6). Finally and perhaps most important, there are circumstances where secrecy still is a more effective means to appropriate your research results than intellectual property rights. For example, once you patent a new drug, several of your competitors will engage in so called me-too research, i.e. they will tinker with the molecule until they find a substance with similar effects but not covered by the patent. It is therefore wise to let them know as late as possible and reap first mover advantages to establish a strong market position before the me-too substances flood the market. Similarly, when you have made an invention whose illegitimate use by competitors is in principle hard to *prove* (e.g., a new manufacturing process rather than a new design), patents will offer little in the way of legal protection. The conclusion is the same: Better keep it, so to speak, “in the house”. Each of these problems might result in the situation that individual lines of research are pursued within the seclusion of a single laboratory rather than in the marketplace of critical opinion.

There are additional problems implied in Ziman’s statement. As regards the proprietary character of science, there is the important question regarding who should be allowed to profit financially from scientific research (cf. Nelkin 1984). (This question has loomed large in the discussion of intellectual property ever since US legislation introduced the Bayh-Dole act, that in effect allowed private entities to profit from publicly financed research.)

There is also the vital and complex issues of fraud and bias in the context of instrumental science. Both are most alarming in cases where researchers are balancing producer risk against consumer risk, to borrow two terms from C. West Churchman (1948; cf. also Shrader-Frechette 1994, ch. 6, who prefers to speak of “developer risk” and “public risk”). Take for example the case of research on the health effects of second hand smoke and let the null hypothesis be that second hand smoke has no detrimental effects. Then the risk of committing a “false positive” (which occurs when the research ends up rejecting a null hypothesis that is in fact true) is mainly borne by the tobacco industry and therefore called the “producer risk”, while the risk of committing a “false negative” (accepting a null hypothesis that is in fact false) is the “consumer risk”, for obvious reasons.⁵ It is often easy to reduce the risk of one type of error in exchange for an increase of the other by altering problem selection, experimental design, data analysis or even one’s practices of disseminating and publishing

⁴ A study conducted in the USA in the 1990’s (Blumenthal et al. 1996) showed that 58% of the companies financing research at academic institutions in the life sciences regularly demanded delays of more than 6 months before publication.

⁵ It is common to identify producer risks in general with risks of false positives and consumer risks with risks of false negatives. I have reservations with this identification. In a clinical trial of a new drug for example, the null hypothesis might be that the new, more expensive drug is no better than the current drug. In that case, the risk of a false negative would be the producer risk and the risk of a false positive the consumer risk.

results. Bias results when researchers are not impartial between producer and consumer risks. This is a serious concern for research ethics (cf. Resnik 2000).

There are, however, many cases of industrial research that are concerned with the design of a prospective product rather than with its efficacy or its side effects. Often, such research concerns uncertainties that will have to be settled by the time the design can be finalized. *Any* error on the part of the researchers will typically result in the product's failure to function as planned. In such cases, there is no obvious distinction between producer risk and consumer risk, and the danger of bias is therefore a lot smaller than in the aforementioned type of situation.⁶ The case study I am presenting in this paper exemplifies such a case, and I will therefore leave the problem of bias aside. This is not to belittle its importance, but rather to keep the scope of this paper within reason. Instead, I will concentrate primarily on the three challenges to the epistemic merits of instrumental science that, using Ziman's terminology, can be epitomized in the claim that science in the service of instrumental purposes produces knowledge that is local, prosaic and only pragmatically confirmed.

So far, we have seen how the charge challenges the epistemic merit of instrumental research in several aspects. At this point, it is important to examine how it is founded. Critics of the privatization of science often present it in a matter-of-fact manner, as if its contentions were obvious. However, a simple and powerful *prima facie* consideration can be reconstructed that underlies the charge of epistemic inferiority. Furthermore, its implications are extensive enough to give the philosopher of science pause.

The *prima facie* consideration begins with the observation that in epistemically oriented research, the *choice of research questions* is often strongly influenced by the accessibility of theoretically well understood idealizations, by the availability of controllable mathematical representations and by the viability of clear and manageable experimental designs. In contrast, the choice of research questions in instrumental research will in most cases be determined by the requirements set by the intended application. Therefore researchers will routinely be confronted with a discomfoting unavailability of any of these advantageous starting points of research. The result may be called an *overtaxing of science*. The reaction on the researchers' part may reasonably be expected to be the development of provisional epistemic practices. These may simplify the situation by directing the focus solely to those particular questions that are absolutely essential for tackling the practical problem at hand and by being satisfied with answers that prove to work sufficiently well for the solution of the given problem. Such strategies should indeed deliver knowledge that is local and prosaic and involve a pragmatic stance toward confirmation.⁷

To see in how far this line of reasoning and the related charges capture the features of instrumental research as it is really happening, let us now turn to a characteristic episode of industrial research from the 1990s.

⁶ Two clarifications are in order. First, I do not mean to claim that such cases do not involve any kind of consumer risk, but only that no consumer risk arises from the uncertainties inherent in the research questions. Second, if there is more than one party involved in the development process (e.g., a company and a government agency as sponsor), the risks of false positives and false negatives may be unevenly distributed between these agents and an incentive for bias or even fraud may still arise for researchers that are concerned with the interests of only one of these agents.

⁷ Incidentally, this characterization comes close to what Funtowicz & Ravetz (1993) have called "post-normal science".

2. Giant Magnetoresistance Research as an Example of Instrumental Research

In the following four sections of the paper one line of research in condensed matter physics that created much attention in the 1990s will be examined with respect to the epistemological charges described above. My case rests to a great extent on the published research literature. In addition, I have conducted interviews with Reinder Coehoorn and Theo Rijk, two physicists from the Philips Research Laboratories who were both heavily involved in the research under consideration.

The matter at issue is research on a novel physical effect called “Giant Magnetoresistance” (GMR). To be precise, the effect was novel in 1988, when it was simultaneously and independently discovered in two rather typical academic research institutions (namely by Albert Fert and co-workers at the Université Paris-Sud and by Peter Grünberg’s group at the Research Centre Jülich, Germany). The effect can be observed with certain layered systems of thin ferromagnetic films separated by non-ferromagnetic conducting spacer layers. Basically, the effect is that the electric resistance of such systems is subject to great (“giant”) variations, dependent on the relative orientation to each other of the magnetization directions in the different ferromagnetic layers.⁸

Shortly after its discovery, industrial research quickly joined the effort to investigate the GMR effect. Outstanding contributions were made by researchers from the IBM laboratories in Almaden (California) and from the Philips Research Laboratories in Eindhoven (Netherlands), and by several other companies that also invested in GMR research. Obviously, their investments were motivated by the technological potential of the GMR effect. This in turn has to do with the possibility to affect the magnetization direction in one or more of the ferromagnetic layers in a GMR system by means of a magnetic field applied from outside. As a result of this, GMR systems are in principle suited to act as sensors for magnetic fields.

Right from the start, it was hoped that a prospective GMR sensor would combine the qualities of miniaturization potential and great sensitivity better than any magnetic sensor technology known so far. This made GMR attractive for many applications, but maybe most of all for read heads for magnetic media. In magnetic data storage media, the binary code is realized by different magnetization directions of tiny regions of the medium. The information must accordingly be read off by a small and highly sensitive magnetic sensor. As early as 1997, IBM presented a GMR hard disk drive ready for production. The implementation of GMR technology led to a sizeable increase in data density.⁹ In addition, there are other uses of GMR technology, such as sensors for mechanical parameters in vehicles or machines, or medical sensors for biomagnetic fields.

GMR research is a clear example of instrumental research on two levels. On the institutional level, the greater part of decisive research efforts were executed within industry owned research institutions. On the level of research objectives, the set of obvious application possibilities and the gigantic market potential leave no doubt that the research in this area was under pressure to deliver applicable results. On the other hand, GMR research is clearly different from mere technology development, because the physics of the effect was far from

⁸ For a brief presentation, see Grünberg 2001. For thorough surveys of GMR research see Barthélémy 1999 and Coehoorn 2003. For a review of its applications, see Parkin 2002.

⁹ Data density has of course been rapidly growing ever since magnetic data storage was first implemented. But the introduction of GMR read heads accelerated this process even more, boosting the compound annual growth rate of areal bit density from 60% to 100%. Cf. Grochowski and Halem 2003.

clearly established when the quest for applicable GMR sensors set in. Researchers in search of applicable GMR systems could not draw from an established inventory of models for the effect; instead, the theoretical tools to deal with the effect had to be developed in conjunction with the design of applicable systems.

This is not to say that the mechanism behind the effect was unknown. To the contrary, a rough qualitative explanation of the effect was available right from the beginning and is still believed to be basically correct. It is based on the two-current model of the electronic transport properties of ferromagnets that was proposed by Nevill Mott in 1964. For a better understanding of the effect, I will outline the model for the case of a GMR sandwich composed of two ferromagnetic layers and one non-ferromagnetic metallic interlayer. The model explains the effect with reference to spin-dependent scattering of transport electrons. Scattering events are what causes electric resistance, and in ferromagnetic media, the scattering probability of each transport electron depends on the orientation of its spin relative to the local magnetization of the medium. For the type of materials most commonly used within GMR sensors, scattering events (especially near the layer boundaries) are much more probable for electrons that are spin-polarized in the opposite of the local magnetization direction (called “minority spin electrons”) as compared to those polarized in accordance with local magnetization (“majority spin”).¹⁰

The two-current model assumes the electric current in the system to be composed of one spin-up current and one spin-down current. The two currents do not interfere with each other and can thus be treated as if arranged in a parallel connection. The electrons of each current are assumed to move freely through the system and pass through both layers on their way (cf. Figure 1). Therefore, they can be added like two parallel currents and the difference in total resistance for different arrangements of magnetization directions can be explained as in Figure 2. (The left and right resistors on each line in Figure 2 represent the resistance by each current on its way through the left and right layers of Figure 1, respectively.) In the case of antiparallel alignment (AF-mode) of the magnetization directions in the two layers, both currents are subject to the same medium resistance.




Figure 1. Schematic representation of the two current model, following Grünberg 2001, 36. Two spin-polarized currents of transport electrons (symbolized by \ominus with an arrow indicating the respective spin-polarization) are whirling through a GMR sandwich. Stars stand for the most probable scattering events. Arrows M_1 and M_2 indicate the local magnetization directions within the ferromagnetic layers. In the case of antiparallel alignment (b), both currents have the same resistance, in the parallel case (a), the spin down current encounters an increased resistance, the spin up current a decreased one.

¹⁰ This also holds, e.g., for cobalt-copper sandwiches. For other materials, e.g. the iron-chromium multilayers for which the effect was originally discovered, it is the other way round (scattering is most probable for majority spin electrons).

In the case of parallel alignment (F-mode), one current (the one spin-polarized in the same direction) experiences a decreased resistance, the other an increased one. Since the currents form a parallel connection, the result of the unequal distribution of resistance among the two currents in F-mode is a lower total resistance than in AF-mode, where resistance is, so to say, equally distributed. This difference accounts for the GMR effect. (The size of the resistance change $\Delta R/R$, called “magnetoresistance ratio” or “MR ratio”, was 100% in the original paper reporting the effect. It is considerably lower for room temperature, but meanwhile also room temperature MR ratios above 100% have been achieved in the laboratory, cf. Parkin 2002.)




Figure 2. The different resistances for the spin up and spin down currents in case a) result in a lower total resistance than the equal resistances in case b).

Despite the explanatory force of this basic model, the knowledge of the early 1990s left many questions about the effect open—among them some important matters concerning the design of applicable GMR sensors. The theoretical models alone did not enable the researchers to make sufficiently precise predictions about the concrete thin film structures that could be manufactured. Neither the MR ratio nor other important properties of any of a multitude of possible thin film structures could be predicted. Prominent among these properties are the temperature dependence of the effect and the exact field dependence of the signal, that should be well reproducible. To understand the desiderata of GMR research, we should take a look at how GMR systems were intended to be applied.

3. How to Design a Spin Valve

At this point I will outline the prevailing conception of a sensor for magnetic fields based on a GMR system. The magnetization in one of the ferromagnetic layers (the “pinned layer”) has to be fixed in direction. This is accomplished by means of an effect called exchange biasing: If prepared adequately (by growing the layers in a magnetic field), the magnetization of one of the ferromagnetic layers is pinned by the exchange interaction across the interface to an adjoining antiferromagnetic layer (the “pinning layer”). The other ferromagnetic layer (the “free layer”) is not pinned and ideally its magnetization adapts to fields outside the structure. In virtue of the GMR effect, the electrical resistance of the system varies with the relative

orientation to each other of the magnetization directions of the free and the pinned layers, and therefore, the resistance can be taken as indicative of the outside magnetic field to which the free layer is adapting. This kind of structure was first described by a group from the IBM Research Division, who dubbed it “spin valve” (Dieny et al. 1991a, 1991b).

Figure 3 shows an example of a typical spin-valve structure. The materials used in this example are, however, not imperative. The ferromagnetic layers can be of iron, nickel, cobalt or one of their alloys. For the non-ferromagnetic conducting spacer layer, chromium, copper, silver and gold have been used. (Here the restricting factor is that the lattice structures of ferromagnetic and interlayer materials must match; non-matching structures give rough interfaces that destroy the effect.)

Each individual spin-valve structure must be grown layer by layer within an elaborate vacuum deposition system (by means of sputtering deposition). Note that the GMR active region in the example is only 124 Å thick—which is little more than the one hundred thousandth part of a millimeter.

From the application perspective, there are several desired properties that a spin-valve structure should ideally possess. It should operate around room temperature and the output signal should be thermally stable. It should be corrosion-resistant. It should, of course, display a strong GMR effect. It is also important that the change of the magnetization direction in the free layer takes place in the right field interval, namely around zero field. (This does not, however, complete the list of desired properties of a spin valve. Cf. Coehoorn 2003, 26, who itemizes 18 different requirements.) Optimizing all these properties is the focus of a large part of the GMR research of the 1990s. One problem is that a spin valve’s characteristics, including its MR ratio and the field dependence of the signal, vary strongly with the materials employed, the dimensions of the system, and, importantly, the layer thicknesses of the GMR active layers as well as the pinning layer.

One approach to the design problem at hand is to produce a huge number of multilayer systems and test them for their properties. One example for this procedure from the early years of GMR research is a study by Stuart Parkin from IBM that examined cobalt sandwiches separated by transition metal spacer layers, concentrating on the strength of the interlayer exchange coupling and its dependence on spacer layer thickness and material. To investigate this very specific aspect, Parkin tested more than 20 different transition metals (each with varying layer thicknesses) for their properties as spacer layer material (Parkin 1991).

However, this extremely patient pedestrian route was not the universal approach in industrial research on GMR. “You want to narrow it down if possible. Doing experiments is always in all aspects very cumbersome”, as Theo Rijks remarked to me. In the early 1990s Rijks was doing his PhD research with the GMR researchers at the Philips Research Laboratories. In order to save time and avoid a lot of troublesome experimental work, Rijks




Figure 3. Layout of one of the spin-valve structures studied in Dieny et al. 1991b.

and many other GMR researchers in private and public institutions worldwide chose a more theoretical approach: they worked on improving the models of the effect. Reinder Coehoorn, who was Rijks' supervisor and is still one of Philips' major GMR researchers, has pointed out to me that an additional hoped for advantage of the theoretical approach was that it might ultimately make it possible "to condense all these many results which had to be obtained within a single framework."

The starting point was in most cases a model proposed as early as 1989, by Bob Camley from the University of Colorado and Jozef Barnas from the Technical University Poznan (Poland) (Camley and Barnas 1989, cf. Coehoorn 2003, 86-89). The Camley-Barnas model (or "CB model") is a semiclassical model in that it essentially treats transport electrons as point particles but also integrates some quantum mechanical tools such as Fermi-Dirac statistics. It has free parameters for the diverse scattering probabilities within the layers, at the layer interfaces and at the outer boundaries of the system. The CB model offered many avenues for improvement: Not only did the parameters have to be determined for each kind of structure, but also the model allows the insertion of new parameters and other extensions (cf. Coehoorn 2003, 89-106).

The modeling efforts did not result in *precise* predictions of, for example, structures with the highest MR ratio. The reason for this is that precise measures are dependent on the perfection of the materials, and real world layered structures are not composed of perfect crystals. Instead, the models proved extremely helpful in understanding *trends*. (For example, the model can explain why a layer should be 60 Å rather than 600 Å thick in order to achieve a high MR ratio, but not necessarily why 62 Å are better than 61 Å.)

To give an example of the products that industrial research supplies to the company, let us look at a case of modeling effort directed at the aim of optimizing the field dependence of the signal. In a read head, the spin-valve structure will take the form of a narrow stripe. Wiep Folkerts, Jacques Kools and others at Philips Research worked on the task of determining how the magnetization in the free layer is influenced under these conditions.¹¹ The magnetic poles at the ends of the pinned layer give rise to magnetostatic coupling, biasing the magnetization in the free layer in the opposite direction of the pinned layer, while at the same time ferromagnetic interlayer coupling between both layers biases it in the other direction, parallel to the one of the pinned layer. For the optimal sensor signal around zero field, the magnetization of the free layer should not be biased toward either orientation of the relevant axis. Folkerts and Kools (1998) used a combination of analytic descriptions of the relevant interactions and finite element calculations to find out how the parameters in a spin-valve stripe can be chosen such that the influences of both interactions cancel each other out in the centre of the stripe. They found that for an unshielded stripe this happens when the product of the pinned layer's thickness and its magnetization approximately equals the product of the height of the element and the strength of the ferromagnetic interlayer coupling (which is known by measurement). This and some other rules that they propose for the optimal design of applicable GMR stripes they call "design rules". They also report an extensive series of experiments they performed in order to confirm their design rules.

¹¹ Of course, researchers at other companies had to do the same. Cf. Tsang et al. 1994, p. 3802 to see that IBM researchers followed much the same path as Folkerts, Kools and others at Philips.

4. Design Rules: Local, but not Provisional

Design rules are typical outcomes of research processes in instrumental research. Let us define a design rule as a conditional proposition $A \rightarrow B$, where B is a proposition that describes one or more properties of a certain kind of system that are interesting for its application, and A describes a set of characteristics of the same system that can be controlled during its production. In this general sense, it is powerful design rules that researchers in instrumental research should strive to come up with if they want to promote the technological enterprise that their research is part of.

Design rules are undoubtedly very specific kinds of models and limited in their scope in that they apply only to a very narrow range of technical artifacts. Therefore, the importance of design rules might be taken to support the concerns about the local character of instrumental research. To give a plastic example of the specificity in question, the design rules by Folkerts and Kools as they stand only apply to so-called “yoke-type” read heads that the Philips engineers worked on (primarily in order to employ them in magnetic tape systems), and not to so-called “shielded heads” used by IBM and others for computer hard disks. (Though they can easily be adapted to the case of shielded heads by adding an extra term for the influence of the sense current on the field.)

However, the epistemic deficiency suspected to come with local models at the beginning of this paper cannot be found in this example. The specificity of the model does not deprive it of its potential to explain. The design rule avails itself of more general knowledge about two kinds of magnetic interactions and employs this knowledge to show how a specific kind of spin-valve system can be arranged in such a way that the magnetization of the free layer is not biased in either direction in the absence of an external electric field. Moreover, it does include an explanation why a spin-valve designed in accordance with the design rule has this property: because magnetostatic coupling and ferromagnetic interlayer coupling cancel each other out.

The reason is that the design rule, though local in scope, is not insular. It was *not* created by simply extrapolating the general trends from a plethora of experiments and condensing them into a handy rule of thumb, but instead it combines some reasonable assumptions about which interactions play a role in biasing the free layer of a narrow unshielded spin-valve strip with the general background knowledge about these interactions.

It might be suspected that this example is a fortuitous case, where the integration of the design rules into the web of theories and models about magnetic interactions is due to the scientific curiosity of the individual researchers and the specific circumstances of their research that happened to allow them to pursue their epistemic interests. However, I hold that this is not the case. A quick reflection on the general situation of the spin-valve designer will reveal the reasons for this assessment. GMR systems can be built of a myriad of combinations of diverse metallic materials, pure or alloyed. Layer thickness and other geometrical dimensions of the systems can be varied in many ways. All these choices affect the technically relevant properties of the system. Furthermore, the interdependencies of the relevant features are typically not linear or otherwise easy to extrapolate from a few measurements.¹² Under these circumstances, it is an economically sound decision to begin by searching for helpful models instead of embarking on a tour of purely experimental exploration into this vast space of possibilities. The most promising strategy to find the most interesting places in this space is

¹² To give just one example, the variation of the important interlayer exchange coupling between the two ferromagnetic layers has been found to oscillate with varying spacer layer thickness.

to be guided by models. These models serve their function as useful guides only because they integrate some apt theoretical ideas about the phenomena underlying the effect. Integration is thus not a contingent feature of magnetoelectronics research that persists *despite* application pressure. In contrast to the *prima facie* consideration supporting epistemic pessimism from section 1, where it was suspected that the complexity of real life demands would lead to an overtaxing of science and to provisional research strategies, it is precisely the complexity of the desired applicable system, the spin-valve, that makes theoretical integration crucial.

As far as the standards of confirmation are concerned, it is true that design rules are tested with spin valve structures to see if they work. This must not be confused with merely pragmatic testing. As we have seen, the rules were arrived at by a time-honored combination of approaches in the physical sciences, namely by a combination of computational work starting from some general assumptions on the one hand and thorough experimental corroboration on the other (which is always an extremely important part of the process of establishing design rules). Furthermore, hypotheses and models in application oriented GMR research *are* generally subjected to communal critical scrutiny. Ideas of other scientists are routinely tested, corroborated, modified or rejected in the GMR literature—no matter whether the author is employed by a university or a company.¹³ Besides, it should not come as a surprise that this is so. In industrial research, far-reaching decisions may be based on the scientific beliefs about a phenomenon that have accumulated within the research division; it is thus an economic as well as a cognitive concern that these beliefs are instances of reliable knowledge.

It might be objected that the communal scrutiny incited by this motive is not the same one that we cherish in academic science, because it is only concerned with beliefs that are of immediate importance to the industrial researchers' own work. It has long been realized, however, that this is simply the scientific condition: A scientist will only have motivation to invest in the work and check somebody else's results (a kind of work that will not usually earn her much academic credit) if these results are of immediate importance for the problem that she is working on (cf. Hull 1988, 341-348). Of course, this situation has its shortcomings and some important flaws and even cases of fraud are known to have gone unnoticed for some time (cf. Broad and Wade 1982, ch. 4). However, the general trust in the system of communal assessment reflects the confidence that a faulty result will either be detected at some point in time or fall into oblivion. In any case, there is no apparent difference here between the practices of industrial researchers on GMR (as they are documented in their publications) and those common to academic science.

What might come as a surprise is that results of privately funded research are published so widely and openly as in the example of GMR research. The publication of knowledge is of course a precondition for its communal critical assessment. However, the findings of, for example, IBM or Philips researchers are outcomes of a considerable private investment. How can it be profitable for companies to make them available to the general (scientific) public? Obviously, one answer to this question is that a company can gain proprietary control over the knowledge produced in its own house via patents. Once the patent is established, the respective results can (and must to a certain extent) be published. Furthermore, there are important benefits of in-house research that are independent of the appropriation of the resulting knowledge, for example the benefits of in-house competency regarding current

¹³ Again, see Coehoorn 2003 for an impressive overview of the development of the field.

scientific developments (including the often crucial tacit knowledge involved in the material respects of research) and the more immediate and quicker access to new knowledge that may enable the company to reap first-mover advantages in new and developing markets (cf. Rosenberg 1990). In short, there are other ways to profit from in-house research than secrecy. Furthermore, secrecy is a particularly risky way to secure the fruit of one's research efforts (compared to relying on intellectual property rights), especially in an environment of high employee mobility: Once the secret leaks out, you have lost the stake.¹⁴ Openness, in contrast, offers many advantages over secrecy. It enhances the company's prestige, it guarantees the research department's visibility and attractiveness to potential employees, and maybe most importantly, it allows the industrial researchers to remain plugged in to the network of scientific communication. (In the case of GMR research, it might be of additional relevance that Coehoorn describes the situation as one in which many findings were "in the air"—sooner or later someone from the large community would probably have come up with them, so that secrecy about them would not have made much sense anyway.)

I conclude that the results of industrial research that can be found in the area of GMR research are neither local nor confined to pragmatic testing of results in a sense that would limit their epistemic merits as compared to those of academic science. There remains the question whether the research at issue is prosaic in Ziman's sense, that is, confined to a pre-determined set of practical problems and not concerned with the generation of new, interesting issues.

5. Spin-Off from Spin Research

With respect to this question, I will examine another episode from GMR research. The thin film structures have been examined in various geometrical arrangements, the most important of which and the one responsible for its technological success so far is the CIP geometry ("current in plane"), where the sense current flows parallel to the layers of a thin film sandwich. However, another geometry that has been intensively studied was the CPP geometry ("current perpendicular to plane") with the sense current flowing vertically across the stacked layers. There are enormous technical problems with CPP systems for the simple reason that the lateral dimensions of the thin film systems are normally some orders of magnitude larger than its thickness, so that the electric resistance across the film is so low that it is practically immeasurable with customary techniques. This problem accounts for the fact that there are no technical applications of CPP devices to date (though future technologies like the non-volatile magnetic random access memory, MRAM, may include GMR structures in CPP arrangement, cf. Parkin 2002, sec. 5.3.4). Enormous efforts have been expended in order to overcome these problems—also by researchers in industry-owned laboratories.¹⁵ One of the very first successes was a method by Martin Gijs and others from Philips, who lithographically cut a nano-column from an extended multilayer film in order to have a system with a measurable resistance across the layers (Gijs et al. 1993).

This of course evokes the question as to why an industrial institution would invest any efforts at all in a line of research with such immense technical problems—especially when a technically more promising alternative kind of system, the CIP geometry, is available and also

¹⁴ This is one of the reasons why in the area of technology development a new paradigm of "Open Innovation" has recently been proclaimed, cf. Chesbrough 2003.

¹⁵ Cf. Gijs and Bauer 1997 for a survey of the research efforts on CPP.

awaiting further research. As Coehoorn explained to me, the goals of the CPP line of research at Philips were somewhat open in the very beginning. However, while it soon became apparent that there were many obstacles to technical implementation, it was clear that the CPP geometry's main advantage was that it was extremely helpful in *understanding and analyzing* aspects of the GMR effect.

The reason for this is that the symmetry of the CPP arrangement makes the combination of theory and experiment a great deal more fruitful. While in CIP experiments the researcher can never be sure which parts of the system are probed by the sense current and to what extent, the current density in CPP experiments must of necessity be the same in all layers. This factor facilitated the analysis of CPP experiments and permitted far-reaching conclusions about spin-dependent scattering rates in the different parts of multilayers. The results of CPP experimentation and their analysis have even made it possible to model the scattering of transport electrons at rough interfaces (cf. Bauer et al. 2002). So this line of research has in fact contributed to an increased understanding of spin dependent transport.

CPP experiments have also facilitated a reliable separate determination of the different resistivities for majority spin and minority spin electrons. A comparison with theoretically calculated values showed that the difference in resistivity between majority and minority spin in 3-*d* transition metal alloys that was concluded from experiments was, though considerable, much less dramatic than what was expected from theory. It was concluded that this is due to spin-mixing caused by spin-orbit interaction (SOI) which was originally assumed to be of minor importance for the materials at question. SOI is a relativistic effect that can change the spin-direction of an electron. Ultimately the relevance of SOI means that spin-up and spin-down transport electrons can not be considered as two completely separate parallel currents and therefore that the two-current model is problematic for ferromagnets with strongly spin-dependent conductivities. (Cf. Banhart et al. 1997, Coehoorn 2003, sec. 3.2.) Note that this insight into an unexpected relevance of SOI and a limitation of the two-current model has only become possible through GMR research. Prior to the experimental study of systems displaying GMR, there simply was no experimental access to the separate conductivities of majority spin and minority spin transport electrons.

These episodes show two things: First, industrial research on GMR was not focused on a pre-determined, limited set of problems defined by the requirements of applicable read heads. The example of the CPP experiments shows that the researchers did embark on a new line of research (complete with new theoretical and experimental problems)—partly in order to improve the general understanding of the effect. Second, the research opened up new experimental techniques that almost automatically raised new questions. (“Why is the difference in resistivity between majority and minority spin currents less than we expected?”) The endeavor to answer such questions, which was taken up by academic scientists as well as industrial researchers, then lead to new, unexpected insights. In short: 1990s industrial research on GMR was neither prosaic nor sterile; it deliberately headed for new problems and raised new questions, inciting more research as it went along.

A fact that might still require comment is that the discovery of the GMR effect itself took place in academic institutions. This may inspire the question: Could GMR research retain its epistemic merits without a functioning environment of academic science? Speculative as this question may be, I believe that we have reason to suspect that the correct answer is “No”. Consider just the industrial laboratories' constant demand for highly qualified specialists. Not only does the academic system provide the necessary education to young scientists; it also is

an important means by which research laboratories assess the qualifications of potential employees. The academic system can only serve this purpose if academic science is in itself a prospering enterprise (cf. Dasgupta & David 1994, sec. 7). This fact alone seems to me to suggest that industrial research does depend on an environment of academic science, and it justifies the focus on the less speculative question of how well it performs within this environment.

6. Conclusions

The preceding sections have shown that industrial research on the GMR effect does not suffer from the epistemic deficiencies predicted by Ziman for instrumental research. Of course, I do not want to extend this claim to *all* instances of application oriented knowledge production. When an engineer calculates tensions and compressions within a bridge truss by inserting the parameters of her design into well-established models, she too produces knowledge with clearly foreseen uses. This work may be relatively unimaginative and yield results that only apply to one very specific type of structure, but this will not alarm anyone or excite apprehensions of epistemic decline. What I claim is that there are *some* important branches of applied science that are theoretically innovative and integrative, methodologically thorough and fruitful in the generation of new scientific issues. I would like to follow the terminology of Martin Carrier (2004, sec. 3), who emphasizes that among those activities that usually fall under the label “applied science”, there is a subset in which the *research* character predominates, i.e. this subset consists of innovative activities that do not only piece together established elements of knowledge, but generate genuinely novel knowledge. Carrier singles out this subset and calls it “application dominated research”. We have seen that industrial research on the GMR effect can serve as a model example of application dominated research in this sense.

More prominent examples from the recent history of science can provide more evidence. Shortly after the second world war, Bell Laboratories formed a semiconductor research group with the aim of inventing and designing a solid-state amplifier. The group’s research not only brought pioneering experimental techniques, but the first failed experiments also instigated a modification of the theory of semiconduction (undertaken by Bell Labs’ own John Bardeen, in his theory of surface states). (Cf. Braun 1992, 466-472.) It ultimately led to the invention of the point-contact transistor in 1948 and a Nobel Prize in physics for Bell researchers Bardeen, Walter Brattain and William Shockley in 1956. Other famous examples of application dominated research include Siemens’ development of electron microscopy, Bell Laboratories’ maser research, and IBM’s achievements in the area of high temperature superconduction. The case study presented in this paper shows that epistemic merits can also prosper in less sensational cases of industrial research. Recent research has drawn attention to the fact that even the recent history of research in pharmaceutical industry, so often scathed for its prosaic methods of high throughput screening, can in fact provide examples of imaginative and innovative science. The so-called “method of rational drug design” integrates the epistemic aim of understanding fundamental physiological mechanisms and the practical aim of developing new pharmaceuticals (Adam 2005).

Evidence drawn from case studies is bound to remain open to doubt. Therefore, the difficult question that remains is whether the existence of application dominated research plays such a great role that it can serve as a mitigation of Ziman’s and others’ worries, or

whether it is rather a rare exception and we must beware of being fooled into believing that we live in the Land of Cockaigne just because we have been served one excellent meal. On the one hand, anyone can flip open any of the physics journals cited in this paper and browse through the authors' institutional affiliations. You will note that the contributions from industrial institutions to high-level physical research are considerable. It must be admitted that examples like the IBM Research Division or the Philips Research Laboratories are exceptional at least in the sense that the concentration of research resources that each of them represents is unusually high. However, this does not mean that the epistemic virtues displayed by GMR research constitute a freak incident from a friendly niche within the otherwise humdrum and sterile environment of industrial research. To the contrary, I hold that there is an inherent trend of the quest for design rules to stimulate innovative knowledge production that includes improvements in the theoretical understanding of the phenomena under consideration—in the terms just introduced: to lead to application dominated research.

The reason for my confidence in this trend is neatly exemplified by the GMR example. The more complex the desired technical system is, that is, the more parameters there are which can actively be affected in the design and production of the system, the less hopeful it becomes that a process of trial-and-error will find a superior design. Our pre-scientific ancestors had no choice but to follow the pedestrian route of blind trial-and-error on their way to reliable design rules for archways and ship hulls, but today the fruitful combination of theory and experiment offers more promising avenues to success. To utilize and develop guiding theoretical ideas is therefore an *investment* that is intended to pay off in the form of a road map to the vast space of design possibilities.¹⁶

Furthermore, there need not be any necessity to withhold the fruit of said investment from the critical scrutiny of the scientific community. Quite to the contrary, industrial researchers will profit when another scientist invests her resources to check the results that their design rules will build upon. However, additional restrictions obtain with regard to this issue, as I have indicated in section 1. The open communication in industrial GMR research is partly due to the possibility of intellectual property protection by means of patents. In other cases, however, where researchers can not find a more effective way to safeguard the financial profits that are expected to flow from the knowledge they produce than to keep it secret, commercial interests are indeed a threat to openness. Generally and positively speaking, a precondition of openness is that those means of appropriation of research results that do not require secrecy (i.e., roughly speaking, appropriation by means of intellectual property rights plus the benefits of in-house competency and first-mover advantages) must together add enough value to the business that they alone make in-house research sufficiently profitable.¹⁷ I have already indicated that there seem to be entire branches of knowledge-based industry where this condition does not prevail (especially if the legal instruments of intellectual property protection are not effective for one reason or another). Sadly, one must also add one

¹⁶ This means that the prevalence of the profit motive in industrial research need not get in the way of innovative and imaginative science. It might be interesting to note that this parallels and complements an earlier claim of social epistemology, that scientists' individual concern for their careers need not hamper, but can actually advance the collective epistemic aims of inquiry (cf. Kitcher 1993, ch. 8, Goldman 1999, sec. 8.10).

¹⁷ More precisely, the economic condition is of course that the *advantages* of openness as described in sec. 4 above (remaining plugged in to the network of scientific communication, achieving visibility and attractiveness to potential employees, contributing to the company's prestige, avoiding the excessive risk of knowledge leakage) *exceed* the possible advantages of secrecy, i.e. that open in-house research is not only profitable but *more* profitable than secret research.

further necessary condition of openness: that there are no agents involved who manipulate publication practices in order to reduce producer risk at the cost of an increased consumer risk.

These limitations notwithstanding, the clear conclusion of this inquiry is that industrial research must not be subjected to wholesale epistemological condemnation. If the desired technical system possesses a certain complexity and if circumstances allow the necessary openness, then the thorough epistemic practices of the sciences are also the most reasonable way to reliable design rules. The example of GMR research shows that some industrial researchers do indeed choose this way.

Of course, this is not to set at nought all worries about the growing privatization of science. The political concerns about the riddance of bias and about the distribution of ownership of intellectual property remain unabated. The drive of the criticism of Ziman and others presumably derives a great part of its impetus from the acuteness of these issues. However, on the epistemological side, one must concede that industrial research does not always put science in a context of social arrangements where its epistemic merits necessarily suffer. This study has suggested some conditions under which they can still thrive—complex demands for design rules and circumstances that allow (minimal) openness.

References

- Adam, Matthias (2005), “Integrating Research and Development: The Emergence of Rational Drug Design in the Pharmaceutical Industry”, *Studies in History and Philosophy of Biological and Biomedical Sciences* 36: 513-537.
- Banhart, John, Hubert Ebert and Andras Vernes (1997), “Applicability of the Two-Current Model for Systems with Strongly Spin-Dependent Disorder”, *Physical Review B* 56 (16): 10165-10171.
- Barthélémy, Agnès, Albert Fert and Frédéric Petroff (1999), “Giant Magnetoresistance in Magnetic Multilayers”, in K.H.J. Buschow (ed.): *Handbook of Magnetic Materials*, vol. 12, Amsterdam: Elsevier: 1-96.
- Bauer, Gerrit E.W., Kees M. Schep, Ke Xia and Paul J. Kelly (2002), “Scattering Theory of Interface Resistance in Magnetic Multilayers”, *Journal of Physics D: Applied Physics* 35: 2410-2414.
- Blumenthal, David, Nancyanne Causino, Eric G. Campbell and Karen Seashore Louis (1996), “Relationships between Academic Institutions and Industry in the Life Sciences: An Industry Survey”, *New England Journal of Medicine* 334 (6): 368-373.
- Braun, Ernest (1992), “Selected Topics from the History of Semiconductor Physics and Its Applications”, in Lillian Hoddeson, Ernest Braun, Jürgen Teichmann and Spencer Weart (eds.): *Out of the Crystal Maze: Chapters from the History of Solid-State Physics*, New York etc.: Oxford University Press, 443-488.
- Broad, William, and Nicholas Wade (1982), *Betrayers of the Truth*, New York: Simon and Schuster.
- Camley, Robert E., and Jozef Barnas (1989), “Theory of Giant Magnetoresistance Effects in Magnetic Layered Structures with Antiferromagnetic Coupling”, *Physical Review Letters* 63 (6): 664-667.

- Carrier, Martin (2004), “Knowledge Gain and Practical Use: Models in Pure and Applied Research”, in Donald Gillies (ed.): *Laws and Models in Science*, London: King's College Publications, 1-17.
- Chesbrough, Henry W. (2003), *Open Innovation: The New Imperative for Creating and Profiting from Technology*, Boston: Harvard Business School Press.
- Churchman, C. West (1948), *Theory of Experimental Inference*, New York: MacMillan.
- Coehoorn, Reinder (2003), “Giant Magnetoresistance and Magnetic Interactions in Exchange-Biased Spin Valves”, in K.H.J. Buschow (ed.): *Handbook of Magnetic Materials*, vol. 15, Amsterdam etc.: Elsevier, 1-197.
- Dasgupta, Partha, and Paul A. David (1994), “Toward a New Economics of Science”, *Research Policy* 23: 487-521.
- Dieny, Bernard, Virgil S. Speriosu, Stuart S.P. Parkin, Bruce A. Gurney, Dennis R. Wilhoit and Daniele Mauri (1991a), “Giant Magnetoresistance in Soft Ferromagnetic Multilayers”, *Physical Review B* 43 (1): 1297-1300.
- Dieny, Bernard, Virgil S. Speriosu, Serhat Metin, Stuart S.P. Parkin, Bruce A. Gurney, Peter Baumgart and Dennis R. Wilhoit (1991b), “Magnetotransport Properties of Magnetically Soft Spin-valve Structures”, *Journal of Applied Physics* 69 (8): 4774-4779.
- Folkerts, Wiep and Jacques C.S. Kools (1998), “Experimental Study of the Validity of Simple Design Rules for the Biasing of Spin-valve-type GMR Heads”, *Sensors and Actuators A* 64: 237-240.
- Friedman, Michael (1974), “Explanation and Scientific Understanding”, *Journal of Philosophy* 71: 5-19.
- Funtowicz Silvio O., and Jerry R. Ravetz (1993), “The Emergence of Post-Normal Science”, in René von Schomberg (ed.): *Science, Politics and Morality. Scientific Uncertainty and Decision Making*, Dordrecht: Kluwer, 85-123.
- Gibbons, Michael, Camille Limoges, Helga Nowotny, Simon Schwartzman, Peter Scott and Martin Trow (1994), *The New Production of Knowledge. The Dynamics of Science and Research in Contemporary Societies*, London: Sage.
- Gijs, Martijn A.M., and Gerrit E.W. Bauer (1997), “Perpendicular Giant Magnetoresistance of Magnetic Multilayers”, *Advances in Physics* 46 (3/4): 285-445.
- Gijs, Martijn A.M., Staszek K.J. Lenczowski and J.B. Giesbers (1993), “Perpendicular Giant Magnetoresistance of Microstructured Fe/Cr Magnetic Multilayers from 4.2 to 300 K”, *Physical Review Letters* 70 (21): 3343-3346.
- Goldman, Alvin (1999), *Knowledge in a Social World*, Oxford etc.: Oxford University Press.
- Grünberg, Peter (2001), “Layered Magnetic Structures: History, Highlights, Applications”, *Physics Today* 54: 31-37.
- Grochowski, Edward, and Robert D. Halem (2003), “Technological Impact of Magnetic Hard Disk Drives on Storage Systems”, *IBM Systems Journal* 42 (2): 338-345.
- Hull, David L. (1988), *Science as a Process: An Evolutionary Account of the Social and Conceptual Development of Science*, Chicago etc.: University of Chicago Press.
- Kenney, Martin (1986), *Biotechnology: The University-Industrial Complex*, New Haven & London: Yale University Press.
- Kitcher, Philip (1981), “Explanatory Unification”, *Philosophy of Science* 48: 507-531.
- Kitcher, Philip (1992), “The Naturalists Return”, *Philosophical Review* 101 (1): 53-114.
- Kitcher, Philip (1993), *The Advancement of Science*, Oxford etc.: Oxford University Press.

- Kitcher, Philip (2001), *Science, Truth and Democracy*, Oxford etc.: Oxford University Press.
- Longino, Helen (2002), *The Fate of Knowledge*, Princeton & Oxford: Princeton University Press.
- Nelkin, Dorothy (1984), *Science as Intellectual Property: Who Controls Research?* New York: Macmillan.
- Nowotny, Helga, Peter Scott and Michael Gibbons (2001), *Re-Thinking Science: Knowledge and the Public in an Age of Uncertainty*, Cambridge: Polity.
- Parkin, Stuart S.P. (1991), "Systematic Variation of the Strength and Oscillation Period of Indirect Magnetic Exchange Coupling through the 3d, 4d, and 5d Transition Metals", *Physical Review Letters* 67 (25): 3598-3601.
- Parkin, Stuart S.P. (2002), "Applications of Magnetic Nanostructures", in Sadamichi Maekawa and Teruya Shinjo (eds.): *Spin Dependent Transport in Magnetic Nanostructures* (= *Advances in Condensed Matter Science*, vol. 3), London: Taylor & Francis, 237-271.
- Resnik, David (2000), "Financial Interests and Research Bias", *Perspectives on Science* 8 (3): 255-285.
- Rosenberg, Nathan (1990), "Why Do Firms Do Basic Research (with their Own Money)?", *Research Policy* 19 (1990): 165-174.
- Schmitt, Frederick F. (ed) (1994), *Socializing Epistemology: The Social Dimensions of Knowledge*, Lanham, Maryland: Rowman and Littlefield.
- Shrader-Frechette, Kristin (1994), *Ethics of Scientific Research*, London etc.: Rowman and Littlefield.
- Tsang, Ching, Robert E. Fontana, Tsann Lin, David E. Heim, Virgil S. Speriosu, Bruce A. Gurney and Mason L. Williams (1994), "Design, Fabrication & Testing of Spin Valve Read Heads for High Density Recording", *IEEE Transactions on Magnetics* 30 (6): 3801-3806.
- Ziman, John (2002), "The Continuing Need for Disinterested Research", *Science and Engineering Ethics* 8: 397-399.
- Ziman, John (2003), "Non-instrumental Roles of Science", *Science and Engineering Ethics* 9: 17-27.