

# Design Structure Matrix Extensions and Innovations: A Survey and New Opportunities

**Tyson R. Browning**

Neeley School of Business  
Texas Christian University  
TCU Box 298530  
Fort Worth, TX 76129 USA  
[t.browning@tcu.edu](mailto:t.browning@tcu.edu)

November 10, 2015

Forthcoming in *IEEE Transactions on Engineering Management*

## Abstract

The *design structure matrix* (DSM), also called the dependency structure matrix, has become a widely used modeling framework across many areas of research and practice. The DSM brings advantages of simplicity and conciseness in representation, and, supported by appropriate analysis, can also highlight important patterns in system architectures (design structures), such as modules and cycles. A literature review in 2001 cited about 100 DSM papers; there have been over 1000 since. Thus, it is useful to survey the latest DSM extensions and innovations to help consolidate progress and identify promising opportunities for further research. This paper surveys the DSM literature, primarily from archival journals, and organizes the developments pertaining to building, displaying, analyzing, and applying product, process, and organization DSMs. It then addresses DSM applications in other domains, as well as recent developments with *domain mapping matrices* (DMMs) and *multidomain matrices* (MDMs). Overall, DSM methods are becoming more mainstream, especially in the areas of engineering design, engineering management, management/organization science, and systems engineering. Despite significant research contributions, however, DSM awareness seems to be spreading more slowly in the realm of project management.

**Keywords:** design structure matrix; literature survey; dependency structure matrix; product architecture; organization architecture; process architecture; domain mapping matrix; multidomain matrix

The author is indebted to numerous colleagues in the DSM community and beyond for countless discussions and insights. Leo Dai, Anastasiia Riabinina, and Fei Guo provided excellent research assistance. This research has been supported by a grant from the U.S. Navy, Office of Naval Research (grant no. N00014-11-1-0739).

## 1 Introduction

Many researchers and practitioners have used the *design structure matrix* (DSM—also called the dependency structure matrix) to represent and analyze models of complex systems. The DSM brings advantages of simplicity and conciseness in representation, and, supported by appropriate analysis, can also highlight important patterns in system architectures (i.e., design structures), such as modules and cycles. More recently, DSM usage has led to the development of *domain mapping matrices* (DMMs) and *multidomain matrices* (MDMs) that have broadened the capabilities and applications of matrix-based models of complex systems and provided further insights. Such capabilities have become recognized as increasingly beneficial and important in this age of ever-more complex projects, products, processes, organizations, and other systems.

Steward's work on systems of equations in the early 1960s [1, 2] led to the first papers on DSM [e.g., 3] as internal reports for General Electric, but it was not until 1981 that his book [4] and paper [5] were published (the latter in these *Transactions*). Aside from some citations by Warfield [e.g., 6], few references to Steward's DSM works can be found until the late 1980s, when researchers at MIT and NASA began to apply and extend the method [e.g., 7-9]. The 1990s saw several developments, including the broadening of DSM applications beyond Steward's temporal models to include static models of organizations [10] and products [11]. The new millennium brought an explosion of DSM research and applications across multiple industries and contexts. Browning's [12] 2001 review of the DSM literature (also in these *Transactions*) cited about 100 DSM papers; there have been over 1000 since. These developments are of great interest to researchers<sup>1</sup> and practitioners, so it is valuable to provide an organized account of the evolving landscape to consolidate progress and provide a foundation for further advancement. Primarily targeting practitioners, Eppinger and Browning's recent book [13] provided an introduction to DSM methods along with 44 industrial application examples. Primarily targeting researchers, this paper surveys recent DSM extensions and innovations in the scholarly literature and illuminates areas with a plethora of publications as well as areas offering excellent research opportunities.

A DSM (Figure 1) is a square matrix where the diagonal cells typically represent system elements (such as components in a product, people in an organization, or activities in a process) and the off-diagonal cells represent relationships (such as dependencies, interfaces, interactions, etc.) among the elements. DSMs containing a single kind of off-diagonal mark are called *binary* DSMs, and DSMs with off-diagonal cells containing a number are called *numerical* DSMs. Other types of DSMs may contain a variety of symbols, markings, and color coding, as the format lends itself to customizations. The literature contains two conventions for matrix orientation. In the first, an element's inputs appear in its matrix row and its outputs appear in its column. This

is called the “inputs in rows” (IR) convention [13]. The second convention, with “inputs in columns” (IC) and outputs in rows, is merely the transpose of the matrix and conveys the same information. (Both conventions persist because each has advantages in particular contexts, and because of the diverse roots of the matrix-based models now called DSMs.) The regions above and below the diagonal in the matrix thus distinguish the directionality of any relationships, making the basic DSM equivalent to a directed graph. However, in some circumstances and to many users, the DSM representation has advantages over a graph (or node-link diagram or flowchart): the DSM is relatively more compact, scalable, and readable with increasing size while easily highlighting important architectural characteristics such as modules and cycles (e.g., process iterations or rework loops) [12, 14]. The goal of the DSM is to expose the structure of a system's architecture or design. Aside from this minimal introduction, this paper will presume that its readers already possess a basic familiarity with DSM. (See [13] for a thorough introduction.)

For this survey, we assembled and studied a vast collection of papers<sup>2</sup> from journals, books, and conference proceedings. Because Browning's review [12] covered developments through 2000 (although appearing in 2001), we focused mainly on post-2000 works. We began in late 2011 by conducting a citation search on a set of prominent DSM papers [4, 5, 12, 15, 16], which identified over 3,000 citations (many redundant). We supplemented these results with a general search of the academic literature (including journals in engineering management, operations management, project management, engineering design, management science, organization science, and systems engineering) from 1998-2012 for the keywords “design structure matrix” and “dependency structure matrix.” This produced more than 100 additional references. Next, we explored the reference lists of these works in search of further items. Finally, we added many recent papers from 2012-2015. Altogether, we were able to identify over 1,300 papers<sup>3</sup>, of which we could acquire and read over 1,000 complete items. Next, we read each paper to determine if it actually applied DSM (versus merely mentioning it) and, if so, attempted to classify it by Browning's [12] taxonomy—i.e., whether the paper used a static or a temporal DSM to model a product architecture, an organization architecture, a process architecture, or more than one of these. We encountered some papers that did not fit this taxonomy, which prompted us to expand it to include project tools and goals architectures.

Space constraints in this paper forced a down-select from the full list of papers in the survey.<sup>4</sup> We focused primarily on the scholarly papers in archival, peer-reviewed journals, although we do include some selected conference papers, book chapters, and theses. One prominent area that receives admittedly limited coverage is the set of papers from the annual DSM conferences ([www.dsm-conference.org](http://www.dsm-conference.org)). Although these (and many other conference) papers are obviously relevant, we mostly omit them because of space limitations and because many of the best of them

<sup>1</sup> [5] and [12] are the second- and third-most cited papers, respectively, out of over 1,900 papers in the 60+ year history of *IEEE-TEM*, according to the Web of Science®, September 14, 2015).


<sup>2</sup> For convenience, we refer to all articles, books, chapters, reports, and theses as “papers.”

<sup>3</sup> These papers included over 100 non-English papers, of which about two-thirds are in Chinese and the rest in German, French, Korean, Spanish, Japanese, Portuguese, Dutch, and Italian—in order of decreasing frequency.

<sup>4</sup> We are adding our full list of DSM references to the database at [www.dsmweb.org](http://www.dsmweb.org). Anyone with awareness of additional references can submit them to this list.

have matured into journal papers (which are included).<sup>5</sup> We also omit some papers where pioneering authors superseded their earlier works with more advanced or similar ones. Space constraints also do not permit a detailed exploration and

comparison of each of the vast number of papers in the DSM literature. Rather, this paper’s goal is to survey the landscape, summarize the main thrusts of research to date, and illuminate propitious opportunities for further research.



**Figure 1:** Example of a binary DSM (IC convention), with optional row and column labels, and its equivalent node-link diagram (directed graph)

The paper begins by surveying advances in and opportunities for traditional DSM applications—models of products, organizations, and processes. Innovations and extensions in each of these three areas are presented in terms of building, displaying, analyzing, and using the models. Many applications are also distinguished by industry. Successive sections address newer DSM application areas, DMMs, and MDMs, respectively—again accompanying the survey with several opportunities for further research.

## 2 Advances in and Opportunities for Traditional DSM Applications

Browning’s [12] review laid out three types of DSM applications—models of products, organizations, and processes. (Browning’s fourth type, a parameter-based DSM, is essentially a high-fidelity process DSM.) These three domains have received the bulk of scholarly and industrial attention to DSM. This section surveys key advances and discusses promising opportunities for further progress in each of these three areas. Although Steward originally developed the DSM for processes, this section will begin with static DSMs (product and organization) before proceeding to temporal (process) DSMs. Each of these three applications will be presented with a brief history followed by a discussion of the literature organized around the building, display, and analysis of the DSM, further uses, and cited examples of application instances in particular industries. Note that many of the developments pertaining to building and displaying each of these DSM types can often be leveraged across all types of applications.

### 2.1 Product Architecture DSMs

Square-matrix models of product structures, which we call product architecture DSM models (or product DSMs for short), grew from several sources. The use of square matrices to model system architectures can be traced back to the works of Simon [17] and Alexander [18] in the early 1960s. Steward created the

process DSM model (§2.3) in the 1960s, yet it was not until the early 1990s that Eppinger and colleagues at MIT applied the DSM to modeling product architecture [11]. Meanwhile, practicing systems engineers have used the “N-square” chart to model and manage component interfaces since the 1970s (at the latest), when it was formally codified by Lano [19]. Since the 1990s, product DSMs and N-square charts have continued to converge somewhat in the systems engineering literature.

For the purposes of this survey, a product is an engineered system, such as an automobile, an aircraft, an electronic system, a software application, a machine, a mechatronic unit, a building or built environment, a piece of capital equipment, etc. A product system has a design structure, or architecture, “the arrangement of components interacting to perform specified functions. The architecture of a product is embodied in its components, their relationships to each other and to the product’s environment, and the principles guiding its design and evolution” [13]. A product consists of components related in various ways, such as spatially or based on a flow of material, energy, or information. Product architecture models could include at least three mappings [13]: (1) a hierarchical decomposition of the product into modules and components, often represented with a product breakdown structure (PBS), (2) an assignment of the product’s functions to its components and modules, often represented with a rectangular mapping matrix, and (3) the relationships among components and modules, often captured with a product DSM. DSMs have also been used to model function-to-function relationships in the product domain [e.g., 20]. See [13] for further discussion of the motivations for and benefits of product DSM models. Because of their usefulness in product design and development, product DSMs have gained particular traction in the engineering design and systems engineering communities, although they have also begun to receive attention in operations management and software development contexts. Recent product DSM models have brought many innovative applications (Table 1a&b). The remainder of this subsection surveys several of these while noting opportunities for further research and development.

<sup>5</sup> Surveying the papers from the 17 annual DSM conferences presents an excellent opportunity for future research.

**Table 1a:** Product architecture DSM innovations and extensions—with selected references

<b>Building Product DSMs</b>	<b>Selected References</b>
Increasing model consistency and inter-rater reliability	[21-25, 83]
Distinguishing types and strengths of interfaces/relationships	[11, 22, 41, 51, 57, 303-305]
Constructing software architecture DSMs automatically from source code	[26, 27, 306, 307]
Constructing a product DSM automatically from other models	[28-31, 113, 308, 309]
Building function-to-function, concept-to-concept, and other types of product DSMs	[20, 32-37, 39, 40, 257, 310, 311]
<b>Displaying Product DSMs</b>	<b>Selected References</b>
Showing nested module/subsystem structures with hierarchical DSMs	[13, 21, 26, 109, 312-314]
Showing varied types and strengths of interfaces/relationships	[11, 41, 250, 315]
Showing change probability and impact as mini-graphs in the DSM	[42, 52, 53]
Using DSM appendages to show external relationships	[12, 22, 43, 309, 316]
Showing multiple product variants with a three-dimensional DSM	[44]
<b>Analyzing Product DSMs</b>	<b>Selected References</b>
Determining product modules	[58, 317]
Determining modules via clustering analysis	[46, 47, 50, 56, 311, 318-327]
Clustering via evolutionary algorithms	[41, 45, 328-337]
Clustering with the criterion of intellectual property protection when outsourcing	[48, 49]
Clustering with the criterion of component volatility and option value	[43, 338]
Sequencing to determine architectural levels	[51, 339]
Analyzing change propagation	[42, 52-54, 277, 289, 340-344]
Calculating modularity metrics	[21, 29, 55, 62, 315, 345-347]
Calculating other metrics (e.g., row and column sums to ascertain interface intensity and priority, fan-in and fan-out, degree of connectivity, visibility, etc.)	[27, 221, 282, 312, 348]
Expanding or dithering the matrix to differing levels of detail	[349]
Calculating the difference between two DSMs as a “delta DSM” (ΔDSM)	[35, 350, 351]

### 2.1.1 Building Product DSMs

Product DSMs are challenging to build because of the large amount of included knowledge, and because of varied interpretations of a product’s decomposition and structural relationships. Different modelers build different models by choosing different: levels of decomposition (abstraction), component definitions at each level, and relationship types and definitions among the components [21-25]. Because different models yield different metrics (e.g., amounts of modularity) and analysis results (e.g., module definitions), increasing the “inter-rater reliability” of DSMs is an important area for further research. Accordingly, Tilstra et al. [22] proposed a standardized approach for building product DSMs to increase consistency across modelers. Needs for consistency and reduced effort in model-building have driven the development of approaches for automatic extraction of DSMs from existing databases. Sangal et al. [26] and MacCormack et al. [27] demonstrated the efficacy of this approach for software products by building large, rich, consistent DSMs from source code repositories. Product DSMs have also been extracted from unified modeling language (UML)

models [28-30] and a function-behavior-state model [31]. With further development, it should become possible to extract DSMs automatically from CAD models or other standardized frameworks such as building information models (BIMs). On a related point, most product DSMs built to date have modeled physical components and their relationships (e.g., spatial, material flow, energy flow, and data flow). However, functions are also an important aspect of the product architecture, and function-to-function DSMs have been used by several researchers [e.g., 20, 32-37]. (Function-to-component mappings will be discussed in §4.) Functional dependencies could also be added to component-based product DSM models [38]. Static DSMs have also been used to show relationships among design concepts [e.g., 39] and design constraints [40]. While many possibilities exist to develop additional flavors and varieties of static DSMs, opportunities remain to develop standardized approaches for building product (and especially function) DSMs.

### 2.1.2 Displaying Product DSMs

Recent work has brought several innovations in the display of DSMs in general and product DSMs in particular. Colors and shading provide powerful ways of indicating the hierarchy of nested modules, and display tools can expand and contract areas of a DSM to drill down to deeper levels or roll up to higher levels [e.g., 26]. (These capabilities are important to other types of DSM models as well; e.g., see §2.3.2.) Many product DSMs capture more than one type of relationship among components, and showing more than one of these at once in a single matrix presents a challenge of crowding. One can portray relationship type in sub-cells [e.g., 11, 41]—although this quickly crowds the matrix—or in separate matrix layers or planes [e.g., 22]. To reveal visual insights, symbols [e.g., 10] work better than numbers alone, especially for large DSMs. Clarkson et al. [42] provided an innovative way to combine the probability and impact of a change propagating across an interface by placing a mini-graph in each off-diagonal cell, where the width of the graph represents probability, the height of the graph represents the impact, and the shaded area of the graph represents the risk (the product of probability and impact). Relationships with external entities can be modeled by adding a row and column to the DSM [22, 43] or by using separate regions above and to the right of an IC-convention DSM [12]. Alizon et al. [44] overlaid DSM layers, each representing a product variant, to compose a three-dimensional DSM depicting a product family. Further opportunities abound to develop DSM display approaches that make helpful use of hierarchy, layers, numbers, colors, and symbols and provide the capabilities to expand and contract regions and link to additional sources of information about the components and their relationships.

### 2.1.3 Analyzing Product DSMs

Although some additional analyses have been developed, most product DSM analyses to date have focused on clustering components to determine modular architectures. Advances in clustering include the use of sophisticated genetic algorithms [e.g., 41, 45], analysis of the eigenstructure of the matrix [46], approaches from graph theory [47], and the use of criteria besides simply the number of interfaces inside or outside a cluster, such as the likelihood of component change [43], the probability of unintended intellectual property transfer when outsourcing [48,

49], or module commonality across a product family [50]. Although improved approaches to clustering and other DSM optimization problems are useful, the primary challenges here lie in (a) the determination of appropriate objective functions for multi-criteria optimization and (b) the interpretation of results. Besides clustering, since an earlier DSM review [12] suggested the possibility of applying sequencing analysis (usually applied to temporal DSMs) to static DSMs, this has been done for both software (see §3) and hardware [51]—in part to separate the product architecture into hierarchical levels (with higher levels depending on lower levels but not vice-versa) to facilitate product design and development. Aside from clustering and sequencing, product DSMs have also been analyzed in terms of the probability and impact of a component change propagating across an interface, which has enabled determination of the riskiest paths of change propagation and the designation of components as change multipliers or absorbers [42, 52-54]. This analysis can help designers adjust components and interfaces to manage product modularity and evolution. Still other analyses have used DSMs as the basis for calculating various metrics, especially pertaining to modularity [e.g., 21, 46, 55]. An acute challenge here is to devise a scale-free metric, one that gives the same result for a given product regardless of level of decomposition (matrix size).

#### 2.1.4 Otherwise Benefiting from Product DSMs

Researchers have developed a number of innovative ways to use product DSM models. Several of these applications are summarized in Table 1b. Sharman and Yassine [56] used the DSM to identify architecture characteristics, patterns, or signatures such as buses, asymmetry, imperfection, pinning, and holding away. Fixson [57] explained the importance of interface reversibility and standardization. Baldwin and Clark [e.g., 58] emphasized the strategic and economic implications of product architectures and designs. Here the product DSM literature has many connections with the broader literature on modularity. Facilitated by a product DSM, modularity has informed design evolution [e.g., 55, 59-61], outsourcing decisions [49, 62], and market or portfolio segmentation [e.g., 63]. Moreover, the product DSM has supported design for variety while maximizing component commonality across product families or platforms [e.g., 64, 65-67] and design for adaptability, often via modularity and its connection with *real options* [e.g., 43, 68, 69]. The insights from these applications are quite sophisticated, but their wider use in practice will require new and improved software tools to support DSM model building, analysis, and interpretation. The use of multiple DSMs for product variants could benefit from the development of a “logic DSM” that represents relationships such as “if using component A then also use component B but not component C.” Baldwin and Clark [58] also elucidated the importance to good architecting of *design rules*—what designers working in decoupled modules follow to assure later ease of integration. Some have used DSMs to help determine the need for and location of additional design rules, as well as to locate and flag rule violations [e.g., 26, 28, 70, 71]. However, while Baldwin and Clark introduced design rules using a hardware example, most subsequent work has applied the concept to software. Further

**Table 1b:** Product architecture DSM innovations, extensions, and application areas—with selected references

Otherwise Benefiting from Product DSMs	Selected References
Determining architecture patterns or signatures and their implications	[56, 57]
Assessing the strategic and economic implications of product architecture	[57, 58, 60, 339, 352-356]
Using modularity to inform design evolution	[55, 59-61, 357-359]
Using modularity to inform outsourcing and partnering decisions	[49, 62, 360]
Segmenting portfolios	[63]
Designing for variety, component commonality/reuse, and product platforms/families	[38, 39, 44, 64-68, 305, 361-368]
Designing for adaptability/flexibility/changeability (often via modularity, real options)	[22, 43, 68, 69, 304, 338, 369-375]
Determination and use of design rules in product design	[26, 28, 58, 70, 71, 376, 377]
Using design rules and options for mass customization	[378-380]
Standardizing and managing interfaces	[57, 70, 376, 381]
Designing for manufacturing and assembly (DFMA)	[382]
Designing for sustainability and the environment	[316]
Synthesizing with other design methods and tools such as Quality Function Deployment (QFD), Axiomatic Design, and the Theory of Inventive Problem Solving (TRIZ)	[67, 257, 356, 361, 383-387]
Decomposing and optimizing design problems	[72, 73]
Supporting multidisciplinary design optimization (MDO)	[74-76, 388]
Exploring the conceptual design space	[308, 383]
Managing product knowledge	[78]
Analyzing product usability	[389]
Supporting reverse engineering	[22, 40, 390]
Integrating systems and infusing new technologies	[350, 387, 391]
Analyzing system integration and testing	[392]
Allocating resources to product modules	[393]
Industry Instances	Selected References
Aerospace	[13, 41, 42, 52, 53, 75, 76, 98, 308, 315, 340, 342-344, 375, 383, 394, 395]
Automotive	[11, 31, 35, 38, 67, 260, 311, 318, 341, 351, 362, 378-380]
Computer (hardware)	[51, 58, 339, 395]
Construction	[74, 304, 312]
Electronics	[21, 66, 350, 357, 364-367, 375, 395, 396]
Energy	[68, 250, 392, 397]
Information technology	[398]
Manufacturing systems	[62, 335, 345, 373, 375, 399]
Mechanical products/equipment	[36, 37, 50, 72, 305, 316, 321, 325, 335, 368, 400]
Sensor systems (large-scale)	[289]
Service system design	[324]
Ship design	[362, 401, 402]
Software	[14, 27, 28, 30, 59, 70, 71, 102, 306, 313, 376, 403, 404]

research could demonstrate the power of, and explore approaches to formalizing, design rules for hardware products. Additional studies of architecture evolution from a longitudinal perspective

would also be helpful. These could employ a set of static DSM models collected periodically or at set points of architecture change. The ease with which certain architecture patterns (e.g., modularity) correspond with hypothesized developments (e.g., the exercising of real options) could thereby be explored empirically.

Table 1b also notes several other recent applications of product DSMs. Space will not permit detailing these, yet it is worth mentioning the expanding use of DSMs in design optimization [e.g., 72, 73], particularly *multidisciplinary design optimization* (MDO) [74-76]. Although MDO applications at NASA marked some of the earliest applications of process DSMs [e.g., 9, 77], the more recent design optimization models noted here have used product DSMs. MDO work has necessarily dealt with the approach to and level of decomposition of a product design problem, an area where further work could beneficially align with the work on repeatable approaches to building product DSMs (§2.1.1). Akin to the DSM work on change propagation, the MDO-related work has explored the use of DSMs as sensitivity matrices at the parameter level, thereby supporting design trade studies.

Furthermore, product DSMs show potential as part of an overall solution to knowledge management challenges [e.g., 78]. By providing a structure for organizing product knowledge in terms of both the product breakdown structure and the component relationships, the product DSM can provide a concise, interactive overview of a complex product with links to further information (design specifications, design rules and guidelines, lessons learned, etc.) about particular components and interfaces. Further work in this area is needed, and this work should draw from the related research on building and representing product DSMs (§2.1.1 and §2.1.2), as well as research discussed later about comparable opportunities with process DSMs (§2.3.1 and §2.3.2). Finally, Table 1b notes some of the growing breadth and depth of industry instances; it includes only ones reported in the literature—surely a mere fraction of actual applications. (Note that further models of software architectures are addressed later in §3.)

## 2.2 Organization Architecture DSMs

For the purposes of this survey, an organization is a network of people (or groups thereof) with a common purpose. As a kind of system, an organization has an architecture—its structure, “embodied in its people, their relationships to each other and to the organization’s environment, and the principles guiding its design and evolution” [13]. Generally, an organization consists of “organizational units” such as teams, departments, agents, or individuals that connect to each other in various ways. Organization architecture models could include at least three mappings [13]: (1) a hierarchical decomposition of the organization into units; (2) work assignments and top-down reporting relationships (lines of authority) among the units; and (3) lateral relationships among the units. The first two of these are often represented with an organization breakdown structure (OBS) or “org chart,” whereas the third has been the main focus of organization architecture DSM models (“org DSM” for short).

Although Lano had previously used the “N-square” chart to model organizational interfaces [19], and others had used square matrices to model organizational communication flows [e.g., 79], McCord and Eppinger [10] developed the first explicit org DSM

model. Meanwhile, others such as Coates et al. [80] used matrix models with names like “agent matrix.” Browning’s [12] review distinguished product and org DSMs as separate applications of static DSMs. Eppinger and Browning [13] further described the motivations for and benefits of org DSM models. Recently, org DSMs have enabled many innovative applications (Table 2), gaining attention especially in management/organizational science contexts. The remainder of this subsection surveys several of these areas while noting opportunities for further research and development.

**Table 2:** Organization architecture DSM innovations, extensions, and application areas—with selected references

Building Organization DSMs	Selected References
Documenting relationships among organizational units	[80]
Using a survey instrument to gather data on organizational unit relationships	[81-83]
Deriving an org DSM from a process DSM	[84, 85]
Extracting relationships automatically via communication data mining	[86]
Capturing dependencies among skill sets	[87]
Modeling organizational work and coordination time	[88]
Displaying Organization DSMs	Selected References
Use of symbols instead of numbers	[13]
Showing hierarchy and membership in organizational structures	[13]
Analyzing Organization DSMs	Selected References
Clustering to determine organizational structures	[89-91, 326]
Identifying communication gaps and overlaps	[82]
Longitudinal analysis of multiple static DSM “snapshots”	[13, 82]
Optimizing work allocation across global product development organizations	[88]
Sequencing of organizational units to identify cooperation groups	[93]
Applying social network analysis techniques and metrics	[94, 95, 405-407]
Decomposing a social network into an optimal number of structurally equivalent classes	[408]
Otherwise Benefiting from Organization DSMs	Selected References
Comparing org and product architectures	[30, 97-104, 409]
Determining optimal team assignments	[90]
Designing organizations for integration (DFI), applying appropriate integrative mechanisms (IMs)	[13, 82, 410, 411]
Reorganizing projects at each phase due to changing needs for communication	[30, 82, 104, 412]
Managing inter-organizational and supplier integration	[412, 413]
Determining clusters of related skill sets	[87]
Identifying misfits or misalignments among organizational units	[105]
Determining the organizational impacts of product change propagation	[414]
Identifying indirect relationships among stakeholders	[81]
Examining implications of organizational interactions on organization design	[411, 415-417]
Industry Instances	Selected References
Aerospace	[13, 82, 87, 94, 98, 104, 105, 405, 409, 412, 418]
Automotive	[91, 278, 406, 414]
Electronics	[88]
Energy	[13, 81]
Innovation systems	[13]
Software	[30, 102]
Transportation system organizations	[89]



### 2.2.1 Building Organization DSMs

In one way, building an org DSM can be less difficult than building a product DSM, because the lowest granular unit for decomposition (i.e., an individual person) is more commonly understood, and there is usually less ambiguity about the initial definitions of higher-level units such as departments or teams (because these are usually taken as given from readily available sources). Thus, while no empirical results yet exist, “inter-modeler reliability” (cf. “inter-rater reliability”) *might* be higher for org DSMs than for product DSMs. Most org DSM models have focused on information flow relationships and have been built through surveys or interviews of the organizational units or their representatives [e.g., 81]. However, such an approach can reveal a large discrepancy between the provider and receiver perspectives of the respondents [82, 83]. In such cases, Browning [82] suggested simply taking the maximum of the two responses, since communication networks in project organizations seem to be much richer (and their DSM representations much denser) than initially supposed by either the provider or receiver perspectives (although empirical confirmation of this conjecture is needed). Some researchers [84, 85] have used a process DSM to derive an org DSM. Dabbish et al. [86] extracted relationships by mining communication data but also found that using different sources and types of relationship data could yield very different DSMs. Further research should examine the relative efficacies and accuracies of alternative methods for building org DSM models. Also, although the focus of most org DSMs has been the frequency of information flow among organizational units, others have used it to model the dependencies among organizational skill sets [87] and the amount of work and coordination time spent by the units [88]. Future research could elaborate on the varieties and possibilities of org DSMs to model other types of relationships among organizational units.

### 2.2.2 Displaying Organization DSMs

In comparison to product DSMs, relatively little has been done specifically regarding the display of important organizational patterns in a DSM. Eppinger and Browning [13] exhibited some recent innovations in this area from various sources, including the creative use of symbols and colors to indicate the strength of relationships and the use of boxes, colors, and multiple matrix entries to indicate the membership of units in hierarchical structures. Fortunately, because both are static DSMs, many of the visualization techniques pertinent to product DSMs (see §2.1.2) can be leveraged for org DSMs (and vice-versa).

### 2.2.3 Analyzing Organization DSMs

As with product DSMs, the bulk of org DSM analysis has focused on clustering, primarily of organizational units, as a means of assigning them to higher-level groupings [e.g., 89-91]. The clustering methods used are similar to those discussed previously for product DSMs (§2.1.3), including the equivalent use of a “bus threshold” to isolate units with high interactivity with the overall organization. (Such units may then be designated as “system engineering,” “integration,” or “management” units and removed from further consideration in the clustering analysis [13].) However, opportunities remain to develop clustering algorithms tailored to organizational applications and based on empirical justifications, where the objective function contains

factors and values pertinent to the particular situation. Although analysis tools such as Ucinet [92] provide the capability to generate a specified number of clusters, it would be helpful to incorporate greater clustering functionality into DSM tools. Some simpler analyses of org DSMs have used row and column sums (essentially in-degree and out-degree) to gauge a unit’s relative communication burdens and suggested examining the DSM to identify communication gaps and overlaps among units [82]. Furthermore, because an organization is a dynamic system, and a static DSM only captures a snapshot of a system at a point in time, multiple DSMs can be stacked for longitudinal studies of organizational change. Browning [82] used two DSMs to show the situation in a product development organization before and after an 18 month interval, during which the communication frequencies among particular units changed significantly. Tripathy and Eppinger [88] developed a quantitative model of work and coordination times for each organizational unit and used these to optimize the allocation of work across units. Rondeau et al. [93] essentially sequenced an org DSM to identify cooperation groups and explore their implications. Finally, several scholars [e.g., 94, 95] have applied social network analysis techniques to org DSMs: further synthesis and analyses of these models promises to be a very fruitful area of DSM research.

### 2.2.4 Otherwise Benefiting from Organization DSMs

Org DSMs have also propelled research in other areas. One of these areas concerns the relationship between product and organization architectures, particularly with respect to Conway’s [96] assertion that an organization will inevitably design products whose structure copies that of the organization’s communications. In addressing this “mirroring hypothesis,” Colfer and Baldwin [97] presented “actionable transparency,” which has the effect in the org DSM of routing technical communication through a “bus element” (such as a shared database) that provides a surrogate for direct communication. Hence, it is an example of how an *integrative mechanism* (IM) could be represented as an alteration in an org DSM. Several scholars [e.g., 30, 98-104] have explored the alignment (or lack thereof) between the product and organization architectures in engineering projects and proposed connections to various aspects of project performance. These studies provide excellent examples of where the DSM has supported top-notch research in the organization science and engineering management domains. Future studies could consider the alignment of the organization architecture with other project architectures such as the process, tools, and goals. Table 2 provides several other examples of where an org DSM has supported various strands of organizational research. Each of these areas could be extended, and researchers who work with graph-based network models could unlock potential benefits and insights through the use of an org DSM representation. Again, a particular area for further research concerns the longitudinal study of organizations [e.g., 30, 82, 104]—perhaps through the use of a set of org DSMs, where each provides a snapshot of the organization architecture at a different point in time. Such studies could add to our knowledge of organizational dynamics, adaptation, and evolution.

Finally, Table 2 notes several industrial instances of org DSMs at entities such as NASA [105], General Motors, McDonnell Douglas, Pratt & Whitney, Timken, and BP [13]. Aerospace instances figure most prominently in the literature.

### 2.3 Process Architecture DSMs

The DSM moniker was first coined by Steward for his square-matrix-based models of processes [3-5], which emerged from his earlier use of such matrices for solving systems of equations [1, 2]. Since then, process architecture DSM models (“process DSMs” for short) have received the most attention of all DSM application areas from scholars and practitioners. Prominent, early efforts include work at NASA [9, 77], MIT [8, 16, 106], and The Boeing Company [107].

A process is “a system of activities and their interactions comprising a project or business function,” and a process architecture is a process’s structure, as determined by its constituent activities and their interactions, and the principles guiding its design and evolution [13]. Process architecture models include at least three mappings: (1) the hierarchical decomposition of the process into activities; (2) the input-output relationships among the activities; and (3) other types of activity relationships. The process DSM models the second of these, although it can also show the first. The third usually requires object-oriented modeling techniques. Hence, a rich process model may fully exist only in a database, of which a process DSM could provide a partial view; flowcharts and Gantt charts are examples of additional, partial views [108]. A DSM view is especially advantageous when seeking to highlight cycles (iterations or rework loops), which are both prominent and problematic in project processes. See [13] for further discussion of the motivations for and benefits of process DSM models. Process DSMs have gained traction mainly in engineering design and construction management. Recent models have brought many innovative applications (Table 3a&b). The remainder of this subsection will discuss several of these along with opportunities for further research and development.

#### 2.3.1 Building Process DSMs

Process modelers have taken a variety of approaches to building DSMs, including leveraging existing documentation and models in other formats (e.g., flowcharts), interviews, and surveys. Interviews and surveys can be more or less effective depending on the questions asked and the understanding and expertise of the respondents. Although existing models and documents offer convenience, they tend to produce relatively sparse DSMs that account for only a minimal number of activity dependencies [109]. Because a DSM does not increase in size with the number of dependencies (only with the number of elements), it provides an advantageous platform for capturing and displaying richer models of the extensive information flows among activities. A powerful way to build such models is to build two DSMs, one row-by-row and the other column-by-column—by separately collecting the input and output perspectives of an expert on each activity—and then overlay these [83, 110]. The data collection may not even use a DSM but rather a set of supplier-input-process-output-customer (SIPOC) diagrams, the content of which is then transferred to a DSM format. This approach tends to (1) uncover many differences in understandings among the activity experts and (2) yield a much richer model of the information and work product flow (often 3-5 inputs and outputs per activity instead of the 1-2 typical of many flowcharts). Researchers have explored several ways to increase process DSM model-building accuracy and efficiency, such as determining activity dependencies from: product models [111-113], document

**Table 3a:** Process architecture DSM innovations and extensions—with selected references

<b>Building Process DSMs</b>	<b>Selected References</b>
Using SIPOC diagrams and deliverable negotiations to formalize interfaces	[109, 110]
Facilitating data collection in workshops	[25, 83, 419]
Constructing a process DSM automatically from other models	[108, 113, 129, 210]
Deducing a process DSM via e-mail analysis	[116]
Mapping document flow	[114, 115]
Counting defects and rework loops	[117]
Distributing and automating data collection via web-based tools	[118, 119, 420]
Using QFD to determine activities or dependencies	[111, 112, 120]
Integrating smaller DSMs	[109, 121, 421, 422]
Modeling conceptual design activities	[122, 423]
Accounting for uncertainty or ambiguity in activity dependencies	[123-125, 420, 424-426]
Accounting for multiple activity modes	[126, 127]
Eliciting rework probabilities	[128]
<b>Displaying Process DSMs</b>	<b>Selected References</b>
Providing multiple views of a process model, including DSM	[108, 129, 427, 428]
Representing contingent relationships	[12, 126, 127]
Varying colors, symbols, shading, numbers, etc.	[12, 13, 220, 429]
Using DSM appendages to show external relationships	[12, 13, 109, 430]
Working with very large and/or hierarchical matrices	[14, 109, 431]
Focusing the DSM on deliverable or information objects	[130]
<b>Analyzing Process DSMs</b>	<b>Selected References</b>
Sequencing activities in processes (basic)	[5, 16, 131, 271, 432-440]
Decomposing coupled blocks	[133-144, 433, 441-452]
Overlapping activities	[145-147, 150, 453-455]
Scheduling project workflows	[80, 124, 151-157, 195-197, 203, 322, 454, 456-467]
Estimating iterative process duration and/or cost	[15, 153, 158-160, 162, 188, 194, 205, 430, 453, 468-480]
Estimating effects of iterative process on process duration and cost, as well as on the technical performance of a developing product	[127, 161, 481-483]
Estimating iterative process variability, robustness, and/or risk	[15, 128, 147, 479, 484]
Optimizing process duration or cost (often with an evolutionary algorithm)	[133, 147, 149, 163-167, 190, 191, 433, 485-497]
Optimizing multiple objectives (e.g., process duration and cost)	[168, 169]
Analyzing process convergence	[159, 170-173, 429, 471, 474, 498-501]
Applying network analysis techniques (e.g., social networks)	[174, 175, 424, 502]
Clustering activities or design parameters/decisions	[12, 137, 138, 142, 150, 176-182, 460, 468, 503, 504]
Sequencing and/or prioritizing design parameters/decisions	[112, 155, 183-186, 505, 506]
Analyzing processes while accounting for resource allocations	[162, 187-191, 271, 477, 479, 495, 507-509]
Exploring effects of project work policy and activity crashing and overlapping	[148]

flow data [114, 115], e-mails [116], or observed rework loops [117]. Web-based tools have provided another means of distributing and automating the process of data collection [118, 119]. Others have used quality function deployment (QFD) as a



basis for modeling activities and dependencies [111, 112, 120]. To build a large DSM, still others have taken the approach of integrating several smaller DSMs [109, 121].

Whereas a particular challenge in modeling product design and other novel project processes is activity and dependency ambiguity, Austin et al. [122] nevertheless found that even 79-90% of conceptual design activities could be specified and modeled. Others [123-125] provided ways to account for uncertainty or ambiguity in activity dependencies—e.g., with “fuzzy” dependency specifications. Clarkson and Hamilton [126] and Lévrard and Browning [127] proposed the use of alternative *activity modes* to capture various ways an activity could be undertaken (e.g., a slower and cheaper mode versus a faster but more expensive mode, or an initial mode versus a rework mode). Yassine [128] detailed the elicitation of rework probabilities for DSM models that seek to include them. Indeed, many of the more sophisticated DSM models require a variety of additional inputs that must be acquired from experts while taking similar caution. Overall, building process DSMs often requires significant effort, although it is important to recognize that this effort is really spent on building a good process model: once that exists, rendering part of it as a DSM is essentially instantaneous.

### 2.3.2 Displaying Process DSMs

A DSM cannot display a rich process model in its entirety. Some attributes of activities (e.g., duration) or dependencies (e.g., requirements) are not typically shown in a DSM, and, even if they were, this would preclude showing other attributes such as activity costs or rework probabilities. The conciseness of the matrix format limits the number and kinds of attributes that may be usefully shown at once. Hence, Browning [108, 129] proposed a *process architecture framework* that combines DSM with many other views of a process model, thereby circumventing some of the classic tension between model simplicity and completeness. Otherwise regarding the display of process DSMs, many of the innovations discussed previously with respect to displaying product and org DSMs (§2.1.2 and §2.2.2) can also be applied. One situation that tends to appear more often in process models is the presence of conditional or contingent relationships among activities. A few papers [12, 126, 127] have developed special symbols (e.g., diamonds like the ones used in flowcharts, “◆”) to signify alternative flow paths. However, further research, applications, and display enhancements of DSMs with conditional flows are needed. Users of process DSM models seeking to isolate various process threads or tailor a process would benefit from tools with the capability to highlight such threads. Display tools could also better support model building by highlighting missing elements, such as disconnected flows of work products. Separately, much like project scheduling models have their activity-on-arc and activity-on-node representations, it would be interesting to explore the possibilities of DSMs with deliverable, work product, or information objects on the diagonal and activities in the off-diagonal cells [130].

### 2.3.3 Analyzing Process DSMs

A great amount of research has focused on the analysis of process DSMs. Most analyses seek to identify an advantageous sequence of activities by reordering the matrix rows and columns. Many begin with some form of matrix block triangularization—i.e., the minimization of feedbacks and the identification of

coupled blocks of cyclical activities. Although the literature contains several algorithms [e.g., 131], Tarjan’s [132] depth-first search provides the most efficient way to identify coupled components [133]. Once coupled blocks have been found, further analyses have been proposed to sequence the activities within each block, including: tearing [e.g., 5, 134], eigenvalue analysis [e.g., 135, 136], analytic hierarchy process [e.g., 137-141], clustering [e.g., 138, 142], implied organizational structures [e.g., 137, 143], genetic algorithms [e.g., 133], iteration front-loading [144], and others. Most of these approaches entail collecting additional information about the dependencies among the coupled activities and utilizing these data in a more sophisticated optimization. One of the basic tradeoffs in such cases is that between increased overlapping, parallelism, and concurrency versus the concomitant increase in iteration and rework—i.e., which activities should be executed sequentially or in parallel. Here, the DSM touches the broader literature on activity overlapping, sometimes explicitly [e.g., 145-150]. Ultimately, activity sequencing boils down to decisions about when to start and stop each activity—i.e., project scheduling (with some expected number of activity iterations)—although many of the aforementioned analyses of coupled blocks do not go this far.

Several other process DSM analyses derive actual project schedules or “run-time models” [e.g., 80, 151-157]—sometimes by side-stepping some of the thornier issues of coupled blocks with simplifying assumptions. These works mainly use the DSM as an intermediate step on the way to producing a workflow or Gantt chart view of a project plan. Several of these developments have focused on the building construction industry, where detailed schedules are the expected deliverable from any planning exercise.

The effects of iteration and rework cycles on project duration and cost are difficult to forecast. Smith and Eppinger developed analytical models to estimate project duration assuming sequential activities [158], parallel activities [159], or a combination [160]. Processing more general cases requires simulation. The first DSM-based, discrete-event, Monte Carlo simulation model [15, 161] estimated project duration and cost, as well as the variation and risk in each. The model accounted for rework risk (probability and impact), learning curves, and, for a given work policy, the effects of alternative process architectures. It confirmed that processes can be sped up with appropriate increases in overlapping and iteration—i.e., that the process architecture with the fewest feedback marks in the DSM is not necessarily optimal. Thus, the basic heuristic used to initially sequence many process DSMs, *minimizing feedback marks, does not guarantee the best process*. Many other DSM simulations followed, some including extensions such as resource constraints [e.g., 162], some accounting for technical performance characteristics in addition to duration and cost [127, 161], and some focusing on other objectives such as process robustness [128]. Still other efforts have used evolutionary algorithms such as simulated annealing or genetic algorithms, sometimes employing a simulation-based fitness function, to minimize project duration by manipulating the process architecture or other characteristics [e.g., 133, 163-167]. Meier [168] and Wang et al. [169] developed multi-objective genetic algorithms to explore time-cost optimization and tradeoffs. (Note that the evolutionary algorithms for sequencing process DSMs employ different fitness functions and techniques than those mentioned in §2.1.3 for

clustering product DSMs. These two streams of literature could benefit from further interaction and “crossover.”)

Other analyses of process DSMs have applied further methods and objectives. Some have used the *work transformation matrix* model of fully parallel activities [159, 170-172] to explore process convergence (or lack thereof) and expose the phenomenon of design churn [173], wherein work on project activities fails to yield useful progress. Others [e.g., 174, 175] have calculated network analysis metrics such as density, centrality, and brokerage to identify activities, dependencies, or groupings thereof expected to be of special interest. Since an earlier DSM review [12] suggested the possibility of applying clustering analysis (usually applied to static DSMs) to process DSMs, several have done so, especially within coupled blocks [e.g., 137, 150, 176-178], to suggest sub-groupings of activities that would foster process modularity and facilitate their assignment to suppliers [179, 180], to identify sub-networks requiring particular combinations of knowledge or skills [181], or to facilitate the scheduling of collaborative tasks [182]. Still others [e.g., 112, 155, 183-186] have modeled engineering design projects at a relatively detailed level using parameter-based DSMs [12], where each node is a design parameter and the objective is to sequence their determination, like solving a system of equations. Some [e.g., 162, 187-191] have considered resource constraints in DSM-based process models and thereby produced insights about the comparative effects of iteration and resource challenges. Finally, in a rich model of process cost and duration that accounts for architecture, iteration, crashing, and overlapping—including a six-layer DSM that accounts for activity attributes such as minimal and maximal overlapping—Meier et al. [148] demonstrated that work policy decisions play a large role in project outcomes. Aside from application area or objective, several have combined process DSM models with other methods such as: axiomatic design [e.g., 139, 192, 193], system dynamics [e.g., 123, 145, 188, 194, 195], Petri nets [e.g., 153, 196, 197], IDEFO [e.g., 198], Markov models [e.g., 158, 165], or QFD [111, 112, 120]. (Although in many cases these supplemental modeling techniques are brought to bear due to some perceived shortcoming in the DSM, it is important to reiterate that *none* of these modeling views alone is sufficient to capture a rich process model in its entirety [108].)

### 2.3.4 Otherwise Benefiting from Process DSMs

Table 3b summarizes some additional applications of process DSMs outside the mainstream focus on structuring and estimating a given project process. Several researchers [e.g., 142, 180, 199-201] have used the process DSM (rather than the org DSM) to guide organization and/or supplier network design. Other uses include: predicting the effects of design or requirements changes [202-205], evaluating process improvements [206-208], prioritizing activities [209], identifying disconnects in a process flow model [15, 210], situating testing activities at appropriate places in a process [193, 211], monitoring project progress [212], analyzing resource dependencies across projects in a portfolio [187], and managing resources and/or scheduling in a manufacturing system [e.g., 213, 214]. Lévy and Browning [127] used a DSM to model a process as a *complex adaptive system*, where the activities self-organize according to simple rules. Early on at NASA and Boeing [77, 215], and more recently in China [216, 217], aerospace and naval researchers have

**Table 3b:** Process architecture DSM innovations, extensions, and application areas—with selected references

Otherwise Benefiting from Process DSMs	Selected References
Structuring project organizations and/or supplier networks	[142, 180, 199-201, 270, 510]
Managing product configurations/variants for sales and production	[511]
Predicting the effects of design/requirements/engineering changes on a project	[202-205, 479]
Evaluating process improvements	[206-208]
Quantifying project uncertainty	[512]
Investigating the implications of process characteristics on performance	[513]
Prioritizing activities	[209, 483]
Identifying process flow disconnects	[15, 210]
Modeling causes and flows of events	[514]
Exploring the implications of alternative sequences of conceptual design parameters	[186]
Situating verification, validation, and testing activities in a design process	[193, 211]
Monitoring project/design progress	[212, 506]
Analyzing resource dependencies across projects in a portfolio	[187]
Managing resources and/or scheduling in a manufacturing system	[213, 214, 515-517]
Managing dimensional tolerances and process capability in production	[505]
Modeling the product development process as a complex adaptive system (CAS)	[127, 518]
Facilitating multidisciplinary design optimization (MDO)	[75, 77, 215-217, 388, 498, 499, 519, 520]
Facilitating collaborative design	[426, 521]
Incorporating into architecture frameworks	[108, 129, 522-524]
Policy and scenario analysis	[218]
Industry Instances	Selected References
Aerospace	[13, 15, 75, 126, 215, 216, 395, 432, 433, 479, 525, 526]
Automotive	[13, 120, 123, 441, 475, 477, 527, 528]
Construction	[13, 115, 119, 138, 151, 156, 157, 179, 184, 203, 204, 210, 274, 423, 434, 448, 454, 456-458, 465, 467, 529-534]
Electronics	[13, 143, 276, 395, 473, 480, 535]
Energy	[453, 462, 536-538]
Government agencies	[522-524]
Healthcare	[539]
Information systems and technologies	[425]
Manufacturing systems	[127, 213, 443, 517, 540]
Mechanical equipment and components	[189, 420, 445, 449, 488, 541]
Military	[542]
Naval ship design and development	[188, 492, 519]
Network system control	[269]
Pharmaceutical	[13]
Real estate development	[543]
Software development	[117, 198, 421, 502, 514, 544, 545]

harnessed the DSM to model information flows among design tools as a step towards integrating the tools into a “meta-tool” to accelerate MDO (cf. §2.1.4). Arcade et al. [218] sequenced a square matrix they called a “structural analysis matrix” to analyze approaches and scenarios for government policies. The process DSM has also been applied across many industries, especially the construction industry, as exhibited in Table 3b. Again, these

instances represent only ones reported in the literature—only “the tip of the iceberg” since most industry applications go unpublished. (Applications of process DSMs to software product architectures are addressed in §3.)

Despite the wealth of applications and concerns addressed so far with the process DSM, many more opportunities exist. For example, almost all applications to date have focused on project processes, where the aim is to complete each activity once (albeit with potential rework and iterations) and finish the project. However, the process DSM might also find interesting applications in the realm of repetitive business and production processes such as assembly lines, where all of the activities are ongoing simultaneously, to explore flows, identify bottlenecks, and calculate metrics such as capacity, throughput time, and work-in-process inventory. The process DSM could also be more directly integrated with risk management, where planned risk responses could be added to a project’s process DSM, thereby adding cost and duration but reducing the probability and impact of feedbacks; DSM analysis could determine the net benefit of the result and the optimum amount of such risk mitigation. Finally, despite the appearance of several papers on iteration, rework, and the process DSM in project management journals, these topics have not yet gained wide traction in the project management community—e.g., they are not yet addressed in official project management standards [e.g., 219]. It therefore seems that further visibility of process DSM methods and applications is needed in project management.

### 3 Beyond Product, Process, and Org DSMs

Beyond the older product, process, and org DSMs, several other DSM applications have recently emerged. One of these new areas, analyzing software product architectures as processes, spans the domains of product and process DSMs. Software is a product, and its architecture has been modeled along similar lines as hardware products and analyzed for patterns such as modularity using clustering algorithms, as noted in §2.1. However, software runs in real time like a process. Therefore, it is also insightful to apply sequencing algorithms and explore the implications of architectural patterns such as cycles. Sangal et al. [26] took this approach and noted the importance of hierarchical levels (layers) and cycles in software architectures. Bergel et al. [220] extended the DSM representation to account for varied types of software component dependencies and to highlight nested cycles. Sosa et al. [221] found that cyclicalities is at least as significant to software quality as is modularity. Both static and temporal DSM models present many opportunities to investigate software architectures.

In addition to the product, process, and organization architectures, a project’s architecture includes the *tools* and *goals* architectures [222]. DSM applications have only recently begun to touch these areas, which offer very promising opportunities for future research. The domain of *tools* concerns the various non-human resources, facilities, equipment, and software used to accomplish work. Of special concern in this domain is the network of software applications and databases used by people and teams (in the organization domain) to accomplish activities (in the process domain) and store information. These software tools must exchange information for a project to proceed efficiently, but many times the tools do not easily interface. Some MDO applications (q.v. §2.1.4 and §2.3.4) have touched on this area, because MDO requires integrating the tools used by each

discipline. Beyond the individual project level, the tools architecture also relates to what the information systems literature terms the “enterprise architecture.” Lagerström et al. [223] examine the overall structure of a portfolio of 192 software applications. Although only one other DSM paper [224] has addressed tools, both static and temporal DSM models offer promising possibilities for visualizing, analyzing, and improving the tools architecture.

The *goals* domain includes a project’s requirements, objectives, targets, and/or constraints. Such elements relate to each other in various ways, such as when improvement towards one requirement causes a tradeoff with detrimental effects on another. This network of goals has an architecture that can be modeled with a DSM [225]. Most applications to date have built and analyzed DSM models of requirements [e.g., 226], such as for analyses of change propagation [227, 228] or functional requirements clustering [229]. Lee et al. [230] mix goal and use case DSMs in a large matrix (really an MDM) to facilitate requirements traceability and change management. Future opportunities exist to explore requirements modularity and cyclicity using static and temporal DSMs, respectively.

DSM models have also been employed in some other interesting ways. Eelman and Föller [231] used the DSM to drive scenario generation. Several researchers built DSM models of project risks to show the relationships among them and determine the second-order risks emerging from risk interactions [232–237]. Stamelos [238] modeled the relationships among software development malpractices. Kornish and Ulrich [239] clustered a static DSM to identify opportunities for innovation. Farsad and Malaek [240] clustered a DSM model of aircraft flights to facilitate air traffic control. Unlike the change propagation models discussed in §2.1.3, Shankar et al. [241] used a DSM to represent the relationships among the engineering and manufacturing changes themselves, thereby studying the sources and implications of changes. Wyatt et al. [242] use the DSM as the basis for an economical, graph encoding scheme. DSMs have even been harnessed in literature surveys: Hamraz et al. [243] employed a temporal DSM to model citations among publications and a static DSM to show citations across categories of literature. DSM models are becoming useful for explorations of socio-technical systems, such as in Vaishnav et al.’s [244] study of cyberspace components and international relations. DSMs also hold promise for applications to portfolio management [245], data science, and many other kinds of network modeling.

### 4 Cross-domain Applications with Domain Mapping Matrices (DMMs)

So far we have focused on DSMs within individual domains, but many applications, such as a need to show the organizational unit responsible for each activity in a process, transcend a single domain. A simple way to convey basic relationships of this type is to use a “1.5 domain DSM” [13]—a single-domain DSM augmented with colors (as in Figure 1), numbers, or symbols to signify relationships to another domain—such as a process DSM with each activity colored by its responsible organizational unit [e.g., 246]. For richer models across domains, a single DSM usually will not suffice. Whereas a DSM is always a square matrix, rectangular matrices have long been used to map relationships across domains. In 2004 Danilovic and Browning [222] dubbed such matrices *domain mapping matrices* (DMMs)

and proposed a “periodic table” of then existing and potential DMM models across five project domains: product, process, organization, tools, and goals. Table 4 summarizes the DMM applications in our survey, which cover most of this “periodic table.” While not delineated by industry in Table 4, these applications span aerospace, automotive, consumer products, control systems, electronics, energy, marine engines, mechanical components and equipment, printing, and software.

The product domain contains at least two prominent sub-domains, functions and components. Most of the product DSM applications discussed in §2.1 model components, although some model functions. Both sub-domains matter, as does their relationship. The appropriate allocation of functions to components is a salient aspect of effective design—e.g., precipitating the “design matrix” of Axiomatic Design [247]. Several researchers have used the DMM to model and explore function-to-component relationships [e.g., 32, 37, 248-250]. As with many DMMs, the function-component DMM can be used to generate both DSMs: multiplying this DMM by its transpose yields either the function-function or component-component DSM, depending on the order of operations. Bonjour et al. [33] used this approach to derive a component DSM, which they then compared to a component DSM built through traditional methods. Danilovic and Browning [222] proposed additional product sub-domain DMMs, and further research is still needed to ground these in the engineering design literature and in relation to each other.

**Table 4:** DMM application areas, with selected references

Domains	Selected References
(Product) Function-Component	[13, 32-34, 37, 248-250, 546, 547]
(Product/Goal) Function-(Process) Parameter	[20, 34, 251-259, 548]
Product-Goals	[34, 260-262, 264, 402, 547, 549]
Process-Goals	[263, 550]
Product-Organization	[248, 266, 267]
Process-Organization	[191, 268-274, 550]
Product-Process	[34, 113, 165, 275, 276, 551-553]
Product-Process-Organization	[277-279]
Process-Tools	[224, 280]
(Process) Activities-Deliverables	[20]
Organization sub-domains	[13, 281]

Interesting relationships exist among the product, process, and goal domains. Several have mapped product functions to design parameters [20, 251-253], in one case performing a clustering analysis on this DMM [254]. Required, desirable, and undesirable product functions bear much in common with the goals domain (discussed in §3): future research should explore this connection more explicitly. As such, others have mapped functional requirements (goals) to design parameters (using the nomenclature of the “design matrix” of Axiomatic Design), using this DMM to derive a parameter-based DSM [255, 256]. The DMM of customer needs to design parameters is essentially a QFD matrix [257]. Other related work includes mapping design parameters to “criteria” (essentially requirements) [258, 259]—a kind of process-goals DMM. Some have used more explicit mappings between the product (components) and goals (requirements) domains [e.g., 260-262] or between the process (activities) and goals (key product attributes) [263]. Kreimeyer et al. [264] mapped components to load cases, which might be considered as requirements scenarios. Again, further exploration

and standardization within and across the product, process, and goal domains is needed to clarify terminology and models. This will enable such models to better support the pursuit of interesting research questions, such as ones pertaining to the constraints imposed by one domain on others, or the precedence or priority of domains.

Relationships among the product, process, and organization domains gained earlier attention [12, 265], and §2.4 noted studies of alignment between product and organization architectures. Whereas those studies compared the DSMs from each domain, others [248, 266, 267] have used DMMs to explore the relationships between these domains—e.g., mapping departments, teams, or people to product components and/or functions. Process-organization inter-domain implications have received attention from several researchers [191, 268-272] who have mapped people, skills, or other resources to activities or parameters and used these models to allocate resources and determine organization structures, often via a clustering analysis. Such mappings can take the form of the conventional “responsible-accountable-consult-inform” (RACI) chart from project management [e.g., 273, 274]. Meanwhile, product-process relationships have prompted modelers to map functions or components to activities for purposes of risk management [e.g., 275], derivation of a process DSM [e.g., 276], insight into the implications of component standardization and modularization on the design process [165], and design for manufacturing and assembly [34]. A few studies have considered the product, process, and organization domains at once to explore the propagation of engineering changes [277], the design of core competences [278], or simultaneous optimization across domains [279]. Many opportunities exist for further studies of the product, process, and organization domains and their interactive implications. One key area is the dynamics, co-evolution, and emergence of these domains with respect to each other.

A few other inter-domain studies have used other DMMs. With the exception of [224], the interaction of the tools domain with other project domains has received little attention but deserves much more. As the tools domain includes non-human resources, resource allocation or utilization matrices fall into the category of process-tool DMMs [e.g., 280]. Mapping models have also been developed within the process domain between activities and deliverables [20] and within the organization domain between people and knowledge areas [281] and between people and team assignments [13].

## 5 Multidomain Matrices (MDMs)

The importance of modeling both inter- and intra-domain relationships simultaneously led to the advent of *multidomain matrices* (MDMs). An MDM could take the form of Danilovic and Browning’s [222] “periodic table,” an integration of various DSMs and their intervening DMMs. Maurer [282, 283] codified the term MDM, which gained traction in the DSM community and literature [13]. Concurrently, Bartolomei [95] developed the “engineering systems matrix” model along similar lines. Recently, several applications have emerged that combine DSMs and DMMs in various ways. All such applications are grouped here into the category of MDMs, even if they are not explicitly aggregated into a single matrix.

From the outset, MDM models have been used to help build and verify DSMs and DMMs. For example, Sosa [284] used a

product (component) DSM and a product-org (component-to-person) DMM to derive an org DSM of potential interactions for comparison with an org DSM built through traditional means—thus enabling a comparison of predicted and actual communications in software development. Senthilkumar and Varghese [115] used product and org DSMs to derive a process DSM in the construction industry.

Other MDM applications have explored and supported change propagation, knowledge management, engineering design, and manufacturing systems. Because the implications of design or engineering changes reach across the product, process, and organizational domains, several have used MDM models to investigate change propagation in various industries [285-290]. Rich MDM models have provided a basis for capturing and storing system-level knowledge about products, design tasks, design organizations, etc. [291] and for identifying organizational core competencies [278]. In design projects, MDM models have helped to manage: design decisions [121], design communication [292, 293], product architecture risk [294], design to cost [295], product variant management [296], non-linear system dynamics [297], causes and effects of testing failures [298], and product-organization alignment to increase development capabilities [299]. Westemeier et al. [300] used an MDM to model quality concerns in a lithium-ion battery manufacturing system. Kasperek et al. [301] used an MDM as a basis for system dynamics modeling. Eppinger and Browning [13] included several other interesting MDM applications, such as airport security [302].

MDM research is still in its infancy with many researchers trying a variety of applications. Much recent work in the DSM community has focused on MDM models, yet many opportunities exist to further codify and standardize MDM terminology and methods, categorize application areas, and develop analysis techniques. Although clustering and sequencing have been used with DSMs, and clustering with DMMs, it remains unclear how best to analyze an MDM containing a mix of static and temporal DSMs. MDMs also hold great promise for the emerging fields of “big data,” data science, and analytics. For example, huge DSMs can capture relationships among large groups of people, and DMMs can map those people onto other domains, such as organizational memberships, product and service preferences, and purchasing habits. Analyzing all of this information in tandem reveals patterns, clusters, cycles, segments, associations, “hot spots,” and so on. Soon it would be appropriate to dedicate a literature review specifically to MDMs.

## 6 Conclusion and Outlook

The outlook for DSM, DMM, and MDM modeling is bright. Perhaps the fundamental challenges at this point are (1) the large amount of new data required to build a rich, structural model of some systems and (2) the absence of a versatile and user-friendly software toolset for DSM/DMM/MDM modeling, manipulation, and analysis. Several promising tools have emerged in the last decade, but further work is needed to broaden their applicability and capabilities. As for the data challenge, this is not a DSM problem but rather a general problem for any system model: gathering new data is a tedious and error-prone process. Fortunately, researchers are developing new capabilities to extract data from other sources to build system models rapidly. Further work is also needed to broaden the understanding, acceptance, and adoption of DSM into the mainstream methods of project

management (despite some prior visibility in the construction industry). DSM has already achieved such goals in the areas of engineering design, systems engineering, and management/organization science, although even broader awareness and understanding would be beneficial in those areas as well. DSM is starting to appear in some textbooks and industry standards. Relative to some other models in operations and technology management, DSM models have received more extensive verification and validation thanks to a broad range of applications across a variety of industries, products, projects, organizations, situations, and contexts.

To provide an overview of where DSM papers have appeared in the literature, Table 5 counts DSM, DMM, and MDM papers in journals with a minimum of five such papers. Out of the 521 journal papers identified and acquired for this study (and pre-2001), DSM has had the strongest presence in engineering design (*JED*, *JMD*, *RED*), engineering management (*CERA*, *IEEE-TEM*), and systems engineering (*SE*) journals. DSM has also established a firm foundation among Chinese researchers (e.g., *CIMS*). *JMPM* recently published a special issue with 15 short papers from the 2014 DSM conference.

**Table 5:** Number of identified DSM/DMM/MDM papers appearing in journals (with a minimum of five)

Journal (Abbreviation)	Papers
<i>Journal of Engineering Design (JED)</i>	35
<i>Concurrent Engineering (CERA)</i>	28
<i>Journal of Mechanical Design (JMD)</i>	26
<i>IEEE Transactions on Engineering Management (IEEE-TEM)</i>	24
<i>Systems Engineering (SE)</i>	22
<i>Research in Engineering Design (RED)</i>	21
<i>Journal of Modern Project Management (JMPM)</i>	17
<i>Computer Integrated Manufacturing Systems (in Chinese) (CIMS)</i>	16
<i>International Journal of Production Research (IJPR)</i>	11
<i>International Journal of Advanced Manufacturing Technology (IJAMT)</i>	9
<i>Management Science (MS)</i>	9
<i>International Journal of Project Management (IJPM)</i>	8
<i>Computers &amp; Industrial Engineering (CIE)</i>	7
<i>International Journal of Product Development (IIPD)</i>	7
<i>IEEE Transactions on Systems, Man, and Cybernetics (IEEE-SMC)</i>	6
<i>Advanced Engineering Informatics (AEI)</i>	5
<i>Automation in Construction (AC)</i>	5
<i>Journal of Construction Engineering &amp; Management (JCEM)</i>	5

This paper has provided a survey of the DSM, DMM, and MDM literature, highlighting developments, extensions, and innovations with respect to building, displaying, analyzing, and applying these models. Throughout the exposition, the paper has noted numerous opportunities for further research. In summarizing many of these broadly, special emphasis should be put on the following applications and developments: knowledge management (where DSM/DMM/MDM provide the organizing structure for a knowledge base), architectural patterns and their implications (e.g., for quality, performance, etc.), versatile “sandbox” tools for systems architects, MDM analysis methods, multiobjective clustering, architectural metrics, and archiving rich data sets for multipurpose research applications (e.g., to test new optimization algorithms). In pursuing these opportunities, researchers should continue to draw upon the advances in closely-

related areas such as graph theory, network analysis, complexity, and other types of architectural models.

## 7 References

- [1] Steward, D.V., "On an Approach to Techniques for the Analysis of the Structure of Large Systems of Equations," *SIAM Review*, vol. 4, pp. 321-342, 1962.
- [2] Steward, D.V., "Partitioning and Tearing Systems of Equations," *Journal of the Society for Industrial and Applied Mathematics: Series B, Numerical Analysis*, vol. 2, pp. 345-365, 1965.
- [3] Steward, D.V., "The Design Structure System," General Electric, San Jose, CA 67APE6, 1967.
- [4] Steward, D.V., *Systems Analysis and Management*. New York: PBI, 1981.
- [5] Steward, D.V., "The Design Structure System: A Method for Managing the Design of Complex Systems," *IEEE Trans. on Eng. Mgmt.*, vol. 28, pp. 71-74, 1981.
- [6] Warfield, J.N., "Binary Matrices in System Modeling," *IEEE Trans. on Systems, Man, and Cybernetics*, vol. 3, pp. 441-449, 1973.
- [7] Black, T.A., C.F. Fine, and E.M. Sachs, "A Method for Systems Design Using Precedence Relationships: An Application to Automotive Brake Systems," MIT Sloan School of Management, Cambridge, MA, Working Paper no. 3208, 1990.
- [8] Eppinger, S.D., "Model-based Approaches to Managing Concurrent Engineering," *Journal of Engineering Design*, vol. 2, pp. 283-290, 1991.
- [9] Rogers, J.L., "A Knowledge-Based Tool for Multilevel Decomposition of a Complex Design Problem," NASA, Hampton, VA, Technical Paper TP-2903, May 1989.
- [10] McCord, K.R. and S.D. Eppinger, "Managing the Integration Problem in Concurrent Engineering," MIT Sloan School of Management, Cambridge, MA, Working Paper no. 3594, 1993.
- [11] Pimmler, T.U. and S.D. Eppinger, "Integration Analysis of Product Decompositions," ASME International Design Engineering Technical Conferences (Design Theory & Methodology Conference), Minneapolis, Sep., 1994.
- [12] Browning, T.R., "Applying the Design Structure Matrix to System Decomposition and Integration Problems: A Review and New Directions," *IEEE Trans. on Eng. Mgmt.*, vol. 48, pp. 292-306, Aug. 2001.
- [13] Eppinger, S.D. and T.R. Browning, *Design Structure Matrix Methods and Applications*. Cambridge, MA: MIT Press, 2012.
- [14] Church, K.W. and J.I. Helfman, "Dotplot: A Program for Exploring Self-Similarity in Millions of Lines of Text and Code," *Journal of Computational and Graphical Statistics*, vol. 2, pp. 153-174, 1993.
- [15] Browning, T.R. and S.D. Eppinger, "Modeling Impacts of Process Architecture on Cost and Schedule Risk in Product Development," *IEEE Trans. on Eng. Mgmt.*, vol. 49, pp. 428-442, Nov. 2002.
- [16] Eppinger, S.D., D.E. Whitney, R.P. Smith, and D.A. Gebala, "A Model-Based Method for Organizing Tasks in Product Development," *Research in Engineering Design*, vol. 6, pp. 1-13, 1994.
- [17] Simon, H.A., "The Architecture of Complexity," *Proceedings of the American Philosophical Society*, vol. 106, pp. 467-482, 1962.
- [18] Alexander, C., *Notes on the Synthesis of Form*. Cambridge, MA: Harvard University Press, 1964.
- [19] Lano, R.J., *A Technique for Software and Systems Design* vol. 3. New York: North-Holland, 1979.
- [20] Papalambros, P. and N.F. Michelena, "Model-Based Partitioning in Optimal Design of Large Engineering Systems," in *Multidisciplinary Design Optimization*, N. Alexandrov and M.Y. Hussani, Eds., ed, Philadelphia, PA: SIAM, 1997, pp. 209-226.
- [21] Chiriack, N., K. Hölttä-Otto, D. Lysy, and E.S. Suh, "Level of Modularity and Different Levels of System Granularity," *Journal of Mechanical Design*, vol. 133, 2011.
- [22] Tilstra, A.H., C.C. Seepersad, and K.L. Wood, "A High-definition Design Structure Matrix (HDDSM) for the Quantitative Assessment of Product Architecture," *Journal of Engineering Design*, vol. 23, pp. 764-786, 2012.
- [23] Suh, E.S., N. Chiriack, and K. Hölttä-Otto, "Seeing Complex System through Different Lenses: Impact of Decomposition Perspective on System Architecture Analysis," *Systems Engineering*, vol. 18, pp. 229-240, 2015.
- [24] AlGeddawy, T. and H. ElMaraghy, "Optimum Granularity Level of Modular Product Design Architecture," *CIRP Annals - Manufacturing Technology*, vol. 62, pp. 151-154, 2013.
- [25] Kasperek, D., S. Maisenbacher, A. Kohn, U. Lindemann, and M. Maurer, "Increasing the Reproducibility of Structural Modelling," *Journal of Engineering Design*, vol. 26, pp. 259-281, 2015.
- [26] Sangal, N., E. Jordan, V. Sinha, and D. Jackson, "Using Dependency Models to Manage Complex Software Architecture," 20<sup>th</sup> ACM SIGPLAN Conference on Object-Oriented Programming, Systems, Languages and Applications (OOPSLA), San Diego, CA, Oct 16-20, 2005.
- [27] MacCormack, A., J. Rusnak, and C.Y. Baldwin, "Exploring the Structure of Complex Software Designs: An Empirical Study of Open Source and Proprietary Code," *Management Science*, vol. 52, pp. 1015-1030, 2006.
- [28] Huynh, S., Y. Cai, and K. Sethi, "Design Rule Hierarchy and Analytical Decision Model Transformation," Drexel University, Philadelphia, PA, Technical Report DU-CS-08-04, Sept. 2008.
- [29] Sethi, K., Y. Cai, S. Huynh, A. Garcia, and C. Sant'Anna, "Assessing Design Modularity and Stability using Analytical Decision Models," Drexel University, Philadelphia, PA, Technical Report DU-CS-08-03, Sept. 2008.
- [30] Avritzer, A., D. Paulish, Y. Cai, and K. Sethi, "Coordination Implications of Software Architecture in a Global Software Development Project," *Journal of Systems & Software*, vol. 83, pp. 1881-1895, 2010.
- [31] van Beek, T.J., M.S. Erden, and T. Tomiyama, "Modular Design of Mechatronic Systems with Function Modeling," *Mechatronics Journal*, vol. 20, pp. 850-863, 2010.
- [32] Flanagan, T.L., C.M. Eckert, J. Smith, T. Eger, and P.J. Clarkson, "A Functional Analysis of Change Propagation," 14<sup>th</sup> International Conference on Engineering Design (ICED), Stockholm, Sweden, 2003.
- [33] Bonjour, E., S. Deniaud, M. Dulmet, and G. Harmel, "A Fuzzy Method for Propagating Functional Architecture Constraints to Physical Architecture," *Journal of Mechanical Design*, vol. 131, 2009.
- [34] Demoly, F., S. Gomes, B. Eynard, and L. Rivest, "PLM-based approach for Assembly Process Engineering," *Int. J. of Manufacturing Research* vol. 5, pp. 413-428 2010.
- [35] Gorbea, C., "Vehicle Architecture and Lifecycle Cost Analysis in a New Age of Architectural Competition," Doktor-Ingenieurs, Institute for Product Development, Technische Universität München, Munich, Germany, 2011.
- [36] Hong, E.-P. and G.-J. Park, "Modular Design Method Based on Simultaneous Consideration of Physical and Functional Relationships in the Conceptual Design Stage," *Journal of Mechanical Science and Technology*, vol. 28, pp. 223-235, 2014.
- [37] Kang, Y. and D. Tang, "Matrix-based Computational Conceptual Design with Ant Colony Optimisation," *Journal of Engineering Design*, vol. 24, pp. 429-452, 2013.
- [38] Mahmoud-Jouini, S.B. and S. Lenfle, "Platform Re-use Lessons from the Automotive Industry," *Int. J. of Operations & Production Management*, vol. 30, pp. 98-124, 2010.
- [39] Meehan, J.S., A.H.B. Duffy, and R.I. Whitfield, "Supporting 'Design for Re-use' with Modular Design," *Concurrent Engineering: Research & Applications*, vol. 15, pp. 141-155, 2007.
- [40] Karniel, A., Y. Belsky, and Y. Reich, "Decomposing the Problem of Constrained Surface Fitting in Reverse Engineering," *Computer-Aided Design*, vol. 37, pp. 399-417, 2005.
- [41] Helmer, R., A. Yassine, and C. Meier, "Systematic Module and Interface Definition using Component Design Structure Matrix," *Journal of Engineering Design*, vol. 21, pp. 647-675, 2010.
- [42] Clarkson, P.J., C. Simons, and C. Eckert, "Predicting Change Propagation in Complex Design," *Journal of Mechanical Design*, vol. 126, pp. 788-797, 2004.
- [43] Engel, A. and T.R. Browning, "Designing Systems for Adaptability by Means of Architecture Options," *Systems Engineering*, vol. 11, pp. 125-146, 2008.
- [44] Alizon, F., S.K. Moon, S.B. Shooter, and T.W. Simpson, "Three Dimensional Design Structure Matrix with Cross-Module and Cross-Interface Analyses," ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, Las Vegas, NV, Sep 4-7, 2007.
- [45] Yu, T.-L., D.E. Goldberg, K. Sastry, C.F. Lima, and M. Pelikan, "Dependency Structure Matrix, Genetic Algorithms, and Effective Recombination," *Evolutionary Computation*, vol. 17, pp. 594-626, 2009.
- [46] Sarkar, S., A. Dong, J.A. Henderson, and P.A. Robinson, "Spectral Characterization of Hierarchical Modularity in Product Architectures," *Journal of Mechanical Design*, vol. 136, p. 011006, 2013.
- [47] Schaeffer, S.E., "Graph Clustering," *Computer Science Review*, vol. 1, pp. 27-64, 2007.
- [48] Hirao, A., T. Koga, and K. Aoyama, "A Modular Design Method Considering Defense from Leakage of Synthetic Functions: A Case Study of a Paper Feeding System," ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference (IDETC/CIE), Montreal, Canada, Aug 15-18, 2010.



- [49] Deng, X., G. Huet, S. Tan, and C. Fortin, "Product Decomposition using Design Structure Matrix for Intellectual Property Protection in Supply Chain Outsourcing," *Computers in Industry*, vol. 63, pp. 632-641, 2012.
- [50] Borjesson, F. and K. Hölltä-Otto, "A Module Generation Algorithm for Product Architecture Based on Component Interactions and Strategic Drivers," *Research in Engineering Design*, vol. 25, pp. 31-51, 2014.
- [51] Ko, Y.-T., "Optimizing Product Architecture for Complex Design," *Concurrent Engineering*, vol. 21, pp. 87-102, 2013.
- [52] Eckert, C.M., R. Keller, and P.J. Clarkson, "Change Prediction in Innovative Products to Avoid Emergency Innovation," *Int. J. of Technology Management*, vol. 55, pp. 226-237, 2011.
- [53] Keller, R., C.M. Eckert, and P.J. Clarkson, "Using an Engineering Change Methodology to Support Conceptual Design," *Journal of Engineering Design*, vol. 20, pp. 571-587, 2009.
- [54] Giffin, M., O.d. Weck, G. Bounova, R. Keller, C. Eckert, and P.J. Clarkson, "Change Propagation Analysis in Complex Technical Systems," *Journal of Mechanical Design*, vol. 131, 2009.
- [55] Sosa, M.E., S.D. Eppinger, and C.M. Rowles, "A Network Approach to Define Modularity of Components in Product Design," *Journal of Mechanical Design*, vol. 129, pp. 1118-1129, 2007.
- [56] Sharman, D.M. and A.A. Yassine, "Characterizing Complex Product Architectures," *Systems Engineering*, vol. 7, pp. 35-60, 2004.
- [57] Fixson, S.K., "Product Architecture Assessment: A Tool to Link Product, Process, and Supply Chain Design Decisions," *Journal of Operations Management*, vol. 23, pp. 345-369, 2005.
- [58] Baldwin, C.Y. and K.B. Clark, *Design Rules: The Power of Modularity* vol. 1. Cambridge, MA: MIT Press, 2000.
- [59] MacCormack, A., C.Y. Baldwin, and J. Rusnak, "The Impact of Component Modularity on Design Evolution: Evidence from the Software Industry," Harvard Business School, Boston, MA, Working Paper 08-038, 2008.
- [60] Woodard, C.J., "Architectural Strategy and Design Evolution in Complex Engineered Systems," Ph.D., Information, Technology and Management, Harvard University, Cambridge, MA, 2006.
- [61] McNerney, J., J.D. Farmer, S. Redner, and J.E. Trancik, "Role of Design Complexity in Technology Improvement," *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, vol. 108, pp. 9008-9013, 2011.
- [62] Agrawal, A., "Product Networks, Component Modularity and Sourcing," *Journal of Technology Management & Innovation*, vol. 4, pp. 59-81, 2009.
- [63] Dickinson, M.W., A.C. Thornton, and S. Graves, "Technology Portfolio Management: Optimizing Interdependent Projects Over Multiple Time Periods," *IEEE Trans. on Eng. Mgmt.*, vol. 48, pp. 518-527, 2001.
- [64] Martin, M.V. and K. Ishii, "Design for Variety: Developing Standardized and Modularized Product Platform Architectures," *Research in Engineering Design*, vol. 13, pp. 213-235, 2002.
- [65] Suh, E.S., O.L.d. Weck, and D. Chang, "Flexible Product Platforms: Framework and Case Study," *Research in Engineering Design*, vol. 18, pp. 67-89, 2007.
- [66] Arciniegasa, A.J.R. and H.M. Kim, "Optimal Component Sharing in a Product Family by Simultaneous Consideration of Minimum Description Length and Impact Metric," *Engineering Optimization*, vol. 43, pp. 175-192, 2011.
- [67] Simpson, T.W., A. Bobuk, L.A. Slingerland, S. Brennan, D. Logan, and K. Reichard, "From User Requirements to Commonality Specifications: An Integrated Approach to Product Family Design," *Research in Engineering Design*, vol. 23, pp. 141-153, 2011.
- [68] Kalligeros, K., "Platforms and Real Options in Large-Scale Engineering Systems," Ph.D., ESD, Massachusetts Institute of Technology, Cambridge, MA, 2006.
- [69] Mikaelian, T., D.J. Nightingale, D.H. Rhodes, and D.E. Hastings, "Real Options in Enterprise Architecture: A Holistic Mapping of Mechanisms and Types for Uncertainty Management," *IEEE Trans. on Eng. Mgmt.*, vol. 58, pp. 457-470, 2011.
- [70] Sullivan, K., W.G. Griswold, H. Rajan, Y. Song, Y. Cai, M. Shonle, et al., "Modular Aspect-oriented Design with XPLs," *ACM Trans. on Software Engineering and Methodology*, vol. 20, 2010.
- [71] LaMantia, M.J., Y. Cai, A.D. MacCormack, and J. Rusnak, "Analyzing the Evolution of Large-Scale Software Systems Using Design Structure Matrices and Design Rule Theory: Two Exploratory Cases " 7<sup>th</sup> Working IEEE/IFIP Conference on Software Architecture (WICSA), Vancouver, Canada, 2008.
- [72] Allison, J.T., M. Kokkolaras, and P.Y. Papalambros, "Optimal Partitioning and Coordination Decisions in Decomposition-Based Design Optimization," *Journal of Mechanical Design*, vol. 131, 2009.
- [73] Shan, S. and G.G. Wang, "Survey of Modeling and Optimization Strategies to Solve High-dimensional Design Problems with Computationally-expensive Black-box Functions " *Structural and Multidisciplinary Optimization*, vol. 41, pp. 219-241, 2010.
- [74] Geyer, P., "Component-Oriented Decomposition for Multidisciplinary Design Optimization in Building Design," *Advanced Engineering Informatics*, vol. 23, pp. 12-31, 2009.
- [75] Lambe, A.B. and J.R.R.A. Martins, "Extensions to the Design Structure Matrix for the Description of Multidisciplinary Design, Analysis, and Optimization Processes," *Structural and Multidisciplinary Optimization*, vol. 46, pp. 273-284, 2012.
- [76] McDonald, R.A., "Error Propagation and Metamodeling for a Fidelity Tradeoff Capability in Complex Systems Design," Ph.D., A.E., Georgia Institute of Technology, Atlanta, GA, 2006.
- [77] Sobieszczanski-Sobieski, J., "Multidisciplinary Optimization for Engineering Systems: Achievements and Potential," NASA Langley Research Center, Hampton, VA, Technical Memorandum TM-101566, March 1989.
- [78] Li, S., J. Hu, and Y.-H. Peng, "Representation of Functional Micro-Knowledge Cell (FMKC) for Conceptual Design," *Engineering Applications of Artificial Intelligence*, vol. 23, pp. 569-585, 2010.
- [79] Lorsch, J.W. and P.R. Lawrence, Eds., *Managing Group and Intergroup Relations* (Irwin Series in Management and the Behavioral Sciences. Homewood, Ill.: Richard D. Irwin, 1972.
- [80] Coates, G., I. Ritchey, A.H.B. Duffy, W. Hills, and R.I. Whitfield, "Integrated Engineering Environments for Large Complex Products," *Concurrent Engineering: Research & Applications*, vol. 8, pp. 171-182, 2000.
- [81] Feng, W., E.F. Crawley, O.L. de Weck, D.R. Lessard, and B.G. Cameron, "Understanding the Impacts of Indirect Stakeholder Relationships – Stakeholder Value Network Analysis and Its Application to Large Engineering Projects," Massachusetts Institute of Technology, Engineering Systems Division, Cambridge, MA, ESD Working Paper ESD-WP-2012-26, Oct 2012.
- [82] Browning, T.R., "Using the Design Structure Matrix to Design Program Organizations," in *Handbook of Systems Engineering and Management*, A.P. Sage and W.B. Rouse, Eds., 2<sup>nd</sup> ed, New York: Wiley, 2009, pp. 1401-1424.
- [83] Moon, J., D. Lee, T. Lee, J. Ahn, J. Shin, K. Yoon, et al., "Group Decision Procedure to Model the Dependency Structure of Complex Systems: Framework and Case Study for Critical Infrastructures," *Systems Engineering*, vol. 18, 2015.
- [84] Morelli, M.D., S.D. Eppinger, and R.K. Gulati, "Predicting Technical Communication in Product Development Organizations," *IEEE Trans. on Eng. Mgmt.*, vol. 42, pp. 215-222, 1995.
- [85] Efatmaneshnik, M. and C. Reidsema, "IMMUNE: A Collaborating Environment for Complex System Design," in *Collaborative Computational Intelligence*, C.L. Mumford and L.C. Jain, Eds., ed, Berlin: Springer, 2009, pp. 275-320.
- [86] Dabbish, L., B. Towne, J. Diesner, and J. Herbsleb, "Construction of Association Networks from Communication in Teams Working on Complex Projects," *Statistical Analysis and Data Mining*, vol. 4, pp. 547-563, 2011.
- [87] Carroll, T.N., T.J. Gormley, V.J. Bilardo, R.M. Burton, and K.L. Woodman, "Designing a New Organization at NASA: An Organization Design Process using Simulation," *Organization Science*, vol. 17, pp. 202-214, 2006.
- [88] Tripathy, A. and S.D. Eppinger, "Structuring Work Distribution for Global Product Development Organizations," *Production & Operations Management*, vol. 22, pp. 1557-1575, 2013.
- [89] Dunn, T.P. and J.M. Sussman, "Using Design Structure Matrices to Improve Decentralized Urban Transportation Systems," *Transportation Research Record: Journal of the Transportation Research Board*, vol. 1978, pp. 193-200, 2006.
- [90] Millhiser, W.P., C.A. Coen, and D. Solow, "Understanding the Role of Worker Interdependence in Team Selection," *Organization Science*, vol. 22, pp. 772-787, 2011.
- [91] Rushton, G., A. Zakarian, and T. Grigoryan, "Systems Engineering Approach for Modeling an Organizational Structure," 12<sup>th</sup> Annual International Symposium of INCOSE, Las Vegas, NV, Jul 28 - Aug 1, 2002.
- [92] Borgatti, S.P., M.G. Everett, and L.C. Freeman, *Ucinet for Windows: Software for Social Network Analysis*. Boston, MA: Analytic Technologies, 2002.
- [93] Rondeau, E., Z. Idelmerfaa, and J. Richard, "Identification of Group Organization During a Design Process by Means of Cooperation Graphs," *Concurrent Engineering: Research & Applications*, vol. 7, pp. 191-199, 1999.

- [94] Batallas, D.A. and A.A. Yassine, "Information Leaders in Product Development Organizational Networks: Social Network Analysis of the Design Structure Matrix," *IEEE Trans. on Eng. Mgmt.*, vol. 53, pp. 570-582, 2006.
- [95] Bartolomei, J.E., "Qualitative Knowledge Construction for Engineering Systems: Extending the Design Structure Matrix Methodology in Scope and Procedure," Ph.D., Eng. Systems, Massachusetts Institute of Technology, Cambridge, MA, 2007.
- [96] Conway, M., "How Do Committees Invent?," *Datamation*, vol. 14, pp. 28-31, 1968.
- [97] Colfer, L. and C.Y. Baldwin, "The Mirroring Hypothesis: Theory, Evidence and Exceptions," Harvard Business School, Boston, MA, Working Paper 10-058, 2010.
- [98] Sosa, M.E., S.D. Eppinger, and C.M. Rowles, "The Misalignment of Product Architecture and Organizational Structure in Complex Product Development," *Management Science*, vol. 50, pp. 1674-1689, 2004.
- [99] Sosa, M.E., S.D. Eppinger, and C.M. Rowles, "Identifying Modular and Integrative Systems and Their Impact on Design Team Interactions," *Journal of Mechanical Design*, vol. 125, pp. 240-252, 2003.
- [100] Oosterman, B., "Improving Product Development Projects by Matching Product Architecture and Organization," Ph.D., Organisation and Management, Rijksuniversiteit Groningen, Netherlands, 2001.
- [101] Cabigiosu, A. and A. Camuffo, "Beyond the 'Mirroring' Hypothesis: Product Modularity and Interorganizational Relations in the Air Conditioning Industry," *Organization Science*, vol. 23, pp. 686-703, 2012.
- [102] MacCormack, A., C.Y. Baldwin, and J. Rusnak, "Exploring the Duality between Product and Organizational Architectures: A Test of the 'Mirroring' Hypothesis," *Research Policy*, vol. 41, pp. 1309-1324, 2012.
- [103] Gokpinar, B., W.J. Hopp, and S.M.R. Iravani, "The Impact of Misalignment of Organizational Structure and Product Architecture on Quality in Complex Product Development," *Management Science*, vol. 56, pp. 468-484, 2010.
- [104] Kratzer, J., H.G. Gemuenden, and C. Lettl, "Revealing Dynamics and Consequences of Fit and Misfit between Formal and Informal Networks in Multi-institutional Product Development Collaborations," *Research Policy*, vol. 37, pp. 1356-1370, 2008.
- [105] Carroll, T.N. and R.M. Burton, "A Contingency Approach to Designing Project Organizations: Theory and Tools," *Engineering Project Organization Journal*, vol. 2, pp. 5-14, 2012.
- [106] Gebala, D.A. and S.D. Eppinger, "Methods for Analyzing Design Procedures," ASME International Design Engineering Technical Conferences (Design Theory & Methodology Conference), Miami, FL, Sep 22-25, 1991.
- [107] Grose, D.L., "Reengineering the Aircraft Design Process," 5<sup>th</sup> AIAA/USAF/NASA/ISSMO Symposium on Multidisciplinary Analysis and Optimization, Panama City Beach, FL, Sep. 7-9, 1994.
- [108] Browning, T.R., "The Many Views of a Process: Towards a Process Architecture Framework for Product Development Processes," *Systems Engineering*, vol. 12, pp. 69-90, 2009.
- [109] Browning, T.R., "Process Integration Using the Design Structure Matrix," *Systems Engineering*, vol. 5, pp. 180-193, 2002.
- [110] Browning, T.R., "A Role-Playing Game for Teaching about Enterprise Process Integration," *Journal of Enterprise Transformation*, vol. 4, pp. 226-250, 2014.
- [111] Chen, C.-H., L.P. Khoo, and L. Jiao, "Information Deduction Approach Through Quality Function Deployment for the Quantification of the Dependency Between Design Tasks," *Int. J. of Production Research*, vol. 42, pp. 4623-4637, 2004.
- [112] Kaldate, A., D. Thurston, H. Emamipour, and M. Rood, "Engineering Parameter Selection for Design Optimization during Preliminary Design," *Journal of Engineering Design*, vol. 17, pp. 291-310, 2006.
- [113] Sharon, A., O.L. de Weck, and D. Dori, "Improving Project-Product Lifecycle Management with Model-Based Design Structure Matrix: A Joint Project Management and Systems Engineering Approach," *Systems Engineering*, vol. 16, pp. 413-426, 2013.
- [114] Hameri, A.-P., J. Nihtilä, and J. Rehn, "Document Viewpoint on One-of-a-Kind Delivery Process," *Int. J. of Production Research*, vol. 37, pp. 1319-1336, 1999.
- [115] Senthilkumar, V. and K. Varghese, "Structured Methodology to Formulate Drawing Dependency Structure Matrix for Construction Design," *Architectural Engineering & Design Management*, vol. 5, pp. 225-248, 2009.
- [116] Lan, L., Y. Liu, and W.F. Lu, "Discovering Hidden Tasks and Process Structure through Email Logs for DSM," *Journal of Modern Project Management*, vol. 3, pp. 24-31, 2015.
- [117] Maisey, D. and J. Dick, "Measuring the Quality of the Development Lifecycle Process," *Software Quality Journal*, vol. 5, pp. 199-210, 1996.
- [118] Sabbaghian, N., S. Eppinger, and E. Murman, "Product Development Process Capture & Display Using Web-Based Technologies," IEEE International Conference on Systems, Man, and Cybernetics, San Diego, CA, Oct. 11-14, 1998.
- [119] Senthilkumar, V., K. Varghese, and A. Chandran, "A Web-based System for Design Interface Management of Construction Projects," *Automation in Construction*, vol. 19, pp. 197-212, 2010.
- [120] Tseng, C.-C. and C.-C. Torng, "Prioritization Determination of Project Tasks in QFD Process Using Design Structure Matrix," *Journal of Quality*, vol. 18, pp. 137-153, 2011.
- [121] Alfari, A., A. Siddiqi, C. Rizk, O. de Weck, and D. Svetinovic, "Hierarchical Decomposition and Multidomain Formulation for the Design of Complex Sustainable Systems," *Journal of Mechanical Design*, vol. 132, pp. 1-13, 2010.
- [122] Austin, S., J. Steele, S. Macmillan, P. Kirby, and R. Spence, "Mapping the Conceptual Design Activity of Interdisciplinary Teams," *Design Studies*, vol. 22, pp. 211-232, 2001.
- [123] Lo Storto, C., G. D'Avino, P. Dondo, and V. Zezza, "Simulating Information Ambiguity during New Product Development: A Forecasting Model using System Dynamics," *Int. J. of Modelling, Identification and Control*, vol. 3, pp. 97-110, 2008.
- [124] Ko, Y.-T., "A Dynamic Planning Method for New Product Development Management," *Journal of the Chinese Institute of Industrial Engineers*, vol. 27, pp. 103-120, 2010.
- [125] Luh, D.-B., Y.-T. Ko, and C.-H. Ma, "A Dynamic Planning Approach for New Product Development," *Concurrent Engineering*, vol. 17, pp. 43-59, 2009.
- [126] Clarkson, P.J. and J.R. Hamilton, "'Signposting', A Parameter-driven Task-based Model of the Design Process," *Research in Engineering Design*, vol. 12, pp. 18-38, 2000.
- [127] Lévy, V. and T.R. Browning, "An Adaptive Process Model to Support Product Development Project Management," *IEEE Trans. on Eng. Mgmt.*, vol. 56, pp. 600-620, 2009.
- [128] Yassine, A.A., "Investigating Product Development Process Reliability and Robustness Using Simulation," *Journal of Engineering Design*, vol. 18, pp. 545-561, 2007.
- [129] Browning, T.R., "Managing Complex Project Process Models with a Process Architecture Framework," *Int. J. of Project Management*, vol. 32, pp. 229-241, 2013.
- [130] Kumar, P. and G. Mocko, "Modeling and Analysis of an Ontology of Engineering Design Activities Using the Design Structure Matrix," ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, Las Vegas, NV, Sep 4-7, 2007.
- [131] Frost, R.B., "Directed Graphs and their Adjacency Matrices: Misconceptions and More Efficient Methods," *Engineering Optimization*, vol. 20, pp. 225-239, 1992.
- [132] Tarjan, R., "Depth-First Search and Linear Graph Algorithms," *SIAM Journal on Computing*, vol. 1, pp. 146-160, 1972.
- [133] Meier, C., A.A. Yassine, and T.R. Browning, "Design Process Sequencing with Competent Genetic Algorithms," *Journal of Mechanical Design*, vol. 129, pp. 566-585, 2007.
- [134] English, K., C.L. Bloebaum, and E. Miller, "Development of Multiple Cycle Coupling Suspension in the Optimization of Complex Systems," *Structural and Multidisciplinary Optimization*, vol. 22, pp. 268-283, 2001.
- [135] Bashir, H.A., K. AlZebdeh, and J. Abdo, "An Eigenvalue Based Approach for Assessing the Decomposability of Interdependent Design Project Tasks," *Concurrent Engineering: Research & Applications*, vol. 17, pp. 35-42, 2009.
- [136] David, M., "Organising, Valuing and Improving the Engineering Design Process," *Journal of Engineering Design*, vol. 24, pp. 524-545, 2013.
- [137] Chen, S.-J.G. and L. Lin, "Decomposition of Interdependent Task Group for Concurrent Engineering," *Computers & Industrial Engineering*, vol. 44, pp. 435-459, 2003.
- [138] Liang, L.Y., "Grouping Decomposition under Constraints for Design/Build Life Cycle in Project Delivery System," *Int. J. of Technology Management*, vol. 48, pp. 168-187, 2009.
- [139] Su, J.C.-Y., S.-J.G. Chen, and L. Lin, "A Structured Approach to Measuring Functional Dependency and Sequencing of Coupled Tasks in Engineering Design," *Computers & Industrial Engineering*, vol. 45, pp. 195-214, 2003.
- [140] Xu, C.-j., A.-p. Li, and X.-m. Liu, "Tearing Method of Coupled Activity Set Within Concurrent Design Process (in Chinese)," *Journal of Tongji University (Natural Science)*, vol. 38, pp. 427-431, 2010.

- [141] Aleisa, E. and L. Lin, "Sequencing of Design Tasks Based on the Degree of Permissible Concurrency," *Int. J. of Applied Management Science*, vol. 1, pp. 367-387, 2009.
- [142] Chen, S.J.G. and E. Huang, "A Systematic Approach for Supply Chain Improvement Using Design Structure Matrix," *Journal of Intelligent Manufacturing*, vol. 18, pp. 285-299, 2007.
- [143] Wang, T., S. Guo, B.R. Sarker, and Y. Li, "Process Planning for Collaborative Product Development with CD-DSM in Optoelectronic Enterprises," *Advanced Engineering Informatics*, vol. 26, pp. 280-291, 2012.
- [144] Martínez León, H.C., J.A. Farris, and G. Letens, "Improving Product Development Performance Through Iteration Front-Loading," *IEEE Trans. on Eng. Mgmt.*, vol. 60, pp. 552-565, 2013.
- [145] Lin, J., K.H. Chai, Y.S. Wong, and A.C. Brombacher, "A Dynamic Model for Managing Overlapped Iterative Product Development," *European Journal of Operational Research*, vol. 185, pp. 378-392, 2008.
- [146] Xiao, R. and S. Si, "Research on the Process Model of Product Development with Uncertainty Based on Activity Overlapping," *Integrated Manufacturing Systems*, vol. 14, pp. 567-574, 2003.
- [147] Yang, Q., X. Zhang, and T. Yao, "An Overlapping-based Process Model for Managing Schedule and Cost Risk in Product Development," *Concurrent Engineering*, vol. 20, pp. 3-17, 2012.
- [148] Meier, C., T.R. Browning, A.A. Yassine, and U. Walter, "The Cost of Speed: Work Policies for Crashing and Overlapping in Product Development Projects," *IEEE Trans. on Eng. Mgmt.*, vol. 62, pp. 237-255, 2015.
- [149] Yan, H.-S., B. Wang, D. Xu, and Z. Wang, "Computing Completion Time and Optimal Scheduling of Design Activities in Concurrent Product Development Process," *IEEE Trans. on Systems, Man, and Cybernetics, Part A: Systems and Humans*, vol. 40, pp. 76-89, 2010.
- [150] Yang, Q., T. Yao, T. Lu, and B. Zhang, "An Overlapping-Based Design Structure Matrix for Measuring Interaction Strength and Clustering Analysis in Product Development Project," *IEEE Trans. on Eng. Mgmt.*, vol. 61, pp. 159-170, 2014.
- [151] Austin, S., A. Baldwin, B. Li, and P. Waskett, "Analytical Design Planning Technique (ADePT): A Dependency Structure Matrix Tool to Schedule the Building Design Process," *Construction Management & Economics*, vol. 18, pp. 173-182, 2000.
- [152] Chen, C.-H., S.F. Ling, and W. Chen, "Project Scheduling for Collaborative Product Development Using DSM," *Int. J. of Project Management*, vol. 21, pp. 291-299, 2003.
- [153] Karniel, A. and Y. Reich, "Multi-level Modelling and Simulation of New Product Development Processes," *Journal of Engineering Design*, vol. 24, pp. 185-210, 2013.
- [154] Ma, C.-H., Y.-T. Ko, and D.-B. Luh, "A Structure-Based Workflow Planning Method for New Product Development Management," *Int. J. of Management Science and Eng. Mgmt.*, vol. 4, pp. 83-103, 2008.
- [155] Sunnersjö, S., M. Cederfeldt, F. Elgh, and I. Rask, "A Transparent Design System for Iterative Product Development," *Journal of Computing and Information Science in Engineering*, vol. 6, pp. 300-307, 2006.
- [156] Venkatachalam, S. and K. Varghese, "Analysis of Workflow on Design Projects in India," *Gestão & Tecnologia de Projetos*, vol. 5, pp. 86-103, 2010.
- [157] Wang, W.-C., J.-J. Liu, and T.-S. Liao, "Modeling of Design Iterations through Simulation," *Automation in Construction*, vol. 15, pp. 589-603, 2006.
- [158] Smith, R.P. and S.D. Eppinger, "A Predictive Model of Sequential Iteration in Engineering Design," *Management Science*, vol. 43, pp. 1104-1120, 1997.
- [159] Smith, R.P. and S.D. Eppinger, "Identifying Controlling Features of Engineering Design Iteration," *Management Science*, vol. 43, pp. 276-293, 1997.
- [160] Smith, R.P. and S.D. Eppinger, "Deciding Between Sequential and Parallel Tasks in Engineering Design," *Concurrent Engineering: Research & Applications*, vol. 6, pp. 15-25, 1998.
- [161] Browning, T.R., "Modeling and Analyzing Cost, Schedule, and Performance in Complex System Product Development," Ph.D., TMP, Massachusetts Institute of Technology, Cambridge, MA, 1998.
- [162] Cho, S.-H. and S.D. Eppinger, "A Simulation-Based Process Model for Managing Complex Design Projects," *IEEE Trans. on Eng. Mgmt.*, vol. 52, pp. 316-328, 2005.
- [163] Abdelsalam, H.M.E. and H.P. Bao, "A Simulation-based Optimization Framework for Product Development Cycle Time Reduction," *IEEE Trans. on Eng. Mgmt.*, vol. 53, pp. 69-85, 2006.
- [164] Lancaster, J. and K. Cheng, "A Fitness Differential Adaptive Parameter Controlled Evolutionary Algorithm with Application to the Design Structure Matrix," *Int. J. of Production Research*, vol. 46, pp. 5043-5057, 2008.
- [165] Sered, Y. and Y. Reich, "Standardization and Modularization Driven by Minimizing Overall Process Effort," *Computer-Aided Design*, vol. 38, pp. 405-416, 2006.
- [166] Wang, A.-h. and M.-I. Yang, "Optimization of Process System Based on Design Structure Matrix (in Chinese)," *Industrial Engineering Journal*, vol. 8, pp. 71-76, 2005.
- [167] Whitfield, R.I., A.H.B. Duffy, G. Coates, and W. Hills, "Efficient Process Optimisation," *Concurrent Engineering: Research & Applications*, vol. 11, pp. 83-92, 2003.
- [168] Meier, C., "Time-Cost Tradeoffs in Product Development Processes," Doktor-Ingenieurs (Dr.-Ing.), Institute of Astronautics, Technische Universität München, Munich, Germany, 2011.
- [169] Wang, T., S. Guo, and Y. Liu, "Pareto Process Optimization of Product Development Project Using Bi-Objective Hybrid Genetic Algorithm," *Advances in Engineering Software*, vol. 65, pp. 12-22, 2013.
- [170] Kim, D., "On Representations and Dynamic Analysis of Concurrent Engineering Design," *Journal of Engineering Design*, vol. 18, pp. 265-277, 2007.
- [171] Schlick, C.M., S. Duckwitz, and S. Schneider, "Project Dynamics and Emergent Complexity," *Computational and Mathematical Organization Theory*, vol. 19, pp. 480-515, 2013.
- [172] Schlick, C.M., S. Terstegen, and S. Duckwitz, "Estimation of Work Transformation Matrices for Large-Scale Concurrent Engineering Projects," *Journal of Modern Project Management*, vol. 3, pp. 72-79, 2015.
- [173] Yassine, A.A., N. Joglekar, D. Braha, S. Eppinger, and D. Whitney, "Information Hiding in Product Development: The Design Churn Effect," *Research in Engineering Design*, vol. 14, pp. 145-161, 2003.
- [174] Collins, S.T., J.A. Bradley, and A. A.Yassine, "Analyzing Product Development Task Networks to Examine Organizational Change," *IEEE Trans. on Eng. Mgmt.*, vol. 57, pp. 513-525, 2010.
- [175] Collins, S.T., A.A. Yassine, and S.P. Borgatti, "Evaluating Product Development Systems Using Network Analysis," *Systems Engineering*, vol. 12, pp. 55-68, 2009.
- [176] Chen, S.-J. and L. Lin, "A Project Task Coordination Model for Team Organization in Concurrent Engineering," *Concurrent Engineering: Research & Applications*, vol. 10, pp. 187-203, 2002.
- [177] Kusiak, A., "Integrated Product and Process Design: A Modularity Perspective," *Journal of Engineering Design*, vol. 13, pp. 223-231, 2002.
- [178] Gomes, P.J. and N.R. Joglekar, "Linking Modularity with Problem Solving and Coordination Efforts," *Managerial and Decision Economics*, vol. 29, pp. 443-457, 2008.
- [179] Dzung, R.-J., "Identifying a Design Management Package to Support Concurrent Design in Building Wafer Fabrication Facilities," *Journal of Construction Engineering & Management*, vol. 132, pp. 606-614, 2006.
- [180] Gomes, P.J. and S. Dahab, "Bundling Resources across Supply Chain Dyads: The Role of Modularity and Coordination Capabilities," *Int. J. of Operations & Production Management*, vol. 30, pp. 57-74, 2010.
- [181] Micaëlli, J.-P. and É. Bonjour, "Are Skill Design Structure Matrices New Tools for Automotive Design Managers?," in *New Trends and Developments in Automotive Industry*, M. Chiaberge, Ed., ed: InTech, 2011, pp. 255-264.
- [182] Gaertner, T., S. Terstegen, and C.M. Schlick, "Applying DSM Methodology to Improve the Scheduling of Calibration Tasks in Functional Integration Projects in the Automotive Industry," *Journal of Modern Project Management*, vol. 3, pp. 46-55, 2015.
- [183] McMahon, C.A. and M. Xianyi, "A Network Approach to Parametric Design Integration," *Research in Engineering Design*, vol. 8, pp. 14-32, 1996.
- [184] Pektas, S.T. and M. Pultar, "Modelling Detailed Information Flows in Building Design with the Parameter-Based Design Structure Matrix," *Design Studies*, vol. 27, pp. 99-122, 2006.
- [185] Saridakis, K.M. and A.J. Dentsoras, "Case-DeSC: A System for Case-based Design with Soft Computing Techniques," *Expert Systems with Applications*, vol. 32, pp. 641-657, 2007.
- [186] Nunez, M., V.C. Datta, A. Molina-Cristobal, M. Guenov, and A. Riaz, "Enabling Exploration in the Conceptual Design and Optimisation of Complex Systems," *Journal of Engineering Design*, vol. 23, pp. 849-872, 2012.
- [187] Browning, T.R. and A.A. Yassine, "Managing a Portfolio of Product Development Projects under Resource Constraints," *Decision Sciences*, vol. forthcoming, 2015.

- [188] Laverghetta, T. and A. Brown, "Dynamics of Naval Ship Design: A Systems Approach," *Naval Engineers Journal*, vol. 111, pp. 307-324, 1999.
- [189] Lewis, W.P. and L. Cangshan, "The Timely Allocation of Resources in the Concurrent Design of New Products," *Journal of Engineering Design*, vol. 8, pp. 3-17, 1997.
- [190] Xiao, R., T. Chen, and W. Chen, "A New Approach to Solving Coupled Task Sets Based on Resource Balance Strategy in Product Development," *Int. J. of Materials and Product Technology*, vol. 39, pp. 251-270, 2010.
- [191] Cheng, H. and X. Chu, "Task Assignment with Multiskilled Employees and Multiple Modes for Product Development Projects," *Int. J. of Advanced Manufacturing Technology*, vol. 61, pp. 391-403, 2011.
- [192] Cheng, Q., G. Zhang, P. Li, X. Shao, and P. Gu, "Identification of Key Coupled Design Parameters in Axiomatic Design (in Chinese)," *Journal of Mechanical Engineering*, vol. 45, 2009.
- [193] Khalaf, F., "An Engineered Testing Strategy: Part II: Axiomatic Design Approach for Balanced Strategy," *Int. J. of Product Development*, vol. 3, pp. 419-431, 2006.
- [194] Hilmola, O.-P., P. Helo, and A. Maunuksela, "The Economic Nature of Feedback Loops in Product Development," *Int. J. of Innovation and Learning*, vol. 2, pp. 297-209, 2005.
- [195] Lee, S., F. Peña-Mora, and M. Park, "Web-Enabled System Dynamics Model for Error and Change Management on Concurrent Design and Construction Projects," *Journal of Computing in Civil Engineering*, vol. 20, pp. 290-300, 2006.
- [196] Karniel, A. and Y. Reich, "From DSM Based Planning to Design Process Simulation: A Review of Process Scheme Verification Issues," *IEEE Trans. on Eng. Mgmt.*, vol. 56, pp. 636-649, 2009.
- [197] Karniel, A. and Y. Reich, "Formalizing a Workflow-Net Implementation of Design-Structure-Matrix-Based Process Planning for New Product Development " *IEEE Trans. on Systems, Man, and Cybernetics, Part A: Systems and Humans*, vol. 41, pp. 476-491, 2011.
- [198] Kassem, M., N. Dawood, and D. Mitchell, "A Structured Methodology for Enterprise Modeling: A Case Study for Modeling the Operation of a British Organization," *Journal of Information Technology in Construction*, vol. 16, pp. 381-410, 2011.
- [199] Liu, T., X. Chen, X. Chen, and X. Zou, "R&D Task Programming of Electromechanical Product in Networked Manufacturing Environment," *Int. J. of Industrial and Systems Engineering*, vol. 3, pp. 3-17, 2008.
- [200] Susarla, A., A. Barua, and A.B. Whinston, "Multitask Agency, Modular Architecture, and Task Disaggregation in SaaS," *Journal of Management Information Systems*, vol. 26, pp. 87-117, 2010.
- [201] Warren, N., "Hitting the Sweet Spot Between Separation and Integration in Organization Design," *People & Strategy*, vol. 34, pp. 24-30, 2011.
- [202] Chua, D.K.H. and M.A. Hossain, "Predicting Change Propagation and Impact on Design Schedule Due to External Changes," *IEEE Trans. on Eng. Mgmt.*, vol. 59, pp. 483-493, 2012.
- [203] Oloufa, A.A., Y.A. Hosni, M. Fayez, and P. Alexsson, "Using DSM for Modeling Information Flow in Construction Design Projects," *Civil Engineering & Environmental Systems*, vol. 21, pp. 105-125, 2004.
- [204] Zhao, Z.Y., Q. Lei, J. Zuo, and G. Zillante, "Prediction System for Change Management in Construction Project," *Journal of Construction Engineering & Management*, vol. 136, pp. 659-669, 2010.
- [205] Li, W. and Y.B. Moon, "Modeling and Managing Engineering Changes in a Complex Product Development Process," Winter Simulation Conference, Phoenix, AZ, Dec 11-14, 2011.
- [206] Cronemyr, P., A.Ö. Rönnbäck, and S.D. Eppinger, "A Decision Support Tool for Predicting the Impact of Development Process Improvements," *Journal of Engineering Design*, vol. 12, pp. 177-199, 2001.
- [207] Nepal, B.P., O.P. Yadav, and R. Solanki, "Improving the NPD Process by Applying Lean Principles: A Case Study," *Eng. Mgmt. Journal*, vol. 23, pp. 52-68, 2011.
- [208] Pessôa, M.V.P., W. Seering, and E. Rebentisch, "Understanding the Waste Net: A Method for Waste Elimination Prioritization in Product Development," ASME International Design Engineering Technical Conferences, New York, NY, Aug 3-6, 2008.
- [209] Chang, C.-W., D.M. Chiang, A.W.-D. Wu, and Y.-C. Chang, "Identifying Critical Features of Complex Systems under Prior Known Conditions," *Computers & Industrial Engineering*, vol. 61, pp. 788-793, 2011.
- [210] Sacks, R., C.M. Eastman, and G. Lee, "Process Model Perspectives on Management and Engineering Procedures in the Precast/Prestressed Concrete Industry," *Journal of Construction Engineering & Management*, vol. 130, pp. 206-215, 2004.
- [211] Jain, R., A. Chandrasekaran, L. Castro, and M. VanLeer, "Feasibility of a Rapid Systems Engineering Framework: An Exploratory Study," *Int. J. of Industrial and Systems Engineering* vol. 7, pp. 45-65, 2011.
- [212] Rogers, J.L. and A.O. Salas, "Toward a More Flexible Web-based Framework for Multidisciplinary Design," *Advances in Engineering Software*, vol. 30, pp. 439-444, 1999.
- [213] Sindičić, I., S. Bogdan, and T. Petrović, "Resource Allocation in Free-Choice Multiple Reentrant Manufacturing Systems Based on Machine-Job Incidence Matrix," *IEEE Trans. on Industrial Informatics*, vol. 7, pp. 105-114, 2011.
- [214] Wang, F., Z. Jia, W. Liu, and G. Zhao, "Genetic Algorithms with a New Repair Operation for Assembly Job Shop Scheduling," *Int. J. of Industrial Engineering*, vol. 18, pp. 377-385, 2011.
- [215] Rogers, J.L., A.O. Salas, and R.P. Weston, "A Web-Based Monitoring System for Multidisciplinary Design Projects," 7<sup>th</sup> AIAA/USAF/NASA/ISSMO Symposium on Multidisciplinary Analysis and Optimization, St. Louis, MO, Sep. 2-4, 1998.
- [216] Tang, D., Y. Peng, and Z. Liu, "Execution Sequence Planning of Computational Models Based on Incidence Matrix and Design Structure Matrix (in Chinese)," *Chinese Journal of Mechanical Engineering*, vol. 12, pp. 173-179, 2008.
- [217] Zhao, M. and W.-c. Cui, "System Synthesis Model for a HOV in Conceptual Design (in Chinese)," *Journal of Ship Mechanics*, vol. 13, 2009.
- [218] Arcade, J., M. Godet, F. Meunier, and F. Roubelat, "Structural Analysis with the MICMAC Method & Actors' Strategy with MACTOR Method," Laboratory for Investigation in Prospective and Strategy (LIPS), Paris, France, AC/UNU Millennium Project Report 2010.
- [219] PMI, *A Guide to the Project Management Body of Knowledge*, 5<sup>th</sup> ed. Newtown Square, PA: Project Management Institute, 2013.
- [220] Bergel, A., S. Ducasse, J. Laval, and R. Piers, "Enhanced Dependency Structure Matrix for Moose," 2<sup>nd</sup> Workshop on FAMIX and Moose in Reengineering (FAMOOSr), Antwerp, Belgium, Oct 17, 2008.
- [221] Sosa, M.E., J. Mihm, and T.R. Browning, "Linking Cyclicity and Product Quality," *Manufacturing & Service Operations Management*, vol. 15, pp. 473-491, 2013.
- [222] Danilovic, M. and T.R. Browning, "Managing Complex Product Development Projects with Design Structure Matrices and Domain Mapping Matrices," *Int. J. of Project Management*, vol. 25, pp. 300-314, 2007.
- [223] Lagerström, R., C. Baldwin, and A. MacCormack, "Visualizing and Measuring Software Portfolio Architecture: A Power Utility Case," *Journal of Modern Project Management*, vol. 3, pp. 114-121, 2015.
- [224] Coates, G., A.H.B. Duffy, I. Whitfield, and W. Hills, "An Integrated Agent Oriented Approach to Real-time Operational Design Coordination," *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, vol. 17, pp. 287-311, 2003.
- [225] Salado, A. and R. Nilchiani, "Assessing the Impacts of Uncertainty Propagation to System Requirements by Evaluating Requirement Connectivity," 23<sup>rd</sup> International Symposium of INCOSE, Philadelphia, PA, Jun 24-27, 2013.
- [226] McLellan, J.M., "A Proposed Method to Identify Requirements Significant to Mass Reduction " M.S., M.E., Clemson University, Greenville, SC, 2010.
- [227] Chen, Y., P. Cheng, and J. Yin, "Change Propagation Analysis of Trustworthy Requirements based on Dependency Relations," 2<sup>nd</sup> IEEE International Conference on Information Management and Engineering (ICIME), Chengdu, China, Apr 16-18, 2010.
- [228] Morkos, B., P. Shankar, and J.D. Summers, "Predicting Requirement Change Propagation, using Higher Order Design Structure Matrices: An Industry Case Study," *Journal of Engineering Design*, vol. 23, pp. 902-923, 2012.
- [229] Mullens, M.A., M. Arif, R.L. Armacost, T.A. Gawlik, and R.L. Hoekstra, "Axiomatic Based Decomposition for Conceptual Product Design," *Production & Operations Management*, vol. 14, pp. 286-300, 2005.
- [230] Lee, W.-T., W.-Y. Deng, J. Lee, and S.-J. Lee, "Change Impact Analysis with a Goal-driven Traceability-based Approach," *Int. J. of Intelligent Systems*, vol. 25, pp. 878-908, 2010.
- [231] Eelman, S. and S. Föller, "A Novel Modeling Approach Enhancing Classic Scenario Generation Techniques," 16<sup>th</sup> Annual International Symposium of INCOSE, Orlando, FL, Jul 9-13, 2006.
- [232] Fang, C. and F. Marle, "A Simulation-based Risk Network Model for Decision Support in Project Risk Management," *Decision Support Systems*, vol. 52, pp. 635-644, 2012.
- [233] Fang, C. and F. Marle, "Dealing with Project Complexity by Matrix-Based Propagation Modelling for Project Risk Analysis," *Journal of Engineering Design*, vol. 24, pp. 239-256, 2013.

- [234] Marle, F., L.-A. Vidal, and J.-C. Bocquet, "Interactions-based Risk Clustering Methodologies and Algorithms for Complex Project Management," *Int. J. of Production Economics*, vol. 142, pp. 225-234, 2013.
- [235] Nguyen, T.H. and D. Gourc, "Project Risk Management: How to Take into Account Dependence Between Risks? (in French)," 16<sup>th</sup> Congrès de Matrise des Risques et de Fonctionnement, Avignon, France, Oct 7-9, 2008.
- [236] Fang, C., F. Marle, M. Xie, and E. Zio, "An Integrated Framework for Risk Response Planning Under Resource Constraints in Large Engineering Projects," *IEEE Trans. on Eng. Mgmt.*, vol. 60, pp. 627-639, 2013.
- [237] Pointurier, C., F. Marle, and H. Jaber, "Managing a Complex Project Using a Risk-Risk Multiple Domain Matrix," *Journal of Modern Project Management*, vol. 3, pp. 32-37, 2015.
- [238] Stamelos, I., "Software Project Management Anti-Patterns," *Journal of Systems and Software*, vol. 83, pp. 52-59, 2010.
- [239] Kornish, L.J. and K.T. Ulrich, "Opportunity Spaces in Innovation: Empirical Analysis of Large Samples of Ideas," *Management Science*, vol. 57, pp. 107-128, 2011.
- [240] Farsad, M. and S.M.-B. Malaek, "Application of Dependency Structure Matrix to Airspace Sectorization and Improving the Distribution of the Workload Among Controllers," *Journal of Modern Project Management*, vol. 3, pp. 94-99, 2015.
- [241] Shankar, P., B. Morkos, and J.D. Summers, "Reasons for Change Propagation: A Case Study in an Automotive OEM," *Research in Engineering Design* vol. 23, pp. 291-303, 2012.
- [242] Wyatt, D.F., D.C. Wynn, and P.J. Clarkson, "A Scheme for Numerical Representation of Graph Structures in Engineering Design," *Journal of Mechanical Design*, vol. 136, p. 011010, 2014.
- [243] Hamraz, B., N.H.M. Caldwell, and P.J. Clarkson, "A Holistic Categorization Framework for Literature on Engineering Change Management," *Systems Engineering*, vol. 16, pp. 473-505, 2013.
- [244] Vaishnav, C., N. Choucri, and D. Clark, "Cyber International Relations as an Integrated System," *Environment Systems and Decisions*, vol. 33, pp. 561-576, 2013.
- [245] Grönevall, R. and M. Danilovic, "Designing an Integrated Project, Program and Portfolio System - A Case Study of Healthcare," *Journal of Modern Project Management*, vol. 2, pp. 78-85, 2014.
- [246] McKenna, N., "The Micro-foundations of Alignment among Sponsors and Contractors on Large Engineering Projects," Ph.D., ESD, Massachusetts Institute of Technology, Cambridge, MA, 2006.
- [247] Suh, N.P., *The Principles of Design*. New York: Oxford University Press, 1990.
- [248] Deubzer, F., M. Kreimeyer, U. Herfeld, and U. Lindemann, "A Strategy for Efficient Collaboration in Virtual Product Development Environments," 16<sup>th</sup> International Conference on Engineering Design, Paris, France, Aug 28-31, 2007.
- [249] Bonjour, E., S. Deniaud, and J.-P. Micaëlli, "A Method for Jointly Drawing Up the Functional and Design Architectures of Complex Systems during the Preliminary System-Definition Phase," *Journal of Engineering Design*, vol. 24, pp. 305-319, 2013.
- [250] Jankovic, M., V. Holley, and B. Yannou, "Multiple-domain Design Scorecards: A Method for Architecture Generation and Evaluation through Interface Characterisation," *Journal of Engineering Design*, vol. 23, pp. 743-763, 2012.
- [251] Michelena, N.F. and P.Y. Papalambros, "A Network Reliability Approach to Optimal Decomposition of Design Problems," *Journal of Mechanical Design*, vol. 117, pp. 433-440, 1995.
- [252] Hong, E.-P. and G.-J. Park, "Collaborative Design Process of Large-scale Engineering Systems using the Axiomatic Design Approach," *Journal of Mechanical Engineering Science*, vol. 225, pp. 2174-2188, 2011.
- [253] Guenov, M., "Covariance Structural Models of the Relationship Between the Design and Customer Domains," *Journal of Engineering Design*, vol. 19, pp. 75-95, 2008.
- [254] Li, S. and M. Mirhosseini, "A Matrix-based Modularization Approach for Supporting Secure Collaboration in Parametric Design," *Computers in Industry*, vol. 63, pp. 619-631, 2012.
- [255] Tang, D., G. Zhang, and S. Dai, "Design as Integration of Axiomatic Design and Design Structure Matrix," *Robotics & Computer-Integrated Manufacturing*, vol. 25, pp. 610-619, 2009.
- [256] Tang, D., R. Zhu, S. Dai, and G. Zhang, "Enhancing Axiomatic Design with Design Structure Matrix," *Concurrent Engineering: Research & Applications*, vol. 17, pp. 129-137, 2009.
- [257] Rizzuti, S., L.D. Napoli, F. Giampà, and F. Lofranco, "Axiomatic Design as a Means to Find Contradiction in an Integrated Approach for Product Design," 5<sup>th</sup> International Conference on Axiomatic Design (ICAD), Campus de Caparica, Mar 25-27, 2009.
- [258] Sarkar, S., A. Dong, and J.S. Gero, "Learning Symbolic Formulations in Design: Syntax, Semantics, and Knowledge Reification," *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, vol. 24, pp. 63-85, 2010.
- [259] Yoshimura, M., K. Izui, and Y. Fujimi, "Optimizing the Decision-making Process for Large-scale Design Problems According to Criteria Interrelationships," *Int. J. of Production Research*, vol. 41, pp. 1987-2002, 2003.
- [260] Dong, Q., "Predicting and Managing System Interactions at Early Phase of the Product Development Process," Ph.D., M.E., Massachusetts Institute of Technology, Cambridge, MA, 2002.
- [261] Maier, J.R.A. and G.M. Fadel, "Affordance-based Design Methods for Innovative Design, Redesign and Reverse Engineering," *Research in Engineering Design*, vol. 20, pp. 225-239, 2009.
- [262] Brown, N., R.L. Nord, I. Ozkaya, and M. Pais, "Analysis and Management of Architectural Dependencies in Iterative Release Planning," 9<sup>th</sup> Working IEEE/IFIP Conference on Software Architecture (WICSA), Boulder, CO, 2011.
- [263] Browning, T.R., J.J. Deyst, S.D. Eppinger, and D.E. Whitney, "Adding Value in Product Development by Creating Information and Reducing Risk," *IEEE Trans. on Eng. Mgmt.*, vol. 49, pp. 443-458, Nov. 2002.
- [264] Kreimeyer, M., F. Deubzer, M. Danilovic, S.D. Fuchs, U. Herfeld, and U. Lindemann, "Team Composition to Enhance Collaboration between Embodiment Design and Simulation Departments," International Conference on Engineering Design, Paris, France, Aug 28-31, 2007.
- [265] Eppinger, S.D. and V. Salminen, "Patterns of Product Development Interactions," International Conference on Engineering Design (ICED), Glasgow, Aug 21-23, 2001.
- [266] Lockledge, J.C. and F.A. Salustri, "Design Communication using a Variation of the Design Structure Matrix," International Conference on Engineering Design (ICED), Glasgow, Scotland, Aug 21-23, 2001.
- [267] Bonjour, E., M. Dulmet, S. Deniaud, and J.-P. Micaëlli, "Propagating Product Architecture Decisions onto the Project Organisation: A Comparison Between Two Methods," *Int. J. of Design Engineering*, vol. 2, pp. 451-471, 2009.
- [268] Chen, S.-J.G., "An Integrated Methodological Framework for Project Task Coordination and Team Organization in Concurrent Engineering," *Concurrent Engineering: Research & Applications*, vol. 13, pp. 185-197, 2005.
- [269] Giordano, V., P. Ballal, F. Lewis, B. Turchiano, and J.B. Zhang, "Supervisory Control of Mobile Sensor Networks: Math Formulation, Simulation, and Implementation," *IEEE Trans. on Systems, Man, and Cybernetics, Part B: Cybernetics*, vol. 36, pp. 806-819, 2006.
- [270] Efatmaneshnik, M. and C. Reidsma, "A Complex System Engineering Design Model," *Cybernetics and Systems*, vol. 41, pp. 554-576, 2010.
- [271] Sallhie, S.e.M. and L. Monplaisir, "Collaboration Planning Framework (CPF) to Support Distributed Product Development," *Journal of Intelligent Manufacturing* vol. 14, pp. 581-597, 2003.
- [272] Marle, F. and J. Le Cardinal, "Risk Assessment Method in Project Actor Choice," *Int. J. of Product Development*, vol. 12, pp. 21-48, 2010.
- [273] Thomas, R.J. and N. Worren, "Applying the Dependency Structure Matrix to High-Level Organizational Architectures," 2<sup>nd</sup> International Design Structure Matrix Workshop, Cambridge, MA, Sep 18-19, 2000.
- [274] Christensen, L.C., T.R. Christiansen, Y. Jin, J. Kunz, and R.E. Levitt, "Object-Oriented Enterprise Modeling and Simulation of AEC Projects," *Microcomputers in Civil Engineering*, vol. 12, pp. 157-170, 1997.
- [275] Jootar, J., "A Risk Dynamics Model of Complex System Development," Ph.D., Mgmt., MIT, Cambridge, MA, 2002.
- [276] Hung, H.-F., H.-P. Kao, and Y.-S. Juang, "An Integrated Information System for Product Design Planning," *Expert Systems with Applications*, vol. 35, pp. 338-349, 2008.
- [277] Tang, D., R. Xu, J. Tang, and R. He, "Design Structure Matrix-based Engineering Change Management for Product Development," *Int. J. of Internet Manufacturing and Services*, vol. 1, pp. 231-245, 2008.
- [278] Bonjour, E. and J.-P. Micaëlli, "Design Core Competence Diagnosis: A Case From the Automotive Industry," *IEEE Trans. on Eng. Mgmt.*, vol. 57, pp. 323-337, 2010.
- [279] Yassine, A.A., R.H. Chidiac, and I.H. Osman, "Simultaneous Optimisation of Products, Processes, and People in Development Projects," *Journal of Engineering Design*, vol. 24, pp. 272-292, 2013.
- [280] Huang, C.-Y., A. Holt, J. Monk, and K. Cheng, "The Application of Dependency Management in an Integrated Manufacturing Network

- Framework," *Int. J. of Advanced Manufacturing Technology*, vol. 33, pp. 354-364, 2007.
- [281] Yassine, A.A. and J.A. Bradley, "A Knowledge-Driven, Network-Based Computational Framework for Product Development Systems," *Journal of Computing and Information Science in Engineering*, vol. 13, 2013.
- [282] Lindemann, U., M. Maurer, and T. Braun, *Structural Complexity Management*. Berlin, Germany: Springer, 2009.
- [283] Maurer, M.S., "Structural Awareness in Complex Product Design," Ph.D., Lehrstuhl für Produktentwicklung, Technischen Universität München, Munich, Germany, 2007.
- [284] Sosa, M.E., "A Structured Approach to Predicting and Managing Technical Interactions in Software Development," *Research in Engineering Design*, vol. 19, pp. 47-70, 2008.
- [285] Koh, E.C.Y., N.H.M. Caldwell, and P.J. Clarkson, "A Method to Assess the Effects of Engineering Change Propagation," *Research in Engineering Design*, vol. 23, pp. 329-351, 2012.
- [286] Mikaelian, T., D.H. Rhodes, D.J. Nightingale, and D.E. Hastings, "A Logical Approach to Real Options Identification with Application to UAV Systems," *IEEE Trans. on Systems, Man, and Cybernetics--Part A: Systems and Humans*, vol. 42, pp. 32-47, 2012.
- [287] Hamraz, B., N.H.M. Caldwell, D.C. Wynn, and P.J. Clarkson, "Requirements-based Development of an Improved Engineering Change Management Method," *Journal of Engineering Design*, vol. 24, pp. 765-793, 2013.
- [288] Hamraz, B., N.H.M. Caldwell, and P.J. Clarkson, "A Multidomain Engineering Change Propagation Model to Support Uncertainty Reduction and Risk Management in Design," *Journal of Mechanical Design*, vol. 134, 2012.
- [289] Pasqual, M.C. and O.L. de Weck, "Multilayer Network Model for Analysis and Management of Change Propagation," *Research in Engineering Design*, vol. 23, pp. 305-328, 2012.
- [290] Amirreza, K., D. Marzieh, S. Foad, and A. Fatemeh, "A New Systematic Approach in UAV Design Analysis Based on SDSM Method," *Journal of Aeronautics & Aerospace Engineering*, vol. 2, 2013.
- [291] Tang, D., R. Zhu, J. Tang, R. Xu, and R. He, "Product Design Knowledge Management based on Design Structure Matrix," *Advanced Engineering Informatics*, vol. 24, pp. 159-166, 2010.
- [292] Bauer, W., D. Kasperek, S. Maisenbacher, and M. Maurer, "Application of Structural Domain-Spanning Criteria in an Industrial Case-Study," *Journal of Modern Project Management*, vol. 3, pp. 86-93, 2015.
- [293] Kherbachi, S., Q. Yang, and Y.S. Hong, "Multi-Domain Matrix as a Framework for Global Product Development Project Process," *Journal of Modern Project Management*, vol. 3, pp. 108-113, 2015.
- [294] Osman, K., D. Stamenković, and M. Lazarević, "Robust Product Architecture Development Combining Matrix-Based Approaches and Function-Based Failure Propagation Method - M-FBFP Framework," *FME Trans. (Faculty of Mechanical Engineering, Belgrade)*, vol. 39, pp. 145-156, 2011.
- [295] Braun, S.C., W. Biedermann, and U. Lindemann, "Design to Cost: New Impulses for Target Costing," 10<sup>th</sup> International Design Conference, Dubrovnik, Croatia, May 19-22, 2008.
- [296] Kristianto, Y., P. Helo, and R.J. Jiao, "A System Level Product Configurator for Engineer-to-Order Supply Chains," *Computers in Industry*, vol. 72, pp. 82-91, 2015.
- [297] Diepold, K.J., F.J. Winkler, and B. Lohmann, "Systematical Hybrid State Modelling of Complex Dynamical Systems: The Quad-I/HS Framework," *Mathematical & Computer Modelling of Dynamical Systems*, vol. 16, pp. 347-371, 2010.
- [298] Karthaus, C., D. Roth, M. Schenk, H. Binz, and B. Bertsche, "Approach for Recirculation of Testing Knowledge into Product Development Supported by Matrix-Based Methods," *Journal of Modern Project Management*, vol. 3, pp. 56-63, 2015.
- [299] Oizumi, K. and K. Aoyama, "Product Oriented Organization of People Toward Foster Capabilities in Product Design," 12<sup>th</sup> International Design Conference, Dubrovnik, Croatia, May 21-24, 2012.
- [300] Westermeier, M., G. Reinhart, and M. Steber, "Complexity Management for the Start-up in Lithium-ion Cell Production," *Procedia CIRP*, vol. 20, pp. 13-19, 2014.
- [301] Kasperek, D., S. Maisenbacher, and M. Maurer, "Structure-Based Compilation of System Dynamics Models for Assessing Engineering Design Process Behavior," *Journal of Modern Project Management*, vol. 3, pp. 100-107, 2015.
- [302] Cole, M., "Towards Proactive Airport Security Management: Supporting Decision Making through Systematic Threat Scenario Assessment," *Journal of Air Transport Management*, vol. 35, pp. 12-18, 2014.
- [303] Xiao, R. and T. Chen, "Research on Design Structure Matrix and its Applications in Product Development and Innovation: An Overview," *Int. J. of Computer Applications in Technology*, vol. 37, pp. 218-229, 2010.
- [304] Schmidt III, R., J. Deamer, and S. Austin, "Understanding Adaptability through Layer Dependencies," 18<sup>th</sup> International Conference on Engineering Design (ICED), Denmark, Aug 15-18, 2011.
- [305] Alizon, F., S.B. Shooter, and T.W. Simpson, "Improving an Existing Product Family Based on Commonality/Diversity, Modularity, and Cost," *Design Studies*, vol. 28, pp. 387-409, 2007.
- [306] Cai, Y., "Modularity in Design: Formal Modeling and Automated Analysis," Ph.D., Computer Science, University of Virginia, Richmond, VA, 2006.
- [307] Kittilä, K., "Analysing and Managing Software Dependencies with a Dependency Structure Matrix Tool," Master's, Information Processing Science, University of Oulu, Finland, 2008.
- [308] Selva, D. and E.F. Crawley, "Exploring Packaging Architectures for the Earth Science Decadal Survey," IEEE Aerospace Conference, Big Sky, MT, Mar 5-12, 2011.
- [309] English, K., A. Naim, K. Lewis, S. Schmidt, V. Viswanathan, J. Linsey, et al., "Impacting Designer Creativity Through IT-Enabled Concept Generation," *Journal of Computing and Information Science in Engineering* vol. 10, 2010.
- [310] Owens, B.D., M.S. Herring, N. Dulac, N.G. Leveson, M.D. Ingham, and K.A. Weiss, "Application of a Safety-Driven Design Methodology to an Outer Planet Exploration Mission," IEEE Aerospace Conference, Big Sky, Montana, Mar 1-8, 2008.
- [311] Zakarian, A. and G.J. Rushton, "Development of Modular Electrical Systems," *IEEE/ASME Trans. on Mechatronics*, vol. 6, pp. 507-520, 2001.
- [312] Björnfor, A. and L. Stehn, "A Design Structural Matrix Approach Displaying Structural and Assembly Requirements in Construction: A Timber Case Study," *Journal of Engineering Design*, vol. 18, pp. 113-124, 2007.
- [313] Stevens, M., "Design Structure Matrices for Software Development," Licentiate, C.S., Vrije Universiteit Brussel, Brussels, Belgium, 2007.
- [314] Abello, J. and F. van Ham, "Matrix Zoom: A Visual Interface to Semi-External Graphs," 10<sup>th</sup> IEEE Symposium on Information Visualization, Austin, TX, Oct 10-12, 2004.
- [315] Stryker, A.C., "Development of Measures to Assess Product Modularity and Reconfigurability," Ph.D., Eng./Mgmt., Air Force Institute of Technology, Wright-Patterson Air Force Base, OH, 2010.
- [316] Rocco, C., S. Rizzuti, and L.D. Napoli, "A Procedure for Early Environmental Assessment of Industrial Products," International Conference on Innovative Methods in Product Design (IMProVe), Venice, Italy, June 15-17, 2011.
- [317] Holmqvist, T.K.P. and M.L. Persson, "Analysis and Improvement of Product Modularization Methods: Their Ability to Deal with Complex Products," *Systems Engineering*, vol. 6, pp. 195-209, 2003.
- [318] Shamsuzzoha, A.H.M., "Modular Product Architecture for Productivity Enhancement," *Business Process Management Journal*, vol. 17, pp. 21-41, 2011.
- [319] Zakarian, A., "A New Nonbinary Matrix Clustering Algorithm for Development of System Architectures," *IEEE Trans. on Systems, Man, and Cybernetics—Part C: Applications and Reviews*, vol. 38, pp. 135-141, 2008.
- [320] Li, S., "A Matrix-based Clustering Approach for the Decomposition of Design Problems," *Research in Engineering Design*, vol. 22, pp. 263-278, 2011.
- [321] Stiassnie, E. and M. Shpitalni, "Axiomatic Modular System Design for Service-oriented Products," 6<sup>th</sup> International Conference on Axiomatic Design (ICAD), Daejeon, Mar 30-31, 2011.
- [322] Li, S., "Matrix-based Decomposition Algorithms for Engineering Applications: The Survey and Generic Framework," *Int. J. of Product Development*, vol. 9, pp. 78-110, 2009.
- [323] Pandremenosa, J. and G. Chryssolourisa, "A Neural Network Approach for the Development of Modular Product Architectures," *Int. J. of Computer Integrated Manufacturing*, vol. 24, pp. 879-887, 2011.
- [324] Corsten, H., R. Gössinger, and H. Salewski, "Design of Modular Services with Routing Flexibility," 17<sup>th</sup> International Working Seminar on Production Economics, Innsbruck, Austria, Feb 20-24, 2012.
- [325] Li, Z., Z. Cheng, Y. Feng, and J. Yang, "An Integrated Method for Flexible Platform Modular Architecture Design," *Journal of Engineering Design*, vol. 24, pp. 25-44, 2013.
- [326] Behncke, F.G.H., D. Maurer, L. Schrenk, D.M. Schmidt, and U. Lindemann, "Clustering Technique for DSMs," *Journal of Modern Project Management*, vol. 3, pp. 8-16, 2015.



- [327] Sarkar, S. and A. Dong, "A Spectral Analysis Software to Detect Modules in a DSM," *Journal of Modern Project Management*, vol. 3, pp. 16-23, 2015.
- [328] Liu, J., X. Han, N. Wang, X. Qian, and A. Ma, "Clustering and Reorganization of Product Architectures Based on Genetic Algorithm (in Chinese)," *Mechanical Science and Technology*, vol. 25, pp. 1318-1321, 2006.
- [329] Yu, T.-L., A.A. Yassine, and D.E. Goldberg, "An Information Theoretic Method for Developing Modular Architectures using Genetic Algorithms," *Research in Engineering Design*, vol. 18, pp. 91-109, 2007.
- [330] Wang, W.-d., X.-s. Qin, X.-t. Yan, and J. Bai, "Visual Design Structure Matrix Method for Product Design Modules Identification (in Chinese)," *Computer Integrated Manufacturing Systems*, vol. 13, pp. 2345-2350, 2007.
- [331] Maurer, M. and U. Lindemann, "Individualized Product Design by Evolutionary Algorithms," *Lecture Notes in Computer Science*, vol. 3683/2005, pp. 1359-1365, 2005.
- [332] Whitfield, R.I., J.S. Smith, and A.H.B. Duffy, "Identifying Component Modules," 7<sup>th</sup> International Conference on Artificial Intelligence in Design, Cambridge, UK, July 15-17, 2002.
- [333] Nikanjam, A., H. Sharifi, and A.T. Rahmani, "Efficient Model Building in Competent Genetic Algorithms using DSM Clustering," *AI Communications*, vol. 24, pp. 213-231, 2011.
- [334] Llorà, X., K. Sastry, T.-L. Yu, and D.E. Goldberg, "Do not Match, Inherit: Fitness Surrogates for Genetics-based Machine Learning Techniques," 9<sup>th</sup> Annual Conference on Genetic and Evolutionary Computation, London, UK, July 7-11, 2007.
- [335] Cheng, Q., G. Zhang, P. Gu, and X. Shao, "A Product Module Identification Approach Based on Axiomatic Design and Design Structure Matrix," *Concurrent Engineering*, vol. 20, pp. 185-194, 2012.
- [336] Jung, S. and T.W. Simpson, "A Clustering Method using New Modularity Indices and a Genetic Algorithm with Extended Chromosomes," *Journal of Modern Project Management*, vol. 3, pp. 38-45, 2015.
- [337] Meng, X., Z. Jiang, and G.Q. Huang, "On the Module Identification for Product Family Development," *Int. J. of Advanced Manufacturing Technology*, vol. 35, pp. 26-40, 2007.
- [338] Engel, A., Y. Reich, T.R. Browning, and D.M. Schmidt, "Optimizing System Architecture for Adaptability," 12<sup>th</sup> International Design Conference, Dubrovnik, Croatia, May 21-24, 2012.
- [339] Ethiraj, S.K. and H.E. Posen, "Do Product Architectures Affect Innovation Productivity in Complex Product Ecosystems?," in *Collaboration and Competition in Business Ecosystems*, vol. 30, R. Adner, J.E. Oxley, and B.S. Silverman, Eds., ed, Bingley, West Yorkshire, UK: Emerald Group Publishing Ltd, 2013, pp. 127-166.
- [340] Eckert, C., P.J. Clarkson, and W. Zanker, "Change and Customisation in Complex Engineering Domains," *Research in Engineering Design*, vol. 15, pp. 1-21, 2004.
- [341] Lee, H., H. Seol, N. Sung, Y.S. Hong, and Y. Park, "An Analytic Network Process Approach to Measuring Design Change Impacts in Modular Products," *Journal of Engineering Design*, vol. 21, pp. 75-91, 2010.
- [342] Eckert, C.M., R. Keller, C. Earl, and P.J. Clarkson, "Supporting Change Processes in Design: Complexity, Prediction and Reliability," *Reliability Engineering and System Safety*, vol. 91, pp. 1521-1534, 2006.
- [343] Hamraz, B., N.H.M. Caldwell, and P.J. Clarkson, "A Matrix-Calculation-Based Algorithm for Numerical Change Propagation Analysis," *IEEE Trans. on Eng. Mgmt.*, vol. 60, pp. 186-198, 2013.
- [344] Hamraz, B., O. Hisarciklilar, K. Rahmani, D.C. Wynn, V. Thomson, and P.J. Clarkson, "Change Prediction using Interface Data," *Concurrent Engineering*, vol. 21, pp. 141-154, 2013.
- [345] Farid, A.M., "Facilitating Ease of System Reconfiguration through Measures of Manufacturing Modularity," *Journal of Engineering Manufacture*, vol. 222, pp. 1275-1288, 2008.
- [346] Hölttä-Otto, K. and O.d. Weck, "Degree of Modularity in Engineering Systems and Products with Technical and Business Constraints," *Concurrent Engineering: Research & Applications*, vol. 15, pp. 113-126, 2007.
- [347] Hölttä-Otto, K., N.A. Chiriac, D. Lysy, and E. Suk Suh, "Comparative Analysis of Coupling Modularity Metrics," *Journal of Engineering Design*, vol. 23, pp. 787-803, 2012.
- [348] Sosa, M.E., J. Mihm, and T.R. Browning, "Degree Distribution and Quality in Complex Engineered Systems," *Journal of Mechanical Design*, vol. 133, p. 101008, 2011.
- [349] Becker, O., J. Ben-Asher, and I. Ackerman, "A Method for System Interface Reduction Using N<sup>2</sup> Charts," *Systems Engineering*, vol. 3, pp. 27-37, 2000.
- [350] Suh, E.S., M.R. Furst, K.J. Mihalyov, and O.d. Weck, "Technology Infusion for Complex Systems: A Framework and Case Study," *Systems Engineering*, vol. 13, pp. 186-203, 2010.
- [351] Smaling, R. and O. de Weck, "Assessing Risks and Opportunities of Technology Infusion in System Design," *Systems Engineering*, vol. 10, pp. 1-25, 2007.
- [352] Baldwin, C.Y. and K.B. Clark, "Between 'Knowledge' and 'the Economy': Notes on the Scientific Study of Designs," in *Advancing Knowledge and the Knowledge Economy*, B. Kahin and D. Foray, Eds., ed, Cambridge, MA: MIT Press, 2006.
- [353] Baldwin, C.Y. and K.B. Clark, "Modularity in the Design of Complex Engineering Systems," in *Complex Engineered Systems: Science Meets Technology*, D. Braha, A.A. Minai, and Y. Bar-Yam, Eds., ed, New York, NY: Springer, 2006, pp. 175-205.
- [354] Baldwin, C.Y., "Where Do Trans. Come From? Modularity, Trans., and the Boundaries of Firms," *Industrial and Corporate Change*, vol. 17, pp. 155-195, 2008.
- [355] Yassine, A.A. and L.L. Wissmann, "The Implications of Product Architecture on the Firm," *Systems Engineering*, vol. 10, pp. 118-137, 2007.
- [356] Leung, P., K. Ishii, J. Abell, and J. Benson, "Distributed System Development Risk Analysis," *Journal of Mechanical Design*, vol. 130, 2008.
- [357] Le, Q. and J.H. Panchal, "Modeling the Effect of Product Architecture on Mass Collaborative Processes-An Agent-based Approach," ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference (IDETC/CIE), San Diego, CA, Aug 30 - Sep 2, 2009.
- [358] Querbes-Revier, A., "The Collective Construction of Digital Platforms for Mobile Services: The Mobile OS for Smartphones," 7<sup>th</sup> European Meeting on Applied Evolutionary Economics (EMAE), Pisa, Italy, Feb 14-16, 2011.
- [359] Cai, Y. and S. Huynh, "An Evolution Model for Software Modularity Assessment," 5<sup>th</sup> International Workshop on Software Quality (WoSQ'07), Minneapolis, MN, 2007.
- [360] Zolghadri, M., C. Baron, and P. Girard, "Modelling the Mutual Dependencies between Product Architectures and a Network of Partners," *Int. J. of Product Development*, vol. 10, pp. 62-86, 2010.
- [361] Park, J., D. Shin, P. Insun, and H. Hyemi, "A Product Platform Concept Development Method," *Journal of Engineering Design*, vol. 19, pp. 515-532, 2008.
- [362] Shamsuzzoha, A. and T. Kekale, "Platform-Oriented Product Development: Prospects and Limitations," *Int. J. of Business Innovation and Research*, vol. 4, pp. 179-194, 2010.
- [363] Shamsuzzoha, A.H.M. and P.T. Helo, "Managing Product Variety through Component Commonality: Concept and Application," *Int. J. of Management and Enterprise Development*, vol. 7, pp. 183-199, 2009.
- [364] Alizon, F., C. Williams, S.B. Shooter, and T.W. Simpson, "Merge-based Design: A New Method for Managing Variety and Improving Customisation," *Int. J. of Mass Customisation*, vol. 3, pp. 1-17, 2009.
- [365] Kang, C.M. and Y.S. Hong, "A Framework for Designing Balanced Product Platforms by Estimating the Versatility of Components," *Int. J. of Production Research*, vol. 47, pp. 5271-5295, 2009.
- [366] Ko, Y.-T. and P.-H. Kuo, "Modeling Concurrent Design Method for Product Variety," *Concurrent Engineering*, vol. 18, pp. 207-217, 2010.
- [367] Luh, D.-B., Y.-T. Ko, and C.-H. Ma, "A Structural Matrix-based Modelling for Designing Product Variety," *Journal of Engineering Design*, vol. 22, pp. 1-29, 2011.
- [368] Zhang, Y., G.N. Qi, Y.J. Ji, L.W. Song, and P. Jiang, "Modular Product Family Design for Pumping Unit Based on Design Structure Matrix," *Advanced Materials Research*, vol. 479-481, pp. 2420-2423, 2012.
- [369] Baldwin, C.Y. and K.B. Clark, "The Option Value of Modularity in Design," Harvard Business School, Boston, MA, Working Paper May 16 2002.
- [370] Liu, Z.J., H.F. Teng, and Q.H. Hu, "Adaptable Redesign of Existing Equipment Responding to Unanticipated Environment Changes," *Applied Mechanics and Materials*, vol. 37-38, pp. 77-81, 2010.
- [371] Sharman, D.M. and A.A. Yassine, "Architectural Valuation using the Design Structure Matrix and Real Options Theory," *Concurrent Engineering: Research & Applications*, vol. 15, pp. 157-173, 2007.
- [372] Silver, M.R. and O.L. de Weck, "Time-Expanded Decision Networks: A Framework for Designing Evolvable Complex Systems," *Systems Engineering*, vol. 10, pp. 167-186, 2007.
- [373] Zaeh, M.F., G. Reinhart, U. Lindemann, F. Karl, and W. Biedermann, "Evaluating the Innovation Ability of Manufacturing Resources," *World*

- Academy of Science: Engineering & Technology*, vol. 72, pp. 142-148, 2010.
- [374] Helo, P.T., A.H.M. Shamsuzzoha, and O.-P. Hilmola, "Design Structure Matrix Based Value Analysis of Software Product Platforms," *Int. J. of Business Excellence*, vol. 3, pp. 261-278, 2010.
- [375] Engel, A. and Y. Reich, "Architecting Systems for Optimal Lifetime Adaptability," Tel Aviv University, Israel, Working Paper 2014.
- [376] Sullivan, K.J., W.G. Griswold, Y. Cai, and B. Hallen, "The Structure and Value of Modularity in Software Design," ACM SIGSOFT Symposium on the Foundations of Software Engineering, Vienna, Austria, Sep 10-14, 2001.
- [377] Lopes, C.V. and S.K. Bajracharya, "Assessing Aspect Modularizations using Design Structure Matrix and Net Option Value," in *Trans. on Aspect-Oriented Software Development I*, A. Rashid and M. Aksit, Eds., ed, Berlin: Springer, 2006, pp. 1-35.
- [378] Shamsuzzoha, A.H.M., P. Helo, and T. Kekale, "Applying Design Structure Matrix (DSM) Method in Mass Customizations," *Operations and Supply Chain Management*, vol. 1, pp. 57-71, 2008.
- [379] Shamsuzzoha, A.H.M. and P.T. Helo, "Reconfiguring Product Development Process in Auto Industries for Mass Customisation," *Int. J. of Productivity and Quality Management*, vol. 4, pp. 400-417, 2009.
- [380] Shamsuzzoha, A.H.M. and P.T. Helo, "Modular Product Architecture: The Role of Information Exchange for Customization," *Rapid Modelling and Quick Response* vol. 2010, pp. 195-212, 2010.
- [381] Yasserli, S., "Interface Management of Subsea Field Development," *Underwater Technology*, vol. 33, pp. 41-57, 2015.
- [382] Salhi, S.E.M., "Developing Manufacturing Response Models to Predict the Manufacturability of New Modular Products," *Int. J. of Advanced Manufacturing Technology*, vol. 39, pp. 599-611, 2007.
- [383] Gavel, H. and J. Ölvander, "A Quantified and Interactive Relationship Matrix Applied to Aircraft Fuel System Conceptual Design," *International Review of Aerospace Engineering*, vol. 3, pp. 9-18, 2010.
- [384] Tang, D.-B., X.-M. Qian, X.-Y. Wang, and P.-H. Lou, "Coevolution Mechanism Between Axiomatic Design Matrix & Design Structure Matrix (in Chinese)," *Computer Integrated Manufacturing Systems*, vol. 13, pp. 1465-1469, 2007.
- [385] Wang, W., P. Jiang, J.Q. Wang, and R.H. Tan, "A Method about Functional Coupling Based on Trimming," *Advanced Materials Research*, vol. 328-330, pp. 75-80, 2011.
- [386] Guenov, M.D. and S.G. Barker, "Application of Axiomatic Design and Design Structure Matrix to the Decomposition of Engineering Systems," *Systems Engineering*, vol. 8, pp. 29-40, 2005.
- [387] Schulz, A.P., D.P. Clausing, E. Fricke, and H. Negele, "Development and Integration of Winning Technologies as Key to Competitive Advantage," *Systems Engineering*, vol. 3, pp. 180-211, 2000.
- [388] Parashar, S. and C.L. Bloebaum, "Decision Support Tool for Multidisciplinary Design Optimization (MDO) Using Multi-Domain Decomposition," 46<sup>th</sup> AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics & Materials Conference, Austin, TX, Apr 18-21, 2005.
- [389] Helo, P., T. Kekäle, and S. Lautamäki, "Usability Analysis and Design Structure Matrix," *Int. J. of Business Information Systems*, vol. 4, pp. 233-244, 2009.
- [390] Urbanic, R.J., H.A. ElMaraghy, and W.H. ElMaraghy, "A Reverse Engineering Methodology for Rotary Components from Point Cloud Data," *Int. J. of Advanced Manufacturing Technology*, vol. 37, pp. 1146-1167, 2008.
- [391] Alcaraz, J.M.G., S.W.H.d. Haan, and J.A. Ferreira, "System Integration of a Variable Speed Generator Set: Challenges and System Design," 14<sup>th</sup> European Conference on Power Electronics and Applications (EPE), Birmingham, UK, Aug 30 - Sep 1, 2011.
- [392] Eppinger, S.D., N.R. Joglekar, A. Olechowski, and T. Teo, "Improving the Systems Engineering Process with Multilevel Analysis of Interactions," *Artificial Intelligence for Engineering Design Analysis and Manufacturing*, vol. 28, pp. 323-337, 2014.
- [393] Yassine, A.A., "Investment Decisions in Modular Product Development," *Journal of Modern Project Management*, vol. 3, pp. 80-85, 2015.
- [394] Garrett, R.K., Jr., S. Anderson, N.T. Baron, and J. James D. Moreland, "Managing the Interstitials, a System of Systems Framework Suited for the Ballistic Missile Defense System," *Systems Engineering*, vol. 14, pp. 87-109, 2011.
- [395] Tripathy, A. and S.D. Eppinger, "Organizing Global Product Development for Complex Engineered Systems," *IEEE Trans. on Eng. Mgmt.*, vol. 58, pp. 510-529, 2011.
- [396] Chang, T.-R., C.-S. Wang, and C.-C. Wang, "A Systematic Approach for Green Design in Modular Product Development," *Int. J. of Advanced Manufacturing Technology*, vol. 68, pp. 2729-2741, 2013.
- [397] Rogers, B. and E. Gilbert, "Identifying Architectural Modularity in the Smart Grid: An Application of Design Structure Matrix Methodology," Grid-Interop Forum, Phoenix, AZ, Dec 5-8, 2011.
- [398] Hosono, S., K. Kimita, F. Akasaka, T. Hara, Y. Shimomura, and T. Arai, "Toward Establishing Design Methods for Cloud-Based Business Platforms," 3<sup>rd</sup> CIRP International Conference on Industrial Product Service Systems, Braunschweig, Germany, May 5-6, 2011.
- [399] Musharavati, F., "A Method For Optimizing the Reconfiguration Design Task in Manufacturing Systems," International Conference on Industrial Engineering and Operations Management, Kuala Lumpur, Malaysia, Jan 22-24, 2011.
- [400] Hu, K.-s., B.-y. Ye, and W.-p. Wang, "Study on the Open Modular Design Method of Products for Enterprise-Cluster Manufacturing," *Journal of Kunming University of Science and Technology (Science and Technology)*, vol. 31, pp. 36-41, 2006.
- [401] Bradshaw, K.A., M. Robinson, F. Scazzuso, S.M. Gallagher, and T. Browning, "Incorporating Modularity into Ship System Designs for Increased Adaptability," Maritime Systems and Technologies (MAST) Conference, Malmö, Sweden, Sep 11-13, 2012.
- [402] Shamsuzzoha, A.H.M. and P.T. Helo, "Information Dependencies within Product Architecture: Prospects of Complexity Reduction," *Journal of Manufacturing Technology Management*, vol. 22, pp. 314-329, 2011.
- [403] Sturtevant, D.J., "System Design and the Cost of Architectural Complexity," Ph.D. Ph.D., ESD, Massachusetts Institute of Technology, Cambridge, MA, 2013.
- [404] Herrmann, A., B. Paech, and D. Plaza, "ICRAD: An Integrated Process for the Solution of Requirements Conflicts and Architectural Design," *Int. J. of Software Engineering and Knowledge Engineering*, vol. 16, pp. 917-950, 2006.
- [405] Bradley, J.A. and A.A. Yassine, "On the Use of Network Analysis in Product Development Teams," ASME International Design Engineering Technical Conferences and 18<sup>th</sup> International Conference on Design Theory and Methodology (DTM), Philadelphia, PA, Sep 10-13, 2006.
- [406] Liberati, M., F. Munari, P. Racchetti, and T. Splendiani, "Social Network Techniques Applied to Design Structure Matrix Analysis: The Case of a New Engine Development at Ferrari SPA," 9<sup>th</sup> International DSM Conference, Munich, Germany, Oct 16-18, 2007.
- [407] Makumbe, P.O., "System Development Technical Interactions and Innovation: A Networks-Based Investigation," Master's, ESD, Massachusetts Institute of Technology, Cambridge, MA, 2006.
- [408] Hsieh, M.-H. and C.L. Magee, "An Algorithm and Metric for Network Decomposition from Similarity Matrices: Application to Positional Analyses," Massachusetts Institute of Technology, Engineering Systems Division, Cambridge, MA, Working Paper ESD-WP-2007-13, Feb. 2007.
- [409] Kratzer, J., H.G. Gemünden, and C. Lettl, "Balancing Creativity and Time Efficiency in Multi-team R&D Projects: The Alignment of Formal and Informal Networks," *R&D Management*, vol. 38, pp. 538-549, 2008.
- [410] Browning, T.R., "Designing System Development Projects for Organizational Integration," *Systems Engineering*, vol. 2, pp. 217-225, 1999.
- [411] Worren, N., *Organization Design: Re-Defining Complex Systems*. Essex, UK: Pearson Education, 2012.
- [412] Danilovic, M., "Bring Your Suppliers into Your Projects - Managing the Design of Work Packages in Product Development," *Journal of Purchasing & Supply Management*, vol. 12, pp. 246-257, 2007.
- [413] Helper, S. and M. Sako, "Management Innovation in Supply Chain: Appreciating Chandler in the Twenty-first Century," *Industrial & Corporate Change*, vol. 19, pp. 399-429, 2010.
- [414] Bonjour, E., G. Harmel, J.-P. Micaëlli, and M. Dulmet, "Simulating Change Propagation between Product Architecture and Development Organisation," *Int. J. of Mass Customisation*, vol. 3, pp. 288-310, 2010.
- [415] Rivkin, J.W. and N. Siggelkow, "Balancing Search and Stability: Interdependencies among Elements of Organizational Design," *Management Science* vol. 49, pp. 290-311, 2003.
- [416] Ethiraj, S.K. and D. Levinthal, "Bounded Rationality and the Search for Organizational Architecture: An Evolutionary Perspective on the Design of Organizations and Their Evolvability," *Administrative Science Quarterly*, vol. 49, pp. 404-437, 2004.
- [417] Zhou, Y.M., "Designing for Complexity: Using Divisions and Hierarchy to Manage Complex Tasks," *Organization Science*, vol. 24, pp. 339-355, 2013.

- [418] Glynn, S.V. and T.G. Pelland, "Information Flow & Knowledge Capture Lessons for Distributed Integrated Product Teams," Master's, SDM, MIT, Cambridge, MA, 2000.
- [419] Halonen, N., T. Juuti, and P. Luostarinen, "DSM Made Easy," International Design Conference, Dubrovnik, Croatia, May 21-24, 2012.
- [420] Saridakis, K.M. and A.J. Dentsoras, "A Fuzzy Rule-Based Approach for the Collaborative Formation of Design Structure Matrices " 25<sup>th</sup> SGAI International Conference on Innovative Techniques and Applications of Artificial Intelligence (AI-2005), Cambridge, UK, Dec 12-14, 2005.
- [421] Zhang, W. and S. Jia, "Software Process Integration Based on Design Structure Matrix," *Advanced Research on Computer Science and Information Engineering*, vol. 153, pp. 188-193, 2011.
- [422] Sharif, S.A. and B. Kayis, "DSM as a Knowledge Capture Tool in CODE Environment," *Journal of Intelligent Manufacturing*, vol. 18, pp. 497-504, 2007.
- [423] Austin, S.A., A. Newton, J. Steele, and P.R. Waskett, "Modelling and Managing Project Complexity," *Int. J. of Project Management*, vol. 20, pp. 191-198, 2002.
- [424] Io Storto, C., "Assessing Product Development Performance Analyzing the Information Flows Structure using Social Network Analysis Measurements," *World Academy of Science, Engineering and Technology*, vol. 65, pp. 271-278, 2010.
- [425] Shafiei-Monfared, S. and K. Jenab, "Fuzzy Complexity Model for Enterprise Maintenance Projects," *IEEE Trans. on Eng. Mgmt.*, vol. 59, pp. 293-298, 2011.
- [426] Saridakis, K.M. and A.J. Dentsoras, "Integration of Fuzzy Logic, Genetic Algorithms and Neural Networks in Collaborative Parametric Design," *Advanced Engineering Informatics*, vol. 20, pp. 379-399, 2006.
- [427] Sharon, A., O.L. de Weck, and D. Dori, "Project Management vs. Systems Eng. Mgmt. - A Practitioners' View on Integrating the Project and Product Domains," *Systems Engineering*, vol. 14, pp. 427-440, 2011.
- [428] Park, H. and M.R. Cutkosky, "Framework for Modeling Dependencies in Collaborative Engineering Processes," *Research in Engineering Design*, vol. 11, pp. 84-102, 1999.
- [429] Yassine, A. and D. Braha, "Complex Concurrent Engineering and the Design Structure Matrix Method," *Concurrent Engineering: Research & Applications*, vol. 11, pp. 165-176, 2003.
- [430] Kim, J.H. and Y.-W. Park, "Research of Integrated System Design Process for Minimize Iteration Time of System Design Activities (in Korean)," *Journal of the Society of Korea Industrial and Systems Engineering* vol. 27, pp. 31-36, 2004.
- [431] August, E., C. Eckert, and P.J. Clarkson, "Using Design Structure Matrices in Visualising Design Processes," in *Multidisciplinary Approaches to Visual Representations and Interpretations*, G. Malcolm, Ed., ed: Elsevier, 2005, pp. 305-317.
- [432] Avnet, M.S. and A.L. Weigel, "An Application of the Design Structure Matrix to Integrated Concurrent Engineering," *Acta Astronautica*, vol. 66, pp. 937-949, 2010.
- [433] Ahmadi, R.H., T.A. Roemer, and R.H. Wang, "Structuring Product Development Processes," *European Journal of Operational Research*, vol. 130, pp. 539-558, 2001.
- [434] Baldwin, A., C.-S. Poon, L.-Y. Shen, S. Austin, and I. Wong, "Designing Out Waste in High-Rise Residential Buildings: Analysis of Precasting Methods and Traditional Construction," *Renewable Energy*, vol. 34, pp. 2067-2073, 2009.
- [435] Banerjee, A., J.E. Carrillo, and A. Paul, "Projects with Sequential Iteration: Models and Complexity," *IIE Trans.*, vol. 39, pp. 453-463, 2007.
- [436] Denker, S., D.V. Steward, and T.R. Browning, "Planning Concurrency and Managing Iteration in Projects," *Project Management Journal*, vol. 32, pp. 31-38, Sept. 2001.
- [437] Qian, Y., J. Lin, T.N. Goh, and M. Xie, "A Novel Approach to DSM-Based Activity Sequencing Problem," *IEEE Trans. on Eng. Mgmt.*, vol. 58, pp. 688-705, 2011.
- [438] Yuan, H. and D. Wang, "The New Approach of Applying DSM to Topology," *Advances in Electric and Electronics* vol. 155, pp. 789-795, 2012.
- [439] Yassine, A.A., "An Introduction to Modeling and Analyzing Complex Product Development Processes using the Design Structure Matrix (DSM) Method," *Quaderni di Management (Italian Management Review)*, vol. 9, pp. 71-88, 2004.
- [440] Seol, H., C. Kim, C. Lee, and Y. Park, "Design Process Modularization: Concept and Algorithm," *Concurrent Engineering: Research & Applications*, vol. 15, pp. 175-186, 2007.
- [441] Koga, T. and K. Aoyama, "Design Process Guide Method for Minimizing Loops and Conflicts," *Journal of Advanced Mechanical Design, Systems, and Manufacturing*, vol. 3, pp. 191-202, 2009.
- [442] Shaja, A.S. and K. Sudhakar, "Optimized Sequencing of Analysis Components in Multidisciplinary Systems," *Research in Engineering Design*, vol. 21, pp. 173-187, 2010.
- [443] Wei, H.-Q., "Concurrent Design Process Analysis and Optimization for Aluminum Profile Extrusion Product Development," *Int. J. of Advanced Manufacturing Technology*, vol. 33, pp. 652-661, 2007.
- [444] Xiao, R., T. Chen, and Z. Tao, "Information Modeling and Reengineering for Product Development Process," *Int. J. of Management Science and Eng. Mgmt.*, vol. 2, pp. 64-74, 2007.
- [445] Zhang, H., W. Qiu, and H. Zhang, "An Approach to Measuring Coupled Tasks Strength and Sequencing of Coupled Tasks in New Product Development," *Concurrent Engineering: Research & Applications*, vol. 14, pp. 305-311, 2006.
- [446] Lei, C., Z. Rui, and J. Fang, "Process Planning Method of DSM-based Collaborative Design (in Chinese)," *Journal of Lanzhou University of Technology*, vol. 35, 2009.
- [447] Li, X., L. Zhao, and Z. Xu, "Research on Improved DSM Algorithm for Coupling Task Order Programming (in Chinese)," *China Mechanical Engineering*, vol. 21, 2010.
- [448] Maheswari, J.U. and K. Varghese, "Modeling Design Iteration Using DSM and Simulation," 24<sup>th</sup> International Symposium on Automation & Robotics in Construction, Kochi, India, 2007.
- [449] Qian, Y. and J. Lin, "Organizing Interrelated Activities in Complex Product Development," *IEEE Trans. on Eng. Mgmt.*, vol. 61, pp. 298-309, 2014.
- [450] Ummer, N., U. Maheswari, V.A. Matsagar, and K. Varghese, "Factors Influencing Design Iteration with a Focus on Project Duration," *Journal of Management in Engineering*, vol. 30, pp. 127-130, 2014.
- [451] Lin, J., Y. Qian, W. Cui, and T.N. Goh, "An Effective Approach for Scheduling Coupled Activities in Development Projects," *European Journal of Operational Research*, vol. 243, pp. 97-108, 2015.
- [452] Wang, Z. and Y. Zhang, "A Dynamic Decision Model for the Complex Coupled System's Design Process (in Chinese)," *Computer Engineering and Applications*, vol. 41, pp. 117-120, 2005.
- [453] Campos Silva, D.D., L.P. Santiago, and P.M.S. Silva, "Impact of Premature Information Transfer on Cost and Development Time of Projects," *IEEE Trans. on Eng. Mgmt.*, vol. 59, pp. 692-704, 2012.
- [454] Srour, I.M., M.-A.U. Abdul-Malak, A.A. Yassine, and M. Ramadan, "A Methodology for Scheduling Overlapped Design Activities Based on Dependency Information," *Automation in Construction*, vol. 29, pp. 1-11, 2013.
- [455] Wang, J. and Y.-I. Lin, "An Overlapping Process Model to Assess Schedule Risk for New Product Development," *Computers & Industrial Engineering*, vol. 57, pp. 460-474, 2009.
- [456] Hossain, M.A. and D.K.H. Chua, "Autogeneration of Simulation Network of the Design Process," *Journal of Computing in Civil Engineering*, vol. 24, pp. 452-461, 2010.
- [457] Lahdenperä, P. and V.-P. Tanhuanpää, "Creation of a New Design Management System based on Process Optimization and Proactive Strategy," *Engineering Construction & Architectural Management* vol. 7, pp. 267-277, 2000.
- [458] Maheswari, J.U., K. Varghese, and T. Sridharan, "Application of Dependency Structure Matrix for Activity Sequencing in Concurrent Engineering Projects," *Journal of Construction Engineering & Management*, vol. 132, pp. 482-490, 2006.
- [459] Whitfield, I., A.B. Duffy, G. Coates, and W. Hills, "Distributed Design Coordination," *Research in Engineering Design*, vol. 13, pp. 243-252, 2002.
- [460] Lee, J., W.-Y. Deng, W.-T. Lee, S.-J. Lee, K.-H. Hsu, and S.-P. Ma, "Integrating Process and Work Breakdown Structure with Design Structure Matrix," *Journal of Advanced Computational Intelligence and Intelligent Informatics*, vol. 14, pp. 512-522, 2010.
- [461] Kreimeyer, M., S. Braun, M. Gürtler, and U. Lindemann, "Extending Multiple Domain Matrices to Allow for the Modeling of Boolean Operators in Process Models," International Conference on Engineering Design, Stanford, CA, Aug 24-27, 2009.
- [462] Gunawan, I. and K. Ahsan, "Project Scheduling Improvement using Design Structure Matrix," *Int. J. of Project Organisation and Management*, vol. 2, pp. 311-327, 2010.
- [463] Lin, M.-C., K. Chen, W. Chang, and C.-H. Chen, "A DSM-Based Project-Scheduling System for Collaborative Product Development," *Int. J. of Simulation and Process Modelling*, vol. 3, pp. 183-194, 2007.

- [464] Maheswari, J.U. and K. Varghese, "Project Scheduling Using Dependency Structure Matrix," *Int. J. of Project Management*, vol. 23, pp. 223-230, 2005.
- [465] Choo, H.J., J. Hammond, I.D. Tommelein, S.A. Austin, and G. Ballard, "DePlan: A Tool for Integrated Design Management," *Automation in Construction*, vol. 13, pp. 313-326, 2004.
- [466] Lee, H. and H.-W. Suh, "Workflow Structuring and Reengineering Method for Design Process," *Computers & Industrial Engineering*, vol. 51, pp. 698-714, 2006.
- [467] Tuholski, S.J. and I.D. Tommelein, "Design Structure Matrix Implementation on a Seismic Retrofit," *Journal of Management in Engineering*, vol. 26, pp. 144-152, 2010.
- [468] Huang, E. and S.-J.G. Chen, "Estimation of Project Completion Time and Factors Analysis for Concurrent Engineering Project Management: A Simulation Approach," *Concurrent Engineering: Research & Applications*, vol. 14, pp. 329-341, 2006.
- [469] Shi, Q. and T. Blomquist, "A New Approach for Project Scheduling using Fuzzy Dependency Structure Matrix," *Int. J. of Project Management*, vol. 30, pp. 503-510, 2012.
- [470] Lee, S.G., K.L. Ong, and L.P. Khoo, "Control and Monitoring of Concurrent Design Tasks in a Dynamic Environment," *Concurrent Engineering: Research & Applications*, vol. 12, pp. 59-66, 2004.
- [471] Platanitis, G., R. Pop-Iliev, and B. Ahmad, "Development of a DSM-Based Methodology in an Academic Setting," *Journal of Mechanical Design*, vol. 134, 2012.
- [472] Feng, G. and C. Wang, "Product Design Process Management Based on Design Structure Matrix (in Chinese)," *Information and Control*, vol. 4, pp. 470-475, 2005.
- [473] Johnson, E.W. and J.B. Brockman, "Measurement and Analysis of Sequential Design Processes," *ACM Trans. on Design Automation of Electronic Systems* vol. 3, pp. 1-20, 1998.
- [474] Ong, K.L., S.G. Lee, and L.P. Khoo, "Homogeneous State-space Representation of Concurrent Design," *Journal of Engineering Design*, vol. 14, p. 221, 2003.
- [475] Xu, C.-j., A.-p. Li, and X.-m. Liu, "Time Model in Overlapped Development Process of Coupled Activities (in Chinese)," *Computer Integrated Manufacturing Systems*, vol. 15, pp. 1914-1920, 2009.
- [476] Gärtner, T., N. Rohleder, C.M. Schlick, and L. Schulz, "A Simulation Model for the Planning and Optimization of Product Development Projects based on the Design Structure Matrix," 3<sup>rd</sup> International Conference on Changeable, Agile, Reconfigurable and Virtual Production (CARV), Munich, Germany, Oct 5-7, 2009.
- [477] McGill, E.A., "Optimizing the Closures Development Process Using the Design Structure Matrix," Master's, Sloan/ESD, Massachusetts Institute of Technology, Cambridge, MA, 2005.
- [478] Martínez León, H.C., J.A. Farris, G. Letens, and A. Hernandez, "An Analytical Management Framework for New Product Development Processes Featuring Uncertain Iterations," *Journal of Engineering and Technology Management*, vol. 30, pp. 45-71, 2013.
- [479] Wynn, D.C., N.H.M. Caldwell, and P.J. Clarkson, "Predicting Change Propagation in Complex Design Workflows," *Journal of Mechanical Design*, vol. 136, 2014.
- [480] Yang, Q., T. Yao, T. Lu, and B. Zhang, "The Impact of Uncertainty and Ambiguity Related to Iteration and Overlapping on Schedule of Product Development Projects," *Int. J. of Project Management*, vol. 32, pp. 827-837, 2014.
- [481] Feng, Q., S.-k. Zeng, Y. Ren, and B. Sun, "Simulation Assessment for Technical Risk of Complex Product Development Process (in Chinese)," *Journal of System Simulation*, vol. 21, pp. 5207-5211, 2009.
- [482] Suss, S. and V. Thomson, "Optimal Design Processes under Uncertainty and Reciprocal Dependency," *Journal of Engineering Design*, vol. 23, pp. 826-848, 2012.
- [483] Maier, J.F., D.C. Wynn, W. Biedermann, U. Lindemann, and P.J. Clarkson, "Simulating Progressive Iteration, Rework and Change Propagation to Prioritise Design Tasks," *Research in Engineering Design*, vol. 25, pp. 283-307, 2014.
- [484] Zhang, H. and W. Qiu, "Product Development Two-factor Risk Model and Simulation Based on DSM (in Chinese)," *Journal of Beijing University of Aeronautics and Astronautics*, vol. 33, pp. 627-630, 2007.
- [485] Abdelsalam, H.M.E. and H.P. Bao, "Re-sequencing of Design Processes with Activity Stochastic Time and Cost: An Optimization-Simulation Approach," *Journal of Mechanical Design*, vol. 129, pp. 150-157, 2007.
- [486] Lin, J., Y. Qian, A.A. Yassine, and W. Cui, "A Fuzzy Approach for Sequencing Interrelated Activities in a DSM," *Int. J. of Production Research*, vol. 50, pp. 7012-7025, 2012.
- [487] McCulley, C. and C.L. Bloebaum, "A Genetic Tool for Optimal Design Sequencing in Complex Engineering Systems," *Structural Optimization*, vol. 12, pp. 186-201, 1996.
- [488] Othman, M., N. Bhuiyan, and L. Kong, "Developing a Dynamic Wheelchair Using the Design Structure Matrix Method," *Concurrent Engineering*, vol. 19, pp. 235-243, 2011.
- [489] Chen, D.-Y., W.-H. Qiu, M. Yang, and H.-P. Zhang, "DSM Based Product Development Process Modeling and Simulation Optimization (in Chinese)," *Computer Integrated Manufacturing Systems*, vol. 4, pp. 661-666, 2008.
- [490] Jiao, J.R., Y. Zhang, and Y. Wang, "A Heuristic Genetic Algorithm for Product Portfolio Planning," *Computers & Operations Research*, vol. 34, pp. 1777-1799, 2007.
- [491] Zhao, Z., W. You, and Q. Lü, "Design Process Sequencing Optimization of Concurrent Engineering Projects based on Genetic Algorithm and Monte Carlo Simulation (in Chinese)," *China Civil Engineering Journal*, vol. 42, pp. 139-144, 2009.
- [492] Forbes, G.A., D.A. Fleming, A.H.B. Duffy, and P.D. Ball, "The Optimisation of a Strategic Business Process," 20<sup>th</sup> International Manufacturing Conference, Cork, Ireland, Sep 3-5, 2003.
- [493] Chen, S.-J., L.M. Mazur, and M. Sasiadek, "Project Task Flow Optimisation and Departmental Flow Analysis Using Design Structure Matrix and Genetic Algorithm," *Int. J. of Logistics Systems and Management*, vol. 15, pp. 68-92, 2013.
- [494] Yang, Q., J. Lv, and J. Huang, "Project Process Sequencing Based on Dependency Structure Matrix (DSM)," 1<sup>st</sup> IEEE International Conference on Information Science and Engineering Nanjing, China, Dec 26-28, 2009.
- [495] Zhang, Y., "A Simulation-Based Resource Optimization and Time Reduction Model using Design Structure Matrix," Computation for Design and Optimization Program, Massachusetts Institute of Technology, Cambridge, MA, 2008.
- [496] Kang, C. and Y.S. Hong, "Evaluation of Acceleration Effect of Dynamic Sequencing of Design Process in a Multiproject Environment," *Journal of Mechanical Design*, vol. 131, 2009.
- [497] Nonsiri, S., F. Christophe, E. Coataneé, and F. Mokammel, "A Combined Design Structure Matrix (DSM) and Discrete Differential Evolution (DDE) Approach for Scheduling and Organizing System Development Tasks Modelled using SysML," *Journal of Integrated Design and Process Science*, vol. 18, pp. 19-40, 2014.
- [498] Devendorf, E. and K. Lewis, "The Impact of Process Architecture on Equilibrium Stability in Distributed Design," *Journal of Mechanical Design*, vol. 133, 2011.
- [499] Devendorf, E. and K. Lewis, "Incorporating Process Architecture in the Evaluation of Stability in Distributed Design," ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, Washington, DC, Aug 28-31, 2011.
- [500] Matthews, P.C. and C.D.W. Lomas, "A Methodology for Quantitative Estimates for the Work and Disturbance Transformation Matrices," *Journal of Engineering Design*, vol. 21, pp. 413-425, 2010.
- [501] Wang, Z. and C.L. Magee, "Convergence Analysis and Iteration Estimation for a Coupled Design Process with Overlap in Redesign," *IEEE Trans. on Eng. Mgmt.*, vol. 59, pp. 621-633, 2012.
- [502] Harrison, N.B. and J.O. Coplein, "Patterns of Productive Software Organizations," *Bell Labs Technical Journal*, vol. 1, pp. 138-145, 1996.
- [503] Fang, D., J. Liu, and W. Zhao, "Process-oriented Business Service Design Method (in Chinese)," *Computer Integrated Manufacturing Systems*, vol. 15, 2009.
- [504] Efatmaneshnik, M., C. Reidsema, J. Marczyk, and A.T. Balaei, "Immune Decomposition and Decomposability Analysis of Complex Design Problems with a Graph Theoretic Complexity Measure," *Studies in Computational Intelligence*, vol. 260, pp. 27-52, 2010.
- [505] Phoomboplab, T. and D. Ceglarek, "Design Synthesis Framework for Dimensional Management in Multistage Assembly System," *CIRP Annals-Manufacturing Technology*, vol. 56, pp. 153-158, 2007.
- [506] Sen, C., F. Ameri, and J.D. Summers, "An Entropic Method for Sequencing Discrete Design Decisions," *Journal of Mechanical Design*, vol. 132, 2010.
- [507] Chen, D.-y., W.-h. Qiu, H.-p. Zhang, and M. Yang, "Product Development Process Simulation Model Under Resource Constraint (in Chinese)," *Computer Engineering*, vol. 34, pp. 15-17, 2008.
- [508] Chen, W.-m., T.-g. Chen, and R.-b. Xiao, "Coupled Sets Solving Method Based on Hybrid Iteration under Dynamic Environment (in Chinese)," *Computer Integrated Manufacturing Systems*, vol. 16, pp. 271-279, 2010.
- [509] Kondoh, S. and T. Salmi, "Strategic Decision Making Method for Sharing Resources among Multiple Manufacturing/Remanufacturing Systems," *Journal of Remanufacturing*, vol. 1, 2011.

- [510] Braha, D., "Partitioning Tasks to Product Development Teams," ASME International Design Engineering Technical Conferences (Design Theory & Methodology Conference), Montreal, Sep. 29 - Oct. 2, 2002.
- [511] Helo, P.T., "Product Configuration Analysis with Design Structure Matrix," *Industrial Management & Data Systems*, vol. 106, pp. 997-1011, 2006.
- [512] McLain, D., "Quantifying Project Characteristics Related to Uncertainty," *Project Management Journal*, vol. 40, pp. 60-73, 2009.
- [513] Huberman, B.A. and D.M. Wilkinson, "Performance Variability and Project Dynamics," *Computational & Mathematical Organization Theory*, vol. 11, pp. 307-332, 2005.
- [514] Singh, S.K., S. Sabharwal, and J.P. Gupta, "Event-Based Metric for Computing System Complexity," *Communications in Computer and Information Science*, vol. 95, pp. 46-61, 2010.
- [515] Huang, H.-H., F.L. Lewis, O.C. Pastravanu, and A. Gürel, "Flow-shop Scheduling Design in an FMS Matrix Framework," *Control Engineering Practice*, vol. 3, pp. 561-568, 1995.
- [516] Jenab, K. and D. Liu, "A Graph-based Model for Manufacturing Complexity," *Int. J. of Production Research*, vol. 48, pp. 3383-3392, 2010.
- [517] Li, M. and D. Li, "Process Modeling for Production System Based on Matrix Mapping," *Advanced Materials Research*, vol. 156-157, pp. 1497-1500, 2011.
- [518] Pulm, U. and J. Clarkson, "The Meaning and Coherence of Process, Organisation and Product in Engineering Design," *Journal of Integrated Design and Process Science*, vol. 7, pp. 1-11, 2005.
- [519] Kerns, C., "Naval Ship Design and Synthesis Model Architecture Using a Model-Based Systems Engineering Approach," Master's, Ocean Eng., Virginia Polytechnic Institute and State University, Blacksburg, VA, 2011.
- [520] Jung, S., G.-b. Park, and D.-H. Choi, "A Decomposition Method for Exploiting Parallel Computing Including the Determination of an Optimal Number of Subsystems," *Journal of Mechanical Design*, vol. 135, 2013.
- [521] Saridakis, K. and A. Dentsoras, "Integration of Genetic Optimisation and Neuro-fuzzy Approximation in Parametric Engineering Design," *Int. J. of Systems Science*, vol. 40, pp. 131-145, 2009.
- [522] Schmid, B., C. Schroth, M. Miche, and T. Janner, "Valuating Modular Architectures for Cross-Company Electronic Interaction," *Communications of the IBIMA*, vol. 9, pp. 128-140, 2009.
- [523] Schroth, C. and B. Schmid, "A Modular Reference Architecture Framework for Electronic Cross-Organizational Interoperation," *Electronic Government*, vol. 5184, pp. 303-314, 2008.
- [524] Schroth, C., "Global Industrialisation of Information-intensive Services: A Reference Architecture for Electronic Business Media," *Int. J. of Product Lifecycle Management*, vol. 3, pp. 191-210, 2008.
- [525] Shekar, B., R. Venkataram, and B.M. Satish, "Managing Complexity in Aircraft Design using Design Structure Matrix," *Concurrent Engineering*, vol. 19, pp. 283-294, 2011.
- [526] Pan, Z.-y., X. Huang, and Y.-g. Li, "Intelligent Navigation Method for Product Design based on Extended Adjacency Matrix of Directed Graph (in Chinese)," *Computer Integrated Manufacturing Systems*, vol. 15, pp. 445-451, 2009.
- [527] Noor, M.J. and D.E. Whitney, "Achieving Excellence in Product Development by Resolving Quality and Warranty Issues Upstream, while Reducing Lead-time," *Int. J. of Product Development*, vol. 12, pp. 296-310, 2010.
- [528] Corby Jr., R.J., "Using the Design Structure Matrix and Systems Thinking to Develop a Requirements Driven Automotive Closures Design Process," Master's, Massachusetts Institute of Technology, Cambridge, MA, 2008.
- [529] Hassan, T.M., "Macro and Micro Models for Large Scale Engineering Processes," *Int. J. of Computer Applications in Technology*, vol. 18, pp. 189-202, 2003.
- [530] Huovila, P. and K.-J. Seren, "Customer-oriented Design Methods for Construction Projects," *Journal of Engineering Design*, vol. 9, pp. 225-238, 1998.
- [531] Chua, D.K.H., A. Tyagi, S. Ling, and S.H. Bok, "Process-Parameter-Interface Model for Design Management," *Journal of Construction Engineering & Management*, vol. 129, pp. 653-663, 2003.
- [532] Gunasekaran, A. and P.E.D. Love, "Concurrent Engineering: A Multi-disciplinary Approach for Construction," *Logistics Information Management*, vol. 11, pp. 295-300, 1998.
- [533] Koskela, L., P. Huovila, and J. Leinonen, "Design Management in Building Construction: From Theory to Practice," *Journal of Construction Research*, vol. 3, pp. 1-16, 2002.
- [534] Akram, S., J. Kim, S. Pi, and J. Seo, "Design Structure Matrix: A Model Proposal and Implementation on Harbor and Building Design Project," *Korean Journal of Construction Engineering and Management*, vol. 14, pp. 144-152, 2013.
- [535] Chen, Y.M. and M.-Y. Chen, "Social Network Analysis Aided Product Development Project Management: IC Substrates Case Study," *Management Science Letters*, vol. 1, pp. 107-114, 2011.
- [536] Gunawan, I., "Application of Numerical Design Structure Matrix Method in Engineering Projects Management," *Operations and Supply Chain Management*, vol. 2, pp. 1-10, 2009.
- [537] Sandhu, M. and P. Helo, "A Network Approach to Project Business Analysis," *Engineering Construction & Architectural Management*, vol. 13, pp. 600-615, 2006.
- [538] Sandhu, M., "Project Logistics with the Dependency Structure Matrix Approach - An Analysis of a Power Plant," *Int. J. of Logistics Systems and Management*, vol. 2, pp. 387-403, 2006.
- [539] Al-Hakim, L., "Modelling Information Flow for Surgery Management Process," *Int. J. of Information Quality*, vol. 2, pp. 60-74, 2008.
- [540] Coates, G., A.H.B. Duffy, W. Hills, and R.I. Whitfield, "A Generic Coordination Approach Applied to a Manufacturing Environment," *Journal of Materials Processing Technology*, vol. 107, pp. 404-411, 2000.
- [541] Chin, K.-S., X. Zu, C.K. Mok, and H.Y. Tam, "Integrated Integration Definition Language 0 (IDEF) and Coloured Petri Nets (CPN) Modelling and Simulation Tool: A Study on Mould-making Processes," *Int. J. of Production Research*, vol. 44, pp. 3179-3205, 2006.
- [542] Linebarger, J.M., M.J. De Spain, M.J. McDonald, F.W. Spencer, and R.J. Cloutier, "The Design for Tractable Analysis (DTA) Framework: A Methodology for the Analysis and Simulation of Complex Systems," *Int. J. of Decision Support Systems Technologies*, vol. 1, pp. 69-91, 2009.
- [543] Bulloch, B. and J. Sullivan, "Information - The Key to the Real Estate Development Process," *Cornell Real Estate Journal*, vol. 8, pp. 78-87, 2010.
- [544] Staats, B.R., D.J. Brunner, and D.M. Upton, "Lean Principles, Learning, and Knowledge Work: Evidence From a Software Services Provider," *Journal of Operations Management*, vol. 29, pp. 376-390, 2011.
- [545] Staats, B.R. and D.M. Upton, "Lean Knowledge Work," *Harvard Business Review*, vol. 89, pp. 100-110, 2011.
- [546] Kalyanasundaram, V. and K. Lewis, "A Function Based Approach for Product Integration," ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference (IDETC/CIE), Washington, DC, Aug 28-31, 2011.
- [547] Holley, V., M. Jankovic, and B. Yannou, "Physical Interface Ontology for Management of Conflicts and Risks in Complex Systems," *Concurrent Engineering*, vol. 22, pp. 148-161, 2014.
- [548] Navarro, I., N. Leveson, and K. Lunqvist, "Semantic Decoupling: Reducing the Impact of Requirement Changes," *Requirements Engineering*, vol. 15, pp. 419-437, 2010.
- [549] Smith, B.V. and M.G. Ierapepritou, "Modeling and Optimization of Product Design and Portfolio Management Interface," *Computers & Chemical Engineering*, vol. 35, pp. 2579-2589, 2011.
- [550] Petz, A., S. Terstegen, S. Duckwitz, and C.M. Schlick, "Modeling and Simulation of Service Systems with Design Structure and Domain Mapping Matrices," *Journal of Modern Project Management*, vol. 3, pp. 64-71, 2015.
- [551] Aldanondo, M., E. Vareilles, and M. Djefel, "Towards an Association of Product Configuration with Production Planning," *Int. J. of Mass Customisation*, vol. 3, pp. 316-332, 2010.
- [552] Galvao, A.B. and K. Sato, "Affordances in Product Architecture: Linking Technical Functions and Users' Tasks," ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference, Long Beach, CA, Sep 24-28, 2005.
- [553] Elgh, F., "Supporting Management and Maintenance of Manufacturing Knowledge in Design Automation Systems," *Advanced Engineering Informatics*, vol. 22, pp. 445-456, 2008.