

# Detection of tumor in brain depended on k-means clustering using GUI

Vishal Goyal<sup>1</sup>, Vinay Kumar Deolia<sup>2</sup>

<sup>1,2</sup>Department of Electronics and Communication, GLA University, Mathura  
vishal.goyal@gla.ac.in, vinaykumar.deolia@gla.ac.in

**Abstract-** *The main purpose of this project is to identify the brain tumor utilizing graphical user interface in MATLAB software. Neoplasm is a non-manageable growth of clump in brain tissues. The identification of tumefaction can be done by using either CT (computerized tomography) scan or MRI (magnetic resonance imaging). Mostly the MRI images are preferred over CT scan as they describe functional information of the tumefaction. The approach to design this paper involves four stages: - Pre-processing, edge detection, fuzzy-means clustering, followed by segmentation. This integrated approach allows the segmentation of swelling tissues with accuracy and reproducibility compared to manual segmentation. Finally, the tumefaction affected region is clearly displayed using segmentation.*  
**Keywords-** *brain Tumor, Neoplasm, Fuzzy c-means, and Threshold segmentation*


## 1. Introduction

Neoplasm is the foremost explanation of demise in economically developed countries. Tumor familiar by medical mean neoplasm, is a wide collection of a assortment of disease by tolerant cell enlargement. In disease, cells separate and breed broadly, framing harmful tumors, and attack close by parts of the body. The malignancy may likewise grow to more inaccessible pieces of the body through the lymphatic framework or circulation system. Not all tumors are dangerous. Generous tumors don't create wildly, don't assault neighboring tissues, and don't spread all through the body. The significant side effect of have it are a cerebral pain, regurgitating, character or social change, irregularity of eye faction. The remaining paper is organized by the presently utilized strategies for the projected method.

## 2. Proposed System

The projected method working now contains four phases. Pictures got or utilized ought to be of MRI filters and these examined pictures are shown in 2-D lattices which will have the quantity of pixels as its components. Pictures are put away in MATLAB and changed over (if not as of now) to be shown as a dim scale picture of size 256x256. The size is imperative to decrease handling time or to be sufficiently enormous to be considered for legitimate preparing. The estimations of dim scale picture would go from 0 to 255, where '0' speaks to add up to dark and '255' shows unadulterated white shading.

The steps of the designed method are conversed as follows:



#### A. Pre-Processing stage

Pre-Processing depends on the procedure and corrects the system abnormalities such as differential light detection efficiency, dead pixels or dark noise. It improves the quality of the image. It consists of the following stages:

##### 1. Gray level conversion:

A gray colour is one in which the red, green and blue components have comparative powers in RGB space. By and large, a picture comprises of modest quantities of RGB parts. These pictures should be changed over into dark scale picture which ranges from 0-255-pixel esteems.

##### 2. Addition of noise:

Throughout the adaptation of an image by RGB to gray some unknown noise is crept into the image. Salt and pepper noise are used to remove the random noise in an image

##### 3. Removal of noise using median filter:

Strain is a method utilized to eliminate the noise here inside an image. To eradicate the noises such as salt and pepper

##### 4. Image enhancement:

The point of picture upgrade is to improve the interpretability or view of data in pictures to give better contribution to other mechanized picture preparing procedure i.e., recurrence area technique, which works on the Fourier change of a picture. Acquired image consists of defects that lead to poor contrast. To covert low contrast image into high contrast image we use histogram equalization to scale the value of each pixel in the image. As compared to histogram equalization (performs on entire image), adaptive histogram performs on each and every pixel of the image. This performance results in better quality of the image

#### B. Edge detection techniques

Edge is a border among 2 regions by means of comparatively separate gray level properties. Edges are the pixels where the brightness functions change abruptly Edge detection is an image processing method for pronouncement the boundaries of an object within the image. It works by detecting discontinuities in brightness levels of an image. The criteria for optimal edge detection are good detection, probability, good localization and single response. The simplest of the edge detection operator will work best with binary images is the common edge detection algorithms that includes Robert, prewitt, Sobel-Feldman and canny

edge detection.

1. Robert edge detection:

Robert operator is a simple approximation to the first order derivative. It is utilized to identify edges dependent on applying an even and vertical channel in clustering the two channels are applied to the picture and added to frame the conclusive outcome.

-1	0
0	+1

$$G_x$$

0	-1
+1	0

$$G_y$$

TABLE.1: Vertical and Horizontal Filter

The pixel principles in each point in the production represent the predictable absolute degree of the spatial gradient of the input image at that point. It marks the edge points only; it does not return any information about the edge orientation.

2. Prewitt edge detection:

The prewitt worker is utilized in image processing, as by distinct separation operative; calculate an estimation of change in the image intensity function. Incline based edge detector is estimated in a 3\*3 neighborhood for eight directions. It has fixed pixel values in a mask. The whole eight convolution veils are determined. It depends on convolving the picture with a little, detachable and whole number esteemed channel even and vertical direction.

-1	-1	-1
0	0	0
+1	+1	+1

$$G_x$$

-1	0	+1
-1	0	+1
-1	0	+1

$$G_y$$

TABLE.2: 3x3 kernel for prewitt operator The gradient approximation produces Relatively crude, in particularly for high frequency variations in an image. As compared to the Sobel- Feldman operator the noise level present in the image are very high. So due to this increase in noise levels proper detection of image is not performed.

3. Sobel-Feldman operator:

It is worn in image processing and CPU vision, mainly inside the edge detection algorithm where in generates an image emphasize edges. As gradient operator the 3\*3 mask of this operator is shown below.

$$G = \sqrt{G_x^2 + G_y^2}$$

$$\Theta = \text{atan}\left(\frac{G_y}{G_x}\right)$$

-1	-2	-1
0	0	0
+1	+2	+1

$$G_x$$

-1	0	-1
-2	0	+2
-1	0	+1

$$G_y$$

n

TABLE.3: 3x3 kernel for Sobel-Feldman operator

The weights of the masks can be changed accordingly to detect the more no of edges in an image. In conjecture at any rate the operative contains of a pair of 3\*3 complication kernel is given away below fig.

One kernel is basically the additionally rotate by 90 degrees. That is extremely alike to the Robert irritable operative

#### 4. Canny edge detection:

The watchful edge locator is an edge recognition administrator that utilizes a multi stage calculation to recognize a wide scope of edges in pictures. It is a Laplacian based administrator; it removes the basic data from various vision objects and significantly decreases the measure of information to be prepared. The overall standards for edge recognition include: the discovery of edges with low blunder rate, exact restriction on the focal point of the edge. There is no likelihood that picture noise will make bogus edges

The cycle of shrewd edge identification calculation can be separated to five distinct advances:

1. Relate Gaussian filter to smoothen the image in order to eliminate the noise.

$$H_{ij} = \frac{1}{2\pi\sigma^2} \exp\left(-\frac{(i-(k+1))^2 + (j-(k+1))^2}{2\sigma^2}\right); 1 \leq i, j \leq (2k+1)$$

2. Finding the intensity gradient of the image

$$G = \sqrt{G_x^2 + G_y^2}$$

$$\Theta = \text{atan2}(G_y, G_x).$$

3. Non maximum repression (edge thinning technique)
4. Implementation of double threshold for spurious responses, to preserve edge pixels with a high gradient value.
5. Edge tracking by hysteresis is.

#### C. Clustering

The way toward sorting out items into bunches whose individuals are comparative somehow or another". A group is in this way an assortment of items which are comparable between the command not at all like the articles having a place with different bunches. This is called separation - based clustering. Clustering jars be generally recognizing heads:

- a. Hard clustering: each article has a place with a bunch or not.
- b. Soft clustering (likewise: fluffy bunching): each item has a place with each group in a specific way (for instance, a probability of having a place with the group).

Here, K-means clustering is used to divide the overall image into various clusters by assigning the value of 'K'. It is a partial clustering approach. The amount of clusters is executed is classified based on the value of K. The steps involved in clustering methods as given:

1. Initially fix the value of 'K' which represents the cluster centers.
2. Allocate every point to the closest cluster center based on Euclidean distance.
3. The position of the 'K' is recalculated whenever the pixel of the image is allocated
4. Replicate the steps 2 and 3 until the value of the 'K' should remain constant.
5. Depending on the value of 'K' display each divided cluster separately.

#### D. Segmentation

The Segmentation of a picture involves the division or partition of the picture into districts of comparable

characteristic. A definitive point in an enormous number of pictures preparing applications is to remove significant highlights from the picture information, from which a depiction, translation, or comprehension of the scene can be given by the machine. The objective is to improve or potentially change the portrayal of a picture into something that is more significant and simpler to examinations. Picture division is commonly used to find the articles and limits (lines, bends, and so forth.) in pictures. All the more accurately, picture division is the process of appointing a mark to each pixel picture. The intermittence approach is to portion the picture dependent on unexpected change in power, for example, edged in the pictures. It is a lot of fragments that all things considered spread the whole picture, or a lot of forms removed from the picture. Every one of the pixels in an area is comparative as for some trademark or figured property, for example, shading, force, or surface. Adjoining locales are fundamentally extraordinary as for similar qualities.

These sorts of calculations are utilized separating the mind pictures into three classifications, they are:

- (a) Edge Based
- (b) province(or)Texture Based
- (c) Pixel Based

a) Edge Based Segmentation:

Edge-based division speaks to a huge gathering of techniques dependent on data about edges in the picture. It depends on the quick difference in power an incentive in a picture on the grounds that a solitary force esteem doesn't give great data about edges. Edge recognition methods find the edges where either the primary subsidiary of force is more noteworthy than a specific edge or the subsequent subordinate has zero intersections. In edge-based division strategies, above all else the edges are distinguished and afterward are associated together to frame the item limits to section the necessary locales. The essential two edge-based division strategies are: Gray histograms and Gradient based techniques. To recognize the edges one of the fundamental edge recognition strategies like Sobel-Feldman administrator, vigilant administrator and Robert's administrator and so on can be utilized. Consequence of these techniques is fundamentally a paired picture. These are the auxiliary strategies dependent on irregularity location.

b) Region Based Segmentation:

This methodology of division analyzes neighboring pixels of introductory seed focuses and decides if the pixel neighbor ought to be added to the locale. The cycle is iterated on, in a similar way as broad information grouping calculations. There are three essential strategies for area-based division of picture is locale developing, district parting, and area combining. Out of these, locale developing is the least difficult one. Locale developing techniques include bunching of neighboring pixels of comparable abundance together to shape a sectioned area.

Part and consolidation picture division strategies depend on a quad tree information portrayal whereby a square picture section is broken (part) into four quadrants if the first picture fragment is non-uniform in property. On the off chance that four neighboring squares are discovered to be uniform, they are supplanted (converge) by a solitary square made out of the four contiguous squares. Parting and consolidating endeavors to partition a picture into uniform locales.

c) Pixel Based Segmentation

The s pixel-based division basically manages thresholding technique. This strategy depends on a clasp level (or an edge worth) to transform a dark scale picture into a double picture. For this task, a limit-based

edge division approach has been favored for appropriate division and is talked about quickly underneath. The pixel-based limit division should be possible by three different ways for example Worldwide thresholding, variable thresholding and different thresholding which are been examined as follows.

**Global Thresholding:** In this thresholding procedure, every pixel esteem in the picture is contrasted and a solitary (worldwide) edge esteem (T). In the event that the estimation of the pixel is more prominent than the edge esteem, at that point the pixel is viewed as High or rationale '1'. On the off chance that the estimation of the pixel is not exactly the edge esteem (T) at that point it is considered as low or logic'0'. The edge worth will be fixed by playing out the normal of the apparent multitude of pixels.

**Variable Thresholding:** Variable thresholding (likewise versatile thresholding), in which the limit esteem fluctuates over the picture as a component of nearby picture qualities, can deliver the arrangement in these cases. It is determined for littler districts and hence there will be distinctive limit esteems for various areas.

**Multiple Thresholding:** Numerous thresholding is a cycle that fragments a dark level picture into a few unmistakable districts. This procedure decides more than one limit for the given picture and sections the picture into certain splendor locales, which relate to one foundation and a few articles.

### 3. RESULTS AND ANALYSIS

#### 1. *Uploading the MRI Image*

Firstly, run the application in MATLAB to start of an image. The uploaded image must be present in the folder and the folder path must be extracted in the application. The input MRI Image is ready to upload and process.




Fig.1. Uploading MRI Image in GUI

#### 2. *Addition of Noise*

Picture noise is an irregular variety of brilliance or shading data in pictures. Salt and pepper noise is a type of commotion that can be brought about by sharp and abrupt aggravations in the picture signal. Here the commotion is included which is of 2%.




Fig.2. Addition of Salt and Pepper Noise

### 3. Removing Noise using Median Filter

Center filter is utilized to take away the salt and pepper noise. The noise component present in the brain image should be perfectly removed to detect the defected part easily. This method computes the medium of the neighboring pixel to decide the novel and the deposed value of the pixel.




Fig.3.elimination of Noise utilizing Median Filter

### 4. Enhancement of An Image




Fig.4.Enhancement using Adaptive Histogram Equalization

It is a process of regulate digital images by which the consequences are additional appropriate for displaying or supplementary image investigation. The two image enhancement techniques which are used in this proposed method are histogram equalization and adaptive histogram equalization. The improvement of an image is better in adaptive histogram equalization.

### 5. Edge Detection

Edge detection methods are useful to split the separate region of input MRI brain Image. The three operators Sobel-Feldman, prewitt and canny are implemented to detect the edges of the brain and are obviously identified in every method. The boundaries can be detected using Sobel-Feldman and prewitt operator whereas edges can be detected using canny algorithm. Outputs of all the three algorithms are displayed in fig 5. (a)(b)(c) Correspondingly.




Fig.5(a). Output of Sobel-Feldman

Fig.5(b). Output ofPrewitt




Fig.5(c). Output ofCanny

As compared to Sobel-Feldman and prewitt here, the edges of canny are perfectly seen and the tumor part can be detected easily and more effectively.

### 6. K-Means Clustering

Clustering plays a major role in this proposed methodology. Here segmentation is performed using K-Means algorithm. By taking the value of K the possible clustered region is detected in the brain image. Here we perform for variable K values and the outputs for different values of K are shown below. The tumor region is always recognized in the last cluster.




Fig.6(a). K-Means clustering for K=4

Let us consider an example for K=6 as the tumor region is perfectly analyzed.




Fig.6(b). K-Means clustering for K=6

### 7. Threshold segmentation

Clustering is followed by segmentation. By using segmentation, we can extract the area and size of the tumor. It also locates the exact tumor region. The classification of tumefaction can also be done using segmentation. By doing proper segmentation and fixing a perfect threshold value we can extract even a



small tumor portion with more accurately.




Fig.7. Output of Segmentation

In the above shown figure we can justify that the tumor is present in the left most side of the overall image.

#### 4. CONCLUSION

The current technique utilizing MRI pictures which are very favored for recognizing neoplasm. By utilizing different picture preparing strategies which are talked about above with regards to neoplasm location on MRI filtered pictures of the projected calculation is generally gainful in clinical applications. To identify the tumefaction influenced district in different cerebrum tissues can be utilized by K-Means grouping calculation. Utilizing this projected calculation, the ID of the neoplasm locale is done proficiently. In further characterization of neoplasm for example threatening or kind can be recognized to improve the exhibition, limitation and distinguishing of tumefaction district all the more precisely the new division strategies ought to be utilized.

#### REFERENCES

1. R. Kavitha, and kavinRupa, "An efficient approach for brain tumor detection based on modified region growing and neural network in MRI images". ICCEET, international conference on computing, 2012.
2. Jeena RS, Suresh Kumar, "A comparative analysis of MRI and CT brain images for stroke diagnosis", ICMICR-2013.
3. Hdcel N. Abdullab, Mustafa A. Habtr, "Brain tumour extraction approach in MRI images based on soft computing techniques", 8<sup>th</sup> international conference on intelligent networks and intelligent systems (IC, NIS), 2015.
4. Ghassan Mohamed HusienAmer, and Dr. Ahmed Mohamed Abushoala, "Edge detection Methods", IEEE, 2015.
5. Pavel dvorek, Water Kropatsch, and KaselBartusek, "Automatic detection of brain tumours in MRI images", International conference on TSP, 2019.
6. Mariom-E-Jannat, and Md. Rezwanul Islam, "Detection and analysis of brain tumour from MRI by integrated thresholding and morphological process with histogram-based method", International conference on computes, 2018.
7. J. Serra, "Image segmentation", International conference on image processing, 2003.
8. Kamal PreetBindra, and Anuranjan Mishra, "A detailed study of clustering algorithms", IEEE 2017.
9. Amandeep Kaur Mann, and NavneetKaur, "Survey paper on clustering techniques", IJSETR,

Vol.2, Issue 4, April,2013.

10. Shanto Rahman, and Khalid Hussain, "Image enhancement in spatial domain: A comprehensive study", International conference on computer and information technology (ICCIT),2014.
11. Anupusba Nandi, "Detection of human brain tumour operators", 2015, IEEE, International conference on computergraphics.
12. Natarajan, Krishnan, Natasha Sandeepkenkre, "Tumor detection using threshold operation in MRI brain images", International conference on computer intelligence and computing research,2012
13. Amer Al-Badarneb, HwassanNajadat, "A classifier to detect tumour disease in MRI brain images", IEEE 2012.
14. T. Kanugo, A.V. Wu, and C.D. Piatko, "An efficient k-means clustering algorithm: analysis and implementation", IEEE, Issue 7.July,2002.
15. Prashant Agnihotri and Reza fezel. Rezai, "Comparative analysis of various brain imaging techniques",IEEE,2010.