

# Montclair State University Digital Commons

Department of Political Science and Law Faculty Scholarship and Creative Works

Department of Political Science and Law

Fall 9-20-2011

# Diagnosis Blog: Checking Up on Health Blogs in the Blogosphere

Edward Alan Miller University of Massachusetts Boston, edward.miller@umb.edu

Antoinette Pole Montclair State University, polea@montclair.edu

Follow this and additional works at: https://digitalcommons.montclair.edu/polysci-law-facpubs

Part of the Environmental Public Health Commons, Health Services Administration Commons, International Relations Commons, Medical Sciences Commons, Models and Methods Commons, Occupational Health and Industrial Hygiene Commons, Other Medicine and Health Sciences Commons, Other Political Science Commons, Other Public Health Commons, Patient Safety Commons, Public Affairs, Public Policy and Public Administration Commons, and the Social Justice Commons

#### **MSU Digital Commons Citation**

Miller, Edward Alan and Pole, Antoinette, "Diagnosis Blog: Checking Up on Health Blogs inthe Blogosphere" (2011). *Department of Political Science and Law Faculty Scholarship and Creative Works*. 18.

https://digitalcommons.montclair.edu/polysci-law-facpubs/18

This Article is brought to you for free and open access by the Department of Political Science and Law at Montclair State University Digital Commons. It has been accepted for inclusion in Department of Political Science and Law Faculty Scholarship and Creative Works by an authorized administrator of Montclair State University Digital Commons. For more information, please contact digitalcommons@montclair.edu.

# Diagnosis Blog: Checking Up on Health Blogs in the Blogosphere

Edward Alan Miller, PhD, MPA, and Antoinette Pole, PhD

Health care consumers, patients, and caregivers use the Internet to search for information about diagnoses, physicians, treatment options, and medicines.<sup>1,2</sup> They also search for support from virtual communities and post advice about managing their conditions. Health practitioners also rely on the Internet to search for information and to communicate with patients and colleagues. The role of the Internet in health care has grown considerably with the evolution of the World Wide Web, now commonly referred to as Web 2.0. Cormode and Krishnamurthy explained that the "essential difference between Web 1.0 and Web 2.0 is that content creators were few in Web 1.0 with the vast majority of users simply acting as consumers of content, while *any* participant can be a content creator in Web 2.0 and numerous technological aids have been created to maximize the potential for content creation." User-generated content, the hallmark of Web 2.0, is responsible for the remarkable growth in health-related content on the Internet. This is reflected in tools ranging from Twitter to social networking sites to wikis. The blog (short for weblog) is the quintessential Web 2.0 application.

A blog is a Web site containing dated entries, or posts, presented in reverse-chronological order. Blog features commonly include archives (previous posts, typically grouped by month and year), a blogroll (a list of recommended blogs), and a reader comment section. The term blog was first introduced in 1997 to describe a log of links that chronicled visits to various Web sites.4 Blogs once required programming knowledge to create, but with the emergence of free software such as Blogger and WordPress, virtually anyone with an Internet connection can create a blog. Not only are these software programs free and user friendly, allowing for easy posting of text, audio, pictures, video, and links, but they also provide the servers that host the blogs.<sup>5</sup>

The popularity of blogs should not be underestimated. Data show that between 12.0 and 26.4 million Americans blog and 57.0 to 94.1 million are blog readers. <sup>6,7</sup> Blogs that focus

Objectives. We analyzed the content and characteristics of influential health blogs and bloggers to provide a more thorough understanding of the health blogosphere than was previously available.

*Methods.* We identified, through a purposive–snowball approach, 951 health blogs in 2007 and 2008. All blogs were US focused and updated regularly. We described their features, topics, perspectives, and blogger demographics.

Results. Approximately half of the bloggers in our sample were employed in the health field. A majority were female, aged in their 30s, and highly educated. Two thirds posted at least weekly; one quarter accepted advertisements. Most blogs were established after 2004. They typically focused on bloggers' experiences with 1 disease or condition or on the personal experiences of health professionals. Half were written from a professional perspective, one third from a patient–consumer perspective, and a few from the perspective of an unpaid caregiver.

Conclusions. Data collected from health blogs could be aggregated for large-scale empirical investigations. Future research should assess the quality of the information posted and identify what blog features and elements best reflect adherence to prevailing norms of conduct. (*Am J Public Health.* 2010;100: 1514–1519. doi:10.2105/AJPH.2009.175125)

on health care (whose exact number is unknown) have the potential to provide interactive support networks for caregivers and patients, generate real-time discussions about health news or policy, extend social and political mobilization efforts, and offer providers another forum in which to collaborate and consult.

Yet, despite their promise, little systematic empirical research has documented the content and characteristics of health blogs and bloggers. Virtually everything written about blogs to date has consisted of anecdotes and descriptions of individual blogs. Many articles focus on the use of blogs by health care professionals to chronicle their lives and practices.<sup>8–23</sup> Several articles focus on the use of blogs by providers and patients coping with and learning about particular diseases and conditions. <sup>21,24–27</sup> The potential role of blogging in health education, 28-37 research collaboration and dissemination, 6,38 and disaster planning<sup>39</sup> has been discussed as well. The few systematic empirical studies suffer from serious limitations, such as narrow focus (physicians, nurses, cancer, or mental health) or small sample size (47-271 blogs, bloggers, or blog readers).40-44

We systematically cataloged the content and characteristics of the most influential health blogs and bloggers to provide a more thorough understanding of the health blogosphere than has been available to date. We aimed to identify the types of people who blog about health and health care, what elements and activities health blogs feature, what topics health bloggers write about, and from what perspectives health blogs are written.

#### **METHODS**

We identified health-related blogs during 2 periods: June to July 2007 and April to May 2008. Eligibility criteria were that the blogs focused predominately on a health-related topic and on the United States, were written in English, and carried a new post at least once during the 6 months prior to data collection. We analyzed a total of 951 blogs.

#### Sampling

We used a combined purposive–snowball sampling approach<sup>45</sup> to identify health-related blogs from keyword searches in various search engines and blog aggregators. From the

blogrolls provided by these blogs we identified additional blogs to consider for inclusion. This sampling approach is appropriate when the absence of a known population renders a truly random sample impossible to construct. This approach is especially appropriate for studying blogs. 46,47 Hindman et al., for example, concluded that "any site which is more than three clicks away from any of the top 200 Google or Yahoo results on a given topic is definitely off the beaten track, and not likely to have any substantial impact." 47(p28) This suggests that scholars need not catalog thousands of blogs but instead can credibly focus on the most heavily linked ones, because they are the most widely read and influential

To compile the 2007 sample we relied on Web links, search engines, and blog aggregators such as Technorati and Google Blog, in searches on health-related keywords, including "health blog," "medical blog," "health policy," "public health," "physician," "nurse," "health provider," "patient," "caregiver," and "disease." We identified additional blogs through blogrolls, which led to other blogs, and so on. Sampling ceased once the same blogs appeared multiple times and no new blogs were identified. The 2007 sample consisted of 622 blogs.

To compile the 2008 sample we used Healthcare 100 (http://www.edrugsearch.com/ edsblog/healthcare100), a global ranking of the top English-language health care blogs. Of the approximately 800 blogs listed, 329 new blogs were eligible for inclusion; we had already identified another 114. The remainder were ineligible.

#### **Data Abstraction**

Data abstraction included quantifying objective measures and identifying subjective themes. We derived preliminary categories describing blog features from previous research.  $^{48,49}$  We coded blogs according to these and other categories. We refined the categories over several iterations, developing them with an initial set of blogs and then applying them to all blogs in the final sample.  $^{50,51}$ 

Demographic information involved the identification of blogger gender, age, occupation, and education. Features included the age of the blog (according to the first posting or biographical entry), the number of bloggers, and the frequency of posts during the month

preceding data collection. Other features were the presence or absence of a blogroll, SiteMeter (software that counts hits, or visits to the blog, and sites that link to the blog), archives, internal links, external links, a comment section, sponsorship, commercial advertising, audio clips, and video clips. We also identified topics discussed by reading blog descriptions and posts, and we coded the primary perspective of each blogger.

Most characteristics were readily identifiable through a cursory review of each blog. However, to verify the presence or absence of some information, we delved deeper, examining multiple posts when necessary. Because the vast majority of blogs were only a few years old, examining these entries was a manageable task. (Examples of health-related blogs and their characteristics are shown in Table A, available as a supplement to the online version of this article at http://www.ajph.org.)

#### **RESULTS**

The age of the 951 health-related blogs we analyzed ranged from 1 to 10 years, with the earliest 8 created between 1999 and 2001. Only 6.5% dated from 1999 to 2003; the remaining 93.5% were established between 2004 and 2008 (Figure 1). Some (12%) of the blogs featured multiple bloggers. Nearly two thirds (63.2%) of bloggers posted at least once per week; 12.5% posted daily. Only 12.7% did not post at all.


Slightly more than two thirds of blogs (34.3%) had a SiteMeter. Most health blogs posted external links (90.2%), internal links (98.0%), and reader commentary (96.0%). Most blogs also featured archives (97.5%) and a blogroll (75.0%). Relatively few contained video (15.4%) and even fewer audio (5.5%). Sponsors supported 15% of the blogs, and more than one quarter (28.1%) accepted commercial advertising.

#### Characteristics of Health Bloggers

Women wrote 56.8% of the blogs (Table 1). Bloggers' average age was 35.8 years (range=18-69 years); approximately half (42.9%) were aged 30 to 39 years. Health bloggers were highly educated: two thirds held a master's degree or doctorate.

Half of the bloggers (49.8%) worked in health professions. Of these, 43.3% were physicians, with 14.9% specializing in internal medicine, 9.8% in both family practice and emergency medicine, 9.3% in surgery, 4.6% in pediatrics, 5.2% in psychiatry, 4.6% in pediatrics, 3.6% in obstetrics and gynecology, 2.1% in oncology, and 9.3% in other specialties. Approximately one fifth of physician bloggers (19.6%) were medical students. Twelve percent did not provide a specialty designation.

Of the 56.7% of health professionals who were not physicians, 19.9% worked in nursing, 8.7% in health consulting, 5.4% in counseling, 4.7% in research, 3.1% in emergency response, 2.0% in administration, 1.8% as a paraprofessional (e.g., as a technician or an assistant), 1.6% in therapies (e.g., physical, respiratory), 1.3% in medical journalism, and



Note. n = 893 (Of 951 blogs in the sample, information on blog age was not available for 58). a2007-2008

FIGURE 1-Percentage of Blogs Established, by Year.

TABLE 1—Demographic Characteristics of Health Bloggers: 2007–2008

Characteristic	Blogs, No.	% (No.)		
Gender	861			
Female		56.8 (489)		
Male		39.5 (340)		
Both male and female		3.7 (32)		
authors				
Age, y	326			
18-29		25.5 (83)		
30-39		42.9 (140)		
40-49		23.6 (77)		
50-69		8.0 (26)		
Education	490			
≤High school		6.1 (30)		
College graduate		26.7 (131)		
Master's degree		21.6 (106)		
Doctoral degree		45.5 (223)		
Occupation	899			
Physician		21.6 (194)		
Other health professional		28.3 (254)		
Other occupation		50.2 (451)		

8.2% in other professions (e.g., insurance, nutrition, pharmacy). We collected specific occupational information for half of health bloggers not employed as health professionals (50.2%). More than one quarter (27.4%) of these bloggers identified themselves as journalists or writers. Other frequently identified professions were professor (8.7%), information technology specialist (8.3%), student, and lawyer (both 7.3%).

More than half of health bloggers (54.3%) assumed a professional perspective in their posts. More than one third (37.7%) blogged from the perspective of a patient—consumer and fewer than one tenth (8.0%) from the perspective of someone caring for an afflicted individual. Some blogs from each perspective were personal (self-focused) and others were informational (outwardly focused).

#### **Health Blog Topics**

Most blogs focused on a single topic, but some (4.1%) discussed 2 or more topics. Two fifths (42.6%) of the blogs detailed individuals' experiences with a particular condition (Table 2). Examples of these and other health-related blogs are provided in Table 3.

The second most frequently identified blog topic was recent developments in health law, policy, and business (17.1%). The third most popular topic was health research and news (15.1%). Several blogs in this category focused on specific diseases and conditions, but unlike those reporting individuals' experiences, they were purely informational. Relatively few blogs (5.0%) focused on nutrition or personal experiences with weight loss or fat acceptance.

Other blogs explored the professional experiences of physicians (9.7%), medical students (3.6%), and other providers (11.3%). Although most physician blogs focused on physicians' own experiences, some also discussed other topics (health policy and law, health research and news).

Among blogs about particular conditions, mental health was the most prevalent focus, with most about autism spectrum disorders (26.6%), bipolar disorder (25.5%), or specific eating disorders (22.9%). Reproduction, chronic disease, disabilities, HIV/AIDS, and cancer were the next most common topics. Most reproduction blogs addressed infertility issues (81.5%); the remainder tackled multiple and premature births, delivery, and conception. Slightly fewer than half of chronic disease blogs (41.2%) dealt with diabetes; others addressed multiple sclerosis, back pain, Parkinson's disease, and asthma. Most disability blogs (69.0%) dealt with physical disabilities generally; a large proportion (31.0%) were about deafness.

#### **DISCUSSION**

We analyzed the content of 951 health blogs and the characteristics of the bloggers. Like other bloggers—and like people who seek health information on the Internet <sup>2,52,53</sup>— health bloggers tend to be younger and better educated than the general population. <sup>6,7,54</sup> Regarding gender, our findings contrasted with previous research showing that more blogs are written by men than by women. <sup>6,7,54</sup> We found the opposite in our sample, possibly because women are more likely to coordinate health services for themselves and their families or because they experience greater morbidity and poorer health outcomes. <sup>55</sup>

Like blogging more generally, health blogging is a rapidly emerging phenomenon. Health blogs feature typical elements of blogging such as internal and external links,

TABLE 2—Characteristics of Health Blogs (n=951): 2007–2008

Characteristic	% (No.)					
Blog topic						
General						
Disease/disability experience	42.6 (405)					
Health policy/law/business	17.1 (163)					
Health research/news	15.1 (144)					
Other provider experience	11.3 (107)					
Physician experience	9.7 (92)					
Nutrition information/news	4.9 (47)					
Medical student experience	3.6 (34)					
Multiple	4.1 (39)					
Specific disease						
Mental health	19.8 (188)					
Reproduction	9.7 (92)					
Chronic disease	5.4 (51)					
Physical disability	4.4 (42)					
HIV/AIDS	4.3 (41)					
Cancer	3.6 (34)					
Blogger's perspective						
Professional	54.3 (516)					
Patient/individual/consumer	37.7 (359)					
Caregiver	8.0 (76)					

archives, blogrolls, and comment sections. We observed several differences between health blogs and other blogs, however. Few health blogs featured audio or video. Consequently, posts on health blogs tended to rely more heavily on text. Many health blogs were personal rather than informational, emphasizing the journaling aspect of blogging in which bloggers share their experiences with others. This may help patients and caregivers cope with particular diseases and conditions. Similarly, it may prove cathartic for health professionals dealing with stressful work environments. Producing personal narratives can increase self-awareness, which can, in turn, promote active coping.56,57

Nearly half of our sample comprised blogs addressing particular conditions. That most of these blogs were written from a patient—consumer or caregiver perspective suggests that health blogs are being used, in part, to forge support networks among bloggers and their readers. 14,25,42,58 Blogging's interactive features—blogrolls, links that appear in posts, and comment sections—might be especially well suited to creating virtual support networks. 8,41 These online communities might

TABLE 3—Examples	of Hoolth	Dlage by	Topics	2007	2000
IABLE 3—Examples	or meaith	BIOSS DA	IODIC:	2007	ーとひひる

URL Blog Name Blogger's Descriptive Quote Disease and disability experiences Crazy Tracy http://www.crazytracy.com/blog "Where humor meets 4-point restraints" Brokenclay.org/journal http://brokenclay.org/journal/index.php "The art of intermittent disability" Journey Through Breast Cancer http://fightingbreastcancer.blogspot.com "My experience going through breast cancer" "Story of a real family living with a child with HIV" HIV. Positive http://hivchild.blogspot.com Child-Bearing Hips http://child-bearing-hips.blogspot.com "Ah, the joys of unexplained infertility" Managing the Sweetness Within http://www.thesweetnesswithin. blogspot.com "Living with type 1 diabetes" Physicians and other health professionals Family Medicine Notes http://www.docnotes.net "Occasional notes from a family physician" Miami M.D. http://www.miamimd.net "Medicine as seen through the eyes of a resident" Buckeye Surgeon http://ohiosurgery.blogspot.com "Ruminations by a non-academic general surgeon" Type B Medicine http://typebmedicine.blogspot.com "Med students who have decided to come out of hiding" Lost on the Floor http://lostonthefloor.wordpress.com "New nurse navigating the road to success/competency" Homebirth Diaries http://homebirthdiaries.blogspot.com "Homebirth enthusiast and obstetrical nurse" Health research and news The Back Pain Blog http://www.rebuildyourback.com "News, commentary, articles, and opinions on back pain" **About Pediatrics** http://pediatrics.about.com "Strong interest in pediatrics and the Internet" EverythingHealth http://everythinghealth.net "Rapid changes in science, medicine, health and healing" Clinical Trials Web http://clinicaltrialsweb.blogspot.com "Latest news about clinical research" Crohn's Disease http://crohnsnews.blogspot.com "Articles and information about Crohn's Disease"

Physician Law Health Blog The Sentinel Effect Running a Hospital

Our Bodies, Our Blog

The Covert Rationing Blog

Big Fat Blog Diet Detective

The Nutritional/Dietary Supplement Law Blog

Low Carb Craig Cranky Fitness Cron-fetti

Health policy, law, and business

http://ourbodiesourblog.org

http://physicianlaw.foxrothschild.com http://blogs.wsj.com/health http://sentineleffect.wordpress.com http://runningahospital.blogspot.com http://covertrationingblog.com

#### **Nutrition information and news**

http://www.bigfatblog.com http://dietdetective.blogspot.com http://nutrisuplaw.com http://lowcarbercraig.blogspot.com http://www.crankyfitness.com http://cronfetti.blogspot.com

"Your daily dose of women's health news and analysis

"News, updates . . . useful tips relating to legal issues" "Blog on health and the business of health" "Health policy, business, & innovation" "Started by a CEO of a large Boston hospital" "Healthcare rationing: where angels fear to tread"

"How insanely poorly fat people are portrayed" "A nutrition, fitness and health resource blog" "Nutritional supplements, dietary ingredients" "Fighting fat with fat" "Your guide to health, fitness, nutrition" "More fun, less calories"

serve to empower patient-consumers, providing people with the information necessary to care for themselves and bringing more equality to the provider-patient relationship.<sup>59</sup> The extent to which patients use blogs and other Internet resources to complement, and in some instances to substitute for, conventional health system contact remains to be seen.<sup>2,60</sup>

Health blogs written by patient-consumers might prove useful to providers seeking to better understand the mental, emotional, and physical state of people living with specific conditions.<sup>61</sup> Blogging might also serve to improve the broader public health. Large-scale

empirical investigations of information posted on health blogs might better elucidate the state of health and health care. Health blogging communities could act as conduits for disseminating evidence-based information as well.<sup>43</sup>

The high proportion of blogs focused on mental health, reproduction, HIV/AIDS, and disabilities suggests that blogging might be especially appealing to those with stigmatizing illnesses or circumstances. Blogging may provide people with an environment to safely explore that part of themselves that may be stigmatized by society.44 Thus, rather than keeping aspects of their identities hidden as they might do in their everyday interactions, blogging might allow people with potentially stigmatizing conditions to freely express themselves while sharing their experiences with others.

The prevalence of certain types of blogs might also reflect significant social and political mobilization among communities of persons living with or at risk for particular conditions. This may be particularly true among those with HIV/ AIDS and physical disability, groups that have a strong advocacy presence. Blogs such as these might be devoted to mobilizing people to attend rallies, protests, or marches; sign petitions; raise funds; and support legislation.<sup>54</sup> Identifying

the extent to which health bloggers promulgate political or advocacy messages or seek contact with or support from others could be an especially fruitful avenue for future research.

Nearly half the blogs in our sample were written by health professionals, including a large number of physicians, nurses, and other direct-care workers. Blogs written by health professionals are noteworthy because they may serve to make health and medical information less arcane and more available to lay people while maintaining professional credibility. Although information posted on the Internet is not always reliable because anyone can post content, 62,63 typically health providers are viewed as a trustworthy source. If health professional blogs are to serve in such a translational role, clear professional guidelines are needed, or at a minimum, a disclaimer governing the nature of the information posted. These standards should cover such areas as the quality of that information, 2,62,63 patient confidentiality, 19,22,43 and real or perceived conflicts of interest, 2,43 especially because one quarter of the health blogs we studied featured advertisements.

Professional organizations such as the American Public Health Association and the American Medical Association have developed guidelines regarding the quality and nature of health and medical information posted on the Internet. 64,65 Professional norms governing blogging are also beginning to emerge organically within the health blog community itself. This is reflected in the promulgation of codes of conduct covering such areas as confidentiality, sponsorship, commercial disclosure, reliability, transparency, anonymity, courtesy, and respect. 66,67 Although important, professional standards are only a first step. These, in turn, need to be connected explicitly to concrete steps health bloggers should take to best reflect adherence to professional guidelines.

#### Limitations

Although we identified a large proportion of the most influential heath blogs active during the study periods, our sampling method had inherent bias. Because we had no sampling frame, blogs that would have otherwise met our inclusion criteria may have been excluded because they were not captured in either the purposive or snowball samples. Our methods may have missed some blogs with

health-related content that did not meet our eligibility criteria, such as blogs that did not focus predominately on health or health care, that were inactive (not updated at least once in the 6 months prior to data collection), or that died. We also did not identify an unknown number of less widely linked blogs that were not captured by a search engine or connected to a blog aggregator or blogroll.

Because it is likely that the sample was biased toward popular blogs of comparatively greater influence and prestige, some blog topics and areas may have been underrepresented (e.g., concerns of parents about the link between vaccination and autism) and others overrepresented (e.g., physician bloggers' interests). Because we did not exhaust all possible search terms but instead relied on a selection of general ones, we may have missed some potentially relevant health blog topics as well. Blogs also were sampled during a single year. The rapid increase in the number of health blogs suggests that the health blogosphere will continue to evolve in ways that differ from this snapshot in time.

Because many bloggers seek to remain anonymous, comprehensive sociodemographic data were not available. Furthermore, authors' representations may have been inaccurate. A large proportion of our data documented features and topics that appeared on health blogs. However, the authenticity of other information, such as blogger occupation, was unverifiable. Thus, as in other research relying on self-report rather than on direct observation, we had no way of confirming the information posted. 68

#### **Conclusions**

Web 2.0 applications are increasingly being used in the health sector with the aim of creating a more user-friendly, interactive, and efficient health care system. Blogs are an integral part of this next stage in the development of online health care. Although the potential of blogs to facilitate communication about health issues is increasingly being recognized, further data on the quality, veracity, and usefulness of health blogs are needed.

Future research should examine relationships among the blog and blogger characteristics we identified, investigating whether blog features and elements vary systematically by bloggers' gender, occupation, and perspective. Nationally representative surveys of bloggers and textual analysis of their postings would be a useful way to expand on our content analysis. The roles of other Web 2.0 technologies should be explored as well. ■

#### **About the Authors**

Edward Alan Miller is with the Department of Gerontology and the Gerontology Institute, University of Massachusetts, Boston, and the Department of Community Health and Center for Gerontology and Health Care Research, Brown University, Providence, RI. Antoinette Pole is with the Department of Political Science and Law, Montclair State University, NJ.

Correspondence should be sent to Edward Alan Miller, PhD, MPA, Dept of Gerontology, John W. McCormack Graduate School of Policy Studies, University of Massachusetts Boston, 100 Morrissey Blvd, Boston, MA 02125 (e-mail: edward.miller@umb.edu). Reprints can be ordered at http://www.ajph.org by clicking the "Reprints/Eprints" link. This article was accepted December 7, 2009.

#### **Contributors**

Both authors conceptualized and designed the study, interpreted the data, and wrote the article. E. A. Miller analyzed the data.

#### Acknowledgments

We thank Clancey Batemen for excellent assistance in conducting the research informing this article. We also thank 3 anonymous reviewers and Jessica Hoffman for comments on article drafts.

#### **Human Participant Protection**

This project was approved by Brown University's institutional review board.

#### References

- 1. Fox S. *The Engaged E-Patient Population*. Washington, DC: Pew Internet and American Life Project; 2008.
- West D, Miller EA. Digital Medicine: Health Care in the Internet Era. Washington, DC: Brookings Institution Press: 2009.
- 3. Cormode G, Krishnamurthy B. Key differences between Web 1.0 and Web 2.0. First Monday. 2008;31(6). Available at: http://www.uic.edu/htbin/cgiwrap/bin/ojs/index.php/fm/article/view/2125/1972. Accessed October 11, 2009.
- 4. Herring SC, Scheidt LA, Bonus S, Wright E. Bridging the gap: A genre analysis of weblogs. *Proceedings of the 37th Hawaii International Conference on System Sciences (HICSS-37)*. Los Alamitos, CA: IEEE Computer Society Press; 2004.
- 5. Sauer IM, Bialek D, Efimova E, Schwartlander R, Pless G, Neuhaus P. "Blogs" and "wikis" are valuable software tools for communication within research groups. *Artif Organs.* 2005;29(1):82–83.
- 6. Technorati.com. 2009. State of the blogosphere/2008. Available at: http://technorati.com/blogging/state-of-the-blogosphere. Accessed May 28, 2009.
- 7. Lenhart A, Fox S. *Bloggers: A Portrait of the Internet's New Storytellers*. Washington, DC: Pew Internet and American Life Project; 2006.

- 8. Adams SA. Blog-based applications and health information: two case studies that illustrate important questions from consumer health informatics (CHI) research. *Int J Med Inform.* 2010;79(6):e89–96.
- Adler A. Why blogs? Managed Care Magazine. 2007 (July). Available at: http://www.managedcaremag.com/ archives/0707/0707.blogs.html. Accessed March 15, 2009.
- Bains M, Beckett N, Walkling J, Sandars J.
   Medical students and their blogs. *Med Teach.* 2007; 29(5):512.
- 11. Thielst CB. Weblogs: a communication tool. J Healthc Manag. 2007;52(5):287–289.
- 12. Berger E. Emergency medicine in the blogosphere: the irreverent wit of the specialty's unofficial voice. *Ann Emerg Med.* 2007;49(5):612–614.
- 13. Bush H. Time to start blogging? *Hosp Health Netw Mag.* Available at: http://www.hhnmag.com/hhnmag\_app/jsp/articledisplay.jspdcrpath=HHNMAG/Article/data/09SEP2007/0709HHN\_InBox\_PracticalEthics&domain=HHNMAG. Accessed May 13, 2010.
- 14. Cohen ML. Family medicine meets the blogosphere. Family Pract Manag. 2007;14(5):38–40. Available at: http://www.aafp.org/fpm/20070500/38fami.html. Accessed March 31, 2009.
- 15. Coombes R. Who are the doctor bloggers and what do they want?  $BMJ.\ 2007;335(7621):644-646.$
- 16. Genes N. Why medical students should have their own blogs. *Medscape Med Students*. 2006;8(2). Available at: http://www.medscape.com/viewarticle/545546. Accessed March 31, 2009.
- Giustini D. How Web 2.0 is changing medicine. *BMJ*. 2006;333(7582):1283–1284.
- 18. Harrison JP, Lee A. The role of e-health in the changing health care environment. *Nurs Econ.* 2006; 24(6):283–289.
- 19. Harty-Golder B. Privacy issues restrict lab blogging.  $MLO\ Med\ Lab\ Obs.\ 2005; 37(5):42.$
- 20. Jacobs N. Hospital CEO raises awareness through blog. *Profiles Healthc Commun.* 2007;23(2):9–11.
- 21. Kennedy RS. Weblogs, social software, and new interactivity on the Web. *Psychiatr Serv.* 2004;55(3): 247–249.
- 22. Kennedy D. Doctor blogs raise concerns about patient privacy. National Pubic Radio. March 13, 2008. Available at: http://www.npr.org/templates/story/story.php?storyId=88163567. Accessed March 8, 2009.
- 23. Mathieu J. Blogs, podcasts, and wikis: the new names in information dissemination. *J Am Diet Assoc.* 2007; 107(4):553–555.
- 24. Asano E. A public outreach in epilepsy surgery using a serial novel on BLOG: a preliminary report. *Brain Dev.* 2007;29(2):102–104.
- 25. Blass A. Diabetes blogs: where support and education intersect. *Diabetes Self Manag.* 2007;24(3): 39–44.
- 26. Larkin M. Blogs: new way to communicate about infectious diseases. *Lancet Infect Dis.* 2005;5(12):748.
- 27. Street JM, Braunack-Mayer AJ, Facey K, Ashcroft RE, Hiller JE. Virtual community consultation? Using the literature and weblogs to link community perspectives and health technology assessment. *Health Expect.* 2008; 11(2):189–200.

- 28. Boulos MN, Maramba I, Wheeler S. Wikis, blogs and podcasts: a new generation of Web-based tools for virtual collaborative clinical practice and education. *BMC Med Educ*. 2006:15:6:41.
- 29. Chretien K, Goldman E, Faselis C. The reflective writing class blog: using technology to promote reflection and professional development. *J Gen Intern Med.* 2008; 23(12):2066–2070.
- 30. Cobus L. Using blogs and wikis in a graduate public health course. *Med Ref Serv Q.* 2009;28(1):22–32.
- 31. Genes N, Parekh S. Bringing journal club to the bedside in the form of a critical appraisal blog. *J Emerg Med.* 2009 Jan 24 [Epub ahead of print].
- 32. Goldman RH, Cohen AP, Sheahan F. Using seminar blogs to enhance student participation and learning in public health school classes. *Am J Public Health.* 2008; 98(9):1658–1663.
- 33. Maag M. The potential use of "blogs" in nursing education. Comput Inform Nurs. 2005;23(1):16-24.
- 34. Poonawalla T, Wagner RF. Assessment of a blog as a medium for dermatology education. *Dermatol Online J.* 2006;12(1):5.
- 35. Sandars J, Homer M, Pell G, Croker T. Web 2.0 and social software: the medical student way of e-learning. *Med Teach.* 2008 Feb 14:1–5 [Epub ahead of print].
- 36. Tantawi MM. Evaluation of a blog used in a dental terminology course for first-year dental students. *J Dent Educ.* 2008;72(6):725–735.
- 37. Zeng X, Harris ST. Blogging in an online health information technology class. *Perspect Health Inf Manag.* 2005;2:6.
- 38. Anonymous. It's good to blog. *Nature*. 2009; 457(7233):1058. Available at: http://www.nature.com/nature/journal/v457/n7233/full/4571058a. html. Accessed April 4, 2009.
- 39. Wilson DT, Yowell SS. Resourceful blogging: using a blog for information sharing. *Med Ref Serv Q.* 2008; 27(2):211–220.
- 40. Envision Solutions LCC and the Medical Blog Network. Results of a global online survey of healthcare bloggers: taking the pulse of the healthcare blogosphere. December 2006. Available at: http://www.envisionsolutionsnow.com/pdf/Studies/Healthcare\_Blogger\_Survey\_Report.pdf. Accessed March 31, 2009.
- 41. Kovic I, Lulic I, Brumni G. Examining the medical blogosphere: an online survey of medical bloggers. *J Med Internet Res.* 2008;10(3):e28.
- 42. Kim S, Chung DS. Characteristics of cancer blog users. *J Med Libr Assoc.* 2007;95(4):445–450.
- 43. Lagu T, Kaufman EJ, Asch DA, Armstrong K. Content of weblogs written by health professionals. *J Gen Intern Med.* 2008;23(10):1642–1646.
- 44. Sundar SS, Edwards HH, Hu Y, Stavrositu C. Blogging for better health: putting the "public" back in public health. In: Tremayne M, ed. *Blogging, Citizenship, and the Future of Media.* New York, NY: Routledge; 2007:83–102.
- 45. Patton MQ. *Qualitative Research & Evaluation Methods*, 3rd ed. Thousand Oaks, CA: Sage; 2002.
- 46. Karpf D. Measuring influence in the political blogosphere: who's winning and how can we tell? *Polit Technol Rev.* 2008(March):33–41.
- 47. Hindman M, Tsioutsiouliklis K, Johnson JA. "Googlearchy": how a few heavily-linked sites dominate

- politics on the Web. Paper presented at: Annual Meeting of the Midwest Political Science Association; March 31, 2003; Chicago, IL.
- 48. Pole A. Blogging the Political: Politics and Participation in a Networked Society. New York, NY: Routledge. In press.
- 49. Pole A. Representation and blogs: advertising, credit claiming, and position taking? Paper presented at: American Political Science Association Annual Conference; August 31-September 3, 2006; Philadelphia, PA.
- 50. Glaser BG, Strauss AL. *The Discovery of Grounded Theory.* New York, NY: Aldine De Gruyter; 1967.
- 51. Miles MB, Huberman AM. *Qualitative Data Analysis: A Sourcebook of New Methods*. Beverly Hills, CA: Sage; 1984.
- 52. Ybarra ML, Suman M. Help seeking behavior and the Internet: a national survey. *Int J Med Inform.* 2006;75(1): 29–41.
- 53. Baker L, Wagner TH, Singer S, Bundorf MK. Use of the Internet and e-mail for health care information. *JAMA*. 2003;289(18):2400–2406.
- 54. McKenna L, Pole A. What do bloggers do: an average day on an average political blog. *Public Choice*. 2008; 134(1–2):97–108.
- 55. Misra D. Women's Health Data Book: A Profile of Women's Health in the United States. 3rd ed. Washington, DC: Jacobs Institute of Women's Health; 2001.
- 56. Ridgway P. Restorying psychiatric disablity: learning from first person recovery narrratives. *Psychiatr Rehabil J.* 2001;24(4):335–343.
- 57. Turkle S. Cyberspace and identity. *Contemp Sociol.* 1999;28(6):643–648.
- 58. Oransky I. Cancer blogs. *Lancet Oncol.* 2005; 6(11):838–839.
- Fox S. Online Health Search. Washington, DC: Pew Internet and American Life Project; 2006.
- 60. Blumenthal D. Doctors in a wired world: can professionalism survive connectivity? *Milbank Q.* 2002; 80(3):525–546, iv.
- 61. Hillan J. Physician use of patient-centered weblogs and online journals. *Clin Med Res.* 2003;1(4):333–335.
- 62. Eysenbach G, Powell J, Kuss O, Sa ER. Empirical studies assessing the quality of health information for consumers on the World Wide Web: a systematic review. *JAMA*. 2002;287(20):2691–2700.
- 63. Purcell GP, Willson P, Delamothe T. The quality of information on the Internet. BMJ. 2002;324(7337): 557–558.
- 64. American Public Health Association. Criteria for assessing the quality of health information on the Internet. *Am J Public Health*. 2001;91(3):513–514.
- 65. Winker MA, Flanagin A, Chi-Lum B, et al. Guidelines for medical and health information sites on the Internet: principles governing AMA web sites. *JAMA*. 2000; 283(12):1600–1606.
- 66. Kruglyak D. [hippocrates]. [Now boarding] Health-Train, the open healthcare manifesto. 2006. Available at: http://trusted.md/manifesto. Accessed June 7, 2009.
- 67. Anonymous. Healthcare blogger code of ethics. Available at: http://medbloggercode.com/. Accessed October 10, 2009.
- Presser S., Rothgeb JM, Couper MP, et al. Methods for Testing and Evaluating Survey Questionnaires. Hoboken, NJ: Wiley-Interscience; June 2004.

#### This article has been cited by:

- 1. Véronique Bissonnette-Maheux, Audrée-Anne Dumas, Véronique Provencher, Annie Lapointe, Marilyn Dugrenier, Sharon Straus, Marie-Pierre Gagnon, Sophie Desroches. 2018. Women's Perceptions of Usefulness and Ease of Use of Four Healthy Eating Blog Characteristics: A Qualitative Study of 33 French-Canadian Women. *Journal of the Academy of Nutrition and Dietetics* 118:7, 1220-1227.e3. [Crossref]
- 2. Kristie Kannaley, Shreya Mehta, Brooks Yelton, Daniela B Friedman. 2018. Thematic analysis of blog narratives written by people with Alzheimer's disease and other dementias and care partners. *Dementia* 33, 147130121876816. [Crossref]
- 3. Michelle L. Litchman, Nancy A. Allen, Vanessa D. Colicchio, Sarah E. Wawrzynski, Kerri M. Sparling, Krissa L. Hendricks, Cynthia A. Berg. 2018. A Qualitative Analysis of Real-Time Continuous Glucose Monitoring Data Sharing with Care Partners: To Share or Not to Share? Diabetes Technology & Therapeutics 20:1, 25-31. [Crossref]
- 4. Casey Scheibling, James Gillett, Gordon Brett. 2018. Making the Virtual Rounds: The Use of Blogs by Health-Care Professionals. *Journal of Communication Inquiry* 42:1, 48-66. [Crossref]
- 5. Roselyn J. Lee-Won, Kilhoe Na, Kathryn D. Coduto. 2017. The effects of social media virality metrics, message framing, and perceived susceptibility on cancer screening intention: The mediating role of fear. *Telematics and Informatics* 34:8, 1387-1397. [Crossref]
- 6. Adeola Abdulateef Elega, Bahire Efe Özad. 2017. New media scholarship in Africa: an evaluation of Africa-focused blog related research from 2006 to 2016. *Quality & Quantity* 27. . [Crossref]
- 7. Elizabeth Daniel, Elizabeth Hartnett, Maureen Meadows. 2017. Don't throw rocks from the side-lines. *Information Technology & People* 30:3, 542-561. [Crossref]
- 8. Gabriel Birgand, Rachael Troughton, Luke S. P. Moore, Esmita Charani, Timothy M. Rawson, Enrique Castro-Sánchez, Alison H. Holmes. 2017. Blogging in Infectious Diseases and Clinical Microbiology: Assessment of 'Blogosphere' Content. Infection Control & Hospital Epidemiology 38:07, 832-839. [Crossref]
- 9. Ariana-Anamaria Cordoș, Sorana Bolboacă, Cristina Drugan. 2017. Social Media Usage for Patients and Healthcare Consumers: A Literature Review. *Publications* 5:2, 9. [Crossref]
- 10. Estêvão Cubas Rolim, Julia Martins de Oliveira, Luana T. Dalvi, Daniel C. Moreira, Natasha Garcia Caldas, Felipe Fernandes Lobo, Démerson André Polli, Élida G. Campos, Marcelo Hermes-Lima. 2017. Blog construction as an effective tool in biochemistry active learning. *Biochemistry and Molecular Biology Education* 45:3, 205-215. [Crossref]
- 11. Erin E. Donovan, Erin C. Nelson, Emily Scheinfeld. 2017. Cyberframing Cancer: An Exploratory Investigation of Valenced Cybercoping on Cancer Blogs. *Health Communication* 32:1, 1-10. [Crossref]
- 12. Julia Melkers, Diana Hicks, Simone Rosenblum, Kimberley R Isett, Jacqueline Elliott. 2017. Dental Blogs, Podcasts, and Associated Social Media: Descriptive Mapping and Analysis. *Journal of Medical Internet Research* 19:7, e269. [Crossref]
- 13. Lauren Campbell, Yolanda Evans, Megan Pumper, Megan A. Moreno. 2016. Social media use by physicians: a qualitative study of the new frontier of medicine. *BMC Medical Informatics and Decision Making* 16:1. . [Crossref]
- 14. Stephen A. Rains. 2016. Language Style Matching as a Predictor of Perceived Social Support in Computer-Mediated Interaction Among Individuals Coping With Illness. *Communication Research* 43:5, 694-712. [Crossref]
- 15. Clara Bitcon, Sue Evans, Cathy Avila. 2016. The re-emergence of grassroots herbalism: an analysis through the blogosphere. *Health Sociology Review* **25**:1, 108-121. [Crossref]
- 16. Min Sook Park, Zhe He, Zhiwei Chen, Sanghee Oh, Jiang Bian. 2016. Consumers' Use of UMLS Concepts on Social Media: Diabetes-Related Textual Data Analysis in Blog and Social Q&A Sites. *JMIR Medical Informatics* 4:4, e41. [Crossref]
- 17. Elena Wilson, Amanda Kenny, Virginia Dickson-Swift. 2015. Using Blogs as a Qualitative Health Research Tool. *International Journal of Qualitative Methods* 14:5, 160940691561804. [Crossref]
- 18. David M. Keating, Stephen A. Rains. 2015. Health Blogging and Social Support: A 3-Year Panel Study. *Journal of Health Communication* 20:12, 1449-1457. [Crossref]
- 19. Stevan Mijomanović, Sofija Mićić Kandijaš. 2015. A stroll through the medical blogosphere. *Medical Writing* **24**:4, 225-229. [Crossref]
- 20. Jody Childs. 2015. Blogging as a tool to address communication challenges among nurses. *Nursing Management (Springhouse)* **46**:11, 53-54. [Crossref]
- 21. German Neubaum, Nicole C. Krämer. 2015. Let's Blog About Health! Exploring the Persuasiveness of a Personal HIV Blog Compared to an Institutional HIV Website. *Health Communication* **30**:9, 872-883. [Crossref]

- 22. Carmen D. Stavrositu, Jinhee Kim. 2015. All Blogs Are Not Created Equal: The Role of Narrative Formats and User-Generated Comments in Health Prevention. *Health Communication* 30:5, 485-495. [Crossref]
- 23. Mohammad A. Al-Motlaq, Jane Mills. 2015. Using Web Logs' Posts to Understand Arab Internet Users' Perspectives on Recent Health Research Findings. *Journal of Consumer Health on the Internet* 19:2, 107-121. [Crossref]
- 24. Edward Alan Miller, Antoinette Pole, Bukola Usidame. 2015. Life and Death in the Mental-Health Blogosphere: An Analysis of Blog Content and Survival. World Medical & Health Policy 7:1, 59-82. [Crossref]
- 25. Stephen A. Rains, David M. Keating. 2015. Health Blogging. Communication Research 42:1, 107-133. [Crossref]
- 26. Run Yu. 2015. The Dr Pheo blog and virtual counselling for rare diseases. *Journal of Telemedicine and Telecare* 21:1, 54-57. [Crossref]
- 27. Véronique Bissonnette-Maheux, Veronique Provencher, Annie Lapointe, Marilyn Dugrenier, Audrée-Anne Dumas, Pierre Pluye, Sharon Straus, Marie-Pierre Gagnon, Sophie Desroches. 2015. Exploring Women's Beliefs and Perceptions About Healthy Eating Blogs: A Qualitative Study. *Journal of Medical Internet Research* 17:4, e87. [Crossref]
- 28. Jina Huh, Leslie S. Liu, Tina Neogi, Kori Inkpen, Wanda Pratt. 2014. Health Vlogs as Social Support for Chronic Illness Management. *ACM Transactions on Computer-Human Interaction* 21:4, 1-31. [Crossref]
- 29. Maggie Ozan Rafferty, Kate Grey. 2014. Beyond Patient Experience Surveys: Leveraging Social Media to Glean Patient Feedback. *Nurse Leader* 12:3, 31-35. [Crossref]
- 30. Joseph G. L. Lee. 2014. Keeping the Community Posted: Lesbian, Gay, Bisexual, and Transgender Blogs and the Tobacco Epidemic. *LGBT Health* 1:2, 113-121. [Crossref]
- 31. Collette Sosnowy. 2014. Practicing Patienthood Online: Social Media, Chronic Illness, and Lay Expertise. *Societies* 4:2, 316-329. [Crossref]
- 32. Viju Raghupathi, Wullianallur Raghupathi. 2014. An Unstructured Information Management Architecture Approach to Text Analytics of Cancer Blogs. *International Journal of Healthcare Information Systems and Informatics* 9:2, 16-33. [Crossref]
- 33. Maria Knoll, Jenny Bronstein. 2014. An examination of the information disclosure behavior of infertility bloggers. *Aslib Journal of Information Management* 66:2, 175-201. [Crossref]
- 34. Aaron D.C. Knox, Shalini Reddy, Briseida Mema, Marc DeMoya, Emily Cilli-Turner, MA, Ilene Harris. 2014. "Back in the Day"... What are Surgeon Bloggers Saying About Their Careers?. *Journal of Surgical Education* 71:1, 21-31. [Crossref]
- 35. Kelly Grindrod, Andrea Forgione, Ross T. Tsuyuki, Scott Gavura, Dean Giustini. 2014. Pharmacy 2.0: A scoping review of social media use in pharmacy. *Research in Social and Administrative Pharmacy* 10:1, 256-270. [Crossref]
- 36. Clay Craig, Brittany Campbell, Shannon Bichard, Danette Baker. 2013. Digital house calls: US healthcare professionals and online media communication. *Journal of Communication in Healthcare* 6:4, 187-196. [Crossref]
- 37. Daniela Amicizia, Alexander Domnich, Roberto Gasparini, Nicola Luigi Bragazzi, Piero Luigi Lai, Donatella Panatto. 2013. An overview of current and potential use of information and communication technologies for immunization promotion among adolescents. *Human vaccines & immunotherapeutics* 9:12, 2634-2642. [Crossref]
- 38. Samia Ezzamel. 2013. Blogging in Occupational Therapy: Knowledge Sharing, Professional Development, and Ethical Dilemmas. *British Journal of Occupational Therapy* **76**:11, 515-517. [Crossref]
- 39. Sheila Z. Jalalat, Lindsey Hunter-Ellul, Richard F. Wagner. 2013. Medical Student Dermatology Interest Groups. *Clinics in Dermatology* 31:5, 656-660. [Crossref]
- 40. Nadine Rosenkranz, Andreas Eckhardt, Mirko Kühne, Christoph Rosenkranz. 2013. Gesundheitsinformationen im Internet. WIRTSCHAFTSINFORMATIK 55:4, 257-273. [Crossref]
- 41. Nadine Rozenkranz, Andreas Eckhardt, Mirko Kühne, Christoph Rosenkranz. 2013. Health Information on the Internet. Business & Information Systems Engineering 5:4, 259-274. [Crossref]
- 42. Karen Crowell, Barbara R. Renner, Robert Ladd, Lee Richardson, Christie Silbajoris, Lara Handler. 2013. Listening to YOUR HEALTH: Librarians and Physicians Collaborating on the Radio and Online. *Journal of Hospital Librarianship* 13:3, 258-269. [Crossref]
- 43. Justin Walden. 2013. A Medical Profession in Transition: Exploring Naturopathic Physician Blogging Behaviors. *Health Communication* 28:3, 237-247. [Crossref]
- 44. Anand Shah, Jonathan J. Paly, Jason A. Efstathiou, Justin E. Bekelman. 2013. Physician Evaluation of Internet Health Information on Proton Therapy for Prostate Cancer. *International Journal of Radiation Oncology\*Biology\*Physics* 85:4, e173-e177. [Crossref]

- 45. Marianne Kulmala, Nina Mesiranta, Pekka Tuominen. 2013. Organic and amplified eWOM in consumer fashion blogs. *Journal of Fashion Marketing and Management: An International Journal* 17:1, 20-37. [Crossref]
- 46. Yamen Batch, Maryati Mohd Yusof, Shahrul Azman Noah. 2013. ICDTag: A Prototype for a Web-Based System for Organizing Physician-Written Blog Posts Using a Hybrid Taxonomy-Folksonomy Approach. *Journal of Medical Internet Research* 15:2, e41. [Crossref]
- 47. Scott H. Burton, Kesler W. Tanner, Christophe G. Giraud-Carrier. 2012. Leveraging social networks for anytime-anyplace health information. *Network Modeling Analysis in Health Informatics and Bioinformatics* 1:4, 173-181. [Crossref]
- 48. Andrew S. Gordon, Christopher Wienberg, Sara Owsley Sood. Different Strokes of Different Folks: Searching for Health Narratives in Weblogs 490-495. [Crossref]
- 49. Joni Watson. 2012. The Rise of Blogs in Nursing Practice. Clinical Journal of Oncology Nursing 16:2, 215-217. [Crossref]
- 50. Stephen A. Rains, David M. Keating. 2011. The Social Dimension of Blogging about Health: Health Blogging, Social Support, and Well-being. *Communication Monographs* **78**:4, 511-534. [Crossref]
- 51. Edward Alan Miller, Antoinette Pole, Clancey Bateman. 2011. Variation in Health Blog Features and Elements by Gender, Occupation, and Perspective. *Journal of Health Communication* 16:7, 726-749. [Crossref]
- 52. Rupananda Misra, Barbara C. Wallace. Designing the E-Health Message 216-245. [Crossref]
- 53. Wilson Ozuem, Kerri Tan. Reconciling Social Media with Luxury Fashion Brands 257-285. [Crossref]
- 54. Wilson Ozuem, Kerri Tan. Reconciling Social Media with Luxury Fashion Brands 1546-1574. [Crossref]
- 55. Wilson Ozuem, Kerri Tan. Reconciling Social Media with Luxury Fashion Brands 917-945. [Crossref]
- 56. Viju Raghupathi, Wullianallur Raghupathi. An Unstructured Information Management Architecture Approach to Text Analytics of Cancer Blogs 995-1013. [Crossref]