DISPLACEMENT-BASED SEISMIC DESIGN OF STRUCTURES

M.J.N. PRIESTLEY
Centre of Research and Graduate Studies
in Earthquake Engineering and Engineering Seismology (ROSE School),
Istituto Universitario di Studi Superiori (IUSS),
Pavia, Italy

G.M. CALVI
Department of Structural Mechanics,
Università degli Studi di Pavia,
Pavia, Italy

M.J. KOWALSKY
Department of Civil, Construction, and Environmental Engineering,
North Carolina State University,
Raleigh, USA

IUSS PRESS, Pavia, ITALY

CONTENTS

Preface xv

1 Introduction: The Need for Displacement-Based Seismic Design 1
- 1.1 Historical Considerations 1
- 1.2 Force-Based Seismic Design 5
- 1.3 Problems with Force-Based Seismic Design 8
  - 1.3.1 Interdependency of Strength and Stiffness 8
  - 1.3.2 Period Calculation 10
  - 1.3.3 Ductility Capacity and Force-Reduction Factors 12
  - 1.3.4 Ductility of Structural Systems 13
  - 1.3.5 Relationship between Strength and Ductility Demand 21
  - 1.3.6 Structural Wall Buildings with Unequal Wall Lengths 23
  - 1.3.7 Structures with Dual (Elastic and Inelastic) Load Paths 24
  - 1.3.8 Relationship between Elastic and Inelastic Displacement Demand 26
  - 1.3.9 Summary 30
- 1.4 Development of Displacement-Based Design Methods 30
  - 1.4.1 Force-Based/Displacement Checked 30
  - 1.4.2 Deformation-Calculation Based Design 31
  - 1.4.3 Deformation-Specification Based Design 32
  - 1.4.4 Choice of Design Approach 34

2 Seismic Input for Displacement-Based Design 37
- 2.1 Introduction: Characteristics of Accelerograms 37
- 2.2 Response Spectra 43
  - 2.2.1 Response Spectra from Accelerograms 43
  - 2.2.2 Design Elastic Spectra 45
  - 2.2.3 Influence of Damping and Ductility on Spectral Displacement Response 57
- 2.3 Choice of Accelerograms for Time History Analysis 61

3 Direct Displacement-Based Design: Fundamental Considerations 63
- 3.1 Introduction 63
- 3.2 Basic Formulation of the Method 63

	3.2.1 Example 3.1 Basic DDBD	67
3.3	Design Limit States and Performance Levels	67
	3.3.1 Section Limit States	69
	3.3.2 Structure Limit States	70
	3.3.3 Selection of Design Limit State	72
3.4	Single-Degree-of-Freedom Structures	73
	3.4.1 Design Displacement for a SDOF structure	73
	3.4.2 Yield Displacement	75
	3.4.3 Equivalent Viscous Damping	76
	3.4.4 Design Base Shear Equation	90
	3.4.5 Design Example 3.3: Design of a Simple Bridge Pier	91
	3.4.6 Design When the Displacement Capacity Exceeds the Spectral Demand	92
	3.4.7 Example 3.4: Base Shear for a Flexible Bridge Pier	93
3.5	Multi-Degree-of-Freedom Structures	95
	3.5.1 Design Displacement	96
	3.5.2 Displacement Shapes	97
	3.5.3 Effective Mass	99
	3.5.4 Equivalent Viscous Damping	100
	3.5.5 Example 3.5: Effective Damping for a Cantilever Wall Building	103
	3.5.6 Distribution of Design Base Shear Force	104
	3.5.7 Analysis of Structure under Design Forces	105
	3.5.8 Design Example 3.6: Design moments for a Cantilever Wall Building	106
	3.5.9 Design Example 3.7: Serviceability Design for a Cantilever Wall Building	108
3.6	P-Δ Effects	111
	3.6.1 Current Design Approaches	111
	3.6.2 Theoretical Considerations	112
	3.6.3 Design Recommendations for Direct Displacement-based Design	114
3.7	Combination of Seismic and Gravity Actions	115
	3.7.1 A Discussion of Current Force-Based Design Approaches	115
	3.7.2 Combination of Gravity and Seismic Moments in Displacement-Based Design	119
3.8	Consideration of Torsional Response in Direct Displacement-Based Design	120
	3.8.1 Introduction	120
	3.8.2 Torsional Response of Inelastic Eccentric Structures	122
	3.8.3 Design to Include Torsional Effects	124
3.9	Capacity Design for Direct Displacement-Based Design	125
3.10	Some Implications of DDBD	127
	3.10.1 Influence of Seismic Intensity on Design Base Shear Strength	127

3.10.2 Influence of Building Height on Required Frame Base Shear Strength 129
3.10.3 Bridge with Piers of Different Height 130
3.10.4 Building with Unequal Wall Lengths 132

4 Analysis Tools for Direct Displacement-Based Design 133
4.1 Introduction 133
4.2 Force-Displacement Response of Reinforced Concrete Members 133
4.2.1 Moment-Curvature Analysis 134
4.2.2 Concrete Properties for Moment-Curvature Analysis 136
4.2.3 Masonry Properties for Moment-Curvature Analyses 139
4.2.4 Reinforcing Steel Properties for Moment-Curvature Analyses 140
4.2.5 Strain Limits for Moment-Curvature Analysis 141
4.2.6 Material Design Strengths for Direct Displacement-Based Design 143
4.2.7 Bilinear Idealization of Concrete Moment-Curvature Curves 144
4.2.8 Force-Displacement Response from Moment-Curvature 147
4.2.9 Computer Program for Moment-Curvature and Force-Displacement 151
4.3 Force-Displacement Response of Steel Members 151
4.4 Elastic Stiffness of Cracked Concrete Sections 151
4.4.1 Circular Concrete Columns 152
4.4.2 Rectangular Concrete Columns 155
4.4.3 Walls 157
4.4.4 Flanged Reinforced Concrete Beams 159
4.4.5 Steel Beam and Column Sections 160
4.4.6 Storey Yield Drift of Frames 161
4.4.7 Summary of Yield Deformations 164
4.5 Analyses Related to Capacity Design Requirements 165
4.5.1 Design Example 4.1: Design and Overstrength of a Bridge Pier Based on Moment-Curvature Analysis 167
4.5.2 Default Overstrength Factors 170
4.5.3 Dynamic Amplification (Higher Mode Effects) 170
4.6 Equilibrium Considerations in Capacity Design 170
4.7 Dependable Strength of Capacity Protected Actions 173
4.7.1 Flexural Strength 173
4.7.2 Beam/Column Joint Shear Strength 174
4.7.3 Shear Strength of Concrete Members: Modified UCSD model 174
4.7.4 Design Example 4.2: Shear Strength of a Circular Bridge Column 182
4.7.5 Shear Strength of Reinforced Concrete and Masonry Walls 183
4.7.6 Response to Seismic Intensity Levels Exceeding the Design Level 185

4.8 Shear Flexibility of Concrete Members 185
4.8.1 Computation of Shear Deformations 185
4.8.2 Design Example 4.3 Shear Deformation, and Failure Displacement of a Circular Column 188
4.9 Analysis Tools for Design Response Verification 192
4.9.1 Introduction 192
4.9.2 Inelastic Time-History Analysis for Response Verification 192
4.9.3 Non-Linear Static (Pushover) Analysis 218

5 Frame Buildings 221
5.1 Introduction 221
5.2 Review of Basic DDBD Process for Frame Buildings 221
5.2.1 SDOF Representation of MDOF Frame 221
5.2.2 Design Actions for MDOF Structure from SDOF Base Shear Force 224
5.2.3 Design Inelastic Displacement Mechanism for Frames 225
5.3 Yield Displacements of Frames 226
5.3.1 Influence on Design Ductility Demand 226
5.3.2 Elastically Responding Frames 226
5.3.3 Yield Displacement of Irregular Frames 230
5.3.4 Design Example 5.1: Yield Displacement and Damping of an Irregular Frame 233
5.3.5 Yield Displacement and Damping when Beam Depth is Reduced with Height 237
5.3.6 Yield Displacement of Steel Frames 238
5.4 Controlling Higher Mode Drift Amplification 239
5.5 Structural Analysis Under Lateral Force Vector 242
5.5.1 Analysis Based on Relative Stiffness of Members 242
5.5.2 Analysis Based on Equilibrium Considerations 245
5.6 Section Flexural Design Considerations 251
5.6.1 Beam Flexural Design 251
5.6.2 Column Flexural Design 254
5.7 Direct Displacement-Based Design of Frames for Diagonal Excitation 259
5.8 Capacity Design for Frames 263
5.8.1 General Requirements 263
5.8.2 Beam Flexure 263
5.8.3 Beam Shear 265
5.8.4 Column Flexure 266
5.8.5 Column Shear 271
5.9 Design Verification 274
5.9.1 Displacement Response 274
5.9.2 Column Moments 274
5.9.3 Column Shears 277

5.9.4 Column Axial Forces 277
5.10 Design Example 5.2: Member Design Forces for an Irregular Two-Way Reinforced Concrete Frame 279
5.11 Precast Prestressed Frames 285
5.11.1 Seismic Behaviour of Prestressed Frames with Bonded Tendons 285
5.11.2 Prestressed Frames with Unbonded Tendons 287
5.11.3 Hybrid Precast Beams 290
5.11.4 Design Example 5.3: DDBD of a Hybrid Prestressed Frame Building including P-Δ Effects 293
5.12 Masonry Infilled Frames 301
5.12.1 Structural Options 301
5.12.2 Structural Action of Infill 302
5.12.3 DDBD of Infilled Frames 303
5.13 Steel Frames 304
5.13.1 Structural Options 304
5.13.2 Concentric Braced Frames 306
5.13.3 Eccentric Braced Frames 307
5.14 Design Example 5.4: Design Verification of Design Example 5.1/5.2 310

6 Structural Wall Buildings 313
6.1 Introduction: Some Characteristics of Wall Buildings 313
6.1.1 Section Shapes 313
6.1.2 Wall Elevations 315
6.1.3 Foundations for Structural Walls 315
6.1.4 Inertia Force Transfer into Walls 317
6.2 Review of Basic DDBD Process for Cantilever Wall Buildings 317
6.2.1 Design Storey Displacements 317
6.3 Wall Yield Displacements: Significance to Design 325
6.3.1 Influence on Design Ductility Limits 325
6.3.2 Elastically Responding Walls 327
6.3.3 Multiple In-Plane Walls 328
6.4 Torsional Response of Cantilever Wall Buildings 328
6.4.1 Elastic Torsional Response 328
6.4.2 Torsionally Unrestrained Systems 331
6.4.3 Torsionally Restrained Systems 334
6.4.4 Predicting Torsional Response 337
6.4.5 Recommendations for DDBD 339
6.4.6 Design Example 6.1: Torsionally Eccentric Building 346
6.4.7 Simplification of the Torsional Design Process 352
6.5 Foundation Flexibility Effects on Cantilever Walls 353
6.5.1 Influence on Damping 353
6.5.2 Foundation Rotational Stiffness 354

6.6 Capacity Design for Cantilever Walls 357
6.6.1 Modified Modal Superposition (MMS) for Design Forces in Cantilever Walls 359
6.6.2 Simplified Capacity Design for Cantilever Walls 363
6.7 Precast Prestressed Walls 370
6.8 Coupled Structural Walls 372
6.8.1 General Characteristics 372
6.8.2 Wall Yield Displacement 376
6.8.3 Coupling Beam Yield Drift 378
6.8.4 Wall Design Displacement 379
6.8.5 Equivalent Viscous Damping 381
6.8.6 Summary of Design Process 382
6.8.7 Design Example 6.3: Design of a Coupled–Wall Building 382

7 Dual Wall-Frame Buildings 387
7.1 Introduction 387
7.2 DDBD Procedure 388
7.2.1 Preliminary Design Choices 388
7.2.2 Moment Profiles for Frames and Walls 389
7.2.3 Moment Profiles when Frames and Walls are Connected by Link Beams 392
7.2.4 Displacement Profiles 394
7.2.5 Equivalent Viscous Damping 396
7.2.6 Design Base Shear Force 397
7.2.7 Design Results Compared with Time History Analyses 397
7.3 Capacity Design for Wall-Frames 399
7.3.1 Reduced Stiffness Model for Higher Mode Effects 400
7.3.2 Simplified Estimation of Higher Mode Effects for Design 401
7.4 Design Example 7.1: Twelve Storey Wall-Frame Building 403
7.4.1 Design Data 403
7.4.2 Transverse Direction Design 404
7.4.3 Longitudinal Direction Design 410
7.4.4 Comments on the Design 411

8 Masonry Buildings 413
8.1 Introduction: Characteristics of Masonry Buildings 413
8.1.1 General Considerations 413
8.1.2 Material Types and Properties 415
8.2 Typical Damage and Failure Modes 418
8.2.1 Walls 418
8.2.2 Coupling of Masonry Walls by Slabs, Beams or Masonry Spandrels 425
8.3 Design Process for Masonry Buildings 429

8.3.1 Masonry Coupled Walls Response 429
8.3.2 Design of Unreinforced Masonry Buildings 432
8.3.3 Design of Reinforced Masonry Buildings 439
8.4 3-D Response of Masonry Buildings 446
8.4.1 Torsional Response 446
8.4.2 Out–of–Plane Response of Walls 449

9 Timber Structures 455
9.1 Introduction: Timber Properties 457
9.2 Ductile Timber Structures for Seismic Response 460
9.2.1 Ductile Moment-Resisting Connections in Frame Construction 457
9.2.2 Timber Framing with Plywood Shear Panels 460
9.2.3 Hybrid Prestressed Timber Frames 461
9.3 DDBD Process for Timber Structures 462
9.4 Capacity Design of Timber Structures 463

10 Bridges 465
10.1 Introduction: Special Characteristics of Bridges 465
10.1.1 Pier Section Shapes 465
10.1.2 The Choice between Single-column and Multi-column Piers 467
10.1.3 Bearing-Supported vs. Monolithic Pier/Superstructure Connection 467
10.1.4 Soil-Structure Interaction 468
10.1.5 Influence of Abutment Design 470
10.1.6 Influence of Movement Joints 470
10.1.7 Multi-Span Long Bridges 470
10.1.8 P-Δ Effects for Bridges 471
10.1.9 Design Verification by Inelastic Time-History Analyses 471
10.2 Review of Basic DDBD Equations for Bridges 471
10.3 Design Process for Longitudinal Response 472
10.3.1 Pier Yield Displacement 472
10.3.2 Design Displacement for Footing-Supported Piers 478
10.3.3 Design Example 10.1: Design Displacement for a Footing-Supported Column 481
10.3.4 Design Displacement for Pile/Columns 483
10.3.5 Design Example 10.2: Design Displacement for a Pile/Column 484
10.3.6 System Damping for Longitudinal Response 485
10.3.7 Design Example 10.3: Longitudinal Design of a Four Span Bridge 489
10.4 Design Process for Transverse Response 494
10.4.1 Displacement Profiles 495
10.4.2 Dual Seismic Load Paths 498
10.4.3 System Damping 498

10.4.4 Design Example 10.4: Damping for the Bridge of Fig. 10.17 500
10.4.5 Degree of Fixity at Column Top 502
10.4.6 Design Procedure 503
10.4.7 Relative Importance of Transverse and Longitudinal Response 505
10.4.8 Design Example 10.5: Transverse Design of a Four-Span Bridge 507
10.5 Capacity Design Issues 512
10.5.1 Capacity Design for Piers 512
10.5.2 Capacity Design for Superstructures and Abutments 513
10.6 Design Example 10.6: Design Verification of Design Example 10.5 516

11 Structures with Isolation and Added Damping 519
11.1 Fundamental Concepts 519
11.1.1 Objectives and Motivations 519
11.1.2 Bearing Systems, Isolation and Dissipation Devices 522
11.1.3 Design Philosophy/Performance Criteria 523
11.1.4 Problems with Force – Based Design of Isolated Structures 524
11.1.5 Capacity Design Concepts Applied to Isolated Structures 526
11.1.6 Alternative Forms of Artificial Isolation/Dissipation 527
11.1.7 Analysis and Safety Verification 528
11.2 Bearing Systems, Isolation and Dissipation Devices 529
11.2.1 Basic Types of Devices 529
11.2.2 "Non-Seismic" Sliding Bearings 530
11.2.3 Isolating Bearing Devices 531
11.2.4 Dissipative systems 544
11.2.5 Heat Problems 554
11.2.6 Structural Rocking as a Form of Base Isolation 557
11.3 Displacement-Based Design of Isolated Structures 559
11.3.1 Base–Isolated Rigid Structures 559
11.3.2 Base-Isolated Flexible Structures 571
11.3.3 Controlled Response of Complex Structures 579
11.4 Design Verification of Isolated Structures 596
11.4.1 Design Example 11.7: Design Verification of Design Example 11.3 596
11.4.2 Design Example 11.8: Design Verification of Design Example 11.5 597

12 Wharves and Piers 599
12.1 Introduction 599
12.2 Structural Details 601
12.3 The Design Process 602
12.3.1 Factors Influencing Design 602
12.3.2 Biaxial Excitation of Marginal Wharves 603

12.3.3 Sequence of Design Operations 604
12.4 Port of Los Angeles Performance Criteria 608
12.4.1 POLA Earthquake Levels and Performance Criteria 609
12.4.2 Performance Criteria for Prestressed Concrete Piles 609
12.4.3 Performance Criteria for Seismic Design of Steel Pipe Piles 611
12.5 Lateral Force-Displacement Response of Prestressed Piles 612
12.5.1 Prestressed Pile Details 612
12.5.2 Moment-Curvature Characteristics of Pile/Deck Connection 613
12.5.3 Moment-Curvature Characteristics of Prestressed Pile In-Ground Hinge 618
12.5.4 Inelastic Static Analysis of a Fixed Head Pile 621
12.6 Design Verification 628
12.6.1 Eccentricity 628
12.6.2 Inelastic Time History Analysis 630
12.7 Capacity Design and Equilibrium Considerations 634
12.7.1 General Capacity Design Requirements 634
12.7.2 Shear Key Forces 638
12.8 Design Example 12.1: Initial Design of a Two-Segment Marginal Wharf 639
12.9 Aspects of Pier Response 645

13 Displacement-Based Seismic Assessment 647
13.1 Introduction: Current Approaches 647
13.1.1 Standard Force-Based Assessment 649
13.1.2 Equivalent Elastic Strength Assessment 649
13.1.3 Incremental Non-linear Time History Analysis 650
13.2 Displacement-Based Assessment of SDOF Structures 653
13.2.1 Alternative Assessment Procedures 653
13.2.2 Incorporation of P-Δ Effects in Displacement-Based Assessment 655
13.2.3 Assessment Example 13.1: Simple Bridge Column under Transverse Response 656
13.3 Displacement-Based Assessment of MDOF Structures 659
13.3.1 Frame Buildings 661
13.3.2 Assessment Example 2: Assessment of a Reinforced Concrete Frame 666
13.3.3 Structural Wall Buildings 672
13.3.4 Other Structures 676

14 Draft Displacement-Based Code for Seismic Design of Buildings 677

References 691

Symbols List 703

Abbreviations 713

Index 715

Structural Analysis CD 721