

## PROSTHODONTIC RESEARCH &amp; PRACTICE

Vol.6, No.2, Apr 2007

## &lt;REVIEW ARTICLE&gt;

Research Projects on Jaw Function and Occlusion Published in 2006 by Members of the Japan Prosthodontic Society: A Review	73
TTaihiko Yamaguchi	
The Japanese System of Dental Clinical Training	78
Masahiko Kikuchi	

## &lt;ORIGINAL ARTICLES&gt;

Effect of Heating CAD/CAM-Fabricated Ceramic Crowns on Marginal Fit Accuracy	81
Mitsunori Uno, Ryugo Nonogaki, Yoshirou Yokoyama, Yoshiharu Yamamura, Hajime Ishigami, and Masakazu Kurachi	
Effects of a Static Magnetic Field on Mineralization of MC3T3-E1 Cells	87
Yoko Imaizumi, Shogo Ozawa, Koji Hirukawa, Akifumi Togari, and Yoshinobu Tanaka	
Reliability, Validity, and Preference of an Original Faces Scale for Assessing the Mood of Patients with Dentures	93
Yuji Kamashita, Tomomi Sonoda, Yumiko Kamada, Yasuhiro Nishi, and Eiichi Nagaoka	
Exploration of the Reliability and Validity of a Short form of the Oral Health Impact Profile for Prostheses	99
Megumi Takenaka, Reiko Ide, Toru Sato, Shigeki Murakami, and Ryuji Hosokawa	
Retentive Forces of 3 Types of Attachments for Root-retained Overdentures	104
Xiaorong Wang, Chikahiro Ohkubo, Toshio Hosoi, Hidemasa Shimpo, Daisuke Kurihara, and Toshiyuki Murata	
The Relationship between Masticatory Function and Dysphagia in Patients with Myotonic Dystrophy	109
George Umemoto, Hirokazu Nakamura, Yoshihiro Tsukiyama, Kiyoshi Koyano, and Toshihiro Kikuta	
Clinical Evaluation of Marginal and Internal Gaps of Zirconia-based 3-unit CAD/CAM Fixed Partial Dentures	114
Mitsuyoshi Tsumita, Yuji Kokubo, Chikahiro Ohkubo, Yuki Nagayama, Satoe Sakurai, and Shunji Fukushima	
Influence of Mechanical Loading on Resonance Frequency Analysis and Trabecular Structure of Peri-implant Bone	120
Hiroyuki Imoto, Atsushi Yamada, Ichiro Shimamura, Satoru Matsunaga, and Yoshinobu Ide	
Effects of Saliva Secretion on the Assessment of Masticatory Performance	127
Hiroshi Shiga, Yoshinori Kobayashi, Ichiro Arakawa, Masaoki Yokoyama, and Nerihisa Namba	

## &lt;CASE REPORT&gt;

Prosthesis Made of an Onlay -Type Rest with High Retentive Force (Cap Clasp)	132
Yasuko Takayama, Masayuki Ichikawa, and Toshio Hosoi	
Instructions for Authors	138
Submission Form	141
Checklist for Submitting Manuscripts	142

 [Close window](#)

Copyright 2006 Japan Prosthodontic Society. All Rights Reserved.