

APPLICATION

enaR: An R package for Ecosystem Network Analysis

Stuart R. Borrett^{1,2*} and Matthew K. Lau^{3†}

¹Department of Biology and Marine Biology, University of North Carolina Wilmington, Wilmington, NC 28403 USA; ²Duke Network Analysis Center, Social Science Research Institute, Duke University, Durham, NC 27708, USA; and ³Department of Biological Sciences and the Merriam-Powell Center for Environmental Research, Northern Arizona University, 617 S. Beaver Street, Flagstaff, AZ 86011, USA

Summary

1. Network analysis is a useful approach for investigating complex and relational data in many fields including ecology, molecular and evolutionary biology.
2. Here, we introduce enaR, an R package for Ecosystem Network Analysis (ENA). ENA is an analytical tool set rooted in ecosystem ecology with over 30 years of development that examines the structure and dynamics of matter and energy movement between discrete ecological compartments (e.g. a food web).
3. In addition to describing the primary functionality of the package, we highlight several features including a library of 100 empirical ecosystem models, the ability to analyse and compare multiple models simultaneously, and connections to other ecological network analysis tools in R.

Key-words: network analysis, ecosystem, open-source software, network environ analysis, ascendancy, input–output analysis, food web, Ecopath, NETWRK, WAND

Introduction

Network ecology – the study of ecological systems using network models and analyses to characterize their structure, function and evolution – is a large and rapidly growing area of ecology (Proulx, Promislow & Phillips 2005). For example, Ings *et al.* (2009) discovered that a notable fraction of 2008 publications in 11 select journals were related to food webs ($\approx 2.4\%$), mutualistic networks ($\approx 0.9\%$) and host-parasitoid networks ($\approx 0.06\%$). Likewise, Borrett, Moody & Edelman (2014) found that the percentage of ecology and evolutionary biology papers indexed by Web of Science that could be classified as network ecology increased from 1.3% in 1991 to more than 5% in 2012. This rise of network ecology contributes to, mirrors and builds on the more general growth of network sciences (Wasserman & Faust 1994; Borgatti & Foster 2003; Newman 2003; Freeman 2004; Barabási 2012).

Ecosystem Network Analysis (ENA) is a branch of network ecology that has been used to address a range of key ecosystem questions (Ulanowicz 1986; Fath & Patten 1999; Borrett, Christian & Ulanowicz 2012). For example, in the food web of Big Cypress National Preserve (Florida, USA), Bondavalli & Ulanowicz (1999) found evidence of an indirect mutualism between the American alligator and some of its prey items. Applications of ENA have also led to new insights into the classic trophic questions of ‘What limits food-chain length?’ (Ulanowicz, Holt & Barfield 2014) and ‘Are food webs modu-

lar?’ (Krause 2004; Allesina, Bodini & Bondavalli 2005; Borrett, Fath & Patten 2007). Hines *et al.* (2012) used ENA to quantify the relative importance of coupling between biogeochemical processes (e.g. nitrification) in the Cape Fear River estuary sedimentary nitrogen cycle. Further, scientists have used ENA to investigate differences in urban sustainability (Bodini & Bondavalli 2002; Zhang *et al.* 2010; Bodini, Bondavalli & Allesina 2012; Chen & Chen 2012). Collectively, this work consistently shows the power of a transactional network to generate unexpected ecological relationships that then influence the system function and evolution (Patten 1991; Ulanowicz 1997; Jørgensen *et al.* 2007).

enaR is an open-source software to facilitate ENA. The currently available ENA software packages (Ulanowicz & Kay 1991; Allesina & Bondavalli 2004; Christensen & Walters 2004; Fath & Borrett 2006; Kazanci 2007) each have critical limitations, which led us to three primary design objectives for enaR. The first objective was to collect the major ENA functions into a single software package. While multiple investigators have contributed to algorithmic development (e.g. Finn 1976; Ulanowicz 1986; Ulanowicz & Kay 1991; Fath & Patten 1999; Allesina & Bondavalli 2003), the broad set of tools is not available in a single existing software. The second objective was to increase the availability and extensibility of the software. We chose to use R in part because of its increasing popularity as an analytical tool in the biological sciences (e.g. Dixon 2003; Metcalf *et al.* 2012; Revell 2012). Further, users can freely download a stable version of the package from the CRAN website (<http://cran.r-project.org/web/packages/enaR>), and the code for every function in R is available from within R (e.g. `edit(function_name)`). In addition,

*Correspondence author. E-mail: borretts@uncw.edu

†Present address: Harvard Forest, Harvard University, 324 N. Main Street, Petersham, MA 01366, USA

enaR development is being managed via GitHub (<https://github.com/TheSeeLab/enaR>) to encourage collaborative development. The third design objective was to enable enaR users access to network analysis tools from other disciplines. To enable this, enaR was designed to work directly with two existing R network analysis packages: `network` (Butts 2008a) and `sna` (Butts 2008b). In summary, the aim of the enaR package is to make ENA tools more available and easier to use, adapt and extend.

In this paper, we present an overview of enaR and highlight some of its functionality. A full description of the ENA algorithms and their use and interpretation is beyond the scope of this short paper, but we refer interested readers to a selection of reviews as an entry point to ENA (Ulanowicz 1997; Fath & Patten 1999; Fath & Borrett 2006; Jørgensen *et al.* 2007; Schramski, Kazanci & Tollner 2011). For a more comprehensive description on how to use the enaR package, please refer to the package vignette: <http://cran.r-project.org/web/packages/enaR/vignettes/enaR-vignette.pdf>.

Overview of enaR

Ecosystem Network Analysis is an agglomeration of algorithms developed to analyse network models of energy or matter movement in ecosystems (e.g. Hannon 1973; Ulanowicz 1986; Fath & Patten 1999), but it can generally be applied to any Input–Output system that follows a thermodynamically conserved unit among the compartments. Thus, it is a family of related algorithms to analyse the ecosystem from several perspectives including its structure, flow, storage and utility. Together, these analyses function as a ‘macro-scope’ to investigate (i) whole system organization, (ii) the direct and indirect effects among system components and (iii) the processes that create and sustain ecological systems. In this section, we provide an overview of the algorithms and tools included in the enaR software. After describing the required model information, we highlight the primary ENA algorithms included in enaR. We then walk through an example application of the enaR flow analysis.

DATA REQUIREMENTS AND INPUT

Ecosystem Network Analysis is a data-intensive methodology. The system is modelled as a set of compartments or network nodes that represent species, species complexes (i.e. trophic guilds or functional groups) or non-living components of the system in which energy or matter is stored. These nodes are connected by a set of direct energy or matter transactions among the nodes, termed directed edges or links. These models also have energy–matter inputs into the system and output losses from the system. In summary, the full set of data required includes: (i) internal flows, (ii) boundary inputs, (iii) boundary exports, (iv) boundary respiration, (v) boundary outputs, which may be the sum of exports and respiration, (vi) biomass or storage values and (vii) designation of living status of each node. While all seven elements are required for a full analysis, the specific data requirements vary among the ENA algorithms.

The primary ENA algorithms in enaR assume the model data are presented as an R network data object defined in the `network` package. Given the data elements, users can use the `pack` function to combine the data elements into the R network data object. While a standard data format for an ENA model does not yet exist, there are two commonly used formats. First, there is the Scientific Committee for Ocean Research (SCOR) format that is the required input to `NETWRK` (Ulanowicz & Kay 1991), and the second format is the Excel sheet formatted data that is the input to `WAND` (Allesina & Bondavalli 2004). The enaR package includes a `read.scor` and a `read.wand` function to read in these common data formats (Table 1).

VISUALIZATION

Visualization of network models can be an essential analytical tool (Moody, McFarland & Bender-deMoll 2005; Lima 2011). Because enaR is built specifically to use the `network` package and data type, it is possible to quickly create network plots of the model internal structure. Figure 1a shows an example visualization of Dame & Patten (1981) oyster reef ecosystem model. The `network` package includes three network layout algorithms: circle, Fruchterman–Reingold and Kamada–Kawai. The Fruchterman–Reingold algorithm used here is the default. The R script to generate this visualization is included in the online supplementary information (Data S1).

ALGORITHM OVERVIEW

enaR includes many of the most commonly used ENA algorithms (Table 2), along with a number of work flow tools and specialty analyses (Tables 1 and 3). The nine primary ENA functions begin with the prefix ‘ena’ followed by the specific analysis name (see Table 2). There are a total of 34 functions in the enaR package. Comparison of the enaR package to previous implementations of ENA algorithms (i.e. `NETWRK`, `NEA.m`, `EcoNet`) shows high agreement in function output and significant expansion of the available ENA algorithms (Table S1).

Scharler & Fath (2009) identify two schools of ENA. The first school is based on the work of Robert Ulanowicz and colleagues at the University of Maryland (Ulanowicz, 1986, 1997, 2009). Primarily focused on trophic ecology, this approach uses information theory and the ascendancy concept to characterize ecosystem growth and development (Ulanowicz, 1986, 1997). This work is often referred to as ‘Ecological Network Analysis’ as it predates many other types of network ecology. The second school is based on the work of Bernard Patten at the University of Georgia (Patten *et al.* 1976; Matis & Patten 1981; Patten 1982; Fath & Patten 1999). Steeped in dynamic equations, simulations and systems analysis, this approach developed around the environ concept that formalizes the concept of environment (Patten 1978) and has often been referred to as ‘Network Environ Analysis’. enaR currently captures all of the Patten School algorithms previously implemented in `NEA.m` (Fath & Borrett 2006). Presently, the Ulanowicz

Table 1. Selected data input, management and export functions in enaR

Function	Description	Example Reference
pack	This function lets users combine model elements into a network data object	None
unpack	Extracts the individual model elements (e.g. flows, inputs, outputs) from the network data object	None
read.scor	Creates a network data object from a SCOR formatted data file	Ulanowicz & Kay (1991)
read.wand	Creates a network data object from a WAND formatted data file	Allesina & Bondavalli (2004)
ssCheck	Checks to see if the model is at steady state	None
balance	Applies one of four balancing algorithms to a model not at steady state	Allesina & Bondavalli (2003)
force.balance	Runs balancing algorithm as many times as necessary to balance the model	None
write.nea	Writes the model data to the file format used as input for NEA.m	Fath & Borrett (2006)

School algorithms are more limited, including the ascendancy calculations (Ulanowicz 1997) and mixed trophic impacts analyses (Ulanowicz & Puccia 1990); however, we expect the package capabilities to continue to grow, especially with the assistance of new users. This combination of the Patten and Ulanowicz schools of analyses is rare in existing software.

EXAMPLE APPLICATION

Given a network model, applying ENA algorithms with enaR is straightforward. We demonstrate how to use the package with an example flow analysis on Dame & Patten (1981) model of energy flow in an oyster reef ecosystem. Figure 2 shows the example script. The analysis involves: (i) loading the model data, (ii) checking and balancing the model if necessary and (iii) inputting the balanced model into the analysis function. The final step is interpreting the analytical output. This is a typical workflow for ENA.

After loading the enaR package, the next step is to enter the model data. Here, we extract the model information from

the paper and create a vector of node names, the flow matrix (F), inputs (z), outputs (y) and the logical vector indicating whether or not the nodes are living (Fig. 2). We then use the pack function to create the required network data object. The next step is to apply the ssCheck function ensure that the model is at steady state, which is one of the assumptions of the flow analysis (Finn 1976; Fath & Borrett 2006). If the model had not been at steady state, we could have then applied one of four automated balancing algorithms (AVG, Input–Output, Output–Input, AVG2; Allesina & Bondavalli 2003) to force the model into a steady state. We then apply the enaFlow function to the model to perform the desired ENA flow analysis. As shown with the attributes function, this analysis returns 4 matrices (G, GP, N, NP) and two vectors (throughflow, T, and a vector of 20 whole-network statistics, ns).

Interpreting the ENA results is the final challenge. Here, we provide a few illustrative interpretations of the flow analysis. Starting with the whole-network flow statistics, we see that the total system throughflow (TST) of the oyster reef model is




Fig. 1. Example of analysis and visualizations created with enaR: (a) network digraph of the internal flows of an oyster reef ecosystem model (Dame & Patten 1981), (b) network homogenization statistic for 56 trophic ecosystem models (rank-ordered), (c) scatter plot showing the relationship between the ascendancy-to-capacity ratio and the indirect flow index for the 56 trophic ecosystem models included in the package and (d) target plot of the betweenness centrality from social network analysis calculated for the 36 nodes of the Chesapeake Bay ecosystem model (Baird & Ulanowicz 1989).

Table 2. Ecosystem Network Analysis functions in `enaR`

Function	Description	Example Reference
<code>enaStructure</code>	ENA Structural analysis returns the adjacency matrix and multiple common descriptive statistics (e.g. number of nodes, connectance, pathway proliferation rate)	Borrett, Fath & Patten (2007)
<code>enaFlow</code>	Calculates node throughflow and input- and output-oriented direct and integral flow intensity matrices. It also returns multiple whole-network descriptive statistics including total system throughflow, Finn Cycling Index, and average path length	Finn (1976)
<code>enaAscendency</code>	Performs ascendency analysis on the model flows and returns whole-network statistics including the average mutual information, ascendency, capacity and overhead	Ulanowicz (1997)
<code>enaStorage</code>	ENA Storage analysis considers how the model fluxes generate the node storage (e.g. biomass) in the system. This function returns the input- and output-oriented direct and integral storage matrices	Matis & Patten (1981)
<code>enaUtility</code>	ENA Utility analysis investigates the direct relationships among the network nodes as well as the integral relationships when all of the indirect interactions are also considered	Patten (1991)
<code>enaMTI</code>	Mixed trophic impacts assesses the net relationships among species in a food web	Ulanowicz & Puccia (1990)
<code>enaControl</code>	Control analysis determines the relative control one node exerts on another through the transaction network	Dame & Patten (1981)
<code>enaEnviron</code>	Returns the n unit and n realized input and output environs of the model	Patten (1978)

Table 3. Selected `enaR` auxiliary functions and analyses

Function	Description	Example Reference
Specialty Analyses		
<code>enaAll</code>	Runs all of the primary ENA algorithms	None
<code>get.nns</code>	Returns the whole-network statistics from <code>enaStructure</code> , <code>enaFlow</code> , <code>enaAscendency</code> , <code>enaStorage</code> and <code>enaUtility</code>	None
<code>eigenCentrality</code>	Calculates the average eigenvalue centrality for any input matrix	Fann & Borrett (2012)
<code>environCentrality</code>	Returns the input, output and average environ centralities for a matrix	Fann & Borrett (2012)
TET	Returns the total environ throughflows	Whipple <i>et al.</i> (2007)
TES	Returns the total environ storages	Matis & Patten (1981)
Auxiliary Functions		
<code>get.orient</code>	Determine the orientation of the results (row-to-column vs. School)	None
<code>set.orient</code>	Set the orientation of the results (row-to-column vs. School)	None
<code>mExp</code>	This function lets users calculate matrix exponents	None

83.6 Kcal m⁻² d⁻¹. TST is a measure of the total activity of the system, which is often referred to as the size or power of the system. The Finn Cycling Index (FCI) indicates that 11% of this activity was generated by recycling. Further, the average path length (APL = 2.02) shows that an average input passes over two paths before exiting the system, and the ratio of indirect to direct flows (ID.F = 1.58) indicates that the indirect flow exceeds the direct flow in this system. Together, these whole-network indicators show the importance of indirect interactions in the system. A next analytical step might be to apply the utility or mixed trophic impacts analyses to determine the net relationships among the ecosystem components when we consider the direct and indirect interactions, but this is beyond our analysis here. More detailed guidance for how to interpret ENA results can be found in previously published literature (Fath & Borrett 2006; Jørgensen *et al.* 2007; Schramski, Kazanci & Tollner 2011).

Value added features

There are several features of the `enaR` package beyond the core analyses that add substantive value for users. In this

section, we highlight several of these features including a library of 100 ecosystem network models, methods for conducting batch analysis (i.e. simultaneous analysis of multiple models) and connections to other analytical software.

MODEL LIBRARY

To facilitate new systems ecology and network science, we included a library of 100 previously published ecosystem network models with the `enaR` package. These models each trace a thermodynamically conserved unit (e.g. C, N, P) through a particular ecosystem. The models in this set are empirically based in that the authors attempted to model a specific system and parameterized the model to some degree with empirical estimates. While the library includes models used previously to test several systems ecology hypotheses (Borrett & Salas 2010; Borrett, Whipple & Patten 2010; Salas & Borrett 2011; Borrett 2013), and the set has a 47% overlap with the set of models previously collected by Dr. Ulanowicz (<http://www.cbl.umces.edu/~ulan/ntwk/network.html>), the full set has not previously been collected and distributed together.

```

library(enaR) # load enaR package
> # -- ENTER MODEL DATA -- from Dame and Patten (1981)
> # node names
> names <- c("Filter Feeders","Microbiota","Meiofauna",
+           "Deposit Feeders","Predators","Deposited Detritus")
> # Internal Flows of model, as matrix (oriented row to column)
> F <- matrix(c(0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
+             0, 0, 8.1721, 0, 1.2060, 0, 0, 0, 7.2745,
+             0, 1.2060, 0.6609, 0, 0, 0.6431, 0.5135, 0, 0,
+             0.1721, 0, 0, 15.7910, 0, 4.2403, 1.9076, 0.3262, 0),
+           ncol=6)
> rownames(F) <- names # add node names to rows
> colnames(F) <- names # add node names to cols
> # boundary flows
> inputs <- c(41.47,0, 0, 0, 0, 0)
> outputs <- c(25.1650, 5.76, 3.5794, 0.4303, 0.3594, 6.1759)
> # Living
> Living <- c(TRUE,TRUE,TRUE,TRUE,TRUE,FALSE)
> # pack the model data into the R network data object
> m <- pack(flow=F,input=inputs, respiration=outputs, outputs=outputs, living=Living)
>
> ssCheck(m) # check to see if the model is at steady-state
[1] TRUE
> # perform flow analysis
> F <- enaFlow(m) # perform ENA flow analysis
> attributes(F) # show analysis objects created
$names
[1] "T" "G" "GP" "N" "NP" "ns"

> F$ns # show flow analysis network statistics
      Boundary      TST TSTp      APL      FCI      BFI      DFI      IFI
[1,] 41.47 83.5833 NA 2.015512 0.1101686 0.4961517 0.1950689 0.3087794
      ID.F ID.F.I ID.F.0 HMG.I HMG.0 AMP.I AMP.0 mode0.F mode1.F
[1,] 1.582925 1.716607 1.534181 2.051826 1.891638 3 1 41.47 32.90504
      mode2.F mode3.F mode4.F
[1,] 9.208256 32.90504 41.47
> F$T
      Filter Feeders      Microbiota      Meiofauna      Deposit Feeders
      41.4700      8.1721      4.8805      2.5100
      Predators Deposited Detritus
      0.6856      22.2651

```

Fig. 2. Example code for applying `enaR` flow analysis to Dame & Patten (1981) oyster reef model.

We tentatively split these models into two classes. The most abundant class is the trophic network models. These models tend to have a food web at their core, but also include non-trophic fluxes generated by processes like death and excretion. The annual carbon flux model for the mesohaline region of the Chesapeake Bay is a typical example (Baird & Ulanowicz 1989). The second class of models focuses on biogeochemical cycling. In contrast to the trophic networks, the biogeochemical cycling models tend to have more highly aggregated nodes (more species grouped into a compartment), include more abiotic nodes that could represent chemical species (e.g. ammonia in a nitrogen cycle), have a lower dissipation rate, and therefore, they tend to have more recycling (Christian *et al.* 1996; Borrett, Whipple & Patten 2010). Christian & Thomas (2003) models of nitrogen cycling in the Neuse River Estuary are good examples of the class. The package vignette has a full listing of the models included along with references to their original publications (Lau, Borrett & Hines 2013).

BATCH ANALYSIS

Advances in ecosystem ecology have been made by comparing network metrics across multiple ecosystem models. For example, Christensen (1995) applied ENA to identify and compare the maturity of 41 ecosystem models, and van Oevelen *et al.*

(2011) compared the organic matter processing of food webs in three sections of the Nazaré submarine canyon. The `enaR` tool simplifies the work flow for these types of comparison. Given a list of models like the model library, it is possible to quickly analyse multiple models using R's `lapply` function (see `help('lapply')`). This facilitates the kind of comparative network analysis often of interest to ecologists (Monaco & Ulanowicz 1997; Christian *et al.* 2005; Whipple *et al.* 2007).

Batch analysis can be used in several additional ways. One application is for meta-analyses, such as tests of the generality of hypothesized ecosystem properties like network non-locality (Salas & Borrett 2011), or to investigate how physical features might influence ENA results (Niquil *et al.* 2012). Figure 1b illustrates the rank-ordered network homogenization statistic for the 56 trophic-based ecosystem models in the library. The homogenization statistic is greater than one in all of these models indicating that the network of indirect interactions tend to more uniformly distribute the resources than is obvious from the direct interactions, which extends previous results of Borrett & Salas (2010) to include several new models. A second kind of application is the exploration of new ENA interrelationships. With the collection of algorithms and the library of models, we can now investigate possible relationships among ENA indicators from different schools (Fig. 1c). The R script to generate Fig. 1 is available as an online enhancement (Data

S1). A third application of batch analysis is to investigate the previously unknown empirical ranges of ENA whole-network statistics, which may be useful for interpreting results from specific applications. Fig. 3 shows the observed distribution of values for selected network statistics from the 100 models in the library easily analysed using `lapply` and the associated `enaR` functions.

NEW CONNECTIONS

A third advantage of the `enaR` package design is that it enables network ecologists easier access to other network tools and analyses that might be useful. The `enaR` package uses the `R` network data structure defined in the `network` package (Butts 2008a). This means that network ecologists using `enaR` can also use the network manipulation functions and visualization features of the `network` package. Further, the `R` Social Network Analysis (SNA) package, `sna`, (Butts 2008b) also uses this network data object. This means that network ecologists can apply many of the SNA algorithms directly to their ecological network models. Fig. 1d illustrates applying the betweenness centrality function to the Chesapeake Bay trophic model (Baird & Ulanowicz 1989) and visualizing the results using a target centrality plot (Brandes, Kenis & Wagner 2003). This analysis highlights the central role of Sedimentary Particulate Carbon and bacteria in the Sediment Particulate Organic Carbon (POC) in the carbon flux of the estuary.

In addition, `enaR` can be a starting point for ecosystem network ecologists to use other `R` network tools. For example, the `iGraph` package provides functions to apply classic graph theory (Csardi & Nepusz 2006). The `limSolve` package provides capabilities to infer network model fluxes from empirical data by linear inverse modelling (Soetaert *et al.* 2009), which can also be used for uncertainty analyses of ENA (Kones *et al.* 2009). There are a wealth of additional `R` package that network ecologists may find useful including `bipartite` (Dormann, Gruber & Fründ 2008), `vegan` (Dixon 2003), `Cheddar` (Hudson *et al.* 2013) and packages in the `statnet` family (Handcock *et al.* 2008).

Conclusion and future development

The `enaR` package encodes existing ENA algorithms and is designed to address limitations of current ENA software and facilitate wider use and development. It does this by (i) providing greater accessibility to the code (e.g. free and open-source software available on multiple OS), (ii) collecting a broad set of available ENA algorithms and workflow management functions and (iii) creating the potential for collaborative development (via GitHub and CRAN). Further, the software is extensible for individual needs and it lets users integrate ENA into a broader workflow in `R` in a way that is more challenging when using web based tools like EcoNet (Kazanci 2007; Sch-




Fig. 3. Distributions of selected ENA network statistics from the 100 empirically based ecosystem models included in `enaR`. The results are summarized using a histogram showing the distribution of the values of each network statistic between the observed minimum and maximum values. The median, mean and coefficient of variation (ratio of standard deviation and mean) values are also reported. The network statistics are the number of nodes (n), the connectance ($C = L n^{-2}$), link density ($LD = L n^{-1}$), pathway proliferation rate ($lam1A$), Finn Cycling Index (FCI), average path length (APL), indirect flow intensity (IFI), output-oriented network homogenization ratio (HMG.O), output-oriented network amplification ratio (AMP.O), average mutual information (AMI), the ascendancy-to-capacity ratio (ASC.CAP), flow-based network synergism (synergism.F) and mutualism (mutualism.F).

ramski, Kazanci & Tollner 2011). Finally, it lets users have access to other network and statistical analysis tools (e.g. social network analysis) that are already part of R. These benefits come at the cost of having a steeper learning curve (e.g. users must know R), which may make enaR more suited to advanced practitioners.

In the near future, we anticipate two initial lines of continued development for the enaR package. The first is to increase the connections between the enaR package and other modelling and analytical tools. For example, we are currently working with colleagues to enable users of Ecopath with Ecosim (Christensen & Walters 2004) to apply the enaR tools in a seamless way. We are also developing functions to connect between enaR and the R limSolve package (Soetaert *et al.* 2009) for creating models using linear inverse modelling and to enable uncertainty analysis (Kones *et al.* 2009). The second line of development is to extend the package's capabilities. While it currently contains most of the many commonly used ENA algorithms used by ecologists, it is far from complete. For example, Ulanowicz (1983) decomposition of cycles is not yet included nor is his construction for the Lindeman trophic spine (Ulanowicz & Kemp 1979). Network model construction tools, such as least-inference methods for building models from empirical data (Ulanowicz & Scharler 2008), and Fath (2004) algorithm for constructing plausible ecosystems models are also possible enhancements.

In conclusion, enaR is an R package intended to facilitate the use and the collaborative development of Ecosystem Network Analysis, a branch of network ecology. This domain is rapidly growing in part because the tools and techniques let ecologists address a wide range of relational questions at the core of ecology. We look forward to seeing new ecological discoveries made through the use of enaR.

Acknowledgements

We would like to acknowledge and thank David Hines for contributing to the initial code and Pawandeep Singh for collecting the output for Table S1. We also thank several individuals who used the earlier versions of the software and provided helpful feedback for further development including Ursula Scharler, Shaoqing Chen, Emily Oxe and John Mejaski. In addition, we thank the many ecosystem model authors who created, shared and published their work. This work was funded in part by the US National Science Foundation (DEB1020944, DEB0425908), an NSF Integrative Graduate Education and Research Traineeship (MKL; DGE0549505) and a UNCW Cahill award (SRB).

Data accessibility

The enaR package and all data used in this paper are available online from the Comprehensive R Archival Network at <http://cran.r-project.org/web/packages/enaR/index.html> and from GitHub at <https://github.com/SEELab/enaR>.

References

Allesina, S. & Bondavalli, C. (2003) Steady state of ecosystem flow networks: a comparison between balancing procedures. *Ecological Modelling*, **165**, 221–229.

Allesina, S. & Bondavalli, C. (2004) Wand: an ecological network analysis user-friendly tool. *Environmental Modelling & Software*, **19**, 337–340.

Allesina, S., Bodini, A. & Bondavalli, C. (2005) Ecological subsystems via graph theory: the role of strongly connected components. *Oikos*, **110**, 164–176.

Baird, D. & Ulanowicz, R.E. (1989) The seasonal dynamics of the Chesapeake Bay ecosystem. *Ecological Monographs*, **59**, 329–364.

Barabási, A.L. (2012) The network takeover. *Nature Physics*, **8**, 14–16.

Bodini, A. & Bondavalli, C. (2002) Towards a sustainable use of water resources: a whole-ecosystem approach using network analysis. *International Journal of Environmental Pollution*, **18**, 463–485.

Bodini, A., Bondavalli, C. & Allesina, S. (2012) Cities as ecosystems: growth, development and implications for sustainability. *Ecological Modelling*, **245**, 185–198.

Bondavalli, C. & Ulanowicz, R.E. (1999) Unexpected effects of predators upon their prey: the case of the American alligator. *Ecosystems*, **2**, 49–63.

Borgatti, S.P. & Foster, P.C. (2003) The network paradigm in organizational research: a review and typology. *Journal of Management*, **29**, 991–1013.

Borrett, S.R. (2013) Throughflow centrality is a global indicator of the functional importance of species in ecosystems. *Ecological Indicators*, **32**, 182–196.

Borrett, S.R. & Salas, A.K. (2010) Evidence for resource homogenization in 50 trophic ecosystem networks. *Ecological Modelling*, **221**, 1710–1716.

Borrett, S.R., Fath, B.D. & Patten, B.C. (2007) Functional integration of ecological networks through pathway proliferation. *Journal of Theoretical Biology*, **245**, 98–111.

Borrett, S.R., Whipple, S.J. & Patten, B.C. (2010) Rapid development of indirect effects in ecological networks. *Oikos*, **119**, 1136–1148.

Borrett, S.R., Christian, R.R. & Ulanowicz, R.E. (2012) Network ecology. *Encyclopedia of Environmetrics*, 2nd edn. (eds A.H. El-Shaarawi & W.W. Piegorisch), pp. 1767–1772. John Wiley & Sons, New York.

Borrett, S.R., Moody, J. & Edelmann, A. (2014) The rise of network ecology: maps of the topic diversity and scientific collaboration. *Ecological Modelling*. doi: 10.1016/j.ecolmodel.2014.02.019.

Brandes, U., Kenis, P. & Wagner, D. (2003) Communicating centrality in policy network drawings. *IEEE Transactions on Visualization and Computer Graphics*, **9**, 241–253.

Butts, C. (2008a) network: a package for managing relational data in R. *Journal of Statistical Software*, **24**, 1–36.

Butts, C. (2008b) Social network analysis with sna. *Journal of Statistical Software*, **24**, 1–51.

Chen, S. & Chen, B. (2012) Network environ perspective for urban metabolism and carbon emissions: a case study of Vienna, Austria. *Environmental Science & Technology*, **46**, 4498–4506.

Christensen, V. (1995) Ecosystem maturity—towards quantification. *Ecological Modelling*, **77**, 3–32.

Christensen, V. & Walters, C.J. (2004) Ecopath with Ecosim: methods, capabilities and limitations. *Ecological Modelling*, **172**, 109–139.

Christian, R.R. & Thomas, C.R. (2003) Network analysis of nitrogen inputs and cycling in the Neuse River Estuary, North Carolina, USA. *Estuaries*, **26**, 815–828.

Christian, R.R., Fores, E., Comin, F., Viaroli, P., Naldi, M. & Ferrari, I. (1996) Nitrogen cycling networks of coastal ecosystems: influence of trophic status and primary producer form. *Ecological Modelling*, **87**, 111–129.

Christian, R.R., Baird, D., Luczkovich, J., Johnson, J.C., Scharler, U.M. & Ulanowicz, R.E. (2005) Role of network analysis in comparative ecosystem ecology of estuaries. *Aquatic Food Webs: An Ecosystem Approach* (eds A. Belgrano, J. Scharler, U.M. Dunne & R. Ulanowicz), pp. 25–40. Oxford University Press, New York City, New York, USA.

Csardi, G. & Nepusz, T. (2006) The igraph software package for complex network research. *InterJournal, Complex Systems*, 1695.

Dame, R.F. & Patten, B.C. (1981) Analysis of energy flows in an intertidal oyster reef. *Marine Ecology Progress Series*, **5**, 115–124.

Dixon, P. (2003) VEGAN, a package of R functions for community ecology. *Journal of Vegetation Science*, **14**, 927–930.

Dormann, C.F., Gruber, B. & Fründ, J. (2008) Introducing the bipartite package: analysing ecological networks. *R News*, **8**, 8–11.

Fann, S.L. & Borrett, S.R. (2012) Environ centrality reveals the tendency of indirect effects to homogenize the functional importance of species in ecosystems. *Journal of Theoretical Biology*, **294**, 74–86.

Fath, B.D. (2004) Network analysis applied to large-scale cyber-ecosystems. *Ecological Modelling*, **171**, 329–337.

Fath, B.D. & Borrett, S.R. (2006) A Matlab© function for network environ analysis. *Environmental Modelling & Software*, **21**, 375–405.

Fath, B.D. & Patten, B.C. (1999) Review of the foundations of network environ analysis. *Ecosystems*, **2**, 167–179.

Finn, J.T. (1976) Measures of ecosystem structure and function derived from analysis of flows. *Journal of Theoretical Biology*, **56**, 363–380.

Freeman, L.C. (2004) *The Development of Social Network Analysis: A Study in the Sociology of Science*. Empirical Press, Vancouver.

- Handcock, M., Hunter, D., Butts, C., Goodreau, S. & Morris, M. (2008) statnet: software tools for the representation, visualization, analysis and simulation of network data. *Journal of Statistical Software*, **24**, 1548.
- Hannon, B. (1973) The structure of ecosystems. *Journal of Theoretical Biology*, **41**, 535–546.
- Hines, D.E., Lisa, J.A., Song, B., Tobias, C.R. & Borrett, S.R. (2012) A network model shows the importance of coupled processes in the microbial N cycle in the Cape Fear River estuary. *Estuarine, Coastal and Shelf Science*, **106**, 45–57.
- Hudson, L.N., Emerson, R., Jenkins, G.B., Layer, K., Ledger, M.E., Pichler, D.E. *et al.* (2013) Cheddar: analysis and visualisation of ecological communities in R. *Methods in Ecology and Evolution*, **4**, 99–104.
- Ings, T.C., Montoya, J.M., Bascompte, J., Blüthgen, N., Brown, L., Dormann, C.F. *et al.* (2009) Review: ecological networks—beyond food webs. *Journal of Animal Ecology*, **78**, 253–269.
- Jørgensen, S.E., Fath, B.D., Bastianoni, S., Marques, J.C., Müller, F., Nielsen, S., Patten, B.C., Tiezzi, E. & Ulanowicz, R.E. (2007) *A New Ecology: Systems Perspective*. Elsevier, Amsterdam.
- Kazanci, C. (2007) EcoNet: a new software for ecological modeling, simulation and network analysis. *Ecological Modelling*, **208**, 3–8.
- Kones, J.K., Soetaert, K., van Oevelen, D. & Owino, J.O. (2009) Are network indices robust indicators of food web functioning? A Monte Carlo approach. *Ecological Modelling*, **220**, 370–382.
- Krause, A. (2004) *The role of compartments in food-web structure and changes following biological invasions in southeast Lake Michigan*. Ph.d., Michigan State University.
- Lau, M.K., Borrett, S.R. & Hines, D.E. (2013) *enaR: tools for ecological network analysis in R. R package version 2.6*.
- Lima, M. (2011) *Visual Complexity: Mapping Patterns of Information*. Princeton Architectural Press, New York.
- Matis, J.H. & Patten, B.C. (1981) Environ analysis of linear compartmental systems: the static, time invariant case. *Bulletin of the International Statistical Institute*, **48**, 527–565.
- Metcalf, C.J.E., McMahon, S.M., Salguero-Gómez, R. & Jongejans, E. (2012) IPMpack: an R package for integral projection models. *Methods in Ecology and Evolution*, **4**, 195–200.
- Monaco, M.E. & Ulanowicz, R.E. (1997) Comparative ecosystem trophic structure of three us mid-Atlantic estuaries. *Marine Ecology Progress Series*, **161**, 239–254.
- Moody, J., McFarland, D. & Bender-deMoll, S. (2005) Dynamic network visualization. *The American Journal of Society*, **110**, 1206–1241.
- Newman, M. (2003) The structure and function of complex networks. *SIAM Review*, **45**, 167–256.
- Niquil, N., Chaumillon, E., Johnson, G., Bertin, X., Grami, B., David, V. *et al.* (2012) The effect of physical drivers on ecosystem indices derived from ecological network analysis: comparison across estuarine ecosystems. *Estuarine, Coastal and Shelf Science*, **108**, 132–143.
- van Oevelen, D., Soetaert, K., García, R., de Stigter, H.C., Cunha, M.R., Pusceddu, A. & Danovaro, R. (2011) Canyon conditions impact carbon flows in food webs of three sections of the Nazaré canyon. *Deep-Sea Research Part II*, **58**, 2461–2476.
- Patten, B.C. (1978) Systems approach to the concept of environment. *The Ohio Journal of Science*, **78**, 206–222.
- Patten, B.C. (1982) Environs: relativistic elementary particles for ecology. *The American Naturalist*, **119**, 179–219.
- Patten, B.C. (1991) Network ecology: indirect determination of the life–environment relationship in ecosystems. *Theoretical Studies of Ecosystems: The Network Perspective* (eds M. Higashi & T. Burns), pp. 288–351. Cambridge University Press, New York.
- Patten, B.C., Bosserman, R.W., Finn, J.T. & Cale, W.G. (1976) *Propagation of Cause in Ecosystems*. Systems Analysis and Simulation in Ecology, Vol. IV (ed. B.C. Patten), pp. 457–579. Academic Press, New York.
- Proulx, S.R., Promislow, D.E.L. & Phillips, P.C. (2005) Network thinking in ecology and evolution. *Trends in Ecology & Evolution*, **20**, 345–353.
- Revell, L.J. (2012) phytools: an R package for phylogenetic comparative biology (and other things). *Methods in Ecology and Evolution*, **3**, 217–223.
- Salas, A.K. & Borrett, S.R. (2011) Evidence for dominance of indirect effects in 50 trophic ecosystem networks. *Ecological Modelling*, **222**, 1192–1204.
- Scharler, U. & Fath, B. (2009) Comparing network analysis methodologies for consumer–resource relations at species and ecosystems scales. *Ecological Modelling*, **220**, 3210–3218.
- Schramski, J.R., Kazanci, C. & Tollner, E.W. (2011) Network environ theory, simulation and EcoNet© 2.0. *Environmental Modelling & Software*, **26**, 419–428.
- Soetaert, K., Van den Meersche, K. & van Oevelen, D. (2009) *limSolve: Solving Linear Inverse Models*. R package version 1.5.1. Retrieved from <http://cran.r-project.org/web/packages/limSolve/index.html>.
- Ulanowicz, R.E. (1983) Identifying the structure of cycling in ecosystems. *Mathematical Biosciences*, **65**, 219–237.
- Ulanowicz, R.E. (1986) *Growth and Development: Ecosystems Phenomenology*. Springer-Verlag, New York.
- Ulanowicz, R.E. (1997) *Ecology, the Ascendent Perspective*. Columbia University Press, New York.
- Ulanowicz, R.E. (2009) *A third window, Natural life beyond Newton and Darwin*. Templeton Foundation Press, West Conshohocken, Pennsylvania, USA.
- Ulanowicz, R.E. & Kay, J. (1991) A package for the analysis of ecosystem flow networks. *Environmental Software*, **6**, 131–142.
- Ulanowicz, R.E. & Kemp, W.M. (1979) Toward canonical trophic aggregations. *The American Naturalist*, **114**, 871–883.
- Ulanowicz, R.E. & Puccia, C.J. (1990) Mixed trophic impacts in ecosystems. *Coenoses*, **5**, 7–16.
- Ulanowicz, R.E. & Scharler, U.M. (2008) Least-inference methods for constructing networks of trophic flows. *Ecological Modelling*, **210**, 278–286.
- Ulanowicz, R.E., Holt, R.D. & Barfield, M. (2014) Limits on ecosystem trophic complexity: insights from ecological network analysis. *Ecology Letters*, **17**, 127–136.
- Wasserman, S. & Faust, K. (1994) *Social Network Analysis: Methods and Applications*. Cambridge University Press, Cambridge; New York.
- Whipple, S.J., Borrett, S.R., Patten, B.C., Gattie, D.K., Schramski, J.R. & Bata, S.A. (2007) Indirect effects and distributed control in ecosystems: Comparative network environ analysis of a seven-compartment model of nitrogen flow in the Neuse River Estuary, USA—time series analysis. *Ecological Modelling*, **206**, 1–17.
- Zhang, Y., Yang, Z.F., Fath, B.D. & Li, S.S. (2010) Ecological network analysis of an urban energy metabolic system: model development, and a case study of four Chinese cities. *Ecological Modelling*, **221**, 1865–1879.

Received 8 November 2013; accepted 16 September 2014

Handling Editor: Stephane Dray

Supporting Information

Additional Supporting Information may be found in the online version of this article.

Table S1. Comparison of ecosystem network analysis whole system indicators for the Cone Springs model (Tilly 1968) as calculated by four different ENA software tools.

Data S1. Example enaR code that generates Fig. 1