

# ENHANCING OPTIMAL CONTROLLERS VIA TECHNIQUES FROM ROBUST AND ADAPTIVE CONTROL

J. IMAE

*College of Education, Akita University, 1-1 Tegatagakuen-cho, Akita, 010, Japan*

L. IRLICHT

*Department of Systems Engineering, Research School of Physical Sciences, Australian National University, GPO  
Box 4, Canberra, ACT 2601, Australia*

G. OBINATA

*Department of Mechanical Engineering for Production, Akita University, 1-1 Tegatagakuen-cho, Akita 010, Japan*

AND

J. B. MOORE

*Department of Systems Engineering, Research School of Physical Sciences, Australian National University, GPO  
Box 4, Canberra, ACT 2601, Australia*

## SUMMARY

Optimal control strategies for both non-linear and linear plants and indices are notoriously sensitive to modelling errors and external noise disturbances. In this paper a general framework to enhance robustness of an optimal control law is presented, with emphasis on the non-linear case. The framework allows a blending of off-line non-linear optimal control, on-line linear robust feedback control for regulation about the optimal trajectory and on-line adaptive techniques to enhance performance/robustness. The adaptive- $Q$  techniques are those developed in previous work based on the Youla–Kucera parametrization for the class of all stabilizing two-degree-of-freedom controllers. Some general fundamental stability properties are developed which are new, at least for the non-linear plant and linear robust controller case. Also, performance enhancement results in the presence of unmodelled linear dynamics based on an averaging analysis are reviewed. A convergence analysis based on averaging theory appears possible in principle for any specific non-linear system but is beyond the scope of the present paper. Certain model reference adaptive control algorithms come out as special cases. A non-linear optimal control problem is studied to illustrate the efficacy of the techniques, and the possibility of further performance enhancement based on functional learning is noted.

KEY WORDS Non-linear optimal control Robust and adaptive control Stability

## 1. INTRODUCTION

Optimal non-linear deterministic control methods are considered very elegant in theory but lack robustness in practice. In the optimal control approach a mathematical model of the process is first formulated based on the fundamental laws in operation or via identification techniques.

*This paper was recommended for publication by editor B. Wittenmark*

0890–6327/92/050413–17\$13.50

© 1992 by John Wiley & Sons, Ltd.

*Received May 1990*

*Revised April 1992*

## 2. SELF-TUNING OPTIMAL NON-LINEAR CONTROL

*Signal model/optimal control*

Let us consider some actual plant, in operator notation  $G$ , with a nominal model  $G_0$ , given in state space form

$$G_0: \quad dx/dt = f(x, u, t), \quad y = h(x, t) \quad (1)$$

with an associated performance index  $I = 1/T \int_0^T l(x, u, t) dt$ . Let us denote the optimal control signal  $u^*$ , assuming that this exists and can be calculated under the usual assumptions on the non-linear functions  $f, h$  and  $l$ . The optimal state/output trajectories for the nominal model are denoted  $x^*/y^*$ . We will focus on the case when the time horizon  $T$  becomes infinite.

*Linearize a signal model/linear optimal regulation.* Let us consider linearized versions of (1) about the optimal trajectory, obtained using the usual series expansion approach with

$$A = \left. \frac{\partial f}{\partial x} \right|_{\substack{x=x^* \\ u=u^*}} \quad B = \left. \frac{\partial f}{\partial u} \right|_{\substack{x=x^* \\ u=u^*}} \quad C = \left. \frac{\partial h}{\partial x} \right|_{x=x^*}$$

as

$$\Delta G_0: \quad d(\delta x)/dt = A\delta x + B\delta u, \quad \delta y = C\delta x, \quad \delta x(0) = \delta x_0 \quad (2)$$

$$\Delta I = \frac{1}{T} \int_0^T [(\delta x)^T Q_c \delta x + 2(\delta x)^T S_c \delta u + (\delta u)^T R_c \delta u] dt = \frac{1}{T} \int_0^T e^T e dt \quad (3)$$

With  $\Delta G$  the operator denoting the actual system with input  $\delta u = u - u^*$ , state  $\delta x = x - x^*$  and output  $\delta y = y - y^*$ , then  $\Delta G_0$  denotes a linearized version of  $\Delta G$ . Also,  $e$  is a vector calculated in terms of  $\delta x, \delta u, Q_c, S_c$  and  $R_c$  as

$$e = \begin{bmatrix} Q_c & S_c \\ S_c^T & R_c \end{bmatrix}^{1/2} \begin{bmatrix} \delta x \\ \delta u \end{bmatrix}, \quad Q_c \geq 0, \quad Q_c - S_c R_c^{-1} S_c \geq 0, \quad R_c > 0 \quad (4)$$

The associated linear optimal (LQG) regulator of the linearized model (2) (in a suitably stochastic environment not spelt out here) for the index (3) (or rather its expected value) is given the operator notation  $K_0$ , where

$$K_0: \quad d(\delta \hat{x})/dt = A\delta \hat{x} + B\delta u - H\delta r, \quad \delta u = F\delta \hat{x}, \quad \delta r = \delta y - C\delta \hat{x} \quad (5)$$

Here  $H$  and  $F$  are time-varying matrices formed via standard LQG theory and  $\delta r$  is the estimator residuals. (Ito equations are avoided in this presentation.)

Actually, the important aspect of the LQG design for our purposes is that under the relevant uniform stabilizability and uniform detectability assumptions the (time-varying) gains  $H$  and  $F$  exist and are given from the solution of two Riccati equations (with no finite escape time). Moreover, for the limiting case when the time horizon  $T$  becomes infinite, the controller  $K_0$  stabilizes  $\Delta G_0$ . Here stability means that all possible bounded inputs to the closed loop consisting of  $K_0$  feeding back on  $\Delta G_0$  result in bounded loop signals (outputs).

*Robust feedback controller.* It is well known that the LQG controller (5) for the linearized plants (2), although optimal for the nominal linear time-varying plant for the assumed noise environment, may be far from optimal in other than the nominal noise environments or in the


Next a performance index is derived which reflects the various cost factors associated with the implementation of any control signal. Then off-line calculations lead to an optimal control law  $u^*$  via one of the various methods of optimal control. In theory, then, applying such a control law to the physical process should result in optimal performance. However, the process is rarely modelled accurately and is frequently subject to stochastic disturbances. Consequently, the application of the 'optimal' control signal  $u^*$  results in poor performance, in that the process output  $y$  differs from  $y^*$ , the output of the idealized process model.

One approach to achieve improved performance could be to include robustness measures in the cost function, so that for plants 'near' the nominal model and 'small' disturbances poor performance is avoided. This approach turns out to be difficult to develop in practice.

A standard approach to enhance open-loop optimal control performance is to measure on-line the difference between the ideal optimal process output trajectory  $y^*$  and the actual process output  $y$ . This difference signal  $\delta y$  depends on the difference  $\delta u$  between the optimal control  $u^*$  for the nominal model and any actual control signal  $u$  applied. For nominal plants with suitably smooth non-linearities and small differences  $\delta u$  and  $\delta y$ , a linearization of the process allows an approximate linear dynamic model for relating  $\delta y$  to  $\delta u$ . With this model, optimal linear regulator theory can be applied to calculate  $\delta u$  in terms of  $\delta y$ , which is measurable, so as to regulate  $\delta y$  to zero. Indeed, the linearization can extend to yield an associated quadratic performance index consistent with the original non-linear index, so that linear optimal control (LQG) theory can be applied to achieve optimal regulation of  $\delta y$  under the linearization assumptions. Robust regulator designs based on optimal theory, perhaps via loop transmission recovery (LTR), could be expected to lead to performance improvement over a wider range of perturbations on the nominal plant model.

Even with the application of linearization and feedback regulation to enhance optimal control strategies, there can still be problems with external disturbances and modelling errors. The linearization itself may be a poor approximation when there are large perturbations from the optimal trajectory.

In this paper it is proposed to apply robust and adaptive techniques to assist in regulation of the actual plant so that it behaves as closely as possible to the nominal (idealized) model. An adaptive control technique which is designed to enhance performance of a stabilizing regulator for a nominal time-varying linear plant model is presented in an earlier work,<sup>1</sup> building on the time-invariant case proposed in Reference 2 and further studied in Reference 3. Here this technique is applied in conjunction with an open-loop non-linear optimal controller and standard linear optimal feedback regulator (LQG) approach, with the view to enhancing performance of the optimal controller when applied to a plant, not the idealized model. Loop recovery (LTR) techniques are also studied to enhance robustness of the optimal regulator designs. Some analysis results are presented giving stability properties of the optimal/adaptive scheme. These generalize known linear system stability plant results to the case of mixed linear and non-linear systems as here. Mention is made of performance enhancement properties in the presence of unmodelled dynamics developed for the linear case based on an averaging analysis; although generalizing to a specific non-linear case appears possible, such an analysis is beyond the scope of the present paper. Simulation results demonstrate the effectiveness of the various control strategies, and the possibility of further performance enhancement based on functional learning is noted. In Section 2 the algorithms of Reference 1 are viewed in the context of non-linear optimal control. In Section 3 some analysis results are developed relevant to the non-linear control situation, and in Section 4 simulation studies are presented. Conclusions are drawn in Section 5.


 Figure 3. Two-degree-of-freedom adaptive- $Q$  scheme

A refinement on this proposal is to consider a two-degree-of-freedom controller scheme based on Reference 2. This is depicted in Figure 3. It can be derived from a one-degree-of-freedom controller arrangement for the augmented plant  $[0 \ G^T]^T$ , reorganized as a two-degree-of-freedom arrangement for  $G$ . The objective is to select causal, bounded-input, bounded-output operators  $Q_1$  and  $Q_2$  on-line so that the response  $e$  is minimized in an  $L_2$  sense.

In order to present a least-squares algorithm for selection of  $Q$ , as in the schemes of Reference 1, some preprocessing of the signals  $e$ ,  $\delta u$  and  $\delta y$  is required.

*Prefiltering.* To design the appropriate prefilters, it is convenient to introduce coprime factorizations for  $\Delta G_0$  and  $K_0$  such that

$$\Delta G_0 = N_0 M_0^{-1} = \tilde{M}_0^{-1} \tilde{N}_0, \quad K_0 = U_0 V_0^{-1} = \tilde{V}_0^{-1} \tilde{U}_0 \quad (7)$$

satisfy the double Bezout

$$\begin{bmatrix} \tilde{V}_0 & -\tilde{U}_0 \\ -\tilde{N}_0 & \tilde{M}_0 \end{bmatrix} \begin{bmatrix} M_0 & U_0 \\ N_0 & V_0 \end{bmatrix} = \begin{bmatrix} M_0 & U_0 \\ N_0 & V_0 \end{bmatrix} \begin{bmatrix} \tilde{V}_0 & -\tilde{U}_0 \\ -\tilde{N}_0 & \tilde{M}_0 \end{bmatrix} \begin{bmatrix} I & 0 \\ 0 & I \end{bmatrix} \quad (8)$$

where the factors  $N_0, M_0, \tilde{N}_0, \tilde{M}_0$  and  $\tilde{V}_0$  are stable and causal operators. We consider those defined in Reference 1, using the shorthand notation which would represent  $\Delta G_0$  of (2) as

$$\left[ \begin{array}{c|c} A & B \\ \hline C & D \end{array} \right]_{\delta x_0}$$

with

$$\begin{bmatrix} M_0 & U_0 \\ N_0 & V_0 \end{bmatrix} = \left[ \begin{array}{c|c} A + BF & B \quad -H \\ \hline F & I \quad 0 \\ C + DF & D \quad I \end{array} \right]_{\delta x_0}, \quad (9)$$

$$\begin{bmatrix} \tilde{V}_0 & -\tilde{U}_0 \\ -\tilde{N}_0 & \tilde{M}_0 \end{bmatrix} = \left[ \begin{array}{c|c} A + HC & -(B + HD) \quad H \\ \hline F & I \quad 0 \\ C & -D \quad I \end{array} \right]_{\delta x_0}$$

presence of structured or unstructured perturbations on (2). Stability may be lost even for small variations from the nominal plant.

Methods to enhance LQG regulator robustness exist, such as modifying  $Q_c, S_c$  and  $R_c$  (usually  $S_c \equiv 0$ ) selections or assumed noise environments, as when loop recovery is used. Such techniques could well serve to strengthen the robustness properties of the optimal/adaptive schemes studied subsequently. In order to proceed, we here merely assume the existence of a controller (5) stabilizing  $\Delta G_0$ , although our objective is to achieve a controller which both stabilizes  $\Delta G$  and achieves a low value of the index  $\Delta I$  when applied to  $\Delta G$ .

*The class of all stabilizing controllers for  $\Delta G_0$ .* On the basis of Reference 1, the class of all stabilizing controllers  $K(Q)$  for  $\Delta G_0$  is as depicted in Figure 1(a). Here  $Q$  is an arbitrary causal bounded-input, bounded-output operator parametrizing the class of all stabilizing controllers. If  $Q$  is linear, rational, proper and stable, then it parametrizes the class of all linear, rational, proper, stabilizing controllers for  $\Delta G_0$ . A rearrangement is depicted in Figure 1(b), from which the subsystem  $J_K$  is readily extracted

$$J_K: \quad d\delta\hat{x}/dt = (A + BF)\delta\hat{x} + Bs - H\delta r, \quad \delta u = F\delta\hat{x} + s, \quad \delta r = \delta y - C\delta\hat{x} \quad (6)$$

Of course, in obvious notation  $[J_K]_{11} = K_0$ .

*Adaptive  $Q$ .* Our proposal is to implement a controller  $K(Q)$  for some adaptive  $Q$ , but applied to  $\Delta G$  and not  $\Delta G_0$ . The intention is for  $Q$  to be chosen to ensure that  $K(Q)$  stabilizes  $G$  and achieves good performance in terms of the index  $\Delta I$ . Thus consider the arrangement of Figure 2, where the block  $P$  is actually the arrangement depicted in Figure 1 but effectively characterized by operators  $\Delta G$  and  $L$ .




Figure 1. Class of all stabilizing controllers for  $\Delta G_0$




Figure 2. Adaptive  $Q$  for disturbance response minimization




Figure 4. Least-squares adaptive-Q arrangement

**Remarks**

1. The algorithms (16) should be modified to ensure that  $\hat{\theta}_k$  is projected into a restricted domain, such as  $\|Q_k\| < \epsilon$  for some fixed  $\epsilon$ . Such projections can be guided by the theory discussed in the next section.
2. To achieve convergence of  $\hat{\theta}_k$ ,  $\hat{P}_k$  must approach zero or, equivalently,  $\hat{\phi}_k$  must be persistently exciting in some sense. However, parameter convergence is not strictly necessary to achieve performance enhancement. With more general algorithms which involve resetting or forgetting, care must be taken to avoid ill-conditioning of  $\hat{P}_k$ , perhaps via unstable excitation in the system.
3. It turns out that appropriate scaling can be crucial to achieve the best possible performance enhancement. Scaling gains can be included to scale  $r$  and/or  $e$  with no effect on the supporting theory, other than defining projection domains as in Remark 1 above. Likewise, the 'scaling' can be generalized to stable dynamic filters for  $r$  and/or  $e$  with no effect on the supporting theory. In this way frequency-shaped designs can be effected.
4. Our presentation so far has been for continuous-time  $\Delta G$  and  $J_k$  but discrete-time updates of parameters  $\hat{\theta}_k$  and then  $Q_k$ , based on samplings of  $r$  and  $e$ . Likewise, our subsequent simulation results are mixed continuous-time/discrete-time results. Theory, as noted below, gives performance enhancement only at the discrete-time sampling instants, so that as in all mixed continuous/discrete system studies care must be taken to achieve a suitably fast sampling rate. Of course, we could have worked exclusively in discrete time or continuous time.
5. The scheme described above can be specialized to the cases when  $Q_1$  and  $Q_2$  are finite impulse response filters by setting  $n = 0$ . The  $Q$ s are stable for all bounded  $\hat{\theta}_k$ . Also, either  $Q_1$  or  $Q_2$  can be set to zero to simplify the processing, although possibly at the expense of performance.
6. In the case when  $Q_1$  is moving average and  $Q_2$  is zero, our scheme becomes very simple, being a moving average filter  $Q_1$  in series with the closed-loop system  $\{\Delta G, K_0\}$ . In this case, if  $Q_1$  is stable, guaranteed when the gains  $\hat{\theta}_k$  are bounded, and  $\{\Delta G, K_0\}$  is stable, then there is obvious stability of the adaptive scheme.
7. When the linearized plant model  $\Delta G_0$  is stable and one selects trivial values  $F, H = 0$  so that  $K_0 = 0$ , then the arrangement of Figure 3 simplifies to the familiar model reference adaptive control arrangement depicted in Figure 5.
8. In the case when  $Q_1$  is set to zero, there is no adaptive feedforward control action.
9. The operators  $\Delta G_0$  and  $J_k$  are in fact functions of the optimal trajectory  $x^*$  or, under suitable generalizations of  $x^*$ ,  $\delta x$ . It would make sense to have the operator  $Q$  also as a function of  $x^*$  (or  $x^*$  and  $\delta x$ ). Then this adaptive-Q approach becomes a learning-Q approach as studied in a companion paper.<sup>4</sup>

Thus

$$M_0 = \left[ \begin{array}{c|c} A + BF & B \\ \hline F & I \end{array} \right]_{\delta x_0}$$

etc.

In this notation  $J_K$  of (6) has the form

$$J_K = \left[ \begin{array}{cc} K_0 & \tilde{V}_0^{-1} \\ V_0^{-1} & -V_0^{-1}N_0 \end{array} \right] \tag{10}$$

Now define  $P_{12}$  as the operator between  $\delta u$  and  $e$  under nominal plant assumptions. Thus, since (2) and (4) hold, then in operator notation

$$P_{12} = \left[ \begin{array}{cc} Q_c & S_c \\ S_c^T & R_c \end{array} \right]^{1/2} \left[ \begin{array}{c} \Delta G_x \\ I \end{array} \right] \tag{11}$$

where

$$\Delta G_x: \quad d(\delta x)/dt = A\delta x + B\delta u$$

With the above definitions and using operator notation, we define filtered variables

$$\xi = \left[ \begin{array}{c} P_{12}M_0u^* \\ P_{13}M_0\delta r \end{array} \right], \quad \zeta = e - P_{12}M_0s \tag{12}$$

*Least-squares Q selection.* Let us define a discrete-time version of  $Q$  in  $Z$ -transforms as

$$Q_1(z^{-1}) = \frac{\gamma_0 + \gamma_1 z^{-1} + \dots + \gamma_p z^{-p}}{1 + \alpha_1 z^{-1} + \dots + \alpha_n z^{-n}}, \quad Q_2(z^{-1}) = \frac{\beta_0 + \beta_1 z^{-1} + \dots + \beta_m z^{-m}}{1 + \alpha_1 z^{-1} + \dots + \alpha_n z^{-n}} \tag{13}$$

$$Q(z^{-1}) = [Q_1(z^{-1})Q_2(z^{-1})], \quad \theta^T = [\alpha_1 \dots \alpha_n \beta_0 \dots \beta_m \gamma_0 \dots \gamma_p]$$

The following state (regression) vector in discrete time is

$$\phi_k^T = [-s_{k-1} \dots -s_{k-n} \delta r_k \dots \delta r_{k-m} \omega_k \dots \omega_{k-p}] \tag{14}$$

The dimensions  $n, m$  and  $p$  are set from an implementation convenience/performance trade-off. In the adaptive- $Q$  case the parameters are time-varying, resulting from least-squares calculations given below. We assume a unit delay in calculations. Thus  $\theta$  is replaced by  $\hat{\theta}_{k-1}$  and the filter with operator  $Q_k = [Q_{1k}Q_{2k}]$  is implemented with parameters (time-varying in general)

$$s_k = \hat{\theta}_{k-1}^T \hat{\phi}_k, \quad \hat{\theta}_k^T = [\hat{\alpha}_{1k} \dots \hat{\alpha}_{nk} \hat{\beta}_{0k} \dots \hat{\beta}_{mk} \hat{\gamma}_{0k} \dots \hat{\gamma}_{pk}] \tag{15}$$

We seek selections of  $\hat{\theta}_k$  so that the adaptive controller minimizes the  $L_2$ -norm of the response  $\hat{e}_k$ . Using theory in Reference 2, with suitable initializing we have the adaptive- $Q$  arrangement of Figure 3 with equations

$$\hat{\theta}_k = \hat{\theta}_{k-1} + \hat{P}_k \hat{\phi}_k \hat{e}_{k/k-1}, \quad \hat{e}_{k/k-1} = \zeta_k - \hat{\phi}_k^T \hat{\theta}_{k-1}, \quad \hat{e}_{k/k} = \xi_k - \hat{\phi}_k^T \hat{\theta}_k$$

$$\hat{P}_k = \left( \sum_1^k \hat{\phi}_i \hat{\phi}_i^T \right)^{-1} = \hat{P}_{k-1} - \hat{P}_{k-1} \hat{\phi}_k (I + \hat{\phi}_k^T \hat{P}_{k-1} \hat{\phi}_k)^{-1} \hat{\phi}_k \hat{P}_{k-1} \tag{16}$$

$$\hat{\phi}_k^T = [(\hat{e}_{k-1/k-1} - \zeta_{k-1})(\hat{e}_{k-n/k-n} - \zeta_{k-n}) - \xi_{2,k} \dots - \xi_{2,k-m} \dots - \xi_{1,k} \dots - \xi_{1,k-m}]$$

*Summary of proposed direct adaptive scheme.* The complete adaptive- $Q$  scheme is a combination of Figures 3 and 4 with key equations 9 and 16.

Moreover, the maps 17 and 18 have the block diagram representations of Figures 6(a) and 6(b), where

$$J_G = \begin{bmatrix} -M_0^{-1}U_0 & M_0^{-1} \\ \tilde{M}_0^{-1} & \Delta G_0 \end{bmatrix} \tag{20}$$

The solutions of 17 and 18 are unique, given from the right fractional maps in terms of  $\Delta G$  or  $\Delta G - \Delta G_0$  as

$$S = (-\tilde{N}_0 + \tilde{M}_0 \Delta G)(\tilde{V}_0 - \tilde{U}_0 \Delta G)^{-1} \tag{21}$$

$$= \tilde{M}_0(\Delta G - \Delta G_0)M_0[I - \tilde{U}_0(\Delta G - \Delta G_0)M_0]^{-1}$$

or in terms of the closed-loop system operators as

$$S = [-\tilde{N}_0 \ \tilde{M}_0] \left[ \begin{bmatrix} I & -K_0 \\ -\Delta G & I \end{bmatrix}^{-1} - \begin{bmatrix} I & -K_0 \\ -\Delta G_0 & I \end{bmatrix}^{-1} \right] \begin{bmatrix} M_0 \\ N_0 \end{bmatrix} \tag{23}$$

Moreover,  $\{N(S), M(S)\}$  are coprime and ovey a Bezout identity

$$\tilde{V}_0 M(S) - \tilde{U}_0 N(S) = I \tag{24}$$

*Proof.* Simple manipulations allow (21) to be reorganized under the well-posedness assumption as

$$\begin{bmatrix} I \\ S \end{bmatrix} = \begin{bmatrix} \tilde{V}_0 & -\tilde{U}_0 \\ -\tilde{N}_0 & \tilde{M}_0 \end{bmatrix} \begin{bmatrix} I \\ \Delta G \end{bmatrix} (I - K \Delta G)^{-1} \tilde{V}_0^{-1}$$




Figure 6. The feedback systems  $\{\Delta G(S), K(Q)\}, \{Q, S\}$






Figure 5. Model reference adaptive control special case

### 3. CONVERGENCE PROPERTIES

In this section we focus on stability results as a first step to achieving convergence results for our system. We first analyse a parametrization of the plant  $\Delta G$  with input  $\delta u$  and output  $\delta y$  in terms of the coprime factorizations of the linearized version  $\Delta G_0$  and stabilizing linear controller  $K_0$  and establish that this parametrization covers the class of well-posed closed-loop systems under study. Next, stability of the scheme is studied in terms of such parametrizations and then expected convergence properties are noted based on this characterization and known convergence theories in the linear case.

#### *Non-linear system fractional maps*

As in the previous section, let us consider the right and left coprime factorizations for the nominal linearized plant and controller of Reference 5. These operators are expressed as functions of the desired optimal trajectory  $x^*$ , but since  $x^*$  is time-dependent, then for any specific trajectory  $x^*(\cdot)$  the operators are merely linear time-varying operators and can be treated as such. We define  $\Delta G(x^*)$  as the (non-linear) system with input  $\delta u$  and output  $\delta y$ . Note that  $\Delta G_0(x^*)$  is a linearization of  $\Delta G(x^*)$ . When the notation  $\Delta G_0, \Delta G$  is used, the  $x^*$ -dependence, or equivalently the time dependence, is understood. Also, a unity-gain feedback loop with open-loop operator  $W_{ol}$  is said to be well-posed when  $(I + W_{ol})^{-1}$  exists. Recall that for a non-linear operator  $S$ , in general  $S(A + B) \neq SA + SB$ , or equivalently superposition does not hold, and care must be taken in the composition of non-linear operators. Otherwise, manipulation rules for non-linear operators follow the more familiar ones for linear operators.

#### *Theorem 1 (right fractional map forms)*

Consider that  $\{\Delta G_0, K_0\}$  is well-posed and stabilizing with left and right coprime factorizations for  $\Delta G_0$  and  $K_0$  as in (7) and the double Bezout (8) holding. Then any non-linear plant with  $\Delta G$  such that  $\{\Delta G, K_0\}$  is a well-posed closed-loop system can be expressed in terms of a (non-linear) operator  $S$  in right fractional map forms:

$$\Delta G = N(S)M^{-1}(S), \quad N(S) = (N_0 + V_0S), \quad M(S) = M_0 + U_0S \quad (17)$$

$$= \Delta G_0 + \tilde{M}_0^{-1}S(I + M_0^{-1}U_0S)^{-1}M_0^{-1} \quad (18)$$

Also, closed-loop system operators are given from

$$\begin{bmatrix} I & -K_0 \\ -\Delta G & I \end{bmatrix}^{-1} = \begin{bmatrix} I & -K_0 \\ -\Delta G_0 & I \end{bmatrix}^{-1} + \begin{bmatrix} U_0 & M_0 \\ V_0 & N_0 \end{bmatrix} \begin{bmatrix} S & 0 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} \tilde{V}_0 & \tilde{U}_0 \\ \tilde{N}_0 & \tilde{M}_0 \end{bmatrix} \quad (19)$$

and applying the double Bezout (8) gives

$$\begin{bmatrix} \tilde{V}_0 & -\tilde{U}_0 \\ -\tilde{N}_0 & \tilde{M}_0 \end{bmatrix} \left[ \begin{bmatrix} I & -K_0 \\ -\Delta G & I \end{bmatrix}^{-1} - \begin{bmatrix} I & -K_0 \\ -\Delta G_0 & I \end{bmatrix}^{-1} \right] \begin{bmatrix} M_0 & -U_0 \\ -N_0 & V_0 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ S & 0 \end{bmatrix}$$

or equivalently (19) holds and (23). (This result is generalized in Theorem 2.)

Simple manipulations from Figure 6(b) give the transfer function of the  $G$ -block to be  $J_{21}S(1 - J_{11}S)^{-1}J_{12} + J_{22}$  and substitution of (20) gives  $\Delta G$  by (18).

To establish coprimeness of  $N(S)$  and  $M(S)$ , observe that under the double Bezout (8)

$$\tilde{V}_0M(S) - \tilde{U}_0N(S) = \tilde{V}_0M - \tilde{U}_0N + (\tilde{V}_0U_0 - \tilde{U}_0V_0)S = I$$

which is unimodular. Thus from Lemma 2.1 of Reference 6  $N(S)M(S)^{-1}$  is a right co-prime factorization. □

*Remarks*

1. When  $\Delta G$  is linear, the above results specialize to known results in Reference 5, although the details of the theorem proof appear quite different so as to avoid using superposition when non-linear operators  $\Delta G$  and  $S$  are involved.
2. The fact that  $\tilde{M}_0, \tilde{N}_0, M_0, N_0, \tilde{U}_0, \tilde{V}_0, U_0$  and  $V_0$  are linear has allowed derivations to take place without differential boundedness or other such assumptions as in a full non-linear theory as developed in References 6 and 7 using left coprime factorizations.
3. Dual left coprime factorization results, apart from those in References 6 and 7 involving differential boundedness, are elusive at this time. Certainly, dualizing certain of the above proof steps requires superposition and thus linearity of  $\Delta G$  and  $S$ .
4. Dual results apply for fractional mappings of  $K = K(Q)$  as in (28) and (29), along with duals of the other results. Thus  $K(Q)$  can be expressed as a linear controller  $K_0$  augmented with a non-linear  $Q$ . Also, by duality, Figure 6(a) depicts a block diagram arrangement for

$$K \triangleq K(Q) = U(Q)V^{-1}(Q), \quad U(Q) = (U_0 + M_0Q), \quad V(Q) = (V_0 + N_0Q) \quad (28)$$

where

$$Q = (-\tilde{U}_0 + \tilde{V}_0K)(\tilde{M}_0 - \tilde{N}_0K)^{-1} \quad (29)$$

*Stabilization results*

We define a system  $\{G, K\}$  to be *internally stable* iff for all bounded inputs the outputs are bounded.

*Theorem 2*

Consider the well-posed feedback system  $\{\Delta G, K\}$  under the conditions of Theorem 1, with  $\Delta G$  and  $K$  parametrized by  $S$  and  $Q$  as in (17) and (28) and as depicted in Figures 6(a) and 6(b). Then  $\{\Delta G(S), K(Q)\}$  is well-posed and stable if and only if the feedback system  $\{Q, S\}$  depicted in Figure 6(d) is well-posed and internally stable. Moreover, referring to Figure 6(c), the  $J_k/\Delta G$ -block with input/output operator  $T$  satisfies

$$T = S \quad (30)$$

and via the Bezout identity as

$$\begin{bmatrix} M(S) \\ N(S) \end{bmatrix} = \begin{bmatrix} M_0 + U_0 S \\ N_0 + V_0 S \end{bmatrix} = \begin{bmatrix} M_0 & U_0 \\ N_0 & V_0 \end{bmatrix} \begin{bmatrix} I \\ S \end{bmatrix} = \begin{bmatrix} I \\ \Delta G \end{bmatrix} (I - K \Delta G)^{-1} \tilde{V}_0^{-1} \quad (25)$$

Thus under (21),  $M^{-1}(S)$  exists and (17) holds as follows:

$$N(S)M^{-1}(S) = \Delta G(I - K \Delta G)^{-1} \tilde{V}_0^{-1} [(I - K \Delta G)^{-1} \tilde{V}_0^{-1}]^{-1} = \Delta G$$

To prove the equivalence of (17) and (18), simple manipulations give

$$\begin{aligned} \Delta G &= \Delta G_0 + (N_0 + V_0 S)(I + M_0^{-1} U_0 S)^{-1} M_0^{-1} - N_0 M_0^{-1} \\ &= \Delta G_0 + (V_0 - N_0 M_0^{-1} U_0) S (I + M_0^{-1} U_0 S)^{-1} M_0^{-1} \\ &= \Delta G_0 + (V_0 - \tilde{M}_0^{-1} \tilde{N}_0 U_0) S (I + M_0^{-1} U_0 S)^{-1} M_0^{-1} \\ &= \Delta G_0 + \tilde{M}_0^{-1} (\tilde{M}_0 V_0 - \tilde{N}_0 U_0) S (I + M_0^{-1} U_0 S)^{-1} M_0^{-1} \\ &= \Delta G_0 + \tilde{M}_0^{-1} S (I + M_0^{-1} U_0 S)^{-1} M_0^{-1} \end{aligned}$$

so that under (8), equation (18) holds. Likewise, (21) is equivalent to (22) as follows:

$$\begin{aligned} S &= \tilde{M}_0 (\Delta G - \Delta G_0) (\tilde{V}_0 - \tilde{U}_0 \Delta G)^{-1} \\ &= \tilde{M}_0 (\Delta G - \Delta G_0) M_0 (\tilde{V}_0 M_0 - \tilde{U}_0 \Delta G M_0)^{-1} \\ &= \tilde{M}_0 (\Delta G - \Delta G_0) M_0 (I + \tilde{U}_0 N_0 M_0^{-1} M_0 - \tilde{U}_0 \Delta G M_0)^{-1} \\ &= \tilde{M}_0 (\Delta G - \Delta G_0) M_0 [I - \tilde{U}_0 (\Delta G - \Delta G_0) M_0]^{-1} \end{aligned}$$

To see that the operator of (17) is equivalent to that depicted in Figure 6(a), observe from Figure 6(a) that  $l = M_0^{-1}(e_1 - U_0 S l)$  or, equivalently,  $l = (M_0 + U_0 S)^{-1} e_1$ . Also,  $e_2 - w_2 = (N_0 + V_0 S)l = (N_0 + V_0 S)(M_0 + U_0 S)^{-1} e_1$ , which is equivalent to (17).

Now suppose there is some other  $S + \Delta S$  which also satisfies (17); then

$$\begin{bmatrix} I \\ \Delta G \end{bmatrix} = \begin{bmatrix} M_0 & U_0 \\ N_0 & V_0 \end{bmatrix} \begin{bmatrix} I \\ S \end{bmatrix} (M_0 + U_0 S)^{-1} = \begin{bmatrix} M_0 & U_0 \\ N_0 & V_0 \end{bmatrix} \begin{bmatrix} I \\ S + \Delta S \end{bmatrix} (M_0 + U_0 S + U_0 \Delta S)^{-1}$$

for some  $\Delta S$ . Then, using (8),

$$\begin{bmatrix} \tilde{V}_0 & -\tilde{U}_0 \\ -\tilde{N}_0 & \tilde{M}_0 \end{bmatrix} \begin{bmatrix} I \\ \Delta G \end{bmatrix} = \begin{bmatrix} I \\ S \end{bmatrix} (M_0 + U_0 S)^{-1} = \begin{bmatrix} I \\ S + \Delta S \end{bmatrix} (M_0 + \Delta S)^{-1} \quad (26)$$

Premultiplication by  $[I \ 0]$  gives  $M_0 + U_0 S = M_0 + U_0 S + U_0 \Delta S$  and premultiplication by  $[0 \ I]$  gives then in turn that  $\Delta S = 0$ .

To verify (23), first observe that

$$\begin{bmatrix} I & -K_0 \\ -\Delta G & I \end{bmatrix} = \begin{bmatrix} M_0 & -U_0 \\ -N_0 & V_0 \end{bmatrix} \begin{bmatrix} I & 0 \\ -S & I \end{bmatrix} \begin{bmatrix} M_0 + U_0 S & 0 \\ 0 & V_0 \end{bmatrix}^{-1} \quad (27)$$

Thus

$$\begin{aligned} &\begin{bmatrix} I & -K_0 \\ -\Delta G & I \end{bmatrix}^{-1} - \begin{bmatrix} I & -K_0 \\ -\Delta G_0 & I \end{bmatrix}^{-1} \\ &= \left[ \begin{bmatrix} M_0 + U_0 S & 0 \\ 0 & V_0 \end{bmatrix} \begin{bmatrix} I & 0 \\ -S & I \end{bmatrix}^{-1} - \begin{bmatrix} M_0 & 0 \\ 0 & V_0 \end{bmatrix} \right] \begin{bmatrix} M_0 & -U_0 \\ -N_0 & V_0 \end{bmatrix}^{-1} \\ &= \begin{bmatrix} M_0 & U_0 \\ N_0 & V_0 \end{bmatrix} \begin{bmatrix} 0 & 0 \\ S & 0 \end{bmatrix} \begin{bmatrix} M_0 & -U_0 \\ -N_0 & V_0 \end{bmatrix}^{-1} \end{aligned}$$

$Q$  and  $S$ . More general versions of this approach where  $G_0$  and  $K_0$  are non-linear will be explored in subsequent work.

2. If  $|S| < \varepsilon$ , then by the small-gain theorem for closed feedback loops, if  $|Q| < 1/\varepsilon$ , then  $Q$  stabilizes the loop. From this and Theorem 2 with  $\Delta G - \Delta G_0$  suitably small in norm, there exists some  $Q$  which will guarantee stability.
3. In the case where  $\Delta G = \Delta G_0$ , then trivially  $S = 0$ , and any  $Q$  selection based on identification of  $S$  will be trivially  $Q = 0$ . This contrasts the awkwardness of one alternative design approach which would seek to identify the closed-loop system as a basis for a controller augmentation design.
4. Observations on examples in the linear  $\Delta G$  case have shown that if  $K_0$  is robust for  $G$ , then  $S$  can be approximated by a low-order system,<sup>3</sup> thus making any  $Q$  selection more straightforward than might be otherwise expected.
5. In Reference 8 stability results are studied for nested linear systems based on the  $Q/S$  parametrization approach. The authors demonstrate how an  $(n + 1)$ -loop control diagram can be specialized to an equivalent  $n$ -loop diagram and show that internal stability of an  $n + 1$  control loop is equivalent to that of the controller in the last loop stabilizing the  $n$ th frequency-shaped plant model error. It is clear that our results could also likewise extend, at least in the case when all approximations but the last were linear.

#### *Averaging convergence analysis*

The adaptive scheme has the property that when  $\Delta G = \Delta G_0$ , then  $Q_k$  converges to zero, so that when  $K_0$  is the nominal optimal regulator, then the adaptive regulator  $K(Q_k)$  converges to  $K_0 = K(0)$ , the optimal one. Such details are studied in Reference 1. More general results are given in Reference 9 for the case of linear  $\Delta G$ , based on an averaging analysis. One result concerns the case when  $\{\Delta G, K_0\}$  is a stabilizing pair as well as  $\{\Delta G_0, K_0\}$ . There is guaranteed performance enhancement when  $\{\Delta G, K_0\}$  is not stabilizing, but is small in that  $\{\Delta G, K(Q)\}$  is stabilizing for some  $Q$  with  $\|Q\| < \varepsilon$  with  $\varepsilon$  known, then with  $Q_k$  projected into the domain  $\{\|Q\| < \varepsilon\}$ , there is guaranteed performance enhancement. For the more general case where  $\Delta G$  is non-linear, new results are needed. One approach is the averaging analysis as used in Reference 9 but for non-linear systems as in Reference 10, but clearly any results obtained will be problem-specific and beyond the scope of the present paper. A first step in such an analysis is to derive appropriate stability results. Stability results for the proposed scheme in the non-linear  $\Delta G$  but linear  $K_0$  and  $\Delta G_0$  case are studied in the next section. These are more developed than those for the non-linear  $K_0$ ,  $\Delta G_0$  and  $\Delta G$  case studied in References 6 and 7. Convergence results for a learning- $Q$  approach, for linear systems as in Remark 8 in Section 2 would follow similar lines to the adaptive- $Q$  approach, at least when  $\Delta G_0$ ,  $J_k$  and  $Q$  were functions only of  $x^*$ . However, for the more general case when the operators are functions of  $x$  or  $\delta x$ , a stabilization theory coping with non-linear  $\Delta G_0$  and  $J_k$  is developed in reference 13.

## 4. SIMULATIONS

In this section we demonstrate the efficacy of our approach through simulation studies. Consider an optimal control problem based on the van der Pol equation

$$\dot{x}_1 = (1 - x_1^2)x_1 - x_2 + u, \quad \dot{x}_2 = x_1, \quad y = x_1 \quad (35)$$

with  $x_1(0) = 0$ ,  $x_2(0) = 1$  and the performance index defined by

$$I = \frac{1}{2} \int_0^5 (x_1^2 + x_2^2 + u^2) dt \quad (36)$$

A second-order algorithm<sup>11</sup> using 400 integration steps was adopted for the numerical solution of the open-loop optimal control signal  $u^*$ . An arbitrary initial nominal control  $u \equiv 0$ ,  $t \in [0, 5]$  was chosen. The value of the performance index was reduced to the optimal one in four iterations in updating  $u(\cdot)$  over the range  $[0, 5]$ .

Four situations have been studied in simulations. For each case we add a stochastic or a deterministic disturbance which disturbs the optimal input signal. Also, in some of the simulations we apply a plant with unmodelled dynamics. The objective is to regulate perturbations from the optimal by means of the index  $\Delta I = \int_0^5 (\delta x_1^2 + \delta x_2^2 + \delta u^2) dt$ , which is expressed in terms of perturbations  $\delta x$  and  $\delta u$ . For each of the disturbances added and for the unmodelled dynamics case we compare five controller strategies and demonstrate the robustness and performance properties of the adaptive- $Q$  methodology.

### Case 1. Open-loop design

Here we adopt the optimal control signal  $u^*$  as an input signal of the non-linear system with added disturbance. Figure 7 shows that the open-loop design is quite sensitive to such disturbances in that  $x_1$  and  $x_2$  differ significantly from  $x_1^*$  and  $x_2^*$ .




Figure 7. Open-loop and LQG/LTR/adaptive- $Q$  trajectories

### Case 2. LQG design

In order to construct feedback controllers, we adopt the standard LQG theory based on the linearized plant model of (35) about the optimal trajectories and the performance index (37). Of course, the input signals  $u^* + \delta u$  are no longer 'optimal' for the nominal plant. The LQG controller design yields better performance than the open-loop case in that the errors  $x_1 - x_1^*$  and  $x_2 - x_2^*$  are mildly smaller than in the previous figure for the open-loop case (see Table 1). It is well known, however, that the LQG controller, although optimal for the nominal plant

Table I. Trajectory I. I.C. = [0 1]

	Open loop	LQG	LQG/LTR	LQG/Ad-Q	LQG/LTR/Ad-Q	Disturbance
$\Delta I$	3.0712	0.7486	0.2295	0.3478	0.1600	$d = 0.2$
	3.0556	0.7435	0.2278	0.3449	0.1592	$d \in U(0.1, 0.3)$
	6.2587	3.2557	1.3483	1.9925	1.0010	$d \in U(0, 1)$

model under the assumed noise environment, may lose performance and perhaps its stability even for small variations from the nominal plant model.

### Case 3. LQG/LTR design

In order to enhance the robustness properties of LQG controllers, we adopt well-known loop transfer recovery (LTR) techniques.<sup>12</sup> Thus the system noise covariance  $Q_f$  in a state estimator design is parametrized by a scalar  $q > 0$ , and a loop recovery property is achieved as  $q$  becomes large. In our scheme the state estimator 'design system and measurement noise covariances'  $Q_f(q)$  and  $R_f$  are given by  $Q_f(q) = I + q^2 \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix}$  and  $R_f = I$  with  $q = 50$ . There is a more dramatic reduction of errors  $x_1 - x_1^*$  and  $x_2 - x_2^*$  over that for the LQG design of the previous case as indicated in Table I. Of course, Case 3 is identical to Case 2 when  $q = 0$ . Also, simulations not reported here show that the LQG/LTR design performs virtually identically to an LQ design where states  $\delta x$  are assumed available for feedback.

### Case 4. Adaptive-Q design

The adaptive- $Q$  two-degree-of-freedom controller design for optimal control problems is studied with the LQG/LTR controller  $K_0$  and the adaptive  $Q = [Q_1, Q_2]$  using least-squares techniques. Third-order FIR models are chosen for the forward  $Q_1(z)$  and the backward  $Q_2(z)$ . Simulations, summarized in Table I, show that adaptive- $Q$  controller design strengthens the robustness/performance properties of both the LQG and LQG/LTR designs without the need for any high gains in the controller (see also Figure 7). The intention in this first design example has not been to demonstrate that an adaptive- $Q$  approach works dramatically better than all others, although one example is shown where such is the case. Rather, we have sought to stress that the adaptive- $Q$  method is perhaps best used only after a careful robust fixed controller design, and then only to achieve fine tuning. Actually, for the design study here, the robust LQG/LTR design performed better than the LQG adaptive- $Q$  design. The values of  $\Delta I$  for all five cases are summarized in Table I for a deterministic disturbance  $d = 0.2$  and then two stochastic disturbances, with in the first instance  $d$  uniformly distributed between 0.1 and 0.3 and in the second  $d$  uniformly distributed between 0 and 1.

To demonstrate the robustness of the adaptive- $Q$  control strategy, the simulations were repeated with unmodelled dynamics in the actual plant. The state equations of the actual plant in this case are  $\dot{x}_1 = (1 - x_1^2)x_1 - x_2 + x_3 + u$ ,  $\dot{x}_2 = x_1$ ,  $\dot{x}_3 = \dot{x}_3 - 4x_3 + u$  and  $y = x_1$  with initial state vector [0 1 0] (see Table II).

The simulations in Tables I and II were repeated for different initial conditions and thus a different optimal trajectory. The results are included in Tables III and IV.

Table II. Trajectory 1. I.C. = [0 1 0]

	Open loop	LQG	LQG/LTR	LQG/Ad- $Q$	LQG/LTR/Ad- $Q$	Disturbance
$\Delta I$	5.9077	1.9438	0.6623	0.984	0.4251	$d = 0.2$

Table III. Trajectory 2. I.C. = [1 0.5]

	Open loop	LQG	LQG/LTR	LQG/Ad- $Q$	LQG/LTR/Ad- $Q$	Disturbance
$\Delta I$	3.6646	0.7524	0.2165	0.3447	0.1505	$d = 0.2$
	3.6478	0.7476	0.2148	0.3415	0.1495	$d \in U(0.1, 0.3)$
	7.4502	3.3817	1.2766	1.9734	0.9278	$d \in U(0, 1)$

Table IV. Trajectory 2. I.C. = [0 0.5 0]

	Open loop	LQG	LQG/LTR	LQG/Ad- $Q$	LQG/LTR/Ad- $Q$	Disturbance
$\Delta I$	4.7301	1.2805	0.5162	0.6313	0.2981	$d = 0.2$

### Remarks

1. In our simulation for the adaptive- $Q$  controller, two passes are needed for 'warming up' the controller. Subsequently, the coefficients in  $Q_1$  and  $Q_2$ , in the notation of (12), 'converge' to slowly varying values in the vicinity of  $\gamma_0 = 0.0976$ ,  $\gamma_1 = -0.0002$ ,  $\gamma_2 = -0.1016$ ,  $\beta_0 = -11.18$ ,  $\beta_1 = -9.247$  and  $\beta_2 = -7.781$  with  $\alpha_i \equiv 0$ .
2. The prefilters  $P_{12}M_0$  used in our study are

$$\dot{x}_{ps} = (A + BF)x_{ps} + Bu^*, \quad \xi_1 = \begin{pmatrix} F \\ I \end{pmatrix} x_{ps} + \begin{pmatrix} I \\ 0 \end{pmatrix} u^*$$

with input  $u^*$  and output  $\xi_1$ ; likewise for the prefilters driven by  $\delta r$  and  $s$ .

3. Our simulations not reported here show significant improvements when scaling adjustments are made to  $r$  and  $\varepsilon$ . Also, other simulations not reported here show that there is insignificant benefit to increasing the dimensions  $p = 3$ ,  $m = 3$  and  $n = 0$  in  $Q$ , although the cost of reducing  $p$  or  $m$  is significant.

## 5. CONCLUSIONS

A method to combine off-line (open-loop) optimal control approaches with robust feedback control and on-line (closed-loop) adaptive control techniques is presented, with emphasis on non-linear cases. Stability properties for the non-linear case are discussed. Simulation results show that our proposed method can enhance robustness/performance properties in the presence of unmodelled dynamics and deterministic or stochastic disturbances. The method can be generalized to a learning- $Q$  approach where the  $Q$  feedback operator is a function of the optimal state trajectory  $x^*$  or of  $x$  itself; this will be discussed in a companion paper.<sup>4</sup>

## ACKNOWLEDGEMENTS

This work was partially supported by DSTO, Boeing, IISF and BCAL.

## REFERENCES

1. Moore, J. B., and T. T. Tay, 'Adaptive control within the class of stabilizing controllers for a time varying nominal plant', *Int. J. control*, **50**, 33–53 (1989).
2. Tay, T. T., and J. B. Moore, 'Performance enhancement of two-degree-of-freedom controllers via adaptive techniques', *J. adapt. control signal process.*, **4**(1), 69–84 (1990); see also *Proc. IFAC Workshop on Robust Adaptive Control*, Newcastle, Pergamon, Oxford, 1989, pp. 45–50.
3. Tay, T. T., J. B. Moore and R. Horowitz, 'Indirect adaptive techniques for fixed controller performance enhancement', *Int. J. Control*, **50**, 1941–1960 (1989).
4. Irlicht, L., and J. B. Moore, 'Functional learning in optimal non-linear control', *Proc. American Control Conference*, 1991.
5. Tay, T. T., and J. B. Moore, 'Enhancement of fixed controllers via adaptive disturbance estimate feedback', *Automatica*, **27**(1), 39–53 (1989).
6. Paice, A. D. B. and J. B. Moore, 'Robust stabilization of nonlinear plants via left coprime factorizations', *Syst. Control. Lett.*, **15**, 105–125 (1990).
7. Paice, A. D. B., and J. B. Moore, 'On the Youla–Kucera parametrization for nonlinear systems', *Syst. Control Lett.*, **14**, 121–129 (1990).
8. Yan, W., and J. B. Moore, 'A multiple controller structure and design strategy with stability analysis'. Accepted for publication, *Automatica*.
9. Wang, Z., I. M. Y. Mareels and J. B. Moore, 'Adaptive performance enhancement in the presence of unmodelled dynamics', *Technical Report EE9024*, March 1990.
10. Kosut, R., D. Meldrum and G. Franklin, 'Adaptive control of a nonlinear oscillating system', *Proc. 1989 Automatic Control Conf.*, Pittsburgh, PA, June 1989.
11. Imae, J., and K. Hakomori, 'A second order algorithm for optimal control assuring the existence of Riccati solutions', *SICE*, **23**, 410–412 (1987) (in Japanese).
12. Doyle, J. G., and G. Stein, 'Robustness with observers', *IEEE Trans. Automatic Control*, **AC-24**, 607–611 (1979).
13. Moore, J. B., and L. Irlicht, 'Coprime factorization over a class of nonlinear systems' *International Journal of Robust and Nonlinear Control*, accepted for publication.