



University of
New Haven

University of New Haven
Digital Commons @ New Haven

Mechanical and Industrial Engineering Faculty
Publications

Mechanical and Industrial Engineering

9-2016

Environmental Efficiency Assessment of U.S. Transport Sector: A Slack-based Data Envelopment Analysis Approach

Yong Shin Park
North Dakota State University

Siew Hoon Lim
North Dakota State University

Gokhan Egilmez
University of New Haven, gegilmez@newhaven.edu

Joseph Szmerekovsky
North Dakota State University

Follow this and additional works at: <http://digitalcommons.newhaven.edu/mechanicalengineering-facpubs>



Part of the [Environmental Engineering Commons](#), [Industrial Engineering Commons](#),
[Mechanical Engineering Commons](#), and the [Transportation Engineering Commons](#)

Publisher Citation

Yong Shin Park · Siew Hoon Lim · Gokhan Egilmez · Joseph Szmerekovsky. Environmental efficiency assessment of U.S. transport sector: A slack-based data envelopment analysis approach. September 2016 *Transportation Research Part D Transport and Environment* 09/2016; DOI:10.1016/j.trd.2016.09.009

Comments

This is the authors' accepted version of the article published in *Transportation Research Part D Transport and Environment*. The published article may be accessed at <http://dx.doi.org/10.1016/j.trd.2016.09.009>

Environmental Efficiency Assessment of U.S. Transport Sector: A Slack-based Data Envelopment Analysis Approach

Yong Shin Park^{1*}, Siew Hoon Lim², Gokhan Egilmez³ and Joseph Szmerekovsky⁴

¹First Author: Yong Shin Park (*Corresponding Author)

Affiliation: Transportation and Logistics Program, North Dakota State University

Address: 1320 Albrecht Blvd, Fargo, ND 58105, USA

Phone: +1 (701) 231-7767

Fax: +1 (701) 231-1945

Email: Yong.Park@ndsu.edu

²Second Author: Siew Hoon Lim

Affiliation: Department of Agribusiness and Applied Economics, North Dakota State University

Address: NDSU Dept. 7610, PO Box 6050, Fargo, ND 58108, USA

Phone: +1 (701) 231-8819

Fax: +1 (701) 231-7400

Email: Siew.Lim@ndsu.edu

³Third Author: Gokhan Egilmez

Affiliation: Department of Civil, Mechanical and Environmental Engineering, University of New Haven

Address: 300 Boston Post Road Buckman Hall 223F, West Haven, CT 06516, USA

Phone: +1 (682) 560-8201

Fax: +1 (203) 932-7394

Email: GEgilmez@newhaven.edu

⁴Fourth Author: **Joseph Szmerekovsky**

Affiliation: Department of Management and Marketing, North Dakota State University

Address: NDSU Department 2420, PO Box 6050, Fargo, ND 58108, USA

Phone: +1 (701) 231-8128

Fax: +1 (701) 231-7508

Email: joseph.szmerekovsky@ndsu.edu

Park, Lim, Egilmez, and Szmerekovsky

Environmental Efficiency Assessment of U.S. Transport Sector: A Slack-based Data Envelopment Analysis Approach

ABSTRACT

Sustainable development initiatives address the issues related to economic growth and mobility, and environmental conservation. Sustainable transportation in the U.S. is an essential component of these initiatives. In this context, since the U.S. is a federally governed country, the needs for policy making can be different from one state to another, which requires state-by-state focus prior to sustainability assessment projects. This study aims to contribute to the scholarship by proposing a slack-based measurement data envelopment analysis (SBM-DEA) model with non-radial approach. This study assesses environmental efficiency of U.S states' transportation sectors from 2004 to 2012. In addition to the environmental efficiency measurement, carbon efficiency, and potential carbon reduction were estimated for the states of the U.S. SBM-DEA provided more comprehensive analysis that combines economic and environmental indicators. This approach also captures the excess input and undesirable output (CO₂), and shortfall of desirable output. The findings of this study revealed that the states' transportation sectors are environmentally inefficient showing that on average states had an environmental efficiency score below 0.64. Therefore, the states need to substantially reduce carbon emissions to improve environmental efficiency of transportation.

Key words: Environmental Efficiency, Slack based Data Envelopment Analysis, U.S. Carbon emission, Sustainable Transportation

1. INTRODUCTION

The transportation sector has great influence on the economy of the United States (U.S.). However, one of the most serious issues arising from transportation and economic growth is the environmental deterioration across the country, especially the carbon emissions stock (Chang, 2013). “Sustainable development is development that meets the needs of the present without compromising the ability of future generations to meet their own needs” (WCED, 1987, Chapter 2, Section IV). Transportation consumes a high amount of energy (Zhou, 2014), and the sustainability of transportation is of great importance to the world which hinges on the ability to maximize transportation environmental performance and to minimize adverse impacts (Hendrickson, 2006). The transportation sector accounted for approximately 10% of the U.S. Gross Domestic Product (GDP) in 2014 (RITA, 2014). The same sector was found to be the second largest source of greenhouse gas (GHG) emissions accounting for 27% of total U.S. GHG emissions, following the power generation industry (US EPA, 2014). As an additional critical environmental impact, energy consumption by the transportation sector is expected to increase dramatically in the next quarter century (Frey and Kuo, 2007). In this context, President Obama initiated a climate action plan that seeks to reduce 17 percent of total carbon dioxide (CO₂) by 2020 (Leggett, 2014).

With the increasing concerns over the recent environmental issues related to transportation activities, sustainable development initiatives have become a central element of public policy making along with the dramatically increased environmental consequences of industrial activities worldwide (Egilmez and Park, 2014). Therefore, transporting goods and services in a more sustainable way has become an essential topic of discussion. These discussions and projects are expected to contribute to the overall objective of sustainable development (Benjaafar and Savelsbergh, 2014; Choi et al., 2015). Therefore, it is essential to study the relationship between economic growth and environment performance of transportation activities from a holistic viewpoint towards realizing sustainable development in the transportation sector of a country or a region (Goldman and Gorham, 2006). Recognizing the importance of reducing GHG emission and energy consumption and evaluating the environmental efficiency in U.S, several studies have addressed these issues, but they focused on the environmental efficiency of the industrial sector (Egilmez et al., 2013), freight transportation from manufacturing perspective (Egilmez and Park, 2014; Park et al., 2015), cross country comparison (Zhou et al., 2006; Simsek, 2014), and the electricity sector (Barba-Gutiérrez, 2009). No study in the literature has been conducted on the overall environmental performance of the U.S’s transportation sector by state.

In this context, the main objective of this study is to analyze changes of environmental efficiency in U.S’s state-level transportation sector over a 9-year period (2004 to 2012) using a slack-based non-radial data envelopment analysis (SBM-DEA), and to estimate the potential reduction of transportation CO₂ emission. We first measure the environmental efficiency of the transportation sectors in all 50 U.S states through the SBM model by incorporating undesirable output (CO₂) (Chang et al., 2013). More specifically, we estimate carbon efficiency (CE) , potential carbon reduction (PCR) and excess of inputs and shortfall of output of U.S’s transportation sector. The paper is organized as follows: section 2 reviews the literature; section 3 provides the methodology of this study and data description; section 4 presents the results of the analysis and discussion. Finally, section 5 provides the conclusion and policy implications, and suggests direction for future research.

2. LITERATURE

Various approaches for measuring environmental efficiency have been proposed in the literature. First of all, Pittman (1983) extended the study by Caves et al. (1982) by incorporating undesirable outputs (e.g. CO₂, NO_x) into a multilateral productivity index. The problem with Pittman's approach is the difficulty of measuring the shadow price of undesirable outputs (Chang, 2013; Zhou et al., 2007). Another widely used method is Data Envelopment Analysis (DEA). DEA has become one of the most used approaches in measuring environmental efficiency due to its robustness in finding optimal efficiency scores for different problems and datasets (Chang, 2013). Other approaches include stochastic frontier analysis (Cullinane and Song, 2006; Cook and Seiford, 2009) and the free disposal hull model (Cook and Seiford, 2009), but these methods are limited to measuring productivity and efficiency and are typically complicated for modeling undesirable outputs.

As the primary approach, Charnes et al. (1978) proposed the constant returns to scale data envelopment analysis (CCR-DEA). DEA is a non-parametric approach and measures the relative efficiency of decision making units (DMUs) by comparing multiple inputs with outputs (Cooper et al., 2007). Banker et al. (1984) extended CCR-DEA to variable returns to scale DEA (BCC-DEA). Since then, DEA has been a widely used approach to identify the best management practice within a set of DMUs and to measure efficiency in frontier analysis. The conventional output-oriented DEA assumes that all outputs have to be maximized for a given input set. However, when an environmental pollutant is present in the model, the efficiency assessment becomes a challenging task (Chang, 2013). Various methods for modeling undesirable outputs in DEA have been proposed in the literature. One approach involves the translation of original data and utilization of the traditional DEA model (Seiford and Zhu, 2002; Lovell et al., 1995). Another treatment is to consider it as an input variable. The concepts of weak disposability and strong disposability of undesirable outputs are proposed by Zhou et al. (2007). Under the weak disposability property, a reduction in undesirable outputs will result in a reduction of desirable outputs, while strong disposability assumes that it is possible to reduce the desirable output without changing the undesirable outputs (Watanabe and Tanaka, 2007). However, recent studies preferred using a slack-based measurement model (Tone, 2001; Cook and Seiford, 2009; Hu and Wang, 2006; Lozano and Gutiérrez, 2011; Chang, 2013) and non-radial DEA (Zhou et al., 2007) to handle undesirable outputs.

The theory and methodology of slack-based measure (SBM) was first proposed by Tone (2001). SBM captures the input excess and output shortfall of the DMUs while conventional CCR-DEA and BCC-DEA models deal with a proportional reduction or expansion of inputs and outputs (Chang, 2013). Based on the principle of a non-radial model, the primary purpose of the SBM is to locate the DMUs on the efficient frontier, and the objective function of the SBM is to be minimized by finding the maximum slacks (all slacks are zero) (Tone, 2001). Non-radial efficiency SBM-DEA is found to be very appropriate compared to traditional DEA models (Zhou et al 2006; Hernández-Sancho, 2011). Zhou et al. (2006) found that it has a higher discriminatory power when compared to the conventional radial efficiency measures. Another advantage of non-radial efficiency SBM-DEA is that the efficiency indicator for each variable can be identified to increase the efficiency level of the DMU being studied.

The non-radial efficiency SBM-DEA model was applied by Zhang et al. (2008) to the industrial systems in China. The authors measured industrial eco-efficiency by considering the pollutants chemicals' oxygen demand, nitrogen, soot, dust and solid waste as inputs and value

Park, Lim, Egilmez, and Szmerekovsky

added of industries as a desirable output. Besides the pollutants, material and energy consumption were incorporated as inputs in the model as well.

As one of the up-to-date benchmark studies to the current study, Chang et al. (2013) applied a non-radial efficiency SBM-DEA model to measure the environmental efficiency of the transportation sector in China. They used CO₂ emission as an undesirable output. This approach provided more comprehensive efficiency measures by estimating the economic and environmental performances through capturing the slack values of input and undesirable output as well as the shortfalls of desirable output. Another recent study by Zhou et al. (2014) performed an energy efficiency assessment of the regional transport sectors in China from 2003 to 2009. Some other studies associated with transportation such as a passenger airlines (Merkert and Hensher, 2011), airports (Lin and Hong, 2006), global airlines (Scheraga, 2004), and ports (Chang, 2013) are found in the literature. The only study using the DEA model to assess eco-efficiency of U.S transportation was conducted by Egilmez and Park (2014). The authors only considered the environmental and economic impacts of transportation from a manufacturing perspective, and the environmental impact was incorporated as the input while the economic outputs was considered as the output for assessing eco-efficiency. The literature shows that environmental impacts are considered as inputs or outputs depending on the type of models used, and mostly traditional DEA frameworks are preferred which lack the aforementioned properties. There is only a handful of works available in the literature that use the slack-based measurement DEA with a non-radial approach for assessing environmental efficiency including environmental efficiency assessment of OECD countries (Zhou, 2006) and environmental efficiency of transportation activities in China and Korean ports (Chang, 2013). Therefore, this study intends to contribute to the literature by applying the slack-based measurement DEA model with a non-radial approach to analyze environmental efficiency of state-by-state transportation sector in the U.S.

3. METHODOLOGY

3.1 Slack-based measure model description

The aim of this study is to develop a framework to measure the environmental efficiency and potential CO₂ reduction of the transportation sector in the U.S. Following Zhou et al. (2006) and Chang (2013), this paper presents a DEA framework based on the slack-based measure (SBM) by adding the undesirable output into the objective function and the constraint function (Tone, 2001). We assume that reducing input resources relative to producing more outputs is a criterion for efficiency measurement.

When considering an undesirable output in the model, it should be noted that efficiency can be formed with more desirable output and less undesirable output relative to less input resources (Chang, 2013). Suppose that there are $j = \{1, \dots, n\}$ DMUs and that each j uses m inputs to produce p_1 desirable outputs and generate p_2 undesirable outputs (CO₂ emissions). The vectors of inputs, desirable outputs and undesirable outputs for DMU _{i} , are given by $x_j \in R^m$, $y_j \in R^{p_1}$ and $c_j \in R^{p_2}$, respectively.

Thus, for n DMU's, we define the input, desirable output and undesirable output matrices as $X = [x_1, \dots, x_n] \in R^{m \times n}$, Y as $Y = [y_1, \dots, y_n] \in R^{p_1 \times n}$, C as $C = [c_1, \dots, c_n] \in R^{p_2 \times n}$. All data on X , Y and C are positive. The production possibility set (PPS) can be described as follows:

$$P(x) = \{(y, c) \mid x \text{ can produce } (y, c), x \geq X\lambda, y \leq Y\lambda, c \leq C\lambda, \lambda \geq 0\}, \quad (1)$$

Park, Lim, Egilmez, and Szmerekovsky

where λ denotes the non-negative intensity vector, and the production technology in (1) exhibits constant returns to scale (CRS). From the concept of slacks, the efficiency of DMUs must be measured with consideration of how much input waste can be reduced to a given level of output, and how much output can increase for a given level of input (Tone, 2001). But this original approach developed by Tone (2001) did not consider the presence of any undesirable output in the model. Therefore this study uses a SBM specification by incorporating an undesirable output into both the objective function and a constraint function. The SBM-DEA model can thus be expressed in Model 1 below:

$$e_0^* = \frac{1 - \frac{1}{m} \sum_{i=1}^m \frac{S_{i0}^-}{x_{i0}}}{1 + \frac{1}{p_1 + p_2} \left(\sum_{r_1=1}^{p_1} \frac{S_{r_10}^y}{y_{r_10}} + \sum_{r_2=1}^{p_2} \frac{S_{r_20}^c}{c_{r_20}} \right)} \quad (2)$$

s. t.

$$x_0 = X\lambda + S_0^- \quad (3)$$

$$y_0 = Y\lambda - S_0^y \quad (4)$$

$$c_0 = C\lambda + S_0^c \quad (5)$$

$$S_0^- \geq 0, S_0^y \geq 0, S_0^c \geq 0, \lambda \geq 0, \quad (6)$$

where,

i = Index of inputs (1,2,...,m);

m = Number of inputs;

Subscript '0' = The DMU, whose efficiency is being estimated in the current model;

r_1 = Index of good outputs (1,2,...,S₁)

r_2 = Index of bad outputs (1,2,...,S₂)

p_1 = Number of good outputs;

p_2 = Number of bad outputs;

S_0^- = Slack variables of inputs;

S_0^y = Slack variables of good outputs;

S_0^c = Slack variables of bad outputs;

The DMU is efficient if e_0^* is equal to 1, which implies all the slack variables S_0^- , S_0^y , and S_0^c are equal to 0. But this model is not a linear function. Therefore a transformed model incorporating the undesirable output into the objective and constraint functions such as an equivalent linear programming (LP) model can be established as Model 2 (Tone 2001):

Park, Lim, Egilmez, and Szmerekovsky

$$r_0^* = \min t - \frac{1}{m} \sum_{i=1}^m \frac{S_{i0}^-}{x_{i0}}$$

$$= t + \frac{1}{p_1+p_2} \left[\sum_{r1=1}^{S1} \frac{S_{r10}^y}{y_{r20}} + \sum_{r2=1}^{S2} \frac{S_{r20}^c}{c_{r20}} \right] \quad (7)$$

s.t.

$$x_{0t} = X\beta + S_0^- \quad (8)$$

$$y_{0t} = Y\beta - S_0^y \quad (9)$$

$$c_{0t} = C\beta + S_0^c \quad (10)$$

$$S_0^- \geq 0, S_0^y \geq 0, S_0^c \geq 0, \beta \geq 0, t > 0, \quad (11)$$

The optimal solution of the LP model (7) – (11) can be solved, and let the optimal solution be $(r^*, t^*, \beta^*, S^*, S^{y*}, S^{c*})$ where $e_0^* = r_0^*, \lambda^* = \frac{\beta^*}{t^*}, S^* = \frac{S^-}{t^*}, S^{y*} = \frac{S^y}{t^*}, S^{c*} = \frac{S^c}{t^*}$ from Model (2). The solution of t^*, β^*, S^c, S^y , can be generated through Model 2 with $t^* > 0$.

In this paper, carbon efficiency (CE) of each state is estimated based on the method proposed by Hu and Wang (2006) where the index of total-factor energy efficiency was introduced using DEA-generated optimal energy input level, and by Zhou and Ang (2008)'s approach of evaluating energy efficiency with undesirable output. The carbon efficiency (CE) can be estimated as follows (Chang et al., 2013):

$$CE = \text{Target carbon emission} / \text{Real carbon emission} = \frac{C_0^t - S_0^c}{C_0^t}, \quad (12)$$

where, C_0^t is real carbon emission input, and S_0^c is slack of carbon emission, therefore $C_0^t - S_0^c$ is the target carbon emission input. Additionally, the potential carbon reduction (PCR) of each state is estimated by the slack variable S_0^c as it is the excess variable of undesirable output (carbon emission). Finally, performance of improvement for each input and output indicator was evaluated in terms of percent.

3.2 Data description

In order to analyze the environmental efficiency of the U.S transportation sector, this study investigates the whole of U.S. states. By using the related literature, panel data of 50 U.S. state is collected from 2004 to 2012. The data includes capital expense, energy consumption, and amount of labor in the transport sector as input variables. In many empirical studies, capital, energy and labor are considered three major inputs in production, and gross domestic product (GDP) is a common indicator in measuring overall economic output. Therefore, this study treats the aforementioned inputs and output in the same way, because all inputs can be reduced without reducing desirable output levels. Additionally, undesirable outputs such as CO₂ that is generated by energy consumption are also taken into account as a byproduct of producing desirable outputs (Simsek, 2014). The labor and capital input data was collected from the U.S Bureau of Labor Statistics and the U.S Census Bureau. The data on the volume of energy consumed in the transportation sector were collected from the U.S. Energy Information Administration. In the case of the output, a state's transportation value added (GDP) was considered a desirable output (Chang, 2013; Zhou et al., 2014), and the data was collected from the Bureau of Economic Analysis. The

Park, Lim, Egilmez, and Szmerekovsky

data on CO₂ emissions was available from the U.S Energy Information Administration (U.S. EIA). The data descriptions are provided in Table 1.

TABLE 1. Input and output variables and data sources, 2004-2012

	Variables	Unit	Sources
Input	Capital expenses	In thousands	U.S Census Bureau
	Energy use	Trillion Btu	U.S. Energy Information Administration
	Labor	In thousands (person)	U.S Bureau of Labor Statistics
Output	Desirable output: Value added (GDP)	Million dollars	Bureau of Economic Analysis
	Undesirable output: CO ₂ emission	Million metric tons	U.S. Energy Information Administration

4. RESULTS AND DISCUSSION

4.1 Input and output indicators

Table 2 shows the descriptive statistics of the state-level data from 2004 to 2012. The capital expenditure of U.S states' transportation sectors averaged 4.76 billion dollars for 2004 - 2012. The average state transportation sector consumed 599 trillion Btu of energy, employed 167 thousand people, produced 8.09 billion dollars in GDP (value-added) and emitted 38 million metric tons of CO₂. There is a much larger difference in capital expenditure, energy input, and GDP across the states as can be seen from the standard deviations in Table 2. On the other hand, relatively small differences can be found in labor input and CO₂ emissions. The correlation matrix of inputs and outputs in Table 3 are analyzed to see if there is a significant relationship between the input and output variables. From the results in Table 3, we can see a significantly high correlation exists between the input and the output variables in that the correlation coefficients are all above 0.600.

TABLE 2. Descriptive statistics of input and output, 2004- 2012

Variable	N	Minimum	Maximum	Mean	Std. Dev
Capital	450	3,812.00	30,312,557.00	4,762,591.61	5,301,744.99
Energy	450	19.60	3387.30	599.48	697.83
Labor	450	7.00	951.00	167.65	178.55
GDP (value- added)	450	298.00	53443.00	8,090.03	8982.55
CO₂	450	1.07	238.14	37.94	41.57

TABLE 3. Correlation matrix of inputs and outputs

		Capital	Energy	Labor	CO₂	GDP
Capital	Pearson Correlation	1	.674**	.842**	.808**	.832**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	450	450	450	450	450
Energy	Pearson Correlation	.677**	1	.801**	.835**	.808**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	450	450	450	450	450
Labor	Pearson Correlation	.842**	.804**	1	.962**	.970**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	450	450	450	450	450
CO₂	Pearson Correlation	.808**	.835**	.962**	1	.964**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	450	450	450	450	450
GDP	Pearson Correlation	.832**	.808**	.970**	.964**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	450	450	450	450	450

** . Correlation is significant at the 0.01 level (2-tailed).

4.2 U.S. States' environmental efficiency performance

As mentioned in Section 3, the environmental efficiency (EE) score in the transportation sector is evaluated by the e_0^* , because it includes the slack variable of all input and output variables. Then, the carbon efficiency (CE) score is estimated by equation (12), and finally potential carbon reduction (PCR) is calculated by the slack variable s_0^c . Tables 4 and 5 show the results of EE and CE indicators for each U.S. state from 2004 to 2012. The overall average EE performance from 2004 to 2012 of the transportation sector in the U.S. indicates that only four states of fifty (Alaska, Illinois, Nebraska and Vermont) were found to be (relatively) environmentally efficient as scores of EE in the four states are 1. In terms of CE, five states (the four states previously mentioned and Texas) were found to be (relatively) carbon efficient states. The EE scores for inefficient states ranged from 0.341 to 0.965 (average = 0.640), with Texas ranking first and Alabama ranking last among the inefficient states. CE scores for inefficient states ranged from 0.307 to 0.975 (average = 0.638) with Rhode Island ranking first and South Carolina ranking last among the inefficient states. The ranking is consistent between EE and CE scores over the states.

The results of the SBM model indicated that, after accounting for output, input and pollutant slacks, approximately 40% of the states have an above-average EE and CE score suggesting that most of the states' transportation sectors were not environmentally efficient during the 9-year study period, as states use massive amounts of input resources in order to produce more outputs. Therefore, there is great potential to improve the EE and CE score in each state. The states on the average could accomplish a 36% improvement in EE and 36.2% in CE if all states operate at the frontier of production technology. In addition, there was no significant change in the EE and CE scores from 2004 to 2012. This empirical result might be attributed to the fact that there was no significant growth in carbon emission. But there was a slight decrease in carbon emissions from 2005 to 2008, followed by an increase thereafter. The average EE and CE have the

Park, Lim, Egilmez, and Szmerekovsky

same trend as the rate of CO₂ emissions in the U.S transportation sector (EPA, 2013). In a future study, the most recent data should be added to further analyze the efficiency of states.

As the results of EE and CE indicate, most of the states are not performing efficiently in the transportation sector, leading to conclusion that there is great potential to reduce carbon emissions in each state, which is also a necessity. We can see in Table 6 that the U.S. transportation sector can reduce a great deal of carbon emissions ranging from at least 0.03 million metric tons to 23.40 million metric tons. The average PCR was found to be 7.10 million metric tons. As shown in the last column of Table 6, on average, 46 U.S. states' transportation sectors showed excessive CO₂ emissions that need to be reduced. Among the states, Florida shows the highest potential for carbon reduction with 23.40 million metric tons followed by Louisiana with 23.18 million metric tons and North Carolina with 20.33 million metric tons. Compared to Louisiana and North Carolina; Florida had a relatively higher EE score but larger PCR. This suggests that the inefficiency in Florida's transportation can be explained in large part by the presence of environmental impact slack. On the other hand, North Dakota, Tennessee, Delaware and Rhode Island were found to have only a small amount of excess CO₂ emissions, showing 0.62, 0.61, 0.29 and 0.03 million metric tons of PCR, respectively.

In spite of that, there are only four environmentally efficient states and most EE scores are quite low. Therefore, it is imperative for us to examine the slack values of inputs and outputs in the model. The purpose of measuring the relative efficiency is to determine the amount of excess inputs and the shortfall of output so that the DMUs can identify the best management practices for sustainable transportation. The estimated slack values and the associated improvements are presented in the parentheses in Table 7.

Combining Tables 4,5,6, and 7, it was found that low-ranked environmentally inefficient states have extremely high slack values and high slack percentage in input variables. This pattern suggests that the input levels need to be lowered by the suggested amount in order to achieve 100% efficiency. For example, among the environmentally inefficient states, Alabama has a higher excess in the input variables, including capital, energy, labor, and CO₂, while producing insufficient goods and services (GDP) related to the transportation sector. Other problematic states such as Maryland, Mississippi, Colorado and South Carolina, also show much waste in input variables and have high shortfalls in GDP as well. In addition, the third-best state among the inefficient states, California, has extremely high excess values in capital, energy, and labor, as well as a shortfall in GDP. Florida and Louisiana show the greatest excess in undesirable output (CO₂). The percentage of excess of inputs shows that, on average, capital investment has the highest percentage slack at 31.3%, CO₂ has the second highest in slack at 21.9%, and labor has the third highest in slack at 14%, while energy input has relatively less slack at 2.4%. The results indicate that the federal government and state agencies should focus on capital investment that state policymakers can reduce unnecessary investment in the transportation system, and force more efficient use of labor in the transportation sector in order to improve environmental efficiency.

TABLE 4. Environmental efficiency based on SBM, 2004-2012

State	2004	2005	2006	2007	2008	2009	2010	2011	2012	Mean
Alaska	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Illinois	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Nebraska	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Vermont	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Texas	1.000	1.000	1.000	0.686	1.000	1.000	1.000	1.000	1.000	0.965
Wyoming	0.838	0.984	1.000	0.818	1.000	1.000	1.000	1.000	1.000	0.960
California	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.825	0.776	0.956
Hawaii	1.000	1.000	1.000	0.758	0.748	0.820	0.911	0.842	1.000	0.898
Rhode Island	0.797	0.841	0.851	0.868	0.844	1.000	0.873	1.000	1.000	0.897
New Jersey	0.832	0.861	0.779	1.000	1.000	1.000	0.832	0.771	0.790	0.874
Tennessee	1.000	1.000	1.000	0.302	1.000	0.896	0.720	0.854	1.000	0.864
Delaware	0.747	0.734	0.789	1.000	0.719	0.764	1.000	0.879	0.834	0.830
Georgia	0.869	0.774	0.677	0.708	0.846	0.890	0.676	1.000	1.000	0.827
North Dakota	0.737	0.813	1.000	0.713	0.812	0.917	0.811	0.849	0.745	0.822
New York	0.739	0.791	0.726	0.666	0.820	0.831	1.000	0.813	0.799	0.798
Montana	0.683	0.728	0.709	0.644	0.672	0.740	0.747	0.742	0.712	0.709
South Dakota	0.700	0.711	0.746	0.659	0.672	0.684	0.700	0.662	0.626	0.684
Ohio	0.650	0.713	0.652	0.527	0.742	0.742	0.781	0.661	0.662	0.681
Pennsylvania	0.760	0.703	0.627	0.548	0.699	0.695	0.683	0.656	0.650	0.669
Florida	0.620	0.653	0.600	0.554	0.708	0.747	0.613	0.706	0.669	0.652
New Hampshire	0.645	0.715	0.680	0.580	0.588	0.618	0.595	0.674	0.695	0.643
Idaho	0.574	0.596	0.596	0.593	0.547	0.577	0.691	0.579	0.602	0.595
Maine	0.529	0.538	0.567	0.519	0.577	0.605	0.743	0.598	0.595	0.586
Virginia	0.520	0.504	0.535	1.000	0.500	0.585	0.514	0.526	0.534	0.580
Indiana	0.582	0.609	0.595	0.623	0.553	0.561	0.513	0.550	0.569	0.573
Nevada	0.565	0.568	0.531	0.501	0.554	0.597	0.553	0.642	0.631	0.571
Connecticut	0.506	0.535	0.530	0.619	0.571	0.580	0.588	0.592	0.579	0.567
Arkansas	0.538	0.572	0.580	0.624	0.519	0.525	0.569	0.535	0.561	0.558
Washington	0.575	0.591	0.547	0.465	0.516	0.557	0.569	0.578	0.587	0.554
Kentucky	0.583	0.672	0.544	0.677	0.436	0.509	0.504	0.500	0.516	0.549
New Mexico	0.475	0.453	0.444	0.410	0.467	0.482	1.000	0.569	0.547	0.539
Kansas	0.502	0.526	0.517	0.601	0.505	0.520	0.558	0.548	0.569	0.538
Missouri	0.568	0.589	0.555	0.459	0.558	0.550	0.545	0.468	0.505	0.533
Utah	0.565	0.602	0.549	0.528	0.492	0.513	0.497	0.499	0.492	0.526
Louisiana	0.454	0.432	0.469	0.603	0.553	0.569	0.507	0.470	0.541	0.511
Michigan	0.568	0.549	0.496	0.432	0.486	0.463	0.453	0.526	0.553	0.503
Minnesota	0.582	0.567	0.467	0.591	0.438	0.438	0.424	0.461	0.461	0.492
West Virginia	0.458	0.462	0.480	0.431	0.478	0.486	0.558	0.517	0.495	0.485
Arizona	0.459	0.516	0.466	0.581	0.367	0.410	0.469	0.483	0.503	0.473
Iowa	0.487	0.464	0.459	0.542	0.441	0.451	0.471	0.452	0.453	0.469
Massachusetts	0.405	0.404	0.388	1.000	0.367	0.403	0.405	0.412	0.429	0.468
Wisconsin	0.540	0.540	0.493	0.449	0.395	0.436	0.422	0.415	0.427	0.457
North Carolina	0.479	0.487	0.454	0.391	0.429	0.483	0.383	0.430	0.466	0.445
Oregon	0.491	0.472	0.449	0.417	0.423	0.421	0.357	0.445	0.474	0.439
Oklahoma	0.454	0.452	0.436	0.353	0.353	0.368	0.596	0.408	0.410	0.426
Maryland	0.427	0.416	0.386	0.484	0.356	0.375	0.408	0.396	0.365	0.402
Mississippi	0.359	0.399	0.349	0.339	0.334	0.387	0.405	0.373	0.367	0.368
Colorado	0.347	0.396	0.368	0.418	0.340	0.351	0.337	0.342	0.389	0.365
South Carolina	0.317	0.337	0.343	0.434	0.342	0.375	0.364	0.337	0.347	0.355
Alabama	0.340	0.338	0.336	0.357	0.329	0.329	0.354	0.337	0.344	0.341
Mean	0.637	0.652	0.635	0.629	0.622	0.645	0.654	0.638	0.645	0.640

TABLE 5. Carbon efficiency based on SBM, 2004-2012

State	2004	2005	2006	2007	2008	2009	2010	2011	2012	Mean
Alaska	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Nebraska	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Illinois	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Vermont	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Texas	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Rhode Island	0.942	0.955	0.950	1.000	0.932	1.000	1.000	1.000	1.000	0.975
California	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.913	0.856	0.974
Wyoming	0.767	0.980	1.000	1.000	1.000	1.000	1.000	1.000	1.000	0.972
Tennessee	1.000	1.000	1.000	0.735	1.000	0.871	0.777	0.870	1.000	0.917
New York	0.852	0.967	0.838	0.929	0.895	0.924	1.000	0.931	0.872	0.912
Delaware	0.860	0.822	0.832	1.000	0.787	0.831	1.000	0.915	0.903	0.883
Hawaii	1.000	1.000	1.000	0.916	0.665	0.705	0.929	0.724	1.000	0.882
New Jersey	0.714	0.783	0.619	1.000	1.000	1.000	0.835	0.806	0.833	0.843
North Dakota	0.731	0.781	1.000	0.926	0.754	0.893	0.908	0.765	0.758	0.835
Georgia	0.774	0.772	0.587	0.792	0.716	0.902	0.736	1.000	1.000	0.809
Pennsylvania	0.713	0.769	0.650	0.692	0.703	0.720	0.794	0.704	0.701	0.716
South Dakota	0.734	0.737	0.737	0.842	0.682	0.673	0.741	0.629	0.599	0.708
Montana	0.665	0.638	0.634	0.691	0.623	0.666	0.857	0.671	0.736	0.687
Ohio	0.600	0.774	0.615	0.645	0.643	0.641	0.716	0.582	0.600	0.646
Nevada	0.561	0.550	0.516	0.537	0.544	0.636	0.794	0.791	0.835	0.640
New Hampshire	0.599	0.657	0.668	0.754	0.567	0.584	0.668	0.586	0.611	0.633
Idaho	0.601	0.609	0.580	0.822	0.572	0.588	0.684	0.564	0.587	0.623
Florida	0.562	0.637	0.564	0.614	0.643	0.674	0.687	0.586	0.570	0.615
Indiana	0.512	0.637	0.507	0.726	0.495	0.502	0.543	0.573	0.582	0.564
Maine	0.547	0.510	0.524	0.638	0.550	0.541	0.655	0.533	0.565	0.563
Washington	0.535	0.570	0.510	0.495	0.498	0.536	0.629	0.573	0.565	0.546
Connecticut	0.441	0.463	0.485	0.538	0.530	0.544	0.608	0.607	0.668	0.543
Kansas	0.512	0.537	0.506	0.514	0.497	0.485	0.593	0.567	0.637	0.539
Arkansas	0.493	0.492	0.487	0.821	0.445	0.439	0.547	0.502	0.561	0.532
Utah	0.523	0.527	0.479	0.519	0.482	0.510	0.593	0.528	0.596	0.529
Wisconsin	0.588	0.615	0.543	0.522	0.437	0.471	0.525	0.515	0.498	0.524
West Virginia	0.471	0.467	0.472	0.536	0.512	0.508	0.646	0.530	0.531	0.519
Missouri	0.525	0.610	0.493	0.490	0.478	0.486	0.501	0.455	0.511	0.506
Michigan	0.511	0.621	0.441	0.464	0.426	0.411	0.486	0.560	0.556	0.497
Kentucky	0.488	0.590	0.472	0.453	0.427	0.440	0.510	0.510	0.506	0.488
Minnesota	0.552	0.539	0.442	0.466	0.434	0.446	0.503	0.508	0.482	0.486
Iowa	0.488	0.472	0.465	0.470	0.440	0.465	0.527	0.486	0.554	0.485
Colorado	0.449	0.482	0.400	0.781	0.395	0.416	0.482	0.470	0.479	0.484
New Mexico	0.382	0.393	0.384	0.442	0.409	0.409	1.000	0.443	0.461	0.480
Virginia	0.431	0.482	0.430	0.425	0.422	0.471	0.592	0.491	0.557	0.478
Arizona	0.405	0.442	0.406	0.706	0.372	0.408	0.515	0.496	0.498	0.472
Oregon	0.446	0.440	0.425	0.423	0.403	0.399	0.476	0.467	0.524	0.445
North Carolina	0.454	0.535	0.417	0.404	0.373	0.412	0.510	0.425	0.453	0.442
Massachusetts	0.405	0.382	0.366	0.370	0.340	0.380	0.444	0.432	0.449	0.396
Maryland	0.388	0.371	0.365	0.370	0.351	0.357	0.450	0.437	0.465	0.395
Louisiana	0.280	0.312	0.297	0.367	0.409	0.485	0.490	0.420	0.469	0.392
Oklahoma	0.342	0.320	0.312	0.530	0.293	0.304	0.421	0.382	0.416	0.369
Alabama	0.283	0.285	0.283	0.524	0.282	0.289	0.347	0.316	0.344	0.328
Mississippi	0.303	0.305	0.286	0.310	0.282	0.297	0.383	0.327	0.338	0.315
South Carolina	0.270	0.289	0.275	0.501	0.260	0.256	0.325	0.283	0.307	0.307
Mean	0.614	0.642	0.605	0.674	0.599	0.620	0.689	0.638	0.661	0.638

TABLE 6. Potential carbon reductions based on SBM, 2004-2012

State	2004	2005	2006	2007	2008	2009	2010	2011	2012	Mean
Florida	21.53	18.48	48.46	44.11	7.39	4.53	29.60	13.86	22.64	23.40
Louisiana	27.01	24.56	26.27	19.02	23.62	23.13	14.46	27.64	22.90	23.18
North Carolina	17.22	18.94	18.58	14.79	28.59	24.14	17.49	22.72	20.49	20.33
Michigan	16.40	17.32	18.75	12.93	23.26	24.55	15.19	18.67	19.06	18.46
Virginia	19.82	22.21	20.05	15.67	23.99	19.93	7.22	17.12	19.91	18.43
Alabama	16.19	15.99	16.31	8.50	24.11	23.11	11.99	23.01	21.34	17.84
South Carolina	15.98	14.16	15.73	4.79	22.69	23.11	13.78	22.17	19.44	16.87
Oklahoma	10.13	12.13	12.83	7.54	22.86	21.50	5.04	19.74	18.87	14.52
Mississippi	11.52	11.38	13.11	5.83	18.42	17.44	12.39	16.61	14.77	13.50
Massachusetts	8.32	9.33	9.05	0.00	22.07	19.06	8.21	17.58	16.99	12.29
Indiana	10.73	10.58	10.51	4.58	15.78	15.51	8.88	16.14	15.51	12.02
Arizona	10.00	10.26	10.32	5.40	21.58	18.98	0.00	14.79	14.46	11.76
Ohio	12.73	8.52	18.73	16.59	5.89	5.62	16.82	8.66	11.43	11.67
Missouri	8.06	9.17	9.00	3.47	16.53	16.32	5.34	18.53	17.66	11.56
Maryland	7.56	8.78	8.95	1.72	19.90	20.39	0.52	16.48	16.00	11.14
Minnesota	4.73	6.35	7.77	4.42	17.90	16.75	3.22	14.18	15.60	10.10
Washington	8.77	9.07	9.56	7.71	15.65	13.44	0.03	10.20	11.58	9.56
Colorado	4.46	4.40	6.24	1.16	18.25	17.12	0.00	15.32	14.98	9.10
Kentucky	6.11	4.57	5.25	0.74	17.53	17.18	0.02	15.49	14.04	8.99
Oregon	3.39	3.71	4.43	0.56	13.60	13.64	6.04	11.24	9.36	7.33
Wisconsin	1.16	0.92	1.66	0.00	16.46	14.77	2.85	13.51	14.11	7.27
Iowa	1.43	2.14	2.33	0.12	12.07	11.21	2.51	11.15	8.88	5.76
New Mexico	5.90	5.71	6.22	3.51	8.43	8.03	0.00	7.74	6.08	5.73
Arkansas	1.22	1.26	1.37	0.31	11.39	11.30	0.21	10.03	7.76	4.98
Georgia	3.93	9.58	17.90	9.92	0.14	2.02	0.28	0.00	0.00	4.86
Pennsylvania	0.00	1.46	17.15	13.96	0.00	0.00	7.97	0.00	2.87	4.82
California	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.81	25.29	4.79
New Jersey	5.20	8.08	16.64	0.00	0.00	0.00	0.00	5.95	5.81	4.63
Kansas	0.54	0.00	0.75	0.00	9.59	10.08	0.00	8.22	6.41	3.95
Utah	0.40	0.35	2.04	0.00	8.83	7.90	0.36	8.17	5.68	3.75
Connecticut	3.47	2.70	1.90	0.00	7.89	7.34	0.00	6.15	4.20	3.74
West Virginia	3.02	3.35	3.34	0.19	5.39	5.33	0.51	5.16	4.13	3.38
Maine	2.29	3.06	2.80	0.36	3.69	3.64	2.54	3.75	3.14	2.81
Nevada	0.00	0.00	0.52	0.00	7.46	5.27	0.00	2.74	2.04	2.00
Idaho	1.02	1.01	1.49	0.23	3.76	3.30	0.37	3.83	2.91	1.99
New Hampshire	1.64	0.90	0.84	0.08	3.15	2.69	1.55	2.76	2.52	1.79
New York	0.00	0.00	8.80	3.73	0.00	0.00	0.00	0.00	0.00	1.39
South Dakota	0.59	0.55	0.59	0.52	1.93	1.82	1.54	2.26	2.68	1.39
Montana	0.21	0.60	0.64	0.72	3.14	2.62	1.05	2.27	1.07	1.37
Hawaii	0.00	0.00	0.00	0.32	3.25	2.72	0.23	2.82	0.00	1.04
North Dakota	0.30	0.17	0.00	0.53	1.49	0.06	0.64	1.55	0.87	0.62
Tennessee	0.00	0.00	0.00	3.40	0.00	1.41	0.00	0.65	0.00	0.61
Delaware	0.01	0.28	0.19	0.00	1.07	0.54	0.00	0.17	0.35	0.29
Rhode Island	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.03
Texas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Wyoming	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nebraska	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Vermont	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Illinois	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Alaska	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mean	5.46	5.64	7.54	4.35	9.78	9.15	8.98	9.14	8.88	7.10

TABLE 7. Summary of average excess in inputs and shortfall in outputs, 2004-2012

State	Inputs (Excess)						Undesirable Output (Excess)		Desirable Output (Shortfall)	
	Capital (\$)	Slack (%)	Energy (Btu)	Slack (%)	labor (Person)	Slack (%)	CO ₂ (Ton)	Slack (%)	GDP (\$)	Slack (%)
Alabama	960010.8	(-21.3)	1.6	(0.0)	30.5	(-14.4)	17.8	(-52.0)	2107.9	(32.9)
Alaska	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)
Arizona	2002066.5	(-43.2)	9.5	(-1.7)	24.3	(-14.3)	11.8	(-33.8)	209.6	(1.2)
Arkansas	664862.4	(-24.5)	0.3	(-0.1)	22.7	(-19.5)	5.0	(-24.4)	51.9	(0.8)
California	9333921.1	(0.0)	25.3	(0.0)	144.0	(0.0)	4.8	(-2.2)	2134.7	(0.0)
Colorado	1894182.3	(-46.8)	2740.2	(-86.5)	16.4	(-13.3)	9.1	(-30.5)	62.3	(0.5)
Connecticut	995853.6	(-38.7)	6.7	(-3.3)	16.3	(-25.3)	3.7	(-21.9)	63.8	(0.5)
Delaware	668498.0	(-20.9)	0.7	(-0.4)	6.9	(-9.5)	0.3	(-6.0)	86.3	(3.0)
Florida	8996813.9	(-29.2)	6.1	(-0.3)	119.9	(-4.1)	23.4	(-21.6)	1438.4	(3.9)
Georgia	1679037.6	(-11.1)	1.1	(0.0)	73.6	(-3.3)	4.9	(-7.4)	77.3	(0.0)
Hawaii	103764.6	(0.0)	0.0	(0.0)	0.0	(0.0)	1.0	(-9.2)	0.0	(0.0)
Idaho	656505.5	(-34.7)	0.6	(-0.8)	14.2	(-32.1)	2.0	(-22.0)	301.9	(27.7)
Illinois	4432319.3	(0.0)	6.0	(0.0)	110.8	(0.0)	0.0	(0.0)	0.0	(0.0)
Indiana	1393073.0	(-28.4)	4.0	(-0.3)	67.9	(-26.2)	12.0	(-27.5)	315.7	(4.0)
Iowa	1714996.1	(-48.7)	2.0	(-0.7)	45.4	(-40.1)	5.8	(-26.9)	162.9	(6.0)
Kansas	1602683.8	(-50.0)	3.2	(-1.8)	12.5	(-18.6)	4.0	(-20.7)	0.0	(0.4)
Kentucky	1636427.3	(-36.2)	2.2	(-0.3)	30.6	(-15.8)	9.0	(-27.1)	95.4	(2.7)
Louisiana	554242.0	(0.0)	0.2	(0.0)	2.3	(0.0)	23.2	(-46.2)	791.9	(0.0)
Maine	648567.3	(-28.0)	0.5	(-0.5)	11.3	(-22.3)	2.8	(-32.3)	406.1	(50.3)
Maryland	3132041.5	(-56.9)	8.7	(-2.1)	19.9	(-16.4)	11.1	(-36.0)	255.8	(2.3)
Massachusetts	2618724.1	(-52.4)	8.9	(-1.9)	28.5	(-16.9)	12.3	(-38.1)	246.3	(3.2)
Michigan	2491423.2	(-38.4)	15.8	(-1.9)	75.8	(-24.8)	18.5	(-35.2)	534.6	(4.7)
Minnesota	3663932.0	(-59.2)	9.5	(-2.0)	24.6	(-12.3)	10.1	(-29.3)	69.0	(0.4)
Mississippi	1002122.2	(-31.7)	2.2	(-0.5)	10.7	(-13.2)	13.5	(-52.7)	1337.2	(37.5)
Missouri	1949786.2	(-37.2)	2.5	(-0.2)	44.5	(-21.6)	11.6	(-28.4)	456.3	(7.4)
Montana	1145352.6	(-43.4)	0.9	(-0.7)	1.5	(-4.9)	1.4	(-16.5)	79.5	(16.7)
Nebraska	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)
Nevada	4848524.0	(-60.1)	1.3	(-0.8)	14.7	(-23.3)	2.0	(-12.7)	0.0	(0.3)
New Hampshire	920129.6	(-32.3)	0.9	(-0.8)	7.7	(-16.3)	1.8	(-24.6)	188.8	(39.2)
New Jersey	1286622.8	(-8.5)	3.4	(0.0)	33.6	(-0.5)	4.6	(-7.0)	8.7	(0.0)
New Mexico	630779.4	(-25.9)	2.2	(-0.9)	6.3	(-16.5)	5.7	(-38.8)	755.6	(39.2)
New York	10321008.7	(-45.6)	20.4	(-0.5)	175.5	(-20.6)	1.4	(-1.9)	0.0	(0.0)
North Carolina	4344011.3	(-44.0)	5.6	(-0.6)	82.3	(-21.0)	20.3	(-39.8)	1038.6	(9.9)
North Dakota	1249116.5	(-31.2)	3.2	(-2.0)	1.0	(-1.4)	0.6	(-8.9)	95.8	(8.8)
Ohio	2854580.2	(-31.9)	8.1	(-0.5)	138.8	(-26.5)	11.7	(-17.0)	62.4	(2.1)
Oklahoma	761736.8	(-22.9)	3.5	(-0.8)	5.4	(-8.7)	14.5	(-46.1)	559.4	(6.8)
Oregon	2970890.4	(-50.9)	2.1	(-0.6)	24.5	(-23.3)	7.3	(-32.2)	141.9	(2.4)
Pennsylvania	6901247.5	(-54.7)	9.8	(-0.4)	159.6	(-27.2)	4.8	(-7.0)	0.0	(1.0)
Rhode Island	765612.9	(-17.3)	1.9	(-0.3)	11.5	(-20.2)	0.0	(-0.7)	68.1	(0.0)
South Carolina	813063.1	(-19.7)	1.1	(-0.1)	23.2	(-6.9)	16.9	(-53.9)	1602.3	(42.8)
South Dakota	1128334.9	(-47.3)	1.4	(-1.4)	2.5	(-5.0)	1.4	(-21.9)	179.0	(34.0)
Tennessee	943627.2	(-19.0)	1.1	(-0.2)	18.3	(-1.5)	0.6	(-1.4)	0.0	(0.0)
Texas	5494902.7	(0.0)	8.8	(0.0)	74.1	(0.0)	0.0	(0.0)	882.7	(0.0)
Utah	1542717.3	(-48.8)	0.9	(-0.6)	18.8	(-24.7)	3.7	(-21.8)	106.7	(3.2)
Vermont	878603.2	(0.0)	0.4	(0.0)	4.4	(0.0)	0.0	(0.0)	149.8	(0.0)
Virginia	2891505.3	(-43.3)	6.8	(-0.7)	24.4	(-9.1)	18.4	(-34.7)	758.3	(3.3)
Washington	4156807.1	(-55.9)	1.7	(-0.1)	43.4	(-11.0)	9.6	(-22.1)	168.1	(3.3)
West Virginia	1274187.0	(-52.8)	4.9	(-3.3)	15.4	(-32.8)	3.4	(-28.4)	251.7	(29.2)
Wisconsin	3656673.2	(-62.2)	3.0	(-1.1)	78.0	(-37.0)	7.3	(-24.1)	0.0	(0.0)
Wyoming	329295.6	(-11.3)	2.1	(-0.2)	1.1	(0.0)	0.0	(0.0)	0.0	(0.0)
Mean	2338103.7	(-31.3)	59.1	(-2.4)	38.4	(-14.0)	7.1	(-21.9)	366.1	(8.6)

Note: Slack (%) = (Target-Actual) / Actual × 100

5. CONCLUSION

Sustainable development in U.S. transportation is essential for economic growth and mobility, but also for the environment. However, no study has been conducted on the environmental efficiency of the U.S. transportation sector. This study uses a non-radial SBM-DEA model with an undesirable output (CO₂) to measure the environmental efficiency of the U.S. transportation sector from 2004 to 2012. Using the SBM-DEA model, environmental efficiency (EE), carbon efficiency (CE) and potential carbon reduction (PCR) are calculated for each state, and we measure the size of slack input resources and excess CO₂ emissions as well as the shortfall of desirable output (GDP).

According to the results we draw the following conclusions: 1) Most states had an average EE below 0.64 during 2004-2012, meaning that these states had considerable room for improvements in transportation environmental efficiency; 2) among the 50 U.S. states, four states were found to be environmentally efficient (Alaska, Illinois, Nebraska and Vermont), the remaining 46 were inefficient with Alabama, South Carolina, Colorado and Mississippi being the most inefficient with average EE and CE scores below 0.4; 3) during the 2004-2012 study period, the trend of EE and CE slightly decreased between 2005 and 2008 and then began to increase; this is consistent with the rate of CO₂ emissions in the U.S. transportation sector during the same time period; 4) there was a large PCR for most of U.S. states; the average PCR was found to be 7.10 million metric tons; 5) the slack analysis showed that most states had high excess in capital expenses, labor use, and CO₂, and shortfall in GDP.

The findings provide policy insights as well as an overview of U.S. transportation sector's environmental performance towards the development of a sustainable transportation industry in the U.S. First of all, the slack analysis shows the potential improvement of states' environmental efficiency performances in the transportation sector through reducing input and environmental slacks. Second, the policy should adopt the goal and strategy of encouraging energy conservation to reduce CO₂ emissions in the transportation sector. The DEA benchmarking results of this study show that state policymakers could learn and adopt the best practices in eco-efficient states to enhance transportation environmental efficiency. Finally, the U.S. could improve technological innovation and the current fuel economy standards to produce a more environmentally efficient transportation system.

Although this study provided an overall understanding of environmental performance of the U.S. transportation sector, limitations exist, which can be further investigated. First of all, individual states' performances were compared with other states in the country, and the results may be sensitive to the number of inputs and outputs as well as the levels of aggregation in the data. Also, this study used GDP as the only good output, but different states have different ways of generating GDP and in many cases serve as complements to each other. Therefore, a potential for future research would be to break GDP (or some other indicator) down by market segment to try to capture the relative efficiencies of the states doing different things to generate GDP. Furthermore, the panel data over the years for multiple DMUs can also be analyzed using stochastic frontier analysis to compare the eco-efficiency scores. Lastly, more up-to-date data should be collected in the future to analyze current changes in environmental efficiency in the U.S. transportation sector.

References

Park, Lim, Egilmez, and Szmerekovsky

- Banker, R., Charnes, A., & Cooper, W. (1984). Some models for estimating technical and scale inefficiencies in data envelopment analysis. *Management Science*, 30(9), 1078–1092.
- Barba-Gutiérrez, Y. (2009). Eco-efficiency of electric and electronic appliances: a data envelopment analysis (DEA). *Environmental Modeling & Assessment*, 14(4), 439–447. Retrieved from <http://link.springer.com/article/10.1007/s10666-007-9134-2>
- Benjaafar, S., & Savelsbergh, M. (2014). Carbon-aware transport and logistics. *EURO Journal on Transportation and Logistics*, 3(1), 1–3.
- Caves, D., Christensen, L., & Diewert, W. (1982). Multilateral comparisons of output, input, and productivity using superlative index numbers. *The Economic Journal*, 73–86.
- Chang, Y.-T. (2013). Environmental efficiency of ports: a data envelopment analysis approach. *Maritime Policy & Management*, 40(5), 467–478. <http://doi.org/10.1080/03088839.2013.797119>
- Chang Y.-T., Zhang, N., Danao, D., & Zhang, N. (2013). Environmental efficiency analysis of transportation system in China: A non-radial DEA approach. *Energy Policy* 58: 277-283.
- Charnes, A., Cooper, W., & Rhodes, E. (1978). Measuring the efficiency of decision making units. *European Journal of Operational Research*, 2(6), 429–444.
- Charnes, A., Haag, S., Jaska, P. & Semple, J. (1992). Sensitivity of efficiency classifications in the additive model of data envelopment analysis. *International Journal of Systems Science*, 23(5), 789–798. <http://doi.org/10.1080/00207729208949248>
- Charnes, A., Rousseau, J. J., & Semple, J. H. (1996). Sensitivity and stability of efficiency classifications in Data Envelopment Analysis. *Journal of Productivity Analysis*, 7(1), 5–18. <http://doi.org/10.1007/BF00158473>
- Choi, J., Park, Y.S., & Park, J.D. (2015). Development of an Aggregate Air Quality Index Using a PCA-based Method: A Case Study of the US Transportation Sector. *American Journal of Industrial and Business Management*, 5(02),53
- Cook, W., & Seiford, L. (2009). Data envelopment analysis (DEA)-Thirty years on. *European Journal of Operational Research*, 192(1), 1-17.
- Cooper, W., Seiford, L., & Tone, K. (2007). *Data envelopment analysis: a comprehensive text with models, applications, references and DEA-solver software*. Springer Science & Business Media.
- Cullinane, K., & Song, D. (2006). Estimating the relative efficiency of European container ports: a stochastic frontier analysis. *Research in Transportation Economics*, 16, 85–115.

Park, Lim, Egilmez, and Szmerekovsky

Egilmez, G., & Park, Y. S. (2014). Transportation Related Carbon, Energy and Water Footprint Analysis of U.S. Manufacturing: An Eco-efficiency Assessment. *Transportation Research, Part D*, 32, 143-159.

Egilmez, G., Kucukvar, M., & Tatari, O. (2013). Sustainability Assessment of US Manufacturing Sectors: An Economic Input Output-based Frontier Approach. *Journal of Cleaner Production*, 53, 91-102.

EPA, (2013). Greenhouse Gas Emissions: Transportation Sector Emissions.

Färe, R., Grosskopf, S., Lovell, C., & Pasurka, C. (1989). Multilateral productivity comparisons when some outputs are undesirable: a nonparametric approach. *The Review of Economics and Statistics*, 71(1), 90-98.

Frey, H. C., & Kuo, P. (2007). Assessment of Potential Reduction in Greenhouse Gas (GHG) Emissions in Freight Transportation, (c), 1-7.

Goldman, T., & Gorham, R. (2006). Sustainable urban transport: Four innovative directions. *Technology in Society*, 28(1-2), 261-273. <http://doi.org/10.1016/j.techsoc.2005.10.007>

Hendrickson, C., Cicas, G., & Matthews, H. (2006). Transportation sector and supply chain performance and sustainability. *Transportation Research Record: Journal of the Transportation Research Board*, (1983), 151-157.

Hernandez-Sancho, F. (2011). Energy efficiency in Spanish wastewater treatment plants: A non-radial DEA approach. *Science of the Total Environment*, 409(14), 2693-2699

Hu, J., & Wang, S. (2006). Total-factor energy efficiency of regions in China. *Energy Policy*, 34(17), 3206-3217.

Leggett, J. A. (2014). *President Obama's Climate Action Plan* (pp. 1-2). Retrieved from <https://www.whitehouse.gov/sites/default/files/image/president27sclimateactionplan.pdf>.

Li, H., Fang, K., Yang, W., Wang, D., & Hong, X. (2013). Regional environmental efficiency evaluation in China: Analysis based on the Super-SBM model with undesirable outputs. *Mathematical and Computer Modeling*, 58(5), 1018-1031.

Lin, L. C., & Hong, C. H. (2006). Operational performance evaluation of international major airports: An application of data envelopment analysis. *Journal of Air Transport Management*, 12(6), 342-351. <http://doi.org/10.1016/j.jairtraman.2006.08.002>

Lovell, C., Pastor, J., & Turner, J. (1995). Measuring macroeconomic performance in the OECD: a comparison of European and non-European countries. *European Journal of Operational Research*, 87(3), 507-518.

Park, Lim, Egilmez, and Szmerekovsky

Lozano, S., & Gutiérrez, E. (2011). Slacks-based measure of efficiency of airports with airplanes delays as undesirable outputs. *Computers & Operations Research*, 38(1), 131–139.

Merkert, R., & Hensher, D. A. (2011). The impact of strategic management and fleet planning on airline efficiency – A random effects Tobit model based on DEA efficiency scores. *Transportation Research Part A: Policy and Practice*, 45(7), 686–695.
<http://doi.org/10.1016/j.tra.2011.04.015>

Park, Y.S., Egilmez, G., & Kucukvar, M. (2015). A Novel Life Cycle-based Principle Component Analysis Framework for Eco-efficiency Analysis: Case of the United States Manufacturing and Transportation Nexus.” *Journal of Cleaner Production*, 92, 327-342

Pittman, R. (1983). Multilateral productivity comparisons with undesirable outputs. *The Economic Journal*, 883–891.

RITA. (2014). National Transportation Statistics 2014 | Bureau of Transportation Statistics. Retrieved July 11, 2014, from
http://www.rita.dot.gov/bts/sites/rita.dot.gov.bts/files/publications/national_transportation_statistics/index.html

Rousseau, J. J., & Semple, J. H. (1995). Radii of Classification Preservation in Data Envelopment Analysis: A Case Study of “Program Follow-Through.” *The Journal of the Operational Research Society*, 46(8), 943–957.

Scheraga, C. A. (2004). Operational efficiency versus financial mobility in the global airline industry: a data envelopment and Tobit analysis. *Transportation Research Part A: Policy and Practice*, 38(5), 383–404. <http://doi.org/10.1016/j.tra.2003.12.003>

Seiford, L. M., & Zhu, J. (2002). Modeling undesirable factors in efficiency evaluation. *European Journal of Operational Research*, 142(1), 16–20.

Simsek, N. (2014). Energy efficiency with undesirable output at the economy wide level: cross country comparison in OECD sample. *American Journal of Energy Research*, 2(1), 9-17

Tone, K. (2001). A slacks-based measure of efficiency in data envelopment analysis. *European Journal of Operational Research*, 130(3), 498–509.

US EPA. (2014). U.S. Greenhouse Gas Inventory Report: 1990-2013. Washington: Environmental Protection Agency. Retrieved from
<http://www.epa.gov/climatechange/ghgemissions/usinventoryreport.html>

Watanabe, M., & Tanaka, K. (2007). Efficiency analysis of Chinese industry: a directional distance function approach. *Energy Policy*, 35(12), 6323–6331.

WCED. (1987). *World Commission on Environment and Development. 1987*. Retrieved from www.un-documents.net/our-common-future.pdf

Park, Lim, Egilmez, and Szmerekovsky

Zhang, B., Bi, J., Fan, Z., Yuan, Z., & Ge, J. (2008). Eco-efficiency analysis of industrial system in China: A data envelopment analysis approach. *Ecological Economics*, 68(1-2), 306–316.

Zhang, H., Su, X., & Ge, S. (2011). A slacks-based measure of efficiency of electric arc furnace activity with undesirable outputs. *Journal of Service Science and Management*, 4(02), 227.

Zhang, N., & Kim, J. (2014). Measuring sustainability by energy efficiency analysis for Korean power companies: a sequential slacks-based efficiency measure. *Sustainability*, 6(3), 1414–1426.

Zhou, G., Chung, W., & Zhang, Y. (2014). Measuring energy efficiency performance of China's transport sector: A data envelopment analysis approach. *Expert Systems with Applications*, 41(2), 709–722. <http://doi.org/10.1016/j.eswa.2013.07.095>

Zhou, P., Ang, B.W., & Poh, K.L. (2006). Slack-based efficiency measures for modeling environmental performance. *Ecological Economics*, 60(1), 111-118

Zhou, P., Poh, K., & Ang, B. (2007). A non-radial DEA approach to measuring environmental performance. *European Journal of Operational Research*, 178(1), 1–9.

Zhou, P., & Ang, B.W. (2008). Linear programming models for measuring economy-wide energy efficiency performance. *Energy Policy* 36, 2911-2916.

Zhu, J. (2001). Super-efficiency and DEA sensitivity analysis. *European Journal of Operational Research*, 129(2), 443–455.