

 Open access • Posted Content • DOI:10.1101/2020.02.10.20021675

Epidemiological and clinical features of the 2019 novel coronavirus outbreak in China — [Source link](#)

Yang Yang, Lu Q, Ming-Jin Liu, Yan Wang ...+10 more authors

Institutions: University of Florida, Peking University, Shandong University, Fred Hutchinson Cancer Research Center ...+1 more institutions

Published on: 11 Feb 2020 - medRxiv (Cold Spring Harbor Laboratory Press)

Topics: Mainland China

Related papers:

- [Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China](#)
- [Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus-Infected Pneumonia.](#)
- [Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study](#)
- [Clinical Characteristics of 138 Hospitalized Patients With 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China.](#)
- [A pneumonia outbreak associated with a new coronavirus of probable bat origin](#)

Share this paper:    

View more about this paper here: <https://typeset.io/papers/epidemiological-and-clinical-features-of-the-2019-novel-530hj4snrc>

Epidemiological and clinical features of the 2019 novel coronavirus outbreak in China

Yang Yang^{1*}, Qing-Bin Lu², Ming-Jin Liu¹, Yi-Xing Wang³, An-Ran Zhang^{1,3,4}, Neda Jalali¹, Natalie E. Dean¹, Ira Longini¹, M. Elizabeth Halloran⁵, Bo Xu⁶, Xiao-Ai Zhang³, Li-Ping Wang^{7*}, Wei Liu^{3*}, Li-Qun Fang^{3*}

***Correspondence:**

L. Q. Fang or W. Liu, State Key Laboratory of Pathogen and Biosecurity, 20 Dong-Da Street, Beijing Institute of Microbiology and Epidemiology, Fengtai District, Beijing, China 100071 (fang_lq@163.com or lwbime@163.com); Y. Yang, Department of Biostatistics, College of Public Health and Health Professions, and Emerging Pathogens Institute, University of Florida, Gainesville, FL, USA 32611 (yangyang@ufl.edu); L. P. Wang, Division of Infectious Disease, Key Laboratory of Surveillance and Early-warning on Infectious Disease, Chinese Centre for Disease Control and Prevention, Beijing, China 102206 (wanglp@chinacdc.cn)

Our manuscript was based on surveillance cases of COVID-19 identified before January 26, 2020. As of February 20, 2020, the total number of confirmed cases in mainland China has reached 18 times of the number in our manuscript. While the methods and the main conclusions in our original analyses remain solid, we decided to withdraw this preprint for the time being, and will replace it with a more up-to-date version shortly. Please do not cite this preprint. Should you have any comments or suggestions, please feel free to contact the corresponding author, Dr. Liqun Fang.