

Correction: Surface-Immobilized Aptamers for Cancer Cell Isolation and Microscopic Cytology

In this article (Cancer Res 2010;70:9371–80), which was published in the November 15, 2010 issue of *Cancer Research* (1), several of the author affiliations were incorrect. The correct affiliations are provided below.

Yuan Wan^{1,2}, Young-tae Kim^{1,2}, Na Li³, Steve K. Cho^{4,5}, Robert Bachoo^{4–6}, Andrew D. Ellington³, and Samir M. Iqbal^{2,7,8}

¹Department of Bioengineering, ²Nanotechnology Research and Teaching Facility, University of Texas at Arlington, Arlington; ³Institute for Cell and Molecular Biology, University of Texas at Austin, Austin; ⁴Internal Medicine, ⁵Annette G. Strauss Center for Neuro-Oncology; ⁶Department of Neurology, University of Texas Southwestern Medical Center, Dallas; ⁷Department of Electrical Engineering, ⁸Joint Graduate Committee of Bioengineering Program, University of Texas at Arlington, and University of Texas Southwestern Medical Center at Dallas, University of Texas at Arlington, Arlington, Texas

Reference

1. Wan Y, Kim Y, Li N, Cho SK, Bachoo R, Ellington AD, et al. Surface-immobilized aptamers for cancer cell isolation and microscopic cytology. *Cancer Res* 2010;70:9371–80.

Published OnlineFirst January 11, 2011

©2011 American Association for Cancer Research.

doi: 10.1158/0008-5472.CAN-10-4187