

Erratum to: Propensity of *Hyoscyamus Niger* seeds methanolic extract to allay stereotaxically rotenone-induced Parkinson's disease symptoms in rats

Dharmendra Kumar Khatri¹ · Archana Ramesh Juvekar¹

Published online: 19 November 2015

© Institute of Korean Medicine, Kyung Hee University and Springer Science+Business Media Dordrecht 2015

Erratum to: Orient Pharm Exp Med

DOI 10.1007/s13596-015-0202-x

Unfortunately, Fig. 1a and b are missing in the original version of the article. The corrected Fig. 1 is shown in this erratum.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s13596-015-0202-x>

✉ Archana Ramesh Juvekar
juvekar.archana@gmail.com

¹ Department of Pharmaceutical Sciences and Technology, Pharmacology Research Lab-II Institute of Chemical Technology, (University under Section 3 of UGC Act-1956, Elite Status and Centre of Excellence–Government of Maharashtra TEQIP Phase II, Funded), Mumbai, India

Fig. 1 **a** HPLC chromatogram of standard L-dopa at 25 ppm showed retention time 4.160 s. **b** HPLC chromatogram of MHN shown retention time 4.362 s. **c** LCMS peaks of MHN extract

