

Erratum to: TG13 indications and techniques for gallbladder drainage in acute cholecystitis (with videos)

Toshio Tsuyuguchi · Takao Itoi · Tadahiro Takada · Steven M. Strasberg · Henry A. Pitt · Myung-Hwan Kim · Avinash N. Supe · Toshihiko Mayumi · Masahiro Yoshida · Fumihiko Miura · Harumi Gomi · Yasutoshi Kimura · Ryota Higuchi · Kohji Okamoto · Yuichi Yamashita · Toshifumi Gabata · Jiro Hata · Shinya Kusachi

Published online: 27 April 2013

© Japanese Society of Hepato-Biliary-Pancreatic Surgery and Springer Japan 2013

Erratum to: J Hepatobiliary Pancreat Sci (2013)

20:81–88

DOI 10.1007/s00534-012-0570-2

There are a few typographical mistakes in the original article. Below are the corrections.

Table 1, Factors that affect the strength of a recommendation, Patient values and preferences column, “Yes” in this column should be “No”, “No” should be “Yes”. Table 1, Patient values and preferences column, “Yes, No, Yes/no and Yes” should be corrected as “No, Yes, No/yes and No”.

The online version of the original article can be found under doi:[10.1007/s00534-012-0570-2](https://doi.org/10.1007/s00534-012-0570-2).

T. Tsuyuguchi (✉)
Department of Medicine and Clinical Oncology,
Graduate School of Medicine Chiba University,
1-8-1 Inohana, Chuo-ku, Chiba 260-8677, Japan
e-mail: tsuyuguchi@faculty.chiba-u.jp

T. Itoi
Department of Gastroenterology and Hepatology,
Tokyo Medical University, Tokyo, Japan

T. Takada · F. Miura
Department of Surgery, Teikyo University School of Medicine,
Tokyo, Japan

S. M. Strasberg
Section of Hepatobiliary and Pancreatic Surgery, Washington
University in Saint Louis School of Medicine, Saint Louis, MO,
USA

H. A. Pitt
Department of Surgery, Indiana University School of Medicine,
Indianapolis, IN, USA

M.-H. Kim
Department of Internal Medicine, Asan Medical Center,
University of Ulsan, Seoul, Korea

A. N. Supe
Department of Surgical Gastroenterology, Seth G S Medical
College and K E M Hospital, Mumbai, India

T. Mayumi
Department of Emergency and Critical Care Medicine,
Ichinomiya Municipal Hospital, Ichinomiya, Japan

M. Yoshida
Clinical Research Center Kaken Hospital, International
University of Health and Welfare, Ichikawa, Japan

H. Gomi
Center for Clinical Infectious Diseases, Jichi Medical University,
Shimotsuke, Tochigi, Japan

Table 1 A critical comparison of drainage methods for acute cholecystitis according to GRADE system [17]

Drainage method ^a	Factors that affect the strength of a recommendation				
	Quality of evidence	The balance between desirable and undesirable effects	Technical difficulty	Patient values and preferences	Cost
PTGBD	B (moderate)	Very good	No	No	Low cost
PTGBA	C (low)	Good (insufficient drainage effect)	No	Yes	Very low cost
ENGBD/EGBS	C (low)	Good (low success rate)	Yes (difficult)	No/yes	Low cost
Surgical cholecystostomy	C (low)	Good (surgical risk)	No	No	High cost

^a See details in each section

Y. Kimura
Department of Surgical Oncology and Gastroenterological Surgery, Sapporo Medical University School of Medicine, Sapporo, Japan

R. Higuchi
Department of Surgery, Institute of Gastroenterology, Tokyo Women's Medical University, Tokyo, Japan

K. Okamoto
Department of Surgery, Kitakyushu Municipal Yahata Hospital, Kitakyushu, Japan

Y. Yamashita
Department of Gastroenterological Surgery, Fukuoka University School of Medicine, Fukuoka, Japan

T. Gabata
Department of Radiology, Kanazawa University Graduate School of Medical Science, Kanazawa, Japan

J. Hata
Department of Endoscopy and Ultrasound, Kawasaki Medical School, Okayama, Japan

S. Kusachi
Department of Surgery, Toho University Medical Center Ohashi Hospital, Tokyo, Japan