

## **Evaluation of elution and mechanical properties of high-dose antibiotic-loaded bone cement: comparative "in vitro" study of the influence of vancomycin and cefazolin**

E. Paz, P. Sanz, J. Abenojar, J. Vaquero, F. Forriol, J.C. del Real-Romero

**Abstract—** Use of antibiotic-loaded bone cements is one of the most effective methods for the prevention and treatment of prosthetic joint infection. However, there is still controversy about the optimal combination and doses of antibiotics that provide the maximum antimicrobial effect without compromising cement properties. In this study, vancomycin and cefazolin were added to a bone cement (Palacos R + G). Antibiotic release, fluid absorption, and mechanical properties were evaluated under physiological conditions. The results show that the type of antibiotic selected has an important impact on cement properties. In this study, groups with cefazolin showed much higher elution than those containing the same concentration of vancomycin. In contrast, groups with cefazolin showed a lower strength than vancomycin groups.

**Index Terms—** bone cement-PMMA; antibiotic; elution; water uptake; mechanical properties

Due to copyright restriction we cannot distribute this content on the web. However, clicking on the next link, authors will be able to distribute to you the full version of the paper:

[Request full paper to the authors](#)

If your institution has an electronic subscription to The Journal of Arthroplasty, you can download the paper from the journal website:

[Access to the Journal website](#)

### **Citation:**

*Paz, E.; Sanz, P.; Abenojar, J.; Vaquero, J.; Forriol, F.; del Real-Romero, J.C.; "Evaluation of elution and mechanical properties of high-dose antibiotic-loaded bone cement: comparative "in vitro" study of the influence of vancomycin and cefazolin", The Journal of Arthroplasty, vol.30, no.8, pp.1423-1429. August, 2015.*