



King's Research Portal

DOI: 10.1109/TFUZZ.2018.2874015

Document Version Peer reviewed version

Link to publication record in King's Research Portal

Citation for published version (APA): Su, X., Wen, Y., Shi, P., & Lam, H. K. (2018). Event-Triggered Fuzzy Filtering for Nonlinear Dynamic Systems via Reduced-Order Appraoch. *IEEE Transactions on Fuzzy Systems.* https://doi.org/10.1109/TFUZZ.2018.2874015

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

•Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research. •You may not further distribute the material or use it for any profit-making activity or commercial gain •You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Event-Triggered Fuzzy Filtering for Nonlinear Dynamic Systems via Reduced-Order Appraoch

Xiaojie Su, Senior Member, IEEE, Yao Wen, Student Member, IEEE, Peng Shi, Fellow, IEEE, and Hak Keung Lam, Senior Member, IEEE

Abstract—This paper is concerned with the problem of generalized \mathcal{H}_2 reduced-order filter design for continuous Takagi-Sugeno fuzzy systems using an event-triggered scheme. For a continuous Takagi-Sugeno fuzzy dynamic system, we want to establish a reduced-order filter to transform the original model into a linear lower-order one. This filter can also approximate the original system with \mathcal{H}_2 performance, with a new type of event-triggered scheme used to decrease the communication loads and computation resources within the network. By transforming the filtering problem to a convex optimization one, conditions are presented to design the fuzzy reduced-order filter. Finally, two illustrative examples are used to verify the feasibility and applicability of the proposed design scheme.

Index Terms—Fuzzy systems, Fuzzy filter, \mathcal{H}_2 filtering, Reduced-order approach

I. INTRODUCTION

Filtering on dynamical systems has received considerable attention in the past many years as its capability to estimate system states when the systems have noisy inputs. A great number of results have been obtained which are applicable to practical systems [2], [19]. Significant effort has been expended on estimation techniques, with the Kalman filtering method [10], a particularly common approach to minimize estimation errors. Kalman filtering can effectively process a dynamic system if the system consists of an explicitly known model, and the external disturbance is Gaussian noise. In actual situations, however, the exact mathematical system model is often not available, and there may be various external disturbances and system modeling errors. Therefore, many other significant and effective approaches have been developed [20], [29]. Some examples include \mathcal{H}_2 filtering [31], \mathcal{H}_{∞} filtering [30], [33], mixed \mathcal{H}_{∞} and passive filtering [26], $\mathcal{H}_{-}/\mathcal{H}_{\infty}$ filter design for discrete T-S fuzzy system [8], filter design for polynomial fuzzy systems [6], robust observer design for unknown input T-S models [9], fault detection filter

This work was partially supported by the National Natural Science Foundation of China (61772095, 61773131 and 61473051), and the Fundamental Research Funds for the Central Universities (cqu2018CDHB1A06, 2018CDQYZDH0040).

X. Su and Y. Wen are with the Key Laboratory of Complex System Safety and Control (Chongqing University), Ministry of Education, and the College of Automation, Chongqing University, Chongqing 400044, China. Email: suxiaojie@cqu.edu.cn, wenyao@cqu.edu.cn

P. Shi is with the School of Electrical and Electronic Engineering, The University of Adelaide, SA 5005, Australia, and the College of Engineering and Science, Victoria University, Melbourne, VIC 8001, Australia. Email: peng.shi@adelaide.edu.au

H. K. Lam is with the Bush House, Strand Campus, Department of Informatics, King's College London, 30 Aldwych, London, WC2B 4BG, U.K. Email: hak-keung.lam@kcl.ac.uk design for T-S fuzzy systems in the finite-frequency domain, which was resolved in [7], and efficient adaptive filter design for the signal processing problem, which was proposed in [16]. Of these filtering methods, two approaches are particularly common: robust \mathcal{H}_2 filtering [11] and \mathcal{H}_∞ filtering [32]. \mathcal{H}_2 filters are more sensitive to modeling errors than are \mathcal{H}_∞ filters, but the latter may produce large estimation errors if the original system is disturbed by white noise. However, little previous research has been conducted on the application of \mathcal{H}_2 optimal estimation theory to relevant filtering problem, thus providing the initial motivation for the present study.

This paper focuses on the filtering problem for Takagi-Sugeno (T-S) fuzzy systems with an event-triggered scheme. The information transmission process in networked control systems (NCSs) is conducted through a communication channel. If network measurements are sampled with a constant h > 0, whether the sampling signal is transferred to the filter is decided by a pre-specified event-triggered condition (ETC). When the ETC is met, the current sampled signal is promptly released to the communication channel and transmitted to the filter. Consequently, valuable computational resources and communication bandwidth can be saved during network transmission. Therefore, a dynamic system can be converted into an error-dependent time-delay system using an effective eventtriggered communication scheme. For this, appropriate filters also need to be designed to guarantee system performance if a group of linear matrix inequalities is satisfied for a given threshold parameter. Filtering problems combined with ETCs have thus attracted the interests of many researchers, leading to a number of proposed event-triggered filtering approaches, including a fault detector and controller-coordinated design [25], mixed \mathcal{H}_{∞} and passive filtering [18], fault detection [28], \mathcal{H}_{∞} filtering for delayed neural networks [4], and a distributed Kalman filter [5]. Thus, event-triggered schemes play a vital role in performance analysis and system synthesis.

Nonlinear dynamic systems in various engineering fields commonly require higher-order mathematical models [13], [14], [17], [22], which may increase the difficulty and complexity of evaluating the performance and analyzing the stability of the system in question. Hence, methods for simplifying the original system with lower-order filters based on certain criteria have been a common research focus [3], [15]. The goal of reduced-order filtering is to incorporate a filter of a lower order than the original system based on specific standards. Over the last few years, many techniques have been introduced to process mathematical models by utilizing reduced-order filters, such as the \mathcal{H}_{∞} [1] and \mathcal{H}_2 methods [23]. Model order reduction for electronic circuit design was introduced in [27], and the authors of [24] investigated model approximation for switched systems with stochastic perturbation. Reduced-order filter design has the advantage of flexibility and simplicity in implementation for practical applications, but it is worth noting that limited research has been conducted on \mathcal{H}_2 filtering for T-S fuzzy systems, particularly regarding reduced-order filtering. As a consequence, research on reduced-order filter design for T-S fuzzy systems is important in terms of both theory and practice, which has motivated us to conduct the current study.

Few studies have been conducted on \mathcal{H}_2 filtering and eventtriggered schemes for T-S fuzzy systems, and there have been few attempts to address the related reduced-order filtering problem despite its theoretical and practical significance. Thus, the objective of this work is to resolve the problem of reduced-order \mathcal{H}_2 filtering for nonlinear T-S fuzzy systems that employ an event-triggered communication scheme. The main contributions of this paper are summarized below:

- 1) Ideal solutions are obtained for the filtering of continuous T-S fuzzy systems. Problems surrounding \mathcal{H}_2 filtering and reduced-order filter design are also resolved for these systems.
- An event-triggered communication scheme, which can be used to decide whether the sampling signal will be transmitted, is coupled with a fuzzy filter to decrease the use of limited network resources.
- Because the filter conditions include nonlinear matrix inequalities, the non-convex feasibility issue is converted to a convex optimization issue using the reciprocally convex method and readily solved by some standard available software.

II. SYSTEM DESCRIPTION AND PROBLEM STATEMENT

A. Model Description

Consider a class of continuous-time nonlinear systems as the target plants, which can be expressed approximately as the T-S fuzzy model below:

♦ Plant Form:

Rule i : IF $\zeta_1(t)$ is ϑ_{i1} , $\zeta_2(t)$ is ϑ_{i2} , ..., and $\zeta_p(t)$ is ϑ_{ip} , THEN

$$\begin{cases} \dot{x}(t) = A_i x(t) + B_i \omega(t), \\ y(t) = C_i x(t), \\ z(t) = E_i x(t), \end{cases}$$
(1)

where $x(t) \in \mathbb{R}^n$ denotes the state vector of the system; $\omega(t) \in \mathbb{R}^q$ denotes the exogenous disturbance input which is assumed to belong to $\mathcal{L}_2[0,\infty)$; $y(t) \in \mathbb{R}^p$ denotes the measurement output; and $z(t) \in \mathbb{R}^m$ denotes the signal to be estimated. A_i , B_i , C_i , and E_i are system matrices of suitable dimensions. The fuzzy basis functions can be presented as

$$h_i(\zeta(t)) = \frac{v_i(\zeta(t))}{\sum\limits_{i=1}^r v_i(\zeta(t))}, \quad v_i(\zeta(t)) = \prod\limits_{j=1}^p \vartheta_{ij}(\zeta_j(t)),$$

where $\zeta(t) = [\zeta_1(t), \zeta_2(t), \dots, \zeta_p(t)]$ represents the premise variable vector, and $\vartheta_{ij}(\zeta_j(t))$ stands for the grade of membership of $\zeta_j(t)$ in ϑ_{ij} . ϑ_{ij} represents the fuzzy sets, where

 $i = 1, 2, \dots, r$, and the scalar r denotes the number of IF-THEN rules. For all t, assume that $v_i(\zeta(t)) \ge 0$, $\sum_{i=1}^r v_i(\zeta(t)) > 0$. Consequently, we conclude that $h_i(\zeta(t)) \ge 0$, and $\sum_{i=1}^r h_i(\zeta(t)) = 1$. Thus, the T-S fuzzy system (1) can be further rewritten in a more complete representation:

$$\begin{aligned}
\dot{x}(t) &= \sum_{i=1}^{r} h_i(\zeta(t)) \Big\{ A_i x(t) + B_i \omega(t) \Big\}, \\
y(t) &= \sum_{i=1}^{r} h_i(\zeta(t)) C_i x(t), \\
z(t) &= \sum_{i=1}^{r} h_i(\zeta(t)) E_i x(t).
\end{aligned}$$
(2)

B. Structure of Reduced-Order Fuzzy Filter

We are on the stage to propose the reduced-order fuzzy filter in this subsection. Suppose the premise variable of the fuzzy model $\zeta(t)$ is obtainable for feedback, which signifies that $h_i(\zeta(t))$ is obtainable for feedback. Assume the premise variables and membership functions of the fuzzy filter are identical to these in the T-S fuzzy plant. By utilizing the parallel distributed compensation approach, the fuzzy-ruledependent filter is put forward to employ identical IF-THEN sections. Then, the aim is how to design a reduced-order dynamic filter described by

♦ Filter Form:

Rule i : IF $\zeta_1(t)$ is ϑ_{i1}, \ldots , and $\zeta_p(t)$ is ϑ_{ip} , THEN

$$\begin{cases} \dot{x}_f(t) = A_{fi}x_f(t) + B_{fi}\hat{y}(t), \\ z_f(t) = E_{fi}x_f(t), \end{cases}$$
(3)

where $x_f(t) \in \mathbb{R}^l$ denotes the state vector of filter with $l \leq n$; $\hat{y}(t)$ denotes practical input signal of filter; $z_f(t) \in \mathbb{R}^m$ denotes the estimate signal of z(t); A_{fi} , B_{fi} , and E_{fi} are matrices with appropriate dimensions to be determined. Furthermore, the fuzzy filter in (3) is compactly represented by

$$\begin{cases} \dot{x}_{f}(t) = \sum_{i=1}^{r} h_{i}(\zeta(t)) \Big\{ A_{fi}x_{f}(t) + B_{fi}\hat{y}(t) \Big\}, \\ z_{f}(t) = \sum_{i=1}^{r} h_{i}(\zeta(t)) \Big\{ E_{fi}x_{f}(t) \Big\}. \end{cases}$$
(4)

C. Event-Triggered Technique

A fresh event-triggered communication technique is employed to decide whether or not the output signal y(t) can be transmitted to the reduced-order filter, which can reduce the data transmission pressure and save the precious communication resources.

Employing the sampler and zero-order holder (ZOH) in communication network, the current sampled signal $y(t_kT + nT)$ will be transferred if the threshold condition satisfies as follow:

$$\begin{bmatrix} y(t_kT + nT) - y(t_kT) \end{bmatrix}^T \Lambda_1 \begin{bmatrix} y(t_kT + nT) - y(t_kT) \end{bmatrix} \\ \leqslant \delta y^T(t_kT) \Lambda_2 y(t_kT), \quad (5)$$

where $\delta \in [0, 1)$, Λ_1 and Λ_2 are positive definite symmetric matrices, $y(t_kT + nT)$ is the present sampling signal, and $y(t_kT)$ is the latest transmitted packet.

Define the transmission error $e_k(s_kT)$ between the latest sampled signal and the current sampled signal as

$$e_k(s_kT) = [y(t_kT + nT)] - y(t_kT).$$

Denote $s_kT = t_kT + nT$, which means the sampling time between the current instant t_kT and the approaching instant $t_{k+1}T$. Thus, the transmission error can be rewritten as

$$e_k(s_kT) = y(s_kT) - y(t_kT).$$
(6)

Considering event-triggered communication scheme, the T-S fuzzy system in (2) can be converted into a new system with time-delay. Assumed that q is a finite positive integer, and it satisfies $t_{k+1} = t_k + q + 1$. Therefore, the time interval of ZOH is given by

$$\left[t_{k}T + \tau_{t_{k}}, t_{k+1}T + \tau_{t_{k+1}}\right) = \bigcup_{n=0}^{q} \Lambda_{n,k},$$

where

$$\Lambda_{n,k} \triangleq \left[t_k T + nT + \tau_{i_k+n}, t_k T + (n+1)T + \tau_{i_k+n+1} \right],$$

$$n = 0, 1, \dots, q.$$

In this work, we define the network delay as

 $h(t) = t - (t_kT + nT) = t - s_kT, \ 0 \le h(t) \le T + \overline{h} = h,$ where $t \in \Lambda_{n,k}$. Therefore, the new ETC is inferred as

$$e_k^T(s_kT)\Lambda_1 e_k(s_kT) \leqslant \delta y^T(t_kT)\Lambda_2 y(t_kT).$$
(7)

Considering the behavior of ZOH, the input of the reducedorder filter can be further formulated as

$$\hat{y}(t) = y(t_k T) = y(s_k T) - e_k(s_k T)
= y(t - h(t)) - e_k(t - h(t)),
t \in [t_k T + \tau_{t_k}, t_{k+1} T + \tau_{t_{k+1}}).$$
(8)

Substituting (8) to (4), it follows that

$$\dot{x}_{f}(t) = \sum_{i=1}^{r} h_{i}(\zeta(t)) \Big\{ A_{fi}x_{f}(t) + B_{fi} \big[y(t-h(t)) - e_{k}(t-h(t)) \big] \Big\},$$
(9)
$$z_{f}(t) = \sum_{i=1}^{r} h_{i}(\zeta(t)) \Big\{ E_{fi}x_{f}(t) \Big\}.$$

Therefore, the fuzzy filter in (4) is transformed into a delayedtime system with the event-triggered technique described above.

Remark 1. Because the effect of the correspondence network in traditional filter design is considered negligible, $\hat{y}(t) = y(t)$. However, the time delays within the network affect the analysis of system performance, which are considered in this article, hence $\hat{y}(t) \neq y(t)$.

Remark 2. The zero-order holder (ZOH), which can select the most recent data signal, is used to drive the proposed filter. Therefore, out-of-order data packets can be dropped. Data packet losses and communication network delays can be attributed to the delays caused by the network.

D. Problem Formulation

Extending the model in (2) to contain the filter signals in (9) and the ETC in (7), the corresponding filtering error system can be obtained as

$$\dot{\xi}(t) = \sum_{i=1}^{r} \sum_{j=1}^{r} h_i(\zeta(t)) h_j(\zeta(t)) \Big\{ \widetilde{A}_0 \xi(t) + \widetilde{A}_1 x(t-h(t)) \\ + \widetilde{B}_0 w(t) + \widetilde{C}_1 e_k(t-h(t)) \Big\},$$
(10)
$$e_f(t) = \sum_{i=1}^{r} \sum_{j=1}^{r} h_i(\zeta(t)) h_j(\zeta(t)) \Big\{ \widetilde{E}_1 \xi(t) \Big\},$$
(10)
where $\xi(t) \triangleq \begin{bmatrix} x(t) \\ x_f(t) \end{bmatrix}, e_f(t) \triangleq z(t) - z_f(t).$
$$\widetilde{A}_0 = \begin{bmatrix} A_i & 0 \\ 0 & A_{fi} \end{bmatrix}, \widetilde{A}_1 = \begin{bmatrix} 0 \\ B_{fi}C_i \end{bmatrix}, \widetilde{B}_0 = \begin{bmatrix} B_i \\ 0 \end{bmatrix},$$

$$\widetilde{C}_1 = \begin{bmatrix} 0 \\ -B_{fj} \end{bmatrix}, \widetilde{E}_1 = \begin{bmatrix} E_i & -E_{fj} \end{bmatrix}, E \triangleq \begin{bmatrix} I & 0 \end{bmatrix}.$$

The structure of the overall filtering error system is shown in Fig. 1.




Fig. 1: Structure of the fuzzy filter with event-triggered scheme

Definition 1. The equilibrium $\xi^* = 0$ of the fuzzy filtering system (10) with w(t) = 0 is asymptotically stable if the following condition is satisfied:

$$\lim_{t \to \infty} \mathcal{E}\left\{ \|\xi(t)\|^2 = 0 \right\} = 0.$$

Definition 2. For a given scalar $\gamma > 0$, the overall filtering system (10) is asymptotically stable with a generalized \mathcal{H}_2 disturbance attenuation level γ , if it is asymptotically stable when w(t) = 0, and the zero initial state is set as $\xi(0) = 0$,

$$||e(t)||_{\infty} < \gamma ||w(t)||_2,$$

for whole non-zero $w(t) \in \mathcal{L}_2[0,\infty)$, where

$$\|e(t)\|_{\infty} \triangleq \sup_{t} \sqrt{|e(t)^2|}.$$

III. MAIN RESULTS

In this section, the asymptotic stability with a generalized \mathcal{H}_2 performance level γ of system (10) is discussed in Theorem 1, and a fuzzy reduced-order filer is designed in Theorem 2.

A. Generalized \mathcal{H}_2 Filtering Analysis

Sufficient conditions to ensure system (10) is asymptotic stability with an \mathcal{H}_2 performance are presented in the following theorem.

Theorem 1. Given scalars $\delta \in [0, 1)$, h > 0, $\gamma > 0$, system in (10) is asymptotically stable with a generalised \mathcal{H}_2 disturbance attenuation level γ if there exist matrices P > 0, Q > 0, R > 0, S > 0, T > 0, $\Lambda_1 > 0$, $\Lambda_2 > 0$, χ , such that, for all i, j = 1, 2, ..., r,

$$\frac{2}{r-1}\Omega^{ii} + \Omega^{ij} + \Omega^{ji} < 0, \qquad (11)$$

$$\Omega^{ii} < 0, \qquad (12)$$
$$\begin{bmatrix} -P & \widetilde{E}_1^T \\ \star & -\gamma^2 I \end{bmatrix} < 0, \qquad (13)$$

$$\begin{bmatrix} \mathcal{I} \otimes R + \mathcal{I} \otimes S & \chi \\ \star & \mathcal{I} \otimes R + \mathcal{I} \otimes T \end{bmatrix} > 0, \quad (14)$$

with

$$\begin{split} \Omega_{11}^{ii} &\triangleq sym\{\widetilde{A}_{0}^{T}P\} + E^{T}[Q - 6S - 9R + h^{2}A_{i}^{T}RA_{i} + \\ &\frac{1}{2}h^{2}A_{i}^{T}(S + T)A_{i}]E, \\ \Omega_{12}^{ii} &\triangleq E^{T}\Big\{\sum_{m=1}^{3}(\chi_{1m}^{T} - \chi_{2m}^{T} + \chi_{3m}^{T})\Big\}, \\ \Omega_{13}^{ii} &\triangleq P^{T}\widetilde{A}_{1} + E^{T}\Big\{\sum_{m=1}^{3}(-\chi_{1m}^{T} - \chi_{2m}^{T} - \chi_{3m}^{T}) + 3R\Big\}, \\ \Omega_{14}^{ii} &\triangleq E^{T}\{-6S - 24R\}, \Omega_{17}^{ii} &\triangleq E^{T}\Big\{\sum_{m=1}^{3}6\chi_{3m}^{T}\Big\}, \end{split}$$

$$\begin{split} &\Omega_{15}^{ii} \triangleq E^T \Big\{ \sum_{m=1}^3 (2\chi_{2m}^T - 6\chi_{3m}^T) \Big\}, \Omega_{16}^{ii} \triangleq E^T \{12S + 30R\}, \\ &\Omega_{18}^{ii} \triangleq E^T \big[h^2 A_i^T RB_i + \frac{1}{2} h^2 A_i^T (S + T)B_i \big] + P^T \tilde{B}_0, \\ &\Omega_{23}^{ii} \triangleq (-1)^m \sum_{m=1}^3 (\chi_{m1} - \chi_{m2} + \chi_{m3}) + 3R, \\ &\Omega_{24}^{ii} \triangleq (-1)^m \sum_{m=1}^3 (2\chi_{m2} - 6\chi_{m3}), \\ &\Omega_{26}^{ii} \triangleq (-1)^m \sum_{m=1}^3 6\chi_{m3}, \Omega_{27}^{ii} \triangleq -12T - 30R, \\ &\Omega_{33}^{ii} \triangleq sym \Big\{ \sum_{m=1}^3 (\chi_{m1} - \chi_{m2} + \chi_{m3}) \Big\} - 6S - 6T - 18R \\ &+ \delta C_i^T \Lambda_2 C_i, \\ &\Omega_{34}^{ii} \triangleq \sum_{m=1}^3 (2\chi_{m2} - 6\chi_{m3}) + 18T + 36R, \\ &\Omega_{35}^{ii} \triangleq (-1)^m \sum_{m=1}^3 (2\chi_{2m}^T - 6\chi_{3m}^T) - 6S - 24R, \\ &\Omega_{36}^{ii} \triangleq \sum_{m=1}^3 6\chi_{m3} - 12T - 30R, \\ &\Omega_{37}^{ii} \triangleq (-1)^m \sum_{m=1}^3 6\chi_{3m}^T + 12S + 30R, \\ &\Omega_{44}^{ii} \triangleq -18S - 66T - 192R, \quad E \triangleq \begin{bmatrix} I & 0 \end{bmatrix}, \\ &\Omega_{44}^{ii} \triangleq -18S - 66T - 192R, \quad E \triangleq \begin{bmatrix} I & 0 \end{bmatrix}, \\ &\Omega_{44}^{ii} \triangleq 24S + 48T + 180R, \\ &\Omega_{45}^{ii} \triangleq -12\chi_{32}^T + 36\chi_{33}^T, \\ &\Omega_{55}^{ii} \triangleq -18S - 66T - 192R, \\ &\Omega_{55}^{ii} \triangleq -18S - 66T - 192R, \\ &\Omega_{46}^{ii} \triangleq 24S + 48T + 180R, \\ &\Omega_{46}^{ii} \triangleq -12\chi_{23} + 36\chi_{33}^T, \\ &\Omega_{55}^{ii} \triangleq -18S - 66T - 192R, \\ &\Omega_{55}^{ii} \triangleq -18S - 66T - 192R, \\ &\Omega_{46}^{ii} \triangleq -18S - 66T - 192R, \\ &\Omega_{47}^{ii} \triangleq -12\chi_{32}^T + 36\chi_{33}^T, \\ &\Omega_{55}^{ii} \triangleq -18S - 66T - 192R, \\ &\Omega_{67}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq 24S + 48T + 180R, \\ &\Omega_{67}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq -36\chi_{33}^T, \\ &\Omega_{77}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq -36\chi_{33}^T, \\ &\Omega_{77}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36S - 36T - 180R, \\ &\Omega_{67}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36X - 36T - 180R, \\ &\Omega_{77}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36X - 36T - 180R, \\ &\Omega_{77}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36X - 36T - 180R, \\ &\Omega_{77}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} \triangleq -36\chi_{7}^T, \\ &\Omega_{77}^{ii} = -36\chi_{7}^T, \\ &\Omega_{77}^{ii} = -36\chi_{7}^T, \\ &\Omega_{7$$

Proof: Construct the following Lyapunov function candidate

$$V(t) = \sum_{m=1}^{3} V_m(t),$$
(15)

where

$$V_{1}(t) \triangleq \xi^{T}(t)P\xi(t),$$

$$V_{2}(t) \triangleq \int_{t-h}^{t} \xi^{T}(s)Q\xi(s)ds$$

$$+h\int_{-h}^{0}\int_{t+\theta}^{t} \dot{\xi}^{T}(s)R\dot{\xi}(s)dsd\theta,$$

$$V_{3}(t) \triangleq \int_{-h}^{0}\int_{r}^{0}\int_{t+\theta}^{t} \dot{\xi}^{T}(s)S\dot{\xi}(s)dsd\theta dr$$

$$+\int_{-h}^{0}\int_{-h}^{r}\int_{t+\theta}^{t} \dot{\xi}^{T}(s)T\dot{\xi}(s)dsd\theta dr$$

By taking the derivation of V(t), it follows that

 $\dot{V}(t) = \dot{V}_1(t) + \dot{V}_2(t) + \dot{V}_3(t)$

$$\leq sym \Big\{ \xi^{T}(t) \widetilde{A}_{0}^{T} P\xi(t) + \xi^{T}(t-h(t)) \widetilde{A}_{1}^{T} P\xi(t) \\ + w^{T}(t) \widetilde{B}_{0}^{T} P\xi(t) + e_{k}^{T}(t-h(t)) \widetilde{C}_{1}^{T} P\xi(t) \Big\} \\ + \xi^{T}(t) Q\xi(t) - \xi^{T}(t-h) Q\xi(t-h) \\ + \frac{1}{2} h^{2} \dot{\xi}^{T}(t) (S+T) \dot{\xi}(t) + h^{2} \dot{\xi}^{T}(t) R\dot{\xi}(t) \\ - 2\Gamma_{7}^{T} S\Gamma_{7} - 4\Gamma_{8}^{T} S\Gamma_{8} - 2\Gamma_{9}^{T} S\Gamma_{9} - 4\Gamma_{10}^{T} S\Gamma_{10} \\ - 2\Gamma_{11}^{T} T\Gamma_{11} - 2\Gamma_{12}^{T} T\Gamma_{12} - 4\Gamma_{13}^{T} T\Gamma_{13} \\ - 4\Gamma_{14}^{T} T\Gamma_{14} - \Gamma_{1,6}^{T} \Xi\Gamma_{1,6}$$
(16)

where

$$\begin{split} &\Gamma_{1} \triangleq \Upsilon_{3} - \Upsilon_{2}, \quad \Gamma_{2} \triangleq \Upsilon_{3} + \Upsilon_{2} - 2\Upsilon_{5}, \\ &\Gamma_{3} \triangleq \Upsilon_{3} - \Upsilon_{2} + 6\Upsilon_{5} - 6\Upsilon_{7}, \quad \Gamma_{4} \triangleq \Upsilon_{1} - \Upsilon_{3}, \\ &\Gamma_{5} \triangleq \Upsilon_{1} + \Upsilon_{3} - 2\Upsilon_{4}, \quad \Gamma_{6} \triangleq \Upsilon_{1} - \Upsilon_{3} + 6\Upsilon_{4} - 6\Upsilon_{6}, \\ &\Gamma_{7} \triangleq \Upsilon_{3} - \Upsilon_{5}, \quad \Gamma_{8} \triangleq \Upsilon_{3} + 2\Upsilon_{5} - 3\Upsilon_{7}, \\ &\Gamma_{9} \triangleq \Upsilon_{1} - \Upsilon_{4}, \quad \Gamma_{11} \triangleq \Upsilon_{2} - \Upsilon_{5}, \\ &\Gamma_{10} \triangleq \Upsilon_{1} + 2\Upsilon_{4} - 3\Upsilon_{6}, \quad \Gamma_{12} \triangleq \Upsilon_{3} - \Upsilon_{4}, \\ &\Gamma_{13} \triangleq \Upsilon_{2} - 4\Upsilon_{5} + 3\Upsilon_{7}, \quad \Gamma_{14} \triangleq \Upsilon_{3} - 4\Upsilon_{4} + 3\Upsilon_{6}, \\ &\Gamma_{1,6} \triangleq \begin{bmatrix} \Gamma_{1} & \Gamma_{2} & \Gamma_{3} & \Gamma_{4} & \Gamma_{5} & \Gamma_{6} \end{bmatrix}, \\ &\Xi \triangleq \begin{bmatrix} diag\{R, 3R, 5R\} & \chi \\ &\star & diag\{R, 3R, 5R\} \end{bmatrix} \end{bmatrix}, \\ &\Upsilon(t) \triangleq col \Big\{ \xi(t), \, \xi(t-h), \, \xi(t-h(t)), \, \frac{1}{h(t)} \int_{t-h(t)}^{t} \xi(\alpha) d\alpha, \\ &\frac{1}{h-h(t)} \int_{t+h}^{t+h(t)} \xi(\alpha) d\alpha, \, \frac{2}{h^{2}(t)} \int_{-h(t)}^{0} \int_{t+\beta}^{t} \xi(\alpha) d\alpha d\beta, \\ &\frac{2}{(h-h(t))^{2}} \int_{-h}^{-h(t)} \int_{t+\beta}^{t-h(t)} \xi(\alpha) d\alpha d\beta, w(t), \\ &e_{k}(t-h(t)) \Big\}. \end{split}$$

For the sake of completing the establishment of the generalised \mathcal{H}_2 performance for the overall filtering system in (10), the zero initial state is assumed as $\xi(0) = 0$, so $V(\xi(t))|_{t=0} = 0$. Consider the following induced index

$$\mathcal{J}(t) \triangleq \int_0^\infty -w^T(t)w(t)dt$$

$$\leqslant \left[\int_0^\infty -w^T(t)w(t)dt\right] + V(t) - V(0)$$

$$\triangleq \int_0^\infty \left[-w^T(t)w(t) + \dot{V}(t)\right]dt \tag{17}$$

Considering the event-triggered mechanism in (7), we denote $\Delta(t) = \delta y^T (t_k T) \Lambda_2 y(t_k T) - e_k^T (s_k T) \Lambda_1 e_k (s_k T) > 0.$ (18)

It follows from (16) to (18) that

$$-w^{T}(t)w(t) + \dot{V}(t) + \Delta(t) \leq \sum_{i=1}^{r} \sum_{j=1}^{r} h_{i}(\zeta(t))h_{j}(\zeta(t))$$
$$\left\{\Psi^{T}(t)\Omega^{ii}\Psi(t)\right\}.$$
 (19)

Then, in view of the condition in (12), it is easy to get $\Omega^{ii} < 0$. From the condition in (18) and (19), it follows that

$$-w^{T}(t)w(t) + \dot{V}(t) < 0$$
(20)

Through the integral calculation on the two sides of (20) from 0 to ∞ , we get

$$V(t) < \int_0^\infty w^T(t)w(t)dt \tag{21}$$

Furthermore, the inequality in (13) can be converted into the following inequality by the Schur Complement method:

$$\widetilde{E}_1^T \widetilde{E}_1 - \gamma^2 P < 0 \tag{22}$$

Thus, it can be easily established that for all t > 0,

$$e_f^T(t)e_f(t) - \gamma^2 V_1(t) \leqslant \sum_{i=1}^r \sum_{j=1}^r h_i(\zeta(t))h_j(\zeta(t)) \\ \left\{ \xi^T(t) \big(\widetilde{E}_1^T \widetilde{E}_1 - \gamma^2 P \big) \xi(t) \right\}. (23)$$

From (22), we can easily conclude that

$$e_f^T(t)e_f(t) < \gamma^2 V_1(t) < \gamma^2 V(t).$$
 (24)

It follows from (21) and (24) that for all t > 0

$$e_f^T(t)e_f(t) < \gamma^2 V(t) < \gamma^2 \int_0^\infty w^T(t)w(t)dt.$$
(25)

Getting the supremum over t > 0 leads to $||e(t)||_{\infty} < \gamma ||w(t)||_2$ for all non-zero $w(t) \in \mathcal{L}_2[0,\infty)$, thus it completes the proof.

B. Reduced-order Filter Design

The following result provides conditions to solve the \mathcal{H}_2 filtering problem for system (10) by linearization method.

Theorem 2. Given scalars $\delta \in [0, 1)$, h > 0, $\gamma > 0$, if there exist real matrices $\mathbb{W} > 0$, $P_1 > 0$, Q > 0, R > 0, S > 0, T > 0, $\Lambda_1 > 0$, $\Lambda_2 > 0$, χ , and the parameters of the filter $\widetilde{A}_{fi}, \widetilde{B}_{fi}, \widetilde{E}_{fi}$ such that the following matrix inequations are satisfied for i, j = 1, 2, ..., r:

$$\frac{2}{r-1}\Psi^{ii} + \Psi^{ij} + \Psi^{ji} < 0, \tag{26}$$

$$\Psi^{ii} < 0, \tag{27}$$

$$\begin{vmatrix} -P_1 & -\mathcal{H} \mathbb{W} & E_I^i \\ \star & -\mathbb{W}^T & -\widetilde{E}_{fi}^T \\ \star & \star & -\gamma^2 I \end{vmatrix} < 0,$$
(28)

$$\begin{split} \text{where } \Psi^{ii} &= \left[\begin{array}{c} \Psi_{1}^{ii} & \Psi_{2}^{ii} \\ \star & \Psi_{4}^{ii} \end{array} \right], \\ \Psi_{1}^{ii} &\triangleq \left[\begin{array}{c} \Psi_{111}^{ii} & \Psi_{112}^{ii} & \Psi_{12}^{ii} & \Psi_{13}^{ii} & \Psi_{14}^{ii} \\ \star & \Psi_{122}^{ii} & 0 & \bar{\Psi}_{13}^{ii} & 0 \\ \star & \star & \Omega_{23}^{ii} & \Omega_{24}^{ii} \\ \star & \star & \star & \Omega_{33}^{ii} & \Omega_{34}^{ii} \\ \star & \star & \star & \star & \Omega_{33}^{ii} & \Omega_{44}^{ii} \end{array} \right], \\ \Psi_{2}^{ii} &\triangleq \left[\begin{array}{c} \Psi_{15}^{ii} & \Psi_{16}^{ii} & \Psi_{17}^{ii} & \Psi_{18}^{ii} & \Psi_{19}^{ii} \\ 0 & 0 & 0 & \bar{\Psi}_{18}^{ii} & \bar{\Psi}_{19}^{ii} \\ \Omega_{25}^{ii} & \Omega_{26}^{ii} & \Omega_{27}^{ii} & 0 & 0 \\ \Omega_{35}^{ii} & \Omega_{36}^{ii} & \Omega_{37}^{ii} & 0 & -\delta C_{i}^{T} \Lambda_{2} \\ \Omega_{45}^{ii} & \Omega_{46}^{ii} & \Omega_{47}^{ii} & 0 & 0 \end{array} \right] \\ \Psi_{4}^{ii} &\triangleq \Omega_{4}^{ii}, \end{split}$$

$$\begin{split} \Psi_{111}^{ii} &\triangleq A_i^T P_1 + P_1 A_i + Q - 6S - 9R + h^2 A_i^T R A_i + \\ &\quad \frac{1}{2} h^2 A_i^T (S+T) A_i, \Psi_{112}^{ii} \triangleq A_i^T \mathcal{H} \mathbb{W} + \mathcal{H} \widetilde{A}_{fi}, \\ \Psi_{122}^{ii} &\triangleq \widetilde{A}_{fi} + \widetilde{A}_{fi}^T, \Psi_{12}^{ii} \triangleq \sum_{m=1}^3 (\chi_{1m}^T - \chi_{2m}^T + \chi_{3m}^T), \\ \Psi_{13}^{ii} &\triangleq \sum_{m=1}^3 (-\chi_{1m}^T - \chi_{2m}^T - \chi_{3m}^T) + 3R + \mathcal{H} \widetilde{B}_{fi} C_i, \\ \Psi_{14}^{ii} &\triangleq -6S - 24R, \Psi_{15}^{ii} \triangleq \sum_{m=1}^3 (2\chi_{2m}^T - 6\chi_{3m}^T), \\ \Psi_{16}^{ii} &\triangleq 12S + 30R, \Psi_{17}^{ii} \triangleq \sum_{m=1}^3 6\chi_{3m}^T, \\ \Psi_{18}^{ii} &\triangleq P_1 B_i + h^2 A_i^T R B_i + \frac{1}{2} h^2 A_i^T (S+T) B_i, \\ \Psi_{19}^{ii} &\triangleq -\mathcal{H} \widetilde{B}_{fi}, \bar{\Psi}_{13}^{ii} \triangleq \widetilde{B}_{fi} C_i \\ \bar{\Psi}_{18}^{ii} &\triangleq \mathbb{W}^T \mathcal{H}^T B_i, \bar{\Psi}_{19}^{ii} \triangleq -\widetilde{B}_{fi}, \\ \Omega_{22}^{ii} &\equiv -Q - 6T - 9R, \Omega_{25}^{ii} \triangleq 18T + 36R, \end{split}$$

then the \mathcal{H}_2 reduced-order filter design problem is solvable. Furthermore, the parameters of the desired \mathcal{H}_2 filter in (4) are given as

$$\begin{bmatrix} A_{fi} & B_{fi} \\ E_{fi} & 0 \end{bmatrix} = \begin{bmatrix} \mathbb{W}^{-1} & 0 \\ 0 & I \end{bmatrix} \begin{bmatrix} \widetilde{A}_{fi} & \widetilde{B}_{fi} \\ \widetilde{E}_{fi} & 0 \end{bmatrix}.$$
 (29)

Proof: Based on Theorem 1, if the conditions (11)-(13) hold, then the nonsingular matrix P can be partitioned as

$$P \triangleq \begin{bmatrix} P_1 & \mathcal{H}P_2 \\ \star & P_3 \end{bmatrix}, \tag{30}$$

where

$$\mathcal{H} = \begin{bmatrix} I_{r \times r} & 0_{r \times (n-r)} \end{bmatrix}^T, P_1 \in R^{n \times n}, \quad P_2 \in R^{r \times r}, \quad P_3 \in R^{r \times r}.$$

Assume that P_2 is nonsingular, and to prove it, define

$$M \triangleq P + \varrho N(\varrho > 0)$$

and

$$N \triangleq \begin{bmatrix} 0_{n \times n} & \mathcal{H} \\ \star & 0_{r \times r} \end{bmatrix}, M \triangleq \begin{bmatrix} M_1 & \mathcal{H}M_2 \\ \star & M_3 \end{bmatrix}.$$
(31)

Owing to P > 0, we can easily obtain that M > 0 for $\rho > 0$. Therefore, it is simple to validate that M_2 is nonsingular for an arbitrary small $\rho > 0$, and the equation above is feasible with P. Thus, without loss of generality, P_2 is assumed to be nonsingular subject to M_2 .

Based on the above discussion, several matrices are defined as below:

$$\mathbb{U} \triangleq \begin{bmatrix} I & 0\\ 0 & P_3^{-1} P_2^T \end{bmatrix}, \mathbb{V} \triangleq P_1, \mathbb{W} \triangleq P_2 P_3^{-1} P_2^T, \quad (32)$$

and

$$\begin{bmatrix} \widetilde{A}_{fi} & \widetilde{B}_{fi} \\ \widetilde{E}_{fi} & 0 \end{bmatrix} \triangleq \begin{bmatrix} P_2 & 0 \\ 0 & I \end{bmatrix} \begin{bmatrix} A_{fi} & B_{fi} \\ E_{fi} & 0 \end{bmatrix} \begin{bmatrix} P_3^{-1} P_2^T & 0 \\ 0 & I \end{bmatrix}.$$
(33)

Then, we can get

$$\mathbb{U}^{T} \widetilde{A}_{0}^{T} P \mathbb{U} \triangleq \begin{bmatrix} A_{i}^{T} P_{1} & A_{i}^{T} \mathcal{H} \mathbb{W} \\ \widetilde{A}_{fi}^{T} \mathcal{H}^{T} & \widetilde{A}_{fi}^{T} \end{bmatrix}, \\
\mathbb{U}^{T} P \widetilde{A}_{0} \mathbb{U} \triangleq \begin{bmatrix} P_{1} A_{i} & \mathcal{H} \widetilde{A}_{fi} \\ \mathbb{W}^{T} \mathcal{H}^{T} A_{i} & \widetilde{A}_{fi} \end{bmatrix}, \\
\mathbb{U}^{T} P \mathbb{U} \triangleq \begin{bmatrix} P_{1} & \mathcal{H} \mathbb{W} \\ \mathbb{W}^{T} \mathcal{H}^{T} & \mathbb{W}^{T} \end{bmatrix}, \mathbb{U}^{T} \widetilde{E}_{1}^{T} \triangleq \begin{bmatrix} E_{i}^{T} \\ -\widetilde{E}_{fi}^{T} \end{bmatrix}, \\
\mathbb{U}^{T} P \widetilde{A}_{1} \triangleq \begin{bmatrix} \mathcal{H} \widetilde{B}_{fi} C_{i} \\ \widetilde{B}_{fi} C_{i} \end{bmatrix}, \mathbb{U}^{T} P \widetilde{B}_{0} \triangleq \begin{bmatrix} P_{1} B_{i} \\ \mathbb{W}^{T} \mathcal{H}^{T} B_{i} \end{bmatrix}, \\
\mathbb{U}^{T} P \widetilde{C}_{1} \triangleq \begin{bmatrix} -\mathcal{H} \widetilde{B}_{fi} \\ -\widetilde{B}_{fi} \end{bmatrix}.$$
(34)

Executing congruence transformations to (11), (12), and (13) with matrices

respectively, we obtain that the equalities in (26)–(28) hold if (32)–(34) are considered. Therefore, the error system in (10) can be guaranteed to be asymptotically stable with a generalized \mathcal{H}_2 disturbance attenuation level γ . Moreover, note that (33) is equivalent to

$$\begin{bmatrix} A_{fi} & B_{fi} \\ E_{fi} & 0 \end{bmatrix} \triangleq \begin{bmatrix} (P_2^{-T}P_3)^{-1} \mathbb{W}^{-1} & 0 \\ 0 & I \end{bmatrix}$$
$$\begin{bmatrix} \widetilde{A}_{fi} & \widetilde{B}_{fi} \\ \widetilde{E}_{fi} & 0 \end{bmatrix} \begin{bmatrix} P_2^{-T}P_3 & 0 \\ 0 & I \end{bmatrix}. (35)$$

Therefore, the parameters (A_{fi}, B_{fi}, E_{fi}) in (4) can be given by (35), and it is obvious that $P_2^{-T}P_3$ can obtain the statespace form by means of similarity transformation. And in general, let $P_2^{-T}P_3 = I$, we can get (29), which can be employed to construct the reduced-order \mathcal{H}_2 fuzzy filter in (4). Hence, it completes the proof.

Remark 3. Note that matrix \mathcal{H} , which is put forward in Theorem 2, plays a key role during the design process of the reduced-order filter because of its use as an order reduction factor. The result in Theorem 2 becomes a full-order case when \mathcal{H} is chosen as the unit matrix, and this is simpler than using the reduced-order filtering.

IV. NUMERICAL EXAMPLES

In this section, two examples are provided to illustrate the effectiveness and feasibility of the reduced-order \mathcal{H}_2 fuzzy filter design scheme. Firstly, a numerical example is employed to manifest the validity of the proposed technique in this paper. Then a tunnel diode circuit system is approximated by a class of T-S fuzzy systems, and the desired performance index of the tunnel diode circuit system is achieved.

Example 1. Consider the following continuous T-S fuzzy as system in (2):

$$\begin{cases} \dot{x}(t) = \sum_{i=1}^{2} h_i(\zeta(t)) \Big\{ A_i x(t) + B_i \omega(t) \Big\}, \\ y(t) = \sum_{i=1}^{2} h_i(\zeta(t)) C_i x(t), \\ z(t) = \sum_{i=1}^{2} h_i(\zeta(t)) E_i x(t). \end{cases}$$

with

$$\begin{split} A_1 &= \begin{bmatrix} -1.0 & 0.2 & 0.4 \\ 0.1 & -1.0 & 0.1 \\ 0.4 & 0.0 & -1.2 \end{bmatrix}, B_1 = \begin{bmatrix} 0.8 \\ 1.0 \\ 1.2 \end{bmatrix}, \\ C_1 &= \begin{bmatrix} 1.0 & 1.2 & 0.8 \end{bmatrix}, E_1 &= \begin{bmatrix} 0.2 & 0.8 & 0.5 \end{bmatrix}, \\ A_2 &= \begin{bmatrix} -1 & 0.2 & 0.0 \\ 0.4 & -1.1 & 0.1 \\ 0.1 & 0.3 & -1.0 \end{bmatrix}, B_2 &= \begin{bmatrix} 1.2 \\ 1.0 \\ 1.0 \end{bmatrix}, \\ C_2 &= \begin{bmatrix} 0.6 & 1.0 & 0.6 \end{bmatrix}, E_2 &= \begin{bmatrix} 0.5 & 0.2 & 0.6 \end{bmatrix}. \end{split}$$

Then we strive to find effective reduced-order filters in (4) to approximate the aforementioned system with an \mathcal{H}_2 performance by employing convex linearization approach. Here we assume h = 0.12, $\delta = 0.8$.

Case 1. First, the case of reduced-order filtering (k = 2) is considered. By solving the conditions in (11)–(14), we can obtain the corresponding event-triggered parameters as $\Lambda_1 = 41.4731$ and $\Lambda_2 = 0.0088$. Furthermore, the \mathcal{H}_2 reduced-order filter parameters are shown as below via calculating the conditions in Theorem 2:

$$A_{f1} = \begin{bmatrix} -2.7637 & -1.4605 \\ -1.4895 & -3.0605 \end{bmatrix},$$

$$B_{f1} = \begin{bmatrix} -1.4054 \\ -1.3933 \end{bmatrix}, E_{f1} = \begin{bmatrix} -0.3407 & -0.3926 \end{bmatrix},$$

$$A_{f2} = \begin{bmatrix} -2.2015 & -1.3880 \\ -0.4678 & -3.0639 \end{bmatrix},$$

$$B_{f2} = \begin{bmatrix} -1.6967 \\ -1.6954 \end{bmatrix}, E_{f2} = \begin{bmatrix} -0.4223 & -0.2202 \end{bmatrix}.$$

Case 2. Then we consider the reduced-order filtering problem (k = 1), and the corresponding event-triggered parameters can be obtained as $\Lambda_1 = 22.4914$ and $\Lambda_2 = 0.0109$. Moreover, the relevant parameters of the \mathcal{H}_2 reduced-order filters are calculated below:

$$A_{f1} = -6.9118$$
 , $B_{f1} = -0.1908$, $E_{f1} = -0.7967$,
 $A_{f2} = -2.1357$, $B_{f2} = -0.3896$, $E_{f2} = -0.9851$.

To show the reduced-order filtering performance, the initial state of the overall filtering error system (10) is assumed to be zero, which means x(t) = 0, $x_f(t) = 0$. Moreover, the exogenous disturbance w(t) is set as $w(t) = \sin(0.3t) \exp(-0.2t)$. Furthermore, assume that the fuzzy basis functions are chosen

$$\begin{cases} h_1(\zeta(t)) = \frac{1 - [sin(x_1(t))]^2}{2}, \\ h_2(\zeta(t)) = \frac{1 + [sin(x_1(t))]^2}{2}. \end{cases}$$

By using efficient MATLAB toolbox, the simulations of the proposed \mathcal{H}_2 filters are presented in Figs. 2–7. Among them, the corresponding event-triggered release time intervals diagrams of two-order filter and one-order filter are drawn in Fig. 2 and Fig. 5, respectively. The outputs of system model (2) and reduced-order filters (k = 2, k = 1) are plotted in Fig. 3 and Fig. 6. In addition, Fig. 4 and Fig. 7 manifest the corresponding filtering errors $e_f(t)$ between them. From these figures, one can see that the \mathcal{H}_2 reduced-order filter via event-triggered technique realizes an ideal estimation of z(t)and the valuable communication bandwidth and computation resources during transmissions can be saved to a certain degree.

Example 2. In this example, we consider a tunnel diode circuit [12] which has been introduced in Fig. 8. The tunnel diode system is

$$i_D(t) = 0.002v_D(t) + 0.01v_D^3(t)$$

Assume the state variables $x_1(t) = v_C(t)$, $x_2(t) = i_L(t)$. The circuit is governed by the following equalities:

$$\begin{cases}
C\dot{x}_{1}(t) = -0.002x_{1}(t) + x_{2}(t) - 0.01x_{1}^{3}(t), \\
L\dot{x}_{2}(t) = -x_{1}(t) - Rx_{2}(t) + w(t), \\
y(t) = x_{1}(t), \\
z(t) = x_{1}(t) + w(t),
\end{cases}$$
(36)

where w(t) denotes the disturbance signal, y(t) denotes the measurement output signal, and z(t) denotes the signal to be evaluated. The parameters in the circuit are given as C = 20mF, L = 1H, and $R = 10\Omega$. Thus, the circuit system is further rewritten as

$$\dot{x}_{1}(t) = -0.1x_{1}(t) + 50x_{2}(t) - [0.5x_{1}^{2}(t)] \times x_{1}(t),
\dot{x}_{2}(t) = -x_{1}(t) - 10x_{2}(t) + w(t),
y(t) = x_{1}(t),
z(t) = x_{1}(t) + w(t).$$
(37)

Therefore, we can obtain the two-rule T-S fuzzy model to approximate the nonlinear circuit system (37) as follows. **Plant Form:**

Rule 1: IF
$$x_2(t)$$
 is $\mathcal{N}_1(x_1(t))$ THEN

$$\begin{cases} \dot{x}(t) = A_1 x(t) + B_1 \omega(t) \\ y(t) = C_1 x(t), \\ z(t) = E_1 x(t). \end{cases}$$

Rule 2: IF $x_2(t)$ is $\mathcal{N}_2(x_1(t))$ THEN

$$\begin{cases} \dot{x}(t) = A_2 x(t) + B_2 \omega(t), \\ y(t) = C_2 x(t), \\ z(t) = E_2 x(t). \end{cases}$$

On account of the above T-S fuzzy model, the relevant system parameters can be inferred as

$$A_1 = \begin{bmatrix} -0.1 & 50\\ -1 & -10 \end{bmatrix}, B_1 = \begin{bmatrix} 0\\ 1 \end{bmatrix}$$

$$C_{1} = \begin{bmatrix} 1 & 0 \end{bmatrix}, E_{1} = \begin{bmatrix} 1 & 0 \end{bmatrix}, A_{2} = \begin{bmatrix} -4.6 & 50 \\ -1 & -10 \end{bmatrix}, B_{2} = \begin{bmatrix} 0 \\ 1 \end{bmatrix}, C_{2} = \begin{bmatrix} 1 & 0 \end{bmatrix}, E_{2} = \begin{bmatrix} 1 & 0 \end{bmatrix}.$$

Furthermore, the membership functions employed in this example are defined as:

$$h_1(\zeta(t)) = \begin{cases} \frac{3+x_1(t)}{3}, & -3 \le x_1(t) \le 0, \\ \frac{3-x_1(t)}{3}, & 0 \le x_1(t) \le 3, \\ 0, & elsewhere \end{cases}$$
$$h_2(\zeta(t)) = 1 - h_1(\zeta(t)).$$

Moreover, we are committed to finding the reduced-order filter which is in the format of (4), to approximate the aforementioned system with an \mathcal{H}_2 performance via convex linearization approach. Under the assumption that h = 0.06, $\delta = 0.8$, and by employing Theorem 2, we can obtain the corresponding event-triggered matrices as $\Lambda_1 = 116.0829$ and $\Lambda_2 = 0.1179$. In addition, the relevant parameters of \mathcal{H}_2 reduced-order filter are calculated as

$$A_{f1} = -16.7582, \quad B_{f1} = -16.4151, \quad E_{f1} = -0.3709,$$

 $A_{f2} = -38.3097, \quad B_{f2} = -16.6927, \quad E_{f2} = -0.3709.$

Additionally, to investigate the reduced-order filtering performance of the obtained models, the initial state is assumed to be $\xi(0) = 0$, which means x(0) = 0 and $x_f(0) = 0$; the external disturbance signal w(t) is assumed to be w(t) =exp(-0.1t)sin(0.1t), with $t \ge 0$. The simulation results in Example 2 are shown in Fig. 9–11. Among them, the eventtriggered release time figure is plotted in Fig. 9. Fig. 10 draws the outputs of the system model and the aforementioned reduced-order filter. Fig. 11 draws the filtering error between them. Moreover, Fig. 9 shows that over the time interval [0, 40s], just 155 sampled data packets are transmitted, leading to a transmission rate of 46.5%, which means that communication resources can be saved by 53.5%. Therefore, the findings from Figs. 9–11 demonstrate the validity of \mathcal{H}_2 reduced-order filter design scheme and the bandwidth usages of the network are reduced by employing the event-triggered communication scheme.

Remark 4. Because the obtained filtering conditions involve nonlinear matrix inequalities (NLMIs), the reciprocally convex method is employed to recast the fuzzy filter design as a convex optimization problem subject to linear matrix inequalities (LMIs), which can be easily resolved with MATLAB. The conditions required for the solvability of an H₂ reduced-order filter are presented in Theorem 2. For the preset triggered parameter δ , the corresponding allowable performance level γ , the filter parameters A_{fi} , B_{fi} , and E_{fi} and the eventtriggered matrices Λ_1 and Λ_2 are designed from the derived results, which can be easily achieved by employing standard numerical software. This means that the chosen triggered parameter determines the performance of the filtering error system. **Remark 5.** In this paper, we apply the reciprocally convex technique combined with a new Lyapunov function in (15), which contributes to the stability analysis and performance evaluation of the concerned system. The reciprocally convex method is utilized to handle the time delay, which reduces the conservativeness and the computational complexity. The event-triggered scheme is proposed to reduce the number of information transmissions while retaining ideal system performance. For the resulting filtering error system, data packets of sampled signals are transmitted by the event-trigger scheme, i.e., information transmissions are available only when the defined triggering criteria are satisfied.

V. CONCLUSION

This paper addresses \mathcal{H}_2 reduced-order filter design for continuous fuzzy logic systems using event-triggered communication. First, the conditions required for the presence of \mathcal{H}_2 reduced-order fuzzy filters are derived in terms of matrix inequalities using Lyapunov-Krasovskii functions, meaning that the resulting overall filtering system is asymptotically stable in terms of \mathcal{H}_2 . The solvability conditions for the proposed reduced-order filter are then established. A novel eventtriggered technique, which can be used to decide whether the sampling signals are transmitted, is also presented to decrease the communication loads and use of computational resources within the network. Finally, the simulation results illustrate that the proposed design scheme is valid and effective. It is expected that the proposed reduced-order filter design can be extended into sampled-data T-S fuzzy systems or polynomial fuzzy systems. Applying the theoretical achievements of this work to practical complex systems such as power systems is an interesting avenue for future research.




Fig. 2: The release instants and intervals in Case 1

REFERENCES

- [1] A. Alif, M. Darouach, and M. Boutayeb, "Design of robust \mathcal{H}_{∞} reduced-order unknown-input filter for a class of uncertain linear neutral systems," *IEEE Transactions on Automatic Control*, vol. 55, no. 1, pp. 6–19, 2010.
- [2] W. Assawinchaichote, and S. K. Nguang, " \mathcal{H}_{∞} filtering for fuzzy singularly perturbed systems with pole placement constraints: an LMI approach," *IEEE Transactions on Signal Processing*, vol. 52, no. 6, pp. 1659–1667, 2004.




Fig. 3: Outputs z(t) and its estimation $z_f(t)$ in Case 1




Fig. 6: Outputs z(t) and its estimation $z_f(t)$ in Case 2




Fig. 4: Filtering errors $e_f(t)$ in Case 1




Fig. 7: Filtering errors $e_f(t)$ in Case 2




Fig. 5: The release instants and intervals in Case 2




Fig. 8: Tunnel diode circuit in Example 2




Fig. 9: The release instants and intervals in Example 2




Fig. 10: Output z(t) and its estimation $z_f(t)$




Fig. 11: Filtering errors $e_f(t)$

- [3] W. Assawinchaichote, and S. K. Nguang, "Fuzzy \mathcal{H}_{∞} output feedback control design for singularly perturbed systems with pole placement constraints: an LMI approach," *IEEE Transactions on Fuzzy Systems*, vol. 14, no. 3, pp. 361–371, 2006.
- [4] E. Arslan, R. Vadivel, M. S. Ali, and S. Arik, "Event-triggered H_∞ filtering for delayed neural networks via sampled-data," *Neural Networks*, vol. 91, pp. 11–21, 2017.
- [5] G. Battistelli, L. Chisci, and D. Selvi, "A distributed Kalman filter with event-triggered communication and guaranteed stability," *Automatica*, vol. 93, pp. 75–82, 2018.
- [6] A. Chibani, M. Chadli, S. X. Ding, and N. Benhadj Braiek, "Design of robust fuzzy fault detection filter for polynomial fuzzy systems with new finite frequency specifications," *Automatica*, vol. 93, pp. 42–54, 2018.
- [7] A. Chibani, M. Chadli, P. Shi, and N. Benhadj Braiek, "Fuzzy fault detection filter design for T-S fuzzy systems in the finite-frequency domain," *IEEE Transactions on Fuzzy Systems*, vol. 25, no. 5, pp. 1051– 1061, 2017.
- [8] M. Chadli, A. Abdo, and S. X. Ding, "*H*_−/*H*_∞ fault detection filter design for discrete-time Takagi-Sugeno fuzzy system," *IEEE Transactions* on Fuzzy Systems, vol. 49, no. 7, pp. 1996–2005, 2013.
- [9] M. Chadli, and H. R. Karimi, "Robust observer design for unknown inputs Takagi-Sugeno models," *IEEE Transactions on Fuzzy Systems*, vol. 21, no. 1, pp. 158–164, 2013.
- [10] F. S. Cattivelli, and A. H. Sayed, "Diffusion strategies for distributed kalman filtering and smoothing," *IEEE Transactions on Automatic Control*, vol. 55, no. 9, pp. 2069–2084, 2010.
- [11] Y. Ebihara, "H₂ analysis of LTI systems via conversion to externally positive systems," *IEEE Transactions on Automatic Control*, DOI: 10.1109/TAC.2017.2767704, 2017.
- [12] H. Gao, Y. Zhao, and J. Lam, "H_∞ fuzzy filtering of nonlinear systems with intermittent measurements," *IEEE Transactions on Fuzzy Systems*, vol. 17, no. 2, pp. 291–300, 2009.
- [13] L. Jiang, and R. Qi, "Adaptive actuator fault compensation for discretetime T-S fuzzy systems with multiple input-output delays," *International Journal of Innovative Computing, Information and Control*, vol.12, no.4, pp.1043–1058, 2016.
- [14] C. M. Lin, and H. Y. Li, "Adaptive dynamic sliding-mode fuzzy CMAC for voice coil motor using asymmetric gaussian membership function," *IEEE Transactions on Industrial Electronics*, vol. 61, no. 10, pp. 5662– 5671, 2014.
- [15] H. K. Lam, and S. H. Tsai, "Stability analysis of polynomial-fuzzymodel-based control systems with mismatched premise membership functions," *IEEE Transactions on Fuzzy Systems*, vol. 22, no. 1, pp. 223–229, 2014.
- [16] C. M. Lin, M. S. Yang, F. Chao, X. Hu, and J. Zhang, "Adaptive filter design using type-2 fuzzy cerebellar model articulation controller," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 27, no. 10, pp. 2084–2094, 2016.
- [17] A. B. Lugli, E. R. Neto, J. P. C. Henriques, M. D. A. Hervas, M. M. D. Santos, and J. F. Justo, "Industrial application control with fuzzy systems," *International Journal of Innovative Computing, Information and Control*, vol.12, no.2, pp.665–676, 2016.
- [18] L. Moran, C. A. Albistur, and R. Burgos, "Multimega VAR passive filters for mining applications: practical limitations and technical considerations," *IEEE Transactions on Industry Applications*, vol. 52, no. 6, pp. 5310–5317, 2016.
- [19] S. K. Nguang, and W. Assawinchaichote, "H/sub/spl infin// filtering for fuzzy dynamical systems with D stability constraints," *IEEE Transactions on Circuits and Systems I: Fundamental Theory and Applications*, vol. 50, no. 11, pp. 1503–1508, 2003.
- [20] S. K. Nguang, P. Shi, and S. Ding, "Fault detection for uncertain fuzzy systems: An LMI approach," *IEEE Transactions on Fuzzy Systems*, vol. 15, no. 6, pp. 1251–1262, 2007.
- [21] P. Park, J. W. Ko, and C. Jeong, "Reciprocally convex approach to stability of systems with time-varying delays." *Automatica*, vol. 47, no. 1, pp. 235–238, 2011.
- [22] J. Qiu, S. X. Ding, H. Gao, and S. Yin, "Fuzzy-model-based reliable static output feedback H_∞ control of nonlinear hyperbolic PDE systems," *IEEE Transactions on Fuzzy Systems*, vol. 24, no.2, pp. 388–400, 2016.
- [23] K. Sato, and H. Sato, "Structure preserving H₂ optimal model reduction based on riemannian trust-region method," *IEEE Transactions on Automatic Control*, vol. 63, no. 2, pp. 505–512, 2018.
- [24] X. Su, L. Wu, P. Shi, and C. L. P. Chen, "Model approximation for fuzzy switched systems with stochastic perturbation," *IEEE Transactions on Fuzzy Systems*, vol. 23, no. 5, pp. 1458–1473, 2015.

- [25] X. Su, F. Xia, L. Wu, and C. L. P. Chen, "Event-triggered fault detector and controller coordinated design of fuzzy systems," *IEEE Transactions* on Fuzzy Systems, DOI: 10.1109/TFUZZ.2017.2757459, 2017.
- [26] P. Shi, Y. Zhang, M. Chadli, and R. K. Agarwal, "Mixed H-Infinity and passive filtering for discrete fuzzy neural networks with stochastic jumps and time delays," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 27, no. 4, pp. 903–909, 2016.
- [27] M. M. Tobenkin, I. R. Manchester, and A. Megretski, "Convex parameterizations and fidelity bounds for nonlinear identification and reducedorder modelling," *IEEE Transactions on Automatic Control*, vol. 62, no. 7, pp. 3679–3686, 2017.
- [28] Y. Wang, C. C. Lim, and P. Shi, "Adaptively adjusted event-triggering mechanism on fault detection for networked control systems," *IEEE Transactions on Cybernetics*, vol. 64, no. 6, pp. 5203–5211, 2017.
- [29] M. Wang, J. Qiu, M. Chadli, and M. Wang, "A switched system approach to exponential stabilization of sampled-data T-S fuzzy systems with packet dropouts," *IEEE Transactions on Cybernetics*, vol. 46, no. 12, pp. 3145–3156, 2016.
- [30] T. Wang, J. Qiu, S. Fu, and W. Ji, "Distributed fuzzy \mathcal{H}_{∞} filtering for nonlinear multirate networked double-layer industrial processes," *IEEE Transactions on Industrial Electronics*, vol. 46, no. 12, pp. 3145–3156, 2016.
- [31] L. Wu, X. Yao, and W. Zheng, "Generalized \mathcal{H}_2 fault detection for Markovian jumping two-dimensional systems," *Automatica*, vol. 48, no. 8, pp. 1741–1750, 2012.
- [32] S. Zhang, Z. Wang, D. Ding, H. Dong, F. E. Alsaadi, and T. Hayat, "Nonfragile H_∞ fuzzy filtering with randomly occurring gain variations and channel fadings," *IEEE Transactions on Fuzzy Systems*, vol. 24, no. 3, pp. 505–518, 2016.
- [33] Z. Zhang, Z. Zhang, H. Zhang, P. Shi, and H. R. Karimi, "Finite-time \mathcal{H}_{∞} filtering for T-S fuzzy discrete-time systems with time-varying delay and norm-bounded uncertainties," *IEEE Transactions on Fuzzy Systems*, vol. 23, no. 6, pp. 2427–2434, 2015.



Xiaojie Su was born in Henan, China, in 1985. He received the B.S. degree in Automation from Jiamusi University, China in 2008; the M.E. degree in Control Theory and Control Engineering from Harbin Institute of Technology, China in 2010; and the Ph.D degree in Control Theory and Control Engineering from Harbin Institute of Technology, China in 2013. He is currently a professor with the College of Automation, Chongqing University, Chongqing 400044, China. His current research interests include Takagi-Sugeno fuzzy systems, optimal filtering, op-


timal controller design, and model reduction.

Prof. Su currently serves as an Associate Editor for a number of journals, including *IEEE Access, Information Sciences, Signal Processing, Neurocomputing*, and *International Journal of Control, Automation, and Systems*. He is also an Associate Editor for the Conference Editorial Board, IEEE Control Systems Society. He was named to the 2017 Highly Cited Researchers list, Clarivate Analytics.



Yao Wen was born in Chongqing, China, in 1993. She received the B.E. degree in Automation from Anhui University of Technology, Anhui, China, in 2016, and she is currently working toward the Ph.D degree in control science and engineering in the College of Automation from Chongqing University, Chongqing, China.

Her research interests include fuzzy systems, fuzzy control, and distributed sensor networks.



Peng Shi (M'95-SM'98-F'15) received the PhD degree in Electrical Engineering from the University of Newcastle, Australia in 1994; the PhD degree in Mathematics from the University of South Australia in 1998. He was awarded the Doctor of Science degree from the University of Glamorgan, Wales in 2006; and the Doctor of Engineering degree from the University of Adelaide, Australia in 2015.

He is now a professor at the University of Adelaide. His research interests include system and control theory, intelligent systems, and operational

research. He is a Member-at-Large of Board of Governors, IEEE SMC Society, and an IEEE Distinguished Lecturer. He is a Fellow of the Institution of Engineering and Technology, and the Institute of Engineers, Australia.

He received the Andrew Sage Best Transactions Paper Award from IEEE SMC Society in 2016. He has served on the editorial board of a number of journals in the fields of automation, fuzzy systems, cybernetics, signal processing and information sciences.



Hak Keung Lam received the B.Eng. (Hons.) and Ph.D. degrees from the Department of Electronic and Information Engineering, The Hong Kong Polytechnic University, Hong Kong, in 1995 and 2000, respectively. During the period of 2000 and 2005, he worked with the Department of Electronic and Information Engineering at The Hong Kong Polytechnic University as Post-Doctoral Fellow and Research Fellow respectively. He joined as a Lecturer at Kings College London in 2005 and is currently a Reader.

His current research interests include intelligent control and computational intelligence. He has served as a program committee member, international advisory board member, invited session chair and publication chair for various international conferences and a reviewer for various books, international journals and international conferences. He is an associate editor for IEEE Transactions on Fuzzy Systems, IEEE Transactions on Circuits and Systems II: Express Briefs, IET Control Theory and Applications, International Journal of Fuzzy Systems and Neurocomputing; and editorial board member and guest editor for a number of international journals. He is an IEEE senior member.

He is a coeditor of two edited volumes: Control of Chaotic Nonlinear Circuits (World Scientific, 2009) and Computational Intelligence and Its Applications (World Scientific, 2012), and author/coauthor of three monographs: Stability Analysis of Fuzzy-Model-Based Control Systems (Springer, 2011), Polynomial Fuzzy Model Based Control Systems (Springer, 2016) and Analysis and Synthesis for Interval Type-2 Fuzzy-Model-Based Systems (Springer, 2016).